

Octavia










| Exterior dimensions | | Interior dimensions | |
|---------------------|-------|--|---------------|
| Length (mm) | 4,572 | Comfort measure front max./min. (mm) | 1,164/922 |
| Width (mm) | 1,769 | Comfort measure rear max./min. (mm) | 883/627 |
| | | · · · · · · · · · · · · · · · · · · · | |
| Height (mm)* | 1,462 | Lateral room front/rear (mm) | 1,415/1,423 |
| Wheel base (mm) | 2,578 | Effective head room front/rear (mm) | 981/966 |
| Track front (mm) | 1,539 | Luggage storage space (I) | |
| Track rear (mm) | 1,528 | with rear seat backrests upright | 560 |
| Clearance (mm)* | 140 | - with rear seat backrests/seat down | 1,350/1,420** |

- * At kerb weight.

 ** Applies to versions with foldable rear seat.

Octavia wagon



| Exterior dimensions | | Interior dimensions | |
|---------------------|-----------------------|--------------------------------------|-------------|
| Length (mm) | 4,572 | Comfort measure front max./min. (mm) | 1,164/922 |
| Width (mm) | 1,769 | Comfort measure rear max./min. (mm) | 883/627 |
| Height (mm)* | 1,468 [1,463] | Lateral room front/rear (mm) | 1,415/1,423 |
| Wheel base (mm) | 2,578 | Effective head room front/rear (mm) | 981/984 |
| Track front (mm) | 1,539 [1,533] | Luggage storage space (I) | |
| Track rear (mm) | 1,528 [1,522] | - with rear seat backrests upright | 580 |
| Clearance (mm)* | 140/164** [138/163**] | - with rear seats and backrests down | 1,620 |

* At kerb weight. [] Applies to Octavia wagon 4x4.




Ambiente - decorative strip



Elegance - decorative strip



Elegance - Eminent Ivory interior



Ambiente - Graham Grey interior



Ambiente - Graham Onyx interior



Ambiente - Graham Achat interior



Elegance - Eminent Onyx interior



Elegance - Eminent Ivory interior



Elegance - Supreme Ivory interior (leather upholstery)



Elegance - Supreme Onyx interior (leather upholstery)



Candy White



Corrida Red



Dynamic Blue



Brilliant Silver metallic



Anthracite Grey metallic



Black Magic pearl effect

Model equipment - Octavia sedan / wagon

| Ambiente | Sedan | Wagon | Elegance | Sedan | Wagon |
|--|-------|----------|---|-------|-------|
| Engine | | | | | |
| 1,9TDI PD/77 kW 5 spd man/6 spd auto DSG | • | • | 1.8TSI/118 kW 6 spd man | • | • |
| | | | 2,0FSI/110 kW 6 spd auto | • | • |
| | | | 2,0TDI-PD/103 kW 6 spd man/6 spd auto DSG | • | • |
| Dorign | | | Additionally area Ambiento | | |
| Design | | | Additionally over Ambiente | | |
| Helios" 6,5J x15" alloy wheels | • | • | "Lyra" 6,5Jx16" alloy wheels | • | |
| ide blinkers integrated in outer mirrors | • | • | Door mirrors with illumination of an entry area | • | |
| Black side mouldings | • | • | | | |
| nner door handles chrome | • | • | | | |
| inted glass | • | • | | | |
| urn indicators integrated in outer mirrors | • | • | | | |
| coof console | • | <u> </u> | | | |
| Gafety | | | | | |
| SP incl. ABS+EBD+EBC+TCS+EDL+HBA+DSR | • | • | | | |
| Oriver and passenger airbags + side irbags front + head airbags | • | • | | | |
| Disc brakes rear | • | • | | | |
| Front seats with active headrests | • | • | | | |
| Child safety lock for rear doors, activation indicator on the door | • | • | | | |
| Manual headlight adjustment (Internal height adjustment) | • | • | | | |
| mmobiliser | • | • | | | |
| Safety lights on front doors | • | • | | | |
| asered vehicle identifaction number code on all glass windows) | • | • | | | |
| unction | | | | | |
| 2V-socket in luggage compartment | - | • | Climatronic - Dual zone electronic air conditioning | • | • |
| Power windows front and rear with safety | • | - | Light Assistant (Tunnel Light, Coming Home, Leaving Home) | • | • |
| peration and child safety lock | • | | Eight issistant (turner Eight, coming frome, Ecaving frome) | • | |
| limatic - automatic air conditioning | • | • | Fog lights | • | • |
| sun visors with vanity mirrors and pockets | • | • | 2 hooks in cargo area | • | • |
| roof handles, rear with hooks | • | • | Cargo net | • | • |
| Remote control for central door locking | • | • | Storage tray under passenger seat | • | • |
| alloy spare wheel | • | • | Illuminated and cooled glove compartment | • | • |
| Fixing loops in luggage compartment | • | • | Sunglass holder | • | • |
| storage box under steering wheel (for 2 cans) | • | • | Steel spare wheel | • | • |
| Storage tray under passenger seat | • | • | steer spare timeer | | |
| umbo box - armrest front (incl. 12V audiosocket) | • | • | | | |
| storage bins in side doors front and rear | • | | | | |
| front with 1-litre-bottle holders) | • | | | | |
| Pouble bottle holder in mid console | • | • | | | |
| Aultifunctional on-board trip computer | • | • | | | |
| ront seats height adjustable with lumbar supports | • | • | | | |
| Pear door remote opening (electric) - Softtouch | • | • | | | |
| lexible cargo area cover (roller blind) Wagon; helf cargo area cover (Sedan) | • | • | | | |
| Electromechanical power steering | • | • | | | |
| Headlight buzzer | • | • | | | |
| Four-spoke steering wheel with Logo | • | • | | | |
| ø 375mm, adjustable in 2 axes) | - | - | | | |
| hooks in cargo area | - | • | | | |
| luminated glove compartment | • | • | | | |
| ollen Filter for heating and ventilation | • | • | | | |
| plit fold rear seat 1/3 and 2/3 | • | • | | | |
| front map lamps | • | • | | | |
| coof light in the rear centre | • | • | | | |
| hook in cargo area | • | | | | |
| | • | • | | | |
| argo area illi imination - 2 lamps | _ | | | | |
| | • | • | | | |
| Cargo area illumination - 2 lamps oforage box on dashboard (upper part) with lid Cargo net | • | • | | | |

⁻ standard equipmentO - optional equipment- not available for this model

Model equipment - Octavia sedan / wagon

| Ambiente | Sedan | Wagon | Elegance | Sedan | Wagon |
|--|-------|-------|--|-------|-------|
| Convenience | | | | | |
| Radio "Stream" 2 DIN with CD and MP3 player (4 loudspeakers) | • | • | Radio "Audience" 2 DIN with 6CD changer and MP3 player (8 loudspeakers) | • | • |
| Cruise control | • | • | Rear armrest (with load through feature) | • | • |
| Multifunctional leather steering wheel for radio + small leather package | • | • | | | |
| Push-Push tanklid with electric opening (with central door locking) | • | • | | | |
| Heated power mirrors | • | • | | | |
| Rear armrest (with load through feature) | - | • | | | |
| Rear wiper with wash-wipe function | - | • | | | |
| Options | | | | | |
| Leather upholstery with heated front seats | - | - | | 0 | 0 |
| Xenon headlights | 0 | 0 | | 0 | 0 |
| Alloy wheels 17" with sports suspension | 0 | 0 | | 0 | 0 |
| Electric glass roof | 0 | 0 | | 0 | 0 |
| Parking distance control front and rear | 0 | 0 | | 0 | 0 |
| Electric front seats with drivers memory | - | - | | 0 | 0 |
| Alarm system | 0 | 0 | | 0 | 0 |
| Satellite navigation system | 0 | 0 | | 0 | 0 |
| Metallic paint | 0 | 0 | | 0 | 0 |
| Pearl effect paint | 0 | 0 | | 0 | 0 |

Octavia 4x4

| | 4x4 | 4x4 Elegance |
|--|-----|--------------|
| Engine | | |
| 1,9TDI-PD/77 kW 4x4 6 spd man | • | • |
| 2,0 TDI PD/103 kW 4x4 6 spd man with DPF | • | • |
| Design | | |
| 6,5J x15" alloy wheels "Helios" | • | - |
| 6,5Jx16" alloy wheels "Lyra" | - | • |
| Turn indicators integrated in outer mirrors | • | • |
| Varnished bumper with black protective side mouldings | • | • |
| Roof console | • | • |
| Black protective side mouldings | • | • |
| Inner door handles chromed | • | • |
| Decor strips from Ambiente (Alu-silk lustre) | • | - |
| Decor strips from Elegance (Neutral Weave) | - | • |
| Tinted glass | • | • |
| Safety | | |
| ESP incl. ABS, EBD, EBC, ESBS, TCS, EDL, HBA, DSR - Driver Steering Recommendation | • | • |
| Driver and passanger airbags + side airbags front + head airbags | • | • |
| Disc brakes rear | • | • |
| Front seats with active headrests | • | • |
| Child safety lock of rear doors, activation indicator on the door | • | • |
| Manual headlight adjustment (Internal height adjustment) | • | • |
| Safety reflecting glasses on front doors | • | - |
| Safety lights on front doors | - | • |
| Immobiliser | • | • |
| Lasered vehicle identification number code all glass windows | • | • |
| Function | | |
| Climatic - automatic air conditioning | • | - |
| Climatronic - 2 zone electronic air conditioning | - | • |
| Roof rails | • | • |
| Remote control for central door locking | • | • |
| Power windows front and rear | • | • |
| Fog lights | - | • |
| Alloy spare wheel | • | - |
| Steel spare wheeel | - | • |
| 12V-socket in luggage compartment | • | • |
| 2 sun visors with vanity mirrors and pockets | • | • |
| Fixing loops in luggage compartment | • | • |
| Storage bins in side doors front and rear (front with 1-litre-bottle holders) | • | • |
| Storage tray on dashboard (upper part) with lid | • | • |

Octavia 4x4

| | 4x4 | 4x4 Elegance |
|--|----------|--------------|
| Character and a present and | 4x4 | 4x4 Elegance |
| Storage tray under passenger seat Double bottle holder in central console | | _ |
| | | <u>•</u> |
| Multifunctional on-board trip computer | <u> </u> | <u>•</u> |
| Front seats height adjustable with lumbar supports | <u> </u> | <u> </u> |
| Light Assistent (Tunnel Light, Coming Home, Leaving Home) | - | <u> </u> |
| Contact switch for interior illumination on all doors front and rear | <u> </u> | <u> </u> |
| Jumbo box - armrest front (incl. 12V audiosocket) | <u> </u> | <u> </u> |
| Flexible cargo area cover (roller blind) | • | <u> </u> |
| Electromechanical power steering | <u> </u> | <u> </u> |
| "Headlights on" warning buzzer | • | • |
| Heated power mirrors | • | • |
| Four-spoke steering wheel with Logo (ø 375mm, adjustable in 2 axes) | • | • |
| Split fold rear seat 1/3 and 2/3 | • | • |
| Cargo area illumination - 2 lamps | • | • |
| 2 hooks in cargo area | • | • |
| Pollen filter for heating and ventilation | • | • |
| Fixing points for net program in cargo area | • | • |
| 2 map lights front in the centre | • | • |
| Roof reading light in the rear centre | • | • |
| Sunglasses holder | - | • |
| Convenience | | |
| Radio "Stream" 2 DIN with CD and MP3 player (4 loudspeakers) | • | |
| Radio "Audience" 2 DIN with 6CD changer and MP3 player (8 loudspeakers) | - | • |
| Cruise control | • | • |
| Multifunctional leather steering wheel + small leather package | • | • |
| Push-Push Tankcover | • | • |
| Increased fuel tank capacity for 4x4 (tank capacity 60 l) | • | • |
| Center rear armrest with storage space | • | • |
| Rear wiper with wash-wipe function | • | • |
| Variable cargo area floor with storage box | - | • |
| Options | | |
| Leather upholstery with heated front seats | - | 0 |
| Xenon headlights | 0 | 0 |
| Electric glass roof | 0 | 0 |
| Parking distance control front and rear | 0 | 0 |
| Electric front seats with drivers memory | | 0 |
| Alarm system | 0 | 0 |
| | | |
| Satellite navigation system | 0 | <u> </u> |
| Metallic paint | 0 | |
| Pearl effect paint | 0 | 0 |

● - standard equipment O - optional equipment - - not available for this model

Technical specifications - Engine petrol

| Technical specifications | | 2.0 FSI/110 kW (A) | 1.8TSI/118 kW |
|---|---------------|---|--|
| Engine Engine type | | petrol engine, in-line, liquid cooling system, direct injection, DOHC, transverse in front | turbocharged petrol engine, in-line, liquid cooling system, direct injection, DOHC transverse in front |
| ylinders | | 4 | 4 |
| Displacement | [cm3] | 1984 | 1798 |
| ore x Stroke | [mm x mm] | 82.5 x 92.8 | 82.5 x 84.2 |
| Nax. engine performance/revs | [kW at rpm] | "110/6000 – EU 4 | |
| 10/5800 – EU 2" | 118/5000-6200 | | |
| Nax. torque/revs | [Nm at rpm] | 200/3500 | 250/1500-4200 |
| ompression ratio | | "11.5: 1 – EU 4 10.5: 1 – EU 2" | 9.6:1 |
| mission limit | | EU 4 (EU 2) | EU 4 |
| uel injection system | | electronically o | controlled direct injection |
| nition | | control unit control | led electronic ignition system |
| ubrication | | force-feed lubricati | on with through-flow oil filter |
| uel quality | | "unleaded petrol min. RON 98 (95)* – EU 4 unleaded petrol min. RON 95 (91)* – EU 2" | unleaded petrol min. RON 95 (91)* |
| ransmission | | unieadea peuti min. Rom 95 (91)" – EU 2 | |
| /heel drive | | fror | nt wheel drive |
| lutch | | hydrodynamic converter | hydraulic single dry clutch disc with membrane spring, asbestos free |
| ansmission | | automatic 6-speed, with Tiptronic manual gear changing | manual 6-speed fully synchronized |
| ansmission ratio | | I-4.15 II-2.37 III-1.56 IV-1.16 V-0.86 VI-0.69 R-3.39 | I-3.78 II-2.06 III-1.45 IV-1.11 V-0.88 VI-0.73 R-3.60 |
| xle ratio | | 3.867x1.061 | 3.647 |
| hassis | | 3.63/AL001 | 5.047 |
| ront axle | | McDharran suspension with lo | wer triangular links and torsion stabiliser |
| ont axie ear axle | | | wer triangular links and torsion stabiliser al and three transverse links, with torsion stabiliser |
| | | - | coil springs, in the rear outside the springs |
| prings raking system | | | |
| raking system | | | g system vacuum assisted with Dual Rate system |
| rake – front | | | ing, with single/piston floating caliper |
| rake – rear | | | disc brakes |
| arking brake | | | al, on rear wheels |
| eering system | | direct rack and pinion steering | g with electro mechanic power steering |
| teering wheel: diameter | [mm] | | 375 |
| /heels | | | 6.5J x 16" |
| res | | 2 | 205/55 R16 |
| Sody | | | |
| Rody | | 5 door, two o | compartment, 5 seater |
| Orag coefficient cw | | | 0.30 |
| Outside dimensions | | | |
| ength | [mm] | | 4572 |
| Vidth | [mm] | | 1769 |
| leight (at kerb weight) | [mm] | | 1462 |
| Vheel base | [mm] | | 2578 |
| learance | [mm] | | 140 |
| rack front | [mm] | | 1539 |
| rack rear | [mm] | | 1528 |
| nside dimensions | [] | | |
| Vidth of front seats | [mm] | | 1415 |
| /idth of rear seats | [mm] | | 1423 |
| omfort dimensions – front (max/min) | [mm] | | 1164/922 |
| omfort dimensions – rear (max/min) | [mm] | | 883/627 |
| eadroom in front seats | | | 981 |
| leadroom in rear seats | [mm] | | |
| | [mm] | | 966 |
| torage capacity | <u>[]</u> | | 560 |
| torage capacity with rear seats backrests down | [1] | | 1420 |
| Veights | [kg] | 1776 | 1725 |
| erb weight** | [kg] | 1335 | 1325 |
| ayload** | [kg] | 2005 | 660 |
| otal weight | [kg] | 1995 | 1985 |
| Max. roof load | [kg] | | 75 |
| Aax. trailer load w/o brakes | [kg] | 650 | 650 |
| Nax. trailer load with brakes – 12% | [kg] | 1300 | 1300 |
| lax. trailer load with brakes – 8% | [kg] | 1500 | 1500 |
| lax. nose weight | [kg] | | 75 |
| iquids | | | |
| ank capacity | [1] | | 55 |
| erformance/consumption | | | |
| | [km/h] | 210 | 223 |
| Naximum speed | | 10.1 | 8.1 |
| | [s] | 10.1 | |
| cceleration 0–100 km/h uel consumption [99/100 (EU 4, EU 3); | [5] | EU 4 | EU 4 |
| cceleration 0–100 km/h uel consumption [99/100 (EU 4, EU 3); 3/116 (EU 2)] | | | |
| Aaximum speed cceleration 0-100 km/h uel consumption [99/100 (EU 4, EU 3); 3/116 (EU 2)] consumption – combined** | [s] | | |
| cceleration 0–100 km/h uel consumption [99/100 (EU 4, EU 3); 3/116 (EU 2)] | | EU 4 | EU 4 |

 $[\]ensuremath{^*}$ Using low-octane fuel may affect engine performance.

^{**} Figures apply to basic version.

Technical specifications - Engine diesel

| Technical specifications | | 1.9 TDI PD/77 kW | 1.9 TDI PD/77 kW (A) | 2.0 TDI PD/103 kW | 2.0 TDI PD/103 kW (A) |
|---|-----------------------------|--|--|--|--|
| Engine | | | | | |
| Engine type | | turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, high-pressure direct injection system, OHC, transverse in front | turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, high-pressure direct injection system, OHC, transverse in front | turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, high-pressure direct injection system, DOHC (OHC#), transverse in front | turbocharged diesel engine, turbocharger witl self-aligning blades, in-line, liquid cooling syste high-pressure direct injection system, DOHC (OHC#), transverse in front |
| Cylinders | | 4 | 4 | 4 | 4 |
| Displacement | [cm3] | 1896 | 1896 | 1968 | 1968 |
| Bore x Stroke | | | | 81.0×95.5 | 81.0×95.5 |
| | [mm x mm] | 79.5 x 95.5 | 79.5 x 95.5 | | |
| Max. engine performance/revs | [kW at rpm] | 77/4000 | 77/4000 | 103/4000 | 103/4000 |
| Max. torque/revs | [Nm at rpm] | 250/1900 | 250/1900 | 320/1750-2500 | 320/1750-2500 |
| Compression ratio | | 18.5:1(19.0:1#) | 18.5:1 | 18.5:1 | 18.5:1 |
| Emission limit | | EU 4 (EU 3) | EU 4 | | |
| Fuel injection system | | | electronically controlled high-pressure | direct injection system - pump nozzle | |
| Lubrication | | | force-feed lubrication w | | |
| Fuel quality | | | die | - | |
| | | | die | Sei | |
| Transmission | | | | | |
| Wheel drive | | | front wh | | |
| Clutch | | hydraulic single dry clutch disc with membrane | two coaxial wet multiple-disk clutch, electro- | hydraulic single dry clutch disc with membrane | two coaxial wet multiple-disk clutch, electro- |
| | | spring, asbestos free | hydraulically operated | spring, asbestos free | hydraulically operated |
| Fransmission | | manual 5-speed fully synchronised | automatic 6-speed, DSG, with Tiptronic manual gear changing | manual 6-speed fully synchronised | automatic 6-speed, DSG, with Tiptronic manu- gear changing |
| Fransmission ratio | | I-3.78 II-2.06 III-1.35 IV-0.97 V-0.74 R-3.60 | I-3.46 II-2.05 III-1.30 IV-0.90 V-0.91 VI-0.76 R-3.99 | I-3.77 II-2.09 III-1.32 IV-0.98 V-0.98 VI-0.81 R-4.55 | I-3.46 II-2.05 III-1.30 IV-0.90 V-0.91 VI-0.76 R-3.99 |
| Axle ratio | | 3.389 | 4.375/3.333 | 3.450/2.760 | 4.118/3.043 |
| Chassis | | | | | |
| Front axle | | | McPherson suspension with lower t | riangular links and torsion stabiliser | |
| | | | multi-element axle, with one longitudinal and | | |
| Rear axle | | | | | |
| Springs | | | | I springs, in the rear outside the springs | |
| Braking system | | | hydraulic dual-diagonal circuit braking syst | em vacuum assisted with Dual Rate system | |
| Brake – front | | | disc brakes with inner cooling, w | ith single/piston floating caliper | |
| Brake – rear | | | disc b | rakes | |
| Parking brake | | | manual, on | | |
| Steering system | | | direct rack and pinion steering witl | | |
| | f1 | | | | |
| Steering wheel: diameter | [mm] | | 37 | | |
| Wheels | | 6.53 | | | x16" |
| Tyre | | 205/6 | 50 R15 | 205/9 | 55 R16 |
| Body | | | | | |
| Body | | | 5 door, two comp | artment, 5 seater | |
| Drag coefficient cw | | | 0. | | |
| Outside dimensions | | | | | |
| | f1 | | | 70 | |
| Length | [mm] | | 45 | | |
| Width | [mm] | | 17 | 69 | |
| Height (at kerb weight) | [mm] | | 14 | 62 | |
| Wheel base | [mm] | | 25 | 78 | |
| Clearance | [mm] | | 14 | 10 | |
| Track front | [mm] | | 15 | | |
| Track rear | | | 15 | | |
| | [mm] | | 15 | 28 | |
| Inside dimensions | | | | | |
| Width of front seats | [mm] | | 14 | | |
| Width of rear seats | [mm] | | 14 | 23 | |
| Comfort dimensions – front (max/min) | [mm] | | 1164 | /922 | |
| Comfort dimensions – rear (max/min) | [mm] | | 883) | | |
| Headroom in front seats | [mm] | | 98 | | |
| Headroom in rear seats | [mm] | | 96 | | |
| | | | | | |
| Storage capacity | | | 56 | | |
| Storage capacity with rear seats backrests down | | 1350/1420*** | | 1420 | |
| Weights | | | | | |
| Kerb weight** | [kg] | 1310 | 1350 | 1335 | 1370 |
| Payload** | [kg] | 660 | | | |
| Total weight | [kg] | 1970 | 2010 | 1995 | 2030 |
| Max. roof load | [kg] | 25.0 | 7 | | 2030 |
| | | | | | |
| Max. trailer load w/o brakes | [kg] | | 65 | | |
| Max. trailer load with brakes – 12% | [kg] | | 14 | | |
| Max. trailer load with brakes – 8% | [kg] | | 16 | | |
| Max. nose weight | [kg] | | 7 | 5 | |
| Liquids | | | | | |
| Tank capacity | [1] | | 5 | 5 | |
| | LIJ . | | 5 | J | |
| Performance/consumption | | | | | |
| Maximum speed | [km/h] | 192 | 189 | 208 | 209 |
| Acceleration 0–100 km/h | [s] | 11.8 | 12.2 | 9.6 | 9.6 |
| ACCEICIALIOITO-100 KITI/IT | | | | EU 4 | EU 4 |
| | | EU 4 | EU 4 | EU 4 | EU 4 |
| Fuel consumption [99/100 (EU 4, EU 3)] | [l/100 km] | | | | |
| Fuel consumption [99/100 (EU 4, EU 3)] Consumption – combined** | | 6.1 | 6.3 | 5.7 | 6.4 |
| Consumption – combined** Consumption – combined** Consumption – combined** Turning circle diameter | [l/100 km] [g/km] [m] | | | 5.7 150 | |

^{**} Figures apply to basic version.

^{***} Valid for cars with folding base of the rear seats.

[#] For cars with a diesel particulate filter.

Technical specifications - Octavia 4x4 Engines

| Technical specifications | | 1.9 TDI PD/77 kW | 2.0 TDI PD DPF/103 kW |
|--|-------------|--|---|
| Engine | | | |
| Engine type | | turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, high-pressure direct injection system, OHC, transverse in front | turbocharged diesel engine, turbocharger with self-aligning blades, in-line, liquid cooling system, high-pressure direct injection system, OHC, transverse in front |
| ylinders | | 4 | 4 |
| Displacement | [cm3] | 1896 | 1968 |
| ore x Stroke | [mm x mm] | 79.5 x 95.5 | 81.0 x 95.5 |
| 1ax. engine performance/revs | [kW at rpm] | 77/4000 | 103/4000 |
| Aax. torque/revs | [Nm at rpm] | 250/1900 | 320/1750 |
| Compression ratio | | 18.5:1 | 18.5:1 |
| mission limit | | EU 4 | EU 4 |
| uel injection system | | electronically controlled high-pressure d | |
| ubrication | | force-feed lubrication with | |
| uel quality | | diese | - |
| | | ulest | |
| ransmission | | | ata a a a a di a ata a a a a a a a a a a a a a a a a |
| /heel drive | | permanent four-wheel drive with autom | • |
| lutch | | hydraulic single dry clutch disc with | |
| ansmission | | manual 6-speed ful | * * |
| ansmission ratio | | I-3.77 II-2.09 III-1.32 IV-0.91 V-0.90 VI-0.76 R-4.55 | I-3.77 II-2.09 III-1.32 IV-0.91 V-0.90 VI-0.76 R-4.55 |
| de ratio | | 4.235/3.273 | 3.875/3.100 |
| nassis | | | |
| ont axle | | McPherson suspension with lower tria | angular links and torsion stabiliser |
| earaxle | | multi-element axle, with one longitudinal and t | hree transverse links, with torsion stabiliser |
| orings | | telescopic shock absorbers with coil sp | rings, in the rear outside the springs |
| raking system | | hydraulic dual-diagonal circuit braking syster | |
| ake – front | | disc brakes with inner cooling, wit | · |
| rake – rear | | disc braces was marked ecounting with | |
| arking brake | | manual, on re | |
| eering system | | direct rack and pinion steering with o | * ** *** |
| | [man] | | |
| eering wheel: diameter | [mm] | 375 | |
| /heels | | 6.0J x 15" | 6.5J x 16" |
| res | | 205/60 R15 | 205/55 R16 |
| ody | | | |
| ody | | 5 door, two compa | |
| rag coefficient cw | | 0.32 | |
| outside dimensions | | | |
| ength | [mm] | 4577 | 2 |
| idth . | [mm] | 1769 |) |
| eight (at kerb weight) | [mm] | 1463/148 | 88*** |
| /heel base | [mm] | 2578 | |
| learance | [mm] | 138/163 | |
| ack front | [mm] | 1535 | |
| ack rear | [mm] | | |
| nside dimensions | [IIIIII] | 1522 | 4 |
| | f1 | 140 | |
| lidth of front seats | [mm] | 1419 | |
| /idth of rear seats | [mm] | 1427 | |
| omfort dimensions – front (max/min) | [mm] | 1164/9 | |
| omfort dimensions – rear (max/min) | [mm] | 883/6 | |
| eadroom in front seats | [mm] | 981 | |
| eadroom in rear seats | [mm] | 984 | |
| orage capacity | [1] | 580 | |
| orage capacity with rear seats folded down | [] | 1620 | |
| leights | | | |
| erb weight** | [kg] | 1460 | 1470 |
| ayload** | [kg] | 660 | |
| otal weight | [kg] | 2120 | 2130 |
| ax. roof load | [kg] | 75 | |
| | | | |
| ax. trailer load w/o brakes | [kg] | 650 | 1500 |
| ax. trailer load with brakes – 12% | [kg] | 1600 | 1600 |
| ax. trailer load with brakes – 8% | [kg] | 1700 | 1700 |
| ax. nose weight | [kg] | 75 | |
| quids | | | |
| nk capacity | [1] | 60 | |
| erformance/consumption | | | |
| laximum speed | [km/h] | 181 | 199 |
| cceleration 0–100 km/h | [s] | 12.9 | 9.9 |
| uel consumption [99/100 (EU 4, EU 3)] | 1-3 | EU4 | |
| onsumption – combined** | [l/100 km] | 6.2 | 6.5 |
| | | | |
| O ₂ emissions** | [g/km] | 164 | 172 |
| urning circle diameter | [m] | 10.2 | |
| | | | |

^{*} Using low-octane fuel may affect engine performance.

^{**} Figures apply to basic version

^{***} With off-road package.

[#] For cars with a diesel particulate filter.

General information

OWNING A ŠKODA

Škoda New Vehicle Warranty

Every new Škoda vehicle is covered by a 3-year unlimited kilometre manufacturer's warranty, which includes Škoda Assist (24 hour roadside assistance). Every new Škoda vehicle is also covered by a 3-year paintwork and 12-year anti-corrosion perforation warranty.

Škoda Assist

As a customer you can be assured that wherever you travel in Australia you will have access to roadside assistance 24 hours a day, 365 days a year. You will receive help in the event of a breakdown or accident and if required, your vehicle will be mobilised or transported to a Škoda authorised workshop.

As a Škoda owner you will also have access to the additional benefits of accommodation and car rental if your vehicle cannot be mobilised within 24 hours when you are travelling away from home.

Škoda Service

Your Authorised Škoda Service Centre is part of Škoda's global Quality Management System, ensuring all dealers are certified to ISO 9001:2000 – an internationally recognised Quality Standard. Authorised Škoda Service Centres have factory trained Technicians equipped with the very latest diagnostic equipment, specialist tooling and Škoda Genuine Parts. An Authorised Škoda Service Centre undertakes work in accordance to factory specified guidelines and maintenance schedules

Škoda Genuine Parts®

Škoda Genuine Parts® are designed for your vehicle and approved by Škoda, with particular regard to safety. The workmanship, dimensional accuracy and materials used in these parts comply with factory specifications. To ensure safety and reliability, Škoda recommends the use of Škoda Genuine Parts®. Škoda Authorised Dealers offer a 2-year unlimited kilometre warranty on Genuine Parts from the date of purchase.

Škoda Finance

Buying, borrowing or leasing, Škoda Finance will certainly make you think differently about financing and insuring your new Škoda. Committed to meeting the needs of Škoda drivers across Australia, we offer a range of leasing, financing and insurance products, each with distinct advantages depending on your specific circumstances. Our packages are personalised to suit your individual requirements. You design your plan so that it meets your budgeting needs and can rest assured that there will be no surprises along the way. Speak to your local participating Škoda Dealer today to put together a financial solution that best suits your lifestyle.

GLOSSARY

All-Wheel-Drive

An all-wheel-drive system provides the best possible traction at all road speeds, in all weather and road conditions. An electronic Haldex clutch responds to traction losses at the front and rear axles and directs torque to the axle with the best traction.

Anti-lock Braking System (ABS)

When braking, wheel speed sensors measure the road wheel speed and should one or more wheels start to lock the ABS system reduces brake pressure to that wheel. This prevents the wheels from locking during heavy or emergency braking, enabling the vehicle to remain steerable.

Anti-Slip Regulation (ASR)

ASR improves driving and steering characteristics by preventing the front wheels from spinning under acceleration. When a difference in driving wheel speed is detected (i.e. when one wheel starts to spin due to differences in road surfaces, e.g. due to water or dirt) the system automatically reduces engine torque. ASR is a switchable traction control system.

Brake Assist

During emergency braking, Brake Assist aids the driver by increasing the brake pressure automatically to a level exceeding the locking limit. The ABS is thus quickly brought into the operating range, which enables maximum vehicle deceleration to be achieved.

Electronic Brake-pressure Distribution (EBD)

Electronic, more sophisticated means of regulating the ratio of front/ rear brake pressure. Settings are varied according to driving and load conditions to ensure each wheel is braked to the optimum extent.

Direct Shift Gearbox (DSG)

DSG is a manual gearbox in which the gearshifts are controlled electronically. What makes the DSG unique is that it has 2 separate gear sets operated by 2 wet multi-plate clutches. The benefit of 2 gear sets and 2 multi-plate wet clutches is that one gear set and clutch is engaged driving the vehicle with the second clutch having already pre-selected the next gear awaiting for power to be transferred. As the next gear has already been pre-selected prior to power being applied, the gear change only takes 3-4 100ths of a second. There is virtually no interruption to power, traction or acceleration. The DSG also offers Tiptronic gear selection and sports mode.

Electronic Stabilisation Program (ESP)

ABS and ASR traction control systems are integrated into the Electronic Stabilisation Program (ESP). In short, ESP helps ensure that the vehicle goes where you steer it even in extreme driving conditions. The ESP system constantly compares the actual movement of the vehicle with predetermined values and should a situation arise where the vehicle starts to skid, ESP will apply the brakes to individual wheels and automatically adjust the engine's power output to correct the problem. ESP prevents the vehicle from losing control when trying to avoid an accident, for example. It also prevents spinning off on a curve due to either understeer or oversteer.



Skoda is distributed by Volkswagen Group Australia Pty Ltd, The Lakes Business Park, 6 Lord St, Botany, NSW 2019. ABN 14 093 117 876. Specifications are as planned at September 2007 for model year 2008 and are subject to change without notice or obligation. Images shown may not depict Australian specifications. Please seek full details of Australian specifications from your Skoda Authorised Dealer. All Skoda Genuine Parts* are covered by a 2 year/unlimited kilometre warranty from the date of purchase. All warranties implied by legislation or otherwise, are excluded to the maximum extent permitted by law. The liability of Skoda Shall, subject to the law, be limited at Skoda's discretion: 1. In the case of the goods, the repair or the cost of replacement or the cost of replacement, and 2. In the case of services, the re-supply of the services or the cost of re-supply of the services or the cost of re-supply of the services. All information in this brochure is correct at time of publication, however variations may occur from time to time and Skoda, in so far as it is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this brochure. The colours shown in the brochure are indicative only and may vary from actual items owing to the printing process. Authorised Skoda Dealers will provide up-to-date information on model application, design feature, prices and availability on request. Insurance products are provided by Allianz Australia Insurance Limited (Allianz), AFS Licence No. 234708, ABN 15 000 122 850. In arranging this insurance Volkswagen Financial Services, ABN 20 097 071 460 and the authorised dealers act as agents of Allianz and not as your agent. Skoda Finance is a trading name of Volkswagen Financial Services Australia Limited. Locked Bag 5009, Alexandria NSW 2015. Tel: 02 9695 6311.

