



# Industrial Auctions BV

**Online auction food processing machinery, catering and  
butchery equipment in Anzegem (BE)**

**Closing: 12 March 2020 from 14:00 hrs.**



**Viewing day:**

10 March 2020 from 09:00 till 16:00 hrs.

**Address:**

Beukenhofstraat 77A  
8570 Anzegem  
Belgium



## General terms and conditions of the online auction

Closing date	12 March 2020 from 14:00 hrs.
Viewing	10 March 2020 from 09:00 till 16:00 hrs.
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	17% over the highest bid
V.A.T	21% over the highest bid including Premium
Pickup date	19 March 2020 from 09:00 till 16:00 hrs.
Pickup address	Beukenhofstraat 77A 8570 Anzegem Belgium
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in MOnchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	Gernal	Gernal vacuum tumbler, type: HBV-G-60, number: 45/12628, year of construction: 1995, 380 V, 50 Hz, 6.7 A, motor 0.75 kW, pump 1.1 kW, dimensions tumbler: 1000 mm x 1000 mm x 1200 mm, total dimensions: 2070 mm x 1370 mm x 2090 mm. With Busch vacuum pump, model: RA 0016C 303, serial number: D18240889, capacity: 16 m <sup>3</sup> /hour.	2500
2	Mado	Mado mobile grinder, type: MEW620, number: 30879, 230/400 V, 3Ph, 50 Hz, 15,2/8,8 A, 4kW, 2 plastic screws, plate diameter: 100 mm, total dimensions: 1110 mm x 940 mm x 1450 mm.	1500
3	Verma Engineering	Verma Engineering tilting device for pallet boxes, inside dimensions: 1270 mm x 1020 mm x 680 mm, total dimensions: 2530 mm x 1740 mm x 2950 mm.	1750
4	NN elevating belt	Elevating belt, s/s mesh belt with dividers, belt width: 985 mm, divider height: 60 mm, distance between dividers: 150 mm, elevating height: 2400 mm, total dimensions: 2700 mm x 1150 mm x 2650 mm.	1750
5	Cermex	Cermex box folding machine with Nordson glue unit, model: 3400-2AA12, serial number: AA89 B08327, total dimensions: 3650 mm x 2100 mm x 2500 mm.	300
6	Lutetia	Lutetia injector, model: Modèle 1, 220-380 V, 2 heads, (1x) 75 needles and (1x) 24 needles, s/s mesh belt, width: 370 mm, clearance: 370 mm x 190 mm, total dimensions: 2100 mm x 840 mm x 1860 mm. Including filter and parts, completely overhauled in 2019.	1750
7	Meiko	Meiko mobile counter with 3 sinks and 3 cabinets, type: Spülkombination, machine number: K58324, year of construction: 4. 1991, dimensions sinks(2x): 600 mm x 450 mm and (1x) 400 mm x 400 mm, dimensions cabinets(2x): 1000 mm x 450 mm x 740 mm and (1x) 500 mm x 450 mm x 740 mm, total dimensions: 2830 mm x 620 mm x 1830 mm.	600
8	NN boot cleaner	Boot cleaner, 3 brushes, brush width:(2x) 370 mm and (1x) 280 mm, total dimensions: 700 mm x 570 mm x 940 mm.	500
9	Hobart	Hobart dishwasher, model: 4X60E, serial number: 86372657, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 39.5 A, 23.2 kW, inside dimensions: 1200 mm x 700 mm x 600 mm, total dimensions: 1820 mm x 880 mm x 1720 mm.	1250
10	NN curve conveyor	45° curve roller conveyor, s/s frame, plastic rollers, roller width: 400 mm, total dimensions: 1600 mm x 800 mm x 850 mm.	200
11	NN mixing tank	S/s double jacket mixing tank, inside dimensions: 1650 mm x 1650 mm x 570 mm, total dimensions: 2300 mm x 2600 mm x 1700 mm.	3000
12	CES	CES nitrogen freezer, model: coolbox MG type, serial number: 81-6, year of construction: 1993, 220-380 V, 3 Ph, 3 kW, weight: 1000 kg, inside dimensions: 1300 mm x 800 mm x 1970 mm, total dimensions: 1700 mm x 1700 mm x 2550 mm.	600



13	Sielaff	Sielaff vending machine, type: FK280, serial number: 90288708, year of construction: 2006-06, 230 V, 50 Hz, 585 W, total dimensions: 990 mm x 930 mm x 1820 mm.	200
14	Reich	Reich smoke chamber, type: U 900, year of construction: 1981, 220V, 11.2 kW, volume: 900 liter, maximum temperature: 160° C, dimensions: 980 mm x 900 mm x 1900 mm.	350
15	NN mixer	Mixer on s/s mobile frame, dimensions: 1050 mm x 900 mm x 1350 mm.	250
16	NN tumbler	NN mobile tiltable vacuum tumbler, model: VSM 150, dimensions tumbler: 600 mm x 600 mm x 550 mm, total dimensions: 1240 mm x 850 mm x 1460 mm. Vacuum pump not included.	1250
17	Avery Berkel	Avery Berkel weighing, wrapping and labelling machine, model: WA120, serial number: 7066187, 380-400 V, 3 Ph, 50 Hz, 5.7 A, weight: 464 kg, maximum capacity: 3/6 kg, minimum capacity: 0.02 kg, e= 0.001/0.002 kg, T= -0.999 kg, clearance: 350 mm x 130 mm, plastic roller conveyor, working width: 260 mm, plastic outfeed belt, belt width: 160 mm, total dimensions: 1400 mm x 1130 mm x 1720 mm.	1500
18	NN grinder	Grinder, diameter plate: 100 mm, total dimensions: 690 mm x 440 mm x 1140 mm.	100
19	Mado	Mado mobile mixer-grinder, type: MEW723, number: 104214, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 14,6 A, 6,6 kW, 1440 rpm, plate diameter: 100 mm, foot controlled, total dimensions: 1210 mm x 780 mm x 1470 mm.	2500
20	NN tumbler	S/s mobile tumbler used for olives, diameter drum: 750 mm, total dimensions: 2200 mm x 1250 mm x 1900 mm.	1000
21	EBM	EBM slicer, type: BT, fabrication number: 86/B-978, 0.37 kW, plastic infeed belt with dividers, belt width: 480 mm, distance between dividers: 350 mm, divider height: 50 mm, 18 knives, distance between knives: 20 mm, plastic outfeed belt: 400 mm, total dimensions: 2850 mm x 950 mm x 1850 mm.	1750
22	R. Baten & Zoon	R. Baten & Zoon mobile lifter, type: Lift, serial number: 01, year of construction: 2013, maximum capacity: 200 kg, lifting height: 1200 mm, total dimensions: 1050 mm x 1200 mm x 2300 mm.	1000
23	Hobart	Hobart mobile mixer, model: PVM300, number: 744959, serial number: 121500, 220 V, 3 Ph, 50 Hz, 5.3 A, 1840 W, mixer diameter: 150 mm, total dimensions: 1380 mm x 540 mm x 1510 mm.	1750
24	Thissen & Stecher BV	Thissen & Stecher smoke chamber, inside dimensions: 700 mm x 780 mm x 1000 mm, total dimensions: 1080 mm x 1080 mm x 1780 mm.	350
25	Aliberinox S.L.	Aliberinox S.L. 1 pit stove, model: 283518, number: 2007/3900009, 400 V, 3 Ph, 50 Hz, 5 kW, diameter stove: 400 mm, total dimensions: 600 mm x 600 mm x 480 mm.	200
26	Dito Sama	Dito Sama potato peeler, model: T25E, number: 9FRJ 60364901 124 20001, 220-240-380-415 V, 3 Ph, 50 Hz, 4,2-2,4 A, 900 W, inside dimensions: 530 mm x 530 mm x 310 mm, total dimensions: 930 mm x 640 mm x 1250 mm.	1250



27	Cretors	Cretors mobile popcorn machine, model: G32E, serial number: 96073544, 230 V, 50 Hz, 4500 W, inside dimensions: 410 mm x 410 mm x 170 mm, total dimensions: 960 mm x 910 mm x 1760 mm.	1500
28	Renove	Renove mobile bread slicer, distance between knives: 200 mm, working width: 470 mm, total dimensions: 720 mm x 700 mm x 1230 mm.	200
29	NN dough moulding	Mobile steel dough moulding machine, infeed dimensions: 60 mm x 60 mm, cotton belt, belt width: 170 mm, total dimensions: 660 mm x 610 mm x 1200 mm.	50
30	Mol D'art	Mol D'art mobile mixing and tempering machine: serial number: 5012016, year of construction: 2017, 230 V, 1 Ph, 1.6 kW, volume: 50 kg, dimensions: 950 mm x 700 mm x 1300 mm.	2750
31	Mol D'art	Mol D'art mobile mixing and tempering machine, serial number: 5017007, year of construction: 2017, 230 V, 1 Ph, 1.6 kW, volume: 50 kg, dimensions: 950 mm x 700 mm x 1300 mm.	2750
32	NN piston filler	Piston filler with hamburger form, knee control, inside dimensions: 210 mm x 210 mm x 410 mm, diameter nozzle: 70 mm, diameter mould: (4x) 90 mm, total dimensions: 730 mm x 420 mm x 1170 mm. Including 2 additional filling pipes.	750
33	NN piston filler	Piston filler, knee control, 380 V, 3 Ph, inside dimensions: 210 mm x 210 mm x 410 mm, nozzle diameter: 70 mm, total dimensions: 420 mm x 400 mm x 1150 mm.	600
34	Dadaux	Dadaux cooled grinder, type: NEOCUT, number: P-1656, year of construction: 2016, 230 V, 1 Ph, 50 Hz, refrigerant: R134, 140 gram, dimensions: 550 mm x 400 mm x 600 mm.	1000
35	NN cabinet	S/s cabinet with 2 sliding doors, dimensions: 1900 mm x 430 mm x 690 mm.	150
36	Dadaux	Dadaux piston filler, knee control, type: PHX40L, serial number: R-1005, year of construction: 03/2018, 380 V, 50 Hz, dimensions: 580 mm x 520 mm x 1150 mm. New, never used.	2000
37	Talsa	Talsa mobile mixer, MIX150, serial number: 1404584, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 5/8.7 A, 1.8 kW, inside dimensions: 710 mm x 710 mm x 450 mm, total dimensions: 1100 mm x 700 mm x 450 mm.	1250
38	Melior-Ganda SPRL	Melior-Ganda SPRL tenderizer, model: E93, machine number: 991140, year of construction: 1999, 400 V, 50 Hz, 0.75 kW, 32 A, dimensions: 600 mm x 400 mm x 1070 mm.	500
39	Cretel	Cretel mobile skinning machine, foot control, type: 646PX, machine number: 990819, year of construction: 1999, 230-400V, 50 Hz, 4.8-2.8 A, 1.10 kW, working width: 450 mm, total dimensions: 800 mm x 680 mm x 960 mm.	450
40	Kolbe	Kolbe bandsaw, type: K420, machine number: 48 236 ET, year of construction: 1992, 220 V, 3 Ph, 50 Hz, 8.8 A, dimensions: 1080 mm x 990 mm x 1830 mm.	1500
41	Stephan	Stephan universal machine, type: USF 40/3E, number: 397 8217, 380 V, 10/11/15 A, 2,2/4/5,5 kW, volume: 40 liter, inside dimensions: 500 mm x 500 mm x 290 mm, total dimensions: 870 mm x 670 mm x 1320 mm.	1750



42	Melior-Ganda SPRL	Melior-Ganda SPRL grinder, model: MMI-DS, machine number: 326, year of construction: 1995, 380 V, 50 Hz, 7.25 A, 3 kW, diameter plate: 120 mm, total dimensions: 900 mm x 600 mm x 1230 mm.	750
43	NN slicer	Slicer, dimensions: 920 mm x 700 mm x 1490 mm.	2400
44	Rex Maschinen	Rex Maschinen cutter, type: Hk45, machine number: 24325, 220 V, 50 Hz, 23/32 A, 5,5/7,5 kW, 1410/2770 rpm, inside dimensions: 750 mm x 750 mm x 170 mm, total dimensions: 1160 mm x 830 mm x 1120 mm.	600
45	Rex Maschinen	Rex Maschinen cutter, model: Düker, s/s bowl, inside dimensions: 750 mm x 750 mm x 160 mm, total dimensions: 1170 mm x 950 mm x 1250 mm.	6000
46	NN cabinet	S/s cabinet, inside dimensions: 1470 mm x 570 mm x 620 mm, total dimensions: 1595 mm x 660 mm x 960 mm.	150
47	NN cabinet	S/s cabinet with 2 sliding doors, dimensions: 1600 mm x 675 mm x 970 mm.	150
48	Lainox	Lainox 2-pits electric stove, model: CE 62TPT, serial number: MA 020044527, year of construction: 2004, 230-400 V, 3 Ph, 50-60 Hz, 4.1 kW, diameter pits: 190 mm and 225 mm, total dimensions: 660 mm x 400 mm x 500 mm.	150
49	Ets. Cometto	Ets. Cometto grill, number: 72582, 2 heating strips, adjustable floor, 4 levels, total dimensions: 910 mm x 470 mm x 520 mm.	200
50	3M	3M electronic test system, serial number: 420818375, with 3 sensing units, type: 4208, serial numbers: 420820479, 420819405 and 420818646, year of construction: 27-04-2016, 07-12-2016 and 20-03-2018, dimensions each tester: 200 mm x 200 mm x 270 mm.	50
51	Diamond	Diamond kebab grill, type: A, model: GR80G, serial number: 090200229, 220/240 V, 14 kW, diameter skewer: 210 mm, height skewer: 760 mm, total dimensions: 680 mm x 640 mm x 1020 mm.	400
52	NN sealing machine	Sealing machine, film roller width: 600, dimensions sealing platform: 250 mm x 165 mm, total dimensions: 800 mm x 620 mm x 160 mm.	20
53	Hongzhan	Hongzhan sealing machine, sealing length: 320 mm, total dimensions: 530 mm x 420 mm x 260 mm.	30
54	Mkn	Mkn fryer, dimensions basket: 310 mm x 210 mm x 100 mm, total dimensions: 530 mm x 410 mm x 530 mm.	30
55	Cleveland Range	Cleveland Range steamer, model: 21CET8CE, serial number: WC 08533-08G-01, 400 V, 3 Ph, 50 Hz, 12 A, 8.3 kW, dimensions: 800 mm x 530 mm x 510 mm.	500
56	Techfood	Techfood pasta cooker, model: PA00005, number: 98-742, year of construction: 1999, 230 V, 50 Hz, 3,13 kW, dimensions basket: (2x) 170 mm x 130 mm x 170 mm, total dimensions: 730 mm x 460 mm x 520 mm.	750
57	Britek	Britek diaphragm, type: Bouleuse Rkf, serial number: 0191229, year of construction: 2010, 220 V, 50 Hz, 0,2 kW, infeed diameter: 50 mm, outfeed diameter: 70 mm, total dimensions: 1010 mm x 750 mm x 1270 mm.	5000



58	Bravilor Bonamat	Bravilor Bonamat coffee machine, model: Bolero 1MG, serial number: 020001825976, 220-230 V, 50/60 Hz, 2100-2230 W, water pressure: 0.1-1 mPa, dimensions: 380 mm x 200 mm x 570 mm. New in box.	60
59	Thermoplan	Thermoplan coffee machine, type: Black and White 3 CTM2RF, capacity: 240 espresso/h, 200 coffee/h, 18 liters of hot water/h, 130 cappuccino/h, 140 latté/h, dimensions: 600 mm x 600 mm x 700 mm.	1500
60	Dalla corte	Dalla corte coffee machine with coffee bean grinder, dimensions coffee machine: 890 mm x 590 mm x 510 mm, dimensions grinder: 430 mm x 290 mm x 580 mm. With 4 additional cups.	1000
61	Macap	Macap grinder for coffee beans, Type: MXA, serial number: 080303915, 220-230 V, 50 Hz, 340 W, dimensions: 330 mm x 220 mm x 660 mm.	25
62	Animo	Animo percolator, type: Perco 15, serial number: 10415/40P 026608, 230 V, 1 Ph, 50 Hz, 1.62 kW, volume: 15 liter, dimensions: 350 mm x 300 mm x 620 mm.	25
63	Animo	Animo coffee machine, model: M 100, number: 10500, 220 - 240 V, 1 Ph, 50-60 Hz, 2250 W, dimensions: 200 mm x 410 mm x 480 mm. Including extra coffee pot.	25
64	Bravilor Bonamat	Bravilor Bonamat coffee machine, type: 8.762.101.41021, model: BLRXL-01, number: 62.063.073, 220-230 V, 50-60 Hz, 2-2.23 kW, dimensions: 400 mm x 360 mm x 650 mm.	200
65	Eurofours	Eurofours oven on mobile steel frame, type: 3P105B10-2, serial number: 3P105 BM011, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 14.8 A, 10.2 kW, 5 floors, dimensions each floor: 750 mm x 410 mm, total dimensions: 1350 mm x 810 mm x 1720 mm.	300
66	Eurofours	Eurofours oven on mobile steel frame, type: 3P105B10-2, serial number: 3P105BL093, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 14.8 A, 10.2 kW, 5 floors, dimensions floor: 750 mm x 410 mm, total dimensions: 1350 mm x 810 mm x 1270 mm.	300
67	Convotherm	Convotherm combi steamer on s/s frame, type: OD6,10C model: Compact, number: E1C97020011, 380-415 V, 3 Ph, 50/60 Hz, 14-16 A, 9-11 Kw, 6 floors, dimensions floors:(6x) 530 mm x 330 mm, total dimensions: 1100 mm x 850 mm x 1550 mm.	250
68	Rational	Rational combi steamer on mobile s/s frame, model: SCC WE 101G, serial number: G11SH14022388567, 230 V, 1 Ph, 50-60 Hz, 22,0 kW, water pressure: 1550-600 kPa, 10 floors, dimensions each floor: 530 mm x 330 mm, dimensions oven: 840 mm x 830 mm x 1060 mm, dimensions frame: 800 mm x 800 mm x 1130 mm.	1750
69	Unox	Unox combi steamer on s/s frame, model: Cheftop, 220-240-380-415 V, 3 Ph, 50/60 Hz, weight: 70 kg, pressure: 150-600 kPa, 5 floors, dimensions each floor: 335 mm x 335 mm, dimensions oven: 730 mm x 530 mm x 950 mm, dimensions frame: 640 mm x 540 mm x 900 mm.	1250



70	Animo	Animo coffee machine on s/s frame, type: FC GL 2X10L, serial number: 10012/4J 33502, 400 V, 3 Ph, 50 Hz, 6800 W, with 2 percolators, model: DE 10L, serial numbers: 500001-50/4J 34130 and 500001-50/4J 34144, 220-240 V, 1 Ph, 50-60 Hz, 275 W, dimensions water dispenser: 210 mm x 170 mm x 700 mm, dimensions percolators: 310 mm x 270 mm x 600 mm (2x), dimensions frame: 830 mm x 450 mm x 900 mm.	350
71	Hobart	Hobart oven, 11 floors, dimensions each floor: 730 mm x 720 mm, total dimensions: 1120 mm x 970 mm x 1460 mm.	150
72	Lainox	Lainox combi steamer on s/s frame, 6 floors, dimensions floors: (6x) 535 mm x 330 mm, total dimensions: 900 mm x 800 mm x 1530 mm.	500
73	Fri-Jado	Fri-Jado mobile rotisserie grill, model: STG7-P, number: 100032062, 400/230 V, 50/60 Hz, 14.5 A, 9500 W, 7 basket, dimensions each basket: 600 mm x 150 mm, total dimensions: 1100 mm x 850 mm x 1800 mm.	2250
74	Hoshizaki	Hoshizaki ice making machine, model: IM-85K, serial number: B10099, 220-230-240 V, 1 Ph, 50 Hz, 3.5-14 A, 400-720 W, weight: 80 kg, inside dimensions: 630 mm x 390 mm x 200 mm, total dimensions: 700 mm x 540 mm x 1300 mm.	1000
75	Ilsa	Ilsa refrigerated counter, model: TXMG2 TN -2/+8, serial number: 1518.0032, 230 V, 3 Ph, 50 Hz, 360 W, 2.4 A, inside dimensions: 880 mm x 530 mm x 560 mm, total dimensions: 1360 mm x 700 mm x 950 mm.	2000
76	Ilsa	Ilsa refrigerator, type: AHPA2001, serial number: 1444.0147, 230 V, 3 Ph, 50 Hz, refrigerant: R404a, 0.280 kg, inside dimensions: 640 mm x 840 mm x 1390 mm, total dimensions: 1020 mm x 800 mm x 2030 mm. Without cooling compressor.	1250
77	Ilsa	Ilsa double refrigerator, type: AX141001, serial number: 1518.0073, 230 V, 50 Hz, refrigerant: R404a, 0.280 kg, dimensions plates: (6x) 660 mm x 540 mm, inside dimensions: (2x) 600 mm x 660 mm x 1450 mm, total dimensions: 1500 mm x 830 mm x 2030 mm.	1950
78	Electrolux	Electrolux refrigerator, 4 floors, dimensions each floor: 610 mm x 530 mm, total dimensions: 800 mm x 750 mm x 2030 mm.	600
79	Tecfrigo	Tecfrigo S.p.A mobile dry-aging cabinet, model: Meat 550 DRY AGED, serial number: B53642, year of construction: 2016, 230 V, 50 Hz, 3,73 A, 0,60 kW, refrigerant: R134a, 0,475 kg, 3 floors, dimensions each floor: 650 mm x 550 mm, total dimensions: 780 mm x 740 mm x 2010 mm.	1500
80	ISA	ISA double refrigerator, type: labgastronomia, serial number: 1060741505, year of construction: 21.07.2006, 230 V, 50 Hz, refrigerant: R404a, 0.370 kg, volume: 1350 liter, 6 plates, dimensions plate: 650 mm x 540 mm, inside dimensions: 1330 mm x 690 mm x 1400 mm, total dimensions: 1440 mm x 830 mm x 2020 mm.	1250



81	NN refrigerated counter	Refrigerated counter, model S900, serial number: RWJ1301059S90000026, 220-240 V, 50 Hz, 1.8 A, refrigerant: R134a, 8 gastronorm bins, total dimensions: 910 mm x 690 mm x 850 mm.	300
82	Diamond	Diamond ice making machine, model: ICE 45A, number: 2010080504026, year of construction: 2010, 220-240 V, 50 Hz, 500 W, refrigerant: R404a, 0.240 kg, inside dimensions: 400 mm x 440 mm x 260 mm, total dimensions: 600 mm x 500 mm x 800 mm.	350
83	Roller grill	Roller grill heated cabinet, type: Auberge, serial number: 060600743, 220-240 V, 1 Ph, 50-60 Hz, 1200 W, 4 floors, dimensions each floor: 610 mm x 300 mm, total dimensions: 680 mm x 420 mm x 890 mm.	200
84	Pelican	Pelican s/s refrigerated counter, model: PS900, serial number: D1502H227PS90119, 230 V, 50 Hz, 1.6 A, + 2°C/+ 8°C, refrigerant: R134a, weight: 92 kg, dimensions: 905 mm x 770 mm x 880 mm.	200
85	Odic	Odic 3-doors refrigerated counter with plastic worktop, dimensions: 1700 mm x 700 mm x 950 mm.	250
86	Alinox	Alinox refrigerated showcase counter, model: ALZAT.REFR, serial number: F20071018000009, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 0.8 A, 130 W, refrigerant: R134a, 60 gr, inside dimensions: 1420 mm x 390 mm x 440 mm, total dimensions: 1420 mm x 390 mm x 440 mm.	250
87	NN kitchen counter	S/s kitchen counter with refrigerated compartment with 2 cabinets and 6 drawers, 1 heated cabinet, 3 regular cabinets and 8 drawers, 4 outlets, code: TRGRS/4V8S0, serial number: 140903003, 220-230 V, 50 Hz, 5.2 A, 1200 W, refrigerant: R404a, total dimensions: 3280 mm x 2800 mm x 1170 mm.	1250
88	NN trolley for plates	S/s trolley for plates, 20 floors, dimensions each floor: 800 mm x 410 mm, with 20 aluminium plates, dimensions each plate: 800 mm x 400 mm, total dimensions: 810 mm x 470 mm x 1780 mm.	150
89	NN trolley for plates	S/s trolley for plates, 20 floors, 12 plates, dimensions each plate: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm.	150
90	NN trolleys for plates	2 s/s trolleys for plates with 34 s/s plates, each trolley 18 floors, dimensions each floor: 535 mm x 650 mm, total dimensions: (2x) 450 mm x 630 mm x 1790 mm.	500
91	NN trolley for plates	S/s trolley for plates, 8 floors: 5 floors for plates and 3 s/s floors, dimensions each floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm.	50
92	NN trolley for plates	S/s trolley for plates, 10 floors, dimensions each floor: 610 mm x 410 mm, total dimensions: 650 mm x 470 mm x 1790 mm.	50
93	NN trolley for plates	S/s trolley for plates, 11 floors, dimensions each floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm.	50
94	NN trolley for plates	S/s trolley for plates, 10 floors, dimensions each floor: 410 mm x 640 mm, total dimensions: 470 mm x 640 mm x 1750 mm.	50



95	NN trolley for plates	S/s trolley for plates, 8 floors, dimensions each floor: 800 mm x 410 mm, total dimensions: 805 mm x 475 mm x 1020 mm.	50
96	NN trolley for plates	S/s trolley for plates, 8 floors, dimensions each floor: 800 mm x 410 mm, total dimensions: 805 mm x 475 mm x 1020 mm.	50
97	NN trolleys for plates	2 s/s trolley for plates, 8 floors, dimensions each floor: 800 mm x 410 mm, total dimensions: (2x) 805 mm x 475 mm x 1020 mm.	100
98	NN trolley for plates	S/s trolley for plates, 16 floors, dimensions each floor: 670 mm x 410 mm, total dimensions: 680 mm x 470 mm x 1410 mm.	50
99	NN bowl	S/s bowl on mobile s/s frame, diameter bowl: 740 mm, bowl height: 300 mm, total dimensions: 840 mm x 770 mm x 820 mm.	150
100	NN bowl	S/s bowl on mobile s/s frame, diameter bowl: 740 mm, bowl height: 300 mm, total dimensions: 810 mm x 770 mm x 870 mm.	150
101	Blanco	Blanco mobile heated equalizer, model: CHV 53/53 E, article number: 564277 FD9806, 230 V, 50 Hz, 7.8 A, 1.8 kW, dimensions heating platform: 530 mm x 530 mm, total dimensions: 870 mm x 670 mm x 890 mm.	250
102	NN equalizers for dishwashing baskets	2 mobile s/s equalizers for dishwashing baskets for 500 mm x 500 mm, 2 crates, dimensions crate: 500 mm x 500 mm x 130 mm, total dimensions: (2x) 700 mm x 590 mm x 895 mm.	100
103	Stierlen	Stierlen mobile equalizer for dishwashing baskets for 500 mm x 500 mm, type: 7365.65, fabrication number: 838, 1 crate, dimensions crate: 500 mm x 500 mm x 130 mm, total dimensions: 750 mm x 615 mm x 895 mm.	50
104	Blanco	Blanco mobile heated plate dispenser, model: UNI-H-56/28, serial number: 590223, 230 V, 3 Ph, 50 Hz, 108 kW, 7.8 A, dimensions plate: 580 mm x 280 mm, total dimensions: 950 mm x 470 mm x 1050 mm.	150
105	Berto's	Berto's au bain-marie, model: G7BM4M, type: A1, serial number: 111158/71750, 3,6 kW, capacity: 0,38 m³/hour, inside dimensions: 510 mm x 300 mm x 170 mm.	250
106	Diamond	Diamond stove, gas heated, model: GT77, serial number: DR1077643, dimensions stove: 670 mm x 580 mm, total dimensions: 730 mm x 700 mm x 930 mm.	500
107	Brökelmann	Brökelmann stove, type: E-Hockerkoher, fabrication number: 6061100, 400 V, 3 Ph, 5 kW, diameter: 400 mm, total dimensions: 470 mm x 470 mm x 550 mm.	200
108	Nayati	Nayati gas stove, model: NGETL 5-50, serial number: A106100J347115, year of construction: 2009, 13 kW, dimensions: 500 mm x 500 mm x 450 mm.	100
109	Delrue	Delrue 2 burner stove, serial number: 50880446, dimensions burners: (2x) 330 mm x 330 mm, with oven, inside dimensions oven: 550 mm x 690 mm x 450 mm, total dimensions: 1000 mm x 800 mm x 850 mm.	350



110	Charvet	Charvet stove with 2 x 2 burners, oven and plate grill, model stove: PRO 800 61 PL, type: A, 230 V, 50 Hz, 0,02 kW, model grill: PRO 800 B-G1 plancha/CHRL/THE, type: A, 230 V, 50 Hz, 2,250 kW, oven with 3 floors, dimensions each floor: 670 mm x 530 mm, heated cabinet with 4 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 2580 mm x 800 mm x 1680 mm.	1000
111	Hegro	Hegro deep frying counter with 3 fryers, grill and au bain-marie, type fryers: (2x) Tornado NG3 and Tornado NG2, year of construction: 2010, 230 V, 50 Hz, 20.0-0.1 kW, dimensions fryers: (2x) 510 mm x 350 mm x 200 mm and (1x) 350 mm x 350 mm x 200, dimensions grill: 500 mm x 330 mm, dimensions au bain-marie: 510 mm x 300 mm x 200 mm, total dimensions: 4030 mm x 970 mm x 1640 mm.	4000
112	NN cooling chamber	S/s cooling chamber, 4 floors, dimensions floor: 595 mm x 595 mm, total dimensions: 1250 mm x 820 mm x 2250 mm.	500
113	Tabruyn	Tabruyn oven including 4 trolleys, 15 floors per trolley, dimensions floor: 800 mm x 410 mm, dimensions trolley: 820 mm x 460 mm x 1760 mm, dimensions oven: 1700 mm x 1550 mm x 2150 mm.	2500
114	Morice	Morice fryer, type: FT4082 0056 FRITEUSE 14L G900 ELEC. 13.2KW, serial number: 2002309670102, 230-400 V, 3 Ph, 50 Hz, 13.200 kW, basket dimensions: 280 mm x 230 mm x 130 mm, total dimensions: 900 mm x 400 mm x 990 mm.	300
115	Kreffth GmbH	Kreffth GmbH fryer, type: KCN0055, number: 625800, 230-400 V, 3 Ph, 50 Hz, 2 baskets, basket dimensions: 280 mm x 160 mm x 110 mm, total dimensions: 850 mm x 600 mm x 1000 mm.	300
116	Atag	Atag double fryer on s/s trolley, gas heated, 2 baskets, dimensions each basket: 300 mm x 150 mm x 110 mm, total dimensions: 710 mm x 700 mm x 1270 mm.	300
117	NN grill on s/s frame	Grill on s/s frame, type: 070FTR, number: 12002, year of construction: 1990, dimensions grill plate: 700 mm x 375 mm, total dimensions: 900 mm x 400 mm x 1100 mm.	200
118	Paul Charvet	Paul Charvet grill, type: A, number: 99-117, 16 kW, dimensions plate: 650 mm x 415 mm, total dimensions: 1000 mm x 1000 mm x 870 mm.	500
119	Lacanche	Lacanche fryer, model: Ambassade, number: 0010019, 400 V, 3 Ph, 50 Hz, 8.6 A, 1 basket, dimensions basket: 280 mm x 200 mm x 80 mm, total dimensions: 710 mm x 400 mm x 920 mm.	250
120	Elpress	Elpress crate washer, year of construction: 2006, 400 V, 3 Ph, s/s chain conveyor, clearance: 620 mm x 170 mm, total dimensions: 5030 mm x 1140 mm x 1620 mm.	3500
121	Oka	Oka chocolate crusher on s/s trolley, type: Nußaufleger, NAPI/600, fabric number: 192/40, year of construction: 1983, working width: 550 mm, total dimensions: 1230 mm x 620 mm x 580 mm.	150
122	Zanussi	Zanussi double jacketed s/s cooking vessel, gas heated, volume: 110 liter, dimensions: 900 mm x 810 mm x 1100 mm.	1500



123	Solymac	Solymac cooking vessel, type: 5.1000, number: 923493, 9,3 kW, natural gas, inside dimensions: 860 mm x 640 mm x 180 mm, total dimensions: 1150 mm x 1000 mm x 1830 mm.	750
124	Thissen & Stecher BV	Thissen & Stecher double cooking vessel, model: TSV 300V, serial number: 007BE, year of construction: 2002, 230 V, 50 Hz, 125 W, 31 kW and model: TSV500V, serial number: 008BE, year of construction: 2002, 230 V, 50 Hz, 125 W, 44 kW, inside dimensions: 850 mm x 530 mm and 1100 mm x 525 mm, total dimensions: 2660 mm x 1630 mm x 1050 mm.	2750
125	Firex	Firex double jacketed cooking vessel, model: PFDG510A, number: 026580G26/2010, 230 V, 1 Ph, 50/60 Hz, 0.2 kW, inside dimensions: 1095 mm x 560 mm, total dimensions: 1650 mm x 1450 mm x 1100 mm.	2000
126	J. Charvet	J. Charvet tiltable cooking vessel, model: GD150 L, year of construction: 1991, gas heated, 220 V, capacity: 150 liter, dimensions: 1300 mm x 1100 mm x 1720 mm.	500
127	Zesto	Zesto mobile electric conveyor oven, model: CE3632, serial number: D050429, 400 V, 3 Ph, 50/60 Hz, 47 A, 430 kg, s/s mesh belt, belt width: 810 mm, clearance: 850 mm x 95 mm, total dimensions: 1830 mm x 270 mm x 1140 mm.	1250
128	Key Technology BV	Key Technology BV s/s vibrating gutter, type: MVISF, year of construction: 2007, serial number: 4213290, WO: 187175, gutter with: 460 mm, total dimensions: 4200 mm x 1100 mm x 900 mm.	2750
129	Gernal	Gernal vacuum machine, type: VK200, number: 549, year of construction: 1984, 220-380 V, 4 kW, 15-8.8 A, roller width: 445 mm, dimensions chamber: 1150 mm x 600 mm x 350 mm, total dimensions: 1300 mm x 1100 mm x 1450 mm.	350
130	Insectazap	Insectazap insect killer, dimensions: 480 mm x 90 mm x 310 mm.	25
131	Insectazap	Insectazap insect killer, dimensions: 480 mm x 90 mm x 310 mm.	25
132	Couedoc-Madore Equipment	Couedoc-Madore Equipment vacuum mixer, serial number: 00/02694/020-1, year of construction: 2001, inside dimensions: 1100 mm x 500 mm x 750 mm, dimensions mixer: 1670 mm x 1050 mm x 1450 mm. With pallet with valves, dimensions pallet: 1200 mm x 800 mm x 750 mm. Vacuum pump not included.	2500
133	Cryovac	Cryovac mobile strapping machine, model: BL 19, serial number: 02002, year of construction: 1978, 220-380 V, 50 Hz, dimensions: 1350 mm x 650 mm x 1450 mm.	300
134	Band-A-Matic	Band-A-Matic mobile banding machine, model: F20, serial number: E9317 AM, 220 V, 1 Ph, 50 Hz, 300 W, strap width: 12 mm, total dimensions: 910 mm x 610 mm x 740 mm.	250
135	Hagmann Maschinenbau	Hagmann Maschinenbau tray sealer, type: 1014, machine number: S2437, year of construction: 2005, 230 V, 50 Hz, 2000 W, dimensions dye: (4x) 123 mm x 80 mm, total dimensions: 550 mm x 500 mm x 680 mm.	750



136	Thin Elin	Thin Elin grinder, type: 114, number: 18041, 220/380 V, diameter plate: 130 mm, total dimensions: 600 mm x 300 mm x 700 mm.	350
137	Witt Gasetechnik	Witt Gasetechnik gas mixing station, type: KM100-3M, serial number: 17966, year of construction: 1992, gas types: N2-CO2-O2, dimensions: 410 mm x 310 mm x 260 mm.	100
138	Steen	Steen de-scaling machine, type: ST521, serial number: 158-992, 220 V, 50-60 Hz, 1.3 A, 180 W, dimensions: 250 mm x 200 mm x 250 mm.	250
139	Bardeau	Bardeau tiltable cooking kettle, model: FT -5CE, serial number: 1841 - OJ - 20, year of construction: 1980, 55 P.S.I., 176 °C, dimensions kettle: 345 mm x 345 mm x 300 mm, total dimensions: 600 mm x 450 mm x 600 mm.	500
140	Alto Shaam	Alto Shaam holding cabinet, model: 500-1D, serial number: 420184-000, 230 V, 1 Ph, 50 Hz, 975 W, inside dimensions: 500 mm x 360 mm x 110 mm, total dimensions: 620 mm x 620 mm x 300 mm.	500
141	Nemox	Nemox gelato machine, model: Gelato Pro 2500, serial number: 70413500, 220-240 V, 50 Hz, 350 W, refrigerant: R134a/ 0.11 kg, dimensions: 400 mm x 450 mm x 300 mm.	350
142	Hoshizaki	Hoshizaki ice maker, model: DCM-120FE, serial number: K12664, 220-240 V, 50 Hz, 650 W, refrigerant: R134a, 0.26 kg, weight: 60 kg, dimensions: 580 mm x 350 mm x 850 mm.	400
143	Electrolux	Electrolux hood, model: EFT6460X, serial number: 92800009, 220-240 V, 50-60 Hz, 240 W, total dimensions: 600 mm x 510 mm x 130 mm.	10
144	Crypto peerless Ltd	Crypto peerless Ltd slicer, model: KNC2, serial number: 1518S, 220 V, 1 Ph, 2.9 A, 1425 rpm, dimensions: 830 mm x 360 mm x 550 mm.	500
145	Tec	Tec weighing and labelling machine, model: SL-9000-15M-FFR-QP, serial number: 9Y001975, 230 V, 50/60 Hz, 0.56 A, 62 W, minimum: 40 gr, maximum 1: 0-6 kg, e=: 2 gr, maximum 2: 6-15 kg, e=: 5 gr, T=: -1 kg, dimensions scale: 390 mm x 240 mm, total dimensions: 430 mm x 410 mm x 560 mm.	50
146	Dick	Dick piston filler, type: TWF-12, number: 000028, year of construction: 2003, volume: 12 liter, total dimensions: 390 mm x 250 mm x 1130 mm.	500
147	Electrolux	Electrolux electric stove, model: E71NED200P, serial number: 11008001, year of construction: 3-2011, 400 V, 3 Ph, 50/60 Hz, 10 kW, dimensions: 740 mm x 400 mm x 270 mm.	150
148	Emga	Emga contact grill plate, type: 1000 L, serial number: 00236, year of construction: 2007, 230 V, 50 Hz, 1800 W, dimensions: 460 mm x 290 mm x 180 mm.	100
149	Hendi	Hendi waffle maker, serial number: 302088-000007, 230 V, 50 Hz, 1500 W, inside dimensions: (2x) 170 mm x 100 mm, total dimensions: 450 mm x 320 mm x 250 mm.	100
150	Domino	Domino inkjet printer, model: Codebox 3, serial number: G-3300, dimensions: 550 mm x 490 mm x 360 mm.	175



151	Wiedenbach	Wiedenbach inkjet printer, type: TSSG 201-A, serial number: 30045, year of construction: 1999, 230 V, 50/60 Hz, 0.1 kW, 6 bar, dimensions: 600 mm x 450 mm x 400 mm.	200
152	S.A.M.	S.A.M. packaging machine, model: S.A.M. HP 26/21, serial number: 400822, year of construction: 2002, 230 V, 50 Hz, 1.34 A, plastic string belt, working width: 240 mm, seal length: (2x) 265 mm and (2x) 220 mm, clearance: 30 mm x 240 mm, total dimensions: 1030 mm x 310 mm x 290 mm.	300
153	Turbochef	Turbochef oven, model: C3/multi, serial number: C332146, year of construction: 2004, 380-415 V, inside dimensions: 450 mm x 360 mm, total dimensions: 760 mm x 730 mm x 530 mm.	250
154	Bizerba	Bizerba slicer, type: SE8, machine number: 393929, 220 V, 0.30 kW, dimensions: 690 mm x 620 mm x 490 mm.	350
155	Bizerba	Bizerba slicer, model: VS 12 F, number: 10603493, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 1,8 A, 0,400 kW, dimensions: 680 mm x 690 mm x 470 mm.	500
156	Rhima/ Wexiodisk	Rhima/Wexiodisk dishwasher, type: WD-7, serial number: WD1222096, year of construction: 2012, 230 V, 3 Ph, 50 Hz, 35 A, 13.8 kW, dimensions: 840 mm x 700 mm x 1550 mm, Rhima/Wexiodisk dishwasher, type: WD-PRM7, serial number: WD1222097, year of construction: 2012, 230 V, 50 Hz, 10 A, 0.9 kW, dimensions: 840 mm x 700 mm x 1550 mm, with s/s infeed table, dimensions: 1180 mm x 600 mm x 910 mm.	1250
157	Diamond	Diamond industrial dryer, type: 99010ES10GAB, serial number: E201304077, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 29,4 kW, 38 rpm, 61 db., capacity: 1/20 = 10 kg, 1/25= 7.4 kg, drum diameter: 756 mm, drum depth: 420 mm, load diameter: 560 mm, total dimensions: 800 mm x 720 mm x 1780 mm.	500
158	Hobart	Hobart mixer, model: SM-20L, machine number: 908010, year of construction: 2010 01, 220 V, 1 Ph, 50 Hz, 1.1 kW, dimensions bowl: 340 mm x 340 mm x 300 mm, total dimensions: 760 mm x 580 mm x 940 mm.	500
159	NN washing table	S/s washing table, double sink, dimensions: 1600 mm x 700 mm x 860 mm.	200
160	NN washing table	S/s washing table, double sink, dimensions: 2000 mm x 600 mm x 910 mm.	200
161	Hobart	Hobart dishwasher, model: UX-10N, serial number: 86643962, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 24.8 A, 15.6 kW, inside dimensions: 750 mm x 600 mm x 850 mm, total dimensions: 950 mm x 780 mm x 1980 mm.	1000
162	NN ultrasonic cleaner	Ultrasonic cleaner, inside dimensions: 550 mm x 400 mm x 350 mm, total dimensions: 970 mm x 800 mm x 960 mm.	750
163	Belimed	Belimed knife sterilizer, model: WD250, dimensions: 900 mm x 800 mm x 2210 mm.	1750
164	Sofinor	Sofinor sink with faucet, model: LMASWE, serial number: 187, year of construction: 43.99, 230 V, 50 Hz, sensor controlled faucet, dimensions: 460 mm x 380 mm x 570 mm.	50
165	NN sink	S/s sink on s/s frame, dimensions: 800 mm x 600 mm x 920 mm	50



166	NN table	Table with s/s frame and plastic worktop, dimensions: 600 mm x 500 mm x 720 mm.	100
167	NN grinder	Grinder, diameter plate: 130 mm, total dimensions: 900 mm x 650 mm x 1300 mm.	750
168	Müller	Müller string conveyor, type: SVRB 4500, machine number: 54064-3, year of construction: 2008, 400 V, 50 Hz, 0,25 kW, plastic strings, working width: 210 mm, total dimensions: 4470 mm x 500 mm x 920 mm.	750
169	Rieber	Rieber mobile transport belt, s/s frame, plastic belt, belt width: 295 mm, total dimensions: 5550 mm x 580 mm x 980 mm.	1250
170	NN transport belt	Mobile transport belt, serial number: 4-1002141862, plastic belt, belt width: 395 mm, total dimensions: 3020 mm x 750 mm x 1050 mm.	1250
171	NN roller conveyor	Roller conveyor on s/s frame, plastic rollers, roller width: 435 mm, total dimensions: 2390 mm x 590 mm x 850 mm.	250
172	NN platform	S/s platform with 4 steps, height platform: 630 mm, total dimensions: 1220 mm x 500 mm x 1740 mm.	250
173	Avery	Avery weighing scale, type: CLA, number: 680319, year of construction: 1968, maximum: 55 kg, minimum: 5 kg, dimensions: 630 mm x 620 mm x 1350 mm.	250
174	Avery Berkel	Avery Berkel mobile weighing scale, model: HL122, 9 V dc, operating temperature: - 10°C - 40°C, maximum weight: 150 kg, minimum weight: 0.4 kg, e= 0.02 kg, dimensions scale: 595 mm x 455 mm, total dimensions: 800 mm x 595 mm x 1000 mm. Technical condition unknown.	250
175	Omega	Omega weighing scale, number: 213022, maximum: 200 kg, minimum: 5 kg, e=: d= 100 gr, dimensions: 700 mm x 690 mm x 1130 mm.	350
176	EFA	EFA breaking saw, type: SK18WB, serial number: 11697, year of construction: 2012, 230 V, 50/60 Hz, 4.6 A, 1020 W, weight: 6.7 kg, diameter blade: 185 mm, total dimensions: 540 mm x 220 mm x 330 mm.	500
177	Cidelcem	10 Cidelcem plastic crates for dishwashers, model: Cidelrack, dimensions: (9x) 490 mm x 490 mm x 140 mm and (1x) 490 mm x 490 mm x 180 mm.	50
178	NN cabinet	Steel cabinet with sliding doors, dimensions: 1200 mm x 430 mm x 1980 mm.	75
179	NN cabinet	Steel cabinet with sliding doors, dimensions: 1200 mm x 430 mm x 1980 mm.	75
180	JG	JG steel cabinet with sliding doors, dimensions: 1190 mm x 450 mm x 1970 mm. Locked, without key.	75
181	NN pressure vessel	S/s mobile pressure vessel with spraying gun, dimensions: 450 mm x 550 mm x 1300 mm.	100
182	Turbochef	Turbochef oven, model: I5EW, serial number: I5EW-D02158, year of construction: November 2010, 400 V, 3 Ph, 50 Hz, 19 A, 10000 W, inside dimensions: 580 mm x 360 mm x 260 mm, total dimensions: 750 mm x 710 mm x 620 mm.	750



183	NN trolley	Trolley with s/s top and Bosch electric stove, with 3 drawers and 2 cabinets, dimensions 880 mm x 850 mm x 1180 mm.	750
184	Stima	Stima pasta cooker, model: 200L14, serial number: B4243, year of construction: 2008, 220 V, 50-60 Hz, 14 A, 3 kW, 4 basket, dimensions each basket: 145 mm x 80 mm x 95 mm, with au bain-marie with 4 gastronorm bins, dimensions each bin: 150 mm x 85 mm x 120 mm, total dimensions: 770 mm x 550 mm x 530 mm.	1000
185	Toyota	Toyota forklift, with midac battery, number battery: 2237728, 48 V, 500 Ah, weight: 811 kg, maximum capacity: 1500 kg, fork length: 1070 mm, maximum height: 6000 mm, total dimensions: 3040 mm x 1090 mm x 1950 mm.	2500
186	Leventi	Leventi mobile oven, type: Bakermatic NG, serial number: 12060150, year of construction: 2012, 220-240 V, 1Ph, 50-60 Hz, 3.3 kW, capacity: 800 m <sup>3</sup> per hour, clearance: 595 mm x 85 mm, s/s mesh belt, belt width: 600 mm, total dimensions: 2100 mm x 850 mm x 1500 mm.	200
187	Leventi	Leventi mobile oven, type: Bakermatic NG, serial number: 12050043, year of construction: 2012, 220-240 V, 1Ph, 50-60 Hz, 3.3 kW, capacity: 800 m <sup>3</sup> per hour, clearance: 595 mm x 85 mm, s/s mesh belt, belt width: 600 mm, total dimensions: 2100 mm x 850 mm x 1500 mm.	200
188	Gernal	Gernal mobile transport belt, type: TB, number: 466, year of construction: 1985, 220 V, 1.9 A, s/s mesh belt, belt width: 450 mm, total dimensions: 3970 mm x 560 mm x 980 mm.	500
189	NN can seamer	Can seamer, diameter seamer: 165 mm, foot controlled, dimensions: 700 mm x 480mm x 1490 mm.	250
190	Anker Mashinenbau	Anker Maschinenbau mobile labelling machine for cans, number: 514, plastic string conveyor, working width: 130 mm, total dimensions: 2350 mm x 900 mm x 1310 mm.	250
191	NN can closer	Can closer, working width: 80 mm, lid diameter: 80 mm, dimensions: 1320 mm x 1100 mm x 1900 mm. Including box with spares.	250
192	NN can closer	Can closer, working width: 105 mm, lid diameter: 110 mm, dimensions: 1170 mm x 1090 mm x 1950 mm. Including 2 boxes with lids.	250
193	Gernal	Gernal tunnel grill, gas heated, type: BMT-PG-8000-1800, serial number: 02/00236, year of construction: 2002, 400 V, weight: 12000 kg, s/s mesh belt, belt width: 1800 mm, tunnel, 4 kW, 120 W, 21 W. Including switch cabinet.	7500
194	Stork	Stork freezing belt, type: 3L40, year of construction: 2006, plastic belt, belt width: 1550 mm, dimensions: 13000 mm x 1820 mm x 1300 mm, Frigerest evaporator, type: APIE 4030, 400 V, 50 Hz, 750 W, 3 fans, dimensions 2800 mm x 850 mm x 1160 mm, (2x) Cryokit cooling compressors, type: 3026/Groupe DE, fabric number: 07-223-03, 07-223-02, year of construction: 1997, refrigerant: R404a, dimensions: 1500 mm x 1000 mm x 1230 mm.	6750



195	Mima Systems	Mima Systems pallet wrapper, type: Mimalite, serial number: 752978, year of construction: 2001, 230 V, 50 Hz, diameter platform: 1600 mm, total dimensions: 2630 mm x 1600 mm x 2650 mm.	500
196	NN tank	S/s tank, dimensions: 1270 mm x 1270 mm x 2450 mm.	250
197	F.Dick piston filler	S/s table with F.Dick piston filler, 12 liter, manually operated, total dimensions: 2730 mm x 830 mm x 1750 mm.	400
198	Gunnebo	Gunnebo safe, fabric number: 58981, year of construction: 2009, 1420 kg, inside dimensions: 540 mm x 540 mm x 620 mm, thickness door: 200 mm, total dimensions: 730 mm x 750 mm x 1700 mm.	300
199	Fichet Bauche	Fichet Bauche safe, model: CAJA ALDI, serial number: DLG04601, year of construction: 2003, inside dimensions: 500 mm x 460 mm x 540 mm and 530 mm x 460 mm x 500 mm, thickness door: 200 mm, total dimensions: 800 mm x 720 mm x 1720 mm.	250
200	NN freezing and refrigeration cell	Freezing and refrigeration cell, inside dimensions refrigeration cell: 2800 mm x 2000 mm x 2800 mm, Roller evaporator, model: FHVT 411, serial number: 99 270 31 0024, year of construction: 1999, including 2 s/s racks, Tecumseh cooling compressor, model : 4G66431202, serial number: 15J01 084752 4G66431202, 220-240 V, 50 Hz, 6.8 A, refrigerant: R404a, inside dimensions freezing cell: 2750 mm x 1200 mm x 2800 mm, Roller evaporator, model: FHVT 612, serial number: 99 270 72 0034, year of construction: 1999, NN cooling compressor, total dimensions: 2050 mm x 3950 mm x 3700 mm.	1500
202	NN transport belt	Mobile double transport belt, s/s frame, plastic belts, belt width: 200 mm and 400 mm, total dimensions: 4050 mm x 600 mm x 1550 mm.	1000
203	Olivo	Olivo mobile cooling container, type: Roll370, serial number: 31926, year of construction: 03/2012, 0,37 W/m2K, inside dimensions: 600 mm x 450 mm x 1380 mm, total dimensions: 800 mm x 600 mm x 1640 mm.	100
204	Olivo	Olivo mobile cooling container, type: Roll370, serial number: 28190 B, year of construction: 03/2008, 0,37 W/m2K, inside dimensions: 600 mm x 450 mm x 1380 mm, total dimensions: 800 mm x 600 mm x 1640 mm.	100
205	Olivo	2 Olivo mobile cooling containers, type: Roll370, serial number: 26725 and 29489B, year of construction: 06/2005 and 06/2009, 0,37 W/m2K, inside dimensions: 600 mm x 450 mm x 1380 mm, total dimensions each container: 800 mm x 600 mm x 1640 mm.	200
206	Aleda	Aleda mobile cooling container, inside dimensions: 830 mm x 640 mm x 1580 mm, total dimensions: 1030 mm x 780 mm x 1930 mm.	100



207	Olivo	Olivo mobile cooling container, type: 780L, serial number: 17662 B, year of construction: 06/2009, 0,30 W/m <sup>2</sup> K, inside dimensions: 810 mm x 630 mm x 1520 mm, total dimensions: 1030 mm x 800 mm x 1880 mm.	100
208	Olivo	2 Olivo mobile cooling containers, type: Roll780 and 780L, serial numbers: B-19123 and 14922 B, year of construction: 06/2011 and 03/2008, 0,31 W/m <sup>2</sup> K and 0,30 W/m <sup>2</sup> K, inside dimensions: 810 mm x 630 mm x 1520 mm, total dimensions: (2x) 1030 mm x 800 mm x 1880 mm.	100
209	Roth	Roth plastic tank, serial number: 2058981, volume: 2000 liter, dimensions: 1950 mm x 750 mm x 1590 mm.	50
210	Roth	Roth plastic tank, serial number: 2054806, volume: 2000 liter, dimensions: 1950 mm x 750 mm x 1590 mm.	50
211	Roth	Roth plastic tank, serial number: 2059146, volume: 2000 liter, dimensions: 1950 mm x 750 mm x 1590 mm.	50
212	Roth	Roth plastic tank, serial number: 2058980, volume: 2000 liter, dimensions: 1950 mm x 750 mm x 1590 mm.	50
213	Viscon	Viscon elevating belt with dividers, type: Viflex transp., serial number: 800002-410, year of construction: 2011, weight: 200 kg, plastic mesh belt with dividers, belt width: 900 mm, distance between dividers: 310 mm, divider height: 30 mm, elevating height: 950 mm, total dimensions: 2590 mm x 1080 mm x 1430 mm.	1250
214	Hyster	Hyster forklift, model: H70C, serial number: C 5E 7146W, weight: 5170 kg, fork length: 1050 mm, lifting height: 3710 mm, maximum capacity: 3500 kg, total dimensions: 4000 mm x 1330 mm x 2750 mm.	1500
215	ETS Lagarde	ETS Lagarde autoclave, inside dimensions: 2900 mm x 890 mm x 860 mm, total dimensions: 4400 mm x 1560 mm x 2200 mm.	1500
216	Hans Guntner	Hans Guntner roof condenser, type: S-GVH 101A/3E, year of construction: 1997, pressure: 21-28 bar, temperature: -60 °C / 100 °C, dimensions: 5230 mm x 1680 mm x 1970 mm.	750
217	NN table	Table with s/s frame and plastic worktop, dimensions: 1200 mm x 2000 mm x 890 mm.	100
218	NN table	S/s table, dimensions: 3600 mm x 630 mm x 1290 mm.	100
219	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 385 mm, dimensions: 3130 mm x 820 mm x 1210 mm.	350
220	NN roller conveyor	De-elevating roller conveyor, plastic rollers, roller width: 440 mm, elevating height: 990 mm, total dimensions: 2100 mm x 630 mm x 1250 mm.	350
221	Berkel	Berkel weighing scale on steel frame, model: 3001/105, number: 91104, year of construction: 1963, minimum capacity: 10 kg, maximum capacity: 105 kg, dimensions weighing scale: 680 mm x 550 x 200 mm, total dimensions: 790 mm x 700 mm x 1830 mm.	50
222	NN table	Table with s/s frame, plastic tabletop, dimensions: 2000 mm x 1400 mm x 960 mm.	400



223	Kirsch	Kirsch power supply unit, type: SEA 75KWND75-4DDE, serial number: 6115-17-103-8063, year of construction: 1992, 400 V, 3 Ph, 108/136 A, 75 kW, 95 kVA, weight: 4650 kg, dimensions: 4170 mm x 2110 mm x 1950 mm.	4000
224	NN filter	S/s filter, dimensions: 1340 mm x 780 mm x 540 mm.	750
225	NN table	S/s table with 3 workstations and plastic tabletop, dimensions working stations: 340 mm x 330 mm, total dimensions: 1600 mm x 680 mm x 1000 mm.	50
226	Sunmix	Sunmix mixer, model: Sun6, serial number: 6492019, year of construction: 2019, 230 V, 1 Ph, 50 Hz, 1.8 A, 0.37 kW, weight: 30 kg, dimensions bowl: 260 mm x 260 mm x 150 mm, total dimensions: 470 mm x 280 mm x 380 mm.	600
228	Hobart	Hobart dishwasher, model: CX.A, serial number: 94.818261, 380 V, 3 Ph, 50 Hz, 8.02-59.3 A, 3.42-39 kW, dimensions tray: 500 mm x 500 mm x 190 mm, clearance: 530 mm x 460 mm, total dimensions: 4580 mm x 770 mm x 1490 mm.	1250
229	Bettcher Industries	Bettcher Industries Whizard trimmer, model: UN-84, serial number: 95110546, 230 V, 1 Ph, 50 Hz, 2.1 A, 250 W, dimensions trimmer: 80 mm x 80 mm, total dimensions: 330 mm x 190 mm x 620 mm.	750
230	Bettcher Industries	Bettcher Industries Whizard trimmer, serial number: 32820410, 230 V, 1 Ph, 50 Hz, 2.6 A, 600 W, dimensions trimmer: 110 mm x 110 mm, total dimensions: 360 mm x 260 mm x 640 mm.	750
231	Bitzer	Bitzer compressor rack with 3 Bitzer compressors, serial number: 17863, year of construction: 10/04/08, compressor type: 6F-40.2Y-40P, serial numbers: 1672814589, 1672814591 and 1672814595, 380-420-440-480 V, 3 Ph, 50-60Hz, 1450-1750 RPM, 19/28 bar, refrigerant: R404a, temperature: -40 °C / 35 °C, dimensions: 2980 mm x 920 mm x 1680 mm.	3000
232	Goedhart	Goedhart evaporator, 2 fans, type: VCI-12638, manufacturing number: PJV080446 number 001 of 2, year of construction: 2008, refrigerant: R404a, volume: 94 dm <sup>3</sup> , temperature: 55 °C/-27 °C, pressure: 28 bar, weight: 570 kg, dimensions: 2810 mm x 2160 mm x 1060 mm.	1750
233	Goedhart	Goedhart evaporator, 2 fans, type: VCI-12638, manufacturing number: PJV080446 number 002 of 2, year of construction: 2008, refrigerant: R404a, volume: 94 dm <sup>3</sup> , temperature: 55 °C/-27 °C, pressure: 28 bar, weight: 570 kg, dimensions: 2810 mm x 2160 mm x 1060 mm.	1750
234	Goedhart	Goedhart evaporator, 2 fans, type: VCI-82638, manufacturing number: PJV080445 number 001 of 1, year of construction: 2008, refrigerant: R404a, volume: 75 dm <sup>3</sup> , temperature: 55 °C/-27 °C, pressure: 28 bar, dimensions: 2810 mm x 2240 mm x 1060 mm.	1750
235	Toussaint Nysenne	3 Toussaint Nysenne dehumidifiers, type: NA4000 /T15, serial numbers: 11510.01, 11510.02 and 11510.03, year of construction: 02/10/2003, refrigerant: R507, dimensions (3x): 2570 mm x 1060 mm x 850 mm.	1500



236	Güntner	Güntner roof condenser, type: GVH 080.3A/3-MD.E, serial number: 400/3251605.0001, year of construction: 2008, 3 fans, type fan: VT01264, volume: 93.5 liter, temperature: 100 °C/-50 °C, pressure: 32/-1 bar compressed air, dimensions: 6100 mm x 1120 mm x 1370 mm.	2000
237	Bitzer	Bitzer compressor rack with 3 Bitzer cooling compressors, serial number: 17864, year of construction: 10/04/08, compressor type: (2x) 6H-35.2Y-40P and 4TC-12.2Y-40P, serial numbers: 1674206188, 1674206184 and 1674213872, 380-420-440-480 V, 3 Ph, 50-60 Hz, 19/28 bar, refrigerant: R404a, temperature: 35 °C/-40 °C dimensions: 2630 mm x 1040 mm x 1570 mm.	2250
238	Bitzer	Bitzer cooling compressor and condensing unit, 1 fan, type: LH64/2EC-3.2, serial number: 1270701992, compressor type: 2EC-32Y-40S, serial number: 1270702907, refrigerant: 2, 7.8 liter, temperature: -10 °C/120 °C, dimensions: 1400 mm x 1100 mm x 890 mm.	750
239	Bitzer	Bitzer cooling compressor and condensing unit, 1 fan, type: LH33/2GC-2.2Y-40S, serial number: 1274303213, compressor type: 2GC-2.2Y-40S, serial number: 1274302664, refrigerant: 2, 3 liter, temperature: -10 °C/120 °C, dimensions: 1450 mm x 750 mm x 660 mm.	500
240	Glacial	Glacial evaporator, 3 fans, type: DPN-27-N, serial number: 06-99, fan type: 1A-255-6P25, test pressure: 20 bar, maximum water pressure: 17 bar, dimensions: 1450 mm x 970 mm x 370 mm.	750
242	Roller	Roller evaporator, 2 fans, type: DHN 602 L, serial number: 05 200 45 0010, 230 V, 1 Ph, 50/60 Hz, 140/180 W, refrigerant: G2, pressure: 25 bar, temperature: -40 °C/100 °C, volume: 6.4 liter, dimensions: 1660 mm x 930 mm x 250 mm.	750
243	GEA	GEA evaporator, 1 fan, type: SPAE 041 D HOCHLEISTUNGS-LUFTK MARKET PLUS SP, article number: 4261.041, 230 V, 1 Ph, 50/60 Hz, 2000 W, refrigerant: 2, pressure: 32 bar, temperature: -40 °C/100 °C, volume: 2.80 liter, dimensions: 950 mm x 380 mm x 410 mm.	300
244	GEA	GEA evaporator, 1 fan, type: SPAE 041 D HOCHLEISTUNGS-LUFTK MARKET PLUS SP, article number: 4260.041, 230 V, 1 Ph, 50/60 Hz, 80 W, refrigerant: 2, pressure: 32 bar, temperature: -40 °C/100 °C, volume: 2.80 liter, dimensions: 950 mm x 380 mm x 410 mm.	300
245	GEA	2 GEA evaporators, 2 fans each, type: SPA 022 D HOCHLEISTUNGS-LUFTK MARKET PLUS SP, article number: 4260.022 and 4261.022, 230 V, 1 Ph, 50/60 Hz, 2975 W, refrigerant: 2, pressure: 32 bar, temperature: -40 °C/100 °C, volume: 3.60 liter, dimensions: (2x) 1610 mm x 660 mm x 310 mm.	750



246	GEA	GEA evaporator, 1 fan, type: SPAE 061 D HOCHLEISTUNGS-LUFTK MARKET PLUS SP, article number: 4261.061, 230 V, 1 Ph, 50/60 Hz, 3968 W, refrigerant: 2, pressure: 32 bar, temperature: -40 °C/100 °C, volume: 6.30 liter, dimensions: 1170 mm x 690 mm x 540 mm.	350
247	GEA	GEA evaporator, 1 fan, type: SGA 71 HOCHLEISTUNGS-LUFTK., article number: 2012.71, 230/400 V, 3 Ph, 50/60 Hz, 300 W, pressure: 32 bar, temperature: -40 °C/100 °C, volume: 5.70 liter, dimensions: 850 mm x 910 mm x 510 mm.	350
248	P.Lemmens	P.Lemmens dehumidifier, 2 fans, model: COMPO M6/TAC/rBA/rFP/KBS, serial number: 1303937, 230 V, 1 Ph, dimensions: 1870 mm x 1030 mm x 600 mm.	500
249	P.Lemmens	P.Lemmens dehumidifier, 2 fans, model: KW18+RKW and COMPO M6/TAC/rBA/rFP/KBS, serial number: 1321350 and 1270266, 400 V, 3 Ph, 18 kW and 230 V, 1 Ph, dimensions: 1820 mm x 860 mm x 600 mm and 1430 mm x 650 mm x 600 mm. Incomplete.	500
250	Goedhart	Goedhart evaporator, 2 fans, type: FC38Di 62407-230 number 1 of 3, manufacturing number: VK0800337, 721609/280118110, year of construction: 2008, refrigerant: R404a, pressure: 28 bar, temperature: 55 °C/-8 °C, volume: 14 dm <sup>3</sup> , dimensions: 1980 mm x 930 mm x 290 mm.	750
251	GEA	GEA evaporator, 3 fans, type: SPB 043 D HOCHLEISTUNGS-LUFTK MARKET PLUS SP, article number: 4262.043, 230 V, 1 Ph, 50/60 Hz, 240 W, refrigerant: 2, pressure: 32 bar, temperature: 100 °C/-40 °C, volume: 8.10 liter, dimensions: 2160 mm x 630 mm x 400 mm.	750
252	Goedhart	2 Goedhart evaporators, 2 fans each, type: FC38Di 62407-230 number 2 of 3 and 3 of 3, manufacturing number: VK0800337, 721609/280118110, year of construction: 2008, refrigerant: R404a, pressure: 28 bar, temperature: 55 °C/-8 °C, volume: 14 dm <sup>3</sup> , dimensions: (2x) 1910 mm x 370 mm x 910 mm.	1000
253	Delta Technics Engineering B.V.	Delta Technics Engineering B.V. evaporator, 2 fans, model: FMX-528E, serial number: 1050, year of construction: 2002, 230 V, 50 Hz, (2x) 0.55 A, (2x) 120 W, refrigerant: R404a, dimensions: 1260 mm x 760 mm x 440 mm.	500
254	Goedhart	Goedhart evaporator, 2 fans, type: FC38SZi 62457-230 number 1 of 2, manufacturing number: PJV080449, VK0800337/280118240, year of construction: 2008, refrigerant: 2, pressure 28 bar, temperature: 55 °C/-40 °C, volume: 18 dm <sup>3</sup> , dimensions: 1940 mm x 770 mm x 660 mm.	350
255	Goedhart	2 Goedhart evaporators, 2 fans each, type: FC38SZp 62457-230 number 1 of 1 and FC38SZi 62457-230 number 2 of 2, manufacturing number: PJV080448, VK0800337/280118230 and PJV080449, VK0800337/280118240, year of construction: 2008, refrigerant: 2, pressure: 28 bar, temperature: 55 °C/-40 °C, volume: 18 dm <sup>3</sup> , dimensions: (2x) 1940 mm x 770 mm x 660 mm.	750



256	Goedhart	Goedhart evaporator, 2 fans, type: FC38Di 452-7-230, product number: VK0501520, 721230, year of construction: 2005, 240 V, 50 Hz, 490 W, pressure: 25.0 bar, volume: 19 dm <sup>3</sup> , weight: 158 kg, dimensions: 2240 mm x 980 mm x 330 mm.	500
257	Goedhart	Goedhart evaporator, 4 fans, dimensions: 5250 mm x 1400 mm x 1110 mm.	1750
258	Güntner	Güntner roof condenser, type: GVH 090.2A/3-N(D), serial number: 400/3251606.0001, year of construction: 2008, 3 fans, type fan: VT011, volume: 95.2 liter, temperature: 100 °C/-50 °C, pressure: 32/-1 bar compressed air, dimensions: 6100 mm x 1160 mm x 1430	2000
259	Smeva	Smeva cooling fluid rack, model: M22H 10,2BT2, identification number: 463432/posA, year of construction: 29-04-03, 400 V, 3 Ph, 50 Hz, 16.4A, 2x2.05 kW, refrigerant: R404a, pressure: 13-25 bar, dimensions: 1450 mm x 730 mm x 760 mm.	250
260	Starcold	Starcold compressor unit with 1 Bitzer cool compressor, 4 fans, model: BR04B 070 MT, serial number: OW047, 230 V, 26/104 A, year of construction: 2012 refrigerant: R134a, pressure: 17-25 bar, temperature: 100 °C/-40 °C, compressor type: 4VES-10Y-40P, serial number: 1682203759, 19/28 bar, total dimensions: 2020 mm x 940 mm x 1030 mm.	250
261	Helpman	Helpman evaporator, 2 fans, type: LEX-24 E, 220-240-380-415 V, 3 Ph, 50 Hz, 13.2 kW, pressure: 23 bar, dimensions: 1870 mm x 930 mm x 890 mm.	250
262	Helpman	Helpman evaporator, 2 fans, type: LEX-24 E, 220-240-380-415 V, 3 Ph, 50 Hz, 13.2 kW, pressure: 23 bar, dimensions: 1870 mm x 900 mm x 890 mm.	250
263	Rittal	Rittal switch cabinet, type: ES5905, serial number: 032286, dimensions: 1790 mm x 510 mm x 2060 mm.	750
264	Talsa	Talsa cutter, type: K30, 400 V, 3 Ph, 50 Hz, weight: 350 kg, s/s bowl, volume: 30 liter, dimensions: 1040 mm x 770 mm x 1150 mm.	5000
265	Emmepi	Emmepi tiltable fryer, model: EBRGA96, serial number: 00002, year of construction: 1997, 220 V, 1 Ph, 50 Hz, 0.4 kW, volume: 100 liter, gas heated, dimensions: 1205 mm x 930 mm x 1070 mm.	750
266	Hobart	S/s double sink with Hobart dishwasher, type: FX 800S-71, serial number: 87172698, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 15.5 A, 9.1 kW, dimensions: 1600 mm x 700 mm x 2000 mm.	500



## **General Terms of the online auction**

### **Article 1. Definitions**

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Oirschot;

### **Article 2. Applicability**

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### **Article 3. Registration on the website and the use**

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The user guarantees the accuracy and completeness of the provided personal details at registration. If the personal details change at any time, the user is obliged to inform Industrial Auctions by return of such change(s).

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 The user is forbidden to reproduce the website or any part thereof or make available (through deep linking or otherwise) without the prior written consent of Industrial Auctions. Intellectual property is retained by Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in



any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

## **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

## **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

## **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or



unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

## **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

## **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this



shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code



applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.



11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately



after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

#### **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.



15.2 Industrial Auctions is not liable for any indirect or consequential damages.

Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

## **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



## This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slight shadow on its right side, suggesting it's resting on a surface.



**Industrial  
Auctions** BV



**Industrial  
Auctions** BV

Address: Looyenbeemd 11  
5652 BH Eindhoven, Netherlands  
Tel.: +31 (0)40 2409 208  
Fax: +31 (0)40 2409 209  
Email: [info@industrial-auctions.com](mailto:info@industrial-auctions.com)  
Web: [www.industrial-auctions.com](http://www.industrial-auctions.com)

**Upcoming auctions:**

- 26-03 Online auction machinery for the food industry in Brokstedt (DE)**
- 31-03 Online auction machinery for the food industry in Benschop (NL)**
- 01-04 Online auction machinery for the food industry in Suffolk (UK)**