

Online auction machinery for the food industry in Anzegem (BE)

Closing: 08 October 2019 from 14:00 hrs.







Viewing day:

03 October 2019 from 09:00 till 16:00 hrs.

Address:

Beukenhofstraat 77A 8570 Anzegem Belgium



General terms and conditions of the online auction

Closing date 08 October 2019 from 14:00 hrs.

Viewing 03 October 2019 from 09:00 till 16:00 hrs.

Organizing Company Industrial Auctions BV

Looyenbeemd 11

5652 BH Eindhoven, Netherlands

Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209

E-mail: info@industrial-auctions.com

Buyers premium 17% over the highest bid

V.A.T 21% over the highest bid including Premium Pickup date 15 October 2019 from 09:00 till 16:00 hrs.

Pickup address Beukenhofstraat 77A

8570 Anzegem Belgium

Delivery instructions The buyer is fully responsible for the dismantling, loading and

transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and

address.

Payment details Before collection of the goods your payment has to be fulfilled. It is

possible to transfer the amount due to our account with ING-bank, account number 005033999 in Best, IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Rabobank, account number 157198367 in Best, IBAN: NL80RAB00157198367, BIC: RABONL2U, Gladbacher Bank AG,

Iban: DE83310601818887176010, BIC: GENODED1GBM, indicating

invoice- and customernumber.

General terms and On the auction general terms and conditions of the online auction are conditions of sale applicable concerning the (possible) purchase of moveable assets.

applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.

furthermore these specific terms and conditions

Combinations All lots in a combination will be sold individually first. The starting bid of

the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the

combination is sold it overrules the individual bids, if not the individual

bids are applicable.

Prolongation If a bid is made in the last 5 minutes the lot closes, the closing time of that

lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	NN grinder	Grinder, diameter plate: 130 mm, total dimensions: 900 mm x 650 mm x 1300 mm.	750
2	NN lifter for 200 liter meat bins	S/s lifter for 200 liter meat bins, lifiting height: 1750 mm, total dimensions: 1200 mm x 1100 mm x 2750 mm.	750
3	Sepamatic	Sepamatic infeed bunker for separator, type: HSD 400, machine number: 114031, 400 V, 3 Ph, 50 Hz, 9 A, 24 V, inside dimensions: 880 mm x 750 mm x 600 mm, total dimensions: 1550 mm x 850 mm x 2350 mm. Incomplete.	5000
4	Baader	Baader separator, diameter drum: 200 mm, total dimensions: 1300 mm x 650 mm x 1450 mm. Incomplete.	3000
5	Cryovac	Cryovac mobile strapping machine, dimensions: 1350 mm x 650 mm x 1450 mm.	300
6	Lutetia	Lutetia injector, model: Modéle 1, 220-380 V, 2 heads, (1x) 75 needles and (1x) 24 needles, s/s mesh belt, width: 370 mm, clearance: 370 mm x 190 mm, total dimensions: 2100 mm x 840 mm x 1860 mm. Including filter and parts, completely overhauled in 2019.	2500
7	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 400 mm, divider height: 40 mm, distance between dividers: 180 mm, elevating height: 2250 mm, total dimensions: 2200 mm x 1100 mm x 2350 mm.	500
8	NN elevating belt	Elevating belt, s/s mesh belt with dividers, belt width: 985 mm, divider height: 60 mm, distance between dividers: 150 mm, elevating height: 2400 mm, total dimensions: 2700 mm x 1150 mm x 2650 mm.	1250
9	Autolabel AB	Autolabel AB labelling machine, model: T63, serial number: 273, year of construction: 2017, 200-240 VAC/2.5 A, 50-60 Hz, dimensions: 700 mm x 600 mm x 1600 mm.	750
10	Cermex	Cermex box folding machine with Nordson glue unit, model: 3400-2AA12, serial number: AA89 B08327, total dimensions: 3650 mm x 2100 mm x 2500 mm.	500
11	Waldys S.A.	Waldys S.A. packaging machine, model: 33, series: 281, number: 2807, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 2.6 kW, weight: 310 kg, plastic wire belt, belt width: 240 mm, Espera weighing scale, type: ES600, 24 V, max: 3/6/8 kg, min: 20 g, T= -2000 kg, Espera labelling machine, type: ESN 43, serial number: 58 00 0992, 230 V, 50/60 Hz, 4 A, total dimensions: 2900 mm x 2400 mm x 1900 mm.	950
12	Dadaux	Dadaux cooled grinder, type: NEOCUT, number: P-1656, year of construction: 2016, 230 V, 1 Ph, 50 Hz, refrigerant: R134, 140 gram, dimensions: 550 mm x 400 mm x 600 mm.	1250
13	CES	CES nitrogen freezer, model: coolbox MG type, serial number: 81-6, year of construction: 1993, 220-380 V, 3 Ph, 3 kW, weight: 1000 kg, inside dimensions: 1300 mm x 800 mm x 1970 mm, total dimensions: 1700 mm x 1700 mm x 2550 mm.	1500



14	NN mixing tank	S/s double jacket mixing tank, inside dimensions: 1650 mm x 1650 mm x 570 mm, total dimensions: 2300 mm x 2600 mm x 1700 mm.	4500
15	Teraoka	Teraoka mobile packaging machine, model: FX-3600XL, serial number: 05160393, 380/400 V, 3 Ph, 50/60 Hz, 1.5 kW, dimensions: 1000 mm x 900 mm x 1450 mm.	3500
16	Mesutronic	Mesutronic mobile metal detector, type: MN 7.0 CI 650/150, serial number: 1063-CI, year of construction: 2017, 100-240 V, 50/60 Hz, 1.25 A, plastic belt, belt width: 610 mm, clearance: 655 mm x 125 mm, total dimensions: 1550 mm x 1100 mm x 1050 mm.	1750
17	NN mixer	Mixer on s/s frame, dimensions: 1050 mm x 900 mm x 1350 mm.	400
18	Melior-Ganda SPRL	Melior-Ganda SPRL tenderizer, model: E93, machine number: 99140, year of construction: 1999, 400 V, 50 Hz, 0.75 kW, 32 A, dimensions: 600 mm x 400 mm x 1070 mm.	750
19	R. Baten & Zoon	R. Baten & Zoon mobile lifter, type: Lift, serial number: 01, year of construction: 2013, maximum capacity: 200 kg, lifting height: 1200 mm, total dimensions: 1050 mm x 1200 mm x 2300 mm.	1500
20	Munters	Munters dehumidifier, type: Icedry 1400, fabrication number: 0440 190531L 50026, 400 V, 3 Ph, 50 Hz, 1.35/6.3/7.65 kW, dimensions: 720 mm x 600 mm x 1750 mm.	1500
21	Wodschow & Co.	Wodschow & Co. bowl mixer, model: Varimixer, type: 92 AP30, number: 12089, 3x 380 V, 50 Hz, 3.2 A, dimensions: 790 mm x 600 mm x 1270 mm. Including extra whisk.	500
22	NN bowl mixer	S/s bowl mixer, diameter bowl: 530 mm, total dimensions: 1100 mm x 600 mm x 1560 mm. Including s/s trolley with extra bowl.	750
23	Poly-Clip System	Poly-Clip System mobile clipper, type: SFC 7045, number: 879/97, bar: 5/7, dimensions: 1300 mm x 850 mm x 1800 mm.	750
24	Tippertie Technopack	Tippertie Technopack clipper, total dimensions: 980 mm x 900 mm x 1700 mm. Including crate with clips.	400
25	Reich	Reich smoke chamber, type: U 900, year of construction: 1981, 220V, 11.2 kW, volume: 900 liter, maximum temperature: 160° C, dimensions: 980 mm x 900 mm x 1900 mm.	750
26	Thissen & Stecher BV	Thissen & Stecher smoke chamber, inside dimensions: 700 mm x 780 mm x 1000 mm, total dimensions: 1080 mm x 1080 mm x 1780 mm.	400
27	Nilma	Nilma tiltable vegetable washer, type: ATIR I Rib, serial number: 990805, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 10 A, 1.85 kW, capacity: 518 liter, weight: 232 kg, dimensions: 1620 mm x 1300 mm x 1150 mm.	1750
30	Mol D'art	Mol D'art mobile mixing and tempering machine, serial number: 5017007, year of construction: 2017, 230 V, 1 Ph, 1.6 kW, volume: 50 kg, dimensions: 950 mm x 700 mm x 1300 mm.	3500
31	Mol D'art	Mol D'art mobile mixing and tempering machine: serial number: 5012016, year of construction: 2017, 230 V, 1 Ph, 1.6 kW, volume: 50 kg, dimensions: 950 mm x 700 mm x 1300 mm.	3500



32	Cretors	Cretors mobile popcorn machine, type: G32E, serial number: 96073544, 230 V, 50 Hz, 1500 W, dimensions: 880 mm x 1000 mm x 1700 mm.	2000
33	EBM	EBM slicer, type: BT, fabrication number: 86/B-978, 0.37 kW, plastic infeed belt with dividers, belt width: 480 mm, distance between dividers: 350 mm, divider height: 50 mm, 18 knifes, distance between knifes: 20 mm, plastic outfeed belt: 400 mm, total dimensions: 2850 mm x 950 mm x 1850 mm.	2250
34	NN tumbler	S/s mobile tumbler used for olives, diameter drum: 750 mm, total dimensions: 2200 mm x 1250 mm x 1900 mm.	1250
35	Renove	Renove mobile slicer, distance between knifes: 200 mm, working width: 470 mm, total dimensions: 720 mm x 700 mmn x 1230 mm.	300
36	NN binding machine	Mobile binding machine, foot control, dimensions: 680 mm x 530 mm x 1350 mm.	750
37	Debotec S.L.	Debotec S.L. s/s piston filler with filling attachment for hamburgers, knee control, type: Embutidora, model: E MOD. F-20, year of construction: 2004, 220-380 V, 3 Ph, 50 Hz, 4-2,3 A, 0.75 kW, dimensions: 450 mm x 400 mm x 1170 mm.	1200
38	Debotec International	Debotec International s/s piston filler, knee control, type: E-20, serial number: 20 10 23, year of construction: 2010, 230-400 V, 3 Ph, 50 Hz, 4.0/2.3 A, 0.75 kW, dimensions: 450 mm x 400 mm x 1170 mm.	1000
39	NN hamburger forming attachment	Hamburger forming attachment, diameter forms: (4x) 90 mm, total dimensions: 430 mm x 320 mm x 140 mm.	200
40	Dadaux	Dadaux piston filler, type: PHX40L, serial number: R-1005, year of construction: 03/2018, 380 V, 50 Hz, dimensions: 580 mm x 520 mm x 1150 mm. New, never used.	2250
41	Talsa	Talsa mobile mixer, model: MIX100P, serial number: 262026, year of construction: 2006, 230/400 V, 3 Ph, 2.35/4.1 A, 0.75 kW, inside dimensions bowl: 610 mm x 610 mm x 350 mm, total dimensions: 950 mm x 700 mm x 1230 mm.	1500
42	Talsa	Talsa mobile mixer, MIX150, serial number: 1404584, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 5/8.7 A, 1.8 kW, inside dimensions: 710 mm x 710 mm x 450 mm, total dimensions: 1100 mm x 700 mm x 450 mm.	1750
43	Stephan	Stephan mobile tiltable vacuum mixer, type: VM 60A, machine number: 723.804, year of construction: 1997, 400 V, 0.75 kW, 50 Hz, 4.05 A, dimensions tub: 500 mm x 500 mm x 320 mm, total dimensions: 830 mm x 530 mm x 1100 mm.	1750
44	Sinmag Europe	Sinmag Europe bowl mixer, name: PLANETARYMIXER, model: SM20LS, serial number: 1702001, year of construction: 2018, weight: 125 kg, 220 V, 50 Hz, 9 A, 1.1 kW, inside dimensions: 340 mm x 340 mm x 300 mm, total dimensions: 750 mm x 500 mm x 1000 mm.	1200



46	Melior-Ganda SPRL	Melior-Ganda SPRL grinder, model: MMI-DS, machine number: 326, year of construction: 1995, 380 V, 50 Hz, 7.25 A, 3 kW, diameter plate: 120 mm, total dimensions: 900 mm x 600 mm x	750
47	NN cabinet	1230 mm. S/s cabinet with 2 sliding doors, dimensions: 1900 mm x 430 mm x 690 mm.	150
48	REX Düker	REX Düker cutter, s/s bowl, diameter bowl: 750 mm, total dimensions: 1100 mm x 900 mm x 1300 mm.	5000
49	Günther	Günther mobile tenderizer, type: GT 400 S, year of construction: 2005, 400 V, 16 A, 1.5 kW, dimensions: 1950 mm x 1300 mm x 1400 mm.	2000
51	Treif	Treif dicer, type: 34/1, machine number: 103006/001-1, 380 V, 3 Ph, 50 Hz, 4.5 A, dimensions chamber: 400 mm x 95 mm x 80 mm, total dimensions: 1330 mm x 900 mm x 1050 mm.	1500
52	Mado	Mado mobile grinder, type: MEW 620, number: 31077, year of construction: 2004, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4.0 kW, diameter plate: 100 mm, total dimensions: 1000 mm x 850 mm x 1600 mm.	1500
53	Cretel	Cretel mobile skinning machine, foot control, working width: 770 mm x 700 mm x 950 mm.	850
54	NN table	S/s mobile table with rack for plates, plastic work top, dimensions: 2200 mm x 800 mm x 880 mm.	200
55	NN sealing machine	Sealing machine, film roller width: 600, dimensions sealing platform: 250 mm x 165 mm, total dimensions: 800 mm x 620 mm x 160 mm.	20
56	NN cabinet	S/s cabinet, inside dimensions: 1470 mm x 570 mm x 620 mm, total dimensions: 1595 mm x 660 mm x 960 mm.	300
57	NN cabinet	S/s cabinet with 2 sliding doors, dimensions: 1600 mm x 675 mm x 970 mm.	150
58	CAS	CAS weighing scale, model: ER PLUS (CBU), serial number: 090243356, year of construction: 2009.02, max: 6/15 kg, min: 40 g, e=d= 2/5 g, dimensions platform: 300 mm x 220 mm, total dimensions: 380 mm x 300 mm x 430 mm.	400
59	Teraoka	Teraoka weighing scale, model: SM-5500EV, serial number: 14903614, max: 6/15 kg, min: 40 g, 220-240 V, 50/60 Hz, 0.5 A, 50 W, dimensions platform: 380 mm x 290 mm, total dimensions: 400 mm x 390 mm x 600 mm.	1500
60	Hagmann Maschinenbau	Hagmann Maschinenbau traysealer, type: 1014, machine number: 52437, year of construction: 2005, 230 VAC, 50 Hz, 2000 W, dimensions dye: (4x) 123 mm x 80 mm, total dimensions: 550 mm x 500 mm x 680 mm.	1250
61	Eurofours	Eurofours oven on mobile steel frame, type: 3P105B10-2, serial number: 3P105BL093, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 14.8 A, 10.2 kW, 5 floors, dimensions floor: 750 mm x 410 mm, total dimensions: 1350 mm x 810 mm x 1270 mm.	250
62	Convotherm	Convotherm combi steam oven on s/s frame, model: Compact, 6 floors, dimensions floors: (6x) 530 mm x 330 mm, total dimensions: 1100 mm x 850 mm x 1550 mm.	400



63	Thirode	Thirode oven, 380 V, 3 Ph, 6 floors, floor dimensions: 530 mm x	300
		330 mm, with rack for 4 plates, total dimensions: 880 mm x 800 mm x 1690 mm.	
64	Delrue	Delrue oven, number: 28112808, 4 floors, dimensions floor: 860 mm x 595 mm, total dimensions: 1060 mmx 800 mm x 1710 mm.	400
65	Thermoplan	Thermoplan coffee machine, type: Black and White 3 CTM2RF, capacity: 240 espresso/h, 200 coffee/h, 18 liters of hot water/h, 130 cappucino/h, 140 latté/h, dimensions: 600 mm x 600 mm x 700 mm.	2000
66	Cleveland Range	Cleveland Range steamer, model: 21CET8CE, serial number: WC 08533-08G-01, 400 V, 3 Ph, 50 Hz, 12 A, 8.3 kW, dimensions: 800 mm x 530 mm x 510 mm.	500
67	Lainox	Lainox combi steam oven on s/s frame, 6 floors, dimensions floors: (6x) 535 mm x 330 mm, total dimensions: 900 mm x 800 mm x 1530 mm.	400
68	Convection	Convection oven, type: FC 110 E, serial number: 100710597, 380-440 V, 3 Ph, 50-60 Hz, 6000 W, 4 floors, dimensions floors: (4x) 595 mm x 410 mm, total dimensions: 800 mm x 650 mm x 620 mm.	400
69	Eloma	Eloma combi steamer, model: Multi Max 6-11, 6 floors, including mobile rack for plates, total dimensions: 925 mm x 810 mm x 1720 mm. Door handle broken.	200
70	Fri-Jado	Fri-Jado rotisserie grill, model: TGW 50, number: 100001989, year of construction: 2000, 400/230 V, 50 Hz, 4500 W, 10.6 A, dimensions: 1000 mm x 540 mm x 680 mm.	500
71	Fri-Jado	Fri-Jado mobile rotisserie oven, model: STG7-P, number: 100032062, 400/230 V, 50/60 Hz, 14.5 A, 9500 W, 7 basket, dimensions each basket: 600 mm x 150 mm, total dimensions: 1100 mm x 850 mm x 1800 mm.	950
72	Hoshizaki	Hoshizaki ice maker, model: IM-85K, serial number: B10099, weight: 80 kg, 220.230.240 V, 50 Hz, 3.5 A, dimensions: 700 mm x 520 mm x 1300 mm.	1500
73	Ilsa	Ilsa refrigerated counter, model: TXMG2 TN -2/+3, 151832, 230 V, 3 Ph, 50 Hz, 360 W, 2.4 A, inside dimensions: 880 mm x 530 mm x 560 mm, total dimensions: 1360 mm x 700 mm x 950 mm.	2000
74	Ilsa	Ilsa refrigerator, type: AHPA2001, serial number: 1444.0147, 230 V, 3 Ph, 50 Hz, refrigerant: R404a, 0.280 kg, inside dimensions: 640 mm x 840 mm x 1390 mm, total dimensions: 1020 mm x 800 mm x 2030 mm.	1250
75	Ilsa	Ilsa double refrigerator, type: AX141001, serial number: 151873, 230 V, 50 Hz, refrigerant: R404a, 0.280 kg, dimensions plates: (6x) 660 mm x 540 mm, inside dimensions: (2x) 600 mm x 660 mm x 1450 mm, total dimensions: 1500 mm x 830 mm x 2030 mm.	1950



15A	76	ICA	ICA double refrigerator tunes lebesetus annie serial accest	1250
refrigerant: R404a, 0.370 kg, volume: 1350 liter, 6 plates, dimensions plate: 650 mm x 540 mm, incide dimensions: 1330 mm x 690 mm x 1400 mm, total dimensions: 1440 mm x 830 mm x 2020 mm.	76	ISA		1250
dimensions plate: 650 mm x 540 mm, inside dimensions: 1330 mm x 690 mm x 1400 mm, total dimensions: 1440 mm x 830 mm x 690 mm x 1400 mm, total dimensions: 1440 mm x 830 mm x 2020 mm. Mondial Group srl freezer, model: E1724504FW, serial number: 3115E85870, 230 V, 50 Hz, 3.6 A, 580 W, refrigerant: R290, 0.080 kg, volume: 317, temperature: 30°C - 55°C, 2 plates, dimensions plates: 530 mm x 430 mm, total dimensions: 700 mm x 680 mm x 2000 mm. Pelican Sp. ferfigerate4de counter, model: S901-4D, serial number: D1510H808S914D0036, 220-240 V, 50 Hz, 1.5 A, + 2C/ + 8C, refrigerant: R134a, weight: 89 kg, dimensions: 905 mm x 770 mm x 880 mm x 2000 mm. Pelican Sp. ferfigerate4de counter, model: S901-4D, serial number: D1510H808S914D0036, 220-240 V, 50 Hz, 1.5 A, + 2C/ + 8C, refrigerant: R134a, weight: 89 kg, dimensions: 905 mm x 770 mm x 880 mm. Solvential Sp. ferfigerate1 sp. ferfigerant: R134a, 130 gram, temperature range: -2 till 8 Celsius, dimensions: 1430 mm x 400 mm x 440 mm. Alinox			1	
77 Mondial Group Mondial Group of freezer, model: E1724504FW, serial number: 3115E85870, 230 V, 50 Hz, 3.6 A, 580 W, refrigerant: R290, 0.080 kg, volume: 317 I, temperature: 30°C - 55°C, 2 plates, dimensions plates: 530 mmx 430 mm, total dimensions: 700 mm x 680 mm x 2000 mm. 500 78 Pelican Pelican s/s refrigerateded counter, model: S901-4D, serial number: D1510H808S914D0036, 220-240 V, 50 Hz, 1.5 A, +2C/ +8C, refrigerant: R134a, weight: 89 kg, dimensions: 905 mm x 770 mm x 880 mm. 500 79 NN saladette S/s saladette, model: VRX150, serial number: 804245, 230 V, 50 Hz, 1.8 A, 250 W, weight: 31 kg, refrigerant: R134a, 130 gram, temperature range: -2 till 8 Celsius, dimensions: 1500 mm x 400 mm x 440 mm. 500 80 Allinox Alinox 2-doors refrigerated counter, dimensions: 1430 mm x 400 mm x 740 mm x 750 mm x 950 mm. 500 81 Odic Odic 3-doors refrigerated counter with plastic worktop, dimensions: 1700 mm x 700 mm x 950 mm. 250 82 Teraoka Teraoka packaging machine, model: AW-4600, serial number: 09166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1550 mm. 75 84 NN trolley for plately with 18 pegs, dimensions floor: 1400 mm x 510 mm, total dimensions: 355 mm x 650 mm, total dimensions: 585 mm x 660 mm x 1600 mm. 50 86 NN trolley for plates Aluminium trolley for plat				
Mondial Group Srl			· · · · · · · · · · · · · · · · · · ·	
77 Mondial Group srl Mondial Group srl freezer, model: E1724S04FW, serial number: 3115E85870, 230 V, 50 Hz, 3.6 A, 580 W, refrigerant: R290, 0.080 kg, volume: 317 I, temperature: 30°C - 55°C, 2 plates, dimensions plates: 530 mmx 430 mm, total dimensions: 700 mm x 680 mm x 2000 mm. 500 78 Pelican Pelican s/s refrigerat4ed counter, model: S901-4D, serial number: D1510H808S914D0036, 220-240 V, 50 Hz, 1.5 A, + 2C/ + 8C, refrigerant: R134a, weight: 89 kg, dimensions: 905 mm x 770 mm x 880 mm. 500 79 NN saladette S/s saladette, model: VRX150, serial number: 804245, 230 V, 50 Hz, 1.8 A, 250 W, weight: 31 kg, refrigerant: R134a, 130 gram, temperature range: -2 till 8 Celsius, dimensions: 1500 mm x 400 mm x 440 mm. 500 80 Alinox Alinox 2-doors refrigerated counter, dimensions: 1430 mm x 400 mm x 440 mm. 500 81 Odic Odic 3-doors refrigerated counter with plastic worktop, dimensions: 1700 mm x 700 mm x 950 mm. 250 82 Teraoka Teraoka packaging machine, model: AW-4600, serial number: 09166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. 75 83 NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm x 1450 mm. 75 84 NN trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. 300 mm x 1790 mm x			l ·	
Srl	77	NA di - I C		F00
0.080 kg, volume: 317 l, temperature: 30°C - 55°C, 2 plates, dimensions plates: 530 mmx 430 mm, total dimensions: 700 mm x 680 mm x 2000 mm.	//		l · · · · · · · · · · · · · · · · · · ·	500
dimensions plates: 530 mmx 430 mm, total dimensions: 700 mm x 680 mm x 2000 mm. Pelican		sri	, , , , , , , , , , , , , , , , , , , ,	
Pelican			1	
78 Pelican Pelican s/s refrigerat4ed counter, model: S901-4D, serial number: D1510H808S914D0036, 220-240 V, 50 Hz, 1.5 A, + 2C/ + 8C, refrigerant: R134a, weight: 89 kg, dimensions: 905 mm x 770 mm x 880 mm. 500 79 NN saladette S/s saladette, model: VRX150, serial number: 804245, 230 V, 50 Hz, 1.8 A, 250 W, weight: 31 kg, refrigerant: R134a, 130 gram, temperature range: -2 till 8 Celsius, dimensions: 1500 mm x 400 mm x 440 mm. 500 80 Alinox Alinox 2-doors refrigerated counter, dimensions: 1430 mm x 400 mm x 440 mm. 500 81 Odic Odic 3-doors refrigerated counter with plastic worktop, dimensions: 1700 mm x 700 mm x 950 mm. 250 82 Teraoka Teraoka packaging machine, model: AW-4600, serial number: 09166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. 2500 83 NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm. 75 mm. 84 NN trolley for plates with 18 pegs, dimensions: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm. 50 mm x 1600 mm. 85 NN trolley for plates dimensions: 1400 mm x 520 mm x 1810 mm. 3 s/s trolley for plates with 16 s/s plates, 16 floors, dimensions: 630 mm x 660 mm x 1600 mm. 3 s/s trolley for plates, 55 mm x 645 mm, total dimensions: 450 mm x 630 mm. 300 86 <t< td=""><td></td><td></td><td></td><td></td></t<>				
NN saladette				
+ 8C, refrigerant: R134a, weight: 89 kg, dimensions: 905 mm x 770 mm x 880 mm.	/8	Pelican		500
770 mm x 880 mm. 79 NN saladette S/s saladette, model: VRX150, serial number: 804245, 230 V, 50 Hz, 1.8 A, 250 W, weight: 31 kg, refrigerant: R134a, 130 gram, temperature range: -2 till 8 Celsius, dimensions: 1500 mm x 400 mm x 440 mm. 80 Alinox Alinox 2-doors refrigerated counter, dimensions: 1430 mm x 830 mm x 730 mm. 81 Odic Odic 3-doors refrigerated counter with plastic worktop, dimensions: 1700 mm x 700 mm x 950 mm. 82 Teraoka Teraoka packaging machine, model: AW-4600, serial number: 09166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. 83 NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm. 84 NN rack Aluminium rack, 5 floors, dimensions floor: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm. 85 NN trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. 86 NN trolleys for plates S/s trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 87 NN trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm. 88 NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. 89 NN trolley for plates, 57 trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 670 mm x 630 mm x 1790 mm. 90 NN trolley for plates, 57 floors, dimensions floor: 405 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 mm, total dimensions: 670 mm x 500 mm x 1850 mm.				
NN saladette				
Hz, 1.8 A, 250 W, weight: 31 kg, refrigerant: R134a, 130 gram, temperature range: -2 till 8 Celsius, dimensions: 1500 mm x 400 mm x 440 mm. Alinox 2-doors refrigerated counter, dimensions: 1430 mm x 830 mm x 730 mm. Odic Odic 3-doors refrigerated counter with plastic worktop, dimensions: 1700 mm x 700 mm x 950 mm. Teraoka Teraoka packaging machine, model: AW-4600, serial number: O9166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm. Aluminium rack, 5 floors, dimensions floor: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm. NN trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. NN trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates S/s trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm x 630 mm x 1790 mm. NN trolley for plates S/s trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates S/s trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm, total dimensions: 670 mm x 630 mm x 1790 mm. NN trolley for plates S/s trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. NN trolley for plates, 5 floors, dimensions floor: 600 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm.				
temperature range: -2 till 8 Celsius, dimensions: 1500 mm x 400 mm x 440 mm. Alinox Alinox -	79	NN saladette		150
mm x 440 mm. Alinox 2-doors refrigerated counter, dimensions: 1430 mm x 300 mm x 730 mm. Odic Odic 3-doors refrigerated counter with plastic worktop, dimensions: 1700 mm x 700 mm x 950 mm. Teraoka Teraoka packaging machine, model: AW-4600, serial number: 09166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm. NN trolley or plates with 18 pegs, dimensions floor: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm. NN trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. NN trolley for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates mm x 610 mm x 610 mm x 610 mm x 410 mm x 410 mm x 610 mm x 410 mm, total dimensions: 470 mm x 610 mm x 1630 mm. NN trolley for plates mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates mm, total dimensions: 450 mm x 610 mm x 1630 mm. NN trolley for plates mm, total dimensions: 450 mm x 610 mm x 1630 mm. NN trolley for plates mm, total dimensions: 450 mm x 640 mm x 1790 mm. NN trolley for plates mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates mm, total dimensions: 670 mm x 500 mm x 1850 mm. NN trolley for plates mm, total dimensions: 670 mm x 500 mm x 1850 mm.			Hz, 1.8 A, 250 W, weight: 31 kg, refrigerant: R134a, 130 gram,	
Alinox 2-doors refrigerated counter, dimensions: 1430 mm x 830 mm x 730 mm. Odic Odic 3-doors refrigerated counter with plastic worktop, dimensions: 1700 mm x 700 mm x 950 mm. Teraoka Teraoka Teraoka in Teraoka packaging machine, model: AW-4600, serial number: 09166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm. NN trolley for plates with 16 s/s plates, 16 floors, dimensions: 1400 mm x 510 mm. NN trolley for plates with 16 s/s plates, 16 floors, dimensions: 1400 mm x 500 mm x 1810 mm. NN trolley for plates with 16 s/s plates, each trolley 18 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates my total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates my total dimensions: 630 mm x 410 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates my total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates my total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates my, total dimensions: 450 mm x 620 mm, total dimensions: 450 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates my, total dimensions: 630 mm x 410 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for S/s trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for S/s trolley for plates, 5 floors, dimensions floor: 405 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm.			, ,	
830 mm x 730 mm. 81 Odic Odic 3-doors refrigerated counter with plastic worktop, dimensions: 1700 mm x 700 mm x 950 mm. 82 Teraoka Teraoka packaging machine, model: AW-4600, serial number: 09166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. 83 NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm. 84 NN rack Aluminium rack, 5 floors, dimensions floor: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm. 85 NN trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. 86 NN trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 525 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 87 NN trolley for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 88 NN trolley for plates with 53 s/s plates, plate dimensions: 630 mm, total dimensions: 470 mm x 610 mm x 1630 mm. 89 NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. 89 NN trolley for S/s trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 89 NN trolley for S/s trolley for plates, 5 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 670 mm x 630 mm x 1790 mm.			mm x 440 mm.	
Strolleys for plates NN trolleys for plates NN trolleys for plates NN trolleys for plates NN trolley for plates S/s trolley fo	80	Alinox	Alinox 2-doors refrigerated counter, dimensions: 1430 mm x	500
dimensions: 1700 mm x 700 mm x 950 mm. Teraoka Teraoka packaging machine, model: AW-4600, serial number: 09166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm, total dimensions: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm. NN trolley for plates NN trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. NN trolley for plates NN trolley for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates NN trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm. NN trolley for plates NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for S/s trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for S/s trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. NN trolley for S/s trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm.			830 mm x 730 mm.	
Teraoka Teraoka packaging machine, model: AW-4600, serial number: 09166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm. NN rack Aluminium rack, 5 floors, dimensions floor: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm. NN trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. NN trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates with 53 s/s plates, plate dimensions: 630 mm x 410 mm, total dimensions: 630 mm x 630 mm x 1790 mm. NN trolley for plates mm, total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates with 630 mm x 630 mm x 1790 mm. NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates with 53 s/s trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates, 5/s trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	81	Odic	Odic 3-doors refrigerated counter with plastic worktop,	250
09166781, year of construction: 2010, max: 3/6 kg, min: 20 g, 200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. 83 NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm. 84 NN rack Aluminium rack, 5 floors, dimensions floor: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm. 85 NN trolley for plates Aluminium trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. 86 NN trolleys for plates Aluminium trolley for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 87 NN trolley for plates S/s trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm. 88 NN trolley for plates S/s trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. 89 NN trolley for plates S/s trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates S/s trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50 S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50 S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50 S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50 S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50 S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50 S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 80			dimensions: 1700 mm x 700 mm x 950 mm.	
200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm x 1450 mm x 1500 mm. 83 NN trolley S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm. 84 NN rack Aluminium rack, 5 floors, dimensions floor: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm. 85 NN trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. 86 NN trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 87 NN trolley for plates, 15 floors, dimensions floor: 410 mm x 610 plates mm, total dimensions: 470 mm x 610 mm x 1630 mm. 88 NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. 89 NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	82	Teraoka	Teraoka packaging machine, model: AW-4600, serial number:	2500
X 1450 mm x 1500 mm. S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm. 75 mm. 7			09166781, year of construction: 2010, max: 3/6 kg, min: 20 g,	
83NN trolleyS/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800 mm.7584NN rackAluminium rack, 5 floors, dimensions floor: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm.5085NN trolley for platesAluminium trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm.10086NN trolleys for plates3 s/s trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm.30087NN trolley for platesS/s trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm.5088NN trolley for platesS/s trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm.5089NN trolley for platesS/s trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm.5090NN trolley for platesS/s trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm.5091NN trolley forS/s trolley for plates, 20 floors, dimensions floor: 405 mm x 80550			200-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, dimensions: 1550 mm	
84NN rackAluminium rack, 5 floors, dimensions floor: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm.5085NN trolley for platesAluminium trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm.10086NN trolleys for plates3 s/s trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm.30087NN trolley for platesS/s trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm.5088NN trolley for platesS/s trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm.5089NN trolley for platesS/s trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm.5090NN trolley for platesS/s trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm.5091NN trolley forS/s trolley for plates, 20 floors, dimensions floor: 405 mm x 80550			x 1450 mm x 1500 mm.	
84NN rackAluminium rack, 5 floors, dimensions floor: 1400 mm x 510 mm, total dimensions: 1400 mm x 520 mm x 1810 mm.5085NN trolley for platesAluminium trolley for plates with 16 s/s plates, 16 floors, dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm.10086NN trolleys for plates3 s/s trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm.30087NN trolley for platesS/s trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm.5088NN trolley for platesS/s trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm.5089NN trolley for platesS/s trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm.5090NN trolley for platesS/s trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm.5091NN trolley forS/s trolley for plates, 20 floors, dimensions floor: 405 mm x 80550	83	NN trolley	S/s trolley with 18 pegs, dimensions: 1130 mm x 950 mm x 800	75
mm, total dimensions: 1400 mm x 520 mm x 1810 mm. NN trolley for plates dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. NN trolleys for plates plates NN trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates NN trolley for plates NN trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm. NN trolley for plates NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 mm, total dimensions: 670 mm x 500 mm x 1850 mm.		·	mm.	
mm, total dimensions: 1400 mm x 520 mm x 1810 mm. NN trolley for plates dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. NN trolleys for plates plates NN trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates NN trolley for plates NN trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm. NN trolley for plates NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 mm, total dimensions: 670 mm x 500 mm x 1850 mm.	84	NN rack	Aluminium rack, 5 floors, dimensions floor: 1400 mm x 510	50
dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. 86 NN trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 87 NN trolley for plates plates with 53 s/s plates, each trolley 18 floors, dimensions: 450 mm x 630 mm x 1790 mm. 88 NN trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm. 88 NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. 89 NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50				
dimensions floor: 525 mm x 645 mm, total dimensions: 585 mm x 660 mm x 1600 mm. 86 NN trolleys for plates with 53 s/s plates, each trolley 18 floors, dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 87 NN trolley for plates plates with 53 s/s plates, each trolley 18 floors, dimensions: 450 mm x 630 mm x 1790 mm. 88 NN trolley for plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm. 88 NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. 89 NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	85	NN trolley for	Aluminium trolley for plates with 16 s/s plates, 16 floors.	100
mm x 660 mm x 1600 mm. 86 NN trolleys for plates dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 87 NN trolley for plates mm, total dimensions: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm. 88 NN trolley for plates plates for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. 89 NN trolley for plates for plates, 21 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 floors, dimensions floor: 405 mm x 805 floors, dimensions floor: 610 mm x 485 floors, dimensions floor: 610 mm x 485 floors, dimensions floor: 610 mm x 630 mm, total dimensions: 670 mm x 500 mm x 1850 mm.			, , , , , , , , , , , , , , , , , , , ,	
86 NN trolleys for plates dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 87 NN trolley for plates mm, total dimensions: 470 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm. 88 NN trolley for plates for plates plates mm, total dimensions: 470 mm x 610 mm x 1630 mm. 89 NN trolley for plates for plates mm, total dimensions: 635 mm x 465 mm x 1790 mm. 89 NN trolley for plates for plates mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates for plates, 5 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50		p.u.coc	I	
dimensions floor: 535 mm x 650 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates NN trolley for plates, 20 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	86	NN trolleys for		300
mm x 630 mm x 1790 mm. NN trolley for plates				
NN trolley for plates plates plates, 15 floors, dimensions floor: 410 mm x 610 mm, total dimensions: 470 mm x 610 mm x 1630 mm. NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 floors mm x 805 floors, dimensions floor: 405 mm x 805 floors,		places		
plates mm, total dimensions: 470 mm x 610 mm x 1630 mm. NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 plates mm, total dimensions: 450 mm x 630 mm x 1790 mm. NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 plates mm, total dimensions: 670 mm x 500 mm x 1850 mm. NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	87	NN trolley for		50
88 NN trolley for plates, 20 floors, 12 plates, plate dimensions: 630 mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. 89 NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 plates mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 plates mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	37			30
plates mm x 410 mm, total dimensions: 635 mm x 465 mm x 1790 mm. 89 NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 plates mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	00			50
mm. 89 NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	00	,		50
89 NN trolley for plates, 11 floors, dimensions floor: 405 mm x 620 mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50		plates		
plates mm, total dimensions: 450 mm x 630 mm x 1790 mm. 90 NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 plates mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	00	NINI Ame II f		F0
90 NN trolley for plates, 5 floors, dimensions floor: 610 mm x 485 plates mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	89			50
plates mm, total dimensions: 670 mm x 500 mm x 1850 mm. 91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50				
91 NN trolley for S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 50	90	,		50
		! ·	·	
I plates mm total dimensions: 4FF mm v 910 mm v 1900 mm	91	1	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	50
places min, total differsions: 455 mm x 810 mm x 1800 mm.		plates	mm, total dimensions: 455 mm x 810 mm x 1800 mm.	



92	NN trolley for plates	S/s trolley for plates, 20 floors, dimensions floor: 405 mm x 805 mm, total dimensions: 455 mm x 810 mm x 1770 mm.	50
93	NN trolley for	S/s trolley for plates, 10 floors, dimensions floor: 410 mm x 640	50
33	plates	mm, total dimensions: 470 mm x 640 mm x 1750 mm.	30
94	NN trolleys for	2 s/s trolley for plates, 8 floors, floor dimensions: 800 mm x 410	100
34	plates	mm, total dimensions: (2x) 805 mm x 475 mm x 1020 mm.	100
95	NN trolley for	S/s trolley for plates, 8 floors, floor dimensions: 800 mm x 410	50
	plates	mm, total dimensions: 805 mm x 475 mm x 1020 mm.	
96	NN trolley for	S/s trolley for plates, 8 floors, floor dimensions: 800 mm x 410	50
	plates	mm, total dimensions: 805 mm x 475 mm x 1020 mm.	
97	Remeda AB	Remeda AB s/s automatic loading trolley, type: 100 80-02, serial	150
		number: 39175-07, year of construction: 1999, 2 floors,	
		dimensions floor: 910 mm x 610 mm, total dimensions: 1180	
		mm x 690 mm x 1350 mm.	
98	NN equalizers	2 mobile s/s equalizers for dishwashing baskets for 500 mm x	100
	for	500 mm, 2 crates, dimensions crate: 500 mm x 500 mm x 130	
	dishwashing	mm, total dimensions: (2x) 700 mm x 590 mm x 895 mm.	
	baskets		
99	Stierlen	Stierlen mobile equalizer for dishwashing baskets for 500 mm x	50
		500 mm, type: 7365.65, fabrication number: 838, 1 crate,	
		dimensions crate: 500 mm x 500 mm x 130 mm, total	
100		dimensions: 750 mmx 615 mm x 895 mm.	2222
100	NN deboning	Deboning belt, s/s belt, belt width: 800 mm, plastic belt, belt	3000
	belt	width: (2x) 400 mm, total dimensions: 120000 mm x 900 mm x 1900 mm.	
101	Blanco	Blanco mobile heated plate dispenser, model: UNI-H-56/28,	150
101	Biarico	serial number: 590223, 230 V, 3 Ph, 50 Hz, 1.8 kW, 7.8 A,	130
		dimensions plate: 580 mm x 280 mm, total dimensions: 950	
		mm x 470 mm x 1050 mm.	
102	Brökelmann	Brökelmann stove, type: E-Hockerkocher, fabrication number:	200
		6061100, 400 V, 3 Ph, 5 kW, diameter: 400 mm, total	
		dimensions: 470 mm x 470 mm x 550 mm.	
103	Nayati	Nayati gas stove, model: NGETL 5-50, serial number:	100
		A106100J347115, year of construction: 2009, 13 kW,	
		dimensions: 500 mm x 500 mm x 450 mm.	
104	Delrue	Delrue 2 burner stove, serial number: 50880446, dimensions	350
		burners: (2x) 330 mm x 330 mm, with oven, inside dimensions	
		oven: 550 mm x 690 mm x 450 mm, total dimensions: 1000 mm	
	<u> </u>	x 800 mm x 850 mm.	
105	Charvet	Charvet stove with oven, model: PRO 800 G1PL, type: A, year of	750
		construction: 1312, 230 V, 50 Hz, 0.02 kW, dimensions: 850 mm	
		x 800 mm x 1780 mm, Charvet stove, dimensions: 425 mm x 800 mm x 900 mm.	
106	Ott Freezer	Ott Freezer mobile ice machine, type: FB.6, machine number:	1500
100	J Cit i leezei	5506, 380 V, 3 Ph, 50 Hz, 3.6/4.5 A, 3.15 kW, refrigerant:	1300
		R502/1.8 kg, dimensions: 900 mm x 600 mm x 1450 mm.	
107	Florigo	Florigo deep frying counter, 5 fryers, inside dimensions: (4x)	2500
107	I TOT ISO	430 mm x 430 mm x 280 mm, 400 mm x 390 mm x 210 mm,	2500
		total dimensions: 2850 mm x 800 mm x 1600 mm.	
		total amensions. 2000 mm x 000 mm x 1000 mm.	<u> </u>



100	14 # C h. I.	K	F00
108	Krefft GmbH	Krefft GmbH fryer, type: KCN0055, number: 625800, 230-400 V,	500
		3 Ph, 50 Hz, 2 baskets, basket dimensions: 280 mm x 160 mm x	
400		110 mm, total dimensions: 850 mm x 600 mm x 1000 mm.	10=0
109	Florigo	Florigo fryer, gas heated, model: B.W.: 3, serial number: 255 78,	1250
		220 V, 50 Hz, 45 kW, gastype: propane, diameter pans: (3x) 370	
		mm, total dimensions: 1630 mm x 900 mm x 1500 mm.	
110	NN cooling	S/s cooling chamber, 4 floors, dimensions floor: 595 mm x 595	500
	chamber	mm, total dimensions: 1250 mm x 820 mm x 2250 mm.	
111	Tabruyn	Tabruyn oven, dimensions floor: 800 mm x 410 mm,	3500
		dimensions: 1700 mm x 1550 mm x 2150 mm.	
112	Paul Charvet	Paul Charvet grill, type: A, number: 99-117, 16 kW, dimensions	500
		plate: 650 mm x 415 mm, total dimensions: 1000 mm x 1000	
		mm x 870 mm.	
113	NN grill on s/s	Grill on s/s frame, type: 070FTR, number: 12002, year of	200
-	frame	construction: 1990, dimensions grill plate: 700 mm x 375 mm,	
		total dimensions: 900 mm x 400 mm x 1100 mm.	
114	Bertrand	Bertrand fryer, inside dimensions: 360 mm x 360 mm x 300	1250
114	Dertrand	mm, total dimensions: 950 mm x 540 mm x 1330 mm.	1230
115	Hegro	Hegro fryer, type: Tornado NG2, fabrical number: 0331112009,	2000
113	Tiegro	year of construction: 2009, 230 V, 50 Hz, 20 kW, gas heated, gas	2000
		type: G20/25, dimensions: 700 mm x 550 mm x 1050 mm.	
116	Control	1 11	1000
116	Cretel	Cretel mobile double chamber vacuum machine, model:	1800
		VD680DW, machine number: 09075547, 380 V, 3 Ph, 50 Hz, 12	
		A, dimensions chamber: (2x) 560 mm x 660 mm, seal length:	
		680 mm, total dimensions: 1700 mm x 900 mm x 1150 mm.	
		Leybold vacuum pump, type: SV100 B 960522V3001.	
117	Spako	Spako cooking vessel, gas heated, inside dimensions: 710 mm x	375
		710 mm x 470 mm, total dimensions: 1100 mm x 850 mm x	
		1000 mm.	
118	NN cooking	Cooking vessel, electric heated, inside dimensions: 600 mm x	500
	vessel	600 mm x 540 mm, total dimensions: 900 mm x 900 mm x 1150	
		mm.	
119	Zanussi	Zanussi double jacked s/s cooking vessel, gas heated, volume:	1500
		110 liter, dimensions: 900 mm x 810 mm x 1100 mm.	
120	Kuppersbusch	Kuppersbusch cooking vessel, electric heated, model: NES-060,	450
		type: 6485, fabrication number: 389, 220 V, 3 Ph, 50 Hz, 12.45	
		kW, inside dimensions: 480 mm x 400 mm, total dimensions:	
		700 mm x 1000 mm x 900 mm.	
121	Inauen	Inauen Maschinen AG vacuum machine, type: VC999/03 i I FNB,	1500
	Maschinen AG	machine number: 0396 867, 400 V, 3 Ph, 50 Hz, 15 A, 9 kW,	
		dimensions: 1100 mm x 800 mm x 1050 mm.	
122	Webomatic	Webomatic shrink tunnel, type: STB W-60/80-E-D, machine	1250
		number: 72FC1512, 400 V, 3 Ph, 50 Hz, 53.0 A, 36.0 kW, belt	
		width: 540 mm, clearance: 615 mm x 410 mm, total	
		dimensions: 1190 mm x 980 mm x 1350 mm.	
123	Webomatic	Webomatic dryer, type: TRL 10, machine number: 40FC121, 400	950
123	VVCDOITIALIC	V, 3 Ph, 50 Hz, 19.5 A, 10.0 kW, belt width: 540 mm, clearance:	550
		665 mm x 380 mm, total dimensions: 1400 mm x 820 mm x	
		1350 mm.	
		1330 111111.	



124	Thissen &	Thissen & Stecher double cooking vessel, model: TSV 300V,	3750
	Stecher BV	serial number: 007BE, year of construction: 2002, 230 V, 50 Hz,	
		125 W, 31 kW and model: TSV500V, serial number: 008BE, year of construction: 2002, 230 V, 50 Hz, 125 W, 44 kW, inside	
		dimensions: 850 mm x 530 mm and 1100 mm x 525 mm, total	
		dimensions: 2660 mm x 1630 mm x 1050 mm.	
125	Firex	Firex double jacketed cooking vessel, model: PFDG510A,	2500
	1	number: 026580G26/2010, 230 V, 1 Ph, 50/60 Hz, 0.2 kW,	2555
		inside dimensions: 1095 mm x 560 mm, total dimensions: 1650	
		mm x 1450 mm x 1100 mm.	
126	J. Charvet	J. Charvet tiltable cooking vessel, model: GD150 L, year of	500
		construction: 1991, gas heated, 220 V, capacity: 150 liter,	
		dimensions: 1300 mm x 1100 mm x 1720 mm.	
127	Zesto	Zesto mobile electric conveyor oven, model: CE3632, serial	2000
		number: D050429, 400 V, 3 Ph, 50/60 Hz, 47 A, 430 kg, s/s	
		mesh belt, belt width: 810 mm, clearance: 850 mm x 95 mm,	
		total dimensions: 1830 mm x 270 mm x 1140 mm.	
128	Key Technology	Key Technology BV s/s vibrating gutter, type: MVISF, year of	2750
	BV	construction: 2007, serial number: 4213290, WO: 187175,	
		gutter with: 460 mm, total dimensions: 4200 mm x 1100 mm x	
		900 mm.	
129	Turbochef	Turbochef conveyor oven, mode: HCW2620EW, serial number:	2250
		HhC2620EWED00031, year of construction: 04-13, 400 V, 3 Ph,	
		50/60 Hz, 14.4 kW, s/s mesh belt, belt width: 660 mm, total	
		dimensions: 1250 mm x 1000 mm x 430 mm.	
130	Band-A-Matic	Band-A-Matic mobile banding machine, model: F20, serial	250
		number: E9317 AM, 220 V, 1 Ph, 50 Hz, 300 W, strap width: 12	
	_	mm, total dimensions: 910 mm x 610 mm x 740 mm.	
131	Strapex	Strapex mobile strapping machine, type: SMT 359, serial	350
		number: 02129, year of construction: 2006, 230 V, 1 Ph, 50 Hz,	
		5.2 A, plastic rolls, roll width: 590 mm, working width: 600 mm,	
132	Ctrong	total dimensions: 1250 mm x 700 mm x 1500 mm.	450
132	Strapex	Strapex mobile strapping machine, type: SMG 55, serial number: 551009, year of construction: 2008, 230 V, 1 Ph, 50 Hz,	450
		4.5 A, 850 W, plastic belt, belt width: (6x) 135 mm, working	
		width: 630 mm, total dimensions: 1400 mm x 700 mm x 1500	
		mm.	
133	Cryovac	Cryovac vacuum machine, type: VC11, dimensions chamber:	200
-55		625 mm x 395 mm, total dimensions: 1400 mm x 850 mm x	
		1250 mm. Without vacuum pump, technical condition	
		unknown.	
134	Bodson	Bodson mobile skinpacker, type: 72/50, serial number: 160,	1750
-		year of construction: 1998, 400 V, 3 Ph, 3500 W, 9 A, dye: (6x)	
		165 mm x 91 mm, total dimensions: 1200 mm x 830 mm x 1070	
		mm.	
135	Gernal	Gernal vacuum machine, type: VK200, number: 549, year of	350
		construction: 1984, 220-380 V, 4 kW, 15-8.8 A, roller width: 445	
		mm, dimensions chamber: 1150 mm x 600 mm x 350 mm, total	
	1	dimensions: 1300 mm x 1100 mm x 1450 mm.	



Cretel Cretel mobile automatic derinding machine, machine number: 25620056, year of constru 3 Ph, 50 Hz, 4.9 A, 2.2 kW, plastic mesh belt,	•
3 Ph, 50 Hz, 4.9 A, 2.2 kW, plastic mesh belt,	
mm, total dimensions: 2350 mm x 1000 mm	
137 Röscherwerke Röscherwerke GmbH mobile double chambe	
GmbH type: VM-61/2/CE, number: 6312011, year of	′
2011, 230/400 V, 50 Hz, 8.7 kW, weight: 649	
chamber: (2x) 880 mm x 600 mm, seal lengt	o.
dimensions: 1920 mm x 1000 mm x 1100 mi	, , , , , , , , , , , , , , , , , , ,
138 Rex-Maschinen Rex-Maschinen grinder, type: EW 32, machin	
380 V, 50 Hz, 5.2 A, 2835 rpm, plate diamete	
dimensions: 475 mm x 880 mm x 1230 mm.	•
knifes and plates.	relating extra
139 Thin Elin Thin Elin grinder, type: 114, number: 18041,	220/380 V. 400
diameter plate: 130 mm, total dimensions: 6	
700 mm.	00 IIIII x 300 IIIII x
140 Witt Witt Gasetechnik gas mixing station, type: K	1199-3M, serial 100
Gasetechnik number: 17966, year of construction: 1992,	-
O2, dimensions: 410 mm x 310 mm x 260 m	• •
141 Steen Steen de-scaling machine, type: ST521, seria	
220 V, 50-60 Hz, 1.3 A, 180 W, dimensions: 2	′
250 w, 30-60 Hz, 1.3 A, 180 W, difficulties. 2	30 IIIII X 200 IIIII X
142 Bardeau Bardeau tiltable cooking kettle, model: FT -5	E. serial number: 400
1841 - OJ - 28, year of construction: 1980, 55	<i>'</i>
dimensions kettle: 345 mm x 345 mm x 300	· · · · · · · · · · · · · · · · · · ·
dimensions: 600 mm x 450 mm x 600 mm.	iii, totai
	00. serial number: 500
Nemox Nemox gelato machine, model: Gelato Pro 2 70413500, 220-240 V, 50 Hz, 350 W, refriger	, , , , , , , , , , , , , , , , , , ,
kg, dimensions: 400 mm x 450 mm x 300 mr	-
<u>.</u>	
K12664, 220-240 V, 50 Hz, 650 W, refrigeran	_
weight: 60 kg, dimensions: 580 mm x 350 m	
145 Cretel Cretel knife sharpener, dimensions: 280 mm	250 mm x 300 250
mm.	15100 750
146 Crypto peerless Crypto peerless Ltd slicer, model: KNC2, seri	- I
Ltd 220 V, 1 Ph, 2.9 A, 1425 rpm, dimensions: 83	0 mm x 360 mm x
550 mm.	
Bravilor Bravilor Bonamat coffee machine, type: 8.76	-
Bonamat model: BLRXL-01, number: 62.063.073, 220-	
2-2.23 kW, dimensions: 400 mm x 360 mm x	
Animo Animo percolator, type: Perco 15, serial num	•
026608, 230 V, 1 Ph, 50 Hz, 1.62 kW, volume	15 liter,
dimensions: 350 mm x 300 mm x 620 mm.	
Emga contact grill plate, type: 1000 L, serial	'
year of construction: 2007, 230 V, 50 Hz, 180) W, dimensions:
460 mm x 290 mm x 180 mm.	
Domino mobile inkjet printer, model: A 420I	
AST000103534, dimensions: 600 mm x 650 i	m x 1150 mm and
650 mm x 350 mm x 1500 mm.	



151	Domino	Domino inkjet printer, model: Codebox 3, serial number: G- 3300, dimensions: 550 mm x 490 mm x 360 mm.	250
152	Wiedenbach	Wiedenbach inkjet printer, type: TSSG 201-A, serial number: 30045, year of construction: 1999, 230 V, 50/60 Hz, 0.1 kW, 6 bar, dimensions: 600 mm x 450 mm x 400 mm.	200
153	S.A.M.	S.A.M. slicing and packaging line consisting of S.A.M. slicer, model: S.A.M. 310 F P2, serial number: 18696, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 1.54 A, S.A.M. interleaver and S.A.M. sealing machine, model: S.A.M. P21/21, serial number: 400680, year of construction: 2002, 230 V, 50 Hz, 0.91 A, total dimensions: 1700 mm x 1000 mm x 760 mm. Missing cover.	2000
154	Diamond	Diamond industrial dryer, type: DS 10, 38 rpm, 61 db, capacity: 1/20 = 10 kg, 1/25= 7.4 kg, drum diameter: 756 mm, drum depth: 420 mm, load diameter: 560 mm, total dimensions: 800 mm x 720 mm x 1780 mm.	750
155	Mesa	Mesa dryer, type: TDC 44, serial number: 094420374348, 230/400 V, 50 Hz, 300 W, 10/16 A, diameter drum: 540 mm, depth drum: 340 mm, load diameter: 340 mm, total dimensions: 600 mm x 600 mm x 870 mm.	650
156	NN washing table	S/s washing table, double sink, dimensions: 1600 mm x 700 mm x 860 mm.	250
157	NN washing table	S/s washing table, double sink, dimensions: 2000 mm x 600 mm x 910 mm.	300
158	NN washing table	S/s washing table with double sink, dimensions: 1900 mm x 720 mm x 900 mm. Missing faucet.	175
159	Gernal	Gernal s/s sink with faucet and knife sterilizer, sensor control, dimensions: 630 mm x 500 mm x 890 mm.	500
160	NN sink	S/s sink with faucet with knee control, model: WBW55, serial number: 84600004, dimensions: 500 mm x 500 mm x 550 mm.	100
161	Belimed	Belimed knife sterilizer, model: WD250, dimensions: 900 mm x 800 mm x 2210 mm.	2250
162	Zanussi	Zanussi dishwasher, model: LS7F, serial number: 30200003, 400 V, 3 Ph, 50 Hz, 6850 W, dimensions: 600 mm x 600 mm x 1180 mm.	400
163	NN sink	S/s sink on s/s frame, dimensions: 800 mm x 600 mm x 920 mm	50
164	Hobart	Hobart dishwasher with dryer, model: CX.A, serial number: 94.818261, 380 V, 3 Ph, 50 Hz, 8.02/59.3 A, 3.42/39 kW, clearance: 565 mm x 460 mm, total dimensions: 4650 mm x 740 mm x 1985 mm.	2500
165	Rhima/ Wexiodisk	Rhima/Wexiodisk dishwasher, type: WD-7, serial number: WD1222096, year of construction: 2012, 230 V, 3 Ph, 50 Hz, 35 A, 13.8 kW, dimensions: 840 mm x 700 mm x 1550 mm, Rhima/ Wexiodisk dishwasher, type: WD-PRM7, serial number: WD1222097, year of construction: 2012, 230 V, 50 Hz, 10 A, 0.9 kW, dimensions: 840 mm x 700 mm x 1550 mm, with s/s infeed table, dimensions: 1180 mm x 600 mm x 910 mm.	2250



100	1.	I	
166	Lauer	Lauer reverse osmosis system, type: Aquaboss EcoRO Dia II C 1600, serial number: 200403, 2006/08, 400 V, 3 Ph, 50 Hz, 10 KVA, maximum pressure: 25 bar, ambient temperature: +5 °C - +40 °, consisting of 4 Aquaboss s/s tubes, 2 Lowara pumps, model: SV 424 40 T, Q: 2.4 - 7.2 m3/h, H: 204-89 m, dimensions: 1900 mm x 1080 mm x 1800 mm, with Lauer water disinfection system, type: Aquaboss HotRinse Smart 10, serial number: 110193, year of construction: 2006/08, 400 V, 3 Ph, 50 Hz, 10.5 KVA, maximum pressure: 8 bar, ambient temperature: +5 °C - +40 °C, dimensions: 2400 mm x 1100 mm x 2100 mm, including pallet with parts and switch cabinet.	7500
168	Leventi	Leventi mobile oven, type: Bakermatic NG, serial number: 13070024, year of construction: 2014, 220-240 V, 1Ph, 50-60 Hz, 3.3 kW, capacity: 800 m³ per hour, clearance: 595 mm x 85 mm, s/s mesh belt, belt width: 600 mm, total dimensions: 2100 mm x 850 mm x 1500 mm.	200
169	Leventi	Leventi mobile oven, type: Bakermatic NG, serial number: 13010070, year of construction: 2013, 220-240 V, 1Ph, 50-60 Hz, 3.3 kW, capacity: 800 m³ per hour, clearance: 595 mm x 85 mm, s/s mesh belt, belt width: 600 mm, total dimensions: 2100 mm x 850 mm x 1500 mm.	200
170	Hobart	Hobart dishwasher, model: UX60EB-GJ, serial number: 86373406, year of construction: 2003, 230 V, 3 Ph, 50 Hz, 53.1 A, 17.2 kW, inside dimensions: 1250 mm x 650 mm x 1270 mm, total dimensions: 1370 mm x 810 mm x 1920 mm.	2850
171	Lutetia	Lutetia vacuum tumbler, dimensions tumbler: 2100 mm x 1100 mm x 1000 mm, total dimensions: 2450 mm x 1400 mm x 1900 mm. Without vacuum pump.	4500
172	Laska	Laska double shaft tiltable Z-arm mixer with lifter for 200 liter meat bins, type mixer: ME400, volume: 400 liter, dimensions mixer: 1700 mm x 950 mm x 1800 mm, dimensions lifter: 1100 mm x 950 mm x 2250 mm.	4500
173	Rühle	Rühle frozen block cutter, working width: 450 mm, total dimensions: 1450 mm x 720 mm x 1350 mm.	5000
174	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07DKB, machine number: 0782298, 380 V, 3 Ph, 50 Hz, 25 A, seal length: 980 mm x 460 mm, plastic belt, belt width: 410 mm, total dimensions: 1650 mm x 800 mm x 1100 mm.	1500
175	Inauen Maschinen AG	Inauen Maschinen AG dip tank, type: VC999/85.47i I E 30 kW, machine number: 95T041206, 400 V, 3 Ph, 50 Hz, 44 A, 30.5 kW, plastic belt, belt width: 380 mm, total dimensions: 2250 mm x 950 mm x 1400 mm.	2500
176	Grote	Grote mobile slicer / applicator, model: 5/A-2636, serial number: 1067665, saw width: 7 mm, total dimensions: 2400 mm x 2220 mm x 2100 mm.	7000
177	Mima Systems	Mima Systems pallet wrapper, type: Mimalite, serial number: 752978, year of construction: 2001, 230 V, 50 Hz, diameter platform: 1600 mm, total dimensions: 2630 mm x 1600 mm x 2650 mm.	400



action: 300 mm x 750 300 300 300 300 300 300 300 300 300 3
mm x 750 r: 300 sions: 500 00 mm, x 720 mm x nm. 350 rigeration ator,
sions: 500 00 mm, x 720 mm x nm. 350 rigeration 1500 ator,
sions: 500 00 mm, x 720 mm x nm. 350 rigeration 1500 ator,
00 mm, x 720 mm x 350 mm. 350 rigeration ator,
x 720 mm x nm. 350 rigeration 1500 ator,
nm. 350 frigeration 1500 ator,
rigeration 1500 ator,
rigeration 1500 ator,
ator,
•
ar of
cooling
J01 084752
104a, inside
0 mm,
99 270 72
essor, total
mber: 29500
A, 230/400
only 74
plastic
154, year
ions: 2500
PS200, 500
142.4 kW,
mm x 560
x 1000
9 V dc. 100
9 V dc, 100 ght: 150 kg,
le: 595 mm
00 mm.
00 111111.
oller width: 450
0 mm.
number: 1250
25 kW, s/s
nm, total
iii, totai
dth: 295 1500
n. 1300
number: 1250
25 kW, s/s
sions: 4500



190	NN pressure vessel	S/s mobile pressure vessel with spraying gun, dimensions: 450 mm x 550 mm x 1300 mm.	100	
191	JG	JG steel cabinet with sliding doors, dimensions: 1190 mm x 450 mm x 1970 mm. Locked, without key.		
192	NN cabinet	Steel cabinet with sliding doors, dimensions: 1200 mm x 430 mm x 1980 mm.		
193	NN cabinet	Steel cabinet with sliding doors, dimensions: 1200 mm x 430 mm x 1980 mm.		
194	NN lifting platform	S/s lifting platform, dimensions: 1500 mm x 1100 mm x 200 mm.	350	
195	NN lifting platform	S/s lifting platform, dimensions: 1500 mm x 1100 mm x 200 mm.	350	
196	NN cooking vessel	S/s mobile cooking vessel, inside dimensions: 595 mm x 595 mm x 550 mm, total dimensions: 1010 mm x 860 mm x 920 mm.	750	
197	AL Tech	AL Tech mobile labelling machine, model: AL belt, machine number: 01052002405, year of construction: 2001, 220 V, 1Ph, 50 Hz, 800 W, plastic belt, belt width: 400 mm, total dimensions: 2950 mm x 1220 mm x 2060 mm.	1000	
198	Avery Berkel	Roller conveyor with integrated Avery Berkel weighing scale, type: L116, serial number: 10170603, max: 30 kg, min: 0.2 kg, e=d: 10 g, T= -30 kg, 220 V, 50 Hz, plastic rollers, roller width: 690 mm, total dimensions: 3280 mm x 1420 mm x 1660 mm.	750	
199	Gernal	Gernal cooking chamber, type: BMK 1200, number: 771, year of construction: 1991, 220 V, 48 A, 15 kW, 6 bar, inside dimensions: 870 mm x 740 mm x 1590 mm, total dimensions: 1420 mm x 1010 mm x 2130 mm.		
200	Gernal	Gernal cooking and smoking chamber, type: DRKBG-E-R63-1A, number: 99/01175, 380 V, 50 Hz, 94.5 A, 3.4 kW, 6 bar, inside dimensions: 1050 mm x 1240 mm x 2200 mm, total dimensions: 1780 mm x 1300 mm x 3100 mm.	3500	



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods; Seller: the person(s) a lot is being auctioned in whom/whose commission; Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Oirschot;

Article 2. Applicability

- 2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.
- 2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website.

- 3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
- 3.3 The user guarantees the accuracy and completeness of the provided personal details at registration. If the personal details change at any time, the user is obliged to inform Industrial Auctions by return of such change(s).
- 3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
- 3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
- 3.6 The user is forbidden to reproduce the website or any part thereof or make available (through deep linking or otherwise) without the prior written consent of Industrial Auctions. Intellectual property is retained by Industrial Auctions.
- 3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

Article 4. The auction

- 4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
- 4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
- 4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
- 4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in



any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;
- 4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

- 5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
- 5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
- 5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

- 6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
- 6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or



unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

- 8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
- 8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;
- 8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions) 8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

- 9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
- 9.2 If a lot is accompanied by one or several other lots as a combination in auction this



shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code



applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

- 11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.
- 11.2. The buyer is not entitled to any settlement or suspension.
- 11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.



11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots. 13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions. 13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately



after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.



15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;
- 15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
- 15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

- 16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
- 16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.
- 16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



notes		





Address: Looyenbeemd 11

5652 BH Eindhoven, Netherlands

Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209

Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 29-10 Online auction machinery for the food industry on behalf of Cérélia Netherlands in Ridderkerk (NL)
- 30-10 Online auction fresh and dry pasta line, ravioli line and food processing machinery due to bankruptcy of Pasta by Michèl in Sittard (NL)
- 31-10 Online auction machinery for the food industry on behalf of Fountain Group in Nordelph (UK)