



Industrial Auctions BV

Online auction unsold lots bakery machinery and inventory due to closing production location JOWA in Zollikofen (CH)

Closing: 19 August 2021 from 14:00 hrs.



Viewing day:

Address:

Allmendstrasse 2
3052 Zollikofen
Switzerland



General terms and conditions of the online auction

| | |
|--------------------------------------|--|
| Closing date | 19 August 2021 from 14:00 hrs. |
| Viewing | |
| Organizing Company | Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com |
| Buyers premium | 18% over the highest bid |
| V.A.T | 7.7% over the highest bid including Premium |
| Pickup date | 25 August 2021 from 09:00 till 16:00 hrs. |
| Pickup address | Allmendstrasse 2 3052 Zollikofen Switzerland |
| Delivery instructions | The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. |
| Payment details | Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions. |
| Combinations | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable. |
| Prolongation | If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made. |



| Nr | Title | Description | Start € |
|----|---------------------------------|---|---------|
| 4 | Reimelt | Reimelt s/s infeed hopper with filter and valve, type: FILT 795/16 P, serial number: 0-862-149, dimensions: 1350 mm x 1350 mm x 2850 mm. | 400 |
| 5 | Reimelt | Reimelt s/s infeed hopper with filter and valve, type: FILT 795/16 P, serial number: 0-862-149, dimensions: 1350 mm x 1350 mm x 2850 mm. | 400 |
| 11 | Sancassiano | Sancassiano spiral mixer, type: D.F., serial number: 13012, year of construction: 10-04-01, 400 V, 3 Ph, 50 Hz, 60 A, 20 kW, weight: 2100 kg, capacity: 250 kg, dimensions: 2000 mm x 1050 mm x 1700 mm. Including s/s switch cabinet, dimensions: 600 mm x 750 mm x 2200 mm. Missing control panel is from an external silo. | 1750 |
| 14 | NN hose reel | S/s hose reel with hoses for vacuum cleaner. | 5 |
| 18 | NN wall frame | S/s wall frame, dimensions: 1300 mm x 300 mm x 400 mm. | 5 |
| 21 | Friap AG | Friap AG boiler, type: FWE 151, fabrication number: 2011, year of construction: 09.11, 400 V, 2 Ph, 50 Hz, 3000 W, volume: 150 liter, maximum temperature: 95 °C, dimensions: 500 mm x 500 mm x 1250 mm. | 25 |
| 23 | NN cabinet | S/s wall mounted cabinet, dimensions: 900 mm x 560 mm x 1870 mm. | 50 |
| 24 | NN hoses | 3 plastic hoses. | 5 |
| 26 | Vikan | Vikan aluminium wall rack for hygiene equipment. | 5 |
| 27 | NN salt dissolving installation | Salt dissolving installation consisting of plastic tank, inside dimensions: ø 985 mm x 1300 mm, dimensions tank: ø 1100 mm x 1600 mm, Alfa Laval circulation pump, dimensions: 320 mm x 160 mm x 150 mm, s/s protection frame with platform, dimensions: 1450 mm x 950 mm x 800 mm, 2 s/s wall frames, dimensions: (2x) 1000 mm x 900 mm and a pallet with parts. | 250 |
| 40 | NN pre-proofer | Pre-proofer, s/s floors with 10 baskets, diameter each basket: 215 mm, Defensor steam humidifier, type: MK5, 2 outfeed belts, s/s frame, cloth belt, belt width: (2x) 285 mm, total dimensions: 7550 mm x 3300 mm x 3730 mm. | 1000 |
| 41 | Vikan | Vikan aluminium wall rack for hygiene equipment. | 5 |
| 45 | NN long moulding machine | Steel long moulding machine, cloth belt, belt width: 610 mm, 2 mobile outfeed belts with side shifting ability, plastic belt, belt width: 1970 mm, dimensions long moulding machine: 4600 mm x 1450 mm x 2800 mm, dimensions transport belts: (2x) 3000 mm x 950 mm x 1000 mm. | 1500 |
| 46 | NN wall frames | Steel wall frames. | 5 |
| 47 | Mecatherm | Mecatherm final proofer, 14 levels with automatic lifting in- and outfeed belt, plastic infeed belt, belt width: 1970 mm, steel proofer belt with dividers, belt width: 2150 mm, maximum height clearance: 95 mm, Condair steam humidifier, total dimensions: 10250 mm x 3000 mm x 3300 mm. | 4500 |
| 48 | NN transport belt | Mobile transport belt, s/s frame, plastic belt, belt width: 1970 mm, total dimensions: 1100 mm x 2230 mm x 1000 mm. | 250 |



| | | | |
|----|--------------------------------|---|------|
| 49 | Bucher | Bucher hydraulic steel manual pump on s/s wall frame with s/s protection cabinet, dimensions cabinet: 550 mm x 250 mm x 1000 mm. | 15 |
| 50 | Daub | Daub tunnel oven, 4 levels, thermal oil heated, infeed transport belt with spreading device for flour, s/s frame, plastic belt, belt width: 1970 mm, automatic lifting in-and outfeed belt, plastic mesh belt, belt width: 1970 mm, outfeed belt with s/s slide, steel frame, plastic mesh belt, belt width: 1965 mm, total dimensions: 25450 mm x 3300 mm x 3300 mm. | 4000 |
| 51 | NN transport belt | Mobile transport belt, s/s frame, plastic belt, belt width: 680 mm, total dimensions: 2450 mm x 900 mm x 700 mm. | 200 |
| 53 | NN de-elevating curve conveyor | De-elevating 90° curve conveyor with s/s protection cover, steel frame, plastic mesh belt, belt width: 495 mm, total dimensions: 5000 mm x 7500 mm x 1200 mm. | 175 |
| 55 | NN transport belt | Transport belt with s/s drop collection frame, steel frame, plastic mesh belt, belt width: 495 mm, total dimensions: 23000 mm x 900 mm x 500 mm. | 950 |
| 57 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 495 mm, total dimensions: 10500 mm x 500 mm x 650 mm. | 750 |
| 59 | NN de-elevating curve conveyor | De-elevating 180° curve conveyor, s/s frame, plastic belt, belt width: 305 mm, total dimensions: 4100 mm x 6300 mm x 1400 mm. | 500 |
| 60 | NN packaging slide | Bag packaging slide with 3 side blowers, s/s infeed gutter, gutter width: 245 mm, outfeed elevating belt, plastic belt, belt width: 355 mm, s/s cabinet, total dimensions: 4810 mm x 800 mm x 2130 mm. | 400 |
| 61 | NN packaging belt | Packaging belt, s/s frame, plastic belt, belt width: 460 mm, total dimensions: 4650 mm x 1300 mm x 1900 mm. | 400 |
| 62 | NN platform | S/s platform, steel grids, dimensions: 4600 mm x 900 mm x 1180 mm. | 200 |
| 63 | NN platform | S/s platform, dimensions: 5250 mm x 1050 mm x 310 mm. | 200 |
| 64 | NN writing table | Aluminium writing table, dimensions: 1110 mm x 620 mm x 400 mm. | 25 |
| 65 | Kempf | Kempf pallet loading and transportation system consisting of 4 pallet loading stations with security sensors and Bachofen hydraulic units, year of construction: 1991, dimensions loading stations: (4x) 1350 mm x 1600 mm x 1370 mm, 4 electric driven roller conveyors, steel rollers, roller width: 920 mm, dimensions roller conveyors: (4x) 7400 mm x 1040 mm x 500 mm, roller conveyor on automatic loading and unloading rail system, steel rollers, roller width: 920 mm, dimensions conveyor: 1600 mm x 1500 mm x 350 mm, steel switch cabinet, dimensions: 1190 mm x 500 mm x 2100 mm, total dimensions complete installation: 13600 mm x 11000 mm x 2100 mm. | 2500 |



| | | | |
|----|-------------------|---|------|
| 66 | IBF | IBF steel lifter for bowls with protection fence, platform and infeed gutter, lifting height: 2700 mm, dimensions infeed: 1080 mm x 930 mm, total dimensions: 4000 mm x 2800 mm x 3950 mm. | 750 |
| 67 | Baker Perkins | Baker Perkins mobile dough divider, type: Accurist 5000, dimensions infeed: 690 mm x 390 mm, total dimensions: 1700 mm x 1070 mm x 1500 mm. | 950 |
| 68 | NN elevating belt | Mobile elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1100 mm, total dimensions: 2550 mm x 600 mm x 1100 mm. | 175 |
| 69 | Benier | Benier conical rounding machine, type: ALLROUND, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 16 A, dimensions: 1150 mm x 1100 mm x 1930 mm. | 400 |
| 70 | Winkler | Winkler pre-proofer, type: type: B.V.G.SCH, s/s floors for 12 baskets, diameter each basket: 210 mm, Condair steam humidifier, Winkler outfeed belt, cloth belt, belt width: 300 mm, total dimensions: 6200 mm x 4080 mm x 4050 mm. | 1250 |
| 71 | Winkler | Winkler transport belt, steel frame, plastic belt, belt width: 300 mm, total dimensions: 12700 mm x 420 mm x 1800 mm. | 400 |
| 73 | NN transport belt | Transport belt, steel frame, plastic belt, belt width: 1970 mm, total dimensions: 2400 mm x 1100 mm x 1000 mm. | 300 |
| 75 | NN transport belt | Transport belt with outfeed gutter, steel frame, plastic belt, belt width: 300 mm, total dimensions: 1730 mm x 800 mm x 780 mm. | 200 |
| 77 | Mecatherm | Mecatherm final proofer, infeed loading belt, steel frame, plastic belt, belt width: 1970 mm, dimensions infeed loading belt: 2400 mm x 1100 mm x 1000 mm, 14 levels proofer with automatic lifting in-and outfeed belt, plastic belt, belt width: 1970 mm, steel proofer belt with dividers, belt width: 2240 mm, maximum height clearance: 95 mm, Condair steam humidifier, total dimensions: 10550 mm x 3300 mm x 3600 mm. | 3750 |
| 78 | Vikan | S/s wall cabinet and Vikan wall rack for hygiene equipment, dimensions wall cabinet: 200 mm x 160 mm x 300 mm. | 10 |
| 79 | NN transport belt | Mobile transport belt, s/s frame, plastic belt, belt width: 1970 mm, total dimensions: 2200 mm x 1100 mm x 930 mm. | 250 |
| 80 | NN transport belt | Mobile transport belt, s/s frame, plastic belt, belt width: 1970 mm, total dimensions: 1350 mm x 2300 mm x 930 mm. | 250 |
| 82 | Daub | Daub tunnel oven, 4 levels, thermal oil heated, loading infeed belt with 2 Rademakers flour spreaders, s/s frame, plastic belt, belt width: 1970 mm, dimensions loading infeed belt: 1390 mm x 2400 mm x 1550 mm, automatic lifting in-and outfeed belt, plastic mesh belt, belt width: 1970 mm, total dimensions: 21300 mm x 3200 mm x 3500 mm. | 4500 |
| 83 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 2000 mm, total dimensions: 1500 mm x 2120 mm x 950 mm. | 250 |
| 84 | NN transport belt | Mobile transport belt, s/s frame, plastic belt, belt width: 685 mm, total dimensions: 4400 mm x 900 mm x 930 mm. | 250 |



| | | | |
|-----|--------------------------------|--|------|
| 87 | NN de-elevating conveyor | De-elevating conveyor, steel frame, plastic mesh belt, belt width: 500 mm, total dimensions: 21500 mm x 700 mm x 2200 mm. | 750 |
| 89 | NN platform | S/s platform, dimensions: 1350 mm x 660 mm x 1360 mm. | 25 |
| 91 | NN transport belt | Transport belt, s/s frame, s/s mesh belt, belt width: 460 mm, total dimensions: 9800 mm x 700 mm x 450 mm. | 500 |
| 92 | NN de-elevating curve conveyor | De-elevating 180° curve conveyor, s/s frame, plastic belt, belt width: 305 mm, total dimensions: 4800 mm x 3800 mm x 1100 mm. | 450 |
| 93 | NN packaging slide | Bag packaging slide with 3 side blowers, s/s infeed gutter, gutter width: 245 mm, outfeed elevating belt, plastic belt, belt width: 355 mm, s/s cabinet, total dimensions: 4810 mm x 800 mm x 2130 mm. | 400 |
| 94 | NN packaging belt | Packaging belt, s/s frame, plastic belt, belt width: 460 mm, total dimensions: 4650 mm x 1300 mm x 1900 mm. | 400 |
| 95 | NN platform | S/s platform, steel grids, dimensions: 4600 mm x 900 mm x 1180 mm. | 200 |
| 96 | NN platform | S/s mobile platform, dimensions: 3000 mm x 860 mm x 300 mm. | 125 |
| 98 | NN platform | S/s platform, dimensions: 1950 mm x 4300 mm x 3150 mm. | 400 |
| 99 | IBF | IBF steel lifter for bowls with protection fence and infeed gutter, lifting height: 2800 mm, dimensions infeed gutter: 1050 mm x 950 mm, total dimensions: 2250 mm x 4000 mm x 4250 mm. | 950 |
| 100 | Baker Perkins | Baker Perkins mobile dough divider, type: Accurist 5000, dimensions infeed: 690 mm x 390 mm, total dimensions: 1700 mm x 1070 mm x 1500 mm. | 950 |
| 103 | Winkler | Winkler pre-proofer, s/s floors for 6 baskets, diameter each basket: 160 mm, outfeed belt, steel frame, plastic belt, belt width: 300 mm, total dimensions: 4600 mm x 2550 mm x 3900 mm. | 1250 |
| 105 | NN transport belt | Transport belt, steel frame, plastic belt, belt width: 300 mm, total dimensions: 6700 mm x 550 mm x 250 mm. | 200 |
| 108 | Winkler | Winkler long moulding machine, model: L.R.ZO.A, cloth belt, belt width: 695 mm, total dimensions: 2550 mm x 1200 mm x 1850 mm. | 500 |
| 109 | Winkler | Winkler final proofer, distance between transport chains: 945 mm, plastic outfeed belt, belt width: 725 mm, total dimensions: 4500 mm x 1300 mm x 3900 mm. With pallet and 2 pallet boxes with parts. | 1250 |
| 110 | Winkler | Winkler transverse long moulding machine, type: SP.L.R., cloth belt, belt width: 1045 mm, plastic top belt, belt width: 525 mm, total dimensions: 2150 mm x 1500 mm x 1450 mm. | 300 |
| 111 | Metra | Metra mobile transport belt, machine number: 183, year of construction: 29.10.1988, s/s frame with plastic cover, plastic belt, belt width: 630 mm, total dimensions: 4850 mm x 950 mm x 900 mm. | 750 |



| | | | |
|-----|----------------------|---|------|
| 112 | NN lifter for bowls | Steel lifter for bowls with protection fence, lifting height: 1950 mm, total dimensions: 2300 mm x 1900 mm x 3900 mm. | 950 |
| 114 | Winkler | Winkler dough processing line consisting of steel lifter for bowls with protection fence, lifting height: 3380 mm, dimensions lifter: 2400 mm x 1700 mm x 3900 mm, Winkler moveable infeed gutter, Winkler dough divider with outfeed belt, type: Derby E Hydro, fabrication number: 42720, year of construction: 1994, dimensions infeed: 600 mm x 280 mm, plastic belt, belt width: 1050 mm, Winkler pre-proofer, plastic belt for 8 baskets, diameter each basket: 95 mm, Condair steam humidifier, 2 moulding sections with flour spreader, 8 lanes with cloth belts, belt width: (8x) 100 mm, 4 lanes with cloth belts, belt width: (4x) 100 mm, lane width: 210 mm, Silber Blau electric chain hoist, total dimensions complete line: 11900 mm x 3350 mm x 5500 mm. | 2500 |
| 115 | Winkler | Winkler long moulding machine, type: LANGROLLER, fabrication number: 42732, year of construction: 1994, cloth belt, belt width: 635 mm, total dimensions: 3600 mm x 1000 mm x 1400 mm. | 450 |
| 116 | NN tool trolley | S/s tool trolley, dimensions: 1130 mm x 900 mm x 1000 mm. | 25 |
| 117 | NN tool trolley | S/s tool trolley with tools, dimensions: 600 mm x 750 mm x 1300 mm. | 25 |
| 119 | Mettler Toledo | Mettler Toledo weighing scale on s/s frame, type: Spider W, serial number: 2511261, maximum capacity: 15/35 kg, minimum capacity: 100/200 g, dimensions scale: 400 mm x 300 mm, total dimensions: 1450 mm x 450 mm x 1450 mm. | 25 |
| 120 | Winkler | Winkler grouping belt, type: ZENTRIER-VORR, fabrication number: 42735, year of construction: 1994, 36 dividers, cloth belt, belt width: 2090 mm, total dimensions: 2160 mm x 2750 mm x 1600 mm. | 250 |
| 121 | NN transport belt | Transport belt, steel frame, s/s protection fence, cloth belt, belt width: 1970 mm, total dimensions: 1300 mm x 2550 mm x 1500 mm. | 250 |
| 122 | Winkler | Winkler final proofer with automatic and manual loading sides, 10 levels with automatic lifting in-and outfeed belt, plastic belt, belt width: 2010 mm, steel proofer belt, belt width: 2150 mm, cutting outfeed belt, plastic belt, belt width: 2100 mm, total dimensions: 20000 mm x 3300 mm x 5400 mm. | 1750 |
| 123 | NN lye spraying belt | Mobile lye spraying belt, plastic mesh belt, belt width: 2000 mm, s/s mesh belt, belt width: 2000 mm, total dimensions: 1950 mm x 2400 mm x 1600 mm. | 400 |
| 124 | NN transport belt | Mobile transport belt, s/s frame, plastic mesh belt, belt width: 1990 mm, total dimensions: 1430 mm x 2350 mm x 950 mm. | 300 |
| 125 | Daub | Daub tunnel oven, 4 levels with automatic lifting outfeed belt, thermal oil heated, approximate belt width: 2010 mm, total dimensions: 14800 mm x 3000 mm x 3550 mm. Missing infeed lifter and in-and outfeed belt. | 4500 |



| | | | |
|-----|--------------------------------|--|------|
| 126 | NN transport belt | Mobile transport belt, s/s frame, plastic mesh belt, belt width: 2000 mm, total dimensions: 1400 mm x 2250 mm x 950 mm. | 250 |
| 127 | NN transport belt | Mobile transport belt, s/s frame, plastic mesh belt, belt width: 520 mm, total dimensions: 2170 mm x 830 mm x 800 mm. | 250 |
| 128 | NN de-elevating belt | De-elevating belt, steel frame, plastic mesh belt, belt width: 500 mm, total dimensions: 19650 mm x 1500 mm x 1850 mm. | 750 |
| 130 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 600 mm, total dimensions: 11200 mm x 700 mm x 300 mm. | 500 |
| 132 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 600 mm, total dimensions: 29600 mm x 900 mm x 400 mm. | 950 |
| 134 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 500 mm, total dimensions: 2700 mm x 900 mm x 400 mm. | 150 |
| 136 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 500 mm, total dimensions: 1600 mm x 900 mm x 400 mm. | 175 |
| 140 | NN curve conveyor | 180° curve conveyor, steel frame, plastic mesh belt, belt width: 1000 mm, total dimensions: 4300 mm x 2100 mm x 400 mm. | 250 |
| 141 | NN transport belt | Transport belt, steel frame, approximate belt width: 500 mm, total dimensions: 10700 mm x 800 mm x 400 mm. | 400 |
| 142 | NN protection frame | S/s protection frame, dimensions: 420 mm x 360 mm. | 15 |
| 143 | NN electric chain hoist | Electric chain hoist with s/s cealing frame, maximum capacity: 500 kg, dimensions frame: 4200 mm x 3600 mm. | 175 |
| 144 | Ashworth | Ashworth 90° mobile curve conveyor, type: RTSKRD 90/400-800, year of construction: 06-2002, s/s frame, plastic belt, belt width: 400 mm, elevating height: 1100 mm, total dimensions: 4400 mm x 1600 mm x 1380 mm. | 250 |
| 145 | NN transport belt | Mobile transport belt, s/s frame, plastic mesh belt, belt width: 1980 mm, total dimensions: 1420 mm x 2050 mm x 830 mm. | 250 |
| 146 | Daub | Daub tunnel oven, 4 levels with automatic lifting in-and outfeed belt, thermal oil heated, plastic mesh belt, belt width: 1980 mm, total dimensions: 14800 mm x 3000 mm x 3550 mm. | 4500 |
| 147 | NN transport belt | Mobile transport belt, s/s frame, plastic mesh belt, belt width: 2000 mm, total dimensions: 1400 mm x 2250 mm x 950 mm. | 300 |
| 148 | NN transport belt | Mobile transport belt with s/s top cover, s/s frame, plastic mesh belt, belt width: 680 mm, total dimensions: 2850 mm x 900 mm x 950 mm. | 250 |
| 149 | NN de-elevating curve conveyor | 90° de-elevating curve conveyor with s/s top cover, steel frame, plastic mesh belt, belt width: 650 mm, total dimensions: 10300 mm x 700 mm x 1800 mm. | 400 |
| 150 | NN protection frame | S/s protection frame, dimensions: 6150 mm x 1200 mm x 300 mm. | 50 |
| 151 | NN platform | S/s platform, dimensions: 1100 mm x 400 mm x 550 mm. | 50 |
| 153 | NN de-elevating curve conveyor | 90° de-elevating curve conveyor, steel frame, plastic mesh belt, belt width: 650 mm, total dimensions: 3900 mm x 1000 mm x 700 mm. | 300 |



| | | | |
|-----|------------------------------|---|------|
| 154 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 650 mm, total dimensions: 7000 mm x 900 mm x 700 mm. | 350 |
| 156 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 1300 mm, total dimensions: 15200 mm x 1350 mm x 800 mm. | 750 |
| 158 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 1300 mm, total dimensions: 15200 mm x 1350 mm x 800 mm. | 750 |
| 161 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 1300 mm, total dimensions: 15200 mm x 1350 mm x 800 mm. | 750 |
| 163 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 1300 mm, total dimensions: 15200 mm x 1350 mm x 800 mm. | 750 |
| 166 | NN de-elevating belt | De-elevating belt with s/s protection cage and lift ability, steel frame, plastic mesh belt, belt width: 650 mm, total dimensions: 4150 mm x 3000 mm x 2700 mm. | 400 |
| 168 | NN elevating belt | Elevating belt, steel frame, plastic mesh belt, belt width: 500 mm, total dimensions: 3500 mm x 700 mm x 900 mm. | 300 |
| 169 | NN transport belt | Transport belt, steel frame, plastic mesh belt, belt width: 600 mm, total dimensions: 27250 mm x 1100 mm x 700 mm. | 1000 |
| 170 | NN de-elevating spiral slide | Steel de-elevating spiral slide, gutter width: 365 mm, total dimensions: 1200 mm x 800 mm x 4100 mm. | 100 |
| 171 | J. Affeldt | J. Affeldt height adjustable transport belt, type: AVN/751 LE, number: 7057, year of construction: 94/04, 380 V, 50 Hz, steel frame, plastic belt, belt width: 500 mm, total dimensions: 3550 mm x 100 mm x 1050 mm. | 250 |
| 173 | J. Affeldt | J. Affeldt elevating belt, type: AVN/771 LE, number: 7058, year of construction: 94/04, 380 V, 50 Hz, steel frame, plastic belt with dividers, belt width: 500 mm, divider height: 50 mm, distance between dividers: 270 mm, elevating height: 2970 mm, total dimensions: 2800 mm x 700 mm x 3200 mm. | 400 |
| 175 | Fritz Thürlings | Fritz Thürlings rotating bag filling machine, type: 30D, number: 5166, year of construction: 4/94, 380 V, 3 Ph, 50 Hz, 3.5 kW, 8 filling stations, diameter each station: 135 mm, integrated clipping device, Becker vacuum pump, total dimensions: 2200 mm x 2200 mm x 1900 mm. | 500 |
| 176 | Pago | Pago label printer on steel frame, type: EasyCoder PF4i, serial number: 35300501798, 100-240 V, 50/60 Hz, 2-1 A, dimensions printer: 400 mm x 240 mm x 200 mm, dimensions frame: 1050 mm x 400 mm x 1700 mm. | 100 |
| 177 | NN platforms | 2 s/s platforms, dimensions: (2x) 600 mm x 400 mm x 260 mm. | 10 |
| 178 | NN de-elevating belt | De-elevating belt with lift ability, steel frame, plastic mesh belt, belt width: 650 mm, total dimensions: 4100 mm x 1150 mm x 1150 mm. | 150 |
| 179 | NN elevating belt | Elevating belt, steel frame, plastic mesh belt, belt width: 650 mm, total dimensions: 2800 mm x 800 mm x 1200 mm. | 150 |
| 181 | Kaak | Kaak de-elevating belt, steel frame, plastic mesh belt, belt width: 650 mm, total dimensions: 3550 mm x 1000 mm x 1900 mm. | 150 |



| | | | |
|-----|------------------------|---|-----|
| 183 | NN roller conveyor | Roller conveyor, s/s frame, plastic rollers, total roller width: 650 mm, total dimensions: 1400 mm x 670 mm x 1100 mm. | 25 |
| 186 | Zarges | Zarges aluminium ladder, model: Z300, length: 2800 mm, on s/s wall mounted frame, dimensions frame: 610 mm x 180 mm x 80 mm. | 25 |
| 187 | NN frames | 2 s/s wall mounted frames, dimensions: 440 mm x 430 mm x 280 mm and 300 mm x 210 mm. | 10 |
| 189 | NN trolleys for plates | 3 s/s trolleys for plates, 40 floors, dimensions each floor: 860 mm x 660 mm, total dimensions: (3x) 920 mm x 780 mm x 1860 mm. | 75 |
| 190 | NN trolleys for plates | 6 s/s trolleys for plates, 40 floors, dimensions each floor: 860 mm x 660 mm, total dimensions: (6x) 920 mm x 780 mm x 1860 mm. | 150 |
| 193 | Vikan | Vikan plastic peg, length: 910 mm. | 5 |
| 195 | NN sink | S/s sink, with faucet, dimensions: 2200 mm x 600 mm x 300 mm. Including waste bin, paper dispenser and disinfection dispenser. | 25 |
| 196 | Oxymount | Oxymount water dispenser, model: Profi 20 EK, number: 3747, year of construction: 07/2009, 230 V, 50 Hz, 241 VA, dimensions: 560 mm x 300 mm x 1330 mm. | 25 |
| 202 | NN cabinet | S/s wall mounted cabinet, total dimensions: 900 mm x 500 mm x 1900 mm. | 50 |
| 204 | NN hose reels | 2 s/s wall mounted hose reels, dimensions: 225 mm x 170 mm x 280 mm. | 10 |
| 207 | NN rack | Steel rack, 5 floors, dimensions: 2000 mm x 500 mm x 2000 mm. | 10 |
| 208 | NN pallet box | Plastic pallet box, including content, dimensions: 1230 mm x 810 mm x 900 mm. | 10 |
| 210 | NN locker | Steel locker, dimensions: 500 mm x 400 mm x 1760 mm. | 10 |
| 211 | NN waste bin | Steel waste bin, dimensions: 320 mm x 320 mm x 780 mm. | 5 |
| 212 | NN stairs | Aluminium stairs, dimensions: 820 mm x 700 mm x 590 mm. | 10 |
| 216 | NN hose reels | 2 s/s wall mounted hose reels, dimensions: 300 mm x 210 mm x 270 mm. | 10 |
| 220 | NN frame | S/s wall mounted frame, dimensions: 720 mm x 300 mm x 240 mm. | 10 |
| 223 | NN peg | S/s wall mounted peg, length: 600 mm, plastic paper dispenser, dimensions: 420 mm x 130 mm x 220 mm. | 5 |
| 226 | NN container | Plastic container, dimensions: 500 mm x 480 mm x 930 mm. | 10 |
| 229 | NN slippery signs | 2 plastic slippery signs, foldable, (2x) 300 mm x 400 mm x 700 mm, s/s wall mounted frame, dimensions frame: 100 mm x 60 mm x 70 mm. | 5 |
| 230 | NN pylon | Plastic pylon. | 5 |
| 231 | NN peg | S/s peg, 5 hooks, length: 350 mm. | 5 |
| 232 | Tobin | Tobin eye shower, dimensions: 200 mm x 100 mm x 330 mm, 2 Secabox plastic safety boxes, dimensions: (2x) 240 mm x 120 mm x 120 mm. | 5 |



| | | | |
|-----|-----------------------|---|------|
| 234 | Meili | Meili hoist on steel transport beam, model: EFP003S EF2E285, serial number: 9807 CE 393125, capacity: 250 kg, length beam: 7000 mm. | 50 |
| 235 | NN frame | S/s frame on plastic pallet, dimensions: 1200 mm x 800 mm x 1280 mm. | 10 |
| 236 | NN trolleys | 2 s/s trolleys, dimensions: (2x) 730 mm x 400 mm x 830 mm. | 25 |
| 237 | NN table | S/s perforated mobile table, inside dimensions: 1195 mm x 795 mm x 150 mm, total dimensions: 1220 mm x 830 mm x 960 mm. | 25 |
| 238 | NN extraction hood | S/s extraction hood, dimensions: 1800 mm x 1400 mm x 810 mm. | 50 |
| 243 | NN sink | S/s sink with faucet, dimensions sink: 800 mm x 660 mm x 500 mm, including 2 soap dispensers, 1 paper dispenser and 1 s/s wall mounted peg, dimensions: 80 mm x 40 mm x 300 mm. | 25 |
| 245 | NN frame | S/s wall mounted frame, dimensions: 490 mm x 350 mm x 310 mm. | 5 |
| 247 | Vikan | Vikan plastic peg, length: 780 mm. | 5 |
| 249 | KVP | 2 KVP white boards, dimensions: (2x) 1490 mm x 990 mm. | 5 |
| 260 | Vikan | Vikan plastic peg, length: 910 mm. | 5 |
| 261 | NN frame | S/s wall mounted frame, dimensions: 300 mm x 130 mm x 500 mm. | 10 |
| 263 | NN protection reels | 2 s/s protection reels dimensions: 1450 mm x 250 mm x 180 mm and 2500 mm x 210 mm x 180 mm. | 25 |
| 265 | NN fan | Fan, dimensions: 1230 mm x 1230 mm x 350 mm. | 5 |
| 266 | NN protection reel | S/s protection reel, length: 1000 mm. | 10 |
| 273 | NN stool | Stool, adjustable in height, dimensions: 550 mm x 550 mm x 680 mm. | 5 |
| 277 | Vikan | Vikan plastic peg, length: 250 mm. | 5 |
| 278 | NN trolleys | 6 s/s trolleys, dimensions: (6x) 1200 mm x 560 mm x 720 mm. | 75 |
| 279 | NN trolley for plates | 3 s/s trolleys for plates, 10 floors, floor dimensions: (10x) 1100 mm x 900 mm, total dimensions: (3x) 1620 mm x 900 mm x 1750 mm. | 75 |
| 281 | NN table | S/s mobile table with plastic worktop, dimensions: 2000 mm x 1000 mm x 900 mm. | 125 |
| 284 | Heuft | Heuft oven, type: V0 20.20.23, fabrication number: 11C272, year of construction: 2007, volume: 330 dm ³ , pressure: 2-5 bar, temperature: 300°C, 5 levels, dimensions each level: 2250 mm x 2150 mm x 190 mm, total dimensions: 3650 mm x 2800 mm x 2410 mm. | 1250 |
| 285 | Condac/Goetz | Condac/Goetz proofing cabinet, inside dimensions: 2620 mm x 1090 mm x 2000 mm, total dimensions: 3000 mm x 2630 mm x 2720 mm. 2 s/s trolleys, 9 floors with 9 belts, belt width: 650 mm, dimensions belts: (9x) 2400 mm x 680 mm. | 1250 |
| 287 | Vikan | Vikan plastic peg, length: 470 mm. | 5 |



| | | | |
|-----|---------------------|--|-----|
| 288 | NN sink | S/s sink with 2 faucets, dimensions sink: 710 mm x 610 mm x 300 mm, including 2 soap dispensers, 2 paper dispenser and 1 s/s wall mounted frame dimensions: 660 mm x 500 mm x 300 mm, s/s waste bin, dimensions waste bin: 410 mm x 250 mm x 600 mm. | 25 |
| 289 | Oxymount | Oxymount water dispenser, model: Profi 20 AL, number: 11309, year of construction: 2012, 230 V, 50 Hz, 241 VA, dimensions: 560 mm x 300 mm x 1330 mm. | 25 |
| 290 | NN peg | Aluminium peg, peg length: 800 mm. | 5 |
| 299 | NN frames | 10 wall mounted plastic frames, various sizes. | 5 |
| 302 | NN peg | S/s wall mounted peg, length: 1580 mm. | 5 |
| 305 | NN balancer | 2 balancers on s/s frame, capacity: 2-3 kg, length frame: 1400 mm, | 10 |
| 306 | NN peg | S/s wall mounted peg, length: 1300 mm, including 6 s/s forms, form dimensions: (6x) 465 mm x 60 mm x 580 mm. | 5 |
| 311 | Kimberly Clark | Kimberly Clark paper dispenser, dimensions paper dispenser: 300 mm x 220 mm x 450 mm, 5 s/s wall mounted frames, various sizes and shapes. | 5 |
| 312 | Filados | Filados water dosing system with filter, type filter: FF 3/4" M, year of construction: 2020, pressure: 16 bar. | 50 |
| 313 | NN frames | 2 s/s frames, length: 420 mm, height: 300 mm. | 5 |
| 314 | NN trolley | S/s trolley, dimensions: 530 mm x 480 mm x 780 mm. | 15 |
| 315 | Indupro | Indupro mobile aluminium stairs, dimensions: 760 mm x 650 mm x 480 mm. | 10 |
| 317 | NN frame for locks | S/s frame for locks, dimensions: 230 mm x 20 mm x 180 mm. 4 locks. | 10 |
| 318 | NN pegs | 3 s/s pegs, dimensions: (2x) 500 mm x 420 mm x 80 mm and (1x) 590 mm x 350 mm x 60 mm. | 5 |
| 321 | NN rack | S/s mobile rack, 4 floors, dimensions: 940 mm x 540 mm x 1850 mm. | 50 |
| 322 | NN office inventory | Pallet with large amount of office inventory. | 5 |
| 324 | Oxymount | Oxymount water dispenser on s/s wall mounted frame, total dimensions: 560 mm x 280 mm x 1300 mm. Defect. | 25 |
| 325 | NN sink | S/s sink with sensors, 2 faucets, dimensions sink: 950 mm x 450 mm x 600 mm, plastic paper dispenser, dimensions: 300 mm x 230 mm x 420 mm, 2 wall mounted frames: (2x) 1800 mm x 1050 mm. | 25 |
| 329 | Vikan | 2 Vikan plastic pegs, length: 910 mm and 470 mm. | 10 |
| 330 | NN table | S/s mobile table with 5 floors for plates, floor dimensions: (4x) 880 mm x 800 mm and (1x) 880 mm x 500 mm, total dimensions: 2310 mm x 900 mm x 900 mm. | 100 |
| 332 | NN rollie | S/s rollie, dimensions: 650 mm x 400 mm x 160 mm. | 10 |
| 333 | NN cages | S/s rollie with 3 s/s cages, dimensions each cage: 400 mm x 270 mm x 610 mm, total dimensions: 900 mm x 450 mm x 700 mm. | 10 |
| 334 | NN buckets | 10 empty plastic buckets, dimensions: (5x) 450 mm x 450 mm x 800 mm and dimensions: (5x) 550 mm x 550 mm x 720 mm. | 10 |



| | | | |
|-----|-------------------|--|-----|
| 335 | NN table | S/s table, dimensions: 1500 mm x 800 mm x 900 mm. Including content. | 50 |
| 336 | NN folders | Plastic pallet box with large amount of folders, dimensions pallet box: 1220 mm x 830 mm x 910 mm. | 5 |
| 338 | NN table | Mobile s/s table, dimensions: 1670 mm x 920 mm x 1190 mm. 3 s/s bowls, dimensions: (2x) 330 mm x 230 mm and (1x) 270 mm x 120 mm. | 50 |
| 343 | NN sink | S/s sink, 2 faucets, dimensions: 950 mm x 440 mm x 630 mm, 2 soap dispensers, 1 paper dispenser, 1 aluminium peg, length peg: 1920 mm. | 25 |
| 344 | NN sink | S/s sink with table, 1 faucet, dimensions: 1610 mm x 1300 mm x 440 mm. 2 soap dispensers, 1 paper dispenser. | 25 |
| 345 | NN trolleys | 8 s/s trolleys for plates, 40 floors, dimensions each floor: 1000 mm x 660 mm, total dimensions (8x) 1000 mm x 720 mm x 1850 mm. | 200 |
| 346 | NN trolleys | 6 s/s trolleys for plates, 40 floors, dimensions each floor: 1000 mm x 660 mm, total dimensions (6x) 1000 mm x 720 mm x 1850 mm. | 150 |
| 347 | NN trolleys | 4 s/s trolleys for plates, 40 floors, dimensions each floor: 1000 mm x 660 mm, total dimensions (4x) 1000 mm x 720 mm x 1850 mm. | 100 |
| 350 | NN trolleys | 12 s/s trolleys for plates, (3x) 40 floors and (9x) 20 floors, dimensions each floor: 1000 mm x 660 mm, total dimensions (12x) 1000 mm x 720 mm x 1850 mm. | 300 |
| 351 | NN trolleys | 20 s/s trolleys for plates, 40 floors, dimensions each floor: 1000 mm x 660 mm, total dimensions (20x) 1000 mm x 720 mm x 1850 mm. | 500 |
| 352 | NN trolleys | 11 s/s trolleys for plates, 40 floors, dimensions each floor: 1000 mm x 660 mm, total dimensions (11x) 1000 mm x 720 mm x 1850 mm. | 275 |
| 353 | NN cooling panels | 2 cooling panels, dimensions: 900 mm x 100 mm x 2090 mm and 380 mm x 100 mm x 2090 mm. | 10 |
| 354 | NN stairs | Aluminium stairs, dimensions: 1000 mm x 500 mm x 620 mm. | 10 |
| 355 | NN door frame | S/s door frame, dimensions: 1100 mm x 70 mm x 2110 mm. | 10 |
| 357 | NN cabinet | S/s wall mounted cabinet, 4 floors, dimensions: 1350 mm x 750 mm x 1750 mm. | 50 |
| 358 | NN trolleys | 3 s/s trolleys for plates, 40 floors, dimensions each floor: 1000 mm x 660 mm, total dimensions (3x) 1000 mm x 720 mm x 1850 mm. | 75 |
| 360 | NN trolleys | 14 s/s trolleys for plates, 40 floors, dimensions each floor: 1000 mm x 660 mm, total dimensions (14x) 1000 mm x 720 mm x 1850 mm. | 350 |
| 364 | Vikan | Vikan plastic peg with broom, length peg: 910 mm. | 5 |
| 365 | NN platform | S/s platform, dimensions: 580 mm x 380 mm x 150 mm. | 10 |
| 367 | NN trolleys | S/s trolleys for plates. 20 floors, 25 s/s plates, plate dimensions: 600 mm x 400 mm, total dimensions: 600 mm x 460 mm x 1850 mm. | 25 |



| | | | |
|-----|------------------------------|--|-----|
| 369 | NN trolleys | 2 s/s trolleys for plates, 40 floors, dimensions each floor: 1000 mm x 660 mm, total dimensions (2x) 1000 mm x 720 mm x 1850 mm. | 50 |
| 376 | NN broom | Broom with wall mounted plastic peg. | 5 |
| 377 | NN office inventory | Office inventory consisting of: desk, desk dimensions: 2100 mm x 850 mm x 790 mm, 3 cabinets with drawers, 1 chair, 2 Magno wall mounted boards, dimensions: (2x) 1000 mm x 1000 mm. | 10 |
| 380 | NN pastry line | Pastry line consisting of mobile long moulder, plastic belt, belt width: 650 mm and 600 mm, 5 rollers, roller width: 600 mm, 4 spreaders, total dimensions: 8850 mm x 1250 mm x 1850 mm. | 750 |
| 384 | NN cabinet | S/s cabinet, dimensions: 880 mm x 850 mm x 630 mm. | 25 |
| 385 | NN trolleys with spare parts | 2 s/s trolleys with spare parts, dimensions trolleys: 580 mm x 810 mm x 1950 mm and 1020 mm x 780 mm x 1300 mm. | 75 |
| 387 | NN protection frame | S/s protection frame, dimensions: 1400 mm x 50 mm x 1000 mm. | 10 |
| 388 | NN stairs | Aluminium stairs, dimensions: 530 mm x 530 mm x 400 mm. | 10 |
| 389 | NN protection frame | S/s protection frame, dimensions: 1000 mm x 60 mm x 900 mm. | 10 |
| 393 | NN rack | S/s wall mounted rack, dimensions: 2400 mm x 550 mm x 30 mm. | 10 |
| 396 | NN sink | S/s sink with 2 soap dispensers, paper dispenser and trash can, dimensions sink: 1100 mm x 550 mm x 350 mm. | 25 |
| 397 | NN wall frame | S/s wall frame, dimensions: (2x) 1800 mm x 440 mm x 2300 mm. | 25 |
| 400 | NN hose reel | S/s hose reel, dimensions: 400 mm x 300 mm x 300 mm. | 5 |
| 401 | NN packaging | S/s peg with a roll of plastic bags, dimensions: 100 mm x 50 mm, total dimensions: \varnothing 330 mm x 110 mm. | 5 |
| 402 | NN cage | S/s cage with 2 doors, clearance: 1335 mm x 510 mm, inside dimensions: 2690 mm x 850 mm x 510 mm, total dimensions: 2800 mm x 930 mm x 1800 mm. | 50 |
| 403 | NN lids | 6 plastic lids, dimensions each lid: \varnothing 580 mm. | 5 |
| 404 | NN frame | S/s frame, dimensions: 3020 mm x 630 mm x 400 mm. | 25 |
| 413 | NN cabinet | S/s wall mounted cabinet, 4 floors, floor dimensions: 850 mm x 440 mm, total dimensions: 900 mm x 500 mm x 1900 mm. | 50 |
| 415 | NN pallet boxes | 2 plastic pallet boxes on pallet, dimensions: (2x) 820 mm x 1210 mm x 910 mm. | 10 |
| 416 | NN cabinet | Mobile s/s cabinet with plastic top, 4 drawers, dimensions drawers: (4x) 600 mm x 540 mm x 110, total dimensions: 700 mm x 570 mm x 1150 mm. | 10 |
| 417 | NN pallet rack | Pallet rack consisting of: 3 uprights, height: 2550 mm, 8 beams, capacity: 1200 kg, length: 2700 mm, total dimensions: 5630 mm x 110 mm x 2550 mm. | 75 |
| 419 | NN sieves | Pallet box with large amount of plastic sieves, dimensions sieves: \varnothing 100 mm x 30 mm, dimensions pallet box: 820 mm x 1210 mm x 910 mm. | 75 |



| | | | |
|-----|---------------------------------|---|-----|
| 420 | NN clothes | 2 pallet boxes with large amount of clothes, dimensions each cloth: 1600 mm x 2000 mm, 1800 mm x 2100 mm, dimensions: pallet box: (2x) 820 mm x 1210 mm x 910 mm. | 25 |
| 421 | NN sieves | 3 pallet boxes with large amount of plastic sieves, dimensions sieves: \varnothing 170 mm x 65 mm, \varnothing 220 mm x 100 mm, dimensions pallet box: 820 mm x 1210 mm x 910 mm. | 75 |
| 423 | NN pallet rack | Pallet rack consisting of: 3 uprights, height: 3300 mm, 6 beams, length: 2630 mm. | 75 |
| 424 | Pago/ Thumbmetal | Pago scan/label station, model label machine: PX6i, 100-240 V, 50/60 Hz, 3-1.5 A, with pc and accessory, in Thumbmetal mobile cabinet, dimensions cabinet: 800 mm x 700 mm x 760 mm. | 75 |
| 425 | NN pallet rack | Pallet rack consisting of: 4 uprights, height: 3300 mm, 6 beams, length: 2630 mm. | 75 |
| 430 | NN conveyor | Mobile conveyor belt, s/s frame, plastic mesh belt, belt width: 1995 mm, total dimensions: 2250 mm x 700 mm x 1540 mm. | 200 |
| 432 | Foco | Foco pallet rack consisting of: 7 uprights capacity: 8000 kg, height: 3350 mm, 22 beams, length: (8x) 1800 mm, capacity: 3700 kg, (14x) 2700 mm, capacity: 2300 kg. | 150 |
| 435 | NN part for dust extractor | S/s part for dust extractor, dimensions: \varnothing 800 mm x 1200 mm. | 50 |
| 436 | NN forms | Pallet box and cage with large amount of s/s forms, dimensions each form: 460 m x 570 mm, 580 mm x 360 mm. | 75 |
| 438 | NN pallet rack | Pallet rack consisting of: 7 uprights, height: 4100 mm, 20 beams, length: 2700 mm. | 75 |
| 439 | LaCont Umwelttechnik GmbH | 2 LaCont Umwelttechnik GmbH drip trays, type: PE-KT-EP1, year of construction: 2018, volume: (2x) 1000 liter. | 100 |
| 440 | NN clothes | 2 trolleys with large amount of cloths, dimensions each cloth: 200 mm x 720 mm, 300 mm x 2000 mm, 300 mm x 2070 mm, dimensions trolley: (2x) 660 mm x 860 mm x 1710 mm. | 50 |
| 441 | NN sink | S/s sink with 2 soap dispensers, paper dispenser, trash can, Vikan wall mount, eye wash, clock and 2 buckets, dimensions sink: 850 mm x 610 mm x 480 mm. | 50 |
| 444 | NN pallet rack | Pallet rack consisting of: 6 uprights, height: 3300 mm, 20 beams, length: (12x) 2700 mm, (4x) 90 mm, (4x) 1700 mm. | 100 |
| 447 | NN cage | S/s cage with door, door dimensions: 810 mm x 2800 mm, cage dimensions: 1100 mm x 1450 mm x 2800 mm. Including rack. | 50 |
| 448 | Stawin | Stawin s/s electric cool door, dimensions door: 2070 mm x 175 mm x 2370 mm, with plastic flaps and protection poles. | 150 |
| 449 | NN cabinet | S/s cabinet, dimensions: 1040 mm x 400 mm x 1800 mm. | 50 |
| 450 | NN container | Plastic container | 10 |
| 452 | Bizerba | Floor scale with Bizerba indicator, maximum: 300/600/1500 kg, minimum: 2kg, e= 0,1/0,2/0,5 kg, dimensions scale: 1250 mm x 1500 mm, dimensions indicator: 400 mm x 200 mm x 400 mm. | 150 |



| | | | |
|-----|---------------------|---|-----|
| 453 | Wetter Wetzikon | Wetter Wetzikon suction installation for bowls \varnothing 1150, dimensions filter unit: 1100 mm x 1410 mm x 2000 mm, with spare filter, dimensions filter: 800 mm x 1200 mm. | 175 |
| 454 | NN pallet rack | Pallet rack consisting of: 2 uprights, height: 2800 mm, 4 beams, length: 2700 mm. | 75 |
| 456 | NN cloths | Pallet box with large amount of cloths, dimensions each cloth: 2100 mm x 1800 mm. | 15 |
| 459 | NN forms | 2 s/s trolleys with large amount of s/s forms in various sizes, dimensions each trolley: 1200 mm x 1200 mm x 1750 mm. | 175 |
| 460 | NN tub | S/s tub with plastic lid, dimensions: \varnothing 1080 mm x 620 mm. | 10 |
| 464 | NN white board | White board, dimensions: 1500 mm x 1000 mm. | 5 |
| 467 | NN trollies | 7 trollies for plates, 10 floors, floor dimensions: 1100 mm x 900 mm, total dimensions: (7x) 1550 mm x 900 mm x 1740 mm. | 175 |
| 468 | NN trollies | 6 trollies for plates, 10 floors, floor dimensions: 1100 mm x 900 mm, total dimensions: (6x) 1550 mm x 900 mm x 1740 mm. | 150 |
| 469 | NN trollies | 9 trollies for plates, 10 floors, floor dimensions: 1100 mm x 900 mm, total dimensions: (9x) 1550 mm x 900 mm x 1740 mm. | 225 |
| 470 | NN trollies | 4 trollies for plates, 10 floors, floor dimensions: 1100 mm x 900 mm, total dimensions: (4x) 1550 mm x 900 mm x 1740 mm. | 100 |
| 476 | NN safe | Mobile safe, dimensions: 500 mm x 600 mm x 1070 mm. | 10 |
| 479 | NN frame | S/s frame, dimensions: 220 mm x 220 mm x 1380 mm | 10 |
| 480 | NN wall frame | S/s wall frame, dimensions: 840 mm x 1000 mm x 50 mm. | 10 |
| 482 | Vikan | Vikan wall rack for hygiene equipment, length: 900 mm. | 5 |
| 483 | NN ladder | Aluminium ladder with 7 steps, dimensions: 300 mm x 130 mm x 2200 mm. | 10 |
| 484 | Dietrich Reimelt KG | Dietrich Reimelt KG dust extraction unit, type: 414 F11. \varnothing 636ZP9, dimensions: 900 mm x 800 mm x 2100 mm. | 175 |
| 485 | NN frame | S/s wall frame, dimensions: 320 mm x 200 mm x 120 mm. | 5 |
| 487 | NN container | Plastic container and 2 eye washes, dimensions: 480 mm x 550 mm x 900 mm. | 5 |
| 511 | NN frames | 2 wall mounted frames, dimensions: 600 mm x 180 mm x 70 mm and 900 mm x 80 mm x 60 mm. | 5 |
| 513 | NN frame | S/s wall mounted frame, dimensions: 600 mm x 340 mm x 80 mm. | 5 |
| 514 | NN pallet rack | Steel pallet rack, 4 uprights, dimensions: (4x) 1100 mm x 4130 mm, 10 beams, beam length: (10x) 2700 mm. | 75 |
| 515 | NN desk | Steel desk, dimensions: 800 mm x 620 mm x 760 mm. | 5 |
| 517 | Altrex | Altrex extendable ladder, 24 steps, dimensions: 1100 mm x 3400 mm, max height: 6400 mm. | 50 |
| 518 | NN door | Wooden door with 7 paper holders, dimensions: 1050 mm x 40 mm x 2300 mm. | 10 |
| 521 | NN pallet rack | Steel pallet rack, 2 uprights, dimensions: (2x) 1100 mm x 3300 mm, 2 beams, beam length: (2x) 2700, 3 s/s floors, floor dimensions: (3x) 1100 mm x 880 mm. | 75 |



| | | | |
|-----|----------------------|---|----|
| 525 | NN hose reel | S/s hose reel with plastic hose. | 5 |
| 529 | NN white boards | 2 white boards, dimensions: 2000 mm x 1000 mm and 1500 mm x 1000 mm. | 5 |
| 530 | NN rollie | Steel rollie, dimensions: 620 mm x 420 mm x 120 mm. | 10 |
| 531 | NN office inventory | Office inventory consisting of: 2 desks, dimensions: 1800 mm x 800 mm x 740 mm and 1600 mm x 800 mm x 770 mm, 3 cabinets, dimensions cabinets: (3x) 800 mm x 420 mm x 570 mm, 2 chairs, waste bin, including office: 3100 mm x 2100 mm x 2900 mm. | 25 |
| 532 | Oxymount | Oxymount water dispenser, model: Profi 20 KER, number: 4062, year of construction: 12/2009, 230 V, 50 Hz, dimensions: 500 mm x 280 mm x 420 mm. | 25 |
| 533 | Itec | Itec s/s sink with 2 faucets, sensor control, dimensions: 950 mm x 430 mm x 600 mm, 2 soap dispensers, 2 paper dispensers, 1 waste bin. | 50 |
| 534 | Helbag/Trotec | Medical supplies consisting of: stretcher, dimensions stretcher: 2000 mm x 700 mm x 550 mm, Helbag first aid bag, dimensions bag: 500 mm x 250 mm x 280 mm, Trotec first aid cover, dimensions bag: 1400 mm x 400 mm x 300 mm, 1 chair. | 25 |
| 535 | Franke | Franke s/s sink 2 faucets, sink dimensions: 700 mm x 500 mm x 200 mm, 2 Itec s/s soap dispensers, paper dispenser, wall mounted cabinet, dimensions cabinet: 750 mm x 140 mm x 700 mm. | 25 |
| 538 | NN hygiene equipment | Hygiene equipment consisting of: 2 s/s soap dispensers, 1 paper dispenser, mirror and waste bin. | 15 |
| 539 | NN slippery signs | 2 plastic slippery signs dimensions: (2x) 300 mm x 400 mm x 700 mm. | 5 |
| 540 | Kaba | Kaba clocking system, model: B-Net 9340, serial number: 072342-003868, 230 V, 50/60 Hz, 110 mA, dimensions: 250 mm x 120 mm x 290 mm. | 5 |
| 541 | Quartz/Tenovis | 2 Quartz clocks, Tenovis phone. | 5 |
| 542 | NN pegs | 2 s/s pegs, with 4 paper holders, 1 paper clamps, and 1 frame. | 5 |
| 543 | NN hygiene equipment | Hygiene equipment consisting of: 2 s/s soap dispensers, 2 paper dispenser, mirror and waste bin. | 10 |
| 545 | NN frame | S/s frame, dimensions: 1100 mm x 40 mm x 900 mm. | 10 |
| 548 | NN note board | Note board, dimensions: 500 mm x 30 mm x 670 mm. | 5 |
| 551 | NN rack | Mobile steel rack, dimensions: 2000 mm x 600 mm x 2100 mm. | 20 |
| 552 | NN air filter | Air filter, type: HFG 90135-66, dimensions: 700 mm x 700 mm x 1550 mm. Including s/s dispenser. | 75 |
| 559 | NN waste container | Plastic waste container, dimensions: 480 mm x 560 mm x 930 mm. | 5 |
| 562 | NN cabinet | Steel cabinet, dimensions: 1200 mm x 400 mm x 1140 mm. | 5 |
| 563 | NN air filter | Air filter, type: HFG 90135-66, dimensions: 700 mm x 700 mm x 1550 mm. Including s/s dispenser. | 75 |
| 564 | NN rack | Steel rack, 6 floors: (6x) 1000 mm x 400 mm, total dimensions: 2000 mm x 400 mm x 2000 mm. | 10 |



| | | | |
|-----|------------------------|--|-----|
| 565 | NN protection frame | S/s protection frame, dimensions: 1900 mm x 150 mm x 950 mm. | 25 |
| 566 | NN office unit | Office unit with office inventory, 8 cabinets, dimensions: (3x) 1600 mm x 450 mm x 1100 mm, (3x) 420 mm x 800 mm x 580 mm, (2x) 1650 mm x 470 mm x 2200 mm, 1 desk with chair, heater and waste bin, dimensions unit: 6200 mm x 5000 mm x 2300 mm, 9300 mm x 2600 mm x 2300 mm. Unit is placed against wall of building so one side is open. | 75 |
| 568 | NN cabinet | S/s wall mounted cabinet, 3 doors, dimensions: 870 mm x 470 mm x 1550 mm. | 50 |
| 572 | NN coat rack | Steel coat rack, 5 pegs. | 5 |
| 573 | NN table | Mobile s/s table, dimensions: 650 mm x 430 mm x 820 mm. | 10 |
| 575 | NN rack | S/s wall mounted rack, 2 floors, dimensions floors: (2x) 2750 mm x 300 mm, total dimensions: 2750 mm x 1000 mm x 1200 mm. | 50 |
| 576 | NN desk | Steel desk, dimensions: 1000 mm x 800 mm x 750 mm. | 5 |
| 578 | NN cabinet | S/s wall mounted cabinet, dimensions: 900 mm x 500 mm x 1900 mm. | 50 |
| 580 | NN frame | S/s wall frame, dimensions: 250 mm x 110 mm x 500 mm. | 5 |
| 581 | Suvapro | Suvapro first aid box with wall mounted frame. | 5 |
| 583 | NN paper dispenser | Plastic paper dispenser, dimensions: 300 mm x 230 mm x 430 mm. | 5 |
| 584 | NN table | S/s table, dimensions: 1100 mm x 500 mm x 750 mm. | 25 |
| 585 | SecuBox | SecuBox wall mounted plastic box for safety glasses. | 5 |
| 586 | NN table | Mobile s/s table, dimensions: 660 mm x 480 mm x 800 mm. | 10 |
| 587 | NN table | Mobile s/s table, dimensions: 900 mm x 470 mm x 900 mm. | 10 |
| 588 | NN frame | S/s wall mounted frame, 2 floors, dimensions: 950 mm x 420 mm x 290 mm. Including plastic trays. | 10 |
| 589 | Vikan | Vikan plastic peg, hygiene equipment with 2 hand brooms. | 5 |
| 604 | NN workplace inventory | Workplace inventory, consisting of: 1 brush, 2 wall mounted frames, 1 plastic slippery sign and cool box, dimensions cool box: 400 mm x 300 mm x 400 mm. | 5 |
| 608 | Diversey/ vanBaerle | Diversey/vanBaerle cleaning liquids, among others: disinfection alcohol, hand sanitiser, toilet cleaner, volume: 350 ml, 5 liter and 10 liter. | 10 |
| 613 | NN cage | S/s cage with plastic drip tray, 1 floor in cage, floor dimensions: 2500 mm x 880 mm, dimensions cage: 2500 mm x 900 mm x 1700 mm, Cemo drip tray, type: 211.1500, year of construction: 2015, volume: 220 liter, dimensions drip tray: 1300 mm x 850 mm x 300 mm. | 100 |
| 615 | DWM Copeland | DWM Copeland cooling compressor, model: DL5GE-401-EWL, serial number: 1249502, year of construction: 1995, 220-240 V, 380-420 V, 3 Ph, 50 Hz, 14.9/8.6 A, capacity: 22.5 m ³ per hour, refrigerant: R437A, dimensions: 600 mm x 400 mm x 600 mm. | 150 |
| 616 | GEA | GEA heat exchanger, type: WP 24-DUO-14/14, serial number: 5100207019-0002, year of construction: 2015, pressure: 28 bar, dimensions: 450 mm x 80 mm x 70 mm. | 10 |



| | | | |
|-----|----------------------|--|-----|
| 618 | Bitzer | Bitzer cooling compressor, type: 2Q-4.2 Y, serial number: 65460777, 220-240 V, 380-420 V, 11.3-81.4 A, capacity: 22.14 m ³ per hour, refrigerant: R507, dimensions: 800 mm x 400 mm x 900 mm. | 150 |
| 619 | NN rack | S/s rack with large amount of waste bags, 36 boxes with 35 liter and 110 liter bags, 7 packs of Libelle toilet paper and beard masks, 3 floors, dimensions floors (3x) 2200 mm x 600 mm, total dimensions: 2200 mm x 600 mm x 1480 mm. | 75 |
| 621 | NN office inventory | Office inventory consisting of: desk, desk dimensions: 1600 mm x 800 mm x 750 mm, 1 cabinet with drawers, 1 chair, 1 wall mounted frame, 4 floors, floor dimensions: (4x) 800 mm x 300 mm, height: 1200 mm. | 10 |
| 622 | NN hose reel holders | 2 s/s hose reel holders and s/s peg. | 20 |
| 623 | NN frame | S/s wall mounted frame, dimensions: 2500 mm x 600 mm x 400 mm. | 10 |
| 625 | NN frame | Steel wall mounted frame, dimensions: 1600 mm x 300 mm x 500 mm. | 10 |
| 626 | NN frame | S/s wall mounted frame, dimensions: 450 mm x 320 mm x 360 mm. | 5 |
| 627 | Rubbermaid | Rubbermaid plastic waste bin, foot control, dimensions: 500 mm x 400 mm x 820 mm. | 5 |
| 628 | Tobin | Tobin eye shower, 2 bottles, dimensions: 200 mm x 100 mm x 330 mm, with hose and s/s hose reel holder. | 5 |
| 629 | Almatec / Magno | 6 Almatec wall mounted frames for paper, dimensions: (6x) 500 mm x 400 mm x 820 mm. 6 Magno frames for paper, dimensions: (6x) 350 mm x 200 mm. | 5 |
| 632 | Foco | Foco automatic pallet rack, type: PNFB-12, number: 58015, 60 uprights, dimensions: 1100 mm x 2850 mm, 118 beams, length: (52x) 2700 mm, capacity: 2400 kg, (46x) 1900 mm, capacity: 1600 kg, (20x) 3600 mm, capacity: 3200 kg, dimensions floor: 20400 mm x 7800 mm. | 450 |
| 634 | Quartz | Quartz clock. | 5 |
| 637 | Fort Jason | Fort Jason mobile stairs, 8 steps, working height: 1900 mm, total dimensions: 1600 mm x 1000 mm x 2850 mm. | 50 |
| 638 | NN desk | Desk, dimensions desk: 800 mm x 600 mm x 760 mm, with Sisley cabinet with drawers, dimensions cabinet: 780 mm x 420 mm x 670 mm. | 15 |
| 640 | NN rack | Steel rack, consisting of: 2 uprights, dimensions: (2x) 440 mm x 50 mm x 2000 mm, 10 floors, dimensions floors (10x) 1300 mm x 400 mm. | 10 |
| 641 | Stawin | Stawin s/s refrigeration door, dimensions: 1350 mm x 120 mm x 2040 mm. | 75 |
| 642 | NN hose reel | S/s hose reel with plastic hose. | 10 |
| 643 | NN frames | 4 steel drip frames, dimensions: (4x) 1000 mm x 500 mm x 40 mm. | 10 |



| | | | |
|-----|--------------------------|--|-----|
| 644 | NN racks | Steel rack, 6 floors, (6x) 1000 mm x 600 mm, including 8 spare floors, total dimensions: 2000 mm x 600 mm x 2560 mm. Steel rack, 6 floors, floor dimensions: (6x) 1000 mm x 600 mm, total dimensions: 2000 mm x 600 mm x 2560 mm. | 25 |
| 645 | NN rack | Steel rack, 5 floors, floor dimensions: (5x) 1000 mm x 600 mm, total dimensions: 1000 mm x 600 mm x 2520 mm. | 25 |
| 646 | NN rack | Steel rack, 4 and 5 floors, dimensions floors: 1000 mm x 600 mm, total dimensions: 3000 mm x 600 mm x 2000 mm. Missing 1 upright. | 25 |
| 650 | NN shovels | 3 shovels. | 5 |
| 654 | NN hoses | Various plastic hoses. | 5 |
| 655 | NN high pressure cleaner | Mobile high pressure cleaner, dimensions: 400 mm x 300 mm x 1030 mm. | 25 |
| 657 | NN trolley | S/s trolley with hose reel and oil pumps, dimensions: 700 mm x 650 mm x 1100 mm. | 50 |
| 658 | NN waste bin | Waste bin used for oil, volume: 79 liter, dimensions: 500 mm x 500 mm x 600 mm. | 10 |
| 659 | NN parts | Rack with large amount of parts and liquids, various floors, floor dimensions: 2700 mm x 700 mm, total dimensions: 5400 mm x 700 mm x 2550 mm. Inclusive top rack with parts and 2 aluminium stairs. | 150 |
| 662 | NN hoses | Various hoses. | 5 |
| 663 | Zarges | Zarges stairs, 8 steps, dimensions: 1400 mm x 550 mm x 2400 mm. | 25 |
| 664 | Dehoust | Dehoust plastic tank, volume: 2000 liter, dimensions: 2000 mm x 700 mm x 1800 mm. | 50 |
| 665 | Bitzer | 2 Bitzer cooling compressors, type: (2x) K122 H, fabrication number: 4711753 and 4711747 , year of construction: 1994, volume: 5.2 liter, dimensions: (2x) 850 mm x 300 mm x 500 mm. | 125 |
| 666 | NN fan | Fan, dimensions: 500 mm x 440 mm x 500 mm. | 10 |
| 667 | Pneumatex | Pneumatex pressure vessel, number: 106078, year of construction: 1988, volume 80 liter, pressure: 1-3 bar, dimensions: 600 mm x 300 mm x 600 mm. | 10 |
| 668 | Grundfos | Grundfos circulation pump, type: JP5 A A A, model: A422112 P1833, 220 V, 1 Ph, 50 Hz, 3.5 A, 750 W, capacity: 3 m ³ per hour, dimensions: 350 mm x 200 mm x 250 mm. | 25 |
| 672 | NN containers | 2 s/s containers with clothes, dimensions: (2x) 850 mm x 650 mm x 1700 mm. | 25 |
| 675 | Stöcklin | Stöcklin steel pallet lifter, fabrication number: 478653, fork length: 1150 mm, total dimensions: 1500 mm x 530 mm x 1220 mm. | 50 |
| 676 | Stöcklin | Stöcklin steel pallet lifter, fork length: 1150 mm, capacity: 2000 kg, total dimensions: 1500 mm x 530 mm x 1220 mm. Defect. | 25 |



| | | | |
|-----|---------------------|---|------|
| 677 | Stöcklin | Stöcklin steel pallet lifter, fork length: 1150 mm, capacity: 2000 kg, total dimensions: 1500 mm x 530 mm x 1220 mm. Defect. | 25 |
| 679 | Kempf | Kempf electric pallet lifter, fork length: 1130 mm, capacity: 1000 kg, total dimensions: 1580 mm x 550 mm x 1200 mm. Including Miocar battery charger, type BFN 13-7, 230 V, 50 Hz, 0.8 A, 145 W. | 50 |
| 681 | Stöcklin | Stöcklin pallet lifter, type: SH 2008, capacity: 2000 kg, fork length: 800 mm, total dimensions: 1150 mm x 540 mm x 1220 mm. | 50 |
| 684 | NN crates | S/s rollie with 8 plastic crates, dimensions rollie: 850 mm x 430 mm x 90 mm. | 10 |
| 685 | NN rack | Mobile s/s rack, 40 floors, dimensions floors: (40x) 1000 mm x 660 mm, total dimensions: 1050 mm x 780 mm x 1850 mm. | 25 |
| 693 | Sancassiano | Sancassiano steel spiral mixer, type: D.F., serial number: 13011, year of construction: 10-04-2001, 400 V, 50 Hz, 60 A, 20 kW, weight: 2100 kg, capacity: 250 kg, dimensions: 2000 mm x 800 mm x 1700 mm. | 1500 |
| 698 | NN crates | Plastic pallet with various sizes of plastic crates. | 25 |
| 700 | NN crates | Plastic pallet with various sizes of plastic crates. | 25 |
| 701 | NN frames | Pallet with 24 steel frames, 5 floors, dimensions floors: (5x) 370 mm x 370 mm, total dimensions: (24x) 400 mm x 400 mm x 430 mm. | 25 |
| 702 | Boku | Boku steel spiral mixer, dimensions: 1100 mm x 750 mm x 1400 mm. | 500 |
| 704 | NN racks | 5 mobile s/s racks, 10 floors, dimensions floors: (10x) 1100 mm x 900 mm, total dimensions: (5x) 1200 mm x 900 mm x 1730 mm. | 100 |
| 706 | NN table | Mobile s/s table with plastic work top, dimensions: 2000 mm x 900 mm x 1240 mm. | 75 |
| 707 | NN frames | Plastic palletbox with large amount of s/s frames, s/s rollie and 1 broom, dimensions frames: 585 mm x 360 mm x 600 mm, dimensions rollie: 660 mm x 410 mm x 160 mm. | 75 |
| 712 | NN table | Mobile steel table, dimensions: 450 mm x 450 mm x 780 mm. | 5 |
| 713 | NN waste containers | 6 plastic waste containers, dimensions: (6x) 480 mm x 570 mm x 940 mm. | 25 |
| 714 | NN stairs | Aluminium stairs, 4 steps, dimensions: 820 mm x 470 mm x 1570 mm. | 10 |
| 716 | Lista AG | Lista AG steel desk, dimensions: 1250 mm x 1000 mm x 1000 mm. Including s/s wall frame, dimensions: 1250 mm x 1000 mm. | 10 |
| 718 | NN waste containers | 2 plastic waste containers, dimensions: (2x) 480 mm x 540 mm x 920 mm. | 10 |
| 720 | NN frames | 2 s/s wall mounted frames, dimensions: (2x) 220 mm x 150 mm x 820 mm. | 10 |
| 721 | NN waste container | 2 plastic waste container, dimensions: (2x) 480 mm x 560 mm x 930 mm. | 10 |



| | | | |
|-----|---------------------|---|-----|
| 722 | Lista AG | Lista AG steel desk, dimensions: 1250 mm x 1000 mm x 1000 mm. Including s/s wall frame, dimensions: 1250 mm x 1000 mm. | 10 |
| 723 | NN writing table | Steel mobile writing table, plastic top, dimensions: 720 mm x 570 mm x 1570 mm. Including wall mounted rack. | 10 |
| 724 | Vikan | Vikan wall rack for hygiene equipment and 2 steel coat racks. | 5 |
| 726 | NN wall cabinets | 5 s/s wall mounted cabinets, dimensions: (5x) 105 mm x 150 mm x 820 mm. | 25 |
| 727 | NN covers | 9 s/s covers, dimensions: (9x) 1000 mm x 350 mm x 200 mm. | 25 |
| 729 | NN stairs | 2 aluminium ladders, dimensions: 380 mm x 2900 mm and 350 mm x 340 mm. | 25 |
| 730 | Zivan S.r.l. | Zivan S.r.l. battery charger, model: battery charger UBC, 230 V, 50-60 Hz, 2 A, dimensions: 240 mm x 60 mm x 130 mm. | 20 |
| 731 | Orion-AL-KO AG | Orion-AL-KO AG heat exchanger, type: PSO-10-40-1x19L/1x201-1, year of construction: 1991, 180 kW, pressure: 15 bar, dimensions: 400 mm x 250 mm x 750 mm. | 25 |
| 733 | NN cabinet | S/s wall mounted cabinet, dimensions: 900 mm x 500 mm x 2000 mm. | 50 |
| 737 | NN waste container | Plastic waste container with 10 kg oil binder, dimensions: 550 mm x 470 mm x 930 mm. | 10 |
| 738 | Metra | Metra mobile transport belt, machine number: 124, year of construction: 1982, steel frame, plastic belt, belt width: 1960 mm, total dimensions: 2300 mm x 1200 mm x 1000 mm. | 175 |
| 739 | NN transport belt | Mobile transport belt, s/s frame, plastic belt, belt width: 950 mm, total dimensions: 4000 mm x 1200 mm x 930 mm. | 200 |
| 740 | NN office equipment | Office equipment consisting of: Zagres s/s safety box, dimensions box: 780 mm x 400 mm x 400 mm, banner, height banner: 1700 mm, hygiene station with disinfection dispenser and masks, dimensions station: 500 mm x 500 mm x 1400 mm, plastic waste bin, s/s wall mounted frame, dimensions frame: 880 mm x 170 mm x 650 mm. | 10 |
| 761 | NN clocks | 3 clocks. | 10 |
| 762 | NN cleaning tools | Cleaning tools consisting of: floor squeegee, broom, 4 plastic slippery signs, rollie with 2 plastic crates. | 10 |
| 764 | NN table | S/s table, dimensions: 600 mm x 500 mm x 760 mm. Including s/s frame. | 10 |
| 765 | NN trolley | S/s trolley, dimensions: 720 mm x 390 mm x 820 mm. Including 2 s/s frames. | 10 |
| 768 | NN platform | S/s platform, dimensions: 800 mm x 600 mm x 300 mm. | 25 |
| 770 | NN table | S/s table with 2 bottles of eye shower, plastic tank and 2 pipettes, dimensions table: 1100 mm x 530 mm x 2400 mm. | 10 |
| 775 | Pestalozzi | Pestalozzi & Co press, dimensions: 600 mm x 550 mm x 1900 mm. | 50 |
| 777 | NN office inventory | Office inventory consisting of: desk, desk dimensions: 2000 mm x 800 mm x 750 mm, cabinet with drawers, dimensions cabinets: 600 mm x 400 mm x 580 mm, 2 chairs. | 10 |



| | | | |
|-----|-----------------|--|-----|
| 779 | Sony/Lenovo | Sony and Lenovo laptop used for programming machines, model Sony: PCG-955C, dimensions: 325 mm x 260 mm x 50 mm, type Lenovo: 6457, dimensions: 360 mm x 260 mm x 35 mm. | 25 |
| 780 | NN parts | Steel rack with large amount of parts, among others: plastic zip bags, paper tags, locks for cabinet, eye shower, 6 floors, floor dimensions: (6x) 1000 mm x 400 mm, total dimensions: 2000 mm x 400 mm x 1800 mm. | 75 |
| 782 | NN parts | Steel rack with large amount of parts, among others: Tefal bread slicer, safety control units, cloth belts, s/s faucets, 6 floors, floor dimensions: (6x) 1000 mm x 600 mm, total dimensions: 4000 mm x 600 mm x 2000 mm. | 150 |
| 783 | NN parts | 2 steel racks with large amount of parts, among others: control panels, s/s rollers, parts for mixer, bearings, (2x) 7 floors, floor dimensions: 1000 mm x 400 mm, total dimensions: 4000 mm x 400 mm x 2000 mm. | 250 |
| 784 | NN parts | Steel racks with large amount of parts, among others: Pago software packet adapters, chain hoist, electrical cables, 7 floors, floor dimensions: 1000 mm x 400 mm, total dimensions: 4000 mm x 600 mm x 2000 mm. | 175 |
| 785 | NN parts | Steel racks with large amount of parts, among others: s/s rollers, bearings and plastic and s/s gears, total dimensions: 4000 mm x 600 mm x 2000 mm. | 125 |
| 786 | NN parts | Steel racks with large amount of parts, among others: electrical cables, pressure measures, connection parts, glass plates, 7 floors, floor dimensions: (7x) 1000 mm x 600 mm, total dimensions: 5000 mm x 600 mm x 2000 mm. | 300 |
| 787 | NN parts | Steel racks with large amount of parts, among others: parts for Sancassiano and Boku bowl mixers, drum for vegetable grater, bolts, connection parts, electrical cable reel, total dimensions: 5000 mm x 600 mm x 1820 mm. | 275 |
| 788 | NN parts | Steel racks with large amount of parts, among others: spiral springs, lights, pneumatic cylinders, oil filters, 7 floors, floor dimensions: (7x) 1000 mm x 300 mm, total dimensions: 6000 mm x 300 mm x 1820 mm. | 175 |
| 789 | NN parts | Steel racks with large amount of parts, among others: Fellowes sealing machine, various tapes, s/s pipes, 7 floors, dimensions: (7x) 1000 mm x 400 mm, total dimensions: 3000 mm x 400 mm x 2000 mm. | 125 |
| 794 | NN gears | Steel wall mounted frame for gears, dimensions frame: 1500 mm x 450 mm. | 25 |
| 796 | NN parts | Steel frame with large amount of v-belts and tubes. | 100 |
| 797 | NN parts | S/s rack, with large amount of parts, among others: cables, v-belts, 3 floors, floor dimensions: 2000 mm x 600 mm x 1850 mm. | 100 |
| 798 | NN parts | Mobile steel rack with large amount of plastic tubes, maximum length: 2000 mm. | 75 |
| 809 | NN metal shaper | Metal shaper, dimensions: 900 mm x 650 mm x 1750 mm. | 25 |



| | | | |
|-----|----------------------|--|-----|
| 811 | NN white boards | 2 white boards, dimensions: (2x) 1500 mm x 1000 mm. | 5 |
| 813 | NN steel stand | Steel stand with roller, roller width: 320 mm, total dimensions: 500 mm x 500 mm x 1050 mm. | 10 |
| 816 | NN floors | Steel floors, dimensions: (5x) 500 mm x 1000 mm, (1x) 400 mm x 1000 mm and (2x) 350 mm x 950 mm. | 5 |
| 819 | NN racks | 2 mobile s/s racks with large amount of TL-lightings, 3 floors, floor dimensions: (3x) 1100 mm x 700 mm, total dimensions: (2x) 1100 mm x 700 mm x 1300 mm. | 50 |
| 822 | NN pressure vessel | Pressure vessel, dimensions: 450 mm x 450 mm x 1150 mm. | 75 |
| 824 | Zarges | Zarges ladder, 8 steps, dimensions: 2400 mm x 380 mm. | 10 |
| 826 | NN waste container | Plastic waste container with 10 kg oil binder, dimensions: 550 mm x 470 mm x 930 mm. | 10 |
| 828 | NN frame | S/s frame, dimensions plate: 2150 mm x 700 mm, total dimensions: 2150 mm x 500 mm x 1880 mm. | 25 |
| 829 | NN centrifugal pumps | 3 steel centrifugal pumps, dimensions: (3x) 2000 mm x 650 mm x 140 mm. | 300 |
| 832 | Ygnis AG | Ygnis AG condensation recuperator, type: KA-GO 88, number: 6022.19352, year of construction: 1993, 145 kW, capacity: 0.12 m ³ , temperature: 120°C, dimensions: 1470 mm x 1190 mm x 1750 mm. | 275 |
| 833 | Rexnord | Large amount of Rexnord chains. | 50 |
| 835 | NN frames | 2 steel frames, dimensions frames: (2x) 1100 mm x 740 mm x 1200 mm. | 25 |
| 836 | NN frames | 2 s/s wall mounted frames, with brushes. | 10 |
| 838 | NN tank | Tank in steel bin, dimensions tank: 400 mm x 400 mm x 1800 mm, dimensions bin: 1500 mm x 700 mm x 430 mm. Including 3 oil pumps, dimensions pumps: (3x) 400 mm x 180 mm x 180 mm, pressure vessel: dimensions: 150 mm x 150 mm x 300 mm. | 25 |
| 840 | Grundfos | 2 Grundfos circulation pumps, type: CRN3-7 A-P-G-E-HQQE, model: A96493543P10716, serial number: 0009 and 0010, 50 Hz, 0.55 kW, capacity: 3 m ³ per hour, dimensions: (2x) 200 mm x 150 mm x 520 mm. | 150 |
| 842 | NN air filters | Steel trolley with 16 air filters, dimensions filters: (16x) 110 mm x 110 mm x 1000 mm, dimensions trolley: 1000 mm x 500 mm x 820 mm. | 25 |
| 843 | NN frame | Steel wall mounted frame. | 5 |
| 844 | Lechmann AG | Lechmann Ag steel tank, number: 115790, year of construction: 1977, volume: 4000 liter, dimensions: 1300 mm x 2500 mm x 1300 mm. | 250 |
| 846 | Ygnis Kessel AG | Ygnis Kessel AG boiler, type: AK-WW, vessel number: 6024.13514, year of construction: 1988, 119 kW, pressure: 6 bar, volume: 0.1 m ³ , temperature: 165°C, dimensions: 1000 mm x 1000 mm x 2700 mm. | 200 |



| | | | |
|-----|--------------------|---|-----|
| 847 | Bertrams Konus AG | Bertrams Konus AG thermal oil boiler, fabrication number: 10329, year of construction: 1988, 1396 kW, volume: 1285 liter, capacity: 63.6 m ³ per hour, temperature: 300°C, Elco burner, dimensions: 1900 mm x 1900 mm x 4300 mm. | 450 |
| 848 | Demag | Demag double chain hoist, type: PK 2 N-F, year of construction: 1988, 220-380 V, 3 Ph, 50 Hz, 3/2.6 A, 0.5 kW, maximum weight: 500 kg, dimensions: (2x) 300 mm x 300 mm x 700 mm. | 100 |
| 849 | NN stairs | S/s stairs, dimensions: 400 mm x 1550 mm. | 10 |
| 850 | NN hose reel | Hose reel with hose. | 5 |
| 851 | BWT | BWT reverse osmose system, type: Permaq Pico 3, 400 V, 10 A, 0.4 kW, pressure: 2.5-6 bar, water temperature: 10-25°C, dimensions: 580 mm x 470 mm x 800 mm. | 150 |
| 853 | NN platform | S/s platform, dimensions: 2000 mm x 900 mm x 150 mm. | 50 |
| 855 | AEG | AEG washing machine, model: Lavamat, type: Regina 2550 F update, dimensions: 600 mm x 600 mm x 850 mm. | 10 |
| 856 | Rittal | Rittal switch cabinet, dimensions: 2000 mm x 400 mm x 1800 mm. | 200 |
| 858 | NN rollie | Steel rollie, dimensions: 620 mm x 420 mm x 120 mm. | 10 |
| 859 | Pneumatex | Pneumatex expansion vessels, year of construction: 1988, volume: 500 liter, maximum temperature: 100°C, dimensions: 900 mm x 650 mm x 1800 mm. | 250 |
| 860 | NN cabinet | Steel cabinet, dimensions: 370 mm x 330 mm x 550 mm. | 5 |
| 862 | NN boiler | Boiler, dimensions: 1600 mm x 1600 mm x 4000 mm. | 400 |
| 863 | NN boiler | Boiler, dimensions: 1600 mm x 1600 mm x 4000 mm. | 400 |
| 868 | NN sign | Slippery sign dimensions: 250 mm x 700 mm. | 5 |
| 870 | NN hoses | 5 plastic hoses in crate with connectors, dimensions: 400 mm x 600 mm x 650 mm. | 10 |
| 871 | NN chair | Chair and stool, adjustable height, dimensions: Ø 580 mm x 800 mm, Ø 600 mm x 470 mm. | 10 |
| 873 | NN bucket | Plastic buckets on rollie, dimensions: 450 mm x 450 mm x 840 mm. | 5 |
| 875 | NN White boards | 2 metal and 4 plastic white boards, dimensions: (2x) 1500 mm x 1000 mm, (4x) 1200 mm x 900 mm. | 10 |
| 876 | NN roller conveyor | Mobile roller conveyor, roller width: 530 mm, total dimensions: 580 mm x 550 mm x 900 mm. | 25 |
| 877 | NN pylons | 5 plastic pylons, dimensions: (5x) 300 mm x 300 mm x 500 mm. | 5 |
| 878 | NN plexiglass | Large amount of various sizes plexiglass, dimensions: 2050 mm x 1870 mm, 1500 mm x 1500 mm, 2000 mm x 1000 mm, among others. | 10 |
| 879 | NN frame | 3 steel frames for road signs, dimensions: (3x) 700 mm x 1000 mm. | 15 |
| 880 | NN steel | 2 steel beams, dimensions: 2000 mm x 160 mm x 80 mm, 2000 mm x 250 mm x 200 mm. | 20 |
| 883 | Almat | Almat safety lamp, dimensions: 110 mm x 100 mm x 300 mm. | 10 |
| 885 | NN barrel | Barrel with rollie, dimensions: Ø 580 mm x 900 mm. | 10 |



| | | | |
|-----|---------------------|---|-----|
| 887 | Pitec | Pitec mobile dough divider/diviseuse, type: 327201 OCC, 400 V, inside dimensions: (16x) 125 mm x 95 mm, total dimensions: 830 mm x 700 mm x 1200 mm. | 100 |
| 888 | NN container | Steel container, dimensions: 650 mm x 360 mm x 560 mm. | 15 |
| 889 | NN bin | Plastic waste bin, dimensions: Ø 500 mm x 760 mm. | 5 |
| 890 | NN ladder | Aluminium ladder with 4 steps, working height: 930 mm, total dimensions: 400 mm x 100 mm x 1660 mm. | 10 |
| 891 | Biral | Biral pump, type: 32L 125, number: 13/85/42/345. dimensions: 760 mm x 360 mm x 370 mm. | 100 |
| 896 | NN blowers | 2 blowers, dimensions: 450 mm x 450 mm x 550 mm, 350 mm x 350 mm x 450 mm. | 25 |
| 898 | NN belts | Copper mesh belts, belt width: (5x) 2000 mm. | 150 |
| 899 | NN frames | Frames, various sizes and metals. | 50 |
| 900 | NN frames | 7 aluminium frames, dimensions: (7x) 400 mm x 400 mm x 430 mm. | 35 |
| 902 | NN parts | Large amount of parts, including rack, consisting of: 10 uprights, height: 2000 mm, 38 floors, floor dimensions: (38x) 1000 mm x 500 mm. | 250 |
| 903 | NN parts | Large amount of parts, including rack, consisting of: 4 uprights, height: 2000 mm, 12 floors, floor dimensions: (12x) 1000 mm x 600 mm. | 200 |
| 904 | Cymax | Cymax pump, type: LCS12-LS6-A7 0*/250-3.0-Z(B), with wall frame, dimensions: 600 mm x 400 mm x 300 mm. | 50 |
| 905 | NN trolley | Various parts on trolley, dimensions trolley: 1000 mm x 500 mm x 900 mm. | 75 |
| 906 | Stumpf | Stumpf mobile bin, year of construction: 2007, volume: 45 liter. | 10 |
| 907 | NN trolley | Steel trolley, dimensions: 800 mm x 510 mm x 880 mm. | 10 |
| 910 | NN trolley | Steel trolley, dimensions: 500 mm x 500 mm x 1000 mm. | 10 |
| 911 | NN trolley | S/s trolley for barrels, diameter barrel: Ø 420 mm, total dimensions: 700 mm x 500 mm x 470 mm. | 10 |
| 912 | NN trolley | Trolley with dividers, distance between dividers: 220 mm x 360 mm, total dimensions: 730 mm x 400 mm x 820 mm. | 10 |
| 913 | NN barrels | 4 barrels, 1 barrel rollie, dimensions: (4x) 580 mm x 880 mm. | 10 |
| 915 | NN frame | Wooden frame, dimensions: 2000 mm x 1000 mm. | 10 |
| 918 | NN trolley | Steel trolley with plastic top, dimensions: 910 mm x 510 mm x 900 mm. | 10 |
| 920 | NN blower | Blower on trolley, type: LT 20, dimensions: 900 mm x 450 mm x 880 mm. | 10 |
| 926 | NN container | Plastic waste container with oil binder, dimensions: 480 mm x 540 mm x 900 mm. | 5 |
| 927 | Calpeda-Pumpen GmbH | Calpeda-Pumpen GmbH self-priming pump, type: NCAM 80, number: D001498, year of construction: 1990, 220 V, 50 Hz, 3.5 A, dimensions: 400 mm x 250 mm x 350 mm. | 25 |
| 928 | Allweiler AG | Allweiler AG pump, type: TOE/30/1GRD, number: 99.79470, dimensions: 700 mm x 300 mm x 300 mm. | 25 |
| 929 | Speck pumpe | Speck pumpe pump, type: TOE 30 1 GRD, number: 128180, dimensions: 750 mm x 250 mm x 250 mm. | 25 |



| | | | |
|-----|----------------------------|---|-----|
| 930 | NN trolley | Steel trolley for barrels, dimensions: 650 mm x 400 mm x 1400 mm. | 10 |
| 936 | NN chair | Chair, adjustable height, dimensions: Ø 580 mm x 840 mm. | 5 |
| 937 | Defensor | Defensor humidifier model: MK 5, dimensions: 600 mm x 400 mm x 900 mm. | 25 |
| 938 | NN containers | 2 steel containers, dimensions: (2x) 1200 mm x 800 mm x 910 mm. | 25 |
| 939 | NN cabinet | Wall cabinet with spare parts for Kaeser, dimensions: 600 mm x 320 mm x 600 mm. | 10 |
| 940 | Mettler Toledo | Mettler Toledo scale and indicator, model: Spider 2S-150S/A, maximum load: 150 kg, minimum load: 1 kg, e= 50 gram, 230/240 V, 50/60 Hz, 80 mA, dimensions scale: 500 mm x 400 mm, total dimensions: 520 mm x 650 mm x 1350 mm. | 50 |
| 941 | NN scales | Various scales, including rack, dimensions: 1000 mm x 600 mm x 2000 mm. Technical condition scales unknown. | 100 |
| 943 | Bear Ward Engineering LTD. | Bear Ward Engineering LTD. fan with Hi-Seal electro motor, year of construction: 1986, dimensions fan: Ø 860 mm, total dimensions: 1000 mm x 850 mm x 1300 mm. | 100 |
| 944 | NN tank | 1000 liter diesel tank, year of construction: 1986, total dimensions: 1270 mm x 740 mm x 1750 mm. | 150 |
| 946 | NN protection gear | Protection gear consisting of: ear protection, safety goggles and eye wash. | 5 |
| 950 | Atlas | Atlas pressure vessel, number: 44684-2, year of construction: 1986, pressure: 10 bar, 1500 liter. | 150 |
| 951 | Beko/Kaeser | Beko/Kaeser oil-water separator, dimensions: Ø680 mm x 1160 mm. | 25 |
| 953 | NN wall frames | Wall frames for archive, dimensions: (2x) 220 mm x 310 mm, (3x) 350 mm x 190 mm. | 5 |
| 959 | Baker Perkins | Baker Perkins mobile dough divider, dimensions: 1800 mm x 1150 mm x 1600 mm. | 500 |
| 961 | NN trollies | 2 trollies, dimensions: (2x) 580 mm x 600 mm x 980 mm. | 10 |
| 973 | NN hygiene equipment | Hygiene equipment consisting of: paper dispenser, 2 soap dispensers, mirror and bin. | 10 |
| 974 | NN office inventory | Office inventory consisting of: photo frames, dimensions: (4x) 700 mm x 1000 mm, drawer, dimensions: 420 mm x 800 mm x 570 mm, desk fan, umbrellas. | 10 |
| 976 | NN office inventory | Office inventory consisting of: 8 Lista drawers, dimensions: (3x) 800 mm x 600 mm x 1100 mm, (4x) 420 mm x 800 mm x 600 mm, (1x) 800 mm x 420 mm x 570 mm, 6 Lista cabinets, dimensions: (2x) 1200 mm x 400 mm x 750 mm, (2x) 1200 mm x 400 mm x 1100 mm, (1x) 1200 mm x 450 mm x 730 mm, 3 tables, dimensions: 1400 mm x 800 mm x 270 mm, 2000 mm x 800 mm x 820 mm, 2000 mm x 800 mm x 730 mm, 1 chair, 2 rollies, coat rack. | 10 |
| 981 | NN office inventory | Office inventory consisting of: magazine holder, glass wall frame, plastic covid-19 shield, picture frame. | 10 |
| 982 | NN soap dispenser | Soap dispenser, dimensions: 95 mm x 95 mm x 290 mm. | 5 |



| | | | |
|------|-----------------------|--|----|
| 984 | NN office supplies | Large amount of office supplies. | 5 |
| 985 | NN office inventory | Office inventory consisting of: 1 drawer, dimensions: 440 mm x 800 mm x 570 mm, 4 office chairs, dimensions: (4x) Ø 600 mm x 1000 mm. | 10 |
| 986 | NN trolley | Trolley, dimensions: 1000 mm x 500 mm x 820 mm. | 5 |
| 987 | Computer Technik AG | Computer Technik AG air dryer, Dimensions: 1600 mm x 500 mm x 1110 mm. | 50 |
| 989 | Avaya | Avaya server cabinet, dimensions: 800 mm x 870 mm x 1970 mm. | 25 |
| 990 | Canon | 8 Canon toners, including rack, dimensions: 750 mm x 300 mm x 1500 mm. | 10 |
| 991 | Siemens | Siemens server cabinet, dimensions: 700 mm x 800 mm x 2000 mm. | 25 |
| 992 | Siemens | Siemens server cabinet, dimensions: 700 mm x 900 mm x 1800 mm. | 25 |
| 993 | NN banners | Plastic case with banners and posters, dimensions: 600 mm x 400 mm x 950 mm. | 10 |
| 994 | NN cabinet | Cabinet with 3 printers and 1 screen, dimensions: 1000 mm x 400 mm x 1950 mm. | 10 |
| 995 | NN rack | Rack with cables, dimensions rack: 1050 mm x 500 mm x 2000 mm. | 10 |
| 996 | Sonnenkönig/ Rotel | 2 mobile airco units, dimensions: (2x) 400 mm x 400 mm x 750 mm. | 10 |
| 997 | NN coat rack | Coat rack, dimensions: Ø 500 mm x 1680 mm. | 5 |
| 998 | NN frames | Wall frames for magazines | 5 |
| 999 | NN banner | Banner with stand, dimensions: 680 mm x 2100 mm. | 5 |
| 1000 | NN cabinet | Wooden kitchen cabinet on s/s frame with kitchen ware and table, dimensions cabinet: 1200 mm x 850 mm x 1070 mm, dimensions table: 660 mm x 840 mm x 870 mm. | 10 |
| 1001 | NN table | Mobile s/s table, dimensions: 800 mm x 450 mm x 870 mm. | 25 |
| 1002 | Durabase | Durabase microwave, type: SMB 177L3H-P, 230/240 V, 50 Hz, 1200 W, dimensions: 450 mm x 300 mm x 260 mm. | 5 |
| 1003 | NN trolley | S/s trolley, dimensions: 710 mm x 500 mm x 1670 mm. | 10 |
| 1004 | NN rack | Mobile bread rack, 5 floors, floor dimensions: 830 mm x 450 mm, total dimensions: 950 mm x 670 mm x 1570 mm. | 10 |
| 1005 | NN room dividers | 2 wooden room dividers, dimensions: 2150 mm x 90 mm x 2080 mm and 2550 mm x 900 mm x 2080 mm. | 10 |
| 1006 | Oxymount | Oxymount water chiller, model: P 20 KAR, year of construction: 2012, 230 V, 50 Hz, refrigerant: R134a, 100 gram, dimensions: 600 mm x 280 mm x 1360 mm. | 25 |
| 1008 | NN displays | 6 wall mounted displays, dimensions: (2x) 1800 mm x 95 mm x 1000 mm, 1200 mm x 95 mm x 1000 mm, 2080 mm x 120 mm x 1310 mm, 370 mm x 120 mm x 370 mm, 500 mm x 30 mm 670 mm. | 10 |



| | | | |
|------|---------------------|---|-----|
| 1012 | NN sink | S/s in/outfeed sink, dimensions: 2050 mm x 720 mm x 400 mm, 1650 mm x 720 mm x 910 mm, 2 s/s wall frames dimensions: 1100 mm x 540 mm x 430 mm, 1500 mm x 430 mm x 200 mm, 7 Meiko trays, (7x) 500 mm x 500 mm, paper dispenser, 2 soap dispensers, eye washer. | 75 |
| 1015 | NN rollie | Rollie with crate, dimensions: 420 mm x 620 mm x 120 mm. | 5 |
| 1019 | NN cabinet | S/s cabinet, dimensions: 1200 mm x 800 mm x 1000 mm. With wall frame. | 50 |
| 1023 | NN table | S/s table, dimensions: 700 mm x 1000 mm x 1000 mm. | 25 |
| 1025 | NN sink | S/s sink, dimensions: 550 mm x 450 mm x 130 mm, with paper dispenser and 2 s/s soap dispensers. | 10 |
| 1026 | NN cabinet | S/s wall mounted cabinet, dimensions: 900 mm x 500 mm x 1900 mm. | 50 |
| 1031 | NN trolleys | 2 trolleys, (2x) 18 floors, floor dimensions: 430 mm x 320 mm, total dimensions: (2x) 780 mm x 490 mm x 1065 mm. | 50 |
| 1032 | Franke | Franke s/s counter with built-in refrigerated showcase, type: GK85 B, number: 95, 230 V, 1 Ph, 50 Hz, 0.03 kW, inside dimensions: 1050 mm x 550 mm x 200 mm, and au bain-marie, type: SE, number: 36, 220 V, 1 Ph, 50 Hz, 0.6 kW, inside dimensions: 750 mm x 510 mm x 200 mm, total dimensions: 6700 mm x 1100 mm x 1570 mm. | 150 |
| 1033 | NN cutting boards | 8 plastic cutting boards with s/s frame, dimensions: (8x) 530 mm x 325 mm. | 5 |
| 1035 | NN cabinet | S/s cabinet, dimensions: 1640 mm x 1400 mm x 1000 mm. | 100 |
| 1037 | NN soap dispenser | Soap dispenser, dimensions: 95 mm x 95 mm x 290 mm. | 5 |
| 1041 | NN displays | 2 wall displays, dimensions: (2x) 1270 mm x 30 mm x 920 mm. | 5 |
| 1042 | NN sink | S/s sink, dimensions: 950 mm x 450 mm x 600 mm, with 3 paper dispensers, 2 soap dispensers, wall frame, eye wash, 2 bins, 3 slippery signs. | 50 |
| 1045 | Kaba | Kaba Benzing clock system, type: B-Net 93 40, serial number: 072342 - 003670, 230 Vac, 50/60 Hz, 110 mA, dimensions: 250 mm x 130 mm x 30 mm. | 5 |
| 1046 | NN office inventory | Office inventory consisting of: corner desk, dimensions: 2650 mm x 2650 mm x 750 mm, chair, dimensions: Ø 650 mm x 1000 mm, cabinet, dimensions: 1200 mm x 400 mm x 1900 mm, drawer, dimensions: 800 mm x 420 mm x 600 mm. | 25 |
| 1047 | NN dispensers | 2 soap dispensers, paper dispenser, bin, slippery sign. | 5 |
| 1048 | NN dispensers | 2 soap dispensers, paper dispenser, bin, slippery sign. | 5 |
| 1050 | NN office equipment | Office equipment and Christmas equipment. | 5 |
| 1052 | NN case | Case with drawing equipment. | 5 |
| 1053 | NN photo frames | Photo frames, dimensions: (5x) 710 mm x 1010 mm, VHS player, blueray player. | 5 |
| 1054 | NN art | Art in frames, dimensions: (2x) 500 mm x 500 mm. | 10 |
| 1055 | NN room divider | Foldable door, dimensions: 6260 mm x 2400 mm. | 10 |



| | | | |
|------|----------------------------|--|-----|
| 1056 | NN presentation board | Office presentation board, dimensions: 750 mm x 1700 mm. | 10 |
| 1058 | NN tables | 2 s/s tables, dimensions: (2x) 2060 mm x 300 mm x 900 mm. | 50 |
| 1060 | Electrolux | Electrolux refrigerator, type: EK6, 230 V, 50 Hz, 1.0 A, volume: 130 liter, refrigerant: R600a, 27 gram, total dimensions: 540 mm x 500 mm x 850 mm. | 10 |
| 1061 | NN waste bins | 2 plastic waste bins, dimensions: (2x) 500 mm x 500 mm x 850 mm. | 10 |
| 1063 | NN office inventory | Office inventory consisting of: 1 desk dimensions: 1600 mm x 800 mm x 730 mm, 1 table, dimensions: 1600 mm x 800 mm x 730 mm, 1 cabinet, dimensions: 1200 mm x 420 mm x 740 mm, 2 drawers, dimensions: (2x) 420 mm x 800 mm x 600 mm and 4 chairs. | 10 |
| 1064 | NN hygiene equipment | Hygiene equipment consisting of: trash bags, Mio-star vacuum cleaner. | 5 |
| 1065 | NN dispensers | 2 soap dispensers, paper dispenser and bin. | 10 |
| 1066 | Pegasus | Pegasus ceiling fan with lamp and remote control, type: max 1 x 60W, 230 V, 50 Hz, 130 W, dimensions: Ø 1200 mm x 350 mm. | 10 |
| 1068 | NN slippery sign | Plastic slippery sign dimensions: 250 mm x 700 mm. | 5 |
| 1071 | NN fly screens | 2 window fly screens, dimensions: (2x) 1230 mm x 1230 mm. | 5 |
| 1090 | NN soap dispenser | S/s soap dispenser, dimensions: 95 mm x 95 mm x 290 mm. | 5 |
| 1091 | NN waste bin | Plastic waste bin, foot control, dimensions: 500 mm x 400 mm x 770 mm. | 5 |
| 1092 | NN frame | S/s wall mounted frame, dimensions: 1380 mm x 600 mm x 1680 mm. | 10 |
| 1094 | Stumpf-Metal | Stumpf-Metal steel waste bin with 4 separate compartments, dimensions: 1100 mm x 320 mm x 970 mm. | 10 |
| 1095 | NN slippery signs | 4 plastic slippery signs. | 5 |
| 1096 | NN lockers | Steel lockers on s/s frame, dimensions: (3x) 380 mm x 450 mm x 1800 mm. | 25 |
| 1099 | Lista | Lista steel lockers with bench, 6 units, 2 doors each unit, total dimensions: 3050 mm x 1600 mm x 2000 mm. | 100 |
| 1100 | NN changing room equipment | Changing room equipment consisting of plastic paper dispenser, s/s waste bin, mirror, 2 s/s soap dispensers, dimensions: (2x) 95 mm x 95 mm x 290 mm, s/s towel frame and hair blower. | 20 |
| 1101 | Lista | Lista steel lockers with bench, 3 units, 2 doors each unit, dimensions: 3050 mm x 800 mm x 2000 mm. | 50 |
| 1102 | NN lockers | Steel lockers on s/s frame, dimensions: (3x) 380 mm x 450 mm x 1800 mm. | 50 |
| 1106 | NN cabinet | Steel cabinet with various sizes of compartments, dimensions: 5050 mm x 420 mm x 2320 mm. | 50 |



| | | | |
|------|-----------------------------|---|-----|
| 1107 | NN stairs and ironing board | Aluminium stairs, 4 steps, dimensions: 800 mm x 460 mm x 1480 mm and ironing board. | 10 |
| 1108 | NN chair | Mobile office chair, dimensions: 700 mm x 700 mm x 1300 mm. | 5 |
| 1111 | NN lockers | 12 steel lockers on s/s frame, dimensions: (3x) 380 mm x 450 mm x 1800 mm. | 225 |
| 1112 | Lista | Lista steel lockers with bench, 7 units, 2 doors each unit, total dimensions: 4930 mm x 800 mm x 2000 mm. | 125 |
| 1113 | Lista | Lista steel lockers with bench, 4 units, (3x) 3 doors, (1x) 4 doors, dimensions: 1200 mm x 800 mm x 2000 mm, 3600 mm x 800 mm x 2000 mm. | 75 |
| 1115 | Lista | Lista steel lockers with bench, 14 units, 3 doors each unit, total dimensions: 7350 mm x 1600 mm x 2000 mm. | 250 |
| 1116 | NN changing room equipment | Changing room equipment consisting of plastic hand disinfection dispenser, mirror and note board. | 10 |
| 1118 | NN clock | Clock. | 5 |
| 1119 | NN lockers | Steel lockers on s/s frame, dimensions: (2x) 380 mm x 450 mm x 1800 mm. | 25 |
| 1121 | Lista | Lista steel lockers with bench, 16 units, 3 doors each unit, total dimensions: 9450 mm x 1600 mm x 2000 mm. | 300 |
| 1123 | Lista | Lista steel lockers, 2 units, 3 doors each unit, dimensions: (2x) 900 mm x 500 mm x 1750 mm. | 25 |
| 1124 | Lista | Lista steel lockers, 3 units, (2x) 3 doors, (1x) 2 doors, total dimensions: 2830 mm x 510 mm x 1640 mm. | 50 |
| 1127 | NN changing room equipment | Changing room equipment consisting of plastic paper dispenser, s/s waste bin, 2 mirrors. | 25 |
| 1128 | NN sink | S/s sink with 2 s/s soap dispensers, dimensions sink: 3400 mm x 400 mm x 160 mm. | 25 |
| 1129 | NN sink | S/s sink with 2 s/s soap dispensers, dimensions sink: 3400 mm x 400 mm x 160 mm. | 25 |
| 1132 | NN lockers | 2 lockers with bench, 16 doors and 10 doors, dimensions: 4800 mm x 800 mm x 2350 mm and 3050 mm x 800 mm x 2350 mm. | 25 |
| 1133 | Stoko | Stoko plastic hand disinfection dispenser, dimensions: 140 mm x 140 mm x 320 mm. | 5 |
| 1134 | NN changing room equipment | Changing room equipment consisting of s/s sink, dimensions: 1750 mm x 400 mm x 200 mm, 2 s/s soap dispensers, 2 plastic paper dispensers, 3 s/s waste bins and Stäfa Ventilator AG dryer. | 25 |
| 1135 | NN towel frames | 2 s/s wall mounted towel frame, dimensions: 3100 mm x 540 mm, 800 mm x 400 mm. | 10 |
| 1136 | Lista | Lista steel lockers with bench, 2 units, 3 doors each unit, total dimensions: 2400 mm x 800 mm x 2100 mm. | 25 |
| 1137 | Lista | Lista steel lockers with bench, 5 units, (3x) 3 doors each unit, (2x) 2 doors each unit, total dimensions: 5300 mm x 800 mm x 2100 mm. | 100 |



| | | | |
|------|--------------------------|---|-----|
| 1138 | Lista | 3 Lista steel lockers with bench, 6 units, (4x) 3 doors each unit, (2x) 4 doors each unit, 4 units, (3x) 3 doors each unit, (1x) 2 doors each unit, dimensions: 4020 mm x 800 mm x 2100 mm, 4020 mm x 1600 mm x 2100 mm and 4400 mm x 800 mm x 2200 mm. | 175 |
| 1139 | NN stairs and wall frame | S/s stairs, 6 steps, dimensions: 1100 mm x 520 mm x 1770 mm and s/s wall mounted towel frame. | 25 |
| 1140 | Lista | Lista steel lockers with bench, 3 units, 3 doors each locker, total dimensions: 3730 mm x 800 mm x 1750 mm. | 50 |
| 1143 | Lista | Lista steel locker with bench, 3 doors, dimensions: 1200 mm x 800 mm x 2100 mm. | 20 |
| 1144 | Lista | Lista steel lockers with bench, 34 doors, dimensions: 5650 mm x 800 mm x 2200 mm, 4020 mm x 1600 mm x 2100 mm. | 225 |
| 1145 | NN lockers | Steel lockers on s/s frame, dimensions: (2x) 380 mm x 450 mm x 1800 mm. | 20 |
| 1146 | Lista | Lista steel lockers with bench, 7 units, (6x) 3 doors each unit, (1x) 2 doors each unit, dimensions: 8000 mm x 800 mm x 2100 mm. | 125 |
| 1147 | Lista | 2 Lista steel lockers with bench, 18 and 38 doors, dimensions: 7200 mm x 800 mm x 2100 mm and 7630 mm x 1600 mm x 2100 mm. | 100 |
| 1149 | NN towel frame | S/s wall mounted frame for towels, dimensions: 1500 mm x 400 mm. | 10 |
| 1152 | NN railing | S/s railing, dimensions: 1600 mm x 100 mm. | 50 |
| 1153 | NN protection frame | S/s protection frame, dimensions: 8100 mm x 300 mm. | 75 |
| 1156 | NN clipboard | S/s clipboard. | 5 |
| 1158 | NN containers | 3 plastic roll containers | 50 |
| 1159 | NN tub with cables | Steel tub with electric cables, dimensions: 450 mm x 350 mm x 700 mm. | 10 |
| 1162 | Meili | Meili electric chain hoist with steel transport beam, capacity: 1000 kg, dimensions hoist: 400 mm x 300 mm x 1000 mm, length beam: 7000 mm. | 175 |
| 1164 | NN wall cabinet | Steel wall cabinet with telephone, dimensions cabinet: 400 mm x 190 mm x 400 mm. | 25 |
| 1167 | NN cage for gas bottles | Steel cage used to store gas bottles, dimensions: 2250 mm x 550 mm x 2200 mm. | 50 |
| 1168 | Vikan | Vikan aluminium wall rack with hygiene equipment. | 5 |
| 1169 | NN containers | 2 steel containers, dimensions: (2x) 1500 mm x 1000 mm x 1400 mm. | 50 |
| 1170 | NN platform | Steel platform, dimensions: 3100 mm x 1370 mm x 450 mm. | 50 |
| 1191 | Omnium | Omnium plastic waste container, dimensions: 540 mm x 480 mm x 900 mm. | 10 |
| 1193 | NN boots | Pair of boots, size: EU 43. | 5 |
| 1194 | NN frames with hoses | 3 steel frames with hoses and couplings, dimensions frames: (3x) 5300 mm x 210 mm x 100 mm. | 10 |
| 1196 | NN toolbox | Steel toolbox, dimensions: 450 mm x 200 mm x 300 mm. | 5 |



| | | | |
|------|----------------------|---|-----|
| 1197 | NN writing table | S/s mobile writing table with wooden top, 3 drawers, dimensions: 700 mm x 580 mm x 1150 mm. | 25 |
| 1201 | NN hose reel | S/s hose reel with plastic hoses for vacuum cleaner, dimensions hose reel: 230 mm x 180 mm. | 5 |
| 1202 | Spellna | Spellna rotary vane vacuum pump, dimensions: 1300 mm x 600 mm x 1600 mm. | 75 |
| 1203 | Spellna | Spellna rotary vane pump, type: RV24H1G, 5.5 kW, 200 mbar, 0.2 m ³ /s, 15 °C, 1.2 kg/m ³ , dimensions: 1300 mm x 600 mm x 1600 mm. | 75 |
| 1204 | Spellna | Spellna rotary vane pump, type: RV22H1G, 11.8 kW, 600 mbar, 0.144 m ³ /s, 15 °C, 1.2 kg/m ³ , dimensions: 1300 mm x 600 mm x 1600 mm. | 75 |
| 1205 | Spellna | Spellna rotary vane pump, type: RV22H1G, 11.8 kW, 600 mbar, 0.144 m ³ /s, 15 °C, 1.2 kg/m ³ , dimensions: 1300 mm x 600 mm x 1600 mm. | 75 |
| 1206 | Reimelt | Reimelt sieve machine on steel frame, type: SIEBM.RS/4, serial number: 0-866-052, dimensions: 1600 mm x 500 mm x 1800 mm. Including extra sieve, dimensions: ø 320 mm x 800 mm. | 175 |
| 1207 | Reimelt | Reimelt sieve machine on steel frame, dimensions: 1600 mm x 500 mm x 1800 mm. | 175 |
| 1211 | Skylotec | Steel wall cabinet with Skylotec personal protective antifall equipment, dimensions: 300 mm x 220 mm x 600 mm. | 10 |
| 1212 | NN vessel | Steel isolated vessel under steel canopy, dimensions vessel: ø 1030 mm x 1800 mm, dimensions canopy: 3200 mm x 2600 mm x 3200 mm. | 150 |
| 1213 | Thermofin | Thermofin roof condenser on steel frame, 6 fans, type: TCH.2-091-23-C-E(S5)-BB, serial number: HC1 001 330, year of construction: 06/2009, 400 V, 3.84/1.80 kW, weight: 1231 kg, dimensions: 7400 mm x 2300 mm x 2400 mm. | 400 |
| 1214 | Güntner | Güntner roof condenser on steel frame, 8 fans, type: GFH 090.2B/2x4-N(J)-F6/2P, serial number: 404406977/26.00084, year of construction: 2016, volume: 309 liter, dimensions: 10000 mm x 2400 mm x 2600 mm. | 400 |
| 1215 | LG | LG outdoor unit, model: AUUW488DH(1), 2 fans, dimensions: 940 mm x 330 mm x 1400 mm. | 50 |
| 1216 | Visiosat | Visiosat satellite dish, dimensions: 800 mm x 700 mm mm x 1100 mm. | 5 |
| 1231 | NN rain coat | Plastic rain coat. | 5 |
| 1232 | Almat | Almat rechargeable safety lamp. | 15 |
| 1233 | NN hygiene equipment | 1 broom, 2 shovels and 1 sweeper. | 5 |
| 1237 | Risch | Risch ventilator, type: EQ 200-4 KS, dimensions: 300 mm x 300 mm. | 25 |
| 1239 | NN gauze | Bucket with gauze. | 5 |
| 1241 | NN platform | Galvanised platform with stairs, dimensions: 2800 mm x 710 mm x 2180 mm. | 50 |



| | | | |
|------|-------------|--|----|
| 1242 | NN platform | Galvanised platform with stairs, dimensions: 1820 mm x 775 mm x 2160 mm. | 25 |
| 1243 | Zarges | Zarges aluminium stairs, height: 1730 mm. | 5 |



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within 5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the



information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including



taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:



- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a



different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by



him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery



13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the



agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including



the loss of the good itself);

- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;

- Damage caused by environmentally harmful substances in or on the purchased;

- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);

- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 07-09 Online auction pig and cattle slaughter line due to discontinuation of slaughter activities Coymans Vlees BV in Den Dungen (NL)**
- 09-09 Online auction machinery for the food industry in Raciaz (PL)**