ONLINE ONLY AUCTION

INSPECT ONSITE AND BID ONLINE

MAJOR STEEL CASTING FOUNDRY

PACIFIC STEEL CASTING

ONSITE INSPECTION LOCATION: 1333 SECOND STREET, BERKELEY, CA 94710

BIDDING CLOSES: THURSDAY, JUNE 14 AT 9:00 AM PDT
ONSITE INSPECTION DATES: JUNE 11, 12 & 13 OR BY APPOINTMENT ONLY
CONTENTS OF PLANT #1 & MOST OF PLANT #3





(3) 7' AND 8' ARC MELTING FURNACES 2000 AND 3125 KVA, COMPLETE NO BAKE LINE 68" X 68" WITH 1500# MIXER, 15,000# ROLLOVER AND RELATED, (2) BMM CT6 MOLDING MACHINES, BMM CT3 MOLDING MACHINE, HUNTER 20C MOLDING MACHINE, (6) SHALCO DSM 3 SHELL MOLDING MACHINES, B AND P 75B MULLER WITH HARTLEY CONTROLS, (4) REDFORD HS16 SHELL CORE MACHINES, DEPENDABLE 400 AND 200 SHELL CORE MACHINES, (2) B AND P SF6CA SHELL CORE MACHINES, COMPLETE SHELL COATING SYSTEM, COMPLETE DEPENDABLE THERMAL RECLAIM SYSTEM RATED AT 2TPH, SHELL POURING AND SHAKEOUT SYSTEM, OVER (30) BELT CONVEYOR, BUCKET ELEVATORS, SHAKEOUTS AND OSCILLATING CONVEYOR, OVER 1000' OF ROLLER CONVEYORS, INSPECTION AND BRINELL TESTERS, COMPLETE MAINTENANCE DEPARTMENTS, ROLLING STOCK, AIR TOOLS, ELECTRIC TOOLS, AND LOTS, LOTS MORE.



REICH D BROTHERS
www.reichbros.com



www.flsales.com

Office 818.264.4232 | Cell 818.388.6033 rov@unitedassetsales.com

ONLINE ONLY AUCTION

= INSPECT ONSITE AND BID ONLINE

MAJOR STEEL CASTING FOUNDRY PACIFIC STEEL CASTING

ONSITE INSPECTION LOCATION:

1333 SECOND STREET, BERKELEY, CA 94710

BIDDING CLOSES:

THURSDAY, JUNE 14 AT 9:00 AM PDT ONSITE INSPECTION DATES: JUNE 11, 12 & 13 OR BY APPOINTMENT ONLY CONTENTS OF PLANT #1 & MOST OF PLANT #3.

TERMS OF PAYMENT:

CASH, CASHIER'S CHECK, BUSINESS CHECK WITH BANK LETTER OF GUARANTEE, BANK WIRE TRANSFER. FULL PAYMENT MUST BE MADE NO LATER THAN 24 HOURS OF WINNING BID.

REMOVAL:

STRICT REMOVAL GUIDELINES REQUIRED, CHECK ONLINE CATALOG FOR DETAILS.

BUYER'S PREMIUM:

18% FOR ALL ONLINE PURCHASES

ONLINE BIDDING PROVIDED BY





WWW.UNITEDASSETSALES.COM

23945 Calabasas Road, Suite 209, Calabasas, CA 91302 Office 818.264.4232 | Cell 818.388.6033 roy@unitedassetsales.com

> ROY GAMITYAN, AUCTIONEER CA Bond# 63388305

MELTING







DT325, DT374, DT200

SALE #1 PLANT #1 ELECTROMELT 7

DIAMETER ARC MELTING FURNACE WITH PRIMARY SWITCHGEAR, 2000 KVA TRANSFORMER 13,200 VOLT

PRIMARY, 280 VOLT SECONDARY

SALE #1 PLANT #3 WHITING 8 FT DIAMETER ELECTRIC ARC "ROCKER STYLE "MELTING

FURNACE, 8" ELECTRODES, APPROX. 11,000# CAPACITY WITH

PRIMARY SWITCHGEAR, 2000 KVA TRANSFORMER 13,200 VOLT PRIMARY, 240 VOLT SECONDARY WITH AUTOMATIC TAP CHANGER,

HYDRAULIC SYSTEM AND CONTROLS

SALE #2 PLANT #2 ELECTROMELT 7'

DIAMETER ARC MELTING FURNACE WITH 8" ELECTRODES, APPROX. 6500

CAPACITY, PRIMARY SWITCHGEAR, 3125 KVA TRANSFORMER 13,200

VOLT PRIMARY, 280 VOLT SECONDARY

LEAF TYPE AND CLAM TYPE CHARGE BUCKETS, ALLOY BINS.3-58" AND

(3) 50" DIAMETER GEARED TEAPOT LADLES.3- 50" DIAMETER GEARED

ELECTRONITE PYROMETERS MODEL

BOTTOM POUR LADLES, LADLE PREHEATERS, HAND LEVER LADLES,

SALE #2 SPARE 2000 KVA

TRANSFORMER 13,200 VOLT PRIMARY, 280 VOLT SECONDARY

WITH TAPS

WITH TAPS

WITH TAPS
SALES #1 & #2

AUTOMATIC MOLDING MACHINE

(2) BMM MODEL CT6 SEMIAUTOMATIC MOLDING MACHINES

BMM MODEL CT3 SEMIAUTOMATIC MOLDING MACHINES

(2) SPO JOLT PIN LIFT MOLDING MACHINES
(2) MOLDERS HOPPERS WITH ROYER AERATORS

MIXERS AND MULLERS

B AND P MODEL 75B SPEEDMULLER WITH HARTLEY COMPACTABILITY CONTROLS

(2) OMCO MODEL MS1 SUPER BOWL MIXERS ONE WITH 2012 TINKER OMEGA 3 PUMP SYSTEM Carver Model 2CG S Blade Mixer

SIMPSON PORTAMULLER



FLASKS

HUNDREDS AND HUNDREDS OF ALUMINUM, AND STEEL FLASKS VARIOUS SIZES







NO BAKE MOLDING LINE

NO BAKE MOLDING LINE INCLUDING

OMCO 1500# CONTINUOUS MIXER WITH CONTROLS, PUMPS AND HYDRAULIC SYSTEM

KLOSTER TYPE I 75# CONTINUOUS MIXER WITH CONTROLS AND PUMPS

68" X 68" BOTTOM PLATES

OMCO COMPACTION TABLE WITH CONTROLS

APPROX. 250' OF 42" POWERED ROLLER CONVEYOR AND **SELF PROPELLED TRANSFER CARS**

APPROX. 50' OF 42" NON-POWERED ROLLER CONVEYOR **RELATED SAND HOPPER AND SUPPORTS**

B AND P MODEL 15032 15,000# MOLD ROLLOVER INTERNATIONAL MODEL MR-H 8000# HYDRAULIC **MOLD ROLLOVER**

MOLD WASH MIXERS, PUMPS AND RELATED



CORE MACHINES AND CORE BLOWERS

















SHELL MOLDING DEPARTMENT (STILL IN OPERATION UNTIL APPROX. MAY)





SALE #1 DEPENDABLE MODEL 400 SHELL CORE MACHINE WITH CONTROLS

SALE #1 DEPENDABLE MODEL 200SA SHELL CORE MACHINE WITH CONTROLS

SALE #1 (2) REDFORD MODEL SL4 SAND TRANSPORTER

SALE #2 (4) REDFORD MODEL HS16 RA SHELL CORE MACHINES WITH CONTROLS

SALE #2 (2) B AND P MODEL SF6CA SHELL **CORE MACHINES WITH CONTROLS**

SALE #2 (3) REDFORD MODEL SL4 SAND RETURN TRANSPORTERS

SALE #1 (2) B AND P MODEL CB5 **CORE BLOWERS**

SALE #1 (2) B AND P GASSING STATIONS

PALLET LINES

(5) PALLET LINES APPROX. 70' LONG WITH 24" X 60" TRAYS, HYDRAULIC SCISSOR LIFT RETURN AND AIR OPERATED DUMPS, **RELATED PLATFORMS**



SHAKEOUTS



8' X 14' SHAKEOUT WITH HOOD 8' X 8' SHAKEOUT WITH HOOD 4' X 8' SHAKEOUT WITH HOOD

RECLAIM SYSTEMS

G/K MODEL VM120 LUMPS CRUSHER WITH CONTROLS

(3) SIMPSON 8 CELL PNEUMATIC SAND **RÉCLAIMERS WITH CONTROLS**

CONVEYORS

LARGE QUANTITY OF BELT **CONVEYORS, BUCKET ELEVATORS, SAND SCREENS** AND RELATED ITEMS



CONVEYORS OSCILLATING AND STEEL FLIGHT

WABCO 24/36" X APPROX. 60' MOLD DUMP CONVEYOR WITH DRIVE

36" X APPROX. 25' STEEL FLIGHT **CONVEYOR WITH DRIVE**

G/K MODEL 18.25 18" X 25' OSCILLATING **CONVEYOR WITH DRIVE**



APPROX. 250' OF 42" POWERED ROLLER CONVEYOR AND SELF PROPELLED TRANSFER CARS

APPROX. 50' OF 42" NON-POWERED ROLLER CONVEYOR APPROX. 50' - 30" ROLLER CONVEYOR WITH CURVES APPROX. 270'- 12" TO 20" ROLLER CONVEYORS

APPROX. 50' - 26" ROLLER CONVEYOR

APPROX. 200' - 18" ROLLER CONVEYOR











SILOS SALE #1 & #2

(2)200TÓN SAND

SUPPORTS (3) APPROX. 150 TON SAND SILO AND SUPPORT

SILOS WITH

(3) SHELL PROCESS OR SHALCO MODEL DSM 3 SHELL MOLDING MACHINES EACH EQUIPPED WITH UNIVERSAL FEED BUCKET ELEVATOR, DRIVE, MOTOR, HYDRAULIC SYSTEM, (2) OVENS, PICKOFF SYSTEM, GAS SYSTEM, **CONTROLS AND EITHER (2) 1520 PIN BONDERS WITH** GLUE APPLICATORS OR (1) 2030 PIN BONDER WITH GLUE APPLICATOR

(2) SHELL PROCESS MODEL DSM 3 SHELL MOLDING MACHINES, MODIFIED FOR INLINE MOLDING

APPROX. 50- PORTABLE SHELL CARTS

SHELL COATING SYSTEM INCLUDING: (2) BOLTED AND SKIRTED SAND SILOS, APPROXIMATELY 150 TON CAPACITY, COMMON DISCHARGE BUCKET ELEVATOR WITH DRIVE, MOTOR & CONTROLS, SAND HOPPER WITH SUPPORTS, BUCKET ELEVATOR WITH DRIVE, MOTOR & CONTROLS, SAND HEATER WITH CONTROLS, B & P SAND MULLER EQUIPPED WITH BATCH HOPPER, SCALE **SYSTEM & BLOWER, 24" DISCHARGE SCREW CONVEYOR** WITH DRIVE, MOTOR & CONTROLS, SIMPLICITY 3' X 6' SCREEN WITH DRIVE, MOTOR & CONTROLS, UNIVERSAL BUCKET ELEVATOR WITH DRIVE, MOTOR & CONTROLS, **CUSTOM BELT SAND COOLING TOWER, UNIVERSAL BUCKET ELEVATOR WITH DRIVE. MOTOR & CONTROLS.** SAND TRANSPORTER TO CONVEY SAND TO EACH DSM 3 MACHINE, SYSTEM CONTROLS AND SUPPORT EQUIPMENT THERMAL RECLAIM SYSTEM WITH; DEPENDABLE LUMP

BUCKET ELEVATOR WITH DRIVE, MOTOR & CONTROLS, MAGNETIC SEPARATOR, UNIVERSAL BUCKET ELEVATOR WITH DRIVE, MOTOR & CONTROLS, SAND HOPPER WITH SUPPORT STRUCTURES, FEED SCREW CONVEYOR WITH DRIVE, MOTOR & CONTROLS, DEPENDABLE MODEL 2 TPH HTCC 2 TON PER HOUR GAS FIRED THERMAL SAND RECLAIMER S/N 228 HTCC WITH GAS SYSTEM & CONTROLS, DEPENDABLE SAND COOLER EQUIPPED WITH BAC MODEL VTO JDR COOLING TOWER, S/N 97200386, **UNIVERSAL BUCKET ELEVATOR WITH DRIVE, MOTOR &** CONTROLS, DEPENDABLE DFT II SAND TRANSPORTER S/N 279, 2" CAPACITY, RETURN STEEL BOLTED & SKIRTED SAND SILO, 150 TON CAPACITY, WITH SUPPORT **EQUIPMENT**

REDUCER WITH DRIVE, MOTOR & CONTROLS, UNIVERSAL

SHELL POURING AND SHAKEOUT SYSTEM WITH APPROXIMATELY 460 FT OF OVERHEAD CHAIN MONORAIL SYSTEM WITH SUPPORT STRUCTURES, DRIVE, MOTORS, CHAINS WITH TRAYS, 4' X 8' SHAKEOUT, BUCKET **ELEVATOR, SAND HOPPER WITH SUPPORTS, AND**

WWW.UNITEDASSETSALES.COM

FINISHING AND INSPECTION CELLS



ENCLOSURE WITH APPROX. 150' -36" ROLLER CONVEYOR, SCISSOR LIFT TABLES, FOUR SIDE DRAFT EXHAUSTS, APPROX. 7000 CFM DUST COLLECTOR WITH BLOWER AND MOTOR, WELDERS AND HOISTS

ENCLOSURE WITH APPROX. 100' - 36" ROLLER CONVEYORS, TURNTABLES, FOUR SIDE DRAFT EXHAUSTS, APPROX. 7000 CFM DUST COLLECTOR WITH BLOWER AND MOTOR, WELDERS AND HOISTS

(4) ENCLOSURES EACH WITH WELDING TABLES, SIDE DRAFT EXHAUST COMMON APPROX. 8000 CFM DUST **COLLECTOR WITH BLOWER AND MOTOR, WELDERS** AND HOISTS

(8) FINISHING CELLS EACH WITH ENCLOSURE, 3' X 5' 4000# LIFT TABLE, MILLER DIMENSION 652 WELDER WITH WIRE FEEDER, AND GRINDING TABLE

INSPECTION CELL WITH 3' X 5' 4000# LIFT TABLE, MAGNAFLUX MODEL KRD MAGNETIC PARTICLE INSPECTION MACHINE

MANIPULATORS

(2) VULCAN MODEL 1500 CASTING MANIPULATORS WITH CONTROLS AND HYDRAULIC SYSTEMS



INSPECTION AND BRINELL TESTERS

TRANSPORTERS

(4) SAND TRANSPORTERS W/CONTROLS (3) DYNAMIC AIR SAND TRANSPORTERS

WENTWORTH 2" SAND TRANSPORTER

WHIRL AIR FLO 6" SAND TRANSPORTER

MAGNETS

48" DIAMETER OHIO CRANE MAGNET

(2) 45" DIAMETER CRANE MAGNETS

WITH CONTROLS

WITH CONTROLS

WITH CONTROLS

FARO PORTABLE MODEL STERLING CMM ARM

NUMEREX MODEL 4860-36 MD DUAL DEAM 48" X 60" X 36" COORDINATE MEASURING MACHINE WITH RENISHAW PH10-M STYLUS, JOYSTICK, GRANITE TABLE AND COMPUTER

HANSFORD MODEL RAPIDCHECK 2828-18 28" X 28" X 18" COORDINATE MEASURING **MACHINE WITH RENISHAW PH1 STYLUS, GRANITE TABLE AND CONTROLS**

LAB **SAND AND METALLURGICAL**

GRAM BALANCES THERMOLYNE MUFFLE OVENS **DIETERT 338 PERMMETER OHAUS SCOUT PRO GRAM BALANCE**

DIETERT 315 SAND RAMMER FILLER TUBES

DIETERT 276 MOISTURE TESTERS DIETERT MB CLAY TESTER

JET FILTER SYSTEM

(2) THERMO SCIENTIFIC MODEL 3460 OES SPECTROMETER

JARRELL ASH SERIES 800 ATOM COMP SPECTROMETER EQUIPPED WITH 13 ELEMENTS, COMPUTER **AND PRINTER**



PRESSES

BIRDSBORO MODEL 50-5-0-11-22-31-2-M 50 TON C FRAME TYPE STRAIGHTENING PRESS WITH 24" X 36" TABLE. 9" RAM

CUSTOM BUILT STRAIGHTENING PRESS WITH 3" RAM, 13" THROAT, 30" X 60" TABLE, HYDRAULIC SYSTEM



CRANES AND HOISTS







SHOT BLAST CLEANING MACHINES







(2) PANGBORN MODEL 8LN 8' DOUBLE DOOR SWING TABLE **CLEANING MACHINE S/N 8LN-651 AND NSN**

PANGBORN MODEL 34 GN 34 CU FT TUMBLE BLAST CLEANING MACHINE, NSN EQUIPPED WITH SHOT SYSTEM AND FLOOR LOADER

PANGBORN 20 GN 20 CU FT TUMBLAST CLEANING MACHINE

S/N 20GNM-594

PANGBORN 18GN 18 CU FT TUMBLAST CLEANING MACHINE S/N 18GN-561

PANGBORN MODEL 26GNM TUMBLAST CLEANING MACHINE WITH FLOOR LOADER AND SHOT SYSTEM AND CONTROLS WHEELABRATOR 14 CU FT TUMBLAST CLEANING MACHINE WITH FLOOR LOADER, 1- SHOT WHEEL AND SHOT SYSTEM AND CONTROLS



P AND H 15/5 TON OVERHEAD DOUBLE

GIRDER TOP RUNNING BRIDGE CRANE, CAB OPERATED, 43' SPAN, 26' LIFT

(2) P AND H 15 TON OVERHEAD DOUBLE GIRDER TOP RUNNING BRIDGE CRANES, 51' SPAN, 28' LIFT, CAB OPERATED

10 TON OVERHEAD SINGLE UNDER HUNG RUNNING TRAVEL CRANE, PC 30' SPAN, 24' LIFT, 30' RUNWAY

DANDAS 12 TON OVERHEAD DOUBLE GIRDER TOP RUNNING BRIDGE CRANE, CAB OPERATED, 40' SPAN, 24' LIFT

MAY CITY 10 TON OVERHEAD DOUBLE GIRDER TOP RUNNING BRIDGE CRANE. CAB OPERATED, 40' SPAN, 24' LIFT

(2) BROADLINE 5 TON OVERHEAD DOUBLE GIRDER TOP RUNNING BRIDGE CRANES, 37' SPAN, 32' LIFT, PENDENT CONTROLS

3 TON APPROX, 40' SPAN SINGLE **GIRDER BRIDGE CRANE WITH GARDNER** DENVER HOIST

OVER 86 - 1/2 TON TO 3 TON BRIDGES AND HOISTS BOTH AIR AND ELECTRIC











HEAT TREAT

(2) 6' X 10' CAR BOTTOM HEAT TREAT FURNACES WITH GAS SYSTEM AND CONTROLS, 4 BURNERS PER SIDE

(2) 6' X 12' CAR BOTTOM JOHNSTON HEAT TREAT FURNACE EQUIPPED WITH (3) BURNERS PER SIDE, BLOWER AND MOTOR AND GAS SYSTEM, CONTROLS WITH HONEYWELL DIGITAL READOUTS

(2) JOHNSTON 6' X 6' X 10' BOX TYPE TEMPERING HEAT TREAT OVENS EACH EQUIPPED WITH GAS SYSTEM, **BURNER, BLOWER AND CONTROLS WITH WATLOW** DIGITAL READOUTS

(5) JOHNSTON 6' X 6' X 10' BOX TYPE QUENCH HEAT TREAT OVENS EACH EQUIPPED WITH GAS SYSTEM. BURNER, BLOWER AND CONTROLS WITH WATLOW DIGITAL READOUTS, HONEYWELL CHART RECORDERS AND JET RECIRCULATION SYSTEMS

WATER OUENCH PIT EQUIPPED WITH RECIRCULATION SYSTEM AND COOLING SYSTEM WITH ROOF MOUNTED **COOLING TOWERS**

LUCIFER 14" X 18" BOX OVEN EQUIPPED WITH HONEYWELL DIGITAL READOUTS

(4) WALK IN TYPE PREHEAT OVENS WITH CONTROLS

HEAT TREAT BASKETS

TABLES-SCISSOR LIFT

(12) 3' X 5' AND 4' X 6' HYDRAULIC SCISSOR LIFT TABLES

AIR COMPRESSORS AND DRYERS



QUINCY MODEL QSI 1000 1000 CFM 300 HP WATER COOLED ROTARY SCREW TYPE AIR COMPRESSOR, DIGITAL READOUT

INGERSOLL RAND XLE RECIPROCATING AIR COMPRESSOR, 150 HP, SIZE 16X 10-7 WITH SUPPORT EQUIPMENT

INGERSOLL RAND TWO STAGE RECIPROCATING AIR COMPRESSOR, 150 HP WITH SUPPORT EQUIPMENT INGERSOL RAND MODEL SSR-EP60 60 HP SCREW TYPE

AIR COMPRESSOR WITH INTELLISYS ATLAS COPCO MODEL GAU117 150 HP SCREW TYPE AIR

COMPRESSOR QUINCY MODEL QSI 300 75 HP SCREW TYPE AIR COOLED

AIR COMPRESSOR, 27587 HOURS

INGERSOL RAND MODEL IRN60H-CC 60 HP SCREW TYPE AIR COMPRESSOR WITH DIGITAL READOUTS

QUINCY 40 HP MODEL QMAJATA31C SCREW TYPE AIR COMPRESSOR, 02082 HOURS

INGERSOLL RAND MODEL XLE AIR COMPRESSOR, 14 1/2-9 X 7

INGERSOL RAND MODEL TMS 0540 540 CFM REFRIGERATED AIR DRYER S/N 42529040

INGERSOL RAND MODEL TMS 2000 2000 CFM REFRIGERATED AIR DRYER

INGERSOL RAND MODEL SSR-EP200-2S SCREW TYPE AIR COMPRESSOR, 200 HP, 990 CFM

INGERSOL RAND MODEL NVC600A400 600 CFM REFIRIGERATED AIR DRYER

SULLIVAN PALATEK MODEL 40D 40 HP TANK MOUNTED AIR COMPRESSOR 6861 HOURS

ARROW MODEL A200-4 200 CFM AIR DRYER S/N 2451887 INGERSOL RAND MODEL XRE TWIN RECIP AIR COMPRESSOR NOT IN SERVICE













GRINDERS AND SAWS

(13) 14" AND 10" DOUBLE END PEDESTAL **GRINDERS**

(11) FOX MODEL G50 30" SNAG GRINDERS **WITH SAFETY GUARDS**

FOX 20" CUTOFF SAW WITH ENCLOSURE (5) FOX 30" 40HP TABLE TYPE CUT OFF SAWS **MARVEL #8 VERTICAL BAND SAW WITH POWER FEED**

WELDERS AND POWER SOURCES

(2) THERMAL DYNAMICS PAK 45 PLASMA UNITS (6) MILLER CPC 1500 POWER SOURCES (30+) MILLER DIMENSION 652 WELDERS (2) AFTEK 2400 AMP POWER SOURCES (4) VARIOUS ROD OVENS







WELDING

CELL WITH ABB 6400 ROBOT AND POWER SUPPLY, 30" 50 HP CUT OFF SAW WITH TABLE, **BURR GRINDER, TRIM** PRESS, CLEATED BELT AND **ENCLOSURE**

CELL WITH MOTOMAN K10S ROBOT AND POWER SUPPLY, TABLE WITH SWIVEL AND ROTATION AND CLAMP, HOBART 350 AMP WELDER WITH WIRE FEEDER, ENCLOSURE

CELL WITH MOTOMAN SK6 ROBOT AND POWER SUPPLY, THERMAL DYNAMICS PAK45 PLASMA UNIT, ENCLOSURE

CELL WITH MOTOMAN SK6 ROBOT AND POWER SUPPLY, THERMAL DYNAMICS PAK45 PLASMA UNIT, ENCLOSURE

WOOD CHIPPING SYSTEM

GSS 48" X 20' FEED BELT CONVEYOR WITH DRIVE, MOTOR AND CONTROLS BLOAPCO MODEL CAX 2558 VP 25 HP SHREDDER WITH DRIVE, MOTOR AND CONTROLS CHAMPION 5 HP VERTICAL TANK MOUNTED AIR COMPRESSOR WITH SUPPORT EQUIPMENT 24" X 30' CLEATED DISCHARGE BELT CONVEYOR WITH DRIVE, MOTOR AND CONTROLS 24" X 10' CLEATED DISCHARGE BELT CONVEYOR WITH DRIVE, MOTOR AND CONTROLS

DUST COLLECTORS #1 & #2

BHA/GE APPROX. 36,000 CFM PULSE BAG DUST **COLLECTOR WITH 125 HP MOTOR AND TWIN** CITY SIZE 402 BLOWER S/N 07-236700-1-1 AND CONTROLS

MELROSE APPROX. 60,000 CFM CARBON ABSORPTION SYSTEM WITH 2- 200 HP MOTOR AND NEW YORK SIZE 44PLR BLOWERS S/N D09-225-100 RATED AT 54,000 CFM EACH AND CONTROLS



BAHNSON / HAWLEY NORFELT PULSE TYPE DUST COLLECTOR RATED AT 78,000 CFM WITH 200 HP DRIVE, MOTOR, NEW YORK SIZE 608III BLOWER S/N W-681-100 & CONTROLS BAHNSON / HAWLEY PULSE TYPE DUST COLLECTOR RATED AT 25,000 CFM WITH 125 HP **DRIVE, MOTOR, BLOWER & CONTROLS**

PITTER METAL PULSE JET DUST COLLECTOR RATED AT 60,000 CFM WITH 200 HP DRIVE MOTOR, NEW YORK SIZE 608 III BLOWER S/N W-681-105 & CONTROLS

BAHNSON / HAWLEY NORFELT PULSE TYPE DUST COLLECTOR RATED AT 22,000 CFM WITH 60 HP DRIVE, MOTOR, NEW YORK SIZE 338III BLOWER S/N W-681-110 & CONTROLS

APPROX. 70,000 CFM CARBON ABSORPTION SYSTEM WITH 3-200 HP MOTOR AND NEW YORK SIZE 44PLR BLOWERS S/N D09-225-100 RATED AT 54,000 CFM EACH AND CONTROLS

11- SHAKER DUST COLLECTORS FROM 5000 TO 50,000 CFM

MAINTENANCE DEPARTMENT

(3) MAINTENANCE AREAS EACH WITH TOOLS, WELDERS, DRILLS, PIPE THREADERS, SAWS, PRESSES, TABLES, TORCHES, RACKING, IRON WORKERS, SPARE PARTS AND NUMEROUS **OTHER ITEMS**





ONLINE ONLY AUCTION

INSPECT ONSITE AND BID ONLINE

MAJOR STEEL CASTING FOUNDRY

PACIFIC STEEL CASTING

ONSITE INSPECTION LOCATION: 1333 SECOND STREET, BERKELEY, CA 94710

BIDDING CLOSES: THURSDAY, JUNE 14 AT 9:00 AM PDT ONSITE INSPECTION DATES: JUNE 11, 12 & 13 OR BY APPOINTMENT ONLY

CONTENTS OF PLANT #1 & MOST OF PLANT #3



MISC. ITEMS



MAGNAFLUX

MAGNAFLUX MODEL SPEC CRV-20 20,000 AMP MAGNETIC PARTICLE INSPECTION MACHINE WITH BLACK LIGHT MAGNAFLUX CRV 8 MAGNETIC PARTICLE INSPECTION MACHINE. 8000 AMP WITH ENCLOSURER AND SUPPORT **EQUIPMENT**

(4) MAGNAFLUX MODEL KRH-3D 3,000 AMP MAGNETIC PARTICLE INSPECTION MACHINE WITH BLACK LIGHT



HAND TOOLS, AIR AND ELECTRIC TOOLS, PALLET RACKING (HUNDREDS), SELF DUMPING HOPPERS, TOTE BOXES, OFFICE FURNITURE AND EQUIPMENT, SAND TANKS, DEPENDABLE 200# SAND HEATER, WIRE FEEDERS, BELT SANDERS, LECO SAMPLE CUTOFFS, 2' X 4' COMPACTION TABLE, ENTERPRISE 3036 PAPER BALER, 10- 4000# AND 6000# LIFT TABLES, FARO STERLING CMM, CEMENT MIXERS, OMCO FIN TYPE SAND COOLING SYSTEM, FLEXWEIGH 5' X 5' PLATFORM SCALE, GRANITE TABLES, HEIGHT GAUGES, MICROMETERS, TORCH OUTFITS, (2) DIAMOND DBD .25X REBAR BENDERS

PATTERN SHOP

COMPLETE WOOD AND METAL PATTERN SHOP WITH HAND BLAST, DRILLS, GRINDERS, SHOP PRESS,

CHOP SAWS, BAND SAWS, SCOTCHMAN PORTA-FAB IRON WORKER, WELDERS, A-FRAME WITH HOIST,

LAYOUT TABLES, TABLES AND VISES, DISC SANDERS, CLAUSING RADIAL ARM DRILL, ACCORD ENGINE

ROLLING STOCK

VISIT ONLINE CATALOG FOR COMPLETE LIST OF **FORKLIFTS**



Office 818.264.4232 | Cell 818.388.6033 roy@unitedassetsales.com



SUPPLIES & MORE

www.reichbros.com





www.flsales.com

WWW.UNITEDASSETSALES.COM