

ORACLE®

Oracle Press™

Oracle Solaris 11 System Administration: The Complete Reference

Michael Jang and Harry Foxwell
with Christine Tran and Alan Formy-Duval, Contributing Writers



New York Chicago San Francisco
Lisbon London Madrid Mexico City Milan
New Delhi San Juan Seoul Singapore Sydney Toronto

Contents at a Glance

| | | |
|----|--|-----|
| 1 | The Basics of Oracle Solaris 11 | 1 |
| 2 | Getting Ready for Solaris 11 | 17 |
| 3 | Installation Options | 39 |
| 4 | Alternative Oracle Solaris 11 Installation Methods | 63 |
| 5 | The Solaris Graphical Desktop Environment | 93 |
| 6 | Service Management | 143 |
| 7 | The Image Packaging System (IPS) | 163 |
| 8 | Solaris at the Command Line | 187 |
| 9 | Filesystems and ZFS | 207 |
| 10 | Customize the Solaris Shells | 229 |
| 11 | Users and Groups | 249 |
| 12 | Solaris 11 Security | 275 |
| 13 | System Performance | 295 |
| 14 | Solaris Virtualization | 311 |
| 15 | Print Management | 345 |
| 16 | DNS and DHCP | 371 |
| 17 | Mail Services | 399 |
| 18 | Solaris Trusted Extensions | 419 |
| 19 | The Network File System | 441 |
| 20 | The FTP and Secure Shell Services | 457 |

| | |
|--|------------|
| 21 Solaris and Samba | 481 |
| 22 Apache and the Web Stack | 513 |
| A Oracle Solaris 11 11/11 Quick Command Reference | 543 |
| B Oracle Solaris 11 11/11 Information Library Files | 549 |
| Index | 553 |

Contents

| | |
|---|-----------|
| Foreword | xix |
| Acknowledgments | xxi |
| Introduction | xxiii |
| 1 The Basics of Oracle Solaris 11 | 1 |
| Welcome to Oracle Solaris 11 | 2 |
| So, Why Should You Use Oracle Solaris 11? | 2 |
| A New Name, a New Owner, a Familiar Operating System | 3 |
| Solaris Now “Goes to 11” | 4 |
| A Short Review of Solaris’ Long History | 8 |
| The Future of Solaris | 8 |
| Solaris 11 Licensing | 9 |
| Solaris Communities | 9 |
| Solaris 11 Documentation | 14 |
| For Those Moving from Solaris 10 to Solaris 11 | 15 |
| Summary | 15 |
| Reference | 15 |
| 2 Getting Ready for Solaris 11 | 17 |
| Where Solaris 11 Runs: Hardware Requirements | 18 |
| The Application Guarantee Program | 21 |
| Testing Your x86 System for Solaris 11 Compatibility | 21 |
| The Oracle Solaris 11 Live Media | 26 |
| Running the Solaris 11 Live Media | 27 |
| Preparing Your x86 System for Solaris 11 Installation | 30 |
| Disk Partitions | 33 |
| Other Installation Methods | 37 |
| Summary | 38 |
| References | 38 |

| | | |
|----------|---|-----------|
| 3 | Installation Options | 39 |
| | How to Get Solaris 11 | 40 |
| | Downloads | 40 |
| | Licensing | 40 |
| | Write to DVD | 41 |
| | Write to a USB Key | 43 |
| | A Focus on Workstations | 43 |
| | A Range of Installation Scenarios | 43 |
| | New Systems | 43 |
| | Linux | 44 |
| | Microsoft Windows | 44 |
| | Solaris 10 | 45 |
| | Notes on Virtual Machines | 45 |
| | The GUI Interactive Installation | 46 |
| | Boot the Live Media | 47 |
| | Answer Basic Questions | 48 |
| | Start the Interactive GUI Installation | 48 |
| | Basic Parameters | 48 |
| | Risks | 50 |
| | Partitions for Solaris and More | 50 |
| | Time Zones and Locales | 52 |
| | Users and Hostnames | 52 |
| | Final Step | 52 |
| | Multiboot Situations | 54 |
| | GRUB on Solaris | 54 |
| | A GRUB Option for Windows | 56 |
| | A GRUB Option for Linux | 57 |
| | Configure a GRUB Password | 58 |
| | A Triple-Boot Scenario | 59 |
| | Summary | 61 |
| | References | 61 |
| 4 | Alternative Oracle Solaris 11 Installation Methods | 63 |
| | SPARC and x86 Systems | 64 |
| | Solaris 11 on x86 and SPARC Systems: What's the Same? | 64 |
| | Solaris 11 on x86 and SPARC Systems: What's Different? | 64 |
| | The Text Install Method | 65 |
| | The Automated Installer | 73 |
| | The Distribution Constructor | 74 |
| | Booting Client Systems from the AI Server | 77 |
| | Transitioning from JumpStart to Automated Installer | |
| | for Solaris 10 Administrators | 78 |
| | Configuring Oracle Solaris 11 | 79 |
| | Unconfiguring a Solaris 11 System | 79 |
| | (Re)configuring a Solaris 11 System | 79 |

| | |
|--|------------|
| Installing Solaris as a Virtual Machine Guest | 80 |
| The Oracle Solaris 11 VM for Oracle VM VirtualBox | 87 |
| Oracle VM for SPARC | 88 |
| Summary | 90 |
| References | 91 |
| 5 The Solaris Graphical Desktop Environment | 93 |
| The Default Solaris GUI | 94 |
| A Fully Featured Desktop Environment | 95 |
| The UNIX Client Server Model for GUIs | 96 |
| Command-line Access | 98 |
| The GNOME Desktop Environment | 98 |
| The Desktop Pop-up Menu | 98 |
| Applications Menu | 99 |
| Places Menu | 116 |
| Installing the OpenOffice.org Suite | 118 |
| System Menu | 119 |
| System Preferences | 119 |
| System Administration Menu | 134 |
| Summary | 141 |
| References | 142 |
| 6 Service Management | 143 |
| Solaris Service Concepts | 144 |
| What Is a Solaris 11 Service? | 144 |
| Service Naming | 145 |
| Service Categories | 145 |
| Service States | 146 |
| SMF Programs | 146 |
| Listing Services | 146 |
| Starting and Stopping Services | 148 |
| Defining Services | 152 |
| Service Manifests | 152 |
| Creating a Service Manifest | 153 |
| Boot Services | 153 |
| Boot Milestone Services | 154 |
| Other SMF Tools | 154 |
| inetd Services | 156 |
| Service Troubleshooting | 158 |
| Using the svcs Program for Service Diagnostics | 158 |
| Summary | 162 |
| References | 162 |
| 7 The Image Packaging System (IPS) | 163 |
| IPS Basics | 164 |
| IPS Repositories | 164 |
| The IPS pkg Program | 165 |

| | |
|--|------------|
| Installing Application Software | 168 |
| Using the <code>pkg</code> Command | 169 |
| Updating Application Software | 170 |
| Other Useful <code>pkg</code> Subcommands | 172 |
| Configuring Local Repositories | 173 |
| Boot Environments | 175 |
| Managing Boot Environments | 176 |
| Updating the Operating System Kernel | 178 |
| The IPS GUI | 179 |
| Software Installation and Update (Using the GUI) | 179 |
| Boot Environment Management (Using the GUI) | 182 |
| Summary | 185 |
| References | 185 |
| 8 Solaris at the Command Line | 187 |
| Basic Navigation | 188 |
| Command Manuals | 189 |
| The Current Working Directory | 189 |
| Changing Directories | 189 |
| File Lists | 190 |
| The PATH | 191 |
| Special Characters | 192 |
| File Management | 193 |
| The Basic <code>touch</code> Command | 193 |
| File Copies | 193 |
| Moving a File | 194 |
| Deleting a File | 195 |
| File Links | 195 |
| Directory Management | 196 |
| Reading Text Files | 196 |
| Identifying File Types | 197 |
| Outputting Files to the Screen | 197 |
| <code>tac</code> and Bottom File Readers | 198 |
| The File Pagers | 198 |
| File Manipulation | 198 |
| Lines, Words, and Characters | 199 |
| Finding Files Locally | 199 |
| Search Within a File | 200 |
| File Redirection and More | 201 |
| Options for File Editing | 201 |
| The <code>vi</code> Editor | 202 |
| One Other Text Editor | 204 |
| Summary | 205 |
| References | 205 |

| | | |
|-----------|--|-----|
| 9 | Filesystems and ZFS | 207 |
| | Disk Structure and Naming Conventions | 208 |
| | Introduction to ZFS | 211 |
| | Some ZFS Terminology | 212 |
| | ZFS Commands | 212 |
| | Using ZFS | 215 |
| | ZFS as the Root/Boot Filesystem | 220 |
| | ZFS for Managing HOME Directories | 221 |
| | ZFS Snapshots | 222 |
| | ZFS Devices | 224 |
| | Time Slider | 224 |
| | Summary | 228 |
| | References | 228 |
| 10 | Customize the Solaris Shells | 229 |
| | Shell Management | 230 |
| | A Choice of Shells | 230 |
| | Interactivity | 231 |
| | Command Completion | 232 |
| | Configuration Files | 233 |
| | Shell Tips and Tricks | 237 |
| | Data Flows In and Out | 237 |
| | When There's Only One Command Line | 239 |
| | All Manner of Shell Characters | 239 |
| | Scripts and the Shell | 241 |
| | The Basics of Shell Scripts | 242 |
| | Study Available Scripts | 245 |
| | Sample Scripts | 246 |
| | Summary | 247 |
| | References | 247 |
| 11 | Users and Groups | 249 |
| | User Concepts | 250 |
| | Standard Users | 251 |
| | System Accounts | 251 |
| | The Root Account | 252 |
| | Role Based Access Control (RBAC) and Administrative Privileges | 252 |
| | Local Configuration Files | 257 |
| | Commands Used for Managing Users and Groups | 258 |
| | Command-line Account Management | 258 |
| | GUI Account Management | 263 |
| | Basic LDAP User Database | 263 |
| | LDAP and NIS | 263 |
| | An LDAP Data Interchange Format File | 271 |
| | Client Profiles | 273 |

| | |
|---|------------|
| Extend LDAP to a Network | 273 |
| LDAP and Other Services | 274 |
| Summary | 274 |
| References | 274 |
| 12 Solaris 11 Security | 275 |
| Installation and Initial Configuration Security | 276 |
| root Is a Role | 276 |
| Hardening and Minimizing the OS Installation | 276 |
| Managing File Access | 277 |
| Basic UNIX File Access Permissions | 277 |
| Additional File Protections: umask | 280 |
| Additional File Protections: encryption | 281 |
| Password Management | 282 |
| Changing Passwords | 282 |
| Setting Password Policies | 283 |
| Role Based Access Control (RBAC) | 284 |
| The All-Powerful root User | 284 |
| What's a Role? | 284 |
| Privileged Execution with sudo | 286 |
| System Auditing | 287 |
| The auditd Daemon | 287 |
| The IP Filter Firewall | 288 |
| Configuring IP Filter | 288 |
| Remote Access | 290 |
| The ssh Server | 291 |
| The ssh Client | 291 |
| Another Security Feature | 293 |
| Summary | 293 |
| References | 293 |
| 13 System Performance | 295 |
| First, Know Your System! | 296 |
| What Hardware Do I Have? | 296 |
| What OS Software Do I Have? | 298 |
| Observing Your System | 298 |
| What to Look For | 298 |
| How to Look: Observability Tools | 299 |
| Log Files | 303 |
| System Tuning | 304 |
| Kernel Parameters | 304 |
| Other Resource Controls | 304 |
| DTrace | 305 |
| Some DTrace Tools | 305 |
| Some DTrace Examples | 305 |
| Some Performance-Monitoring Guidelines | 307 |
| The Performance Monitor GUI | 307 |

| | |
|---|------------|
| Oracle Hardware and Software Support | 309 |
| Summary | 310 |
| References | 310 |
| 14 Solaris Virtualization | 311 |
| Introduction: Zones and Virtualization | 312 |
| Quick Tour with Zones | 312 |
| Basic Zones Administration | 313 |
| Creating Zones | 313 |
| Zone Login, Boot, and Shutdown | 315 |
| Resources and Zones | 317 |
| Zones and ZFS Datasets | 318 |
| Adding a Directory from the Global Zone | 319 |
| Zone Access to the DVD-ROM Drive | 320 |
| Removing a Resource | 320 |
| Adding an NFS Mount | 321 |
| Advanced Zones Administration | 323 |
| CPU Allocation | 323 |
| CPU Shares and the Fair Share Scheduler | 326 |
| Observing CPU Allocation | 327 |
| Memory Allocation | 328 |
| Zone Performance and Statistics | 328 |
| Zones and Discrete Privileges | 331 |
| More Zones Administration | 331 |
| Cloning | 331 |
| Changing a Zone's Name and Its Root Dataset | 333 |
| Zone Backup and Restore | 334 |
| Zone Rehosting | 338 |
| Solaris10 Branded Zones | 341 |
| Tips, Tricks, and Pitfalls | 342 |
| hostid | 342 |
| Profile for Automatic Installer | 342 |
| Interactive sysconfig to Create Profile XML | 344 |
| Summary | 344 |
| Reference | 344 |
| 15 Print Management | 345 |
| Print Service Options | 346 |
| CUPS, the Print Service | 346 |
| Related Packages | 347 |
| The Internet Print Protocol (IPP) and CUPS | 348 |
| Basic Components | 348 |
| Basic Commands | 349 |
| Set Up a Printer Administrator | 350 |
| The Printer Configuration Tool | 350 |
| A Printer Class Is a Group of Printers | 358 |

| | |
|---|------------|
| Print Server Configuration | 358 |
| Connect to a Remote Print Server | 360 |
| The Other Printer Configuration Tool | 360 |
| The Files of CUPS | 361 |
| The Main CUPS Server Configuration File: cupsd.conf | 361 |
| Additional CUPS Configuration Options | 363 |
| Configured Printers in printers.conf | 364 |
| Configured Groups of Printers | 367 |
| Printers Shared via Samba | 367 |
| Print Server Log Files | 368 |
| Summary | 369 |
| 16 DNS and DHCP | 371 |
| The Domain Name Service | 372 |
| DNS Background | 372 |
| DNS Configuration Concepts | 373 |
| A Key Solaris Difference | 373 |
| Different DNS Servers | 374 |
| DNS Packages | 374 |
| Key DNS Commands | 374 |
| A New Way to Configure a DNS Client | 375 |
| DNS Client Configuration Files | 378 |
| DNS Server Configuration | 378 |
| DNS Server Configuration in SMF | 380 |
| Creating a DNS Forwarding Name Server | 380 |
| Extending DNS for a Primary or Secondary Server | 381 |
| DNS Logging | 382 |
| DNS Database Files | 383 |
| Troubleshooting | 388 |
| The Dynamic Host Configuration Protocol (DHCP) | 389 |
| The DHCP Management Tool | 390 |
| DHCP Configuration Files | 395 |
| The ISC DHCP Server | 395 |
| The DHCP Client | 396 |
| Summary | 397 |
| References | 398 |
| 17 Mail Services | 399 |
| A sendmail Configuration Plan | 400 |
| Customizing sendmail | 400 |
| Basic Procedures | 401 |
| Customizing the Configuration for a Local System | 401 |
| Mail Clients on a Network | 401 |
| Creating a New Configuration File | 402 |

| | |
|--|------------|
| Virtual Hosts and sendmail | 406 |
| sendmail and Transport Layer Security | 406 |
| Files that .forward | 410 |
| Alias Management in sendmail | 410 |
| Postmaster Aliases | 411 |
| Local Aliases | 411 |
| Alias Maps and NIS | 411 |
| Mail Queue Management | 411 |
| Contents of the Mail Queue | 412 |
| Processing the Mail Queue | 412 |
| Changing Mail Queues | 412 |
| Troubleshooting sendmail | 413 |
| Testing Basic Operation | 413 |
| Testing the Configuration | 414 |
| Reviewing Aliases | 414 |
| Mail Logs | 415 |
| Error Messages | 415 |
| Summary | 417 |
| References | 418 |
| 18 Solaris Trusted Extensions | 419 |
| Overview of Trusted Extensions | 420 |
| Enabling Trusted Extensions | 421 |
| Zones and Trusted Extensions | 421 |
| Enabling Trusted Extensions | 421 |
| The label_encodings File | 422 |
| Trusted Extensions Tips and Pitfalls | 426 |
| Creating and Installing a Labeled Zone | 427 |
| A Detour into the Shared-ip and Exclusive-ip Zones | 433 |
| Some Observations, More Tips, and Pitfalls | 434 |
| Adding Roles and Users | 435 |
| User Logins and Roles | 435 |
| Multilevel Workspace | 436 |
| Switching Roles | 437 |
| Managing Devices in Trusted Extensions | 437 |
| Network Access with Trusted Extensions | 439 |
| Summary | 440 |
| References | 440 |
| 19 The Network File System | 441 |
| Available Versions | 442 |
| NFS Version 2 | 442 |
| NFS Version 3 | 442 |
| NFS Version 4 | 443 |

| | |
|---|-----|
| Additional Common Features | 443 |
| NFS Service Configuration | 443 |
| NFS Configuration Files | 447 |
| Options for Sharing | 448 |
| Basic NFS Filesystem Sharing | 448 |
| Client Configuration Options | 449 |
| Mount from the Command Line | 450 |
| During the Boot Process | 450 |
| Automount on Demand | 451 |
| Log Management | 454 |
| Version Control | 454 |
| Firewall Considerations | 455 |
| Summary | 455 |
| References | 455 |
| 20 The FTP and Secure Shell Services | 457 |
| Secure and Insecure Communications | 458 |
| Insecure Remote Connections | 458 |
| FTP and SFTP Client Commands | 459 |
| Configure an FTP Server | 460 |
| FTP Server Files and Utilities | 460 |
| Review the Default FTP Server Configuration File | 460 |
| Set Up a Basic Anonymous FTP Server | 463 |
| A chroot Jail for ProFTPD | 463 |
| Set Up Guest Users | 464 |
| Basic Security on FTP | 464 |
| User Security | 465 |
| Host Security | 465 |
| Virtual Hosts on FTP | 466 |
| The Configuration of an SSH Server | 466 |
| General Configuration | 466 |
| Secure Shell Client Commands | 467 |
| The Main Client Configuration File | 468 |
| Additional Files in the /etc/ssh Directory | 470 |
| Private and Public Key Pairs for SSH | 471 |
| The Main SSH Server Configuration File | 471 |
| Additional Security in the SSH Server Configuration | 475 |
| More Security with TCP Wrappers | 475 |
| More Security with Passphrases | 476 |
| Different Algorithms | 477 |
| Send That Passphrase to an SSH Server | 478 |
| More Security with Hashed Hosts | 479 |
| Summary | 480 |
| References | 480 |

| | | |
|-----------|---|-----|
| 21 | Solaris and Samba | 481 |
| | Basic Features | 482 |
| | UNIX Samba on Solaris | 483 |
| | The Basics of UNIX Samba | 484 |
| | The Standard Samba Configuration File | 486 |
| | Client Commands | 496 |
| | The SWAT Tool | 497 |
| | Solaris CIFS | 498 |
| | Make Sure UNIX Samba Is "Off" | 499 |
| | The Solaris CIFS Packages | 499 |
| | Configure a Mapping Strategy | 503 |
| | Set Up Membership in a Workgroup or Domain | 505 |
| | Set Up WINS and Related Services | 506 |
| | Configure CIFS Users and Groups | 506 |
| | Mapping Users and Groups | 507 |
| | Create a ZFS Share for Solaris CIFS | 507 |
| | Use the sharemgr Command to Create a CIFS Share | 509 |
| | Mount a Share | 510 |
| | The Automounter and Home Directories | 510 |
| | Troubleshooting Issues | 511 |
| | Summary | 512 |
| | References | 512 |
| 22 | Apache and the Web Stack | 513 |
| | Basic Components | 514 |
| | The AMP Stack | 514 |
| | GUI AMP Installation | 514 |
| | Keep Modules to a Minimum | 521 |
| | Basic Apache Configuration | 523 |
| | Configuration Files | 523 |
| | Apache as a Regular Host | 524 |
| | Apache with Virtual Hosts | 524 |
| | Secure Hosts | 530 |
| | Apache Security | 531 |
| | Firewall Review | 531 |
| | Host-based Security | 534 |
| | User-based Security | 535 |
| | Secure Certificates | 537 |
| | Isolating Apache Within a Zone | 539 |
| | Summary | 541 |
| | References | 541 |

xviii Oracle Solaris 11 System Administration: The Complete Reference

| | | |
|----------|--|-----|
| A | Oracle Solaris 11 11/11 Quick Command Reference | 543 |
| | System Information | 544 |
| | Services (SMF) | 544 |
| | Package Management (IPS) | 544 |
| | Boot Environments | 545 |
| | ZFS Filesystem | 545 |
| | Users and Roles | 546 |
| | Network Administration | 546 |
| | Performance Monitoring | 546 |
| | Zones (Containers ²) | 547 |
| | References | 547 |
| B | Oracle Solaris 11 11/11 Information Library File | 549 |
| | Index | 553 |