

August 22, 2018

Mr. Winton Milliff Coke County Underground Water Conservation District P.O. Box 1110 Robert Lee, TX 76945

Dear Mr. Milliff:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Winton Milliff August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Slate Williams Crockett County Groundwater Conservation District P.O. Box 1458 Ozona, TX 76943

Dear Mr. Williams:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Ken Carver Glasscock Groundwater Conservation District P.O. Box 208 Garden City, TX 79739

Dear Mr. Carver:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Ken Carver August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. David Huie Hickory Underground Water Conservation District No. 1 P.O. Box 1214 Brady, TX 76825

Dear Mr. Huie:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

David Huie August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Paul Tybor Hill Country Underground Water Conservation District 508 S. Washington Fredericksburg, TX 78624

Dear Mr. Tybor:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Paul Tybor August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Scott Holland Irion County Water Conservation District P.O. Box 10 Mertzon, TX 76941

Dear Mr. Holland:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Jerry Kirby Kimble County Groundwater Conservation District P.O. Box 31 Junction, TX 76849

Dear Mr. Kirby:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Jerry Kirby August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Ms. Genell Hobbs Kinney County Groundwater Conservation District P.O. Box 369 Bracketville, TX 78832

Dear Ms. Hobbs:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Genell Hobbs August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Allan Lange Lipan-Kickapoo Water Conservation District P.O. Box 67 Vancourt, TX 76955

Dear Mr. Lange:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Ms. Sue Young Lone Wolf Groundwater Conservation District P.O. Box 1001 Colorado City, TX 79512

Dear Ms. Young:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Sue Young August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Ms. Tami Russell Menard County Underground Water District P.O. Box 1215 Menard, TX 76859-1225

Dear Ms. Russell:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Tami Russell August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Ty Edwards Middle Pecos Groundwater Conservation District P.O. Box 1644 Fort Stockton, TX 79735

Dear Mr. Edwards:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Jon Cartwright Plateau Underground Water Conservation & Supply District P.O. Box 324 Eldorado, TX 76936

Dear Mr. Cartwright:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Joel Pigg Real-Edwards Conservation & Reclamation District P.O. Box 807 Camp Wood, TX 78833

Dear Mr. Pigg:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Joel Pigg August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Ms. Wendy Pool Santa Rita Underground Water Conservation District P.O. Box 849 Big Lake, TX 76932

Dear Ms. Pool:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Wendy Pool August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Scott Holland Sterling County Underground Water Conservation District P.O. Box 873 Sterling City, TX 76951

Dear Mr. Holland:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Jim Polonis Sutton County Underground Water Conservation District 301 S. Crockett Ave. Sonora, TX 76950

Dear Mr. Polonis:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Jim Polonis August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Scott Mitchell Terrell County Groundwater Conservation District P.O. Box 666 Sanderson, TX 79848

Dear Mr. Mitchell:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Vic Hilderbran Uvalde County Underground Water Conservation District

200 E. Nopal Street, Ste. 203 Uvalde, TX 78801

Dear Mr. Hilderbran:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information

Vic Hilderbran August 22, 2018 Page 2

may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Jeff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Dale Adams Wes-Tex Groundwater Conservation District 100 E. Third Street, Ste. 305B Sweetwater, TX 79556

Dear Mr. Adams:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Dale Adams August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Jesus Reyes c/o El Paso Co. WID #1 13247 Alameda Ave. Clint, TX 79836

Dear Mr. Reyes:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Jesus Reyes August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. John Grant c/o Colorado River Municipal Water District P.O. Box 869 Big Spring, TX 79721

Dear Mr. Grant:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Wayne Wilson c/o Wilson Cattle Company 7026 East OSR Bryan, TX 77808

Dear Mr. Wilson:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Wayne Wilson August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. Jonathan Letz c/o Kerr County Commissioners Court 700 Main Street, Ste. 101 Kerrville, TX 78028

Dear Mr. Letz:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Jonathan Letz August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Mr. John E. Burke c/o John E. Burke & Associates 17310 Hill Lakes Ct. Cypress, TX 77429

Dear Mr. Burke:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

John E. Burke August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Ms. Suzanne B. Scott c/o San Antonio River Authority 100 East Guenther St. San Antonio, TX 78283

Dear Ms. Scott:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Our Mission

Suzanne B. Scott August 22, 2018 Page 2

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Respectfully,

Ieff Walker

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Dear:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Dear:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aguifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Dear:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Dear:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Dear:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Dear:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division



August 22, 2018

Dear:

Texas Water Code, Section 36.1084, Subsection (b) states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 16-026 MAG) are in response to this directive.

District representatives in Groundwater Management Area 7 adopted desired future conditions for the Dockum, Ellenburger-San Saba, Hickory, Ogallala, and Rustler aquifers on September 22, 2016 and the Capitan Reef Complex Aquifer on March 23, 2017 and adopted revised desired future conditions for the Edwards-Trinity (Plateau), Pecos Valley, and Trinity aquifers on March 22, 2018. The TWDB received the desired future condition explanatory reports and related materials from the Groundwater Management Area 7 consultant, Dr. William R. Hutchison, on November 28, 2016 and March 28, 2018.

Texas Water Code, Section 36.001, Subsection (25) defines modeled available groundwater as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." We report modeled available groundwater estimates by aquifer, groundwater conservation district, county, regional water planning area, and river basin for use by groundwater conservation districts and for use in the regional water planning process.

I encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. The estimates of modeled available groundwater are the pumping volumes that would have to occur to achieve the desired future conditions using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. I encourage districts to continue to work with us to better define modeled available groundwater as additional information may help better assess responses of the aquifer to pumping and the distribution of pumping now and in the future.

Please contact Mr. Larry French of our Groundwater staff at 512-463-5067 or larry.french@twdb.texas.gov if you have any questions or need any further information.

Executive Administrator

Attachment: GAM Run 16-026 MAG

c w/att.: Roland Ruiz, Edwards Aquifer Authority

William R. Hutchison , Groundwater Consultant Annette Gutierrez, Rio Grande Council of Governments Kevin W. Krueger, Colorado River Municipal Water District

Trey Buzbee, Brazos River Authority

Jody Grinstead, Kerr County Commissioners Court David Wheelock, Lower Colorado River Authority Steven J. Raabe, P.E., San Antonio River Authority

John Ashworth, LBG-Guyton Associates Simone Kiel, Freese & Nichols, Inc.

David Dunn, HDR, Inc.

Jennifer Herrera, LBG-Guyton Associates

Jaime Burke, AECOM, Inc.

Brian Perkins, Black & Veatch Corp.

L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission on

Environmental Quality

Kim Wilson, Texas Commission on Environmental Quality Kelly Mills, Texas Commission on Environmental Quality Abiy Berehe, Texas Commission on Environmental Quality

John Dupnik, Deputy Executive Administrator, Water Science and Conservation Sam Marie Hermitte, Assistant Deputy Executive Administrator, Water Science and

Conservation

Larry French, Groundwater Division