



<del>--63-</del>


OPEN BROCHURE >

## Overview

INSIDE AND OUT THE **CORDOVA 63**IMPRESSES WITH ITS TIMELESS STYLE,
CLASSIC DESIGN AND LUXURIOUS
INTERIORS.

Pilot from the lower helm and enjoy sweeping visibility or from the flybridge, where panoramic views and luxurious seating create an irresistible setting for your family and friends. Designed by a renowned Canadian Marine Architect, the Cordova 63 represents the Clipper experience at its finest. Standard features include a large aft cockpit, flybridge hardtop, a built-in fly bridge wet bar, a full Raymarine Electronics package and much, much more.





# Specifications

### CORDOVA 63

Length overall	18.6m - 65FT 4IN
Веам ОА	5.12м - 16гт 10ім
Maximum Draft	1.67m - 5ft 6in
DISPLACEMENT	26.8 TONNES (APPROX)
Fuel Capacity	4,300 LITRES
Water Capacity	1,500 litres
HOLDING TANK CAPACITY	418 LITRES
Standard Engines	2 x 550 HP QSC CUMMINS
Generator - Onan	22.5 KVA 220V / 50Hz
Bow Thruster	24v / 220 kgf Vetus

FUEL & PERFORMANCE TABLE


#### FLOOR PLAN

## Accomodation

MAIN STANDARD SPECIFICATIONS

 Midship Master with ensuite Island queen bed with storage drawers under

2. Forward VIP guest cabin



VIEW ALL SPECIFICATIONS

**3. Third guest cabin** with **2 single beds** Innerspring mattresses 6/8"

4. Guest bathroom

ACCOMODATION | SALOON LEVEL | FLYBRIDGE


#### FLOOR PLAN

# Saloon level

MAIN STANDARD SPECIFICATIONS



2. Four opening **stainless steel** (sliding) windows in saloon and galley with inside insect screens



VIEW ALL SPECIFICATIONS

3. Lower helm controls


ACCOMODATION | SALOON LEVEL | FLYBRIDGE

#### FLOOR PLAN

# Flybridge

MAIN STANDARD SPECIFICATIONS

- Seating as per layout drawing Two premium helm chairs
- **2. FRP hardtop** with stainless steel supports port and starboard
- 3. Optional Davit Tender storage
- Fiberglass and teak tread stairs to flybridge
- **5. Entertainment island** with lid, Kenyon electric BBQ and fridge



VIEW ALL SPECIFICATIONS

ACCOMODATION | SALOON

SALOON LEVEL | FLYBRIDGE




### Reviews

**BOATPOINT** 

TRADEBOATS

**BOATMAGS** 




### Reviews

**BOATPOINT** 

**TRADEBOATS** 

**BOATMAGS** 




## Reviews


BOATPOINT

TRADEBOATS

BOATMAGS



# The Clipper story
























# The Clipper story























# Clipper warranty

CLIPPER

**360 PROTECT** 

WORRY FREE BOATING FOR THREE YEARS
IS AVAILABLE TO BUYERS UNDER THIS UNIQUE
WARRANTY PACKAGE NOW BEING OFFERED
BY CLIPPER MOTOR YACHTS.

This package is offered on any of the 2017 Clipper semi-displacement motor yacht model range (above 40 feet), qualifying them for the Clipper 360 Protect warranty package\*, which provides a totally cost free warranty for a period of three years including mechanical servicing.

The Clipper 360 Protect warranty package covers owners on a bow to stern basis for all vessels fitted with Cummins engines, Onan gensets and ZF gearboxes. The program combines the manufacturers coverage of the vessel along with Cummins warranty, and also includes scheduled Cummins mechanical servicing at no charge for the first three years of ownership.

This protection system is a clear demonstration of the confidence in the Clipper brand's build quality, reliability and ongoing stability. This new warranty and maintenance package is included in every new boat built for owners\*\* and sets Clipper apart from all other semi-displacement and displacement motor yacht producers in the world.

This new initiative effectively triples the standard motor yacht warranty to three years and the partnership with Cummins and Onan to cover maintenance and warranty also on the mechanicals, gives Clipper buyers the ultimate comfort and peace of mind for the first three years of their ownership.

« It represents savings of tens of thousands of dollars... The essence of boating enjoyment for families is safety and reliability and with Clipper 360 Protect we are taking the ownership experience to a new level. [...] » ~ Brett Thurley

**READ MORE** 



**ENQUIRE NOW** 

#### **Clipper Motor Yachts Australia**

Gold Coast City Marina 76-84 Waterway Drive, Coomera Qld 4209

Phone: +61 7 5519 4019

Email: brett@clippermotoryachts.com Web: www.clippermotoryachts.com



# AVERAGE FUEL BURN & RANGE ESTIMATES

# Clipper 63 with 715hp QSM11 Cummins and Standard 4,300 lt fuel tanks (300 lt reserve)

#### Total burn both engines

RPM	SPEED IN KNOTS	LTS/HR	LTS/NM	RANGE
650 rpm	5.7 knots	10.4lt/hr	1.8lt/nm	2,190nm
750 rpm	6.6 knots	12.6lt/hr	1.9lt/nm	2,095nm
850 rpm	7.5 knots	16.6lt/hr	2.2lt/nm	1,848nm
950 rpm	8.2 knots	24.0lt/hr	2.9lt/nm	1,355nm
1050 rpm	8.8 knots	30.4lts/hr	3.45lt/nm	1,157nm
1150 rpm	9.1 knots	35.1lts/hr	3.8lt/nm	1,070nm
1250 rpm	9.7 knots	42.5lts/hr	4.38lt/nm	923nm
1350 rpm	10.5 knots	54.1lts/hr	5.15lt/nm	739nm
1450 rpm	11.3 knots	62.5lts/hr	5.5lt/nm	723nm
•			7.14lt/nm	
			7.74lt/nm	
•			8.5lt/nm	
1850 rpm	14.7 knots	138lts/hr	9.38lt/nm	426nm
			9.8lt/nm	
•			10.3lt/nm	
			11.12lt/nm	
•			11.6lt/nm	
2400 rpm	22.4 knots	270lts/hr	12.1lt/nm	331nm

# Overview Inside and out the Cordova 63 impresses with its timeless style, classic

design and luxurious interiors. Pilot from the lower helm and enjoy

sweeping visibility or from the flybridge, where panoramic views

and luxurious seating create an irresistible setting for your family and friends. Designed by a renowned Canadian Marine Architect, the Cordova 63 represents the Clipper experience at its finest. Standard features include a large aft cockpit, flybridge hardtop, a built-in fly bridge wet bar, a full Raymarine Electronics package and much, much more.

# Standard Specifications

• FRP flybridge with sandwich construction using core cell Gelcoat exterior - DSM white Solid GRP keel, chine's and bottom

CONSTRUCTION

• Hand laid molded fiberglass hull, main deck, cabin and flybridge

**GENERAL SPECIFICATIONS** All stainless steel exterior fastenings – 316 marine grade

 High quality 70% satin varnish for interior finish • Stainless steel portholes in hull with deadlights and insect screens MECHANICAL

electronic panel

 Main Engines – 2 x 550hp QSC Cummins Genset - 22.5 kva Onan with remote stop/start • Bow Thruster - 24v / 220KGF Vetus Electric or

Side Power

 Superior engine room sound proofing material foam and lead with aluminum cladding

Aluminum perforated sheets to cover all bulkheads

Rudders – stainless steel stocks and stainless steel blades

and fuel/water tanks

Hydraulicsteering

bearings

Electronic engine controls

Propellers – four blade bronze (S Class)

High quality Aquamet stainless propeller shafts

• Heavy duty Bronze underwater brackets with cutlass

Twin Racor fuel filters with gauges for main engines

• Groco internal sea water strainers for engines, generator

• Engine room air vents and 24v DC electric extractor fan

All through hull fittings on or below the water line fitted

• Bilge pumps - five automatic 24v DC pumps with manual

• Hot water tank - AC 240v and heat exchange from main engine

FRP holding tank - with macerator pump for overboard

Tank capacities are total volume, usable capacity will vary due

to boat trim and sea state. Do not rely on more than 90% of tank

MAIN DECK

• Twin stainless steel rollers through bow for anchoring

Anchor locker with access from hatches on deck.

Anchor – 80lb stainless steel plough anchor with 100m of

Anchor winch – Muir, controlled from three stations with

foredeck with auto anchor chain counters to both helms

Stainless steel deck hatch on main deck for VIP guest cabin

• Four opening Stainless steel (sliding) windows in saloon and

Architectural Stainless steel stairs from aft deck to fly bridge

Two FRP transom doors with FRP steps from swim platform

Navigation lights - Mast, stern, port, starboard and anchor

Teak laid to cockpit aft deck and side decks forward to

Hatch in aft deck with gas struts for access to lazerette

Fresh and sea water wash down taps on bow and aft deck

**FLYBRIDGE** 

• Wood interior soles throughout except engine room

FRP icebox on aft deck with Isotherm 12v refrigeration

Stainless steel swimming ladder with teak steps

Cleats and Fairleads – stainless steel 2 on bow,

• Quality carpet fitted to deck area under hardtop

FRP hardtop with stainless steel supports port and

Raymarine E165 widescreen chart plotter/GPS/fish finder/

Fusion AM/FM stereo CD player, iPod waterproof speakers

on flybridge and aft deck, remote on aft deck to control fly

Hinging stainless steel (two piece) hatch with tinted acrylic

FRP cabinet with hinged top, housing sink and bar fridge

NAVIGATION EQUIPMENT

Raymarine E165 widescreen multi function chart plotter/ GPS/

**ELECTRICAL** 

Raymarine 48nm digital radar with open array scanner

Raymarine P70 auto pilot with twin controls (one lower

VHF Marine radio fitted to both lower and upper helms

Batteries housed in FRP boxes - 3 x 200amp 24v

Battery charger - combined charger/inverter

for house, 2 x 200amp 24v starting for each engine,

Battery charger -12v 40amp for 12v generator battery

Battery paralleling system for emergency engine starting

fittings under the water line (full grounding throughout

• AC power outlets (doubles) to staterooms, head, galley,

engine room and lazerette with (RCD) protection

Engine room lighting – four 240v AC and 24v DC

Shore power indicator on main AC electrical panel
 Galvanic

MARINE AIR-CONDITIONING

• 1 x 16,000 BTU reverse cycle shared between guests cabins

Self draining cockpit to both port and starboard sides

Hatch – access to lazerette with gas struts and stainless

Stainless steel steps with teak tread to lazerette from aft deck

Molded FRP seating in between the transom boarding doors

Two transom boarding doors with steps from swim platform

LAZARETTE (CREW CABIN\* OPTIONAL)

**PILOTHOUSE** 

Complete engine instrumentation and alarms including engine

Raymairne E 165 touchscreen GPS/fishfinder/radar/plotter

• Overhead electronics console with custom panel showing

vessel diagram with indicator lights for bilge pumps and

SALOON/GALLEY

Starboard side cabinet with 32"plasma screen TV with stainless

Fusion DVD/CD/iPod Home theatre surround sound system

• "Y" Valve for direct discharge or pump to holding tank\*

• Engine monitoring including instrumentation, alarms

Full copper bonding system attached to all metallic hull

Stainless steel windshield frame with tinted acrylic

Standard full engine instrumentation and alarms

Cummins DTS Electronic engine/gear controls

Hydraulic trim tab controls with guage

for access to pilothouse from Flybridge

• Two teak tables with stainless steel posts

450kg Electric Davit - 24v/12v

Seating as per layout drawing

Removable cushions in Silvertex

fish finder/radar for each helm

helm and one at upper helm)

Auto anchor chain counters x 2

1 x 100amp 12v for generator start

Main battery disconnect switch

vessel including all sea cocks)

AC circuit breaker panel in Pilothouse

DC circuit breaker panel in Pilothouse

Two x 240v AC 15amp shore power inlets

Shore power lead x 2 – 15amp/240v AC

2 x 16,000 BTU reverse cycle for saloon

Hand held hot/cold fresh water shower

• 1 x 16,000 BTU reverse cycle for pilothouse/galley

• 1 x 12,000 BTU reverse cycle for master cabin

FRP ice box with Isotherm 12/24v refrigeration

Wash down taps - seawater and fresh water

Lazerette lighting – 24v DC

• Raymarine GPS sensor

with two VHF aerials

LED lighting throughout

70amp/3000w

and hour meters

isolator

AFT COCKPIT

steel latch

Shore power inlet (AC)

with storage under

Queen sized bed\*

Storage

hour meters

Wood sole

Access to engine room

Raymarine P70 auto pilot

Auto anchor chain counter

Custom timber steering wheel

Three electric wipers/washers

Electric air horn with twin trumpets

Controls for Hydraulic trim tabs with guage

Cummins Electronic engine/gear controls

Teak stairway down to accommodation

AC/DC combined circuit breaker panel

Large microwave/convection oven in galley

• Galley bench top in Staron with double stainless steel

Four elements electric Hob (AC) in galley bench top

Lighting – overhead spot lights 24v DC down lights

Stainless steel stacking aft door from saloon to aft deck

FIRE FIGHTING EQUIPMENT

Manual/automatic engine room fire fighting system by Seafire

MASTER STATEROOM - MIDSHIPS

MASTER ENSUITE/HEAD

All white FRP interior walls in shower with FRP seat and teak

Staron counter top with high quality sink and faucet

• "Y" valve for direct discharge or pump to holding tank

Queen size island bed with storage drawer in front

FORWARD GUEST CABIN

PORT GUEST CABIN

**GUEST HEAD** 

Tecma fresh and salt water electric toilet

Bathroom accessories package

Inner spring mattress 6/8"

Flat screen LCD 22"TV/DVD

Insect screens on portholes

Two single berths side by side

Hanging locker with auto light

24v Cantalupi reading lights x 2

Large FRP sump tank for shower

Bathroom accessories package

• All white FRP interior walls in shower ceiling

Staron counter top with quality sink and faucet

Tecma electric freshwater and saltwater flush toilet

equipment including - EPIRB, life jackets, flares

Antifouling – Jotun or International brand

• "Y" valve for direct discharge or pump to holding tank

**MISCELLANEOUS** 

Zinc anodes on rudders, shafts, transom and trim tabs
 Safety

Separate shower stall with safety glass shower screen

Innerspring mattresses 6/8"

Insect screens on portholes

Air conditioning outlets

CD/Radio with speakers

24v Cantalupi down lights

Two hanging lockers with auto light

• Air conditioning outlets

Wood sole

Wood sole

240v AC outlets

Mirrored cabinet

and teak floor

Mirror with light

24v down lights

24v Exhaust Fan

AC 240v outlets

and V sheet

EquipmentManuals

Black boot stripe

Owners Manual

• Spliced mooring lines x 4

• Fenders with spliced lines x 4

24v down lights

240v AC outlets

24v reading lights x 2

Portable extinguishers in saloon/galley and in each cabin

Island queen bed with storage drawers under

24v reading lights x 2 (one either side of bed)

Insect screens on all opening portholes and hatch

• Saloon lounge - built in settee with leather trim

Storage under lounge with drawers fitted

Teak table with stainless steel pedestal

Insect screens on all opening windows

Curtains or blinds on saloon windows

Vimar 240v AC outlets throughout

Galley storage – overhead cabinets and various sized drawers

Two doors (port and starboard) to side decks

Pilothouse leather covered settee with teak table

Bow Thruster control

Overhead book case

Chart storage drawer

Hydraulicsteering

• Premium helm chair

Fuel and water gauges

steel remote TV lift

Large 24/240v fridge/freezer

Fine glass cabinet

sink and faucet

240v galley exhaust fan

• Air conditioning outlets

Wood sole

or Fireboy

Fire blanket for galley

Inner spring mattress 6/8"

Teakvanity/dresser

Storagelockers

• 24v down lights

Wood sole

grating

Air conditioning outlets

Vimar 240v AC outlets

Teak vanity and cabinet

Wood flooring in ensuite

Mirror with light

Storage cabinets

• 24v down lights

24v exhaust fan

240v AC outlets

• Safety glass shower screen

Flat screen LCD 26" TV/DVD

Air conditioning control panel

Hanging wardrobe with auto light

2 x Tub chairs

Compass

Chart reading lights x 2

navigation lights

Lighting - 24v DC overhead

Tecma fresh and salt water toilet\*

Hand basin with hot and cold water\*

Raymarine echo sounder

overload protection circuit breaker, up/down foot switch on

• PYI drip less stern gland propeller shaft seals.

Rudder stock housings with bearings

Single Racor fuel filter for generator

Hydraulic trim tabs with guages

override and high water alarms

FRP water tanks with baffles

Water/gas separator for generator exhaust

Fresh water outlet with hose in engine room

Sight gauges on fuel and water tanks

• Fresh water system - pressure pump

Dockside fresh water connection

FRP fuel tanks with baffles and cleaning manholes

and air conditioning

with bronze ball valves

• 1 x Manual bilge pump

discharge

volume being usable.

galvanized anchor chain

Teak and Stainless steel rub rail

Oiled teak bulwark capping rails

Non skid fiberglass fore deck

Starboard side bulwark door

galley with inside insect screens

with teak treads and LED lights

FRP swim platform with laid teak

Storage in swim platform for ladder

2 midships and 2 aft deck

Non-skid on flybridge deck

Two premium helm chairs

Raymarine P70 auto pilot

Auto anchor chain counter

Bow Thruster control

bridge stereo

Compass

Hydraulicsteering

Timber steering wheel

Centre helm station

FRP housing for navigation lights

(insect screened)

(swing down type)

pilothouse doors

- 24v DC

starboard

radar

# • Hand rubbed Burma teak, aniegre or walnut interior

# SHAFT DRIVE TECHNOLOGY

Clipper only uses direct drive shaft power for the most efficient, safest and lowest cost of maintenance when driving your motor yacht. Propellers and running hardware are protected by the keel from groundings and underwater objects.

### SEMI DISPLACEMENT HULL DESIGN

#### FOR OFFSHORE BLUE WATER CRUISING

All Clippers models are designed with semidisplacement keeled hull designs to maximise weight and stability under the water line, reduce swinging and movement at anchor and protect the underwater running gear from shallow waters and underwater objects. Our motor yachts are designed to maximise range at 8 knots yet can comfortably cruise at 16 plus depending on engine options with top speeds up to 23 knots.

## LONGEST

# VESSEL WARRANTY PROTECTION PROGRAM IN THE INDUSTRY 360 PROTECT

- INCLUDING ANNUAL SERVICING ON ENGINES AND GENERATOR

Our industry leading warranty and service package covers the boats build and components for 3 years, structural warranty on hull and stringers for 5 years and up to 5 years on Volvo engines or 3 years with Cummins.

# COMPANY DIRECT DISTRIBUTION STRUCTURE

As the owners of the Clipper Motor Yacht brand you will be purchasing and ordering your new vessel with us who own the molds and handle the manufacturing of your new vessel direct to you. We also continue the service ongoing with warranty and after sales support eliminating the extra 25% cost of a dealer/distributor in between.

### INDUSTRY LEADING RESALE VALUE

Clipper Motor Yachts can lay claim to the strongest value retention of any semi-displacement brand of motor yacht in the last 7 years in Australia, some of our clients have experienced an annual depreciation as low as only 3% per annum based on the initial cost and sale price after 6 years ownership.

### AUSTRALIAN OWNED COMPANY

Clipper Motor Yachts is owned right here in Australia with our corporate offices and base on the Gold Coats.

Owners Brett Thurley and Glenn Thurlow have been in the marine industry for over 100 years combined and have control of the brand worldwide.

### FUEL EFFICIENCY AND LONG RANGE

Clippers hull design, shaft drive technology, large fuel capacity and keeled hulls allow for long range cruising without stopping for up to 1,000 nautical miles in some models. Cruising at 8 knots can be achieved with fuel rates at 26 litres per hour combined for both motors.

#### WALK AROUND DECK DESIGN

FOR SAFETY AND EASE OF ACCESS ALONG WITH

# LARGE FIBERGLASS STAIRS AND TEAK TREADS

TO THE FLYBRIDGE

Owning a Clipper means you enjoy the journey not just the destination with large walkaround decks for ease of access when under way, large fiberglass staircases with teak treads to the flybridge and lower helm side doors, all designed for a practical and safe cruising motor yacht

### OWNERS REGATTA'S AND ON WATER EVENTS

Clipper hosts multiple on water events for owners ranging from weekend get aways to our famous 9 day Regatta to Fraser Island with up to 15 vessels cruising together. These Regatta's encourage safe boating, increased confidence and experience offshore and a fun way to build friendships with other owners.