

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : P&G Professional FLASH Disinfecting with Bleach
Product code : PA00067224
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Function or use category : Washing and cleaning products (including solvent based products), Biocidal products (e.g. Disinfectants, pest control)

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Procter & Gamble UK Brooklands, Weybridge, Surrey, KT13 0XP, UK

Tel: 01932 896000 Fax: 01932 896200

Professional: customerservice@pgprof.com

1.4. Emergency telephone number

Emergency number : (UK) Emergency Tel: 0800 328 8304(IRL) Emergency Tel: 1800 509 497

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Met. Corr. 1 H290
Skin Corr. 1A H314
Aquatic Acute 1 H400
Aquatic Chronic 2 H411

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R36/38

N; R50

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger

Hazard statements (CLP) : H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
H400 - Very toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P260 - Do not breathe vapours
P273 - Avoid release to the environment
P280 - Wear protective gloves, eye protection
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P&G Professional FLASH Disinfecting with Bleach

Safety Data Sheet

according to Regulation (EC) No. 453/2010

P310 - Immediately call a POISON CENTER/doctor
P390 - Absorb spillage to prevent material damage

EUH phrases : EUH031 - Contact with acids liberates toxic gas

2.3. Other hazards

Other hazards not contributing to the classification : No presence of PBT and vPvB ingredients.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aqua	(CAS No) 7732-18-5 (EC no) 231-791-2	>= 50	Not classified	Not classified
Sodium Hypochlorite	(CAS No) 7681-52-9 (EC no) 231-668-3 (REACH-no) 01-2119488154-34	1 - 5	C; R34 R31 N; R50	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Sodium C12-14 Pareth-3 Sulfate	(CAS No) 68891-38-3 (EC no) Polymer	1 - 5	Xi; R41 Xi; R38	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium Hydroxide	(CAS No) 1310-73-2 (EC no) 215-185-5 (EC index no) 011-002-00-6 (REACH-no) 01-2119457892-27	1 - 5	C; R35	Met. Corr. 1, H290 Skin Corr. 1A, H314
Sodium Chloride	(CAS No) 7647-14-5 (EC no) 231-598-3	1 - 5	Not classified	Not classified
Sodium Carbonate	(CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2 (REACH-no) 01-2119485498-19	1 - 5	Xi; R36	Eye Irrit. 2, H319
Trimethoxybenzoic Acid	(CAS No) 118-41-2 (EC no) 204-248-2	< 1	Xi; R36/37/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Sodium Lauryl Sulfate	(CAS No) 68585-47-7 (EC no) 271-557-7	< 1	Xn; R22 Xi; R41 Xi; R38	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
Pentasodium Triphosphate	(CAS No) 7758-29-4 (EC no) 231-838-7 (REACH-no) 01-2119430450-54	< 1	Not classified	Not classified

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of water. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor/physician. Discontinue use of product.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Coughing. sneezing.

Symptoms/injuries after skin contact : Redness. Swelling. dryness. Itching. Oxygenated water may have temporary and reversible effects on skin (e.g. whitening).

Symptoms/injuries after eye contact : Severe pain. Redness. Swelling. Blurred vision.

Symptoms/injuries after ingestion : Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Refer to section 4.1.

P&G Professional FLASH Disinfecting with Bleach

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard. Non combustible.
Explosion hazard : Product is not explosive.
Reactivity : Reacts with (some) acids/bases: release of (highly) toxic gases/vapours. If the product is involved in a fire, it can release toxic chlorine gases.

5.3. Advice for firefighters

Firefighting instructions : No specific firefighting instructions required.
Protection during firefighting : In case of inadequate ventilation wear respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not bring in contact with acids. Do not use metal containers.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable gloves and eye/face protection.

6.1.2. For emergency responders

Protective equipment : Wear suitable gloves and eye/face protection.

6.2. Environmental precautions

Consumer products ending up down the drain after use. Prevent spreading in sewers. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

For containment : Scoop absorbed substance into closing containers. Do not use metal containers.
Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Large spills: contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.
Other information : Do not bring in contact with acids.

6.4. Reference to other sections

Refer to Sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Avoid contact with skin. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Refer to section 10.
Incompatible products : Refer to section 10.
Incompatible materials : metals. acids. Reacts with (some) acids: release of (highly) toxic gases/vapours (chlorine). May be corrosive to metals.
Prohibitions on mixed storage : Keep only in the original container in a cool, well-ventilated place away from (strong) acids.
Storage area : Store in a cool area. Store in a dry area.

7.3. Specific end use(s)

Refer to section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

No additional information available

8.1.2. Monitoring procedures: DNELS, PNECS, OEL

Pentasodium Triphosphate (7758-29-4)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	0.375 mg/kg bodyweight/day
Acute - systemic effects, inhalation	0.661 mg/m ³
Long-term - systemic effects, dermal	0.375 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.661 mg/m ³

P&G Professional FLASH Disinfecting with Bleach

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Pentasodium Triphosphate (7758-29-4)	
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	0.375 mg/kg bodyweight
Acute - systemic effects, inhalation	0.66
Acute - systemic effects, oral	0.75 mg/kg bodyweight
Long-term - systemic effects, oral	0.75 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.661 mg/m ³
Long-term - systemic effects, dermal	0.375 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.005 mg/l
PNEC aqua (marine water)	0.005 mg/l
PNEC aqua (intermittent, freshwater)	0.05 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.19 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.14 mg/kg dwt

Sodium Chloride (7647-14-5)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	295.52 mg/kg bodyweight/day
Acute - systemic effects, inhalation	2068.62 mg/m ³
Long-term - systemic effects, dermal	295.52 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2068.62 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	126.65 mg/kg bodyweight
Acute - systemic effects, inhalation	443.28 mg/m ³
Acute - systemic effects, oral	126.65 mg/kg bodyweight
Long-term - systemic effects, oral	126.65 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	443.28 mg/m ³
Long-term - systemic effects, dermal	126.65 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	5 mg/l
PNEC aqua (intermittent, freshwater)	19 mg/l
PNEC (Soil)	
PNEC soil	4.86 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	500 mg/l

Sodium Hydroxide (1310-73-2)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	1 mg/m ³
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1 mg/m ³

Sodium Hypochlorite (7681-52-9)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	3.1 mg/m ³
Acute - local effects, inhalation	3.1 mg/m ³
Long-term - local effects, dermal	0.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.55 mg/m ³
Long-term - local effects, inhalation	1.55 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	3.1 mg/m ³
Acute - local effects, inhalation	3.1 mg/m ³
Long-term - systemic effects, oral	0.26 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.55 mg/m ³
Long-term - local effects, dermal	0.5 % in mixture
Long-term - local effects, inhalation	1.55 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0.00021 mg/l
PNEC aqua (marine water)	0.000042 mg/l

P&G Professional FLASH Disinfecting with Bleach

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Sodium Hypochlorite (7681-52-9)	
PNEC aqua (intermittent, freshwater)	0.00026 mg/l
PNEC (STP)	
PNEC sewage treatment plant	0.03 mg/l

Sodium Carbonate (497-19-8)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	10 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	10 mg/m ³

8.2. Exposure controls

8.2.1. Appropriate engineering controls : No additional information available

8.2.2. Personal protective equipment
Not required for normal conditions of use.

Hand protection : Not applicable.

Eye protection : Not applicable.

Skin and body protection : Not applicable.

Respiratory protection : Not applicable.

8.2.3. Environmental exposure controls

Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Property	Value	Unit	Test method/Notes
Appearance	Liquid.		
Physical state	Liquid		
Colour	Coloured.		
Odour	odourless.		
Odour threshold	No data available		
pH	12.8		
Melting point	No data available		
Freezing point	No data available		
Boiling point	No data available		
Flash point	≥ 60	°C	
Relative evaporation rate (butylacetate=1)	No data available		
Flammability (solid, gas)	No data available		
Explosive limits	No data available		
Vapour pressure	No data available		
Relative density	No data available		
Solubility	Soluble in water.		
Log Pow	No data available		
Auto-ignition temperature	No data available		
Decomposition temperature	No data available		
Viscosity	320	cP	
Explosive properties	No additional information available		
Oxidising properties	No additional information available		

9.2. Other information

No additional information available

P&G Professional FLASH Disinfecting with Bleach

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with (some) acids/bases: release of (highly) toxic gases/vapours. If the product is involved in a fire, it can release toxic chlorine gases.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Refer to Section 10 on Incompatible Materials.

10.5. Incompatible materials

metals, acids. Reacts with (some) acids: release of (highly) toxic gases/vapours (chlorine). May be corrosive to metals.

10.6. Hazardous decomposition products

chlorine.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

P&G Professional FLASH Disinfecting with Bleach	
LD50 oral calculated	> 2000 mg/kg
Aqua (7732-18-5)	
LD50 oral rat	20 g/kg
ATE CLP (oral)	20000000 mg/kg bodyweight
Pentasodium Triphosphate (7758-29-4)	
LD50 oral rat	2001 mg/kg OECD 401
LD50 dermal rabbit	4640 mg/kg
LC50 inhalation rat (mg/l)	> 0.39 mg/l
ATE CLP (oral)	2001 mg/kg bodyweight
ATE CLP (dermal)	4640 mg/kg bodyweight
Sodium Chloride (7647-14-5)	
LD50 oral rat	3550 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 inhalation rat (mg/l)	> 42 mg/l/4h
ATE CLP (oral)	3550 mg/kg bodyweight
ATE CLP (dermal)	10000 mg/kg bodyweight
ATE CLP (vapours)	42.000 mg/l/4h
ATE CLP (dust,mist)	42.000 mg/l/4h
Sodium Hypochlorite (7681-52-9)	
LD50 dermal rabbit	20000 mg/kg OECD 402
LC50 inhalation rat (mg/l)	5.25 mg/l/4h OECD 403
Sodium Carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg
LD50 dermal rabbit	2001 mg/kg
ATE CLP (oral)	2800 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
Sodium Lauryl Sulfate (68585-47-7)	
LD50 oral rat	1800 mg/kg
LD50 dermal rat	2001 mg/kg
ATE CLP (oral)	1800 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight
Sodium C12-14 Pareth-3 Sulfate (68891-38-3)	
LD50 oral rat	4100 mg/kg
LD50 dermal rat	2001 mg/kg
ATE CLP (oral)	4100 mg/kg bodyweight
ATE CLP (dermal)	2001 mg/kg bodyweight

P&G Professional FLASH Disinfecting with Bleach

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 12.8
Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 12.8
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Acute Toxicity: based upon available data of the substances, classification criteria are not met. Carcinogenicity: based upon available data of the substances, classification criteria are not met. Irritation: moderately irritating to eyes. Irritation: moderately irritating to skin. Mutagenicity: based upon available data of the substances, classification criteria are not met. Repeated Dose Toxicity: based upon available data of the substances, classification criteria are not met. Sensitization: based upon available data of the substances, classification criteria are not met. Toxicity for Reproduction: based upon available data of the substances, classification criteria are not met. Corrosivity: based upon skin corrosion test data, classification criteria are not met.
Other information	: Likely routes of exposure: skin and eye. Information on Effects: refer to section 4.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
-------------------	---

Pentasodium Triphosphate (7758-29-4)	
LC50 fishes 1	> 1850 mg/l Danio rerio
EC50 Daphnia 1	> 100 mg/l Daphnia magna
ErC50 (algae)	160 mg/l Desmodesmus subspicatus

Sodium Chloride (7647-14-5)	
LC50 fishes 1	5840 mg/l //ASTM E729; Lepomis macrochirus
EC50 Daphnia 1	874 mg/l Daphnia magna
ErC50 (algae)	2430 mg/l //OECD 201, Nitzschia species
NOEC (chronic)	350 mg/l EC10
NOEC chronic fish	252 mg/l //OECD 210, Pimephales promelas
NOEC chronic crustacea	314 mg/l //OECD 211, Daphnia pulex
NOEC chronic algae	5800 mg/l EC16; Euglena gracilis

Sodium Hydroxide (1310-73-2)	
EC50 Daphnia 1	40.4 mg/l Ceriodaphnia

Sodium Hypochlorite (7681-52-9)	
LC50 fishes 1	0.032 mg/l
LC50 other aquatic organisms 1	3 mg/l
EC50 Daphnia 1	0.035 mg/l OECD 202, Ceriodaphnia dubia
ErC50 (algae)	0.026 mg/l

Sodium Carbonate (497-19-8)	
LC50 fishes 1	300 mg/l
EC50 Daphnia 1	200 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Pentasodium Triphosphate (7758-29-4)	
Bioaccumulative potential	No data available.

Sodium Chloride (7647-14-5)	
Bioaccumulative potential	Not measured.

P&G Professional FLASH Disinfecting with Bleach

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Sodium Hydroxide (1310-73-2)	
Bioaccumulative potential	Not measured.

Sodium Hypochlorite (7681-52-9)	
Log Kow	-3.42
Bioaccumulative potential	No ecological damage caused by this product.

12.4. Mobility in soil

Pentasodium Triphosphate (7758-29-4)	
Mobility in soil	142.44

12.5. Results of PBT and vPvB assessment

P&G Professional FLASH Disinfecting with Bleach	
Results of PBT assessment	No presence of PBT and vPvB ingredients
Component	
Sodium Hydroxide (1310-73-2)	PBT: not relevant – no registration required vPvB: not relevant – no registration required
Sodium Hypochlorite (7681-52-9)	PBT: not relevant – no registration required vPvB: not relevant – no registration required

12.6. Other adverse effects

Other information : Toxic to aquatic organisms.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- 13.1.1. Regional legislation (waste) : Disposal must be done according to official regulations.
- 13.1.2. Disposal recommendations : The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration.
. For handling waste, see measures described in section 7. Empty, uncleaned packaging need the same disposal considerations as filled packaging.
- 13.1.3. EURAL Waste code product : 20 01 29* - detergents containing dangerous substances
15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1. UN number

UN-No : 1791
UN-No. (ICAO) : 1791

14.2. UN proper shipping name

Proper Shipping Name : HYPOCHLORITE SOLUTION
Transport document description : UN 1791 HYPOCHLORITE SOLUTION, 8, III, (E)

14.3. Transport hazard class(es)

Class (UN) : 8
Class (ICAO) : 8 - Corrosive substances
Danger labels (UN) : 8



14.4. Packing group

Packing group (UN) : III

14.5. Environmental hazards

Dangerous for the environment :
Marine pollutant :



Other information : No supplementary information available.

P&G Professional FLASH Disinfecting with Bleach


Safety Data Sheet

according to Regulation (EC) No. 453/2010

14.6. Special precautions for user

14.6.1. Overland transport

Transport regulations (RID) : Subject to the provisions
State during transport (ADR-RID) : as liquid
Hazard identification number (Kemler No.) : 80
Classification code (UN) : C9
Orange plates :



Special provisions (ADR) : 521
Transport category (ADR) : 3
Tunnel restriction code : E
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

14.6.2. Transport by sea

Transport regulations (IMDG) : Subject to the provisions
EmS-No. (1) : F-A
EmS-No. (2) : S-B

14.6.3. Air transport

Transport regulations (IATA) : Subject to the provisions

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Ingredient label : <5% Anionic surfactants, Chlorine-based bleaching agents; Perfumes, Disinfectants.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Contains no substance on the REACH candidate list

CESIO recommendations : The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

16.1. Indication of changes

16.2. Abbreviations and acronyms

No additional information available

16.3. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]	classification procedure
Met. Corr. 1	Calculation method On basis of test data
Aquatic Acute 1	Calculation method
Aquatic Chronic 2	Calculation method

16.4. Relevant R-phrases and/or H-statements (number and full text) for mixture and substances

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1

P&G Professional FLASH Disinfecting with Bleach

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R22	Harmful if swallowed
R31	Contact with acids liberates toxic gas
R34	Causes burns
R35	Causes severe burns
R36	Irritating to eyes
R36/37/38	Irritating to eyes, respiratory system and skin
R36/38	Irritating to eyes and skin
R38	Irritating to skin
R41	Risk of serious damage to eyes
R50	Very toxic to aquatic organisms
C	Corrosive
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

16.5. Training advice

Normal use of this product shall imply use in accordance with the instructions on the packaging.

16.6. Further information

Salts listed in Section 3 without a REACH Registration number are exempt, based on Annex V

SDS P&G CLP

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product