

Current Date 02Mar2015

450J CRAWLER TRACTOR

450J Standard Equipment (*New Item) ENGINE: *John Deere PowerTech PWX 4.5L meets IT4 / Stage IIIB emissions 70 SAE Net hp (52 kw) *Turbocharged with Charged Air Cooler- No Horsepower de-rating up to 10,000 ft. altitude **Isolation-Mounted Electronic Controlled Fuel** Injection Electric Fuel Shut-off with Key Start Switch Vertical Spin-on Engine Oil Filter Vertical Spin-on Primary Fuel Filter with Water Separator Vertical Spin-on Final Fuel Filter Oil-to-Water Engine Oil Cooler Dual Safety Element Dry-Type Air Cleaner with Built-in Precleaner with **Evacuator Valve** Above Hood Prescreener/Raincap Muffler, Under Hood, with Vertical Exhaust Stack *Glow Plugs Enclosed Safety Fan Guard (Conforms to SAE J1308) ELECTRICAL: 12 Volt System 70 Amp Sealed Alternator Single Battery with 190 Minute Reserve Capacity and 950 CCA Master Electric Disconnect Switch Bypass Start Safety Cover on Starter Positive Terminal Battery

Hydrostatic Transmission Diagnostic Remote Test Ports Single-Lever Speed in Grip Steering with Counter Rotation and Horn Decelerator/Brake Pedal Automatic Power Management (w/ Manual Override) for Matching Ground Speed Infinite Ground Speed Selection Automatic Straight Ahead Tracking Adjustable Ground Speed When Shifting from Forward to Reverse Dynamic Braking (Anti-Free Wheel) Transmission Neutral Lock with Safety Start Switch Automatic Spring Applied, Hydraulically Released Parking Brake Independent Transmission Oil Reservoir with Sight Gauge Vertical Spin-on Transmission Filter Oil to Air Transmission Oil Cooler **Triple Reduction Final Drives** with Wet Multi-Disk Brakes UNDERCARRIAGE: 57 In. (1450 mm) Long Track (LT) Track Gauge Maximun life Undercarraige with 40 Link-Extended Life SC2 Bushings and 16 in. (406mm) Moderate Service Shoes Sealed Track Chain Single Flange Rollers

2 In. (51 mm) Retractable Seat Belt (Conforms to SAE J386) Adjustable Footrests Adjustable Full Length Arm Rests Headliner and Floormat Electronic Monitor System with Audible and Visual Warning: Low Alternator Voltage **Engine Oil Pressure** Engine Coolant Temperature **Engine RPM Indicator** Hydraulic Oil Filter Restriction Transmission Oil Filter Restriction Transmission Oil Temperature Transmission Speed Indicator Engine Air Restriction Indicator Fasten Seat Belt/Park Brake Warning Fuel Gauge, Electric, Illuminated Hourmeter, Electric, Illuminated Transmission Oil Pressure Indicator Horn, Electric(Conforms to SAE J994, J1446) Built-in Operators Manual Storage Compartment and Manual Convex Rearview Mirror 12 Volt Power Port OVERALL VEHICLE: One Piece Unitized Mainframe Front Tow Loop Reinforced Engine and Midframe Bottom Guards

Covers Full Length Smooth Surface Integral Transmission Guard Pre-wired for Work Lights, Track Frame Covers Perforated Engine Side Underseat Heater and Low Front and Rear Chain Guides Shields Pressure Heavy Duty Louvered Front Indicator Solid Sprocket with Bolt-on Grille (2) High Intensity Grille Sprocket Guards Less C-Frame and Blade **OPERATOR STATION:** Mounted and (1) Rear Work Vandal Protection Locking Liaht JDLink Ultimate with Threefor: Year Service Contract HYDRAULICS: Engine Access Door-Requires 15 GPM (56.8 L/Min) Fixed Modular Design ROPS/FOPS Padlock Displacement Hydraulic Gear Canopy, Isolation Mounted Side Tanks Access Doors-Pump (Conforms to SAE **Require Padlocks** Instrument Panel - Requires Independent Hydraulic Oil J1040) Reservoir with Sight Gauge Left and Right Front Access Padlock on ROPS Canopy Vertical Spin-on Hydraulic Oil Slip-Resistant Steps and Transmission & Hydraulic Ergonomically Located **Reservoirs - Requires** Filter Three Function Hydraulic Handholds (Conforms to Wrench Valve with Low Effort Single SAE J185) Wide Mouth Filler Cap -Suspension Vinyl Seat: **Requires Padlock** Lever (T Bar) Blade Control Height and Weight and Fore-Lockable Grease Gun and O Ring Face Seal Connectors Aft Adjustments (Conforms Tool Storage in Right Access to SAE J899) POWER TRAIN: Door Dual Path Hydrostatic Adjustable Leg Support 47 Gallon (178 Liter) Fuel Transmission Tank Reverse Warning Alarm with Guarding (Conforms to SAE

Required - You must select one from each category

BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

Description	Code	Price
450J CRAWLER TRACTOR	2300T	\$97,213.00

J994, J1446)

TRACK FRAME

Description	Code	e Price
1450 mm (57 In.) Gauge, Long-Track (L1	F) Frame (6 roller) 1045	5 In Base Price
1650 mm (65 In.) Gauge, Low Ground Pr Frame (6 roller)	essure (LGP) Track 1075	\$1,963.00

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description

JDLink Ultimate Cellular for the Americas, excluding Costa Rica	1700	In Base Price
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.		
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not		
agreeable do not proceed and do not use the service.		
JDLink Ultimate Satellite for the Americas, excluding Costa Rica	1701	\$1,566.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
Includes 3 year dual mode subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not		
 agreeable do not proceed and do not use the service. JDLink Ultimate Cellular for the Americas, excluding Costa Rica - 5 Years	1710	\$1,232.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.		
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
JDLink Ultimate Satellite for the Americas, excluding Costa Rica - 5 Years	1711	\$3,168.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		

	Includes 5 year dual mode subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available		
	at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Ŧ	TRACK SHOES AND CHAIN		
	Description	Code	Price
	Long Track (LT) TRACKS ONLY (Requires Code 1045 only)		
	Sealed and Lubed Tracks except as noted. Full Width and Closed Center Single Bar Grousers except as noted.		
	40 Link with 16 in. (406 mm) Moderate Service Shoes	4550	(\$6,098.00)
_	Maximum life Undercarriage with 37 Link-Extended Life SC2 Bushings and 16 in. (406mm) Moderate Service Shoes	4750	In Base Price
_	LGP Only (Requires Code 1075):		
	Sealed and Lubed Tracks except as noted. Full Width and Closed Center Single Bar Grousers except as noted.		
	40 Link with 24 in. (610 mm) Moderate Service Shoes	4570	(\$4,679.00)
_	Maximum life Undercarriage with 37 Link-Extended Life SC2 Bushings and 24 in. (610mm) Moderate Service Shoes	4770	\$1,422.00
Ŧ	CHAIN GUIDES OR ROCK GUARDS		
	Description	Code	Price
	Front and Rear Chain Guides for Long Track or LGP Track	4835	In Base Price
	Full Length Rock Guards for Long Track or LGP Track	4885	\$1,128.00
Ŧ	DOZER BLADE		
	Blades or C-Frames are Not Included In Base Price. All C-Frame Options Include Remote C-Fra Integrally Protected Hoses with Replaceable Hoses. All Blades have Manual adjustable blade p		Grease Banks and
	Description	Code	Price
	Heavy Duty Inside All Hydraulic C-Frame Less Blade	7015	\$9,057.00
	Includes lift cylinders with Cordura-covered hoses. Includes tilt cylinder hoses with cable and Cordura covers. Includes angle cylinders and hoses with steel and Cordura covers. To convert an H-series blade to fit this unit, refer to instruction T205831 Does not include attaching pins and hardware. Refer to Installation instructions T177581 to attach non-Deere attachments. When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section.		
	90 in. X 37.6 in. (2.29 m X .96 m) Blade with Inside All Hydraulic Standard C-Frame	7025	\$12,123.00
	Requires Code 1045, Long Track Will not cut overall track width when fully angled		

Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers

	Includes angle cylinders and hoses with steel and Cordura covers Not recommended for front attachments mounted on blade		
_	97 in. x 37.6 in. (2.46 m X .96 m) Blade with Inside All Hydraulic Standard C-Frame	7045	\$12,310.00
	Requires Code 1045, Long Track Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers Not recommended for front attachments mounted on blade		
_	115 in. X 37.6 in. (2.92 m X .96 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7065	\$13,499.00
_	Blade shipped with machine but not installed Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section		
	124 in. X 35.2 in. (3.15 m X .894 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7075	\$14,657.00
_	Requires Code 1075, LGP Track Frame Blade shipped with machine but not installed Includes lift cylinders with Cordura covered hoses Includes till cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section		
Ŧ	HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS		
	Description	Code	Price
	Description 3 Function Hydraulic Control Valve	Code 7725	Price In Base Price
-			
-	3 Function Hydraulic Control Valve 3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt	7725	In Base Price
	3 Function Hydraulic Control Valve 3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Trimble Ready Installation AT338871 for Cab Units or Trimble Ready Installation AT352426 for Canopy units or Topcon Ready Installation AT338879 for Cab and Canopy or Leica Ready Installation AT408427 for Cab and Canopy units. If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot	7725	In Base Price
_	3 Function Hydraulic Control Valve 3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Trimble Ready Installation AT338871 for Cab Units or Trimble Ready Installation AT352426 for Canopy units or Topcon Ready Installation AT338879 for Cab and Canopy or Leica Ready Installation AT408427 for Cab and Canopy units. If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order AT338871, AT352426, AT338879 or AT408427.	7725	In Base Price \$3,551.00
	3 Function Hydraulic Control Valve 3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Trimble Ready Installation AT338871 for Cab Units or Trimble Ready Installation AT352426 for Canopy units or Topcon Ready Installation AT352426 for Canopy units or Topcon Ready Installation AT338879 for Cab and Canopy or Leica Ready Installation AT408427 for Cab and Canopy units. If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order AT338871, AT352426, AT338879 or AT408427. 4 Function Hydraulic Control for Power-Angle-Tilt (PAT) 4th function (without Float). Does include circuit reliefs. Work port plugged.	7725	In Base Price \$3,551.00

	AULIC PUMP	. .	
	Description	Code	Price
	Hydraulic Pump for use without Winch	7925	In Base Price
	Does not Includes external spline for mechanical drive winch or auxiliary pump.		
	Hydraulic Pump for use w/ Winch	7975	\$443.00
	For use with Deere 4000S Winch (mechanical drive) Includes external spline for winch or auxiliary pump.		
OPERA	ATOR STATION		
	Description	Code	Price
	Canopy	5025	In Base Price
	Cannot be used with Integrated Grade Control codes 7750 or 7760.		
	Canopy and (IGC) Integrated Grade Control ready	5035	No Charge
	Requires code 7750 or 7760, Control Valves for Integrated Grade Control.		
	Cab with Roof Mounted Air Conditioner/Heater	5085	\$17,851.00
	Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner 24,000 BTU air conditioner 30,000 BTU under-seat heater Dome light Deluxe headliner Tinted safety glass all around Front windshield and doors with (3) single-speed wipers and washers 90 amp alternator Pre-wired for Work Lights, rear wiper & washer Requires code 5885, Cloth Seat. Not for use with codes 7750 or 7760, Control Valves for Integrated Grade Control.		
	Cab with Roof Mounted Air Conditioner/Heater and (IGC) Integrated Grade Control Ready	5095	\$18,118.00
	Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner 24,000 BTU air conditioner 30,000 BTU under-seat heater Dome light Deluxe headliner Tinted safety glass all around Front windshield and doors with (3) single-speed wipers and washers 90 amp alternator IGC Ready Pre-wired for Work lights, rear wiper & washer Includes front counterweight when ordered with code 1045 Long Track No counterweights are included when ordered with code 1055 XLT or 1075 LGP. Requires code 7750 or 7760 EH Hydraulics. Requires code 5885, Deluxe Cloth Suspension Seat.		
SEAT			
	Description	Code	Price
	Air Suspension Comfort Control High Back Fabric Seat	5885	\$917.00
	3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning		

	Requires Cab.		
	Air Suspension Comfort Control High Back Vinyl Seat	5855	\$917.00
	3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Requires Code 5025.		
-	Suspension Vinyl Seat	5825	In Base Price
	2 In. (51 mm) retractable seat belt Fore and aft adjustment Combined weight and height adjustment Adjustable leg support Restricted to canopy use only. Contact Custom Engineering for use on Cab units.		
Ŧ	BATTERY		
	Description	Code	Price
	Single Battery, 190 Minute Reserve Capacity, 950 CCA	6025	In Base Price
	Recommended for use in temperatures above 32 degrees F,0 degrees C.		
	Dual Batteries, 190 Minute Reserve Capacity Each (380 Combined), 950 CCA Each (1900 Combined)	6075	\$285.00
	Recommended for use in temperatures 32 degrees F, 0 degrees C, and below. Recommend 110 Volt Engine Coolant Heater for use in temperatures below 0 degrees F, -18 degrees C.		
Op	tional - Select as desired		
Ŧ	OPTIONAL EQUIPMENT (ORDER AS DESIRED)		
•	OPTIONAL EQUIPMENT (ORDER AS DESIRED) Description	Code	Price
•		Code	Price
•	Description	Code 9015	
	Description <u>COLD START</u>		
	Description <u>COLD START</u> Ether Start Aid		
	Description <u>COLD START</u> Ether Start Aid Recommended for use below 32 degrees F, 0 degrees C		\$343.00
	Description <u>COLD START</u> Ether Start Aid Recommended for use below 32 degrees F, 0 degrees C <u>POWERTRAIN</u>	9015	\$343.00
	Description COLD START Ether Start Aid Recommended for use below 32 degrees F, 0 degrees C POWERTRAIN Environmental Drain Package Includes drain valve for safely draining transmission oil and hydraulic oil reservoirs	9015	\$343.00
	Description COLD START Ether Start Aid Recommended for use below 32 degrees F, 0 degrees C POWERTRAIN Environmental Drain Package Includes drain valve for safely draining transmission oil and hydraulic oil reservoirs and drain valve and hose for engine oil.	9015 9030	\$343.00
	Description COLD START Ether Start Aid Recommended for use below 32 degrees F, 0 degrees C POWERTRAIN Environmental Drain Package Includes drain valve for safely draining transmission oil and hydraulic oil reservoirs and drain valve and hose for engine oil. Severe-Duty Fuel Filter Do not order with Tier 2 engines as severe-duty fuel filtration and water seperation is included.	9015 9030	Price \$343.00 \$280.00 \$521.00 \$136.00
	Description COLD START Ether Start Aid Recommended for use below 32 degrees F, 0 degrees C POWERTRAIN Environmental Drain Package Includes drain valve for safely draining transmission oil and hydraulic oil reservoirs and drain valve and hose for engine oil. Severe-Duty Fuel Filter Do not order with Tier 2 engines as severe-duty fuel filtration and water seperation is included. Available for Tier 3 engines only.	9015 9030 9060	\$343.00 \$280.00 \$521.00 \$136.00
	Description COLD START Ether Start Aid Recommended for use below 32 degrees F, 0 degrees C POWERTRAIN Environmental Drain Package Includes drain valve for safely draining transmission oil and hydraulic oil reservoirs and drain valve and hose for engine oil. Severe-Duty Fuel Filter Do not order with Tier 2 engines as severe-duty fuel filtration and water seperation is included. Available for Tier 3 engines only. Chrome Exhaust	9015 9030 9060 9065	\$343.00 \$280.00 \$521.00

OPERATOR STATION

<u></u>		
Under- Seat Canopy Heater	9125	\$1,275.00
Requires Canopy 30,000 BTU		
(4) High Intensity Cab Work Lights	9165	\$423.00
Work lights are addition to Standard Lights		
(4) High Intensity Canopy Work Lights	9167	\$519.00
Work lights are addition to Standard Lights		
Operator's Station Accessories	9170	\$309.00
Includes larger convex rear view mirror, knee cushion side pads, seat-side lockable storage box and lunch box/cup holder. Can not use with 5825 seat, tool box will not fit under seat.		
3 In. Retractable Seat Belt	9225	\$127.00
Requires Code 5825, Suspension Seat.		
AM/FM, Weather Band Radio with Digital Clock	9500	\$752.00
Requires Cab		
Hydraulic And Hydrostatic Oil - Hydrau XR	9537	\$565.00
Intended for Colder Climates with Extreme Cold Ambient Temperatures down to - 40C (-40F) Provides All-Season Capability in Ambient Temperature Ranging from -40C to 40C (-40F to 104F).		
OVERALL VEHICLE		
French Trademarks and Decals	9173	No Charge
Spanish Trademarks and Decals	9178	No Charge
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	9187	\$10,908.00
Requires code 7775 Hydraulics. Cannot be used with 9345 or 9355.		
Retrieval Hitch with Pin	9345	\$263.00
Recommended for pull-type implements - drawbar extends 6.1 I. (155 mm) to rear Cannot be used with Code 9355, Extended Rigid Drawbar Cannot be used with 4000S Winch Can be used with rear counterweight		
Extended Rigid Drawbar with Pin	9355	\$492.00
Recommended for pull-type implements that require turning clearance - extends 11.3 In. (288 mm) to rear. Cannot be used with Code 9345, Retrieval Hitch Cannot be used with 4000S Winch Can be used with rear counterweight		
Hydraulic Track Adjuster Yoke Relief Valve	9400	\$207.00
Recommended for severe operating conditions (for example, forestry or rock).		

Replaces grease zerk in track adjusters.

Model 4000 Standard Speed Winch - Power In, Free Spool Out	9401	\$18,645.00
Requires Code 7975, 9450 or 9455. Not for Use with Code 9187, 9345 or 9355. Can not be used with Trimble or TopCon interface field Kits.		
Model 4000 Standard Speed Winch - Power In, Power Out	9402	\$21,043.00
Requires Code 7975, 9450 or 9455. Not for Use with Code 9187, 9345 or 9355. Can not be used with Trimble or TopCon interface field Kits.		
Model 4000 Low Speed Winch - Power In, Power Out	9403	\$21,923.00
Requires Code 7975, 9450 or 9455. Not for Use with Code 9187, 9345 or 9355. Can not be used with Trimble or TopCon interface field Kits.		
4000 Winch Fairlead, Four Roller	9410	\$3,851.00
For use with winch. Requires Code 9401, 9402 or 9403.		
Drawbar, 4000 Winch with Pin & Hardware	9420	\$697.00
For use with winch. Requires Code 9401, 9402 or 9403.		
Extended Drawbar, 4000 Winch with Pin & Hardware	9440	\$1,045.00
For use with winch. Requires Code 9401, 9402 or 9403.		
Rear Screen for Canopy (Grey)	9450	\$1,035.00
Requires code 5025 or 5035.		
Rear Screen Cab (Grey)	9455	\$1,327.00
Requires code 5085 or 5095.		
Non-Export Rust Preventive Coating	9909	\$148.00

ATTACHMENTS FOR FIELD CONVERSION

Ŧ

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Blades:		
H to J Series 32 in. Blade Conversion Kit	AT307442	\$241.00
Installation Instructions T205831		
Cold Start:		

110 Volt Engine Coolant Heater, (1000 Watt) AT211191	
	\$95.00
Average installation, 0.5 hour	
Diesel Fuel-Fired Engine Coolant Heater Kit For Tier III AT348754 Engines	\$3,454.00
Includes igniter, timer and coolant circulation pump. Recommended for temperatures below -13°F (-25°C). Average installation, 6 hours.	
Diesel Fuel-Fired Engine Coolant Heater Kit for Tier I & Tier AT311172 II Engines	\$3,759.00
Includes igniter, timer and coolant circulation pump. Recommended for temperatures below -13°F (-25°C). Average installation, 6 hours.	
Frame Attachment:	
C-Frame Steps AT310522	\$207.00
For use on units S/N 106533 and below. Installation instructions T208092 Average installation, 1.0 hour	
C-Frame Tilt Clevis Kit AT311768	\$361.00
Drawbar, 4000 Winch with Pin and Hardware AT207587	\$818.00
Installation instructions T178488 Not for use with Winch Fairlead Average installation, 1 hour Requires 4000S Winch Extends 27 In. to rear	
Extended Drawbar, 4000 Winch with Pin and Hardware AT222827	\$861.00
For use with Winch Fairlead Average installation, 1 hour Requires 4000S Winch Extends 32 In. to rear	
Front Counterweight, 94 kg. (207 lb.) AT419923	\$497.00
Heavy Duty Parallelogram Ripper with 5 Shank Pockets AT342646 and (3) Shank/Teeth	\$12,066.00
Requires 4 Function Hydraulics and Auxiliary Plumbing.	
Mounting Bracket and Hardware for Model 4000S Winch on AT193429 550H & 550J and 650H & 650J Only	\$1,419.00
Reinforcement Blade Kit AT225884	\$89.00
Installation instructions T182677. Recommended for severe conditions by reinforcing lower blade corners. For straight end bits order parts T182281 and T182280. For cupped end bits order parts T182253 and T182304.	
Grade Control:	
Leica Grade Control Interface Package, Paladin-Installed AT408427 for Cab & Canopy	\$7,243.00

Requires code 7750 or 7760.		
Topcon Grade Control Interface Package Installed for Cab or Canopy Crawler Dozers	AT338879	\$7,332.00
Kit not availble as a field installation. These interface package kits are not backwards compatible and will not accept older platforms of grade control systems. If there are questions as to whether your customers grade control system will integrate with these interface package kits, contact your local grade control supplier for compatibility details prior to ordering the tractor. Requires code 7750 or 7760. Installation provides Monitor Bracket, Wiring Harnesses and Sensor attaching parts on blade.		
Trimble Grade Control Interface Package Installed for Cab Crawler Dozers	AT338871	\$8,450.00
Kit not availble as a field installation. These interface package kits are not backwards compatible and will not accept older platforms of grade control systems. If there are questions as to whether your customers grade control system will integrate with these interface package kits, contact your local grade control supplier for compatibility details prior to ordering the tractor. Requires code 7750 or 7760. Installation provides Monitor Bracket, Wiring Harnesses and Sensor attaching parts on blade.		
Trimble Grade Control Interface Package Installed for Canopy Crawler Dozers	AT352426	\$8,258.00
Kit not availble as a field installation. These interface package kits are not backwards compatible and will not accept older platforms of grade control systems. If there are questions as to whether your customers grade control system will integrate with these interface package kits, contact your local grade control supplier for compatibility details prior to ordering the tractor. Requires code 7750 or 7760. Installation provides Monitor Bracket, Wiring Harnesses and Sensor attaching parts on blade.		
Hydraulics:		
Auxiliary Fifth Function Valve (without Float), Lever and Linkage Installation instructions T177350. Average installation, 5 hours. Converts four function control valve to five function. Can be used with AT207568, Auxiliary Fourth Function Valve Section, to conver three function control valve to five function.	AT219741	\$468.00
Work ports plugged, without circuit reliefs. Auxiliary Fourth Function Valve Section (without Float), Lever and Linkage	AT207568	\$468.00
Installation instructions T177349. Average installation, 5 hours. Converts three function control valve to four function. Work ports plugged without circuit reliefs.		
Electro-Hydraulics (EH) Auxiliary Hydraulic Function	AT342202	\$1,560.00
This kit will convert code 7750(IGC) Hydraulics 3 Function for (PAT) to (IGC) Hydraulics 4 Function for (PAT) and Rear Attachment.		
Rear Auxiliary Plumbing	AT207570	\$93.00

Installation instructions Average installation, 1 For use with rear mou		r	
Operator Envir	conment:		
20 Amp Power F	Port	AT221140	\$82.00
Installation instructions Average installation, 1 Fused 20 AMP maxin	hour		
AM/FM Weather	Band Radio	AT207496	\$709.00
Installation instructions Average installation, 0 Requires Cab. Radio antenna include	.5 hour		
Cab Sound Supp	pression Package	AT318780	\$468.00
Install Instructions T21 Average install 2 hrs.	8525		
High Intensity W	Vork Light Package for Cab	AT307940	\$421.00
Lights mount at top of	cab		
High Intensity W	Vork Light Package for Canopy	AT307941	\$516.00
Lights mount at top of	canopy		
Lighted Switch E	Blackout Installation	AT398370	\$769.00
MP3/iPod/Sat Ra and Cargo Net	adio/Cell Phone holder w/ 2 Power Ports	AT349372	\$148.00
kit includes a cargo ne holder, and instructions.	et, bracket/holder, wire harness, 2 power ports, plastic		
Operator's Stati	on Accessories	AT221574	\$513.00
	or Cab < rear view mirror, knee cushion side pads, seat-side and lunch box/cup holder		
Single-Speed Re	ear Window Wiper and Washer	AT221078	\$567.00
Average installation, 1 Installation instructions Requires Cab			
Under-Seat Can	opy Heater	AT306964	\$1,282.00
Installation instruction Average installation, 2 Requires Code 5025, 30,000 BTU	hours		
Overall Vehicle	<u>5:</u>		

Rear Counterweight, 330 Lb. (150 Kg)	T174346	\$662.00
Requires mounting hardware, see parts Stackable, maximum of 2 Average installation, 2 hours		
Powertrain:		
Extreme-Duty Louvered Grille with Hose Prote	ction AT222512	\$1,375.00
For use on J series crawlers and 450H (S.N. 877119) and 550 877191) Average installation, 2 hours Heavy gauge plate grille also protects lights and upper and lowe hoses Includes attaching hardware Replaces heavy-duty grille Installation instructions T178666	·	
Winches:		
External lines with Accumulator for Power In/F Winches on 460J, 500J and 650J Only	Power Out AT182314	\$1,178.00
Fairlead, 4000 Winch Four Roller	AT175529	\$2,896.00
REFERRAL ATTACHMENTS		
Description	Code	Price
<u>G.R. Mfg.:</u>		
 G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, an and assistance will be the responsibility of G.R. Manufacturing, handled directly between the Dealer and G.R. Manufacturing, In G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 	Inc., and will be	
Phone: (800)841-8001 Fax: (205)655-8005		
41" Center Brush Guard for the 450J, 550J, ar	d 650J AT343937	\$706.00
Fits blades up to 115" length. For J crawlers above S/N 139432, and all Ks.		
Arched Limb Risers for Canopy or Cab (Grey)	AT312406	\$1,935.00
Average installation, 3 hours. Bolt-on, isolation mounted. Crossbar protects exhaust stack. Limb riser arms run from outer front edge of grille housing to out canopy. Can not be used with Auxiliary Hydraulic Oil Cooler.	er front edge of	
Brush Guard, Full Width for 115 in. X 37.6 in. X .96 m) Blade	(2.92 m AT364288	\$1,250.00
For crawler S/N 139433 and above.		
Brush Guard, Full Width, 105 in.(2667mm) Bla	ade AT343936	\$1,250.00

-

Bri	ush Guard, Full Width, 90 - 97" Blade	AT343935	\$1,012.00
C-	Frame reinforcement	AT318527	\$810.00
Use	e with blade root rake or stumping application.		
	eavy Duty 124 in.(3.15m) Root Rake for S/n above 39433	AT369894	\$5,878.00
For	r 124 in blade crawlers with S/n 139433 and above.		
Не	eavy Duty Root Rake w/ Brush Guard, 114"	AT343939	\$5,778.00
For	r use with 115" blades r crawler S/N 139433 and above iot rake has integral guarding which prohibits use w/ blade equipped w/ brush ard		
Не	eavy Duty Root Rake w/ Brush Guard, 98"	AT343938	\$5,270.00
For	r use with 97" and 105" blades r crawler S/N 139433 and above ot rake has integral guarding which prohibits use w/ blade equipped w/ brush ard		
	ydraulic Cooler for use with Limb Risers and treme Duty Grille	AT340238	\$1,685.00
	r use with older serial numbers with the high-flow pump option, limb risers, and avy-duty grill.		
Int	take Guard (Grey)	AT221772	\$277.00
Bol Per	erage installation, 1 hour. It-on. rforated plate covers engine air cleaner intake for protection. so acts as prescreener.		
Lif	ft Cylinder Guards (Yellow)	AT320934	\$233.00
Bol For	erage installation, 1 hour. It-on. rmed plates bolt to top of lift cylinders and protect the hydraulic hose and ings.		
	ow Profile Point-to-Point Limb Risers for Canopy or Cab Grey)	AT335715	\$2,240.00
Bol Lim	erage installation, 3 hours. It-on, isolation mounted. nb riser arms run from outer front edge of grille housing to outer front edge of nopy with exhaust incorporated into left limb riser arm.		
Ro	oot Rake for 115 in. blade with S/N 139433 and above	AT353099	\$3,594.00
Sc	creens, Cab Enclosure	AT324118	\$7,448.00
nun	nsolidates individual Screen and Arch Limb Riser offerings into a single part mber. is number includes full OSHA certified screens, limb risers, and A/C guard.		
	creens, Cab Front and Door	AT312410	\$2,166.00
Bol Doc	erage installation, 4 hours. It-on. ors retain full opening and latching capability. pers are fully functional.		

Wipers are fully functional.

Recommend Intake Guard for 450J models		
Screens, Cab Guard for A/C (FT4)	AT446908	\$929.00
Average installation, 1 hour.		
Bolt-on. Plate covers top, rear and sides of A/C module for complete protection in forestry		
applications. Requires cab rear screen.		
 Screens, Cab Rear	AT221075	\$1,150.00
Average installation, 1 hour. Bolt-on.		
Protects entire window area and underside of A/C module.		
Hinged for easy access to window for cleaning, protects fuel filler.		
 Rear wiper (if equipped) is fully functional.		
Screens, Cab Side	AT312409	\$1,268.00
Average installation, 1 hour. Bolt-on.		
For both sides of machine.		
Covers entire window area, allows window opening, hinged for easy access to window for cleaning.		
Screens, Canopy Enclosure	AT324119	\$6,240.00
Consolidates individual Screen and Limb Riser offerings into a single part		
number. This number includes full OSHA certified screens and limb risers.		
	AT221073	¢2 164 00
Screens, Canopy Front and Door	A1221075	\$2,164.00
Average installation, 3 hours.		
Bolt-on. Doors are hinged at front ROPS post and completely cover between post and		
instrument cowling. Door will latch in fully open position (open back against side of tractor).		
Front screen completely covers from top of instrument cowling to bottom of canopy.		
Screens, Canopy Rear	AT221071	\$897.00
Average installation, 1 hour.		
Bolt-on. Completely covers area between rear ROPS posts.		
Protects fuel filler. Hinged door for easy access to the fuel filler.		
	47212400	¢1 044 00
Screens, Canopy Side	AT312408	\$1,244.00
Average installation, 1hour.		
Bolt-on. For both sides of machine.		
 Completely covers area between front and rear posts.		
Standard Duty 124 in.(3.15m) Root Rake for S/n above 139433	AT369893	\$3,812.00
 For 124 in blade crawlers with S/n 139433 and above.	4700000	
Tank Guard	AT223088	\$2,457.00
NOTE: * Average installation, 3 hours.		
 Tool/Storage Box (Grey)	AT224419	\$797.00

Average installation, 2 hours. Bolt on (60 in. long x 10 in. wide x 18 in. deep) Box. Lockable on ROPS or Cab rear. Tool Box can not be used with Ripper.

PACCAR Winch Div:

* F.O.B. PACCAR. * All Winches include installation instructions.

All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of PACCAR, and will be handled directly between the Dealer and PACCAR.

PACCAR (Carco Winch) 800 E. Dallas, P.O. Box 547 Broken Arrow, OK 74013-0547 Phone: 918-251-8511 www.paccarwinch.com

3 Roller Fairlead Kit for Hyd	Iraulic Winch	AT336215	\$3,190.00
For use with PACCAR winch			
4th Roller Kit for Hydraulic	Winch Fairlead	AT336216	\$800.00
H40 Hydrostatic Winch (PT) driven)	AT434935	\$24,750.00
pump, supplemental hydraulic oil filter Single lever control Six functions: Variable speed reel-in, away, free spool, and low-speed lock. 40,000 lb rated bare drum line pull 2-145 ft/min variable bare drum line s Integral drawbar Complete installation requires: -Rear screen, see G.R. Manufacturing -Wire rope & hook assembly. Consult recommendations	vare, drive shaft, supplemental hydrostatic , and all winch controls and hoses. variable speed reel-out, brake on, drive beed Referral Attachments with PACCAR for wire rope ce Manual for winch gear oil requirements		

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |



Current Date 23Feb2015

550K CRAWLER TRACTOR

O Ring Face Seal Connectors

Blade Control

550K Standard Equipment ENGINE: *John Deere PowerTech PWS 4.5L meets FT4 / Stage IV emissions 92 SAE Net hp (69 kw) *Turbocharged with Charge Air Cooler **Isolation-Mounted Electronic Controlled Fuel** Injection Electric Fuel Shut-off with Key Start Switch Vertical Spin-on Engine Oil Filter Vertical Spin-on Primary Fuel Filter with Water Separator Vertical Spin-on Final Fuel Filter Oil-to-Water Engine Oil Cooler Dual Safety Element Dry-Type Air Cleaner with Built-in Precleaner with **Evacuator Valve** Above Hood Prescreener/Raincap Eco Mode Enclosed Safety Fan Guard (Conforms to SAE J1308) COOLING SYSTEM: *Cool-On-Demand Variable Speed Engine Fan Engine Coolant -34 Degree F (-37 Degree C) Coolant Surge Tank 10-Fin/in. Trash Resistant **Engine Coolant Radiator** 10-Fin/in. Hydrostatic Oil-to-Air Cooler 10-Fin/in. Air to Air Charge Air Cooler Enclosed Safety Fan Guard (Conforms to SAE J1308 -ISO 3457) *Tilt Out Heavy-Duty

POWER TRAIN: Dual Path Hydrostatic Transmission Variable displacement piston pump and variable displacement motor combination for each track Hydrostatic Transmission Diagnostic Remote Test Ports Single-Lever Speed in Grip Steering with Counter Rotation and Horn Decelerator/Brake Pedal Automatic Power Management (w/ Manual Override) for Matching Ground Speed Infinite Ground Speed Selection Automatic Straight-Ahead Tracking Adjustable Ground Speed When Shifting from Forward to Reverse Dynamic Braking (Anti-Free Wheel) Transmission Neutral Lock with Safety Start Switch Automatic Spring-Applied, Hydraulically-Released Parking Brake Independent Transmission Oil Reservoir with Sight Gauge Vertical Spin-on **Transmission Filter** Oil-to-Air Transmission Oil Cooler **Triple Reduction Final Drives** with Wet Multi-Disk Brakes

Adjustable Leg Support 2 In. (51 mm) Retractable Seat Belt (Conforms to SAE J386) Adjustable Footrests Adjustable Full-length Arm Rests *Side Console Leg Cushions *Cup and Lunch Box Holder Headliner and Floormat Electronic Monitor System with Audible and Visual Warning: Low Alternator Voltage Engine Oil Pressure Engine Coolant Temperature Engine RPM Indicator Hydraulic Oil Filter Restriction Transmission Oil Filter Restriction Transmission Oil Temperature **Engine Air Restriction** Indicator Fasten Seat Belt/Park Brake Warning **Transmission Speed** Indicator Fuel Gauge, Electric, Illuminated Hourmeter, Electric **Transmission Oil Pressure** Indicator Horn, Electric (Conforms to SAE J994, J1446) **Operators Manual Storage** Compartment and Manual Convex Rearview Mirror 12 Volt Power Port OVERALL VEHICLE: **One-Piece Unitized** Mainframe

Radiator with Hose Protection ELECTRICAL: 24 Volt System 100 Amp Alternator *Dual Batteries with 190 Minute Reserve Capacity and 950 CCA Master Electric Disconnect Switch Bypass Start Safety Cover on Starter Positive Terminal Battery Covers Pre-wired for Work Lights, Underseat Heater and Low Pressure Indicator (2) Grille Mounted and (2) Rear Mounted Lights w/ (2) reflectors HYDRAULICS: 15 GPM (56.8 L/Min) Fixed Displacement Hydraulic Gear Pump Independent Hydraulic Oil Reservoir with Sight Gauge Hydraulic Oil Cooler Vertical Spin-on Hydraulic Oil Filter Three-Function Hydraulic Valve with Low Effort Single-

Louvered Front Grille and

UNDERCARRIAGE: *61 In. (1549 mm) XLT Track Gauge w/ 7 Bottom Rollers Maximun Life Undercarraige with 40 Link-Extended Life SC2 Bushings and 18 in. (457mm) Moderate Service Shoes Double Flange Rollers Full-Length, Smooth Surface Track Frame Covers Front and Rear Chain Guides

Solid Sprockets with Bolt-on Sprocket Guards **OPERATOR STATION:** JDLink Ultimate Machine Monitoring System w/ 3-year Message Service Modular Design ROPS/FOPS Canopy, Isolation-Mounted (Conforms to SAE J1040) Left and Right Front Access Slip-Resistant Steps and Ergonomically-Located Handholds (Conforms to SAE J185) Suspension Vinyl Seat: Height and Weight and Fore-Aft Adjustments (Conforms to SAE J899)

Front Tow Loop (Bolt-on) Reinforced Engine and Midframe Bottom Guards Integral Transmission Guard Perforated Engine Side Shields *Hinged Bottom Access Covers (Bolt-On) Less C-Frame and Blade Vandal Protection Locking for: Engine Access Door-Requires Padlock Side Tanks Access Doors-Require Padlocks Wide Mouth Filler Cap -Requires Padlock *Envoirnmental Drains Instrument Panel Requires Padlock on ROPS Canopy Transmission & Hydraulic Reservoirs Lockable Grease Gun and Tool Storage in Right Access Door 61.9 Gallon (234 Liter) Fuel Tank *Ground level Fueling Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446)

Required - You must select one from each category

BASE MACHINE

Lever (T-Bar)

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

	Description 550K CRAWLER TRACTOR	Code 02G0T	Price \$127,009.00
-	ENGINE		
	Description John Deere PowerTech PWS 4.5L (414 cu. in.) 4 Cyl EPA FT4/EU Stage IV Compliant	Code 0940	Price \$2,310.00
	TRACK FRAME		
	Description 1549 mm (61 In.) Gauge, Extra Long Track (XLT) Frame (7	Code 1055	Price In Base Price

Roller)

1753 mm (69 In.) Gauge Low Ground Pressure (LGP) Track	1075	\$4,796.00
Frame (7 Roller)		

MACHINE CONNECTIVITY

Ŧ

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description JDLink Ultimate Cellular for the Americas, excluding Costa Rica	Code 1700	Price In Base Price
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
JDLink Ultimate Satellite for the Americas, excluding Costa Rica	1701	\$1,566.01
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 3 year dual mode subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available		
at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
 JDLink Ultimate Cellular for the Americas, excluding Costa Rica - 5 Years Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. 	1710	\$1,232.00

_	Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	JDLink Ultimate Satellite for the Americas, excluding Costa Rica - 5 Years	1711	\$3,168.00
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 5 year dual mode subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Ŧ	TRACK SHOES AND CHAIN		
	Description	Code	Price
	XLT or LGP Track		
	Sealed and Lubed Tracks except as noted. Full Width and Closed Center Single Bar Grousers except as noted.		
_	42 Link with 18 in. (457 mm) Moderate Service Shoes	4560	(\$6,904.00)
	Maximum life Undercarriage with 39-Link, Extended-Life SC2 Bushings and 18 in. (457mm) Moderate Service Shoes	4760	In Base Price
_	LGP Only (Requires Code 1075):		
	Sealed and Lubed Tracks except as noted. Full Width and Closed Center Single Bar Grousers except as noted.		
	40 Link with 24 in. (610 mm) Moderate Service Shoes	4570	(\$6,041.00)
_	Maximum life Undercarriage with 39 Link-Extended Life SC2 Bushings and 24 in. (610 mm) Moderate Service Shoes	4770	\$864.00
-	CHAIN GUIDES OR ROCK GUARDS		
	Description	Code	Price
	Front and Rear Chain Guides for XLT or LGP Track	4825	In Base Price
_	Front, Center and Rear Track Guides	4830	\$840.00
	Requires code 1055 or 1075 Recommended for slope and rocky conditions		
_	Full-Length Rock Guards	4850	\$1,359.00
	Requires code 1055 or 1075 Recommended for slope and rocky conditions		

DOZER BLADE

Blades or C-Frames are Not Included In Base Price. All C-Frame Options Include Remote C-Frame Pivot Grease Banks and Integrally Protected Hoses with Replaceable Hoses. All Blades have Manual adjustable blade pitch.

	Description	Code	Price
	Heavy Duty Inside All Hydraulic C-Frame Less Blade Includes lift cylinders with Cordura-covered hoses. Includes tilt cylinder hoses with cable and Cordura covers. Includes angle cylinders and hoses with steel and Cordura covers. To convert an H-series blade to fit this unit, refer to instruction T205831 Does not include attaching pins and hardware. Refer to Installation instructions T177581 to attach non-Deere attachments. When using root rake or front attachments, recommend C Frame Reinforcement	7015	\$10,176.00
_	Conversion Kit in the referral section. 105 in. X 37.6 in. (2.67 m x .96 m) Blade with Inside All Hydraulic Heavy-Duty C-Frame	7055	\$14,679.00
	Requires Code 1055 XLT Track only. Includes lift cylinders with Cordura-covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section		
_	115 in. X 37.6 in. (2.92 m X .96 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7065	\$15,013.00
	Blade shipped with machine but not installed Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section		
_	124 in. X 35.2 in. (3.15 m X .894 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7075	\$15,465.00
	Requires Code 1075, LGP Track Frame Blade shipped with machine but not installed Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section		
-	ENGINE FAN DRIVE		
	Description	Code	Price
	Standard Hydraulic Fan Drive	3510	In Base Price
_	Automatic Reversing Hydraulic Fan	3520	\$1,476.00
Ŧ	GRADE CONTROL		
	Description	Code	Price
	Topcon Grade Control Base Kit Installed	2500	\$7,497.01
	Requires code 7750 or 7760. Factory installed and includes additional brackets and wiring harnesses that further enhances and simplifies the addition of a Topcon grade control system. This also enables the Topcon 3D-MC2 Grade Control Systems to be ordered.		
	No Topcon Grade Control Base Kit Installed	2575	In Base Price

Order for no blade control or Trimble or Leica Blade control field installations. Requires No Topcon Radio Installation code 2775

TOPCON GRADE CONTROL SYSTEM

Ŧ

Ŧ

Kit includes the following equivalent parts from Topcon 3DMC2 system:

Password, MC-R3 Full Auto OAF Bundle, MC-R3 3DMC2 Kit, GX-60 GPS Kit, Common 3D Dozer GPS OEM, Antenna Config Kit Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Final Calibration On Site

Description	Code	Price
Topcon 3DMC2 Single Antenna with 915SS Radio	2710	In Referral Price
Topcon 3DMC2 Single Antenna with 915SS HSPA Radio	2711	In Referral Price
Topcon 3DMC2 Single Antenna with UHF Radio	2712	In Referral Price
Topcon 3DMC2 Single Antenna with UHF HSPA Radio	2713	In Referral Price
Topcon 3DMC2 Single Antenna with UHF Verizon CDMA Radio	2715	In Referral Price
Topcon 3DMC2 Twin Antenna with 915SS Radio	2730	In Referral Price
Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio	2731	In Referral Price
Topcon 3DMC2 Twin Antenna with UHF Radio	2732	In Referral Price
Topcon 3DMC2 Twin Antenna with UHF HSPA Radio	2733	In Referral Price
Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio	2735	In Referral Price
No Topcon Radio Installation	2775	In Base Price
OPERATOR MANUALS		
Description	Cod	e Price
English Operator Manual	260	5 No Charge
Spanish Operator Manual	261	0 No Charge
French Operator Manual	261	5 No Charge
HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS		
Description	Cod	e Price
3 Function Hydraulic Control Valve	772	5 In Base Price
3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	775	0 \$3,551.00
Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Topcon Ready Installation -Sales Code 2500.		

	Trimble Ready Installation AT455318. Leica Ready Installation AT438592. Note: If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order Sales Code 2500, AT407969 or AT408431.		
-	4 Function Hydraulic Control for Power-Angle-Tilt (PAT)	7775	\$939.00
	4th function (without Float). Does include circuit reliefs. Work port plugged. Includes auxiliary rear plumbing for ripper.		
_	4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) and Rear Attachment w/ Rear Auxiliary Plumbing	7760	\$4,959.00
_	Grade Control Ready (EH) Hydraulics Grade Control Recommendations: Topcon Ready Installation - Sales Code 2500. Trimble Ready Installation AT455318. Leica Ready Installation AT438592. Note: If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order Sales Code 2500, AT407969 or AT408431.		
Ŧ	HYDRAULIC PUMP		
	Description	Code	Price
	Hydraulic Pump for use without Winch	7925	In Base Price
_	Does not Includes external spline for mechanical drive winch or auxiliary pump.		
	Hydraulic Pump for use w/ Winch	7975	\$443.00
-	For use with Deere 4000S Winch (mechanical drive) Includes external spline for winch or auxiliary pump.		
*	OPERATOR STATION		
	Description	Code	Price
	Canopy	5025	In Base Price
_	Requires Code 5825, 5845, or 5855 Vinyl Seat. Not for use with codes 7750 or 7760, Control Valves for Integrated Grade Control.		
	Cab with Roof Mounted Air Conditioner/Heater	5085	\$17,851.00
	Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner 24,000 BTU air conditioner 30,000 BTU under-seat heater AM/FM/WB Radio and Digital Clock Dome light Deluxe headliner Tinted safety glass all around Front windshield and doors with (3) single-speed wipers and washers 100 amp alternator		
_	Pre-wired for Work Lights, rear wiper & washer Requires either code 5885 or 5890, Cloth Seat.		
Ŧ	SEAT		
	Description	Code	Price
	Air Suspension Comfort Control High Back Fabric Seat	5885	In Base Price
	3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning		

	Heated Air Suspension Comfort Control High Back Fabric Seat	5890	\$647.0
	3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only.		
	Air Suspension Comfort Control High Back Vinyl Seat	5855	In Base Pric
	3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Requires Code 5025.		
GREA	ASES, FUEL, OIL & COOLANT		
	Description	Code	Pric
	Hydraulic And Hydrostatic Oil - Hydrau	8010	In Base Price
	Standard Factory Fill. Provides All-Season Capability in Ambient Temperatures Ranging From -25C (- 13F) to 50C (122F).		
	Hydraulic And Hydrostatic Oil - Hydrau XR	8020	\$565.00
	Optional Factory Fill. Intended for Colder Climates with Extreme Cold Ambient Temperatures down to - 40C (-40F) Provides All-Season Capability in Ambient Temperature Ranging from -40C to 40C		
	(-40F to 104F).		
Optional	- Select as desired		
OPTI	ONAL EQUIPMENT (ORDER AS DESIRED)		
	Description	Code	Price
		Code	Price
	Description	Code 9060	
	Description POWERTRAIN		\$521.00
	Description <u>POWERTRAIN</u> Severe-Duty Fuel Filter	9060	\$521.00 \$136.00
	Description <u>POWERTRAIN</u> Severe-Duty Fuel Filter Chrome Exhaust	9060 9065	\$521.00 \$136.00 \$286.00
	Description <u>POWERTRAIN</u> Severe-Duty Fuel Filter Chrome Exhaust Fluid Sampling Ports Quick Service Bank for Transmission, Hydraulic, Engine oil &	9060 9065 9070	\$521.00 \$136.00 \$286.00 \$508.00
	DescriptionPOWERTRAINSevere-Duty Fuel FilterChrome ExhaustFluid Sampling PortsQuick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	9060 9065 9070 9075	\$521.00 \$136.00 \$286.00 \$508.00 \$490.00
	Description <u>POWERTRAIN</u> Severe-Duty Fuel Filter Chrome Exhaust Fluid Sampling Ports Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes Engine Air Precleaner	9060 9065 9070 9075 9130	\$521.00 \$136.00 \$286.00 \$508.00 \$490.00
	DescriptionPOWERTRAINSevere-Duty Fuel FilterChrome ExhaustFluid Sampling PortsQuick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changesEngine Air PrecleanerExtreme-Duty Louvered Grille with Hose ProtectionHeavy gauge plate grille also protects lights Protects fittings on both ends of front hydraulic hoses	9060 9065 9070 9075 9130	Price \$521.00 \$136.00 \$286.00 \$508.00 \$490.00 \$1,248.00 \$1,248.00
	DescriptionPOWERTRAINSevere-Duty Fuel FilterChrome ExhaustFluid Sampling PortsQuick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changesEngine Air PrecleanerExtreme-Duty Louvered Grille with Hose ProtectionHeavy gauge plate grille also protects lights Protects fittings on both ends of front hydraulic hoses Replaces heavy-duty grille	9060 9065 9070 9075 9130 9325	\$521.00 \$136.00 \$286.00 \$508.00 \$490.00 \$1,248.00
	Description POWERTRAINSevere-Duty Fuel FilterChrome ExhaustFluid Sampling PortsQuick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changesEngine Air PrecleanerExtreme-Duty Louvered Grille with Hose ProtectionHeavy gauge plate grille also protects lights Protects fittings on both ends of front hydraulic hoses Replaces heavy-duty grilleCoolant Heater, Electric	9060 9065 9070 9075 9130 9325	\$521.00 \$136.00 \$286.00 \$508.00 \$490.00 \$1,248.00

Requires Canopy 30,000 BTU		
Rear Wiper / Washer	9380	\$669.00
Requires Code 5085		
 Optional Lights	9168	\$335.00
 XM Satellite Radio	9501	\$1,095.00
 OVERALL VEHICLE		
 French Trademarks and Decals	9173	No Charge
 Spanish Trademarks and Decals	9178	No Charge
 Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	9187	\$10,908.00
Requires code 7775 Hydraulics. Cannot be used with 9345 or 9355.		
 Retrieval Hitch with Pin	9345	\$263.00
Recommended for pull-type implements - drawbar extends 6.1 in. (155 mm) to rear. Not For Use With Codes 9187 or 9355. Cannot be used with 4000S Winch. Can be used with rear counterweight.		
Extended Rigid Drawbar with Pin	9355	\$492.00
Recommended for pull-type implements that require turning clearance - extends 11.3 In. (288 mm) to rear. Cannot be used with Code 9345, Retrieval Hitch Cannot be used with 4000S Winch Can be used with rear counterweight		
 Hydraulic Track Adjuster Yoke Relief Valve	9400	No Charge
Recommended for severe operating conditions (for example, forestry or rock). Replaces grease zerk in track adjusters.		
 Model 4000 Standard Speed Winch - Power In, Free Spool Out	9401	\$18,645.00
Requires Code 7975, 9450 or 9455. Not for Use with Code 9187, 9345 or 9355. Can not be used with Trimble or TopCon interface field Kits.		
 Model 4000 Standard Speed Winch - Power In, Power Out	9402	\$21,043.00
Requires Code 7975, 9450 or 9455. Not for Use with Code 9187, 9345 or 9355. Cannot be used with Trimble or TopCon interface field Kits.		
 Model 4000 Low Speed Winch - Power In, Power Out	9403	\$21,923.00
Requires Code 7975, 9450 or 9455. Not for Use with Code 9187, 9345 or 9355. Cannot be used with Trimble or TopCon interface field Kits.		
4000 Winch Fairlead, Four Roller	9410	\$3,851.00
For use with winch.		

Requires Code 9401, 9402 or 9403.		
Drawbar, 4000 Winch with Pin & Hardware	9420	\$697.00
For use with winch. Requires Code 9401, 9402 or 9403.		
Extended Drawbar, 4000 Winch with Pin & Hardware	9440	\$1,045.00
For use with winch. Requires Code 9401, 9402 or 9403.		
Rear Screen for Canopy (Grey)	9450	\$1,035.00
Requires code 5025.		
Rear Screen Cab (Grey)	9455	\$1,327.00
Requires code 5085.		
Non-Export Rust Preventive Coating	9909	\$148.00
Coating protects exposed unpainted surfaces from road salt during shipment.		

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Cold Start:		
110 Volt Engine Coolant Heater, (1000 Watt)	AT211191	\$95.00
Average installation, 0.5 hour		
Frame Attachment:		
C-Frame Steps	AT310522	\$207.00
C-Frame Tilt Clevis Kit	AT311768	\$361.00
Drawbar, 4000 Winch with Pin and Hardware	AT207587	\$818.00
Extended Drawbar, 4000 Winch with Pin and Hardware	AT222827	\$861.00
Front Counterweight, 94 kg. (207 lb.)	AT419923	\$497.00
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	AT436108	\$12,066.00
Requires 4 Function Hydraulics and Auxiliary Plumbing.		
Grade Control:		
Leica Grade Control Interface Package, Paladin-Installed for Cab or Canopy	AT438592	\$7,243.00

Trimble Grade Control Interface Package, Paladin-Installed	AT455318	\$6,892.00
Requires code 7750 or 7760.		
Hydraulics:		
Auxiliary Fifth Function Valve (without Float), Lever and Linkage	AT219741	\$468.00
Auxiliary Fourth Function Valve Section (without Float), Lever and Linkage	AT385271	\$468.00
Average installation, 5 hours. Converts three function control valve to four function. Work ports plugged without circuit reliefs.		
Electro-Hydraulics (EH) Auxiliary Hydraulic Function kit	AT451993	\$948.00
Kit Will Convert Code 7750 3 hyd. functions to a 4 hyd.Functions.		
Rear Auxiliary Plumbing	AT411568	\$93.00
For Crawler Tractors with 3 function hydraulics. Average installation, 1 hour. For use with rear mounted or pull type equipment. Includes two hoses and fittings from fourth or fifth function auxiliary valve to rear cover plate.		
Rear Auxiliary Plumbing for use with 4000 Winch	AT411569	\$468.00
For Crawler Tractors with 3 function hydraulics. Average installation, 1 hour. For use with rear mounted or pull type equipment. Includes two hoses and fittings from fourth or fifth function auxiliary valve to rear cover plate. Not for use with Paccar winch		
Overall Vehicle:		
Rear Counterweight, 330 Lb. (150 Kg)	T174346	\$662.00
Powertrain & Cooling:		
Automatic Reversing Hydraulic Fan	AT455545	\$1,421.00
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	AT451082	\$710.00
Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.		
Powertrain:		
Severe Duty Fuel Filter kit	AT428700	\$351.00
Winches:		
External lines with Accumulator for Power In/Power Out Winches on 460J, 500J and 650J Only	AT182314	\$1,178.00
External lines with Accumulator for Power In/Power Out Winches on 550K and 650K Only	AT411567	\$1,132.00

	Fairland 1000 Winch Faun Dellan	AT175500	¢2.00/.00
_	Fairlead, 4000 Winch Four Roller	AT175529	\$2,896.00
	Linkage and Controls for Power In/Free Spool Out Winches on 550K and 650K Only	AT411564	\$433.00
	Linkage and Controls for Power In/Power Out Winches on 550K and 650K Only	AT411565	\$433.00
_	Mounting Bracket and Hardware for Model 4000S Winch or 550K and 650K Only	n AT411566	\$1,401.00
Ŧ	REFERRAL ATTACHMENTS		
	Description	Code	Price
	<u>G.R. Mfg.:</u>		
	 G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. 		
	G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001		
	Finite. (800)841-8001 Sec. Fax: (205)655-8005 Sec.		
_	41" Center Brush Guard for the 450J, 550J, and 650J	AT343937	\$706.00
	Fits blades up to 115" length. For J crawlers above S/N 139432, and all Ks.		
	Brush Guard, Full Width, 105 in. (2667mm) Blade	AT343936	\$1,250.00
_	Brush Guard, Full Width, 90 - 97" Blade	AT343935	\$1,012.00
_	Front Enclosure, Cab (FT4)	AT446907	\$2,275.00
-	Full Enclosure, Cab	AT435073	\$7,679.00
	Full Enclosure, Canopy	AT435074	\$6,393.00
_	Heavy Duty 124 in.(3.15m) Root Rake for S/n above 139433	AT369894	\$5,878.00
	For 124 in blade crawlers with S/n 139433 and above.		
-	Heavy Duty Root Rake w/ Brush Guard, 114"	AT343939	\$5,778.00
_	For use with 115" blades For crawler S/N 139433 and above Root rake has integral guarding which prohibits use w/ blade equipped w/ brush guard		
-	Heavy Duty Root Rake w/ Brush Guard, 98"	AT343938	\$5,270.00
	For use with 97" and 105" blades For crawler S/N 139433 and above Root rake has integral guarding which prohibits use w/ blade equipped w/ brush guard		

Limb Risers, Arched (Curved) ROPS Canopy and Tractors	I Cab AT435075	\$1,935.00
Limb Risers, Point to Point	AT435076	\$2,240.00
Rear Screen, Cab	AT413183	\$1,208.00
Rear Screen, Canopy	AT413184	\$942.00
Root Rake for 115 in. blade with S/N 139433 and	d above AT353099	\$3,594.00
Screens, Cab Guard for A/C (FT4)	AT446908	\$929.00
Average installation, 1 hour. Bolt-on. Plate covers top, rear and sides of A/C module for complete protect applications. Requires cab rear screen.	tion in forestry	
Side Screens, Cab	AT413011	\$1,332.00
Side Screens, Canopy	AT413012	\$1,244.00
Standard Duty 124 in.(3.15m) Root Rake for S/r 139433	above AT369893	\$3,812.00
For 124 in blade crawlers with S/n 139433 and above.		
Tank Guard	AT435077	\$2,457.00
PACCAR Winch Div:		
* F.O.B. PACCAR.* All Winches include installation instructions.		
All warranty, repair parts, technical support and assistance, and sal and assistance will be the responsibility of PACCAR, and will be ha between the Dealer and PACCAR.		
PACCAR (Carco Winch) 800 E. Dallas, P.O. Box 547 Broken Arrow, OK 74013-0547 Phone: 918-251-8511 www.paccarwinch.com		
3 Roller Fairlead Kit for Hydraulic Winch	AT336215	\$3,190.00
For use with PACCAR winch		
4th Roller Kit for Hydraulic Winch Fairlead	AT336216	\$800.00
H40 Hydrostatic Winch (PTO driven)	AT434935	\$24,750.00
Requires Code 7975 thrudrive pump. Not for use with IGC hydraulics (code 7750 or 7760) Includes winch, winch mounting hardware, drive shaft, supplementa pump, supplemental hydraulic oil filter, and all winch controls and h Single lever control Six functions: Variable speed reel-in, variable speed reel-out, brake away, free spool, and low-speed lock. 40,000 lb rated bare drum line pull 2-145 ft/min variable bare drum line speed Integral drawbar Complete installation requires: -Rear screen, see G.R. Manufacturing Referral Attachments -Wire rope & hook assembly. Consult with PACCAR for wire rope	oses.	

recommendations -Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements -Additional tractor hydraulic oil -Recommend front counterweight and front attachments for best machine balance	
balance Average installation time 18 hours	

Topcon Grade Control System - Factory Installed, Ordered with Option Code 27XX

Ordered with Option Code 27XX		
Topcon 3DMC2 Single Antenna with 915SS HSPA Radio Field Kit	AT426457	\$61,525.00
Topcon 3DMC2 Single Antenna with 915SS Radio Field Kit	AT426456	\$60,025.00
Topcon 3DMC2 Single Antenna with UHF HSPA Radio Field Kit	AT426459	\$61,550.00
Topcon 3DMC2 Single Antenna with UHF Radio Field Kit	AT426458	\$60,050.00
Topcon 3DMC2 Single Antenna with UHF Verizon CDMA Radio Field Kit	AT426461	\$61,550.00
Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio Field Kit	AT426463	\$71,300.00
Topcon 3DMC2 Twin Antenna with 915SS Radio Field Kit	AT426462	\$69,800.00
Topcon 3DMC2 Twin Antenna with UHF HSPA Radio Field Kit	AT426465	\$71,325.00
Topcon 3DMC2 Twin Antenna with UHF Radio Field Kit	AT426464	\$69,825.00
Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio Field Kit	AT426467	\$71,325.00
<u> Topcon Grade Control System - Ordered as an</u> Independent Field Kit		
Topcon 3DMC2 Single Antenna with 915SS HSPA Radio Field Kit	AT434525	\$61,525.00
Topcon 3DMC2 Single Antenna with 915SS Radio Field Kit	AT434524	\$60,025.00
Topcon 3DMC2 Single Antenna with UHF HSPA Radio Field Kit	AT434527	\$61,550.00
Topcon 3DMC2 Single Antenna with UHF Radio Field Kit	AT434526	\$60,050.00
Topcon 3DMC2 Single Antenna with UHF Verizon CDMA Radio Field Kit	AT434528	\$61,550.00
Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio Field Kit	AT434530	\$71,300.00

Topcon 3DMC2 Twin Antenna with 915SS Radio Field Kit	AT434529	\$69,800.00
Topcon 3DMC2 Twin Antenna with UHF HSPA Radio Field Kit	AT434532	\$71,325.00
Topcon 3DMC2 Twin Antenna with UHF Radio Field Kit	AT434531	\$69,825.00
Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio	AT434533	\$71,325.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |



Current Date 23Feb2015

650K CRAWLER TRACTOR

O Ring Face Seal Connectors

Blade Control

650K Standard Equipment

ENGINE:

*John Deere PowerTech PWS 4.5L meets FT4 / Stage IV emissions *104 SAE Net hp (78kW) *Turbocharged with Charge Air Cooler Isolation-Mounted **Electronic Controlled Fuel** Injection Electric Fuel Shut-off with Key Start Switch Vertical Spin-on Engine Oil Filter Vertical Spin-on Primary Fuel Filter with Water Separator Vertical Spin-on Final Fuel Filter Oil-to-Water Engine Oil Cooler Dual Safety Element Dry-Type Air Cleaner with Built-in Precleaner with **Evacuator Valve** Above Hood Prescreener/Raincap Eco Mode Enclosed Safety Fan Guard (Conforms to SAE J1308) COOLING SYSTEM: *Cool-On-Demand Variable Speed Engine Fan Engine Coolant -34 Degree F (-37 Degree C) Coolant Surge Tank 10-Fin/in. Trash Resistant Engine Coolant Radiator 10-Fin/in. Hydrostatic Oil-to-Air Cooler 10-Fin/in. Air to Air Charge Air Cooler Enclosed Safety Fan Guard (Conforms to SAE J1308 -ISO 3457)

POWER TRAIN: Dual Path Hydrostatic Transmission Variable displacement piston pump and variable displacement motor combination for each track Hydrostatic Transmission Diagnostic Remote Test Ports Single-Lever Speed in Grip Steering with Counter Rotation and Horn Decelerator/Brake Pedal Automatic Power Management (w/ Manual Override) for Matching Ground Speed Infinite Ground Speed Selection Automatic Straight-Ahead Tracking Adjustable Ground Speed When Shifting from Forward to Reverse Dynamic Braking (Anti-Free Wheel) Transmission Neutral Lock with Safety Start Switch Automatic Spring-Applied, Hydraulically-Released Parking Brake Independent Transmission Oil Reservoir with Sight Gauge Vertical Spin-on **Transmission Filter** Oil-to-Air Transmission Oil Cooler **Triple Reduction Final Drives** with Wet Multi-Disk Brakes

Adjustable Leg Support 2 In. (51 mm) Retractable Seat Belt (Conforms to SAE J386) Adjustable Footrests Adjustable Full-length Arm Rests *Side Console Leg Cushions *Cup and Lunch Box Holder Headliner and Floormat Electronic Monitor System with Audible and Visual Warning: Low Alternator Voltage Engine Oil Pressure Engine Coolant Temperature Engine RPM Indicator Hydraulic Oil Filter Restriction **Transmission Oil Filter** Restriction Transmission Oil Temperature **Engine Air Restriction** Indicator Fasten Seat Belt/Park Brake Warning **Transmission Speed** Indicator Fuel Gauge, Electric, Illuminated Hourmeter, Electric **Transmission Oil Pressure** Indicator Horn, Electric (Conforms to SAE J994, J1446) **Operators Manual Storage** Compartment and Manual Convex Rearview Mirror 12 Volt Power Port OVERALL VEHICLE: **One-Piece Unitized** Mainframe

*Tilt Out Heavy-Duty Louvered Front Grille and Radiator with Hose Protection ELECTRICAL: 24 Volt System 100 Amp Alternator *Dual Batteries with 190 Minute Reserve Capacity and 950 CCA Master Electric Disconnect Switch Bypass Start Safety Cover on Starter Positive Terminal Battery Covers Pre-wired for Work Lights, Underseat Heater and Low Pressure Indicator (2) Grille Mounted and (2) Rear Mounted Lights w/ (2) reflectors HYDRAULICS: 15 GPM (56.8 L/Min) Fixed Displacement Hydraulic Gear Pump Independent Hydraulic Oil Reservoir with Sight Gauge Hydraulic Oil Cooler Vertical Spin-on Hydraulic Oil Filter Three-Function Hydraulic Valve with Low Effort Single-Lever (T-Bar)

UNDERCARRIAGE: *61 In. (1549 mm) XLT Track Gauge w/ 7 Bottom Rollers Maximun Life Undercarraige with 40 Link-Extended Life SC2 Bushings and 18 in. (457mm) Moderate Service Shoes Double Flange Rollers Full-Length, Smooth Surface Track Frame Covers Front and Rear Chain Guides Solid Sprockets with Bolt-on Sprocket Guards **OPERATOR STATION:** JDLink Ultimate Machine Monitoring System w/ 3-year Message Service Modular Design ROPS/FOPS Canopy, Isolation-Mounted (Conforms to SAE J1040)

J1040) Left and Right Front Access Slip-Resistant Steps and Ergonomically- Located Handholds (Conforms to SAE J185) Suspension Vinyl Seat: Height and Weight and Fore-Aft Adjustments (Conforms to SAE J899) Front Tow Loop (Bolt-on) Reinforced Engine and Midframe Bottom Guards Integral Transmission Guard

Perforated Engine Side Shields *Hinged Bottom Access Covers (Bolt-On) Less C-Frame and Blade Vandal Protection Locking for: Engine Access Door-Requires Padlock Side Tanks Access Doors-Require Padlocks Wide Mouth Filler Cap -Requires Padlock *Envoirnmental Drains Instrument Panel Requires Padlock on ROPS Canopy Transmission & Hydraulic Reservoirs Lockable Grease Gun and Tool Storage in Right Access Door 61.9 Gallon (234 Liter) Fuel Tank *Ground level Fueling Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446)

Required - You must select one from each category

BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

	Description 650K CRAWLER TRACTOR	Code 02J0T	Price \$153,171.00
Ŧ	ENGINE		
	Description	Code	Price
	John Deere PowerTech PWS 4.5L (414 cu. in.) 4 Cyl EPA FT4/EU Stage IV Compliant	0940	\$2,704.00
Ŧ	TRACK FRAME		
	Description	Code	Price

	1549 mm (61 In.) Gauge, Extra Long Track (XLT) Frame (7 Roller)	1055	In Base Price
	1753 mm (69 In.) Gauge Low Ground Pressure (LGP) Track Frame (7 Roller)	1075	\$4,796.00
MACH	INE CONNECTIVITY		
	connectivity functions require cellular coverage. Usage of JDLink System requires cus Deere Telematics System Contract.	stomer's acc	ceptance of the terms o
Option a codes.	vailability limited by specific geographical regions. Please refer to region specific price	pages for a	ppropriate ordering
	Description	Code	Price
	JDLink Ultimate Cellular for the Americas, excluding Costa Rica	1700	In Base Price
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer		
	(as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	JDLink Ultimate Satellite for the Americas, excluding Costa Rica	1701	\$1,566.01
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 3 year dual mode subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.		
	Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	JDLink Ultimate Cellular for the Americas, excluding Costa Rica - 5 Years	1710	\$1,232.00
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink		

-

	subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
_	JDLink Ultimate Satellite for the Americas, excluding Costa Rica - 5 Years	1711	\$3,168.00
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 5 year dual mode subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update		
	JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
-	TRACK SHOES AND CHAIN		
	Description	Code	Price
	Extra Long Track(XLT) or Low Ground Pressure(LGP) TRACKS ONLY (Requires Code 1055 or 1075)		
	Sealed and Lubed Tracks except as noted. Full Width and Closed Center Single Bar Grousers except as noted.		
_	40 Link with 18 in. (457 mm) Moderate Service Shoes	4563	(\$8,116.00)
	Maximum life Undercarriage with 40 Link-Extended Life SC2 Bushings and 18 in. (457mm) Moderate Service Shoes	4763	In Base Price
	40 Link Track with 20 in. (508 mm) Clipped Corner Moderate Service Shoes	4564	(\$7,902.00)
_	Can also be used with code 1075 LGP Track Frame		
	Maximum life Undercarriage with 40 Link-Extended Life SC2 Bushings and 20 in.(508mm) Clipped Corner Moderate Service Shoes	4764	\$561.00
_	LGP Only (Requires Code 1075):		
	Sealed and Lubed Tracks except as noted. Full Width and Closed Center Single Bar Grousers except as noted.		
_	40 Link with 24 in. (610 mm) Moderate Service Shoes	4570	(\$7,163.00)
_	Maximum life Undercarriage with 40 Link-Extended Life SC2 Bushings and 24 in. (610 mm) Moderate Service Shoes	4770	\$1,172.00
	40 Link with 28 in. (711 mm) Clipped Corner, Closed Center Moderate Service Shoes	4590	(\$6,717.00)
_	Maximum life Undercarriage with 40 Link-Extended Life SC2 Bushings and 28 in. (711 mm) Clipped Corner, Closed Center Moderate Service Shoes	4790	\$1,749.00

CHAIN GUIDES OR ROCK GUARDS

Description Front Idler and Rear Sprocket Chain Guides	Code 4825	Price In Base Price
Front, Center and Rear Track Guides	4830	\$877.00
Requires code 1055 or 1075 Recommended for slope and rocky conditions		
Full-Length Rock Guards	4850	\$1,768.00
Requires code 1055 or 1075 Recommended for slope and rocky conditions		

DOZER BLADE

Ŧ

Ŧ

Blades or C-Frames are Not Included In Base Price. All C-Frame Options Include Remote C-Frame Pivot Grease Banks and Integrally Protected Hoses with Replaceable Hoses. All Blades have Manual adjustable blade pitch.

Description Heavy Duty Inside All Hydraulic C-Frame Less Blade	Code 7015	Price \$11,009.00
Includes lift cylinders with Cordura-covered hoses. Includes tilt cylinder hoses with cable and Cordura covers. Includes angle cylinders and hoses with steel and Cordura covers. To convert an H-series blade to fit this unit, refer to instruction T205831 Does not include attaching pins and hardware. Refer to Installation instructions T177581 to attach non-Deere attachments. When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section.		
105 in. X 42 in.(2.67 m X 1.06 m) Blade with Inside All Hydraulic Heavy-Duty C-Frame	7055	\$15,772.00
Requires Code 1045 or 1055 Track Only Includes lift cylinders with Cordura-covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section		
115 in. X 37.6 in. (2.92 m X .96 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7065	\$16,126.00
Blade shipped with machine but not installed Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section		
124 in. X 35.2 in. (3.15 m X .894 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7075	\$16,595.00
Requires Code 1075, LGP Track Frame Blade shipped with machine but not installed Includes lift cylinders with Cordura covered hoses Includes tilt cylinder hoses with cable and Cordura covers Includes angle cylinders and hoses with steel and Cordura covers When using root rake or front attachments, recommend C Frame Reinforcement Conversion Kit in the referral section		
128 in. X 37.6 in. (3.25 m X .96 m) Blade with All Hydraulic Heavy Duty C-Frame (Blade NOT Installed)	7085	\$17,902.00

Requires for Code 1075, LGP Track
Blade shipped with machine but not installed
Includes lift cylinders with Cordura covered hoses
Includes tilt cylinder hoses with cable and Cordura covers
Includes angle cylinders and hoses with steel and Cordura covers
When using root rake or front attachments, recommend C Frame Reinforcement
Conversion Kit in the referral section

ENGINE FAN DRIVE

Description	Code	Price
Standard Hydraulic Fan Drive	3510	In Base Price
Automatic Reversing Hydraulic Fan	3520	\$1,476.00
GRADE CONTROL		
Description	Code	Price
Topcon Grade Control Base Kit Installed	2500	\$7,497.01
Requires code 7750 or 7760. Factory installed and includes additional brackets and wiring harnesses that further enhances and simplifies the addition of a Topcon grade control system. This also enables the Topcon 3D-MC2 Grade Control Systems to be ordered.		
No Topcon Grade Control Base Kit Installed	2575	In Base Price
Order for no blade control or Trimble or Leica Blade control field installations.		

Order for no blade control or Trimble or Leica Blade control field installations. Requires No Topcon Radio Installation code 2775

TOPCON GRADE CONTROL SYSTEM

Ŧ

Kit includes the following equivalent parts from Topcon 3DMC2 system:

Password, MC-R3 Full Auto OAF Bundle, MC-R3 3DMC2 Kit, GX-60 GPS Kit, Common 3D Dozer GPS OEM, Antenna Config Kit Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Final Calibration On Site

Description	Code	Price
Topcon 3DMC2 Single Antenna with 915SS Radio	2710	In Referral Price
Topcon 3DMC2 Single Antenna with 915SS HSPA Radio	2711	In Referral Price
Topcon 3DMC2 Single Antenna with UHF Radio	2712	In Referral Price
Topcon 3DMC2 Single Antenna with UHF HSPA Radio	2713	In Referral Price
Topcon 3DMC2 Single Antenna with UHF Verizon CDMA Radio	2715	In Referral Price
Topcon 3DMC2 Twin Antenna with 915SS Radio	2730	In Referral Price
Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio	2731	In Referral Price
Topcon 3DMC2 Twin Antenna with UHF Radio	2732	In Referral Price

	Topcon 3DMC2 Twin Antenna with UHF HSPA Radio	2733	In Referral Price
	Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio	2735	In Referral Price
	No Topcon Radio Installation	2775	In Base Price
-	OPERATOR MANUALS		
	Description	Code	e Price
	English Operator Manual	2605	
_	Spanish Operator Manual	2610) No Charge
-	French Operator Manual	2615	5 No Charge
Ŧ	HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS		
	Description	Code	e Price
	3 Function Hydraulic Control Valve	7725	
_	3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	7750) \$3,551.00
	Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Topcon Ready Installation -Sales Code 2500. Trimble Ready Installation AT455318. Leica Ready Installation AT438592. Note: If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order Sales Code 2500, AT407969 or AT408431.		
	4 Function Hydraulic Control for Power-Angle-Tilt (PAT)	7775	\$939.00
	4th function (without Float). Does include circuit reliefs. Work port plugged. Includes auxiliary rear plumbing for ripper.		
_	4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) and Rear Attachment w/ Rear Auxiliary Plumbing	7760	\$4,959.00
	Grade Control Ready (EH) Hydraulics Grade Control Recommendations: Topcon Ready Installation - Sales Code 2500. Trimble Ready Installation AT455318. Leica Ready Installation AT438592. Note: If machine has factory installed winch (Sales Code 9401, 9402, or 9403), cannot order Sales Code 2500, AT407969 or AT408431.		
-	HYDRAULIC PUMP		
	Description	Code	e Price
	Hydraulic Pump for use without Winch	7925	
	Does not Includes external spline for mechanical drive winch or auxiliary pump.		
	Hydraulic Pump for use w/ Winch	7975	5 \$443.00
	For use with Deere 4000S Winch (mechanical drive) Includes external spline for winch or auxiliary pump.		

OPERATOR STATION

Ŧ

	Description	Code	Price
	Canopy	5025	In Base Price
	If rear equipment is to be installed (winch, ripper, etc.), also order Code 9376, Less Rear Counterweight. No Counter weights are included when ordered with Code 1055 XLT, 1075 LGP.		
	Cab with Roof Mounted Air Conditioner/Heater	5085	\$17,851.00
	Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner 24,000 BTU air conditioner 30,000 BTU under-seat heater AM/FM/WB Radio and Digital Clock Dome light Deluxe headliner Tinted safety glass all around Front windshield and doors with (3) single-speed wipers and washers 100 amp alternator Pre-wired for Work Lights, rear wiper & washer Requires either code 5885 or 5890, Cloth Seat.		
▼ SEA	Т		
	Description	Code	Price
	Air Suspension Comfort Control High Back Fabric Seat	5885	In Base Price
	3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab.		
	Heated Air Suspension Comfort Control High Back Fabric Seat	5890	\$647.00
	3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only.		
	Air Suspension Comfort Control High Back Vinyl Seat	5855	No Charge
	3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Requires Code 5025.		
GRE	ASES, FUEL, OIL & COOLANT		
	Description	Code	Price
	Hydraulic And Hydrostatic Oil - Hydrau	8010	In Base Price
	Standard Factory Fill. Provides All-Season Capability in Ambient Temperatures Ranging From -25C (- 13F) to 50C (122F).		
	Hydraulic And Hydrostatic Oil - Hydrau XR	8020	\$565.00
	Optional Factory Fill. Intended for Colder Climates with Extreme Cold Ambient Temperatures down to - 40C (-40F) Provides All-Season Capability in Ambient Temperature Ranging from -40C to 40C (-40F to 104F)		
GRE	3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Requires Code 5025.	Code 8010	In Base

https://configurator-stage.deere.com/servlet/com.deere.u90947.eproducts.view.servlets.Eq... 2/23/2015

Optional - Select as desired

• OPTIONAL EQUIPMENT (ORDER AS DESIRED)

Description	Code	Price
POWERTRAIN		
Severe-Duty Fuel Filter	9060	\$521.00
Chrome Exhaust	9065	\$136.00
Fluid Sampling Ports	9070	\$286.00
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	9075	\$508.00
Engine Air Precleaner	9130	\$490.00
Extreme-Duty Louvered Grille with Hose Protection	9325	\$1,248.00
Heavy gauge plate grille also protects lights Protects fittings on both ends of front hydraulic hoses Replaces heavy-duty grille		
Coolant Heater, Electric	9530	\$141.00
OPERATOR STATION		
Under- Seat Canopy Heater	9125	\$1,275.00
Requires Canopy 30,000 BTU		
Optional Lights	9168	\$335.00
Rear Wiper / Washer	9380	\$669.00
Requires Code 5085		
XM Satellite Radio	9501	\$1,095.00
OVERALL VEHICLE		
French Trademarks and Decals	9173	No Charge
Spanish Trademarks and Decals	9178	No Charge
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	9187	\$10,908.00
Requires code 7775 or 7760 Hydraulics. Cannot be used with 9350 or 9360.		
Retrieval Hitch with Pin for XLT or LGP Track	9350	\$234.00
Recommended for pull-type implements - drawbar extends 6.1 in. (155 mm) to rear. Not For Use With Codes 9187 or 9360. Cannot be used with 4000S Winch. Can be used with rear counterweight.		
Extended Rigid Drawbar with Pin for LGP or Long Track and Cab	9360	\$497.00

Recommended for pull-type implements that require turning clearance - extends 11.3 in. (288 mm)to rear. Not For Use With Codes 9187 or 9350. Cannot be used with 4000S Winch. Can be used with rear counterweight.		
Hydraulic Track Adjuster Yoke Relief Valve	9400	No Charge
Recommended for severe operating conditions (for example, forestry or rock). Replaces grease zerk in track adjusters.		
Model 4000 Standard Speed Winch - Power In, Free Spool Out	9401	\$18,645.00
Requires Code 7975 and either 9450 or 9455. Not for Use with Code 9187, 9350, or 9360. Cannot be used with Trimble or TopCon Interface field Kits.		
Model 4000 Standard Speed Winch - Power In, Power Out	9402	\$21,043.00
Requires Code 7975 and either 9450 or 9455. Not for Use with Code 9187, 9350, or 9360. Cannot be used with Trimble or TopCon Interface field Kits.		
Model 4000 Low Speed Winch - Power In, Power Out	9403	\$21,923.00
Requires Code 7975 and either 9450 or 9455. Not for Use with Code 9187, 9350, or 9360. Cannot be used with Trimble or TopCon Interface field Kits.		
4000 Winch Fairlead, Four Roller	9410	\$3,851.00
For use with winch. Requires Code 9401, 9402 or 9403.		
Drawbar, 4000 Winch with Pin & Hardware	9420	\$697.00
For use with winch. Requires Code 9401, 9402 or 9403.		
Extended Drawbar, 4000 Winch with Pin & Hardware	9440	\$1,045.00
For use with winch. Requires Code 9401, 9402 or 9403.		
Rear Screen for Canopy (Grey)	9450	\$1,035.00
Requires code 5025.		
Rear Screen Cab (Grey)	9455	\$1,327.00
Requires code 5085.		
Non-Export Rust Preventive Coating	9909	\$148.00
Coating protects exposed unpainted surfaces from road salt during shipment.		

ATTACHMENTS FOR FIELD CONVERSION Ŧ

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts.

Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Cold Start:		
110 Volt Engine Coolant Heater, (1000 Watt)	AT211191	\$95.00
Average installation, 0.5 hour		
Frame Attachment:		
C-Frame Steps	AT310522	\$207.00
C-Frame Tilt Clevis Kit	AT311768	\$361.00
Drawbar, 4000 Winch with Pin and Hardware	AT207587	\$818.00
Extended Drawbar, 4000 Winch with Pin and Hardware	AT222827	\$861.00
Front Counterweight, 94 kg. (207 lb.)	AT419923	\$497.00
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	AT436108	\$12,066.00
Requires 4 Function Hydraulics and Auxiliary Plumbing.		
Reinforcement Blade Kit	AT225884	\$89.00
Grade Control:		
Leica Grade Control Interface Package, Paladin-Installed for Cab or Canopy	AT438592	\$7,243.00
Requires code 7750 or 7760.		
Trimble Grade Control Interface Package, Paladin-Installed	AT455318	\$6,892.00
Requires code 7750 or 7760.		
Hydraulics:		
Auxiliary Fifth Function Valve (without Float), Lever and Linkage	AT219741	\$468.00
Auxiliary Fourth Function Valve Section (without Float), Lever and Linkage	AT385271	\$468.00
Average installation, 5 hours. Converts three function control valve to four function. Work ports plugged without circuit reliefs.		
Electro-Hydraulics (EH) Auxiliary Hydraulic Function kit	AT451993	\$948.00
Kit Will Convert Code 7750 3 hyd. functions to a 4 hyd.Functions.		
Rear Auxiliary Plumbing	AT411568	\$93.00
For Crawler Tractors with 3 function hydraulics. Average installation, 1 hour. For use with rear mounted or pull type equipment. Includes two hoses and fittings from fourth or fifth function auxiliary valve to rear cover plate.		
Rear Auxiliary Plumbing for use with 4000 Winch	AT411569	\$468.00

https://configurator-stage.deere.com/servlet/com.deere.u90947.eproducts.view.servlets.Eq... 2/23/2015

For Crawler Tractors with 3 function hydraulics.
Average installation, 1 hour.
For use with rear mounted or pull type equipment.
Includes two hoses and fittings from fourth or fifth function auxiliary valve to rear
cover plate.
Not for use with Paccar winch

Overall Vehicle:		
Rear Counterweight, 330 Lb. (150 Kg)	T174346	\$662.00
Powertrain & Cooling:		
Automatic Reversing Hydraulic Fan	AT455545	\$1,421.00
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	AT451082	\$710.00
Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.		
Powertrain:		
Severe Duty Fuel Filter kit	AT428700	\$351.00
Winches:		
External lines with Accumulator for Power In/Power Out Winches on 460J, 500J and 650J Only	AT182314	\$1,178.00
External lines with Accumulator for Power In/Power Out Winches on 550K and 650K Only	AT411567	\$1,132.00
Fairlead, 4000 Winch Four Roller	AT175529	\$2,896.00
Linkage and Controls for Power In/Free Spool Out Winches on 550K and 650K Only	AT411564	\$433.00
Linkage and Controls for Power In/Power Out Winches on 550K and 650K Only	AT411565	\$433.00
Mounting Bracket and Hardware for Model 4000S Winch on 550K and 650K Only	AT411566	\$1,401.00

REFERRAL ATTACHMENTS

Description	Code	Price
<u>G.R. Mfg.:</u>		
 G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. 		
G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
41" Center Brush Guard for the 450J, 550J, and 650J	AT343937	\$706.00

https://configurator-stage.deere.com/servlet/com.deere.u90947.eproducts.view.servlets.Eq... 2/23/2015

Fits blades up to 115" length. For J crawlers above S/N 139432, and all Ks.		
Brush Guard, Full Width, 105 in. (2667mm) Blade	AT343936	\$1,250.00
 Brush Guard, Full Width, 90 - 97" Blade	AT343935	\$1,012.00
 Front Enclosure, Cab (FT4)	AT446907	\$2,275.00
 Full Enclosure, Cab	AT435073	\$7,679.00
 Full Enclosure, Canopy	AT435074	\$6,393.00
 Heavy Duty 124 in.(3.15m) Root Rake for S/n above 139433	AT369894	\$5,878.00
 For 124 in blade crawlers with S/n 139433 and above.		
Heavy Duty Root Rake w/ Brush Guard, 114"	AT343939	\$5,778.00
 For use with 115" blades For crawler S/N 139433 and above Root rake has integral guarding which prohibits use w/ blade equipped w/ brush guard		
Heavy Duty Root Rake w/ Brush Guard, 98"	AT343938	\$5,270.00
For use with 97" and 105" blades For crawler S/N 139433 and above Root rake has integral guarding which prohibits use w/ blade equipped w/ brush guard		
Limb Risers, Arched (Curved) ROPS Canopy and Cab Tractors	AT435075	\$1,935.00
 Limb Risers, Point to Point	AT435076	\$2,240.00
Rear Screen, Cab	AT413183	\$1,208.00
Rear Screen, Canopy	AT413184	\$942.00
Root Rake for 115 in. blade with S/N 139433 and above	AT353099	\$3,594.00
Screens, Cab Guard for A/C (FT4)	AT446908	\$929.00
Average installation, 1 hour. Bolt-on. Plate covers top, rear and sides of A/C module for complete protection in forestry applications. Requires cab rear screen.		
 Side Screens, Cab	AT413011	\$1,332.00
 Side Screens, Canopy	AT413012	\$1,244.00
 Standard Duty 124 in. (3.15m) Root Rake for S/n above 139433	AT369893	\$3,812.00
 For 124 in blade crawlers with S/n 139433 and above.		
Tank Guard	AT435077	\$2,457.00

PACCAR Winch Div:

* F.O.B. PACCAR.

* All Winches include installation instructions.

All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of PACCAR, and will be handled directly between the Dealer and PACCAR.

PACCAR (Carco Winch) 800 E. Dallas, P.O. Box 547 Broken Arrow, OK 74013-0547 Phone: 918-251-8511 www.paccarwinch.com

3 Roller Fairlead Kit for Hydraulic Winch	AT336215	\$3,190.00
For use with PACCAR winch		
4th Roller Kit for Hydraulic Winch Fairlead	AT336216	\$800.00
H40 Hydrostatic Winch (PTO driven)	AT434935	\$24,750.00
Requires Code 7975 thrudrive pump. Not for use with IGC hydraulics (code 7750 or 7760) Includes winch, winch mounting hardware, drive shaft, supplemental hydrostatic pump, supplemental hydraulic oil filter, and all winch controls and hoses. Single lever control Six functions: Variable speed reel-in, variable speed reel-out, brake on, drive away, free spool, and low-speed lock.		
40,000 lb rated bare drum line pull 2-145 ft/min variable bare drum line speed Integral drawbar Complete installation requires:		
 -Rear screen, see G.R. Manufacturing Referral Attachments -Wire rope & hook assembly. Consult with PACCAR for wire rope recommendations -Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements -Additional tractor hydraulic oil -Recommend front counterweight and front attachments for best machine 		
balance Average installation time 18 hours		
<u> Topcon Grade Control System - Factory Installed,</u> <u>Ordered with Option Code 27XX</u>		
Topcon 3DMC2 Single Antenna with 915SS HSPA Radio Field Kit	AT426457	\$61,525.00
Topcon 3DMC2 Single Antenna with 915SS Radio Field Kit	AT426456	\$60,025.00
Topcon 3DMC2 Single Antenna with UHF HSPA Radio Field Kit	AT426459	\$61,550.00
Topcon 3DMC2 Single Antenna with UHF Radio Field Kit	AT426458	\$60,050.00
Topcon 3DMC2 Single Antenna with UHF Verizon CDMA Radio Field Kit	AT426461	\$61,550.00
Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio Field Kit	AT426463	\$71,300.00
Topcon 3DMC2 Twin Antenna with 915SS Radio Field Kit	AT426462	\$69,800.00
Topcon 3DMC2 Twin Antenna with UHF HSPA Radio Field Kit	AT426465	\$71,325.00
Topcon 3DMC2 Twin Antenna with UHF Radio Field Kit	AT426464	\$69,825.00

Topcon 3DMC2 Field Kit	Twin Antenna with Verizon CDMA Radio	AT426467	\$71,325.00
Topcon Grade	<u>Control System - Ordered as an</u> Field Kit		
Topcon 3DMC2 Field Kit	Single Antenna with 915SS HSPA Radio	AT434525	\$61,525.00
Topcon 3DMC2	Single Antenna with 915SS Radio Field Kit	AT434524	\$60,025.00
Topcon 3DMC2 Kit	Single Antenna with UHF HSPA Radio Field	AT434527	\$61,550.00
Topcon 3DMC2	Single Antenna with UHF Radio Field Kit	AT434526	\$60,050.00
Topcon 3DMC2 Radio Field Kit	Single Antenna with UHF Verizon CDMA	AT434528	\$61,550.00
Topcon 3DMC2 Kit	Twin Antenna with 915SS HSPA Radio Field	I AT434530	\$71,300.00
Topcon 3DMC2	Twin Antenna with 915SS Radio Field Kit	AT434529	\$69,800.00
Topcon 3DMC2 Kit	Twin Antenna with UHF HSPA Radio Field	AT434532	\$71,325.00
Topcon 3DMC2	Twin Antenna with UHF Radio Field Kit	AT434531	\$69,825.00
Topcon 3DMC2 Field Kit	Twin Antenna with Verizon CDMA Radio	AT434533	\$71,325.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |



Current Date 13Apr2015

700K CRAWLER TRACTOR

700K Standard Equipment

ENGINE

John Deere PowerTech PVS 6.8L meets FT4 / Stage IV emissions *130 SAE Net hp (97kw) *Turbocharged with Charged Air Cooler Electronically Controlled Fuel Delivery System Wet Sleeve Cylinder Liners **Isolation-Mounted** Electronic Fuel Injection Electronic Control with Automatic Engine Protection Vertical Spin-on Engine Oil Filter Vertical Spin on Dual Stage **Fuel Filter** Oil-to-Water Engine Oil Cooler Dual Safety Element Dry-Type Air Cleaner, Evacuator Valve Eco Mode 500 hr. Engine Oil Change Interval COOLING SYSTEM *Variable Speed Suction Cooling Fan Engine Coolant -34 Degree F (-37 Degree C) Coolant Recovery Tank 10-Fin/in. Engine Coolant Radiator 10-Fin/in. Hydrostatic Oil-to-Air Cooler 10-Fin/in. Hydraulic Oil-to-Air Cooler Enclosed Safety Fan Guard (Conforms to SAE J1308 -ISO 3457) *Tilt Out Heavy-Duty Louvered Front Grille and

10 Micron Vertical Spin-on **Transmission Filter** Single-Lever Speed in Grip Steering with Counter Rotation and Horn Independently Selectable **Reverse Speed Ratio** Decelerator/Brake Pedal Automatic Power Management (w/ Manual Override) for Matching Ground Speed Infinite Ground Speed Selection Adjustable Ground Speed When Shifting from Forward to Reverse Dynamic Braking Transmission Neutral Lock with Safety Start Switch Independent 18.2 Gallon (68.9 Liter) Hydrostatic Reservoir with Sight Gauge Triple Reduction Final Drives with Wet Multi-Disk Brakes Primary and Secondary Service Brakes (Conforms to ISO10265) Automatic Spring-Applied, Hydraulic Released Park Brake - Lever Operated (Conforms to ISO 10265) 2000 hr. Hydrostatic Oil Change Interval Transmission Diagnostic Ports Selectable Decelerator Mode UNDERCARRIAGE 70 in. (1778 mm) Track Gauge for Extra Long Track (XLT) with 95 in. (2413 mm) Track on Ground

Adjustable Footrests Adjustable Full-length Arm Rests Headliner and Floormat Electronic Monitor System with Audible and Visual Warning: Low Alternator Voltage **Engine Oil Pressure** Engine Coolant Temperature Engine RPM Indicator Hydraulic Oil Filter Restriction Transmission Oil Filter Restriction Transmission Oil Temperature **Engine Air Restriction** Indicator Fasten Seat Belt/Park Brake Warning Transmission Speed Indicator Gauges, Electric, Illuminated: Engine Coolant Temperature **Engine Oil Pressure** Fuel Level Hourmeter, Electric Transmission Oil Pressure Indicator Electronic Engine Speed Dial with Warm-Up Indicator Horn, Electric (Conforms to SAE J994, J1446) Cup and Lunch Box Holder Operators Manual Storage Compartment and Manual Convex Interior Rearview Mirror, 4 In. (101.5 mm) wide and 8 In. (203 mm) long - (conforms to

Radiator with Hose Protection ELECTRICAL 24 Volt System 100 Amp Alternator for canopy units / 130 Amp Alternator for cab units (2) Batteries with 190 Minute Reserve Capacity, 950 CCA Master Electric Disconnect Switch Bypass Start Safety Cover on Starter Positive Terminal Battery Covers Pre-wired for Work Lights and Underseat Heater (2) Grille Mounted and (2) Rear Mounted Lights w/(2)reflectors **HYDRAULICS** 25 gpm (95 L/Min) Fixed Displacement Hydraulic Gear Pump Independent 14.2 Gallon (53.8 Liter) Hydraulic Reservoir with Sight Gauge Vertical Spin-on Hydraulic Oil Filter Three-Function Hydraulic Valve with Low Effort Single-Lever (T-Bar) Blade Control POWER TRAIN Dual Path Hydrostatic Transmission Variable displacement piston pump and motor combination Automatic Load Sensing for Speed and Power Management AutoTracking Steering Control

Maximum Life Undercarriage with 37 Link Extended Life SC2 Bushings and 22 in. (559 mm) Moderate Service Shoes Sealed & Lubricated Track Chain Full-Length, Smooth Surface Track Frame Covers Bolt-on Chain Guides, Front and Rear Segmented Sprockets Hydraulic Track Adjuster Yoke Relief Valve **OPERATOR STATION** JDLink Ultimate Machine Monitoring System w/ 3-year Message Service Modular Design Isolation Mounted ROPS/FOPS **Operator Station (Conforms** to SAE J1040 - ISO 3471) Left and Right Front Access **Operator's Station** Accessories Floormat Padded Headliner Slip-Resistant Steps and Ergonomically-Located Handholds (Conforms to SAE J185) Mechanical Suspension Comfort Control High Back Vinyl Seat with Height, Weight and Fore-Aft Adjustments (Conforms to SAE J899) Adjustable Leg Support 3 in. (76 mm) Retractable Seat Belt (Conforms to SAE J386)

SAE J985) 12 Volt Power Port OVERALL VEHICLE One-Piece Unitized Mainframe Front Tow Loop (Bolt-on) Reinforced Engine and Midframe Bottom Guards Integral Transmission Guard *Hinged Bottom Access Covers (Bolt-On) Perforated Engine Side Shields Heavy-Duty Louvered Front Grille with Hose Protection C-Frame Less Blade Vandal Protection Locking for: Engine Access Door-Requires Padlock Side Tanks Access Doors-Require Padlocks Wide Mouth Filler Cap -Requires Padlock Instrument Panel Requires Padlock on ROPS Canopy Transmission & Hydraulic Reservoirs Lockable Grease Gun and Tool Storage in Right Access Door **Envoirnmental Drains** 79.5 Gallon (301 Liter) Fuel Tank: Wide Mouth Fuel Filler Cap Shut Off Valve at Tank Outlet *Ground Level Fueling Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446)

Required - You must select one from each category

BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

	Description 700K CRAWLER TRACTOR	Code 02K0T	Price \$190,265.00
Ŧ	ENGINE		
	Description John Deere PowerTech PVS 6.8L (414 cu. in.) 6 Cyl EPA FT4/EU Stage IV Compliant	Code 0940	Price \$3,344.00
-	TRACK FRAME		
	Description 1778 mm (70 in.) Gauge, Extra Long Track (XLT) Frame (7 Roller)	Code 1055	Price In Base Price
_	(7) bottom rollers		
	1981 mm (78 in.) Gauge, Low Ground Pressure (LGP) Track Frame (7 Roller)	1075	\$1,281.00
_	(7) bottom rollers		
Ŧ	MACHINE CONNECTIVITY		
	Machine connectivity functions require cellular coverage. Usage of JDLink System requires cus the John Deere Telematics System Contract.	stomer's acc	eptance of the terms c
	Option availability limited by specific geographical regions. Please refer to region specific price codes.	pages for a	ppropriate ordering
	Description	Code	Price
	JDLink Ultimate Cellular for the Americas, excluding Costa Rica	1700	In Base Price
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer		
	(as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	JDLink Ultimate Satellite for the Americas, excluding Costa Rica	1701	\$1,566.01
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 3 year dual mode subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update		

	JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	JDLink Ultimate Cellular for the Americas, excluding Costa Rica - 5 Years	1710	\$1,232.00
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.		
	Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	JDLink Ultimate Satellite for the Americas, excluding Costa Rica - 5 Years	1711	\$3,168.00
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 5 year dual mode subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.		
	Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
-	ENGINE FAN DRIVE		
	Description	Code	Price
	Standard Hydraulic Fan Drive	3510	In Base Price
_	Automatic Reversing Hydraulic Fan	3520	\$1,476.00
W	TRACK SHOES AND CHAIN		
	Description	Code	Price
	Extra Long Track(XLT) or Low Ground Pressure(LGP) TRACKS ONLY (Requires Code 1055 or 1075)		
	Sealed and Lubed Track Chain W/ Moderate Service Shoes. Full Width and Closed Center Grousers except as noted. Recommend Moderate Service Shoes for Grading Applications.		
	39 Link with 22 in. (559 mm) Moderate Service Shoes	4555	(\$7,441.00)
_	39 Link with 24 in. (610 mm) Moderate Service Shoes	4570	(\$7,377.00)

Requires Co	ode 1075 LGP Track.		
39 Link \	with 30 in. (762 mm) Moderate Service Shoes	4590	(\$6,698.00)
Requires Co	ode 1075 LGP Track.		
	Maximum life Undercarriage with Extended Life s and 22 in.(559 mm) Moderate Service Shoes	4755	In Base Price
	Maximum Life Undercarriage with Extended Life s and 24 in.(610 mm) Moderate Service Shoes	e 4770	\$631.00
Requires Co	ode 1075 LGP Track.		
	Maximum Life Undercarriage with Extended Life s and 30 in.(762 mm) Moderate Service Shoes	e 4790	\$1,311.00
Requires Co	ode 1075 LGP Track.		
GRADE CONTRO	DL		
Descrip	tion	Code	Price
Topcon (Grade Control Base Kit Installed	2500	\$7,497.01
Factory inst enhances a	ode 7750 or 7760. alled and includes additional brackets and wiring harnesses that ind simplifies the addition of a Topcon grade control system. This Topcon 3D-MC2 Grade Control Systems to be ordered.		
No Торсо	on Grade Control Base Kit Installed	2575	In Base Price
	b blade control or Trimble or Leica Blade control field installations	5.	
Requires No	o Topcon Radio Installation code 2775		
	E CONTROL SYSTEM		
TOPCON GRADE			
TOPCON GRADE Kit includes the follow Password, MC-R3 Ful OAF Bundle, MC-R3 3	E CONTROL SYSTEM ing equivalent parts from Topcon 3DMC2 system: Il Auto		
TOPCON GRADE Kit includes the followi Password, MC-R3 Ful OAF Bundle, MC-R3 G Kit, GX-60 GPS Kit, Common 3D Doze OEM, Antenna Config	E CONTROL SYSTEM ing equivalent parts from Topcon 3DMC2 system: Il Auto 3DMC2 er GPS Kit		
TOPCON GRADE Kit includes the followi Password, MC-R3 Ful OAF Bundle, MC-R3 G Kit, GX-60 GPS Kit, Common 3D Doze OEM, Antenna Config Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF	E CONTROL SYSTEM ing equivalent parts from Topcon 3DMC2 system: II Auto 3DMC2 er GPS J Kit F		
TOPCON GRADE Kit includes the followi Password, MC-R3 Ful OAF Bundle, MC-R3 S Kit, GX-60 GPS Kit, Common 3D Doze OEM, Antenna Config Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Fin	E CONTROL SYSTEM ing equivalent parts from Topcon 3DMC2 system: II Auto 3DMC2 er GPS g Kit F hal Calibration On Site	Code	Price
TOPCON GRADE Kit includes the followi Password, MC-R3 Ful OAF Bundle, MC-R3 S Kit, GX-60 GPS Kit, Common 3D Doze OEM, Antenna Config Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Fin	E CONTROL SYSTEM ing equivalent parts from Topcon 3DMC2 system: II Auto 3DMC2 er GPS g Kit F hal Calibration On Site	Code 2710 li	
TOPCON GRADE Kit includes the followi Password, MC-R3 Ful OAF Bundle, MC-R3 3 Kit, GX-60 GPS Kit, Common 3D Doze OEM, Antenna Config Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Fin Descrip Topcon 3	E CONTROL SYSTEM ing equivalent parts from Topcon 3DMC2 system: II Auto 3DMC2 er GPS Kit r F hal Calibration On Site tion	2710 li	n Referral Price
TOPCON GRADE Kit includes the followi Password, MC-R3 Ful OAF Bundle, MC-R3 S Kit, GX-60 GPS Kit, Common 3D Doze OEM, Antenna Config Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Fin Descrip Topcon 3 Topcon 3	E CONTROL SYSTEM ing equivalent parts from Topcon 3DMC2 system: II Auto 3DMC2 er GPS g Kit F hal Calibration On Site tion 3DMC2 Single Antenna with 915SS Radio	2710 li 2711 li	n Referral Price
TOPCON GRADE Kit includes the followi Password, MC-R3 Ful OAF Bundle, MC-R3 G Kit, GX-60 GPS Kit, Common 3D Doze OEM, Antenna Config Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Fin Descrip Topcon 3 Topcon 3	E CONTROL SYSTEM ing equivalent parts from Topcon 3DMC2 system: II Auto 3DMC2 er GPS Kit F hal Calibration On Site tion 3DMC2 Single Antenna with 915SS Radio 3DMC2 Single Antenna with 915SS HSPA Radio	2710 li 2711 li 2712 li	n Referral Price n Referral Price n Referral Price
TOPCON GRADE Kit includes the followi Password, MC-R3 Ful OAF Bundle, MC-R3 G Kit, GX-60 GPS Kit, Common 3D Doze OEM, Antenna Config Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Fin Descrip Topcon 3 Topcon 3 Topcon 3	E CONTROL SYSTEM ing equivalent parts from Topcon 3DMC2 system: II Auto 3DMC2 er GPS Kit F hal Calibration On Site tion 3DMC2 Single Antenna with 915SS Radio 3DMC2 Single Antenna with 915SS HSPA Radio 3DMC2 Single Antenna with UHF Radio	2710 In 2711 In 2712 In 2713 In	n Referral Price n Referral Price n Referral Price n Referral Price
TOPCON GRADE Kit includes the followi Password, MC-R3 Ful OAF Bundle, MC-R3 G Kit, GX-60 GPS Kit, Common 3D Doze OEM, Antenna Config Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Fin Descrip Topcon 3 Topcon 3 Topcon 3 Topcon 3 Radio	E CONTROL SYSTEM ing equivalent parts from Topcon 3DMC2 system: II Auto 3DMC2 er GPS Kit r F hal Calibration On Site tion 3DMC2 Single Antenna with 915SS Radio 3DMC2 Single Antenna with 915SS HSPA Radio 3DMC2 Single Antenna with UHF Radio 3DMC2 Single Antenna with UHF Radio	2710 In 2711 In 2712 In 2713 In 2715 In	Price n Referral Price n Referral Price n Referral Price n Referral Price n Referral Price n Referral Price

Topcon 3DMC2 Twin Antenna with UHF HSPA Radio 2733 In Referral Price Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio 2735 In Referral Price No Topcon Radio Installation 2775 In Base Price OPERATOR MANUALS				
Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio 2735 In Referral Price No Topcon Radio Installation 2775 in Base Price OPERATOR MANUALS English Operator Manual 2605 No Charge Spanish Operator Manual 2610 No Charge Spanish Operator Manual 2615 No Charge OPERATOR STATION English Operator Mounted Air Conditioner/Heater 5085 \$22,495.00 Indexe: Price Canopy 5025 In Base Price Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Indexe: Present intake 18,000 BTU heater/defoater/ pressurizer with air pre-cleaner-conforms to SAE U1503, 11535D \$24,400 BTU air conditioner \$20,000 BTU ander-seat heater 30,000 BTU under-seat heater 30,000 BTU under-seat heater 5085 \$22,495.00 Thord safety gas all around Front windshield and doors with (3) single-speed wipers and washers Seas \$2647.00 SEAT Description Code Price Sage In Base Price Sin. (76 mm) retractable seat bell. Adjustable armests, backrest tilt, thigh support, lumbar, height, weight and fore-aft postforming Requires Cab. Heated Air Suspension Comfort Control High Back Fabric Sage		Topcon 3DMC2 Twin Antenna with UHF Radio	2732	In Referral Price
No Topcon Radio Installation 2775 In Base Price OPERATOR MANUALS Description Code Price English Operator Manual 2605 No Charge Spanish Operator Manual 2610 No Charge French Operator Manual 2615 No Charge OPERATOR STATION Description Code Price Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Indudes: Fresh air inske 18,000 BTU heater/defoster/ pressurizer with air pre-cleaner-conforms to SAE J1603, J15350 \$24,000 BTU aircreate beater 30 ang aitemator 3.000 BTU under-set heater 5085 \$22,495.00 Presh air inske 18,000 BTU heater/defoster/ pressurizer with air pre-cleaner-conforms to SAE J1603, J15350 \$24,000 BTU aircreate beater \$20,000 BTU aircreate beater 30 ang aitemator AMFEMWB Redio and Digital Clock Dome and reading lights Base Price SEAT Description Code from verticatable seat beit. Adjustable armetes, backrest tilt, thigh support, lumbar, height, weight and fore-att positioning Restricted to cab use only. Seat Sin. (76 mm) retractable seat beit. Adjustable armetes, backrest tilt, thigh support, lumbar, height, weight and fore-att positioning Restricted to cab use only. Sin (76 mm) retractable	_	Topcon 3DMC2 Twin Antenna with UHF HSPA Radio	2733	In Referral Price
OPERATOR MANUALS Description Code Price English Operator Manual 2605 No Charge Spanish Operator Manual 2610 No Charge French Operator Manual 2615 No Charge OPERATOR STATION Description Code Price Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Includes: Fresh air inske 180.00 BTU heater/defoster/ pressurizer with air pre-cleaner-conforms to SAE 11030, 11530 24,000 BTU arconditioner 30,000 BTU arconditioner 50,000 BTU arconditioner 50,000 BTU arconditioner 30,000 BTU arconditioner 50,000 BTU arconditioner 50,000 BTU arconditioner Sougon BTU arconditioner 50,000 BTU arconditioner 50,000 BTU arconditioner Sougon BTU arconditioner 50,000 BTU arconditioner 50,000 BTU arconditioner Sougon BTU arconditioner 50,000 BTU arconditioner 50,000 BTU arconditioner Tinde safety glass all arcond Front windshield and doors with (3) single-speed wipers and washers In Base Price SEAT Description Code Price Air Suspension Comfort Control High Back Fabric Soat 5885 In Base Price 3 in,	_	Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio	2735	In Referral Price
Description Code Price English Operator Manual 2605 No Charge Spanish Operator Manual 2610 No Charge French Operator Manual 2615 No Charge OPERATOR STATION Description Code Price Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Includes: Fresh at intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner-conforms to SAE, Jf.03, Jf.0350 \$24,000 BTU arc conditioner 30.000 BTU under-seat heater 130 amp alternator 30.000 BTU under-seat heater \$200 BTU arc conditioner 30.000 BTU under-seat heater 130 amp alternator AMFMWIS Radio and Digital Clock Dome and reading lights Deluce headliner Dome and reading lights Deluce headliner 100mat 5855 In Base Price 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest lift, thigh support, lumbar, height, weight and fore-aft positioning. 5890 \$647.00 Air Suspension Comfort Control High Back Fabric 5890 \$647.00 \$24.00 Seat 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest lift, thigh support, lumbar, height, weight and fore-aft positioning. \$84.00 \$84.00	_	No Topcon Radio Installation	2775	In Base Price
English Operator Manual 2605 No Charge Spanish Operator Manual 2610 No Charge French Operator Manual 2615 No Charge OPERATOR STATION 2615 No Charge Canopy 5025 In Base Price Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Includes: Fresh air intake 18,000 BTU heater/defoster/ pressurizer with air pre-cleaner- conforms to SAE J1503, J1535D \$22,495.00 24,000 BTU are conditioner 30 ang alternation \$22,495.00 30 ang alternation AMFMWIS Radio and Digital Clock Dome and regular conditioner Dome and regular lists Delixer headliner 100 aread ineration AMF Suspension Comfort Control High Back Fabric Seat 5885 In Base Price 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab. 5890 \$647.00 Heated Air Suspension Comfort Control High Back Fabric Seat 5890 \$647.00 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5	-	OPERATOR MANUALS		
English Operator Manual 2605 No Charge Spanish Operator Manual 2610 No Charge French Operator Manual 2615 No Charge OPERATOR STATION 2615 No Charge Canopy 5025 In Base Price Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Includes: Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner- contorms to SAE J1503, J153D \$22,495.00 24.000 BTU are conditioner 30.000 BTU under-seat heater 30.000 BTU under-seat heater \$200 BTU are conditioner 30.000 BTU under-seat heater 130 ang alternator AMFMWIS Radio and Digital Clock Dome and reginal infits Deluxe headliner 100 are alternator AMFMWIS Radio and Digital Clock Dome and reginal infits In Base Price SEAT Description Code Price 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab. Seaf		Description	Cod	e Price
French Operator Manual 2615 No Charge OPERATOR STATION Description Code Price Canopy 5025 In Base Price Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Includes: Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner-conforms to SAE J1503, J1535D \$2,000 BTU under-seat heater 30,000 BTU under-seat heater 130 amp alternator AMFMWM Bailo and Digital Clock Demonati Tinted safety glass all around Friend Ministrie Bail of Sage Sage Sage Sage Sage Sage Sage Sage		-	260	5 No Charge
OPERATOR STATION Description Code Price Canopy 5025 In Base Price Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Includes: Fresh air intake 18,000 BTU heater/defoster/ pressurizer with air pre-cleaner-conforms to SAE J1503, J1535D \$4,000 BTU air conditioner 30,000 BTU under-seat heater 30,000 BTU under-seat heater \$4,000 BTU air conditioner 30,000 BTU under-seat heater 30,000 BTU under-seat heater \$4,000 BTU air conditioner 30,000 BTU under-seat heater 130 am alternator AMFRMVB Radio and Digital Clock Deme and reading lights Deluxe headliner Bornmat Tinted safety glass all around Front windshield and doors with (3) single-speed wipers and washers Seat SEAT Exerciption Code Price Air Suspension Comfort Control High Back Fabric Seat 5895 In Base Price 3 in, (76 mm) retractable seat belt. Adjustable ammests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Seat 3 In, (76 mm) retractable seat belt. Adjustable ammests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Set Set Seat Air Suspension Comfort Control High Back Vinyl Seat 585	_	Spanish Operator Manual	261	0 No Charge
Description Canopy Code 5025 Price In Base Price 5085 Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Includes: Fresh air inske 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner- conforms to SAE J1503, J15350 24,000 BTU under-seat heater 30,000 BTU under-seat heater 130 amp attemator AM/FMWR Badio and Digital Clock Dome and reading lights Deluxe headliner floormat Tinted safety glass all around Front windshield and doors with (3) single-speed wipers and washers Code Price 5885 SEAT Description Air Suspension Comfort Control High Back Fabric Seat 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab. Seao \$647.00 Heated Air Suspension Comfort Control High Back Fabric Seat 5890 \$647.00 3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Requires Cab. 5890 \$647.00 Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charger 3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. 5855 No Charger 3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. 5855 No Charger	_	French Operator Manual	261	5 No Charge
Canopy 5025 In Base Price Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Includes: Fresh air inske 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner- conforms to SAE J1503, J1535D \$24,000 BTU air conditioner 30,000 BTU air conditioner 30,000 BTU under-seate heater 130,000 BTU under-seate heater \$30,000 BTU under-seate heater 30,000 BTU air conditioner 30,000 BTU under-seate heater \$30,000 BTU under-seate heater \$30,000 BTU under-seate heater 30,000 BTU air conditioner Boome and reading lights Boome and reading lights Boome and reading lights Deluxe headliner Hoormat Tinted safety glass all around Front windshield and doors with (3) single-speed wipers and washers Front windshield and doors with (3) single-speed wipers and washers SEAT Description Code Price Air Suspension Comfort Control High Back Fabric Seat 5885 In Base Price 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Seat 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Sestor Air Suspension Comfort Control High Back Vinyl Seat 58	Ŧ	OPERATOR STATION		
Canopy 5025 In Base Price Cab with Roof Mounted Air Conditioner/Heater 5085 \$22,495.00 Includes: Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner- conforms to SAE J1503, J15350 \$24,000 BTU under-seat heater \$30,000 BTU under-seat heater \$20,000 BTU method in the seater \$20,000 BTU method in the seater heater \$30,000 BTU under-seat heater \$30,000 BTU under-seater \$20,000 BTU method in the seater heater \$30,000 BTU under-seater \$20,000 BTU under-seater \$30,000 BTU under-seater \$20,000 BTU under-seater \$30,000 BTU under-seater \$30,000 BTU under-seater \$20,000 BTU under-seater \$2		Description	Cod	e Price
Includes: Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner-conforms to SAE J1503, J1535D 24,000 BTU air conditioner 30,000 BTU under-seat heater 130 amp alternator AM/FM/WB Radio and Digital Clock Dome and reading lights Deluxe headliner Iftiournat Tinted safety glass all around Front windshield and doors with (3) single-speed wipers and washers SEAT Description Code Price Air Suspension Comfort Control High Back Fabric Seat 5885 In Base Price 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest till, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab. Heated Air Suspension Comfort Control High Back Fabric 5890 \$647.00 Seat 3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest till, thigh support, lumbar, height, weight and fore-aft positioning. Requires Cab. Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charget Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charget 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest till, thigh support, lumbar, height, weight and fore-aft positioning. 5855 No Charget			502	5 In Base Price
Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner- conforms to SAE J1503, J1535D 24,000 BTU air conditioner 30,000 BTU under-seat heater 130 amp alternator AW/FM/WB Radio and Digital Clock Dome and reading lights Deluxe headliner floormat Tinted safety glass all around Front windshield and doors with (3) single-speed wipers and washers SEAT Description Code Air Suspension Comfort Control High Back Fabric Seat 5885 3 in. (76 mm) retractable seat belt. Adjustable amrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab. Heated Air Suspension Comfort Control High Back Fabric 5890 \$647.00 Seat 3 in. (76 mm) retractable seat belt. Adjustable amrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable amrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charge 3 in. (76 mm)	_	Cab with Roof Mounted Air Conditioner/Heater	508	5 \$22,495.00
Description Code Price Air Suspension Comfort Control High Back Fabric Seat 5885 In Base Price 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab. Heated Air Suspension Comfort Control High Back Fabric 5890 \$647.00 Seat 3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Sin. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Sin. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Sin. (76 mm) retractable seat belt.		Fresh air intake 18,000 BTU heater/defroster/ pressurizer with air pre-cleaner- conforms to SAE J1503, J1535D 24,000 BTU air conditioner 30,000 BTU under-seat heater 130 amp alternator AM/FM/WB Radio and Digital Clock Dome and reading lights Deluxe headliner floormat Tinted safety glass all around		
Air Suspension Comfort Control High Back Fabric Seat 5885 In Base Price 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft 5890 \$647.00 Seat 3 In. (76 mm) retractable seat belt. 5890 \$647.00 Seat 3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft 5890 \$647.00 Seat 3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft 5855 No Charge Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft 5855 No Charge	*	SEAT		
3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab. Heated Air Suspension Comfort Control High Back Fabric 5890 Seat 3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5855 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.		•		
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab. Heated Air Suspension Comfort Control High Back Fabric 5890 \$647.00 Seat 3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Sin. (76 mm) retractable seat belt.		Air Suspension Comfort Control High Back Fabric Seat	588	5 In Base Price
Seat 3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.		Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning		
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only. Air Suspension Comfort Control High Back Vinyl Seat 5855 No Charge 3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.	_		589	0 \$647.00
3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.		Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.		
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.	_	Air Suspension Comfort Control High Back Vinyl Seat	585	5 No Charge
	_	Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.		

DOZER BLADE

Ŧ

Ŧ

	All Blades include Straight End Bits and Bolt-On Cutting Edges. Blades are not installed, but shipped with Crawler Dozer. When equipping with sideboom, a front attachment should not be installed on the tractor. Cont Frame, and Lift Cylinder custom codes.	act DMAC fo	or Less Blade, C-
	Description	Code	Price
	120 in. (3048 mm) wide (XLT) Extra Long Track Power- Angle-Tilt (PAT) Blade	7075	\$4,274.00
	Requires Code 1045 or 1055.		
	126 In. (3200 mm) XLT with Power-Angle-Tilt (PAT) Blade	7078	\$4,488.00
_	144 In. (3658 mm) Low Ground Pressure (LGP) Power- Angle-Tilt (PAT) Blade	7098	\$5,837.00
_	132in. (3353 mm) wide Low Ground Pressure (LGP) Power- Angle-Tilt (PAT) Blade	7095	\$5,355.00
	Requires Code 1075. Full blade angle 20 Degrees.		
	HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS		
	Description	Code	Price
	3 Function Hydraulic Control Valve	7725	In Base Price
_	3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	7750	\$3,551.00
	Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Topcon Ready Installation - Sales Code 2500. Trimble Ready Installation AT455319. Leica Ready Installation AT438530. NOTE: If machine has factory installed winch (Sales Code 9401 or 9402), cannot order Sales Code 2500, AT455319 or AT438530.		
-	4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) and Rear Attachment w/ Rear Auxiliary Plumbing	7760	\$4,959.00
	Grade Control Ready (EH) Hydraulics Grade Control Recommendations: Topcon Ready Installation- Sales Code 2500. Trimble Ready Installation AT455319. Leica Ready Installation AT438530. NOTE: If machine has factory installed winch (Sales Code 9401 or 9402,), cannot order Sales Code 2500, AT455319 or AT438530.		
	4 Function Hydraulic Control for Power-Angle-Tilt (PAT)	7775	\$939.00
	4th function (without Float). Does include circuit reliefs. Work port plugged. Includes auxiliary rear plumbing for ripper.		
r	HYDRAULIC PUMP		
	Description	Code	Price
	Standard Hydraulic Pump	7925	In Base Price
	Does not Includes external spline for mechanical drive winch or auxiliary pump.		

https://configurator-stage.deere.com/servlet/com.deere.u90947.eproducts.view.servlets.Eq... 4/13/2015

_	Thru-drive Hydraulic Pump	7975	\$443.00
	For use with Deere 4000S Winch (mechanical drive) Includes external spline for winch or auxiliary pump.		
Ŧ	GREASES, FUEL, OIL & COOLANT		
	Description	Code	Price
	Hydraulic And Hydrostatic Oil - Hydrau	8010	In Base Price
_	Standard Factory Fill. Provides All-Season Capability in Ambient Temperatures Ranging From -25C (- 13F) to 50C (122F).		
	Hydraulic And Hydrostatic Oil - Hydrau XR	8020	\$565.00
	Optional Factory Fill. Intended for Colder Climates with Extreme Cold Ambient Temperatures down to - 40C (-40F)		
	Provides All-Season Capability in Ambient Temperature Ranging from -40C to 40C (-40F to 104F).		
Opt	tional - Select as desired		
Ŧ	OPTIONAL EQUIPMENT (ORDER AS DESIRED)		
	Description	Code	Price
	POWERTRAIN		
	Severe-Duty Fuel Filter	9060	\$521.00
_	Chrome Exhaust	9065	\$136.00
_	Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	9075	\$508.00
	Engine Air Precleaner	9130	\$490.00
_	Engine Compartment Light	9180	\$114.00
	Coolant Heater, Electric	9530	\$141.00
	OPERATOR STATION		
	Under- Seat Canopy Heater	9125	\$1,275.00
	Requires Canopy 30,000 BTU		
	Optional Lights	9168	\$335.00
_	External Mounted Rear Attachments Mirror	9365	\$130.00
_	Requires Code 5085		
	Rear Wiper / Washer	9380	\$669.00
_	Requires Code 5085		
_	XM Satellite Radio	9501	\$1,095.00
_	GUARDS		
_			

Full Lengt	h Rock Guards	9150	\$1,602.00
Low Grou	nd Pressure (LGP) Final Drive Protection	9340	\$788.00
Heavy gauge	plate final drive protection in rocky conditions.		
Heavy Du	ity Grille	9325	\$895.00
OVERALI	L VEHICLE		
Fluid Sam	pling Ports	9070	\$329.00
Retrieval	Hitch with Pin	9345	\$263.00
retrieval hitch Not For Use	ended for pull-type implements that require turning clearance - lengthens machine by 1.7 in. (42 mm). With Codes 9187 or 9355. sed with 4000S Winch.		
Extended	Rigid Drawbar with Pin	9355	\$1,026.00
Recommend lengthens ma Can not be u	ed with Cab, also requires 9365 Rear Attachment Mirror. ed for pull-type implements that require turning clearance - drawbar achine by 15.6 in. (395 mm). sed with 9187. sed with 4000S Winch.		
Heavy Du (3) Shank	ty Parallelogram Ripper with 5 Shank Pockets and <td>9187</td> <td>\$12,857.00</td>	9187	\$12,857.00
	le 7760 or 7775 Hydraulics. sed with 9345 or 9355.		
Model 400 Out	00 Standard Speed Winch - Power In, Free Spool	9401	\$18,645.00
Not for Use w	de 7975, 9450 or 9455. vith Code 9187, 9345 or 9355. sed with Trimble or TopCon interface field Kits.		
Model 400	00 Standard Speed Winch - Power In, Power Out	9402	\$21,043.00
Not for Use w	de 7975, 9450 or 9455. vith Code 9187, 9345 or 9355. sed with Trimble or TopCon interface field Kits.		
4000 Win	ch Fairlead, Four Roller	9410	\$3,851.00
For use with Requires Cod	winch. de 9401, 9402 or 9403.		
Drawbar,	Extended with Pin and Hardware	9430	\$672.00
For use with Requires Cod	winch. de 9401, 9402 or 9403.		
Rear Scre	en for Canopy (Grey)	9450	\$1,035.00
Requires cod	le 5025.		
Rear Scre	en Cab (Grey)	9455	\$1,327.00
Requires cod	le 5085.		
French Tr	ademarks and Decals	9173	No Charge

Spanish Trademarks and Decals	9178	No Charge
Non-Export Rust Preventive Coating	9909	\$148.00
Coating protects exposed unpainted surfaces from road salt during shipment.		
EXPORT EQUIPMENT		
French Trademarks and Decals	9173	No Charge
Spanish Trademarks and Decals	9178	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Ŧ

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Automatic Reversing Hydraulic Fan	AT454056	\$1,421.00
Frame Attachment:		
Extended Drawbar, 4000 Winch With Pin and Hardware	AT222829	\$912.00
Front Counterweight, 322 Lb. (146 Kg)	AT337352	\$706.00
Recommended for use with rear attachments. Stackable - maximum of 2. Requires mounting hardware, see parts. Average installation, 2 hours.		
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	AT436109	\$14,348.00
Requires 4 Function Hydraulics and Auxiliary Plumbing.		
Grade Control:		
Leica Grade Control Interface Package, Paladin-Installed	AT438530	\$7,953.00
Requires code 7750 or 7760.		
Trimble Grade Control Interface Package, Paladin-Installe	d AT455319	\$6,892.00
Requires code 7750 or 7760.		
Hydraulics:		
4000 Winch Rear Auxiliary Plumbing	AT411562	\$468.00
For Crawler Tractors with 3 function hydraulics. Average installation, 1 hour. For use with rear mounted or pull type equipment. Includes two hoses and fittings from fourth or fifth function auxiliary valve to rear cover plate. Not for use with Paccar winch		

Auxiliary Fifth Function Valve (without Float), Lever and Linkage	AT385211	\$821.00
 Average installation, 5 hours. Converts four function control valve to five function. Can be used with AT207568, Auxiliary Fourth Function Valve Section, to convert three function control valve to five function. Work ports plugged, without circuit reliefs.		
Auxiliary Fourth Function Valve Section (without Float), Lever and Linkage	AT385210	\$628.00
Average installation, 5 hours. Converts three function control valve to four function. Work ports plugged without circuit reliefs.		
Electro-Hydraulics (EH) Auxiliary Hydraulic Function Kit (FT4)	AT451412	\$2,047.00
Kit Will Convert Code 7750 3 hyd. functions to a 4 hyd.Functions.		
Electro-Hydraulics (EH) Auxiliary Hydraulic Function Kit (iT4)	AT385209	\$2,047.00
Kit Will Convert Code 7750 3 hyd. functions to a 4 hyd.Functions.		
 Rear Auxiliary Plumbing	AT383639	\$93.00
For Crawler Tractors with 3 function hydraulics. Average installation, 1 hour. For use with rear mounted or pull type equipment. Includes two hoses and fittings from fourth or fifth function auxiliary valve to rear cover plate.		
Powertrain & Cooling:		
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	AT433976	\$710.00
 Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers		
Powertrain:		
Final Drive Drain Plug Guard Kit	AT300952	\$1,480.00
Severe Duty Fuel Filter kit	AT428686	\$421.00
Winches:		
 External lines with Accumulator for Power In/Power Out Winches on 700J Only	AT222105	\$1,178.00
External lines with Accumulator for Power In/Power Out Winches on 700K Only	AT411561	\$1,132.00
Fairlead, 4000 Winch Four Roller	AT175529	\$2,896.00
Average installation, 1 hour Bolt-on Can be used with Extended Winch Drawbar Requires 4000S Winch		
 Linkage and Controls for Power In/Free Spool Out Winches on 700K Only	AT411559	\$433.00

	Linkage and Controls for Power In/Power Out Winches on 700K Only	AT411558	\$433.00
	Mounting Bracket for 700K Crawler Dozer	AT411560	\$2,507.00
-	REFERRAL ATTACHMENTS		
	Description G.R. Mfg.:	Code	Price
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.		
	G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
_	Blade Brush Guard 52 In. Width (GREY)	AT322625	\$972.00
	Average installation, 3 hours. Fits all blades. Requires welding to top of blade. Provides additional protection for front hydraulics and grille.		
_	Front Enclosure, Cab (FT4)	AT435070	\$2,275.00
_	Front Enclosure, Canopy (FT4)	AT435071	\$2,272.00
_	Full Enclosure Cab (FT4)	AT435067	\$8,509.00
	Consolidates individual Screen and Limb Riser offerings into a single part number. This number includes full OSHA certified screens and limb risers. Average installation 15 hours.		
	Full Enclosure Canopy (FT4)	AT435068	\$7,223.00
	Consolidates individual Screen and Limb Riser offerings into a single part number. This number includes full OSHA certified screens and limb risers. Average installation 12 hours.		
	Full Width Brush Guard for 120 in.(3048mm) and 132 in. (3353mm) Blades	AT324129	\$1,548.00
	Lift Cylinder Guards (Yellow)	AT223607	\$281.00
	NOTE: * Average installation, 1 hour. * Bolt-on. * Formed plates bolt to top of lift cylinders and protects the hydraulic hose and fittings.		
	Limb Riser, Arched (FT4)	AT435072	\$2,765.00
_	Rear Screen, Cab	AT413183	\$1,208.00
_	Rear Screen, Canopy	AT413184	\$942.00

Root Rake for 120 in. and 132 in. IGC Blades with S/N 139312 and above	AT353098	\$7,653.00
Rake has an integral brush guard. Not for use on blade with added brush guard.		
Screens, Cab Guard for A/C (FT4)	AT446908	\$929.00
Average installation, 1 hour. Bolt-on. Plate covers top, rear and sides of A/C module for complete protection in forestry applications. Requires cab rear screen.		
Side Screens, Cab (FT4)	AT435069	\$1,332.00
Side Screens, Canopy	AT413012	\$1,244.00
Tank Guard	AT413571	\$3,145.00
PACCAR Winch Div:		
* F.O.B. PACCAR.* All Winches include installation instructions.		
All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of PACCAR, and will be handled directly between the Dealer and PACCAR.		
PACCAR (Carco Winch) 800 E. Dallas, P.O. Box 547 Broken Arrow, OK 74013-0547		
Phone: 918-251-8511 www.paccarwinch.com		
3 Roller Fairlead Kit for Hydraulic Winch	AT336215	\$3,190.00
For use with PACCAR winch	///000210	¢0,170.00
4th Roller Kit for Hydraulic Winch Fairlead	AT336216	\$800.00
	///000210	\$000.00
Requires 3 Roller Fairlead Kit for Hydraulic Winch H50 Hydrostatic Winch	AT434936	\$27,950.00
Requires code 7925 Standard Hydraulic Pump	A1434930	ψ27,730.00
Code 7975 is permissible but not required. Not for use with IGC hydraulics (code 7750 or 7760) Includes winch, winch mounting hardware, supplemental 55cc hydrostatic pump, supplemental hydraulic oil filter, and all winch controls and hoses. Single lever control		
Six functions: Variable speed reel-in, variable speed reel-out, brake on, drive away, free spool, and low-speed lock. 50,000 lb rated bare drum line pull		
2-135 ft/min variable bare drum line speed Integral drawbar Complete installation requires:		
 -Rear screen, see G.R. Manufacturing Referral Attachments -Wire rope & hook assembly. Consult with PACCAR for wire rope recommendations 		
-Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements -Additional tractor hydraulic oil -Recommend front counterweight and front attachments for best machine		
balance Average installation time 20 hours		
<u> Topcon Grade Control System - Factory Installed,</u>		

<u>Ordered with Option Code 27XX</u>

Kit includes the following equivalent parts from Topcon 3DMC2 system:

Password, MC-R3 Full Auto
OAF Bundle, MC-R3 3DMC2
Kit, GX-60 GPS
Kit, Common 3D Dozer GPS
OEM, Antenna Config Kit
Kit, OEM MC2 Sensor
Assy, MC-R3 NO-OAF
Full Assembly and Final Calibration On Site
This option may be subject to a different price structure than the base machine.
Contact your Territory Sales Manager or WorkSight Solutions Consultant for
details.

Topcon 3DMC2 Single Antenna with 915SS HSPA Radio Field Kit	AT426457	\$61,525.00
Topcon 3DMC2 Single Antenna with 915SS Radio Field Kit	AT426456	\$60,025.00

Topcon 3DMC2 Single Antenna with UHF HSPA Radio Field AT426459 \$61,550.00 Kit

Topcon 3DMC2 Single Antenna with UHF Radio Field KitAT426458\$60,050.00Topcon 3DMC2 Single Antenna with UHF Verizon CDMAAT426461\$61,550.00

Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio Field AT426463 \$71,300.00 Kit

Topcon 3DMC2 Twin Antenna with 915SS Radio Field Kit AT426462 \$69,800.00

Topcon 3DMC2 Twin Antenna with UHF HSPA Radio Field AT426465 \$71,325.00 Kit

 Topcon 3DMC2 Twin Antenna with UHF Radio Field Kit
 AT426464
 \$69,825.00

 Topcon 2DMC2 Twin Antenna with Varian CDMA Padia
 AT426464
 \$69,825.00

Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio AT426467 \$71,325.00 Field Kit

<u>Topcon Grade Control System - Ordered as an</u> <u>Independent Field Kit</u>

Radio Field Kit

Topcon 3DMC2 Single Antenna with 915SS HSPA Radio Field Kit	AT434525	\$61,525.00
Topcon 3DMC2 Single Antenna with 915SS Radio Field Kit	AT434524	\$60,025.00
Topcon 3DMC2 Single Antenna with UHF HSPA Radio Field Kit	AT434527	\$61,550.00
Topcon 3DMC2 Single Antenna with UHF Radio Field Kit	AT434526	\$60,050.00

Topcon 3DMC2 Single Antenna with UHF Verizon CDMA
Radio Field KitAT434528\$61,550.00Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio Field AT434530\$71,300.00KitTopcon 3DMC2 Twin Antenna with 915SS Radio Field KitAT434529\$69,800.00Topcon 3DMC2 Twin Antenna with UHF HSPA Radio Field KitAT434532\$71,325.00KitKitKitKitKit

Topcon 3DMC2 Twin Antenna with UHF Radio Field Kit	AT434531	\$69,825.00
 Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio Field Kit	AT434533	\$71,325.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |



Current Date 04May2015

750K CRAWLER TRACTOR

750K Standard Equipment ENGINE: John Deere PowerTech PVS 6.8L--meets FT4 / Stage IV emissions 165 SAE Net hp (123 kw) Turbocharged with Charged Air Cooler Isolation Mounted No power Derating up to 10,000 ft Altitude **Electronic Fuel Injection** Electronic Control with Automatic Engine Protection Vertical Spin-on Engine Oil Filter Vertical Spin on Dual Stage **Fuel Filter** Fuel/Water Sensor with Primer Pump Dual Safety Element Dry-Type Air Cleaner, Evacuator Valve COOLING SYSTEM: Cool-On-Demand Variable Speed Engine Fan Automatic Reversing Cooling Fan 10-Fin/in. Engine Coolant Radiator Engine Coolant -34 Degree F (-37 Degree C) Coolant Recovery Tank 10-Fin/in. Hydrostatic Oil-to-Air Cooler 10-Fin/in. Air to Air Charge Air Cooler 10-Fin/in. Engine Coolant Radiator 10-Fin/in. Hydraulic Oil-to-Air Cooler 6-Fin/in. Fuel Cooler (Fuel/Air) Enclosed Safety Fan Guard (Conforms to SAE J1308 -

POWER TRAIN: **Dual Path Hydrostatic** Transmission Automatic Load Sensing for Speed and Power Management AutoTracking Steering Control 30 Gallon (115 Liter) Hydrostatic Reservoir Tank Single Lever-Steering, Direction / Speed Control with Counter Rotation and Horn Combined Decelerator/Brake Pedal Selectable reverse speed ratios 100%, 115%, or 130% of forward ground speed Electronic Control with Automatic Transmission Protection Double Reduction Final Drives with Wet Multi-Disk Brakes Integral Final Drive Seal Protection Primary and Secondary Service Brakes (Conforms to ISO 10265) Automatic Spring-Applied, Hydraulic Released Park Brake - Lever Operated (Conforms to ISO 10265) Transmission Diagnostic Ports Selectable Decelerator Mode

UNDERCARRIAGE: Oscillating Undercarriage 74 in. (1880 mm) Gauge Standard Track Frame 22 in. (559 mm) Closed Center Moderate Duty Track

Transmission Oil Temperature Hydraulic Oil Temperature **Transmission Pressure** Machine Diagnostic Service Code Indicator lights Low Alternator Voltage Engine Air Filter Restriction Transmission Filter Restriction Hydraulic Filter Restriction Water in Fuel Fasten-Seat-Belt Return-To-Neutral Park Brake Calibration/Service Mode Decelerator Function Mode Digital Readout: Tachometer Alternator Voltage Hourmeter Machine Diagnostic Service Code(s) Transmission Charge Pressure Transmission Direction and Speed Diagnostic Service Codes **Monitor Settings** Calibration Transmission Control Settings Machine Travel History Gauges, Electric, Illuminated: Engine Coolant Temperature **Engine Oil Pressure**

Engine Coolant Temperature

Engine Oil Pressure Fuel Level Electronic Engine Speed Dial with Warm-Up Indicator Horn, Electric (Conforms to

ISO 3457) *Tilt Out Heavy-Duty Louvered Front Grille and Radiator with Hose Protection ELECTRICAL: 24 Volt System 130 Amp Sealed Alternator for cab units 100 Amp Sealed Alternator for canopy units (2) Grill Mounted, (2) Rear Mounted Halogen Lights Prewired for Optional Roof Mounted Lights Bypass Start Safety Cover on Starter Electrical Load Center with **Operator Station Access:** (2) Batteries with 190 Minute Reserve Capacity, 950 CCA Blade-Type Fuses Electrical Master Disconnect Positive Terminal Battery Covers Reverse Warning Alarm (Conforms to SAE J994, J1446, ISO 9355) HYDRAULICS: 36 gpm (138 L/min) Load sensing hydraulic system with variable displacement piston pump 10 Micron Vertical Spin-on Hydraulic Filter Pilot Pressure Control System Two-function hydraulic-pilot T-bar joystick for OSD Three-function hydraulicpilot T-bar joystick with push button angle function for PAT Hydraulic Diagnostic Ports 29.7 Gallon (112 Liter) Independent Hydraulic Oil Reservoir

Shoes

Adjustable Track Sag Segmented Sprockets Front & Rear Chain Guides with Bottom Wear Surfaces OPERATOR STATION: JDLink Ultimate Machine Monitoring System w/ 3-year Message Service Modular Design Isolation Mounted ROPS/FOPS **Operator Station (Conforms** to SAE J1040 - ISO 3471) Manual/Hydraulic Operated Operator Station Tilt Feature

Left and Right Front Access

- Floormat
- Interior and exterior sound treatment Slip-Resistant Steps and Ergonomically Located Handholds for Left, Right Access (Conforms to SAE J185 - ISO 2867) Air-suspension seat Thigh Support Lumbar Backrest Tilt Height, Weight and Fore-Aft

Side Console Leg Cushions Adjustable Armrests Adjustable Foot Rests 3 in. (76 mm) Seat Belt with Retractors (Conforms to SAE J386 - ISO 6683) Lunch Box Storage Lockable Glove (Storage) Box Cupholders Built-in Operator's Manual Storage Compartment and Manual 12 Volt Power Port Electronic Monitor System with Audible and Visual Warning:

SAE J994, J1446, ISO 9533)

Coded Keyless Start with Electric Fuel Shut Off Interior Mounted Rearview Mirror (Conforms to SAE J985) OVERALL VEHICLE: Unitized Mainframe with: Integral Bottom Protection Integral front tow loops Integral Machine Transport **Tie-Downs** Bolt-on Bottom Access Covers Fold-out grill Perforated Engine Side Shields Left & Right Side Hinged Engine Access Panel Hinged Mounted Hood with Radiator Access Panel **Transmission Rear Access** Cover Hand holds for Machine Fueling Lockable Vandal Protection for: Engine Access Panel Side tank access doors Fuel tank Instrument Panel Transmission Reservoir Hydraulic Reservoir 97.5 Gallon (368 Liter) Fuel Tank: Shut Off Valve at Tank Outlet Water Drain on tank Fast-Fuel Installation Ready

Ground Level Storage in Left Rear Service Compartment Maintenance Free Center Crossbar Pivot

Required - You must select one from each category BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

	Description 750K CRAWLER TRACTOR	Code 8950T	Price \$260,326.00
	750K CRAWLER TRACTOR	09001	\$200,320.00
Ŧ	ENGINE		
	Description	Code	Price
_	John Deere PowerTech PVS 6.8L (414 cu. in.) 6 Cyl EPA FT4/EU Stage IV Compliant	0940	\$7,774.00
Ŧ	OPERATOR MANUALS		
	Description	Code	Price
	English Operator Manual	2605	No Charge
_	Spanish Operator Manual	2610	No Charge
_	French Operator Manual	2615	No Charge
Ŧ	GREASES, FUEL, OIL & COOLANT		
	Description	Code	Price
	Hydraulic And Hydrostatic Oil - Hydrau	8010	In Base Price
	Standard Factory Fill. Provides All-Season Capability in Ambient Temperatures Ranging From -25C (- 13F) to 50C (122F).		
_	Hydraulic And Hydrostatic Oil - Hydrau XR	8020	\$565.00
	Optional Factory Fill. Intended for Colder Climates with Extreme Cold Ambient Temperatures down to - 40C (-40F) Provides All-Season Capability in Ambient Temperature Ranging from -40C to 40C (-40F to 104F).		
Ŧ	DOZER CONFIGURATION		
	Description	Code	Price
	Power-Angle-Tilt (PAT) Dozer w/ 1880 mm (74 in.) Gauge Long Track (XLT) Frame (8 Roller)	1020	\$9,926.00
	Includes inside mounted C-Frame with low mounted lift cylinders.		
	Power-Angle-Tilt (PAT) Dozer w/ 2134 mm (84 in.) Gauge Low Ground Pressure (LGP) Frame (8 Roller)	1030	\$19,033.00
	LGP Comes with 155 SAE Net hp (116 kw). Includes inside mounted C-Frame with low mounted lift cylinders.		
	Outside Dozer w/ 1880 mm (74 in.) Gauge Standard Track Frame (7 Roller)	1040	In Base Price
	Includes outside mounted push beams with high mounted lift cylinders. Lift Cylinders with Hoses Routed behind Cylinder Profile (Outside Dozer).		

MACHINE CONNECTIVITY

Ŧ

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description JDLink Ultimate Cellular for the Americas, excluding Costa Rica	Code 1700	Price In Base Price
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
JDLink Ultimate Satellite for the Americas, excluding Costa Rica	1701	\$1,566.01
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
Includes 3 year dual mode subscription. Annual subscription renewal required after 3 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
JDLink Ultimate Cellular for the Americas, excluding Costa Rica - 5 Years	1710	\$1,232.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.		
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
JDLink Ultimate Satellite for the Americas, excluding Costa	1711	\$3,168.00

	Rica - 5 Years		
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 5 year dual mode subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer		
	(as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Ŧ	TRACK SHOES AND CHAIN		
	Description	Code	Price
	<u>STANDARD OUTSI DE DOZER TRACKS ONLY (CODE 1040):</u>		
	40 Link with 22 in. (559 mm) Moderate Service Shoes	4510	In Base Price
	40 Link with Extended Life Bushings and 22 in. (559 mm) Moderate Service Shoes	4610	\$3,759.00
	40 Link with 24 in. (610 mm) Moderate Service Shoes	4515	\$590.00
	40 Link with Extended Life Bushings and 24 in. (610 mm) Moderate Service Shoes	4615	\$4,363.00
	40 Link with 22 in. (559 mm) Extreme Service Shoes	4525	\$675.00
	40 Link with Extended Life Bushings and 22 in.(559 mm) Extreme Service Shoes	4625	\$4,449.00
	40 Link with 24 in. (610 mm) Extreme Service Shoes	4530	\$983.00
_	40 Link with Extended Life Bushings and 24 in. (610 mm) Extreme Service Shoes	4630	\$4,759.00
-	Extra Long Track(XLT) or Low Ground Pressure(LGP) TRACKS ONLY (Requires Code 1020 or 1030)		
	Sealed and Lubed Track Chain W/ Moderate Service Shoes. Full Width and Closed Center Grousers except as noted. Recommend Moderate Service Shoes for Grading Applications.		
	45 Link with 22 in. (559 mm) Moderate Service Shoes	4535	\$1,158.00
_	45 Link with Extended Life Bushings and 22 in. (559 mm) Moderate Service Shoes	4635	\$5,499.00
_	45 Link with 24 in. (610 mm) Moderate Service Shoes	4540	\$1,512.00
_	45 Link with Extended Life Bushings and 24 in. (610 mm) Moderate Service Shoes	4640	\$5,838.00
_	45 Link with 28 in. (711 mm) Moderate Service Shoes	4545	\$2,173.00
	Requires code 1030.		

	45 Link with Extended Life Bushings and 28 in.(711 mm) Moderate Service Shoes	4645	\$6,534.00
	Requires code 1030.		
	45 Link with 34 in. (864 mm) Moderate Service Shoes With Clipped Corners	4550) \$2,665.00
	Requires code 1030.		
	45 Link with Extended Life Bushings and 34 in.(864 mm) Moderate Service Shoes With Clipped Corners	4650	\$7,009.00
	Requires code 1030.		
	45 Link with 22 in. (559 mm) Extreme Service Shoes	4555	5 \$1,562.00
	45 Link with Extended Life Bushings and 22 in. (559 mm) Extreme Service Shoes	4655	5 \$5,899.00
	45 Link with 24 in. (610 mm) Extreme Service Shoes	4560) \$2,162.00
	45 Link with Extended Life Bushings and 24 in. (610 mm) Extreme Service Shoes	4660	\$6,502.00
GRA	DE CONTROL		
	Description	Code	e Price
	Topcon Grade Control Base Kit Installed	2500	\$7,497.01
	Requires code 7750 or 7760. Factory installed and includes additional brackets and wiring harnesses that furthe enhances and simplifies the addition of a Topcon grade control system. This also enables the Topcon 3D-MC2 Grade Control Systems to be ordered.	٢	
	No Topcon Grade Control Base Kit Installed	2575	5 In Base Price
	Order for no blade control or Trimble or Leica Blade control field installations. Requires No Topcon Radio Installation code 2775		
TOP			
	Requires No Topcon Radio Installation code 2775		
Kit inc Passw OAF E Kit, G2 Kit, Co OEM, Kit, OI Assy,	Requires No Topcon Radio Installation code 2775 CON GRADE CONTROL SYSTEM		
Kit inc Passw OAF E Kit, G2 Kit, Co OEM, Kit, OI Assy,	Requires No Topcon Radio Installation code 2775 CON GRADE CONTROL SYSTEM dudes the following equivalent parts from Topcon 3DMC2 system: word, MC-R3 Full Auto Bundle, MC-R3 3DMC2 X-60 GPS ommon 3D Dozer GPS Antenna Config Kit EM MC2 Sensor MC-R3 NO-OAF	Code	Price
Kit inc Passw OAF E Kit, G2 Kit, Co OEM, Kit, OI Assy,	Requires No Topcon Radio Installation code 2775 CON GRADE CONTROL SYSTEM dudes the following equivalent parts from Topcon 3DMC2 system: word, MC-R3 Full Auto Bundle, MC-R3 3DMC2 X-60 GPS ommon 3D Dozer GPS Antenna Config Kit EM MC2 Sensor MC-R3 NO-OAF ssembly and Final Calibration On Site	Code 2710	Price In Referral Price
Kit inc Passw OAF E Kit, G2 Kit, Co OEM, Kit, OI Assy,	Requires No Topcon Radio Installation code 2775 CON GRADE CONTROL SYSTEM dudes the following equivalent parts from Topcon 3DMC2 system: word, MC-R3 Full Auto Bundle, MC-R3 3DMC2 X-60 GPS ommon 3D Dozer GPS Antenna Config Kit EM MC2 Sensor MC-R3 NO-OAF ssembly and Final Calibration On Site Description		
Kit inc Passw OAF E Kit, G2 Kit, Co OEM, Kit, OI Assy,	Requires No Topcon Radio Installation code 2775 CON GRADE CONTROL SYSTEM dudes the following equivalent parts from Topcon 3DMC2 system: word, MC-R3 Full Auto Bundle, MC-R3 3DMC2 X-60 GPS ommon 3D Dozer GPS Antenna Config Kit EM MC2 Sensor MC-R3 NO-OAF ssembly and Final Calibration On Site Description Topcon 3DMC2 Single Antenna with 915SS Radio	2710	In Referral Price

	Topcon 3DMC2 Single Antenna with UHF Verizon CDMA Radio	2715 Ir	n Referral Price
_	Topcon 3DMC2 Twin Antenna with 915SS Radio	2730 Ir	n Referral Price
_	Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio	2731 li	n Referral Price
_	Topcon 3DMC2 Twin Antenna with UHF Radio	2732 li	n Referral Price
_	Topcon 3DMC2 Twin Antenna with UHF HSPA Radio	2733 li	n Referral Price
_	Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio	2735 li	n Referral Price
_	No Topcon Radio Installation	2775 I	n Base Price
-	DOZER BLADE		
	All Blades include Straight End Bits and Bolt-On Cutting Edges. Blades are not installed, but shipped with Crawler Dozer. When equipping with sideboom, a front attachment should not be installed on the tractor. C Frame, and Lift Cylinder custom codes.	Contact DMAC f	or Less Blade, C-
	Description	Code	Price
	130 in. (3302 mm) wide (XLT) Extra Long Track Power- Angle-Tilt (PAT) Blade	7075	\$4,591.00
	Requires Code 1010 or 1020		
	156 in. (3962 mm) Low Ground Pressure (LGP) Power- Angle-Tilt (PAT) Blade	7080	\$6,500.00
	Requires Code 1030		
	128 in. (3251 mm) Standard Track Semi-U Blade	7085	\$5,903.00
T	OPERATOR STATION		
	Description	Code	Price
	Canopy	5025	In Base Price
	Includes floormat.		
	Cab with Roof Mounted Air Conditioner/Heater	5085	\$30,228.00
	Includes: 130 Amp Alternator Left and Right quarter hinged windows Tinted safety glass Dome light Heater, roof-mounted 24,000 BTU air conditioner Floormat (4) Windshield wiper/washers for windshield, rear window and doors AM/FM, weather-band radio Radio-area storage slot with second power port		
Ŧ	SEAT		
	Description	Code	Price
	Air Suspension Comfort Control High Back Fabric Seat	5885	In Base Price
	3 in. (76 mm) retractable seat belt.		

	Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab.		
_	Heated Air Suspension Comfort Control High Back Fabric Seat	5890	\$647.00
	3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only.		
	Air Suspension Comfort Control High Back Vinyl Seat	5855	No Charge
_	3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Requires Code 5025.		
-	HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS		
	Description	Code	Price
	2 Function Electro-Hydraulic (EH) Controls for Outside Dozer w/ Quick Drop Valve	7720	\$1,226.00
	Requires Code 1040.		
	2 Function Hydraulics for Outside Dozer w/ Quick Drop Valve	7725	In Base Price
	Requires Code 1040 or 1050		
	3 Function Hydraulic Controls for Outside Dozer w/ Quick Drop Valve	7735	\$2,863.00
	Requires Code 1040 or 1050. Includes rear Auxiliary plumbing for ripper.		
	3 Function Hydraulic Controls for Power-Angle-Tilt (PAT)	7745	\$2,359.00
	Requires Code 1010 or 1020 or 1030.		
	3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	7750	\$4,119.00
	Grade Control Ready (EH) Hydraulics. Not For Use With Code 7975. Grade Control Recommendations: Topcon Ready Installation - Sales code 2500. Trimble ready installation AT448665. Leica ready installation AT408433.		
_	4 Function Hydraulic Controls for Power-Angle-Tilt (PAT)	7755	\$3,887.00
	Requires Code 1010 or 1020 or 1030. Includes rear Auxiliary plumbing for ripper.		
	4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) and Rear Attachment	7760	\$5,591.00
	Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Topcon Ready Installation - Salescode 2500. Trimble ready installation AT448665. Leica ready installation AT438522.		

	3 Function Electro-Hydraulic (EH) Controls for Outside Dozer w/ Quick Drop Valve	7730	\$4,109.00
	Requires Code 1040.		
- HYD	RAULIC PUMP		
	Description	Code	Price
	Standard Hydraulic Pump	7925	In Base Price
	Does not Includes external spline for mechanical drive winch or auxiliary pump.		
	Hi-Flow Hydraulic Pump for use with Hydraulic Winch	7975	\$3,274.00
	Contains winch control lever and plumbing to rear of crawler for hydraulic winch use.		
	Can not be used with code 9510 Storage Compartment		
	Thru-drive Hydraulic Pump for use with Direct Drive (PTO) Winch	7985	\$3,356.00
Optional	- Select as desired		
OPTI	ONAL EQUIPMENT (ORDER AS DESIRED)		
	Description	Code	Price
	POWERTRAIN		
	Severe-Duty Fuel Filter	9060	\$521.00
	Chrome Exhaust	9065	\$136.00
	Fast-Fuel System	9085	\$2,153.00
	Fast-fuel Shaw system compatible with Wiggins components		
	Fluid Sampling Ports	9070	\$329.00
	Fluid Sampling Ports for Engine Oil, Engine Coolant, Hydraulic and Transmission Oils		
	Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	9075	\$508.00
	Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.		
	Large Debris Prescreen	9132	\$725.00
	Heavy Duty Grille	9325	\$1,248.00
	Coolant Heater, Electric	9530	\$141.00
	Under- Seat Canopy Heater	9125	\$1,275.00
	Requires Canopy 30,000 BTU		
	2nd - 12 Volt Power Port	9370	\$220.00
	Not for use with codes 7750 or 7975.		
	Cab Mounts and Isolators for Forestry Application	9128	\$2,307.00

Requires Code 5085.		
External Mounted Rear Attachments Mirror	9365	\$130.00
Requires Code 5085		
Optional Lights	9168	\$335.00
XM Satellite Radio	9501	\$1,095.00
GUARDS		
Full Length Rock Guards for Standard Track	9150	\$3,525.00
Requires Code 1040 or 1050. Recommended for applications in rock over 3 in. (76 mm) or sideslopes greater than 2:1. Not Recommended for waste or other material packing applications		
Full Length Rock Guards for Extra Long Track (XLT)	9155	\$4,398.00
Requires Code 1020, 1025, 1030 or 1060 Recommended for applications in rock over 3 in. (76 mm) or sideslopes greater than 2:1. Not Recommended for waste or other material packing applications.		
Bolt-On Final Drive Seal Trash Guards	9160	\$2,015.00
Seal guards are for Dry conditions, like Trash applications or Demolition and NOT for Water/Muddy conditions.		
OVERALL VEHICLE		
Threaded Pitch Jack	9055	\$1,062.00
Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	9187	\$22,656.00
Requires Code 7735, 7755 or 7760. Not For Use With Codes 9250, 9340, 9345 or 9347.		
720 lb. (326kg) Rear Counterweight	9250	\$1,708.00
Retrieval Hitch with 375 kg. (827 lb.) Rear Counterweight	9340	\$3,006.00
Not for use with Code 9250, 9343, 9345, or 9347.		
Retrieval Hitch for use w/o Rear Counterweight	9343	\$1,366.00
Not for use with codes 9340, 9345 or 9347.		
Extended Rigid Drawbar with 434 kg. (957 lb.) Rear Counterweight	9345	\$3,927.00
Recommended for pull-type implements which require turning clearance - extends 19.5 in. (495 mm) to rear. May limit angle of departure in depressions. Cannot use with rippers, winch, three-point hitch or other rear attachments. Not For Use With Code 9340, 9343, or 9347.		
Extended Rigid Drawbar with Pin for use w/o Rear Counterweight	9347	\$1,435.00
Recommended for pull-type implements which require turning clearance - extends 19.5 in. (495 mm) to rear.		

May limit angle of departure in depressions. Cannot use with rippers, winch, three-point hitch or other rear attachments. Not for use with codes 9340,9343 or 9345.		
Rear Storage Compartment	9510	\$650.00
Can not be use with codes 7750/7760 IGC and 7975 Hyd. pump. Storage compartment can not be used with tank protection for either forestry or waste handler configured crawlers.		
Non-Export Rust Preventive Coating	9909	\$148.00
Coating protects exposed unpainted surfaces from road salt during shipment.		
EXPORT EQUIPMENT		
French Trademarks and Decals	9173	No Charge
Spanish Trademarks and Decals	9178	No Charge

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Blades:		
Crawler Blade Reinforcement Kit for 156 in. (3962 mm) Low Ground Pressure (LGP) Power-Angle-Tilt (PAT) Blade	AT347101	\$1,616.00
Cold Start:		
110 Volt Engine Coolant Heater, (1000 Watt)	AT211191	\$95.00
Average installation, 0.5 hour		
Frame Attachment:		
Parallelogram Hydraulic Ripper	AT437378	\$22,047.00
Rear-mounted parallelogram hydraulic (3) Pocket Ripper - FOB Trussville, Alabama. Includes (3) Shanks with Teeth Requires tractor to be built with code 7735, 7755 or 7760 Aux. plumbing. If not, Rear Hydraulics Field Kit and Auxiliary Valve Section Field Kit Must be ordered.		
Grade Control:		
Leica Grade Control Interface Package, Paladin-Installed for Cab or Canopy	AT408433	\$7,953.00
Requires code 7750 or 7760.		
Trimble Grade Control Interface Package, JRB-Installed	AT448666	\$6,892.00
Requires codes 1040, 1050 or 1060 and 2575.		

Trimble Grade Control Interface Package, JRB-Installed Requires codes 1020, 1025 or 1030 and 2575. <u>Guards:</u>	AT448665	\$6,892.00
Guards:		
Chip Protection Side Shield Kit (FT4)	AT452728	\$5,520.00
Chip Screen Kit (iT4)	AT450275	\$5,520.00
Final Drive Seal Trash Guards	AT357218	\$1,654.00
Average installation, 2 hours. Seal guards are for dry conditions, like rrash applications or demolition and NOT for wet/muddy conditions. For use with serial numbers starting as follows: 850J WT & WLT Build Codes 1025 and 1050 SNT0850JR175722 850J LT Build Codes 1020 and 1040 SNT0850JN177273 850J LGP Build Codes 1030 and 1060 SNT0850JX180890 750J LT Build Codes 1010, 1020, 1040 SNT0750JX185664 750J LGP Build Codes 1030 and 1050 SNT0750JX181539		
Hydraulics:		
Electro-Hydraulics (EH) Auxiliary Hydraulic Function	AT331637	\$1,784.00
This kit will convert code 7750(IGC) Hydraulics 3 Function for (PAT) to (IGC) Hydraulics 4 Function for (PAT) and Rear Attachment.		
Electro-Hydraulics (EH) Auxiliary Section and Control	AT433367	\$1,893.00
Hydraulic Valve Auxiliary Section	AT227454	\$2,695.00
Hydraulics for Rear Auxiliary Plumbing	AT433358	\$105.00
Required for winch installation and without factory code 7975. Requires Code 7725, 7735, 7745, or 7755. Also requires a Rear Fender from Service AT320148 for STD OSD or AT320149 for PATLT or PATLGP for service parts.		
Rear Auxiliary Plumbing	AT377238	\$462.00
Winch Plumbing	AT422516	\$3,840.00
Overall Vehicle:		
Additional Front Lights	AT368356	\$77.00
Customworks Installed Ripper	AT317876	\$22,134.00
Includes ripper, mounts, hoses from ripper to bulkheads at rear of unit, and installation to tractor "Prior to Ordering, Contact OFT for Latest Availability Information" Comar number of tractor must be included with order. Note: Requires Code 7735 or 7755.		
Powertrain & Cooling:		
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes (FT4)	AT425679	\$640.00
Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.		
Quick Service Bank for Transmission, Hydraulic, Engine oil	AT365997	\$640.00

	Pomote Service Penk is inside angine compartment and includes Industry		
	Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.		
	Powertrain:		
	5kW Diesel Fuel Fired Engine Coolant Heater Kit	AT325625	\$3,617.00
	Includes igniter, timer and coolant circulation pump. Recommended for temperatures below -13°F (-25°C). Average installation, 6 hours.		
	Fast Fuel Kit	AT433388	\$2,228.00
	Provides ground level fast fueling using a connection located inside the left rear service door		
	Large Debris Prescreen	AT444868	\$777.00
	Winches:		
	Hydraulic Plumbing For Winch EH Valve	AT433286	\$3,768.00
	Required for Winch installation. Not for use with code 7975. Requires 7720, 7730, 7750 or 7760. Also requires a Rear Fender from Service: AT320148 STD OSD or AT320149 for PATLT or PATLGP.		
	Hydraulic Plumbing For Winch Pilot Control Valve	AT433245	\$3,740.00
	Required for Winch installation. Not for use with code 7975. Requires 7725, 7734, 7745 or 7755. Also requires a Rear Fender from Service: AT320148 STD OSD or AT320149 for PATLT or PATLGP.		
REF	ERRAL ATTACHMENTS		
	Description	Code	Price
	<u>G.R. Mfg.:</u>		
	 G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. 		
	G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
		AT306477	\$1,726.00
	May be used with J Series Dozers and K Series Dozers up to serial number 236314. Requires Cab Requires Rear Cab Screen		
	Arched Limb Risers (Cab and ROPS Canopy - iT4)	AT365912	\$3,591.00
	Bolt-on, 2 hour, includes overhead screen, exhaust and light guards. Tip forward position for engine and cab service. Available without light mounts; specify on order.		

Requires heavy-duty isolators; order 50F2 canopy, 50F8 cab, or procure from parts.		
Arched Limb Risers (FT4)	AT433675	\$3,591.00
Front Enclosure, Cab (FT4)	AT433673	\$2,480.00
Front Enclosure, Canopy (FT4)	AT443154	\$3,034.00
Full Enclosure, Cab (FT4)	AT433668	\$9,936.00
Full Enclosure, Canopy	AT433669	\$9,319.00
Lift Cylinder Guards	AT306535	\$1,244.00
Bolt-on, 1 hour Protects hoses and fittings on cylinders Dealer must specify which model (750J or 850J) this will be installed on		
Rear Screens, Cab (FT4)	AT433670	\$1,410.00
Screens, Cab Enclosure (iT4)	AT409609	\$9,936.00
Consolidates individual Screen and Limb Riser offerings into a single part number. This number includes full OSHA certified screens and limb risers. Requires heavy-duty isolators; order 50F8 cab or procure from parts.		
Screens, Cab Front and Door (iT4)	AT391348	\$2,480.00
Requires cab side screens		
Screens, Cab Guard for A/C (FT4)	AT446908	\$929.00
Average installation, 1 hour. Bolt-on. Plate covers top, rear and sides of A/C module for complete protection in forestry applications. Requires cab rear screen.		
Screens, Cab Rear (iT4)	AT412605	\$1,410.00
Screens, Cab Side (iT4)	AT424165	\$1,726.00
Requires rear cab screen.		
Screens, Canopy Enclosure (iT4)	AT409610	\$9,319.00
Consolidates individual Screen and Limb Riser offerings into a single part number. This number includes full OSHA certified screens and limb risers. Requires heavy-duty isolators; order 50F2 canopy or procure from parts.		
Screens, Canopy Front & Door (iT4)	AT392767	\$3,034.00
Requires canopy side screens		
Screens, Canopy Rear (FT4)	AT442973	\$970.00
Screens, Canopy Side	AT306480	\$1,724.00
Requires Code 5025, ROPS/FOPS Canopy Requires Operator Rear Screen (ROPS Canopy)		
Side Screens, Cab (FT4)	AT433671	\$1,726.00

\$3,616.00
\$3,616.00
\$3,616.00
\$3,616.00
\$34,400.00
¢04 400 00
\$34,400.00
\$34,400.0C
\$34,400.00
\$34,400.00
\$34,400.0C
\$34,400.0C

https://configurator-stage.deere.com/servlet/com.deere.u90947.eproducts.view.servlets.Equi... 5/4/2015

Fairlead ordered separately Complete installation requires: -Short Drive Shaft Kit, AT440282 for 7-roller units -Rear screen, see G.R. Manufacturing Referral Attachments -Wire rope & hook assembly. Consult with PACCAR for wire rope recommendations -Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements -Recommend front attachments for best machine balance Average installation time 10 hours

Carco model H60 Power In / Power Out Hydraulic Winch AT309475 \$33,500.00

Requires Code 7975 High flow pump or AT422516 field kit. Cannot use thrudrive pump. Not for use with IGC hydraulics (code 7750 or 7760) Includes winch, winch mounting hardware, and all winch controls and hoses. Six functions: Variable speed reel-in, variable speed reel-out, brake on, drive away, free spool, and low-speed lock. 60,000 lb rated bare drum line pull Variable speed (5-158ft/min) Integral drawbar Fairlead ordered separately Complete installation requires: -Rear screen, see G.R. Manufacturing Referral Attachments -Wire rope & hook assembly. Consult with PACCAR for wire rope recommendations -Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements -Additional tractor hydraulic oil -Recommend front attachments for best machine balance Average installation time 6 hours

Carco model H60 Power In / Power Out Hydraulic Winch AT446943 \$33,500.00 for EH Hydraulics

Requires Code 9456 High flow pump or AT433286 field kit. Cannot use thrudrive pump. Includes winch, winch mounting hardware, and all winch controls and hoses. Six functions: Variable speed reel-in, variable speed reel-out, brake on, drive away, free spool, and low-speed lock. 60,000 lb rated bare drum line pull Variable speed (5-158ft/min) Integral drawbar Fairlead ordered separately Complete installation requires: -Rear screen, see G.R. Manufacturing Referral Attachments -Wire rope & hook assembly. Consult with PACCAR for wire rope recommendations -Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements -Additional tractor hydraulic oil -Recommend front attachments for best machine balance Average installation time 6 hours

Short Drive Shaft for 50B/70A Winch AT440282 \$904.00 Required along with winch for units with 7 track rollers AT323258 \$5,950.00 Fairlead for Model H60 , H85, 50B, and 70A Winches AT323258 \$5,950.00 Fairlead for Model H60 , H85, 50B, and 70A Winches Yestion Code 27XX Yestion Code 27XX Kit includes the following equivalent parts from Topcon 3DMC2 system: Yestion Code 27XX

Password, MC-R3 Full Auto OAF Bundle, MC-R3 3DMC2 Kit, GX-60 GPS Kit, Common 3D Dozer GPS OEM, Antenna Config Kit Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Final Calibration On Site This option may be subject to a different price structure than the base machine. Contact your Territory Sales Manager or WorkSight Solutions Consultant for details.

Topcon 3DMC2 Single Antenna with 915SS HSPA Radi Field Kit	o AT419166	\$61,525.00
Topcon 3DMC2 Single Antenna with 915SS Radio Field	Kit AT419165	\$60,025.00
Topcon 3DMC2 Single Antenna with UHF HSPA Radio F Kit	Field AT419168	\$61,550.00
Topcon 3DMC2 Single Antenna with UHF Radio Field K	it AT419167	\$60,050.00
Topcon 3DMC2 Single Antenna with UHF Verizon CDM, Radio Field Kit	A AT419170	\$61,550.00
Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio Kit	Field AT419172	\$71,300.00
Topcon 3DMC2 Twin Antenna with 915SS Radio Field I	Kit AT419171	\$69,800.00
Topcon 3DMC2 Twin Antenna with UHF HSPA Radio Fie	eld AT419174	\$71,325.00
Topcon 3DMC2 Twin Antenna with UHF Radio Field Kit	AT419173	\$69,825.00
Topcon 3DMC2 Twin Antenna with Verizon CDMA Radi Field Kit	o AT419176	\$71,325.00
<u>Topcon Grade Control System - Ordered as an</u> Independent Field Kit		
Topcon 3DMC2 Single Antenna with 915SS GSM Radio Field Kit	AT432569	\$61,525.00
Topcon 3DMC2 Single Antenna with 915SS Radio Field	Kit AT432568	\$60,025.00
Topcon 3DMC2 Single Antenna with UHF GSM Radio Fi Kit	ield AT432571	\$61,550.00
Topcon 3DMC2 Single Antenna with UHF Radio Field K	it AT432570	\$60,050.00
Topcon 3DMC2 Single Antenna with UHF Verizon CDM, Radio Field Kit	A AT432572	\$61,550.00
Topcon 3DMC2 Twin Antenna with 915SS GSM Radio F Kit	Field AT432574	\$71,300.00
Topcon 3DMC2 Twin Antenna with 915SS Radio Field I	Kit AT432573	\$69,800.00
Topcon 3DMC2 Twin Antenna with UHF GSM Radio Fie Kit	ld AT432576	\$71,325.00
Topcon 3DMC2 Twin Antenna with UHF Radio Field Kit	AT432575	\$71,325.00
Topcon 3DMC2 Twin Antenna with Verizon CDMA Radi Field Kit	o AT432577	\$71,325.00

Page 18 of 18



Current Date 04May2015

850K CRAWLER TRACTOR

850K Standard Equipment ENGINE: John Deere PowerTech PSS 6.8L certified to FT4 / Stage IV emissions 187 SAE Net hp (139.5 kW): Long Track PAT 205 SAE Net hp (152 kW): Std, WT, WLT, and LGP **Isolation Mounted** No power Derating up to 10,000 ft Altitude Electronic control with automatic engine protection Dual Turbo Configuration: Variable-Geometry Turbocharger(VGT) and Fixed Turbo Cooled Exhaust Gas Recirculation Diesel particulate filter Electronically Controlled Fuel **Delivery System** Wet Sleeve Cylinder Liners Vertical Spin-on Engine Oil Filter Vertical Spin on Dual Stage **Fuel Filter** Fuel/Water Sensor **Electric Fuel Primer** Dual Safety Element Dry-Type Air Cleaner, Evacuator Valve Engine glow plug starting system COOLING SYSTEM: Engine Coolant -34 Degree F (-37 Degree C) Coolant Recovery Tank V-Cool, Tilt-out fan box, suction type Automatic Reversing Cooling Fan Perforated engine hood and side shields Tilt-out bar-type grille

function for PAT Hydraulic Diagnostic Ports 29.7 Gallon (112 Liter) Independent Hydraulic Oil Reservoir POWER TRAIN: Dual Path Hydrostatic Transmission Automatic Load Sensing for Speed and Power Management AutoTracking Steering Control 30 Gallon (115 Liter) Hydrostatic Reservoir Tank Single Lever-Steering, Direction / Speed Control with Counter Rotation and Horn Combined Decelerator/Brake Pedal Selectable reverse speed ratios 100%, 115%, or 130% of forward ground speed Electronic Control with Automatic Transmission Protection Double Reduction Final Drives with Wet Multi-Disk Brakes Integral Final Drive Seal Protection Primary and Secondary Service Brakes (Conforms to ISO 10265) Automatic Spring-Applied, Hydraulic Released Park Brake - Lever Operated (Conforms to ISO 10265) Transmission Diagnostic Ports Selectable Decelerator Mode UNDERCARRIAGE:

Electronic Monitor System with Audible and Visual Warning: Engine Coolant Temperature Transmission Oil Temperature Hydraulic Oil Temperature **Transmission Pressure** Machine Diagnostic Service Code Indicator lights Low Alternator Voltage Engine Air Filter Restriction **Transmission Filter** Restriction Hydraulic Filter Restriction Water in Fuel Fasten-Seat-Belt Return-To-Neutral Park Brake Calibration/Service Mode Decelerator Function Mode Digital Readout: Tachometer Alternator Voltage Hourmeter Machine Diagnostic Service Code(s) Transmission Charge Pressure Transmission Direction and Speed Diagnostic Service Codes Monitor Settings Calibration Transmission Control Settings Machine Travel History Gauges, Electric, Illuminated: Engine Coolant Temperature **Engine Oil Pressure**

Fuel Level

10-Fin/in. Engine Coolant Radiator 10-Fin/in. Hydrostatic Oil-to-Air Cooler 10-Fin/in. Hydraulic Oil-to-Air Cooler 10-Fin/in. Charge Air Cooler (Air to Air) 6-Fin/in. Fuel Cooler (Fuel/Air) Enclosed Safety Fan Guard (Conforms to SAE J1308 -ISO 3457) ELECTRICAL: 24 Volt System 130 Amp Sealed Alternator for cab units 100 Amp Sealed Alternator for canopy units (2) Grill-Mounted and (2) Rear-Mounted Halogen Lights Prewired for Optional Roof Mounted Work Lights Bypass Start Safety Cover on Starter 24 Volt Electrical Load Center (2) Batteries with 190 Minute Reserve Capacity, 950 CCA Blade-Type Fuses Electrical Master Disconnect Positive Terminal Battery Covers Reverse Warning Alarm (Conforms to SAE J994, J1446, ISO 9533) HYDRAULICS: 43 gpm (163 L/min) Load Sensing hydraulic system with variable displacement piston pump Pilot Pressure Control System Two-function hydraulic-pilot T-bar joystick for OSD Three-function hydraulicpilot T-bar joystick with push button angle

Oscillating Undercarriage 24 in. (610 mm) Closed Center Moderate Service Single Grouser Track Shoes Adjustable Track Sag Segmented Sprockets Front & Rear Chain Guides with Bolt-on Wear Surfaces

OPERATOR STATION: JDLink Ultimate Machine Monitoring System w/ 3-year Message Service Modular Design Isolation Mounted ROPS/FOPS Operator Station (Conforms to SAE J1040 - ISO 3471) Manual/Hydraulic Operated Operator Station Tilt Feature

Left and Right Front Access

Floormat Interior and exterior sound treatment Slip-Resistant Steps and Ergonomically Located Handholds for Left, Right Access (Conforms to SAE J185 - ISO 2867) Air-suspension seat Thigh Support Lumbar Backrest Tilt Height, Weight and Fore-Aft

Side Console Leg Cushions Adjustable Armrests Adjustable Foot Rests 3 in. (76 mm) Seat Belt with Retractors (Conforms to SAE J386 - ISO 6683) Lunch Box Storage Lockable Glove (Storage) Box Cupholders Built-in Operator's Manual Storage Compartment and Manual 12 Volt Power Port Electronic Engine Speed Dial with Warm-Up Indicator Horn, Electric (Conforms to SAE J994, J1446, ISO 9533)

Coded Keyless Start with Electric Fuel Shut Off Interior Mounted Rearview Mirror (Conforms to SAE J985) OVERALL VEHICLE: Unitized Mainframe with: Integral Bottom Protection Integral front tow loops Integral Machine Transport **Tie-Downs Bolt-on Bottom Access** Covers Fold-out grill Perforated Engine Side Shields Left & Right Side Hinged Engine Access Panel Hinged Mounted Hood with Radiator Access Panel Transmission Rear Access Cover Hand holds for Machine Fuelina Lockable Vandal Protection for: Engine Access Panel Side tank access doors Fuel tank Instrument Panel Transmission Reservoir Hydraulic Reservoir 97.5 Gallon (368 Liter) Fuel Tank: Shut Off Valve at Tank Outlet Water Drain on tank Fast-Fuel Installation Ready

Ground Level Storage in Left Rear Service Compartment Maintenance Free Center Crossbar Pivot

Required - You must select one from each category

BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

	Description	Code	Price
_	850K CRAWLER TRACTOR	8940T	\$340,615.00
Ŧ	ENGINE		
	Description	Code	Price
_	John Deere PowerTech PSS 6.8L (414 cu. in.) 6 Cyl EPA FT4/EU Stage IV Compliant	0940	\$10,822.00
Ŧ	OPERATOR MANUALS		
	Description	Code	Price
	English Operator Manual	2605	No Charge
	Spanish Operator Manual	2610	No Charge
	French Operator Manual	2615	No Charge
Ŧ	GREASES, FUEL, OIL & COOLANT		
	Description	Code	Price
	Hydraulic And Hydrostatic Oil - Hydrau	8010	In Base Price
	Standard Factory Fill. Provides All-Season Capability in Ambient Temperatures Ranging From -25C (- 13F) to 50C (122F).		
_	Hydraulic And Hydrostatic Oil - Hydrau XR	8020	\$565.00
	Optional Factory Fill. Intended for Colder Climates with Extreme Cold Ambient Temperatures down to - 40C (-40F) Provides All-Season Capability in Ambient Temperature Ranging from -40C to 40C (-40F to 104F).		
Ŧ	DOZER CONFIGURATION		
	Description	Code	Price
	Power-Angle-Tilt (PAT) Dozer w/ 2083 mm (82 in.) Gauge Long Track Frame (8 Roller)	1020	\$39,348.00
	Includes inside mounted C-Frame with low mounted lift cylinders.		
	Power-Angle-Tilt (PAT) Dozer w/ 2235 mm (88 in.) Gauge Wide Long Track (WLT) Frame (8 Roller)	1025	\$40,309.00
	Includes inside mounted C-Frame with low mounted lift cylinders.		
	Power-Angle-Tilt (PAT) Dozer w/ 2388 mm (94 in.) Gauge Low Ground Pressure (LGP) Track Frame (8 Roller)	1030	\$63,008.00
	Includes inside mounted C-Frame with low mounted lift cylinders.		
	Outside Dozer w/ 1880 mm (74 in.) Gauge Standard Track	1040	In Base Price

Frame (7 Roller)

	ludes outside mounted push beams with high mounted lift cylinders. Cylinders with Hoses Routed behind Cylinder Profile (Outside Dozer).		
	utside Dozer w/ 2032 mm (80 in.) Gauge Wide Track (WT) ame (7 Roller)	1050	\$10,576.00
	ludes outside mounted push beams with high mounted lift cylinders. Cylinders with Hoses Routed behind Cylinder Profile (Outside Dozer).		
	itside Dozer w/ 2184 mm (86 in.) Gauge Low Ground essure (LGP) Track Frame (8 Roller)	1060	\$28,505.00
	ludes outside mounted push beams with high mounted lift cylinders. Cylinders with Hoses Routed behind Cylinder Profile (Outside Dozer).		
MACHINE	CONNECTIVITY		
	nectivity functions require cellular coverage. Usage of JDLink System requires cust re Telematics System Contract.	omer's acc	eptance of the terms
Option availal codes.	bility limited by specific geographical regions. Please refer to region specific price p	bages for a	ppropriate ordering
De	escription	Code	Price
JD Ric	Link Ultimate Cellular for the Americas, excluding Costa ca	1700	In Base Price
	ludes JDLink hardware: integrated cab wiring harness, antenna, modular ematics gateway (MTG), and JDLink Ultimate activation.		
con	ink utilizes cellular and satellite technology infrastructure that is outside the trol of John Deere. Changes to that infrastructure may require customers to chase compatible JDLink hardware to restore functionality.		
con JDL	ludes 3 year subscription. Annual subscription renewal required after 3 years for tinued functionality. JDLink customer account must be created to access Link Ultimate data. Go to www.StellarSupport.com to renew or update JDLink		
Use (as con at w	e of this service, and all rights and obligations of John Deere and the Customer identified in the applicable agreement), are governed by the terms and iditions outlined in the applicable Services and Software agreements available vww.JohnDeere.com/Agreements. If these terms and conditions are not eeable do not proceed and do not use the service.		
JD Ric	Link Ultimate Satellite for the Americas, excluding Costa ca	1701	\$1,566.01
	ludes JDLink hardware: integrated cab wiring harness, antenna, modular ematics gateway (MTG), and JDLink Ultimate activation.		
con	ink utilizes cellular and satellite technology infrastructure that is outside the trol of John Deere. Changes to that infrastructure may require customers to chase compatible JDLink hardware to restore functionality.		
3 ye acc JDL	ludes 3 year dual mode subscription. Annual subscription renewal required after ears for continued functionality. JDLink customer account must be created to ess JDLink Ultimate data. Go to www.StellarSupport.com to renew or update Link subscriptions.		
(as con at w	e of this service, and all rights and obligations of John Deere and the Customer identified in the applicable agreement), are governed by the terms and iditions outlined in the applicable Services and Software agreements available vww.JohnDeere.com/Agreements. If these terms and conditions are not eeable do not proceed and do not use the service		

agreeable do not proceed and do not use the service.

JDLink Ultimate Cellular for the Americas, excluding Costa 1710 \$1,232.00

	Rica - 5 Years		
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
	Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	JDLink Ultimate Satellite for the Americas, excluding Costa Rica - 5 Years	1711	\$3,168.00
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink Ultimate activation.		
	JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.		
_	Includes 5 year dual mode subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Ŧ	TRACK SHOES AND CHAIN		
	Description	Code	Price
	STANDARD and WT TRACKS ONLY (Requires Code 1040 or 1050)		
	Sealed and Lubed Tracks except as noted. Full Width and Closed Center Grousers except as noted. Recommend Moderate Service Shoes for Grading Applications.		
	40 Link with 24 in. (610 mm) Moderate Service Shoes	4510	In Base Price
	40 Link with Extended Life Bushings and 24 in. (610 mm) Moderate Service Shoes	4610	\$3,861.00
	40 Link with 30 in. (760 mm) Moderate Service Shoes With Clipped Corners	4515	\$1,190.00
	Can only be used with code 1050 Wide Track (WT) Outside Dozer.		
	40 Link with Extended Life Bushing and 30 In. (760mm) Moderate Service Shoes With Clipped Corners	4615	\$5,048.00
	Can only be used with code 1050 Wide Track (WT) Outside Dozer.		
_	40 Link with 22 in. (559 mm) Extreme Service Shoes	4520	(\$271.00)
_			

 40 Link with Extended Life Bushing and 22 in. (559 mm) Extreme Service Shoes	4620	\$3,588.00
40 Link with 24 in. (610 mm) Extreme Service Shoes	4525	\$507.00
 40 Link with Extended Life Bushing and 24 in. (610 mm) Extreme Service Shoes	4625	\$4,365.00
40 Link with 30 in. (760 mm) Extreme Service Shoes With Clipped Corners	4530	\$1,697.00
Can only be used with code 1050 Wide Track (WT) Outside Dozer.		
40 Link with Extended Life Bushing and 30 in. (760 mm) Extreme Service Shoes	4630	\$6,393.00
Can only be used with code 1050 Wide Track (WT) Outside Dozer.		
40 Link with Extended Life Bushing and 30 in. (760 mm) Extreme Service Trapezoidal Hole Shoes With Clipped Corners	4633	\$7,232.00
 Can only be used with code 1050 Wide Track (WT) Outside Dozer. For use with Landfill Applications.		
<u>LT, WLT or LGP TRACKS ONLY (Requires Code 1020, 1025, 1030 or 1060):</u>		
Sealed and Lubricated Tracks except as noted. Full Width and Closed Center Grousers except as noted. Recommend Moderate Service Shoes for Grading Applications.		
45 Link with 24 In. (610 mm) Moderate Service Shoes	4535	\$537.00
45 Link with Extended Life Bushings and 24 in. (610 mm) Moderate Service Shoes	4635	\$5,061.00
45 Link with 30 in. (760 mm) Moderate Service Shoes With Clipped Corners	4540	\$2,230.00
 Requires codes 1025, 1030 or 1060.		
45 Link with Extended Life Bushings and 30 in. (760 mm) Moderate Service Shoes With Clipped Corners	4640	\$6,756.00
 Requires codes 1025, 1030 or 1060.		
45 Link with 36 in. (914 mm) Moderate Service Shoes With Clipped Corners	4545	\$3,924.00
 Requires codes 1030 or 1060.		
45 Link with Extended Life Bushings and 36 in. (914 mm) Moderate Service Shoes With Clipped Corners	4645	\$8,449.00
Requires codes 1030 or 1060.		
 45 Link with 22 in. (559 mm) Extreme Service Shoes	4550	\$265.00
 45 Link with Extended Life Bushings and 22 in. (559 mm) Extreme Service Shoes	4650	\$4,787.00

	45 Link with Extended Life Bushings and 24 in. (610 mm) Extreme Service Shoes	4655	\$5,931.00
_	45 Link with 30 in. (760 mm) Extreme Service Shoes With Clipped Corners	4560	\$3,097.00
	Requires codes 1025, 1030 or 1060.		
	45 Link with Extended Life Bushings and 30 in. (760 mm) Extreme Service Shoes With Clipped Corners	4660	\$7,621.00
	Requires codes 1025, 1030 or 1060.		
_	45 Link with Extended Life Bushings and 30 in. (760 mm) Extreme Service Trapezoidal Hole Shoes With Clipped Corners	4663	\$8,520.00
	Requires codes 1025, 1030 or 1060. For use with Landfill Applications.		
	45 Link with 36 in. (914 mm) Extreme Service Shoes With Clipped Corners	4565	\$4,661.00
_	Requires codes 1030 or 1060.		
	45 Link with Extended Life Bushings and 36 in. (914 mm) Extreme Service Shoes With Clipped Corners	4665	\$9,183.00
_	Requires codes 1030 or 1060.		
	45 Link with Extended Life Bushings and 36 in. (914 mm) Extreme Service Trapezoidal Hole Shoes With Clipped Corners	4670	\$9,334.00
	Requires codes 1030 or 1060. For use with Landfill Applications.		
Ŧ	GRADE CONTROL		
	Description	Code	Price
	Topcon Grade Control Base Kit Installed	2500	\$7,497.01
	Requires code 7750 or 7760. Factory installed and includes additional brackets and wiring harnesses that further enhances and simplifies the addition of a Topcon grade control system. This also enables the Topcon 3D-MC2 Grade Control Systems to be ordered.		
_	No Topcon Grade Control Base Kit Installed	2575	In Base Price
	Order for no blade control or Trimble or Leica Blade control field installations. Requires No Topcon Radio Installation code 2775		
Ŧ	TOPCON GRADE CONTROL SYSTEM		
	Kit includes the following equivalent parts from Topcon 3DMC2 system:		
	Password, MC-R3 Full Auto OAF Bundle, MC-R3 3DMC2 Kit, GX-60 GPS Kit, Common 3D Dozer GPS OEM, Antenna Config Kit Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Final Calibration On Site		

Description Topcon 3DMC2 Single Antenna with 915SS Radio	Code 2710	Price In Referral Price
Topcon 3DMC2 Single Antenna with 915SS HSPA Radio	2711	In Referral Price
Topcon 3DMC2 Single Antenna with UHF Radio	2712	In Referral Price
Topcon 3DMC2 Single Antenna with UHF HSPA Radio	2713	In Referral Price
Topcon 3DMC2 Single Antenna with UHF Verizon CDMA Radio	2715	In Referral Price
Topcon 3DMC2 Twin Antenna with 915SS Radio	2730	In Referral Price
Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio	2731	In Referral Price
Topcon 3DMC2 Twin Antenna with UHF Radio	2732	In Referral Price
Topcon 3DMC2 Twin Antenna with UHF HSPA Radio	2733	In Referral Price
Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio	2735	In Referral Price
No Topcon Radio Installation	2775	In Base Price

DOZER BLADE

Ŧ

All Blades include Straight End Bits and Bolt-On Cutting Edges. Blades are not installed, but shipped with Crawler Dozer. When equipping with sideboom, a front attachment should not be installed on the tractor. Contact DMAC for Less Blade, C-Frame, and Lift Cylinder custom codes.

Description 146 in. (3708 mm) Long Track (LT) PAT Blade	Code 7055	Price \$5,602.00
Requires Code 1020		
158 in. (4013 mm) Wide Long Track (WLT) PAT Blade	7060	\$6,227.00
Requires Code 1025		
168 in. (4267 mm) Low Ground Pressure (LGP) PAT Blade	7065	\$6,945.00
Requires Code 1030		
128 in. (3251 mm) Standard Semi-U Blade	7070	\$9,179.00
Requires Code 1040		
168 in. (4267 mm) Mechanical Angle Dozer Blade	7072	\$23,250.00
Requires Codes 1040 and 9287, 9255, 9456 or 9458. Not for use with 9035 or 9055.		
140 in. (3556 mm) Wide Track (WT) Semi-U Blade	7075	\$10,701.00
Requires Code 1050		
152 in. (3861 mm) Low Ground Pressure (LGP) Semi-U Blade	7080	\$11,626.00
Requires Code 1060.		

	154 in. (3912 mm) Low Ground Pressure (LGP) Straight Blade	7085	\$9,132.00
	Requires Code 1060.		
OPER/	ATOR STATION		
	Description	Code	Price
	Canopy	5025	In Base Price
	Includes floormat 100 amp Alternator		
	Cab with Roof Mounted Air Conditioner/Heater	5085	\$30,228.00
	Includes: 130 Amp Alternator Left and Right quarter hinged windows Tinted safety glass Dome light Heater, roof-mounted 24,000 BTU air conditioner Floormat (4) Windshield wiper/washers for windshield, rear window and doors AM/FM, weather-band radio Radio-area storage slot with second power port		
SEAT			
	Description	Code	Price
	Air Suspension Comfort Control High Back Fabric Seat	5885	In Base Price
	3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning Requires Cab.		
	Heated Air Suspension Comfort Control High Back Fabric Seat	5890	\$647.00
	3 In. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Restricted to cab use only.		
	Air Suspension Comfort Control High Back Vinyl Seat	5855	No Charge
	3 in. (76 mm) retractable seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning. Requires Code 5025.		
HYDR	AULICS FOR DOZER BLADE AND ATTACHMENTS		
	Description	Code	Price
	2 Function Electro-Hydraulic (EH) Controls for Outside Dozer w/ Quick Drop Valve	7720	\$1,611.00
	Requires Code 1040, 1050 or 1060.		
	2 Function Hydraulics for Outside Dozer w/ Quick Drop Valve	7725	In Base Price

Ŧ

Ŧ

w

_	Requires Code 1040, 1050 or 1060		
	3 Function Hydraulic Controls for Outside Dozer w/ Quick Drop Valve	7735	\$2,863.00
	Requires Code 1040, 1050 or 1060 InIcudes auxiliary rear plumbing for ripper.		
-	3 Function Hydraulic Controls for Power-Angle-Tilt (PAT)	7745	\$2,359.00
_	Requires Code 1020, 1025 or 1030		
	3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	7750	\$4,119.00
	Grade Control Ready (EH) Hydraulics. Not For Use With Code 7975. Grade Control Recommendations: Topcon Ready Installation - Sales code 2500. Trimble ready installation AT448665. Leica ready installation AT408433.		
_	4 Function Hydraulic Controls for Power-Angle-Tilt (PAT)	7755	\$3,887.00
_	Requires Code 1020, 1025 or 1030 Includes auxiliary rear plumbing for ripper.		
	4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) and Rear Attachment	7760	\$5,591.00
	Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Topcon Ready Installation - Salescode 2500. Trimble ready installation AT448665. Leica ready installation AT438522.		
	3 Function Electro-Hydraulic (EH) Controls for Outside Dozer w/ Quick Drop Valve	7730	\$4,494.00
	Grade Control Ready (EH) Hydraulics. Grade Control Recommendations: Topcon Ready Installation - Sales code 2500. Trimble ready installation AT448665. Leica ready installation AT408433.		
Ŧ	HYDRAULIC PUMP		
	Description	Code	Price
	Standard Hydraulic Pump	7925	In Base Price
_	Does not Includes external spline for mechanical drive winch or auxiliary pump.		
	Hi-Flow Hydraulic Pump for use with Hydraulic Winch	7975	\$3,274.00
	Contains winch control lever and plumbing to rear of crawler for hydraulic winch		
	use. Can not be used with code 9510 Storage Compartment		
_	Thru-drive Hydraulic Pump for use with Direct Drive (PTO) Winch	7985	\$3,356.00
Op	tional - Select as desired		
•	OPTIONAL EQUIPMENT (ORDER AS DESIRED)		
	Description	Code	Price

POWERTRAIN

Severe-Duty Fuel Filter	9060	\$521.00
Chrome Exhaust	9065	\$136.00
Fluid Sampling Ports	9070	\$329.00
Fluid Sampling Ports for Engine Oil, Engine Coolant, Hydraulic and Transmission Oils		
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	9075	\$508.00
Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.		
Fast-Fuel System	9085	\$2,153.00
Fast-fuel Shaw system compatible with Wiggins components		
Large Debris Prescreen	9132	\$725.00
Included in the Landfill Package code 9010.		
Heavy Duty Grille	9325	\$1,750.00
Coolant Heater, Electric	9530	\$141.00
GUARDS		
Full Length Rock Guards for Standard Track	9150	\$3,525.00
Requires Code 1040 or 1050. Recommended for applications in rock over 3 in. (76 mm) or sideslopes greater than 2:1.		
Not Recommended for waste or other material packing applications	0455	
Full Length Rock Guards for Long Track (LT)	9155	\$3,842.00
Requires Code 1020,1025,1030 or 1060. Recommended for applications in rock over 3 in. (76 mm) or side slopes greater than 2:1. Not Recommended for waste or other material packing applications.		
Bolt-On Final Drive Seal Trash Guards	9160	\$2,015.00
Included in Landfill Package code 9010. Seal guards are for Dry conditions, like Trash applications or Demolition and NOT for Water/Muddy conditions.		
OPERATOR STATION		
Under- Seat Canopy Heater	9125	\$1,275.00
Requires Canopy 30,000 BTU		
Work Lights, (2) Additional	9168	\$335.00
Adds two roof-mounted lights. Included in Landfill Package.		
External Mounted Rear Attachments Mirror	9365	\$130.00
Requires Code 5085		

2	2nd - 12 Volt Power Port	9370	\$220.00
	Second power port for code 5025, canopy. Fhird power port for code 5085, cab.		
(Cab Mounts and Isolators for Forestry Application	9128	\$2,307.00
F	Requires Code 5085.		
>	KM Satellite Radio	9501	\$1,095.00
<u>(</u>	OVERALL VEHICLE		
	andfill Package - (Special Application packages will delay crawler delivery, contact Crawler OFT for availability)	9010	\$4,848.00
	∟andfill Package includes: Final Drive Seal Guards		
L	arge Debris Prescreen		
	Heavy-Duty Grille Cab Roof Mounted Work Lights - 2 fixed forward and 2 adjustable rear		
V	NH decals Requires code 5085 (Cab).		
F	Requires Custom Works Installations as follows:		
	\T440592 with Code 1025 or 1030. \T440593 with Code 1040 or 1050.		
A	AT440594 with Code 1060.		
	Recommend Ordering Trapezoidal Shoes, Front & Rear Striker Bars, Blade Trash Rack, and Powered Cab Air Precleaner.		
	f rear tow cable is to be used, also recommend adding a Rear Screen.		
Т	Threaded Pitch Jack	9055	\$1,062.00
	Requires code 1040, 1050, or 1060. Adjust between preset pitch hole positions.		
ç	Sprocket Segments with Recesses	9157	\$509.00
С	Recommended for applications where material packing in sprocket area is common, such as heavy mud or Solid Municipal Waste. Not recommended for when working primarily on slopes and landfill cover material.		
	Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth	9187	\$23,814.00
	Requires Code 7735, 7755 or 7760. Not For Use With Codes 9250, 9340, 9345 or 9347.		
5	500 kg. (1100 lb.) Rear Counterweight	9250	\$4,150.00
F	Recommended with Standard Track Oustide Dozer code 1040.		
8	340 kg. (1850 lb.) Double Rear Counterweights	9255	\$6,394.00
N	Not for use with single counterweight code 9250		
F	Retrieval Hitch with 544 kg. (1200 lb.) Rear Counterweight	9340	\$4,872.00
	Not for use with other rear counterweights or drawbars codes 9250, 9255, 9343, 9344, 9345, 9347, or 9348.		
F	Retrieval Hitch for use w/o Rear Counterweight	9343	\$1,366.00
Ν	Not for use with codes 9340, 9345 or 9347.		
F	Retrieval Hitch with 890 kg. (1962 lb.) Rear Counterweights	9344	\$7,250.00

Not For Use With Code 9250, 9255, 9340, 9343, 9345, 9347 or 9348.		
Extended Rigid Drawbar with 590 kg. (1300 lbs.) Rear Counterweights	9345	\$5,556.00
Recommended for pull-type implements which require turning clearance - extends 19.5 in. (495 mm) to rear. May limit angle of departure in depressions. Cannot use with rippers, winch, three-point hitch or other rear attachments. Not For Use With Code 9340, 9343, or 9347.		
Extended Rigid Drawbar with Pin for use w/o Rear Counterweight	9347	\$1,435.00
Recommended for pull-type implements which require turning clearance - extends 19.5 in. (495 mm) to rear. May limit angle of departure in depressions. Cannot use with rippers, winch, three-point hitch or other rear attachments. Not for use with codes 9340,9343 or 9345.		
Extemded, Rigid Drawbar with 926 kg. (2042 lb.) Rear Counterweights	9348	\$7,875.00
Not For Use With Code 9250, 9255, 9340, 9343, 9344, 9345 or 9347.		
Rear Storage Compartment	9510	\$650.00
Can not be use with codes 7750/7760 IGC and 7975 Hyd. pump. Storage compartment can not be used with tank protection for either forestry or waste handler configured crawlers.		
Non-Export Rust Preventive Coating	9909	\$148.00
Coating protects exposed unpainted surfaces from road salt during shipment.		
EXPORT EQUIPMENT		
 French Trademarks and Decals	9173	No Charge
 Spanish Trademarks and Decals	9178	No Charge

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, lowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Blades:		
Crawler Blade Reinforcement Kit for 146 in. (3708 mm) Long Track (LT) PAT Blade	AT347102	\$1,621.00
Crawler Blade Reinforcement Kit for 168 in. (4267 mm) Low Ground Pressure (LGP) PAT Blade	AT347103	\$1,890.00
Crawler Blade Reinforcement kit for 158 in. (4013 mm) Wide Long Track (WLT) PAT Blade	AT347099	\$1,824.00

Cold Start:		
110 Volt Engine Coolant Heater, (1000 Watt)	AT211191	\$95.00
Average installation, 0.5 hour		
Frame Attachment:		
Counterweight, Front, 860 lbs. (389 kg.)	AT412284	\$3,082.00
Landfill LGP OSD Semi-U Customworks Installed Package	AT440594	\$9,294.00
For Use With code 1060. Requires Code 9010. Installation includes Tank Guards, Lift Cylinder Hose Guards, and lift Cylinder Mounted Lights. All warranty, repair parts, technical support and assistance will be the responsibility of GR Mfg., and will be handled directly between the Dealer and GR Mfg. 3 week lead-time typical. Tractor Comar number must be included with order.		
Landfill PAT Customworks Installed Package	AT440592	\$8,024.00
For Use with code 1025 or 1030. Requires code 9010. Installation includes Tank Guards, Lift Cylinder Hose Guards and Precleaner Screen. All warranty, repair parts, technical support assistance will be the responsibility of GR Mfg., and will be handled directly between the Dealer and GR Mfg 3 week lead-time typical Tractor Comar number must be included with order.		
Landfill ST/WT OSD Semi-U Customworks Installed Package	AT440593	\$8,938.00
For Use With codes 1040 or 1050. Requires Code 9010. Installation includes Tank Guards, Lift Cylinder Hose Guards, and lift Cylinder Mounted Lights. All warranty, repair parts, technical support and assistance will be the responsibility of GR Mfg., and will be handled directly between the Dealer and GR Mfg. 3 week lead-time typical. Tractor Comar number must be included with order.		
Parallelogram Hydraulic Ripper	AT437396	\$23,047.00
Rear-mounted parallelogram hydraulic (3) Pocket Ripper - FOB Trussville, Alabama. Includes (3) Shanks with Teeth Requires tractor to be built with code 7735, 7755 or 7760 Aux. plumbing. If not, Rear Hydraulics Field Kit and Auxiliary Valve Section Field Kit Must be ordered.		
Grade Control:		
Leica Grade Control Interface Package, Paladin-Installed for Cab or Canopy	AT408433	\$7,953.00
Requires code 7750 or 7760.		
Trimble Grade Control Interface Package, JRB-Installed	AT448666	\$6,892.00
Requires codes 1040, 1050 or 1060 and 2575.		
Trimble Grade Control Interface Package, JRB-Installed	AT448665	\$6,892.00

Requires codes 1020, 1025 or 1030 and 2575.		
Guards:		
Chip Protection Side Shield Kit (FT4)	AT452727	\$5,520.00
Final Drive Seal Trash Guards	AT357218	\$1,654.00
Average installation, 2 hours. Seal guards are for dry conditions, like rrash applications or demolition and NOT for wet/muddy conditions. For use with serial numbers starting as follows: 850J WT & WLT Build Codes 1025 and 1050 SNT0850JR175722 850J LT Build Codes 1020 and 1040 SNT0850JN177273 850J LGP Build Codes 1030 and 1060 SNT0850JX180890 750J LT Build Codes 1010, 1020, 1040 SNT0750JX185664 750J LGP Build Codes 1030 and 1050 SNT0750JX181539		
<u>Hydraulics:</u>		
Electro-Hydraulics (EH) Auxiliary Hydraulic Function This kit will convert code 7750(IGC) Hydraulics 3 Function for (PAT) to (IGC)	AT331637	\$1,784.00
Hydraulics 4 Function for (PAT) and Rear Attachment.		
Electro-Hydraulics (EH) Auxiliary Section and Control	AT433367	\$1,893.00
Hi-Flow 208 liter (55 gallon) Hydraulic Pump with Plumbing for Hydraulic Winch	AT422517	\$6,906.00
Required for winch installation on units built without code 7975. Does not work with IGC configuration. Also order a bulkhead from service parts. See the installation instructions for the bulkhead part number to order for your configuration. Requires a Rear Fender AT320152 PAT LT, PAT WLT, or PAT LGP. AT320150 STD OSD, WT OSD, AT320151 LGP OSD from Service Parts		
Hydraulic Valve Auxiliary Section	AT227454	\$2,695.00
Hydraulics for Rear Auxiliary Plumbing	AT433358	\$105.00
For Use With Outside STD or WT Dozers.		
Rear Auxiliary Plumbing	AT377238	\$462.00
Operator Environment:		
Rear Wiper and Washer	AT308106	\$672.00
Overall Vehicle:		
Quick Service	AT365998	\$731.00
Powertrain & Cooling:		
Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes (FT4)	AT425679	\$640.00
Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.		
Powertrain:		
Engine Intake PreCleaner	AT355770	\$228.00

	For use with 850K's below serial number 239651, 655K's, and 755K's.		
	Fast Fuel Kit	AT433388	\$2,228.00
	Provides ground level fast fueling using a connection located inside the left rear service door		
	Large Debris Prescreen	AT444868	\$777.00
	Winches:		
	Hydraulic Plumbing For Winch EH Valve	AT433266	\$3,768.00
	Required for Winch installation. Not for use with code 7975. Requires 7720, 7730, 7750 or 7760. Also requires a Rear Fender from Service: AT320152 PAT LT, PAT WLT or PAT LGP; AT320150 STD OSD, WT OSD; AT320151 LGP OSD.		
	Hydraulic Plumbing For Winch Pilot Control Valve	AT433234	\$3,740.00
_	Required for Winch installation. Not for use with code 7975. Requires 7725, 7734, 7745 or 7755. Also requires a Rear Fender from Service: AT320152 PAT LT, PAT WLT or PAT LGP; AT320150 STD OSD, WT OSD; AT320151 LGP OSD.		
Ŧ	REFERRAL ATTACHMENTS		
	Description	Code	Price
	<u>G.R. Mfg.:</u>		
	 G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. 		
	G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
		AT306477	\$1,726.00
	May be used with J Series Dozers and K Series Dozers up to serial number 236314. Requires Cab Requires Rear Cab Screen		
	Arched Limb Risers (FT4)	AT433664	\$3,833.00
_	Blade Brush Guard, 45 inch, for OSD	AT372752	\$1,031.00
_	Blade Trash Rack for WLT PAT (Power Angle Tilt)	AT310972	\$2,805.00
_	Blade Trash Rack for Wide Track (WT) Semi-U Blade	AT372753	\$2,605.00
	Blade Trash Rack, Landfill, for LGP OSD S/U & Straight	AT376583	\$2,805.00
	Blade Trash Rack, Landfill, for LGP PAT	AT338240	\$2,805.00
_	Chip Rack for 128 in. Semi U Blade	AT408926	\$2,980.00

Chip Rack for 140 in. Semi U Blade	AT408927	\$3,065.00
		\$6,000.00
Chip Rack for 152 in. Semi U Blade	AT408928	\$3,065.00
Chip Screens & Baffle (iT4)	AT409507	\$1,610.00
EH H110B Hydraulic Winch	AT446945	\$52,000.00
EH H85 Hydraulic Winch	AT446946	\$38,500.00
Front Enclosure, Cab (FT4)	AT433673	\$2,480.00
Front Enclosure, Canopy (FT4)	AT443154	\$3,034.00
Full Enclosure, Cab (FT4)	AT433662	\$10,178.00
Full Enclosure, Canopy (FT4)	AT433663	\$9,561.00
JDLink Guard	AT442274	\$135.00
Landfill Front Strikers for LGP Outside Dozer	AT397449	\$1,371.00
Landfill Front Strikers for PAT Configuration	AT335782	\$1,371.00
Landfill Front Strikers for Wide Track Outside Dozer	AT397450	\$1,132.00
Landfill Rear Striker Bars for WLT PAT and LGP PAT/OSD (iT4)	AT323854	\$1,277.00
Landfill Rear Striker Bars for WT OSD (iT4)	AT306527	\$2,426.00
Lift Cylinder Guard fo all Power Angle Tilt Dozers	AT317875	\$340.00
Lift Cylinder Hose Guard for LGP (OSD)	AT317873	\$1,243.00
Lift Cylinder and Hose Guards For Standard and Widetrack Outside Dozers	AT306524	\$1,243.00
Bolt-on, 1 hour Dealer must specify which model (750J or 850J) this will be installed on		
Limb Riser, Arched (iT4)	AT391346	\$3,833.00
Requires heavy duty Isolators. Order 50F2 Canopy, 50F8 Cab, or procure from parts.		
Outside Dozer Lift Cylinder Mounted Lights	AT306520	\$394.00
PAT 45 in. Brush Guard	AT408924	\$1,031.00
Rear Screens, Cab (FT4)	AT433670	\$1,410.00
Screens, Cab Enclosure (iT4)	AT392768	\$10,178.00
Consolidates individual Screen and Limb Riser offerings into a single part number. This number includes full OSHA certified screens and limb risers. Requires heavy duty Isolators. Order 50F8 Cab or procure from parts.		
Screens, Cab Front and Door (iT4)	AT391348	\$2,480.00

Requires cab side screens		
Screens, Cab Guard for A/C (FT4)	AT446908	\$929.00
Average installation, 1 hour.		
Bolt-on. Plate covers top, rear and sides of A/C module for complete protection in forestry		
applications. Requires cab rear screen.		
Screens, Cab Rear (iT4)	AT412605	\$1,410.00
Screens, Cab Side (iT4)	AT424165	\$1,726.00
Requires rear cab screen.		
Screens, Canopy Enclosure (iT4)	AT392769	\$9,561.00
Consolidates individual Screen and Limb Riser offerings into a single part		
number. This number includes full OSHA certified screens and limb risers.		
Requires heavy duty Isolators. Order 50F2 Canopy or procure from parts.		
Screens, Canopy Front & Door (iT4)	AT392767	\$3,034.00
Requires canopy side screens		
Screens, Canopy Rear (FT4)	AT442973	\$970.00
Screens, Canopy Side	AT306480	\$1,724.00
Requires Code 5025, ROPS/FOPS Canopy Requires Operator Rear Screen (ROPS Canopy)		
Side Screens, Cab (FT4)	AT433671	\$1,726.00
Spill Guard for Semi U Blades	AT409506	\$1,950.00
Striker Bars, Rear for OSD, LGP (FT4)	AT439423	\$1,420.00
Striker Bars, Rear for PAT, XLT, WLT & LGP (FT4)	AT439421	\$1,420.00
Striker Bars, Rear for XLT, WLT or LGP with PAT (FT4)	AT439422	\$1,420.00
Supplemental ROPS	AT400453	\$5,200.00
Requires Code 1020, 1025, or 1030.		
For use with add on attachments that create machine weight above current certification limit (60000 Lbs [27,216 kg]).		
To raise certification limit up to 75000 Lbs [34,021 kg] when used in conjunction		
with standard ROPS. Already included with Midwestern Mfg. Co. side boom Kit. Structure will add 2.41 inches [62 mm] to machine height.		
Tank Guard OSD, ST & WT (FT4)	AT439419	\$3,616.00
Tank Guard Plate	AT340388	\$921.00
Required on ST or WT OSD units when both Tank Guard and Winch are		
Tank Guard for LCP, Outside Dezer Configuration (iT4)	AT225702	¢2 617 00
Tank Guard for LGP, Outside Dozer Configuration (iT4)	AT335783	\$3,616.00
Weld, bolt, 8 hours 5/8 In. plate protects fuel and hydraulic tanks, permits cab tilt		

Includes Deere decals		
Tank Guard for OSD, LGP (FT4)	AT439420	\$3,616.00
Tank Guard for PAT Dozers (iT4)	AT306522	\$3,616.00
Weld, bolt, 8 hours 5/8 In. plate protects fuel and hydraulic tanks, permits cab tilt Includes Deere decals		
Tank Guard for PAT, XLT, WLT & LGP (FT4)	AT433665	\$3,616.00
Tank Guard for Standard and Wide-Track Outside Dozers (iT4)	AT306519	\$3,616.00
Tank Guard Plate, AT340388 required when both Tank Guard and Winch are installed on ST OSD units. Weld, bolt, 8 hours 5/8 In. plate protects fuel and hydraulic tanks, permits cab tilt Includes Deere decals		
Trash Rack for 128 in. Semi U Blade	AT408925	\$2,605.00
PACCAR Winch Div:		
* F.O.B. PACCAR.* All Winches include installation instructions.		
All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of PACCAR, and will be handled directly between the Dealer and PACCAR.		
PACCAR (Carco Winch) 800 E. Dallas, P.O. Box 547 Broken Arrow, OK 74013-0547 Phone: 918-251-8511 www.paccarwinch.com		
70A PTO Winch (slow speed)	AT434939	\$40,500.00
Requires Code 7985 thrudrive pump or thru-drive pump and plumbing service parts Cannot use high flow pump. Not for use with IGC hydraulics (code 7750 or 7760) Includes winch, winch mounting hardware, drive shaft (for 8-roller units), and all winch controls. Five functions: Single speed reel-in & reel-out, brake on, drive away, and free spool. 45,700 lb rated bare drum line pull (52,500 max) Rated bare drum max line speed (102 ft/min) Integral drawbar Fairlead ordered separately Complete installation requires: -Short Drive Shaft Kit, AT440282 for 7-roller units -Rear screen, see G.R. Manufacturing Referral Attachments -Wire rope & hook assembly. Consult with PACCAR for wire rope recommendations -Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements -Recommend front attachments for best machine balance Average installation time 10 hours		
70A PTO Winch (standard speed)	AT434938	\$40,500.00
Requires Code 7985 thrudrive pump or thru-drive pump and plumbing service parts Cannot use high flow pump. Not for use with IGC hydraulics (code 7750 or 7760) Includes winch, winch mounting hardware, drive shaft (for 8-roller units), and all winch controls.		

winch controls. Five functions: Single speed reel-in & reel-out, brake on, drive away, and free

Average installation time 10 hours H110B Hydraulic Winch	AT434940
spool. 45,700 lb rated bare drum line pull (52,500 max) Rated bare drum max line speed (102 ft/min) Integral drawbar Fairlead ordered separately Complete installation requires: -Short Drive Shaft Kit, AT440282 for 7-roller units -Rear screen, see G.R. Manufacturing Referral Attachments -Wire rope & hook assembly. Consult with PACCAR for wire rope recommendations -Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements -Recommend front attachments for best machine balance	

AT434940 \$52,000.00

Requires Code 7975 High flow pump or AT422517 field kit. Cannot use thrudrive pump. Not for use with IGC hydraulics (code 7750 or 7760) Includes winch, winch mounting hardware, and all winch controls and hoses. Five functions: Variable speed reel-in, variable speed reel-out, brake on, drive away, and low-speed lock. 110,000 lb rated bare drum line pull Variable speed (2-54 ft/min) Integral drawbar Integral 3-roller Fairlead Complete installation requires: -Rear screen, see G.R. Manufacturing Referral Attachments -Wire rope & hook assembly. Consult with PACCAR for wire rope recommendations -Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements -Additional tractor hydraulic oil -Recommend front counterweight and front attachments for best machine balance Average installation time 6 hours

H85 Hydraulic Winch

AT434941 \$38,500.00

Requires Code 7975 High flow pump or AT422517 field kit. Cannot use thrudrive pump. Not for use with IGC hydraulics (code 7750 or 7760) Includes winch, winch mounting hardware, and all winch controls and hoses. Six functions: Variable speed reel-in, variable speed reel-out, brake on, drive away, free spool, and low-speed lock. 85,000 lb rated bare drum line pull Variable speed (2-64 ft/min) Integral drawbar Fairlead ordered separately Complete installation requires: -Rear screen, see G.R. Manufacturing Referral Attachments -Wire rope & hook assembly. Consult with PACCAR for wire rope recommendations -Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements -Additional tractor hydraulic oil -Recommend front counterweight and front attachments for best machine balance Average installation time 6 hours Short Drive Shaft for 50B/70A Winch AT440282 \$904.00

Required along with winch for units with 7 track rollers

Three-Roller Fairlead

\$5,950.00 AT323258

Topcon Grade Control System - Factory Installed, Ordered with Option Code 27XX

Kit includes the following equivalent parts from Topcon 3DMC2 system:

Password, MC-R3 Full Auto OAF Bundle, MC-R3 3DMC2

Kit, GX-60 GPS Kit, Common 3D Dozer GPS OEM, Antenna Config Kit Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF Full Assembly and Final Calibration On Site This option may be subject to a different price structure than the base machine. Contact your Territory Sales Manager or WorkSight Solutions Consultant for details.		
Topcon 3DMC2 Single Antenna with 915SS HSPA Radio	AT419166	\$61,525.00
Topcon 3DMC2 Single Antenna with 915SS Radio Field Kit	AT419165	\$60,025.00
Topcon 3DMC2 Single Antenna with UHF HSPA Radio Field Kit	AT419168	\$61,550.00
Topcon 3DMC2 Single Antenna with UHF Radio Field Kit	AT419167	\$60,050.00
Topcon 3DMC2 Single Antenna with UHF Verizon CDMA Radio Field Kit	AT419170	\$61,550.00
Topcon 3DMC2 Twin Antenna with 915SS HSPA Radio Field . Kit	AT419172	\$71,300.00
Topcon 3DMC2 Twin Antenna with 915SS Radio Field Kit	AT419171	\$69,800.00
Topcon 3DMC2 Twin Antenna with UHF HSPA Radio Field Kit	AT419174	\$71,325.00
Topcon 3DMC2 Twin Antenna with UHF Radio Field Kit	AT419173	\$69,825.00
Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio	AT419176	\$71,325.00
<u>Topcon Grade Control System - Ordered as an</u> Independent Field Kit		
Topcon 3DMC2 Single Antenna with 915SS GSM Radio	AT432569	\$61,525.00
Topcon 3DMC2 Single Antenna with 915SS Radio Field Kit	AT432568	\$60,025.00
Topcon 3DMC2 Single Antenna with UHF GSM Radio Field Kit	AT432571	\$61,550.00
Topcon 3DMC2 Single Antenna with UHF Radio Field Kit	AT432570	\$60,050.00
Topcon 3DMC2 Single Antenna with UHF Verizon CDMA Radio Field Kit	AT432572	\$61,550.00
Topcon 3DMC2 Twin Antenna with 915SS GSM Radio Field Kit	AT432574	\$71,300.00
Topcon 3DMC2 Twin Antenna with 915SS Radio Field Kit	AT432573	\$69,800.00
Topcon 3DMC2 Twin Antenna with UHF GSM Radio Field Kit	AT432576	\$71,325.00
Topcon 3DMC2 Twin Antenna with UHF Radio Field Kit	AT432575	\$71,325.00
Topcon 3DMC2 Twin Antenna with Verizon CDMA Radio	AT432577	\$71,325.00

Copyright © 1996-2014 Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |