

The Manual on Uniform Traffic Control Devices (MUTCD) is approved by the Federal Highway Administrator as the National Standard in accordance with Title 23 U.S. Code, Sections 109(d), 114(a), 217, 315, and 402(a), 23 CFR 655, and 49 CFR 1.48(b)(8), 1.48(b)(33), and 1.48(c)(2).

Addresses for Publications Referenced in the MUTCD

American Automobile Association (AAA)

1000 AAA Drive  
Heathrow, FL 32746

[www.aaa.com](http://www.aaa.com)

800-222-4357

American Association of State Highway and Transportation Officials (AASHTO) 444

North Capitol Street, NW, Suite 249  
Washington, DC 20001

[www.transportation.org](http://www.transportation.org)

202-624-5800

American National Standards Institute (ANSI)

1819 L Street, NW, 6th Floor  
Washington, DC 20036

[www.ansi.org](http://www.ansi.org)

202-293-8020

American Railway Engineering and Maintenance-of-Way Association (AREMA) 10003

Derekwood Lane, Suite 210  
Lanham, MD 20706

[www.arema.org](http://www.arema.org)

301-459-3200

Federal Highway Administration Report Center

Facsimile number: 814-239-2156

[report.center@fhwa.dot.gov](mailto:report.center@fhwa.dot.gov)

Illuminating Engineering Society (IES) 120

Wall Street, Floor 17  
New York, NY 10005

[www.iesna.org](http://www.iesna.org)

212-248-5000

Institute of Makers of Explosives

1120 19th Street, NW, Suite 310  
Washington, DC 20036-3605

[www.ime.org](http://www.ime.org)

202-429-9280

Institute of Transportation Engineers (ITE) 1099

14th Street, NW, Suite 300 West Washington,  
DC 20005-3438

[www.ite.org](http://www.ite.org)

202-289-0222

International Organization for Standardization

1, ch. de la Voie-Creuse

Case Postale 56

CH-1211

Geneva 20, Switzerland

[www.iso.ch](http://www.iso.ch)

011-41-22-749-0111

International Safety Equipment Association (ISEA) 1901  
North Moore Street, Suite 808  
Arlington, VA 22209  
[www.safetyequipment.org](http://www.safetyequipment.org)  
703-525-1695

National Committee on Uniform Traffic Laws and Ordinances (NCUTLO) 107  
South West Street, Suite 110  
Alexandria, VA 22314  
[www.ncutlo.org](http://www.ncutlo.org)  
800-807-5290

National Electrical Manufacturers Association (NEMA) 1300  
North 17th Street, Suite 1752  
Rosslyn, VA 22209  
[www.nema.org](http://www.nema.org)  
703-841-3200

Occupational Safety and Health Administration (OSHA) U.S.  
Department of Labor  
200 Constitution Avenue, NW  
Washington, DC 20210  
[www.osha.gov](http://www.osha.gov)  
800-321-6742

Transportation Research Board (TRB) The  
National Academies  
500 Fifth Street, NW  
Washington, DC 20001  
[www.nas.edu/trb](http://www.nas.edu/trb)  
202-334-3072

U.S. Architectural and Transportation Barriers Compliance Board (The U.S. Access Board) 1331 F  
Street, NW, Suite 1000  
Washington, DC 20004-1111  
[www.access-board.gov](http://www.access-board.gov)  
202-272-0080

### Acknowledgments

The Federal Highway Administration gratefully acknowledges the valuable assistance that it received from the National Committee on Uniform Traffic Control Devices and its more than 250 voluntary members in the development of this Manual.

# INDIANA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES TABLE OF CONTENTS

|                           | <u>Page</u> |
|---------------------------|-------------|
| <b>INTRODUCTION .....</b> | <b>I-1</b>  |

## **PART 1. GENERAL**

### **CHAPTER 1A. GENERAL**

|               |  |    |
|---------------|--|----|
| Section 1A.01 | Purpose of Traffic Control Devices.....                                | 1  |
| Section 1A.02 | Principles of Traffic Control Devices .....                            | 1  |
| Section 1A.03 | Design of Traffic Control Devices .....                                | 1  |
| Section 1A.04 | Placement and Operation of Traffic Control Devices .....               | 2  |
| Section 1A.05 | Maintenance of Traffic Control Devices .....                           | 2  |
| Section 1A.06 | Uniformity of Traffic Control Devices.....                             | 2  |
| Section 1A.07 | Responsibility for Traffic Control Devices .....                       | 2  |
| Section 1A.08 | Authority for Placement of Traffic Control Devices.....                | 3  |
| Section 1A.09 | Engineering Study and Engineering Judgment .....                       | 4  |
| Section 1A.10 | Interpretations, Experimentations, Changes, and Interim Approvals..... | 4  |
| Section 1A.11 | Relation to Other Publications .....                                   | 7  |
| Section 1A.12 | Color Code .....   | 10 |
| Section 1A.13 | Definitions of Headings, Words, and Phrases in this Manual.....        | 10 |
| Section 1A.14 | Meanings of Acronyms and Abbreviations in this Manual.....             | 23 |
| Section 1A.15 | Abbreviations Used on Traffic Control Devices .....                    | 24 |

## **PART 2. SIGNS**

### **CHAPTER 2A. GENERAL**

|               |  |    |
|---------------|--|----|
| Section 2A.01 | Function and Purpose of Signs.....                                     | 27 |
| Section 2A.02 | Definitions .....  | 27 |
| Section 2A.03 | Standardization of Application.....                                    | 27 |
| Section 2A.04 | Excessive Use of Signs.....  | 27 |
| Section 2A.05 | Classification of Signs.....   | 28 |
| Section 2A.06 | Design of Signs .....  | 28 |
| Section 2A.07 | Retroreflectivity and Illumination .....                               | 29 |
| Section 2A.08 | Maintaining Minimum Retroreflectivity .....                            | 30 |
| Section 2A.09 | Shapes.....  | 32 |
| Section 2A.10 | Sign Colors.....   | 32 |
| Section 2A.11 | Dimensions.....  | 32 |
| Section 2A.12 | Symbols.....   | 34 |
| Section 2A.13 | Word Messages .....  | 35 |
| Section 2A.14 | Sign Borders.....  | 36 |
| Section 2A.15 | Enhanced Conspicuity for Standard Signs .....                          | 36 |
| Section 2A.16 | Standardization of Location .....                                      | 37 |
| Section 2A.17 | Overhead Sign Installations.....                                       | 41 |
| Section 2A.18 | Mounting Height .....  | 42 |
| Section 2A.19 | Lateral Offset.....  | 43 |
| Section 2A.20 | Orientation.....   | 43 |
| Section 2A.21 | Posts and Mountings .....  | 44 |
| Section 2A.22 | Maintenance .....  | 44 |
| Section 2A.23 | Median Opening Treatments for Divided Highways with Wide Medians ..... | 44 |

**CHAPTER 2B. REGULATORY SIGNS, BARRICADES, AND GATES**

|               |  |    |
|---------------|--|----|
| Section 2B.01 | Application of Regulatory Signs .....  | 45 |
| Section 2B.02 | Design of Regulatory Signs.....  | 45 |
| Section 2B.03 | Size of Regulatory Signs .....   | 45 |
| Section 2B.04 | Right-of-Way at Intersection.....  | 50 |
| Section 2B.05 | STOP Sign (R1-1) and ALL WAY Plaque (R1-3P) .....  | 51 |
| Section 2B.06 | STOP Sign Applications .....   | 52 |
| Section 2B.07 | Multi-Way Stop Applications .....  | 52 |
| Section 2B.08 | YIELD Sign (R1-2).....   | 53 |
| Section 2B.09 | YIELD Sign Applications .....  | 53 |
| Section 2B.10 | STOP Sign or YIELD Sign Placement.....   | 53 |
| Section 2B.11 | Yield Here To Pedestrians Signs and Stop Here For Pedestrians Signs (R1-5 Series) .....  | 54 |
| Section 2B.12 | In-Street and Overhead Pedestrian Crossing Signs (R1-6, R1-6a, R1-9, R1-9a).....   | 55 |
| Section 2B.13 | Speed Limit Sign (R2-1) .....  | 56 |
| Section 2B.14 | Truck Speed Limit Sign or Plaque (R2-Y2 or R2-2P).....   | 58 |
| Section 2B.15 | Night Speed Limit Plaque (R2-3P) .....   | 58 |
| Section 2B.16 | Minimum Speed Limit Plaque (R2-4P).....  | 59 |
| Section 2B.17 | Higher Fines Signs and Plaque (R2-6P, R2-10, and R2-11) .....  | 59 |
| Section 2B.18 | Movement Prohibition Signs (R3-1 through R3-4, R3-18, and R3-27) .....   | 60 |
| Section 2B.19 | Intersection Lane Control Signs (R3-5 through R3-8).....   | 61 |
| Section 2B.20 | Mandatory Movement Lane Control Signs (R3-5, R3-5a, R3-7, and R3-20).....  | 62 |
| Section 2B.21 | Optional Movement Lane Control Sign (R3-6).....  | 63 |
| Section 2B.22 | Advance Intersection Lane Control Signs (R3-8 Series).....   | 64 |
| Section 2B.23 | RIGHT (LEFT) LANE MUST EXIT Sign (R3-33).....  | 64 |
| Section 2B.24 | Two-Way Left Turn Only Signs (R3-9a, R3-9b) .....  | 64 |
| Section 2B.25 | BEGIN and END Plaques (R3-9cP, R3-9dP).....  | 64 |
| Section 2B.26 | Reversible Lane Control Signs (R3-9e through R3-9i).....   | 65 |
| Section 2B.27 | Jughandle Signs (R3-23, R3-24, R3-25, and R3-26 Series) .....  | 67 |
| Section 2B.28 | DO NOT PASS Sign (R4-1).....   | 72 |
| Section 2B.29 | PASS WITH CARE Sign (R4-2).....  | 73 |
| Section 2B.30 | KEEP RIGHT EXCEPT TO PASS Sign (R4-16) and SLOWER TRAFFIC KEEP<br>RIGHT Sign (R4-3).....   | 73 |
| Section 2B.31 | TRUCKS USE RIGHT LANE Sign (R4-5) AND TRUCKS AND VEHICLES WITH TRAILERS<br>USE RIGHT LANE OR RIGHT TWO LANES SIGNS (R4-Y9 AND R4-Y10)..... | 73 |
| Section 2B.32 | Keep Right and Keep Left Signs (R4-7, R4-8) .....  | 73 |
| Section 2B.33 | STAY IN LANE Sign (R4-9).....  | 74 |
| Section 2B.34 | RUNAWAY VEHICLES ONLY Sign (R4-10) .....   | 74 |
| Section 2B.35 | Slow Vehicle Turn-Out Signs (R4-12, R4-13, and R4-14) .....  | 74 |
| Section 2B.36 | DO NOT DRIVE ON SHOULDER Sign (R4-17) and DO NOT PASS ON<br>SHOULDER Sign (R4-18).....   | 75 |
| Section 2B.37 | DO NOT ENTER Sign (R5-1) .....   | 75 |
| Section 2B.38 | WRONG WAY Sign (R5-1a).....  | 76 |
| Section 2B.39 | Selective Exclusion Signs .....  | 76 |
| Section 2B.40 | ONE WAY Signs (R6-1, R6-2) .....   | 77 |
| Section 2B.41 | Wrong-Way Traffic Control at Interchange Ramps .....   | 79 |
| Section 2B.42 | Divided Highway Crossing Signs (R6-3, R6-3a).....  | 82 |
| Section 2B.43 | Roundabout Directional Arrow Signs (R6-4, R6-4a, and R6-4b) .....  | 84 |
| Section 2B.44 | Roundabout Circulation Plaque (R6-5P) .....  | 84 |

|               |   |     |
|---------------|---|-----|
| Section 2B.45 | Examples of Roundabout Signing .....  | 84  |
| Section 2B.46 | Parking, Standing, and Stopping Signs (R7 and R8 Series).....   | 88  |
| Section 2B.47 | Design of Parking, Standing, and Stopping Signs.....  | 89  |
| Section 2B.48 | Placement of Parking, Stopping, and Standing Signs .....  | 92  |
| Section 2B.49 | Emergency Restriction Signs (R8-4, R8-7, R8-8).....   | 92  |
| Section 2B.50 | WALK ON LEFT FACING TRAFFIC and No Hitchhiking Signs (R9-1, R9-4, R9-4a).....                               | 92  |
| Section 2B.51 | Pedestrian Crossing Signs (R9-2, R9-3).....   | 92  |
| Section 2B.52 | Traffic Signal Pedestrian and Bicycle Actuation Signs (R10-1 through R10-4, and R10-24 through R10-26)..... | 94  |
| Section 2B.53 | Traffic Signal Signs (R10-5 through R10-30).....  | 95  |
| Section 2B.54 | No Turn on Red Signs (R10-11 Series, R10-17a, and R10-30) .....   | 95  |
| Section 2B.55 | Photo Enforced Signs and Plaques (R10-18, R10-19P, R10-19aP) .....  | 97  |
| Section 2B.56 | Ramp Metering Signs (R10-28 and R10-29).....  | 97  |
| Section 2B.57 | KEEP OFF MEDIAN Sign (R11-1).....   | 97  |
| Section 2B.58 | ROAD CLOSED Sign (R11-2) and LOCAL TRAFFIC ONLY Signs (R11-3 Series, R11-4).....                            | 98  |
| Section 2B.59 | Weight Limit Signs (R12-1 through R12-5) .....  | 98  |
| Section 2B.60 | Weigh Station Signs (R13 Series).....   | 99  |
| Section 2B.61 | TRUCK ROUTE Sign (R14-1) .....  | 99  |
| Section 2B.62 | Hazardous Material Signs (R14-2, R14-3).....  | 99  |
| Section 2B.63 | National Network Signs (R14-4, R14-5).....  | 100 |
| Section 2B.64 | Headlight Use Signs (R16-5 through R16-11).....   | 100 |
| Section 2B.65 | FENDER BENDER Sign (R16-4) .....  | 101 |
| Section 2B.66 | Seat Belt Symbol.....   | 101 |
| Section 2B.67 | Barricades.....   | 101 |
| Section 2B.68 | Gates.....  | 101 |

## **CHAPTER 2C. WARNING SIGNS AND OBJECT MARKERS**

|               |  |     |
|---------------|--|-----|
| Section 2C.01 | Function of Warning Signs.....   | 103 |
| Section 2C.02 | Application of Warning Signs .....   | 103 |
| Section 2C.03 | Design of Warning Signs .....  | 103 |
| Section 2C.04 | Size of Warning Signs.....   | 103 |
| Section 2C.05 | Placement of Warning Signs .....   | 108 |
| Section 2C.06 | Horizontal Alignment Warning Signs .....   | 109 |
| Section 2C.07 | Horizontal Alignment Signs (W1-1 through W1-5, W1-11, W1-15).....                          | 110 |
| Section 2C.08 | Advisory Speed Plaque (W13-1P) .....   | 112 |
| Section 2C.09 | Chevron Alignment Sign (W1-8).....   | 112 |
| Section 2C.10 | Combination Horizontal Alignment/Advisory Speed Signs (W1-1a, W1-2a) .....                 | 113 |
| Section 2C.11 | Combination Horizontal Alignment/Intersection Signs (W1-10 Series) .....                   | 113 |
| Section 2C.12 | One-Direction Large Arrow Sign (W1-6) .....  | 113 |
| Section 2C.13 | Truck Rollover Warning Sign (W1-13) .....  | 114 |
| Section 2C.14 | Advisory Exit and Ramp Speed Signs (W13-2 and W13-3).....                                  | 114 |
| Section 2C.15 | Combination Horizontal Alignment/Advisory Exit and Ramp Speed Signs (W13-6 and W13-7)..... | 115 |
| Section 2C.16 | Hill Signs (W7-1, W7-1a) .....   | 115 |
| Section 2C.17 | Truck Escape Ramp Signs (W7-4 Series) .....  | 115 |
| Section 2C.18 | HILL BLOCKS VIEW Sign (W7-6).....  | 117 |
| Section 2C.19 | ROAD NARROWS Sign (W5-1).....  | 117 |
| Section 2C.20 | NARROW BRIDGE Sign (W5-2) .....  | 118 |
| Section 2C.21 | ONE LANE BRIDGE Sign (W5-3) .....  | 118 |

|               |   |     |
|---------------|---|-----|
| Section 2C.22 | Divided Highway Sign (W6-1) .....   | 119 |
| Section 2C.23 | Divided Highway Ends Sign (W6-2) .....  | 119 |
| Section 2C.24 | Freeway or Expressway Ends Signs (W19 Series).....  | 119 |
| Section 2C.25 | Double Arrow Sign (W12-1).....  | 119 |
| Section 2C.26 | DEAD END/NO OUTLET Signs (W14-1, W14-1a, W14-2, W14-2a).....  | 119 |
| Section 2C.27 | Low Clearance Signs (W12-2 and W12-2a) .....  | 120 |
| Section 2C.28 | BUMP and DIP Signs (W8-1, W8-2).....  | 120 |
| Section 2C.29 | SPEED HUMP Sign (W17-1) .....   | 120 |
| Section 2C.30 | PAVEMENT ENDS Sign (W8-3).....  | 122 |
| Section 2C.31 | Shoulder Signs (W8-4, W8-9, W8-17, W8-23, and W8-25).....   | 122 |
| Section 2C.32 | Surface Condition Signs (W8-5, W8-7, W8-8, W8-11, W8-13, and W8-14).....  | 122 |
| Section 2C.33 | Warning Signs and Plaques for Motorcyclists (W8-15, W8-15P, and W8-16).....   | 123 |
| Section 2C.34 | NO CENTER LINE Sign (W8-12) .....   | 123 |
| Section 2C.35 | Weather Condition Signs (W8-18, W8-19, W8-21, and W8-22).....   | 123 |
| Section 2C.36 | Advance Traffic Control Signs (W3-1, W3-2, W3-3, W3-4).....   | 123 |
| Section 2C.37 | Advance Ramp Control Signal Signs (W3-7 and W3-8) .....   | 124 |
| Section 2C.38 | Reduced Speed Limit Ahead Signs (W3-5, W3-5a) .....   | 124 |
| Section 2C.39 | DRAW BRIDGE Sign (W3-6).....  | 125 |
| Section 2C.40 | Merge Signs (W4-1, W4-5).....   | 125 |
| Section 2C.41 | Added Lane Signs (W4-3, W4-6).....  | 126 |
| Section 2C.42 | Lane Ends Signs (W4-2, W9-1, W9-2) .....  | 126 |
| Section 2C.43 | RIGHT (LEFT) LANE EXIT ONLY AHEAD Sign (W9-7).....  | 126 |
| Section 2C.44 | Two-Way Traffic Sign (W6-3).....  | 127 |
| Section 2C.45 | NO PASSING ZONE Sign (W14-3).....   | 127 |
| Section 2C.46 | Intersection Warning Signs (W2-1 through W2-8).....   | 127 |
| Section 2C.47 | Two-Direction Large Arrow Sign (W1-7) .....   | 128 |
| Section 2C.48 | Traffic Signal Signs (W25-1, W25-2).....  | 128 |
| Section 2C.49 | Vehicular Traffic Warning Signs (W8-6, W11-1, W11-5, W11-5a, W11-8, W11-10,<br>W11-11, W11-12P, W11-14, W11-15, and W11-15a)..... | 128 |
| Section 2C.50 | Non-Vehicular Warning Signs (W11-2, W11-3, W11-4, W11-6, W11-7, W11-9,<br>and W11-16 through W11-22).....                         | 130 |
| Section 2C.51 | Playground Sign (W15-1) .....   | 131 |
| Section 2C.52 | NEW TRAFFIC PATTERN AHEAD Sign (W23-2) .....  | 131 |
| Section 2C.53 | Use of Supplemental Warning Plaques .....   | 131 |
| Section 2C.54 | Design of Supplemental Warning Plaques .....  | 132 |
| Section 2C.55 | Distance Plaques (W16-2 Series, W16-3 Series, W16-4P, W7-3aP).....  | 132 |
| Section 2C.56 | Supplemental Arrow Plaques (W16-5P, W16-6P).....  | 132 |
| Section 2C.57 | Hill-Related Plaques (W7-2 Series, W7-3 Series).....  | 133 |
| Section 2C.58 | Advance Street Name Plaque (W16-8P, W16-8aP).....   | 133 |
| Section 2C.59 | CROSS TRAFFIC DOES NOT STOP Plaque (W4-4P).....   | 133 |
| Section 2C.60 | SHARE THE ROAD Plaque (W16-1P).....   | 133 |
| Section 2C.61 | Photo Enforced Plaque (W16-10P).....  | 134 |
| Section 2C.62 | NEW Plaque (W16-15P).....   | 134 |
| Section 2C.63 | Object Marker Design and Placement Height.....  | 134 |
| Section 2C.64 | Object Markers for Obstructions Within the Roadway .....  | 135 |
| Section 2C.65 | Object Markers for Obstructions Adjacent to the Roadway.....  | 135 |
| Section 2C.66 | Object Markers for Ends of Roadways .....   | 136 |

**CHAPTER 2D. GUIDE SIGNS CONVENTIONAL ROADS**

|                 |   |     |
|-----------------|---|-----|
| Section 2D.01   | Scope of Conventional Road Guide Sign Standards .....             | 137 |
| Section 2D.02   | Application .....   | 137 |
| Section 2D.03   | Color, Retroreflection, and Illumination .....                    | 137 |
| Section 2D.04   | Size of Signs.....  | 137 |
| Section 2D.05   | Lettering Style .....   | 138 |
| Section 2D.06   | Size of Lettering .....   | 138 |
| Section 2D.07   | Amount of Legend .....  | 140 |
| Section 2D.08   | Arrows.....   | 140 |
| Section 2D.09   | Numbered Highway Systems .....                                    | 142 |
| Section 2D.10   | Route Signs and Auxiliary Signs.....                              | 142 |
| Section 2D.11   | Design of Route Signs.....  | 143 |
| Section 2D.12   | Design of Route Sign Auxiliaries.....                             | 144 |
| Section 2D.13   | Junction Auxiliary Sign (M2-1) .....                              | 144 |
| Section 2D.14   | Combination Junction Sign (M2-2).....                             | 145 |
| Section 2D.15   | Cardinal Direction Auxiliary Signs (M3-1 through M3-4) .....      | 145 |
| Section 2D.16   | Auxiliary Signs for Alternative Routes (M4 Series) .....          | 145 |
| Section 2D.17   | ALTERNATE Auxiliary Signs (M4-1, M4-1a) .....                     | 145 |
| Section 2D.18   | BY-PASS Auxiliary Sign (M4-2) .....                               | 146 |
| Section 2D.19   | BUSINESS Auxiliary Sign (M4-3).....                               | 146 |
| Section 2D.20   | TRUCK Auxiliary Sign (M4-4) .....                                 | 146 |
| Section 2D.21   | TO Auxiliary Sign (M4-5) .....                                    | 146 |
| Section 2D.22   | END Auxiliary Sign (M4-6).....                                    | 146 |
| Section 2D.23   | BEGIN Auxiliary Sign (M4-14).....                                 | 146 |
| Section 2D.24   | TEMPORARY Auxiliary Signs (M4-7, M4-7a) .....                     | 147 |
| Section 2D.25   | Temporary Detour and Auxiliary Signs .....                        | 147 |
| Section 2D.25.1 | Local Traffic and Frontage Road Signs (M4-Y15, M4-Y16) .....      | 147 |
| Section 2D.26   | Advance Turn Arrow Auxiliary Signs (M5-1, M5-2, and M5-3) .....   | 147 |
| Section 2D.27   | Lane Designation Auxiliary Signs (M5-4, M5-5, and M5-6).....      | 148 |
| Section 2D.28   | Directional Arrow Auxiliary Signs (M6 Series) .....               | 148 |
| Section 2D.29   | Route Sign Assemblies.....  | 148 |
| Section 2D.30   | Junction Assembly .....   | 153 |
| Section 2D.31   | Advance Route Turn Assembly .....                                 | 154 |
| Section 2D.32   | Directional Assembly .....  | 154 |
| Section 2D.33   | Combination Lane-Use/Destination Overhead Guide Sign (D15-1)..... | 155 |
| Section 2D.34   | Confirming or Reassurance Assemblies.....                         | 156 |
| Section 2D.35   | Trailblazer Assembly .....  | 156 |
| Section 2D.36   | Destination and Distance Signs .....                              | 157 |
| Section 2D.37   | Destination Signs (D1 Series) .....                               | 157 |
| Section 2D.38   | Destination Signs at Circular Intersections .....                 | 158 |
| Section 2D.39   | Destination Signs at Jughandles .....                             | 159 |
| Section 2D.40   | Location of Destination Signs .....                               | 159 |
| Section 2D.41   | Distance Signs (D2 Series).....                                   | 162 |
| Section 2D.42   | Location of Distance Signs.....                                   | 162 |
| Section 2D.43   | Street Name Signs (D3-1 or D3-1a) .....                           | 162 |
| Section 2D.44   | Advance Street Name Signs (D3-2) .....                            | 164 |
| Section 2D.45   | Signing on Conventional Roads on Approaches to Interchanges.....  | 165 |
| Section 2D.46   | Freeway Entrance Signs (D13-3 and D13-3a).....                    | 171 |
| Section 2D.47   | Parking Area Guide Sign (D4-1).....                               | 172 |
| Section 2D.48   | PARK - RIDE Sign (D4-2) .....                                     | 172 |

|               |  |     |
|---------------|--|-----|
| Section 2D.49 | Weigh Station Signing (D8 Series) .....                        | 173 |
| Section 2D.50 | Community Wayfinding Signs .....                               | 173 |
| Section 2D.51 | Truck, Passing, or Climbing Lane Signs (D17-1 and D17-2) ..... | 179 |
| Section 2D.52 | Slow Vehicle Turn-Out Sign (D17-7) .....                       | 179 |
| Section 2D.53 | Signing of Named Highways .....                                | 180 |
| Section 2D.54 | Crossover Signs (D13-1 and D13-2) .....                        | 180 |
| Section 2D.55 | National Scenic Byways Signs (D6-4, D6-4a) .....               | 180 |

## **CHAPTER 2E. GUIDE SIGNS FREEWAYS AND EXPRESSWAYS**

|               |   |     |
|---------------|---|-----|
| Section 2E.01 | Scope of Freeway and Expressway Guide Sign Standards .....                              | 183 |
| Section 2E.02 | Freeway and Expressway Signing Principles .....   | 183 |
| Section 2E.03 | Guide Sign Classification .....   | 183 |
| Section 2E.04 | General .....   | 184 |
| Section 2E.05 | Color of Guide Signs .....  | 184 |
| Section 2E.06 | Retroreflection or Illumination .....   | 184 |
| Section 2E.07 | Characteristics of Urban Signing .....  | 184 |
| Section 2E.08 | Characteristics of Rural Signing .....  | 185 |
| Section 2E.09 | Signing of Named Highways .....   | 185 |
| Section 2E.10 | Amount of Legend on Guide Signs .....   | 185 |
| Section 2E.11 | Number of Signs at an Overhead Installation and Sign Spreading .....                    | 185 |
| Section 2E.12 | Pull-Through Signs (E6-2, E6-2a) .....  | 186 |
| Section 2E.13 | Designation of Destinations .....   | 186 |
| Section 2E.14 | Size and Style of Letters and Signs .....   | 187 |
| Section 2E.15 | Interline and Edge Spacing .....  | 187 |
| Section 2E.16 | Sign Borders .....  | 194 |
| Section 2E.17 | Abbreviations .....   | 194 |
| Section 2E.18 | Symbols .....   | 194 |
| Section 2E.19 | Arrows for Interchange Guide Signs .....  | 194 |
| Section 2E.20 | Signing for Option Lanes at Splits and Multi-Lane Exits .....                           | 195 |
| Section 2E.21 | Design of Overhead Arrow-per-Lane Guide Signs for Option Lanes .....                    | 195 |
| Section 2E.22 | Design of Freeway and Expressway Diagrammatic Guide Signs for Option Lanes .....        | 200 |
| Section 2E.23 | Signing for Intermediate and Minor Interchange Multi-Lane Exits with an Option Lane ... | 205 |
| Section 2E.24 | Signing for Interchange Lane Drops .....  | 205 |
| Section 2E.25 | Overhead Sign Installations .....   | 208 |
| Section 2E.26 | Lateral Offset .....  | 212 |
| Section 2E.27 | Route Signs and Trailblazer Assemblies .....  | 212 |
| Section 2E.28 | Eisenhower Interstate System Signs (M1-10, M1-10a) .....                                | 213 |
| Section 2E.29 | Signs for Intersections at Grade .....  | 213 |
| Section 2E.30 | Interchange Guide Signs .....   | 213 |
| Section 2E.31 | Interchange Exit Numbering .....  | 214 |
| Section 2E.32 | Interchange Classification .....  | 218 |
| Section 2E.33 | Advance Guide Signs .....   | 218 |
| Section 2E.34 | Next Exit Plaques .....   | 220 |
| Section 2E.35 | Other Supplemental Guide Signs .....  | 220 |
| Section 2E.36 | Exit Direction Signs .....  | 222 |
| Section 2E.37 | Exit Gore Signs (E5-1 Series) .....   | 224 |
| Section 2E.38 | Post-Interchange Signs .....  | 224 |
| Section 2E.39 | Post-Interchange Distance Signs .....   | 225 |
| Section 2E.40 | Interchange Sequence Signs .....  | 225 |

|               |   |     |
|---------------|---|-----|
| Section 2E.41 | Community Interchanges Identification Signs .....                     | 227 |
| Section 2E.42 | NEXT XX EXITS Sign .....  | 227 |
| Section 2E.43 | Signing by Type of Interchange .....                                  | 228 |
| Section 2E.44 | Freeway-to-Freeway Interchange .....                                  | 228 |
| Section 2E.45 | Cloverleaf Interchange .....  | 228 |
| Section 2E.46 | Cloverleaf Interchange with Collector-Distributor Roadways .....      | 232 |
| Section 2E.47 | Partial Cloverleaf Interchange .....                                  | 232 |
| Section 2E.48 | Diamond Interchange .....   | 232 |
| Section 2E.49 | Diamond Interchange in Urban Area .....                               | 236 |
| Section 2E.50 | Closely-Spaced Interchanges .....                                     | 236 |
| Section 2E.51 | Minor Interchange .....   | 236 |
| Section 2E.52 | Signing on Conventional Road Approaches and Connecting Roadways ..... | 237 |
| Section 2E.53 | Wrong-Way Traffic Control at Interchange Ramps .....                  | 237 |
| Section 2E.54 | Weigh Station Signing .....   | 238 |

## **CHAPTER 2F. TOLL ROAD SIGNS**

|               |  |     |
|---------------|--|-----|
| Section 2F.01 | Scope .....  | 239 |
| Section 2F.02 | Sizes of Toll Road Signs .....   | 239 |
| Section 2F.03 | Use of Purple Backgrounds and Underlay Panels with ETC Account Pictographs .....                     | 240 |
| Section 2F.04 | Size of ETC Pictographs .....  | 240 |
| Section 2F.05 | Regulatory Signs for Toll Plazas .....   | 240 |
| Section 2F.06 | Pay Toll Advance Warning Sign (W9-6) .....   | 242 |
| Section 2F.07 | Pay Toll Advance Warning Plaque (W9-6P) .....  | 243 |
| Section 2F.08 | Stop Ahead Pay Toll Warning Sign (W9-6a) .....   | 244 |
| Section 2F.09 | Stop Ahead Pay Toll Warning Plaque (W9-6aP) .....  | 244 |
| Section 2F.10 | LAST EXIT BEFORE TOLL Warning Plaque (W16-16P) .....   | 244 |
| Section 2F.11 | TOLL Auxiliary Sign (M4-15) .....  | 244 |
| Section 2F.12 | Electronic Toll Collection (ETC) Account-Only Auxiliary Signs (M4-16 and M4-20) .....                | 245 |
| Section 2F.13 | Toll Facility and Toll Plaza Guide Signs - General .....   | 245 |
| Section 2F.14 | Advance Signs for Conventional Toll Plazas .....   | 250 |
| Section 2F.15 | Advance Signs for Toll Plazas on Diverging Alignments from Open-Road ETC<br>Account-Only Lanes ..... | 251 |
| Section 2F.16 | Toll Plaza Canopy Signs .....  | 254 |
| Section 2F.17 | Guide Signs for Entrances to ETC Account-Only Facilities .....                                       | 254 |
| Section 2F.18 | ETC Program Information Signs .....  | 254 |

## **CHAPTER 2G. PREFERENTIAL AND MANAGED LANE SIGNS**

|               |   |     |
|---------------|---|-----|
| Section 2G.01 | Scope .....   | 255 |
| Section 2G.02 | Sizes of Preferential and Managed Lane Signs .....  | 255 |
| Section 2G.03 | Regulatory Signs for Preferential Lanes - General .....   | 255 |
| Section 2G.04 | Preferential Lane Vehicle Occupancy Definition Regulatory Signs (R3-10 Series<br>and R3-13 Series) .....                      | 260 |
| Section 2G.05 | Preferential Lane Periods of Operation Regulatory Signs (R3-11 Series and R3-14 Series) .....                                 | 261 |
| Section 2G.06 | Preferential Lane Advance Regulatory Signs (R3-12, R3-12e, R3-12f, R3-15, R3-15a,<br>and R3-15d) .....                        | 265 |
| Section 2G.07 | Preferential Lane Ends Regulatory Signs (R3-12a, R3-12b, R3-12c, R3-12d,<br>R3-12g, R3-12h, R3-15b, R3-15c, and R3-15e) ..... | 265 |
| Section 2G.08 | Warning Signs on Median Barriers for Preferential Lanes .....   | 265 |
| Section 2G.09 | High-Occupancy Vehicle (HOV) Plaque (W16-1 1P) .....  | 266 |

|               |   |     |
|---------------|---|-----|
| Section 2G.10 | Preferential Lane Guide Signs - General.....                                      | 267 |
| Section 2G.11 | Guide Signs for Initial Entry Points to Preferential Lanes .....                  | 269 |
| Section 2G.12 | Guide Signs for Intermediate Entry Points to Preferential Lanes .....             | 270 |
| Section 2G.13 | Guide Signs for Egress from Preferential Lanes to General-Purpose Lanes.....      | 272 |
| Section 2G.14 | Guide Signs for Direct Entrances to Preferential Lanes from Another Highway ..... | 275 |
| Section 2G.15 | Guide Signs for Direct Exits from Preferential Lanes to Another Highway.....      | 275 |
| Section 2G.16 | Signs for Priced Managed Lanes - General.....                                     | 278 |
| Section 2G.17 | Regulatory Signs for Priced Managed Lanes .....                                   | 281 |
| Section 2G.18 | Guide Signs for Priced Managed Lanes .....  | 281 |

## **CHAPTER 2H. GENERAL INFORMATION SIGNS**

|               |  |     |
|---------------|--|-----|
| Section 2H.01 | Sizes of General Information Signs.....  | 294 |
| Section 2H.02 | General Information Signs (I Series).....  | 294 |
| Section 2H.03 | Traffic Signal Speed Sign (I1-1). .....  | 296 |
| Section 2H.04 | Miscellaneous Information Signs .....  | 296 |
| Section 2H.05 | Reference Location Signs (D10-1 through D10-3) and Intermediate Reference<br>Location Signs (D10-1a through D10-3a)..... | 296 |
| Section 2H.06 | Enhanced Reference Location Signs (D10-4, D10-5).....  | 298 |
| Section 2H.07 | Auto Tour Route Signs.....   | 299 |
| Section 2H.08 | Acknowledgment Signs.....  | 299 |

## **CHAPTER 2I. GENERAL SERVICE SIGNS**

|               |   |     |
|---------------|---|-----|
| Section 2I.01 | Sizes of General Service Signs.....                     | 301 |
| Section 2I.02 | General Service Signs for Conventional Roads .....      | 302 |
| Section 2I.03 | General Service Signs for Freeways and Expressways..... | 305 |
| Section 2I.04 | Interstate Oasis Signing.....                           | 308 |
| Section 2I.05 | Rest Area and Other Roadside Area Signs.....            | 309 |
| Section 2I.06 | Brake Check Area Signs (D5-13 and D5-14).....           | 310 |
| Section 2I.07 | Chain-Up Area Signs (D5-15 and D5-16).....              | 310 |
| Section 2I.08 | Tourist Information and Welcome Center Signs.....       | 310 |
| Section 2I.09 | Radio Information Signing .....                         | 312 |
| Section 2I.10 | TRAVEL INFO CALL 511 Signs (D12-5 and D12-5a) .....     | 313 |
| Section 2I.11 | Carpool and Ridesharing Signing.....                    | 313 |
| Section 2I.12 | Travel Time Signs. ....                                 | 314 |

## **CHAPTER 2J. SPECIFIC SERVICE SIGNS**

|               |   |     |
|---------------|---|-----|
| Section 2J.01 | Eligibility.....                                    | 315 |
| Section 2J.02 | Application .....                                   | 316 |
| Section 2J.03 | Logos and Logo Sign Panels .....                    | 316 |
| Section 2J.04 | Number and Size of Signs and Logo Sign Panels ..... | 320 |
| Section 2J.05 | Size of Lettering .....                             | 320 |
| Section 2J.06 | Signs at Interchanges.....                          | 320 |
| Section 2J.07 | Single-Exit Interchanges .....                      | 320 |
| Section 2J.08 | Double-Exit Interchanges.....                       | 321 |
| Section 2J.09 | Specific Service Trailblazer Signs .....            | 321 |
| Section 2J.10 | Signs at Intersections.....                         | 322 |
| Section 2J.11 | Signing Policy .....                                | 322 |

**CHAPTER 2K. TOURIST-ORIENTED DIRECTIONAL SIGNS**

|               |                                     |     |
|---------------|-------------------------------------|-----|
| Section 2K.01 | Purpose and Application .....       | 324 |
| Section 2K.02 | Design.....                         | 324 |
| Section 2K.03 | Style and Size of Lettering .....   | 325 |
| Section 2K.04 | Arrangement and Size of Signs ..... | 325 |
| Section 2K.05 | Advance Signs.....                  | 327 |
| Section 2K.06 | Sign Locations.....                 | 327 |
| Section 2K.07 | State Policy.....                   | 328 |

**CHAPTER 2L. CHANGEABLE MESSAGE SIGNS**

|               |   |     |
|---------------|---|-----|
| Section 2L.01 | Description of Changeable Message Signs .....               | 329 |
| Section 2L.02 | Applications of Changeable Message Signs.....               | 329 |
| Section 2L.03 | Legibility and Visibility of Changeable Message Signs ..... | 330 |
| Section 2L.04 | Design Characteristics of Changeable Message Signs .....    | 330 |
| Section 2L.05 | Message Length and Units of Information.....                | 332 |
| Section 2L.06 | Installation of Permanent Changeable Message Signs .....    | 333 |

**CHAPTER 2M. RECREATIONAL AND CULTURAL INTEREST AREA SIGNS**

|               |   |     |
|---------------|---|-----|
| Section 2M.01 | Scope .....   | 334 |
| Section 2M.02 | Application of Recreational and Cultural Interest Area Signs .....                                  | 334 |
| Section 2M.03 | Regulatory and Warning Signs.....   | 334 |
| Section 2M.04 | General Design Requirements for Recreational and Cultural Interest Area Symbol<br>Guide Signs ..... | 334 |
| Section 2M.05 | Symbol Sign Sizes.....  | 336 |
| Section 2M.06 | Use of Educational Plaques .....  | 336 |
| Section 2M.07 | Use of Prohibitive Circle and Diagonal Slash for Non-Road Applications .....                        | 336 |
| Section 2M.08 | Placement of Recreational and Cultural Interest Area Symbol Signs .....                             | 336 |
| Section 2M.09 | Destination Guide Signs.....  | 337 |
| Section 2M.10 | Memorial or Dedication Signing .....  | 343 |

**CHAPTER 2N. EMERGENCY MANAGEMENT SIGNING**

|               |   |     |
|---------------|---|-----|
| Section 2N.01 | Emergency Management.....   | 346 |
| Section 2N.02 | Design of Emergency Management Signs .....                        | 346 |
| Section 2N.03 | Evacuation Route Signs (EM-1 and EM-1a).....                      | 346 |
| Section 2N.04 | AREA CLOSED Sign (EM-2) .....                                     | 348 |
| Section 2N.05 | TRAFFIC CONTROL POINT Sign (EM-3).....                            | 348 |
| Section 2N.06 | MAINTAIN TOP SAFE SPEED Sign (EM-4) .....                         | 348 |
| Section 2N.07 | ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC Sign (EM-5)..... | 349 |
| Section 2N.08 | Emergency Aid Center Signs (EM-6 Series).....                     | 349 |
| Section 2N.09 | Shelter Directional Signs (EM-7 Series) .....                     | 350 |

## **PART 3. MARKINGS**

### **CHAPTER 3A. GENERAL**

|               |   |     |
|---------------|---|-----|
| Section 3A.01 | Functions and Limitations .....   | 351 |
| Section 3A.02 | Standardization of Application.....                                     | 351 |
| Section 3A.03 | Maintaining Minimum Pavement Marking Retroreflectivity .....            | 351 |
| Section 3A.04 | Materials .....   | 351 |
| Section 3A.05 | Colors .....  | 352 |
| Section 3A.06 | Functions, Widths, and Patterns of Longitudinal Pavement Markings ..... | 352 |

### **CHAPTER 3B. PAVEMENT AND CURB MARKINGS**

|               |   |     |
|---------------|---|-----|
| Section 3B.01 | Yellow Center Line Pavement Markings and Warrants .....                                     | 353 |
| Section 3B.02 | No-Passing Zone Pavement Markings and Warrants .....  | 356 |
| Section 3B.03 | Other Yellow Longitudinal Pavement Markings.....  | 358 |
| Section 3B.04 | White Lane Line Pavement Markings and Warrants.....   | 360 |
| Section 3B.05 | Other White Longitudinal Pavement Markings.....   | 374 |
| Section 3B.06 | Edge Line Pavement Markings .....   | 375 |
| Section 3B.07 | Warrants for Use of Edge Lines .....  | 375 |
| Section 3B.08 | Extensions Through Intersections or Interchanges.....                                       | 375 |
| Section 3B.09 | Lane-Reduction Transition Markings.....   | 378 |
| Section 3B.10 | Approach Markings for Obstructions.....   | 380 |
| Section 3B.11 | Raised Pavement Markers - General .....   | 380 |
| Section 3B.12 | Raised Pavement Markers as Vehicle Positioning Guides with Other Longitudinal Markings..... | 383 |
| Section 3B.13 | Raised Pavement Markers Supplementing Other Markings.....                                   | 383 |
| Section 3B.14 | Raised Pavement Markers Substituting for Pavement Markings .....                            | 384 |
| Section 3B.15 | Transverse Markings .....   | 385 |
| Section 3B.16 | Stop and Yield Lines .....  | 385 |
| Section 3B.17 | Do Not Block Intersection Markings.....   | 386 |
| Section 3B.18 | Crosswalk Markings.....   | 387 |
| Section 3B.19 | Parking Space Markings.....   | 389 |
| Section 3B.20 | Pavement Word, Symbol, and Arrow Markings .....   | 391 |
| Section 3B.21 | Speed Measurement Markings .....  | 397 |
| Section 3B.22 | Speed Reduction Markings.....   | 397 |
| Section 3B.23 | Curb Markings.....  | 398 |
| Section 3B.24 | Chevron and Diagonal Crosshatch Markings.....   | 399 |
| Section 3B.25 | Speed Hump Markings .....   | 399 |
| Section 3B.26 | Advance Speed Hump Markings.....  | 399 |

### **CHAPTER 3C. ROUNDABOUT MARKINGS**

|                |  |     |
|----------------|--|-----|
| Section 3C .01 | General .....  | 403 |
| Section 3C.02  | White Lane Line Pavement Markings for Roundabouts .....              | 417 |
| Section 3C.03  | Edge Line Pavement Markings for Roundabout Circulatory Roadways..... | 417 |
| Section 3C.04  | Yield Lines for Roundabouts.....                                     | 417 |
| Section 3C.05  | Crosswalk Markings at Roundabouts.....                               | 417 |
| Section 3C.06  | Word, Symbol, and Arrow Pavement Markings for Roundabouts.....       | 417 |
| Section 3C 07  | Markings for Other Circular Intersections.....                       | 418 |

**CHAPTER 3D MARKINGS FOR PREFERENTIAL LANES**

|               |  |     |
|---------------|--|-----|
| Section 3D.01 | Preferential Lane Word and Symbol Markings .....                 | 419 |
| Section 3D.02 | Preferential Lane Longitudinal Markings for Motor Vehicles ..... | 420 |

**CHAPTER 3E. MARKINGS FOR TOLL PLAZAS**

|               |                                |     |
|---------------|--------------------------------|-----|
| Section 3E.01 | Markings for Toll Plazas ..... | 427 |
|---------------|--------------------------------|-----|

**CHAPTER 3F DELINEATORS**

|               |  |     |
|---------------|--|-----|
| Section 3F.01 | Delineators.....                       | 428 |
| Section 3F.02 | Delineator Design.....                 | 428 |
| Section 3F.03 | Delineator Application .....           | 428 |
| Section 3F.04 | Delineator Placement and Spacing ..... | 430 |

**CHAPTER 3G COLORED PAVEMENTS**

|               |               |     |
|---------------|---------------|-----|
| Section 3G.01 | General ..... | 432 |
|---------------|---------------|-----|

**CHAPTER 3H CHANNELIZING DEVICES USED FOR EMPHASIS OF PAVEMENT MARKING PATTERNS**

|               |                           |     |
|---------------|---------------------------|-----|
| Section 3H.01 | Channelizing Devices..... | 433 |
|---------------|---------------------------|-----|

**CHAPTER 3I ISLANDS**

|               |                                     |     |
|---------------|-------------------------------------|-----|
| Section 3I.01 | General .....                       | 434 |
| Section 3I.02 | Approach-End Treatment .....        | 434 |
| Section 3I.03 | Island Marking Application.....     | 434 |
| Section 3I.04 | Island Marking Colors.....          | 434 |
| Section 3I.05 | Island Delineation.....             | 435 |
| Section 3I.06 | Pedestrian Islands and Medians..... | 435 |

**CHAPTER 3J RUMBLE STRIP MARKINGS**

|               |   |     |
|---------------|---|-----|
| Section 3J.01 | Longitudinal Rumble Strip Markings..... | 436 |
| Section 3J.02 | Transverse Rumble Strip Markings.....   | 436 |

## **PART 4 HIGHWAY TRAFFIC SIGNALS**

### **CHAPTER 4A GENERAL**

|               |   |     |
|---------------|---|-----|
| Section 4A.01 | Types .....   | 437 |
| Section 4A.02 | Definitions Relating to Highway Traffic Signals ..... | 437 |

### **CHAPTER 4B TRAFFIC CONTROL SIGNALS GENERAL**

|               |   |     |
|---------------|---|-----|
| Section 4B.01 | General .....   | 438 |
| Section 4B.02 | Basis of Installation or Removal of Traffic Control Signals ..... | 438 |
| Section 4B.03 | Advantages and Disadvantages of Traffic Control Signals .....     | 438 |
| Section 4B.04 | Alternatives to Traffic Control Signals .....                     | 439 |
| Section 4B.05 | Adequate Roadway Capacity .....                                   | 439 |

### **CHAPTER 4C TRAFFIC CONTROL SIGNAL NEEDS STUDIES**

|               |  |     |
|---------------|--|-----|
| Section 4C.01 | Studies and Factors for Justifying Traffic Control Signals ..... | 440 |
| Section 4C.02 | Warrant 1, Eight-Hour Vehicular Volume .....                     | 441 |
| Section 4C.03 | Warrant 2, Four-Hour Vehicular Volume .....                      | 444 |
| Section 4C.04 | Warrant 3, Peak Hour .....                                       | 444 |
| Section 4C.05 | Warrant 4, Pedestrian Volume .....                               | 449 |
| Section 4C.06 | Warrant 5, School Crossing .....                                 | 449 |
| Section 4C.07 | Warrant 6, Coordinated Signal System .....                       | 452 |
| Section 4C.08 | Warrant 7, Crash Experience .....                                | 452 |
| Section 4C.09 | Warrant 8, Roadway Network .....                                 | 453 |
| Section 4C.10 | Warrant 9, Intersection Near a Grade Crossing .....              | 453 |

### **CHAPTER 4D TRAFFIC CONTROL SIGNAL FEATURES**

|               |  |     |
|---------------|--|-----|
| Section 4D.01 | General .....  | 459 |
| Section 4D.02 | Responsibility for Operation and Maintenance .....                         | 459 |
| Section 4D.03 | Provisions for Pedestrians .....   | 460 |
| Section 4D.04 | Meaning of Vehicular Signal Indications .....                              | 460 |
| Section 4D.05 | Application of Steady Signal Indications .....                             | 463 |
| Section 4D.06 | Signal Indications – Design, Illumination, Color, and Shape .....          | 466 |
| Section 4D.07 | Size of Vehicular Signal Indications .....                                 | 466 |
| Section 4D.08 | Positions of Signal Indications Within a Signal Face – General .....       | 467 |
| Section 4D.09 | Positions of Signal Indications Within a Vertical Signal Face .....        | 467 |
| Section 4D.10 | Positions of Signal Indications Within a Horizontal Signal Face .....      | 469 |
| Section 4D.11 | Number of Signal Faces on an Approach .....                                | 469 |
| Section 4D.12 | Visibility, Aiming, and Shielding of Signal Faces .....                    | 471 |
| Section 4D.13 | Lateral Positioning of Signal Faces .....                                  | 473 |
| Section 4D.14 | Longitudinal Positioning of Signal Faces .....                             | 474 |
| Section 4D.15 | Mounting Height of Signal Faces .....                                      | 475 |
| Section 4D.16 | Lateral Offset (Clearance) of Signal Faces .....                           | 475 |
| Section 4D.17 | Signal Indications for Left-Turn Movements - General .....                 | 475 |
| Section 4D.18 | Signal Indications for Permissive Only Mode Left-Turn Movements .....      | 477 |
| Section 4D.19 | Signal Indications for Protected Only Mode Left-Turn Movements .....       | 479 |
| Section 4D.20 | Signal Indications for Protected/Permissive Mode Left-Turn Movements ..... | 481 |
| Section 4D.21 | Signal Indications for Right-Turn Movements - General .....                | 484 |

|               |  |     |
|---------------|--|-----|
| Section 4D.22 | Signal Indications for Permissive Only Mode Right-Turn Movements .....                                   | 485 |
| Section 4D.23 | Signal Indications for Protected Only Mode Right-Turn Movements .....                                    | 488 |
| Section 4D.24 | Signal Indications for Protected/Permissive Mode Right-Turn Movements.....                               | 490 |
| Section 4D.25 | Signal Indications for Approaches With Shared Left-Turn/Right-Turn Lanes and<br>No Through Movement..... | 494 |
| Section 4D.26 | Yellow Change and Red Clearance Intervals .....  | 495 |
| Section 4D.27 | Preemption and Priority Control of Traffic Control Signals .....   | 499 |
| Section 4D.28 | Flashing Operation of Traffic Control Signals - General .....  | 501 |
| Section 4D.29 | Flashing Operation - Transition Into Flashing Mode .....   | 501 |
| Section 4D.30 | Flashing Operation - Signal Indications During Flashing Mode.....  | 501 |
| Section 4D.31 | Flashing Operation - Transition Out of Flashing Mode .....   | 502 |
| Section 4D.32 | Temporary and Portable Traffic Control Signals. ....   | 502 |
| Section 4D.33 | Lateral Offset of Signal Supports and Cabinets .....   | 503 |
| Section 4D.34 | Use of Signs at Signalized Locations .....   | 503 |
| Section 4D.35 | Use of Pavement Markings at Signalized Locations .....   | 504 |

#### **CHAPTER 4E PEDESTRIAN CONTROL FEATURES**

|               |  |     |
|---------------|--|-----|
| Section 4E.01 | Pedestrian Signal Heads .....  | 505 |
| Section 4E.02 | Meaning of Pedestrian Signal Head Indications.....                                     | 505 |
| Section 4E.03 | Application of Pedestrian Signal Heads .....   | 505 |
| Section 4E.04 | Size, Design, and Illumination of Pedestrian Signal Head Indications .....             | 506 |
| Section 4E.05 | Location and Height of Pedestrian Signal Heads .....                                   | 507 |
| Section 4E.06 | Pedestrian Intervals and Signal Phases.....  | 507 |
| Section 4E.07 | Countdown Pedestrian Signals .....   | 509 |
| Section 4E.08 | Pedestrian Detectors .....   | 510 |
| Section 4E.09 | Accessible Pedestrian Signals and Detectors – General.....                             | 514 |
| Section 4E.10 | Accessible Pedestrian Signals and Detectors – Location .....                           | 515 |
| Section 4E.11 | Accessible Pedestrian Signals and Detectors – Walk Indications .....                   | 515 |
| Section 4E.12 | Accessible Pedestrian Signals and Detectors – Tactile Arrows and Locator Tones.....    | 517 |
| Section 4E.13 | Accessible Pedestrian Signals and Detectors – Extended Pushbutton Press Features ..... | 517 |

#### **CHAPTER 4F PEDESTRIAN HYBRID BEACONS**

|               |  |     |
|---------------|--|-----|
| Section 4F.01 | Application of Pedestrian Hybrid Beacons ..... | 519 |
| Section 4F.02 | Design of Pedestrian Hybrid Beacons .....      | 519 |
| Section 4F.03 | Operation of Pedestrian Hybrid Beacons .....   | 521 |

#### **CHAPTER 4G TRAFFIC CONTROL SIGNALS AND HYBRID BEACONS FOR EMERGENCY-VEHICLE ACCESS**

|               |   |     |
|---------------|---|-----|
| Section 4G.01 | Application of Emergency-Vehicle Traffic Control Signals and Hybrid Beacons ..... | 523 |
| Section 4G.02 | Design of Emergency-Vehicle Traffic Control Signals.....                          | 523 |
| Section 4G.03 | Operation of Emergency-Vehicle Traffic Control Signals .....                      | 523 |
| Section 4G.04 | Emergency-Vehicle Hybrid Beacons .....  | 524 |

#### **CHAPTER 4H TRAFFIC CONTROL SIGNALS FOR ONE-LANE, TWO-WAY FACILITIES**

|               |  |     |
|---------------|--|-----|
| Section 4H.01 | Application of Traffic Control Signals for One-Lane, Two-Way Facilities..... | 526 |
| Section 4H.02 | Design of Traffic Control Signals for One-Lane, Two-Way Facilities .....     | 526 |
| Section 4H.03 | Operation of Traffic Control Signals for One-Lane, Two-Way Facilities .....  | 526 |

**CHAPTER 4I TRAFFIC CONTROL SIGNALS FOR FREEWAY ENTRANCE RAMP**

|               |   |     |
|---------------|---|-----|
| Section 4I.01 | Application of Freeway Entrance Ramp Control Signals..... | 527 |
| Section 4I.02 | Design of Freeway Entrance Ramp Control Signals .....     | 527 |
| Section 4I.03 | Operation of Freeway Entrance Ramp Control Signals .....  | 528 |

**CHAPTER 4J TRAFFIC CONTROL FOR MOVABLE BRIDGES**

|               |   |     |
|---------------|---|-----|
| Section 4J.01 | Application of Traffic Control for Movable Bridges .....      | 529 |
| Section 4J.02 | Design and Location of Movable Bridge Signals and Gates ..... | 529 |
| Section 4J.03 | Operation of Movable Bridge Signals and Gates .....           | 531 |

**CHAPTER 4K HIGHWAY TRAFFIC SIGNALS AT TOLL PLAZAS**

|               |   |     |
|---------------|---|-----|
| Section 4K.01 | Traffic Signals at Toll Plazas .....                  | 532 |
| Section 4K.02 | Lane-Use Control Signals at or Near Toll Plazas ..... | 532 |
| Section 4K.03 | Warning Beacons at Toll Plazas .....                  | 532 |

**CHAPTER 4L FLASHING BEACONS**

|               |  |     |
|---------------|--|-----|
| Section 4L.01 | General Design and Operation of Flashing Beacons ..... | 533 |
| Section 4L.02 | Intersection Control Beacon .....                      | 533 |
| Section 4L.03 | Warning Beacon .....                                   | 533 |
| Section 4L.04 | Speed Limit Sign Beacon .....                          | 534 |
| Section 4L.05 | Stop Beacon.....                                       | 534 |

**CHAPTER 4M LANE-USE CONTROL SIGNALS**

|               |  |     |
|---------------|--|-----|
| Section 4M.01 | Application of Lane-Use Control Signals. ....        | 535 |
| Section 4M.02 | Meaning of Lane-Use Control Signal Indications ..... | 535 |
| Section 4M.03 | Design of Lane-Use Control Signals .....             | 536 |
| Section 4M.04 | Operation of Lane-Use Control Signals .....          | 537 |

**CHAPTER 4N IN-ROADWAY LIGHTS**

|               |   |     |
|---------------|---|-----|
| Section 4N.01 | Application of In-Roadway Lights .....        | 538 |
| Section 4N.02 | In-Roadway Warning Lights at Crosswalks ..... | 538 |

**PART 5 TRAFFIC CONTROL DEVICES FOR LOW-VOLUME ROADS****CHAPTER 5A GENERAL**

|               |                   |     |
|---------------|-------------------|-----|
| Section 5A.01 | Function.....     | 541 |
| Section 5A.02 | Application ..... | 541 |
| Section 5A.03 | Design.....       | 541 |
| Section 5A.04 | Placement .....   | 543 |

**CHAPTER 5B REGULATORY SIGNS**

|               |   |     |
|---------------|---|-----|
| Section 5B.01 | Introduction .....  | 544 |
| Section 5B.02 | STOP and YIELD Signs (R1-1 and R1-2) .....  | 544 |
| Section 5B.03 | Speed Limit Signs (R2 Series) .....   | 544 |
| Section 5B.04 | Traffic Movement and Prohibition Signs (R3, R4, R5, R6, R9, R10, R11, R12, R13,and R14 Series)... | 545 |

Section 5B.05 Parking Signs (R8 Series)..... 545  
 Section 5B.06 Other Regulatory Signs ..... 545

**CHAPTER 5C WARNING SIGNS**

Section 5C.01 Introduction ..... 546  
 Section 5C.02 Horizontal Alignment Signs (W1-1 through W1-8)..... 546  
 Section 5C.03 Intersection Warning Signs (W2-1 through W2-6) ..... 547  
 Section 5C.04 Stop Ahead and Yield Ahead Signs (W3-1, W3-2)..... 547  
 Section 5C.05 NARROW BRIDGE Sign (W5-2) ..... 547  
 Section 5C.06 ONE LANE BRIDGE Sign (W5-3) ..... 547  
 Section 5C.07 Hill Sign (W7-1)..... 547  
 Section 5C.08 PAVEMENT ENDS Sign (W8-3)..... 547  
 Section 5C.09 Vehicular Traffic Warning and Non-Vehicular Warning Signs (W1-1 Series and W8-6) ..... 547  
 Section 5C.10 Advisory Speed Plaque (W13-1P)..... 549  
 Section 5C.11 DEAD END or NO OUTLET Signs (W14-1, W14-1a, W14-2, W14-2a)..... 549  
 Section 5C.12 NO TRAFFIC SIGNS Sign (W18-1) ..... 549  
 Section 5C.13 Other Warning Signs ..... 549  
 Section 5C.14 Object Markers and Barricades ..... 549

**CHAPTER 5D GUIDE SIGNS**

Section 5D.01 Introduction ..... 550

**CHAPTER 5E MARKINGS**

Section 5E.01 Introduction ..... 551  
 Section 5E.02 Center Line Markings..... 551  
 Section 5E.03 Edge Line Markings ..... 551  
 Section 5E.04 Delineators..... 551  
 Section 5E.05 Other Markings..... 551

**CHAPTER 5F TRAFFIC CONTROL FOR HIGHWAY-RAIL GRADE CROSSINGS**

Section 5F.01 Introduction ..... 552  
 Section 5F.02 Grade Crossing (Crossbuck) Sign and Number of Tracks Plaque (R15-1, R15-2P)..... 552  
 Section 5F.03 Grade Crossing Advance Warning Signs (W10 Series) ..... 552  
 Section 5F.04 STOP and YIELD Signs (R1-1, R1-2) ..... 553  
 Section 5F.05 Pavement Markings ..... 553  
 Section 5F.06 Other Traffic Control Devices..... 553

**CHAPTER 5G TEMPORARY TRAFFIC CONTROL ZONES**

Section 5G.01 Introduction ..... 554  
 Section 5G.02 Applications..... 554  
 Section 5G.03 Channelization Devices ..... 554  
 Section 5G.04 Markings..... 555  
 Section 5G.05 Other Traffic Control Devices..... 555

**CHAPTER 5H TRAFFIC CONTROL FOR SCHOOL AREAS**

Section 5H.01 Introduction ..... 556

## **PART 6      TEMPORARY TRAFFIC CONTROL**

### **CHAPTER 6A    GENERAL**

|               |               |     |
|---------------|---------------|-----|
| Section 6A.01 | General ..... | 557 |
|---------------|---------------|-----|

### **CHAPTER 6B    FUNDAMENTAL PRINCIPLES**

|               |   |     |
|---------------|---|-----|
| Section 6B.01 | Fundamental Principles of Temporary Traffic Control ..... | 559 |
|---------------|---|-----|

### **CHAPTER 6C    TEMPORARY TRAFFIC CONTROL ELEMENTS**

|               |  |     |
|---------------|--|-----|
| Section 6C.01 | Temporary Traffic Control Plans .....  | 561 |
| Section 6C.02 | Temporary Traffic Control Zones .....  | 562 |
| Section 6C.03 | Components of Temporary Traffic Control Zones .....                                | 562 |
| Section 6C.04 | Advance Warning Area .....   | 562 |
| Section 6C.05 | Transition Area .....  | 564 |
| Section 6C.06 | Activity Area .....  | 564 |
| Section 6C.07 | Termination Area .....   | 565 |
| Section 6C.08 | Tapers .....   | 565 |
| Section 6C.09 | Detours and Diversions .....   | 568 |
| Section 6C.10 | One-Lane, Two-Way Traffic Control .....  | 568 |
| Section 6C.11 | Flagger Method of One-Lane, Two-Way Traffic Control .....                          | 568 |
| Section 6C.12 | Flag Transfer Method of One-Lane, Two-Way Traffic Control .....                    | 568 |
| Section 6C.13 | Pilot Car Method of One-Lane, Two-Way Traffic Control .....                        | 570 |
| Section 6C.14 | Temporary Traffic Control Signal Method of One-Lane, Two-Way Traffic Control ..... | 570 |
| Section 6C.15 | Stop or Yield Control Method of One-Lane, Two-Way Traffic Control .....            | 570 |

### **CHAPTER 6D    PEDESTRIAN AND WORKER SAFETY**

|               |                                    |     |
|---------------|------------------------------------|-----|
| Section 6D.01 | Pedestrian Considerations .....    | 571 |
| Section 6D.02 | Accessibility Considerations ..... | 573 |
| Section 6D.03 | Worker Safety Considerations ..... | 574 |

### **CHAPTER 6E    FLAGGER CONTROL**

|               |  |     |
|---------------|--|-----|
| Section 6E.01 | Qualifications for Flaggers .....                          | 576 |
| Section 6E.02 | High-Visibility Safety Apparel .....                       | 576 |
| Section 6E.03 | Hand-Signaling Devices .....                               | 576 |
| Section 6E.04 | Automated Flagger Assistance Devices .....                 | 577 |
| Section 6E.05 | STOP/SLOW Automated Flagger Assistance Devices .....       | 579 |
| Section 6E.06 | Red/Yellow Lens Automated Flagger Assistance Devices ..... | 581 |
| Section 6E.07 | Flagger Procedures .....                                   | 583 |
| Section 6E.08 | Flagger Stations .....                                     | 585 |

### **CHAPTER 6F    TEMPORARY TRAFFIC CONTROL ZONE DEVICES**

|               |  |     |
|---------------|--|-----|
| Section 6F.01 | Types of Devices .....                 | 586 |
| Section 6F.02 | General Characteristics of Signs ..... | 586 |
| Section 6F.03 | Sign Placement .....                   | 587 |
| Section 6F.04 | Sign Maintenance .....                 | 593 |
| Section 6F.05 | Regulatory Sign Authority .....        | 593 |

Section 6F.06 Regulatory Sign Design..... 593

Section 6F.07 Regulatory Sign Applications..... 593

Section 6F.08 ROAD (STREET) CLOSED Sign (R11-2) ..... 593

Section 6F.09 Local Traffic Only Signs (R11-3a, R11-4)..... 595

Section 6F.10 Weight Limit Signs (R12-1, R12-2, R12-5) ..... 595

Section 6F.11 STAY IN LANE Sign (R4-9)..... 596

Section 6F.12 Work Zone and Higher Fines Signs and Plaques ..... 596

Section 6F.13 PEDESTRIAN CROSSWALK Sign (R9-8) ..... 596

Section 6F.14 SIDEWALK CLOSED Signs (R9-9, R9-10, R9-11, R9-11a)..... 596

Section 6F.15 Special Regulatory Signs ..... 597

Section 6F.16 Warning Sign Function, Design, and Application..... 597

Section 6F.17 Position of Advance Warning Signs..... 597

Section 6F.18 ROAD (STREET) WORK Sign (W20-1) ..... 601

Section 6F.19 DETOUR Sign (W20-2) ..... 601

Section 6F.20 ROAD (STREET) CLOSED Sign (W20-3)..... 601

Section 6F.21 ONE LANE ROAD Sign (W20-4)..... 601

Section 6F.22 Lane(s) Closed Signs (W20-5, W20-5a) ..... 601

Section 6F.23 CENTER LANE CLOSED AHEAD Sign (W9-3) ..... 602

Section 6F.24 Lane Ends Sign (W4-2)..... 602

Section 6F.25 ON RAMP Plaque (W13-4P) ..... 602

Section 6F.26 RAMP NARROWS Sign (W5-4)..... 602

Section 6F.27 SLOW TRAFFIC AHEAD Sign (W23-1) ..... 602

Section 6F.28 EXIT OPEN and EXIT CLOSED Signs (E5-2, E5-2a) ..... 602

Section 6F.29 EXIT ONLY Sign (E5-3) ..... 603

Section 6F.30 NEW TRAFFIC PATTERN AHEAD Sign (W23-2)..... 603

Section 6F.31 Flagger Signs (W20-7, W20-7a) ..... 603

Section 6F.32 Two-Way Traffic Sign (W6-3)..... 603

Section 6F.33 Workers Signs (W21-1, W21-1a)..... 603

Section 6F.34 FRESH OIL (TAR) Sign (W21-2) ..... 603

Section 6F.35 ROAD MACHINERY AHEAD Sign (W21-3)..... 603

Section 6F.36 Motorized Traffic Signs (W8-6, W11-10)..... 604

Section 6F.37 Shoulder Work Signs (W21-5, W21-5a, W21-5b) ..... 604

Section 6F.38 SURVEY CREW Sign (W21-6) ..... 604

Section 6F.39 UTILITY WORK Sign (W21-7) ..... 604

Section 6F.40 Signs for Blasting Areas ..... 604

Section 6F.41 BLASTING ZONE AHEAD Sign (W22-1)..... 605

Section 6F.42 TURN OFF 2-WAY RADIO AND CELL PHONE Sign (W22-2) ..... 605

Section 6F.43 END BLASTING ZONE Sign (W22-3) ..... 605

Section 6F.44 Shoulder Signs and Plaque (W8-4, W8-9, W8-17, and W8-17P) ..... 605

Section 6F.45 UNEVEN LANES Sign (W8-11)..... 605

Section 6F.46 STEEL PLATE AHEAD Sign (W8-24)..... 605

Section 6F.47 NO CENTER LINE Sign (W8-12)..... 605

Section 6F.48 Reverse Curve Signs (W1-4 Series) ..... 606

Section 6F.49 Double Reverse Curve Signs (W24-1 Series) ..... 606

Section 6F.50 Other Warning Signs ..... 606

Section 6F.51 Special Warning Signs ..... 606

Section 6F.52 Advisory Speed Plaque (W13-1P)..... 606

Section 6F.53 Supplementary Distance Plaque (W7-3aP) ..... 607

|               |  |     |
|---------------|--|-----|
| Section 6F.54 | Motorcycle Plaque (W8-15P).....  | 607 |
| Section 6F.55 | Guide Signs .....  | 607 |
| Section 6F.56 | ROAD WORK NEXT XX MILES Sign (G20-1) .....                                   | 607 |
| Section 6F.57 | END ROAD WORK Sign (G20-2) .....   | 608 |
| Section 6F.58 | PILOT CAR FOLLOW ME Sign (G20-4).....  | 608 |
| Section 6F.59 | Detour Signs (M4-8, M4-8a, M4-8b, M4-9, M4-9a, M4-9b, M4-9c, and M4-10)..... | 608 |
| Section 6F.60 | Portable Changeable Message Signs .....                                      | 608 |
| Section 6F.61 | Arrow Boards .....   | 611 |
| Section 6F.62 | High-Level Warning Devices (Flag Trees).....                                 | 613 |
| Section 6F.63 | Channelizing Devices .....   | 614 |
| Section 6F.64 | Cones .....  | 616 |
| Section 6F.65 | Tubular Markers .....  | 616 |
| Section 6F.66 | Vertical Panels.....   | 617 |
| Section 6F.67 | Drums .....  | 617 |
| Section 6F.68 | Type 1, 2, or 3 Barricades .....   | 617 |
| Section 6F.69 | Direction Indicator Barricades .....   | 619 |
| Section 6F.70 | Temporary Traffic Barriers as Channelizing Devices .....                     | 619 |
| Section 6F.71 | Longitudinal Channelizing Devices .....                                      | 619 |
| Section 6F.72 | Temporary Lane Separators .....  | 620 |
| Section 6F.73 | Other Channelizing Devices .....   | 620 |
| Section 6F.74 | Detectable Edging for Pedestrians.....                                       | 620 |
| Section 6F.75 | Temporary Raised Islands .....   | 621 |
| Section 6F.76 | Opposing Traffic Lane Divider and Sign (W6-4).....                           | 621 |
| Section 6F.77 | Pavement Markings .....  | 622 |
| Section 6F.78 | Temporary Markings .....   | 622 |
| Section 6F.79 | Temporary Raised Pavement Markers .....                                      | 623 |
| Section 6F.80 | Delineators.....   | 623 |
| Section 6F.81 | Lighting Devices .....   | 624 |
| Section 6F.82 | Floodlights.....   | 624 |
| Section 6F.83 | Warning Lights.....  | 624 |
| Section 6F.84 | Temporary Traffic Control Signals .....                                      | 625 |
| Section 6F.85 | Temporary Traffic Barriers .....   | 626 |
| Section 6F.86 | Crash Cushions.....  | 627 |
| Section 6F.87 | Rumble Strips .....  | 628 |
| Section 6F.88 | Screens.....   | 628 |

## **CHAPTER 6G TYPE OF TEMPORARY TRAFFIC CONTROL ZONE ACTIVITIES**

|               |  |     |
|---------------|--|-----|
| Section 6G.01 | Typical Applications .....                               | 629 |
| Section 6G.02 | Work Duration.....                                       | 629 |
| Section 6G.03 | Location of Work .....                                   | 631 |
| Section 6G.04 | Modifications To Fulfill Special Needs.....              | 631 |
| Section 6G.05 | Work Affecting Pedestrian and Bicycle Facilities.....    | 632 |
| Section 6G.06 | Work Outside of the Shoulder .....                       | 632 |
| Section 6G.07 | Work on the Shoulder with No Encroachment.....           | 633 |
| Section 6G.08 | Work on the Shoulder with Minor Encroachment.....        | 634 |
| Section 6G.09 | Work Within the Median.....                              | 634 |
| Section 6G.10 | Work Within the Traveled Way of a Two-Lane Highway ..... | 634 |

|               |   |     |
|---------------|---|-----|
| Section 6G.11 | Work Within the Traveled Way of an Urban Street .....                             | 635 |
| Section 6G.12 | Work Within the Traveled Way of a Multi-Lane, Non-Access Controlled Highway ..... | 635 |
| Section 6G.13 | Work Within the Traveled Way at an Intersection .....                             | 636 |
| Section 6G.14 | Work Within the Traveled Way of a Freeway or Expressway .....                     | 637 |
| Section 6G.15 | Two-Lane, Two-Way Traffic on One Roadway of a Normally Divided Highway .....      | 638 |
| Section 6G.16 | Crossovers .....  | 638 |
| Section 6G.17 | Interchanges.....   | 638 |
| Section 6G.18 | Work in the Vicinity of a Grade Crossing .....                                    | 639 |
| Section 6G.19 | Temporary Traffic Control During Nighttime Hours.....                             | 639 |

**CHAPTER 6H TYPICAL APPLICATIONS**

|               |                            |     |
|---------------|----------------------------|-----|
| Section 6H.01 | Typical Applications ..... | 641 |
|---------------|----------------------------|-----|

**CHAPTER 6I CONTROL OF TRAFFIC THROUGH TRAFFIC INCIDENT MANAGEMENT AREAS**

|               |  |     |
|---------------|--|-----|
| Section 6I.01 | General .....                          | 748 |
| Section 6I.02 | Major Traffic Incidents.....           | 749 |
| Section 6I.03 | Intermediate Traffic Incidents .....   | 750 |
| Section 6I.04 | Minor Traffic Incidents .....          | 750 |
| Section 6I.05 | Use of Emergency-Vehicle Lighting..... | 751 |

**PART 7 TRAFFIC CONTROL FOR SCHOOL AREAS**

**CHAPTER 7A GENERAL**

|               |   |     |
|---------------|---|-----|
| Section 7A.01 | Need for Standards .....                            | 753 |
| Section 7A.02 | School Routes and Established School Crossings..... | 753 |
| Section 7A.03 | School Crossing Control Criteria .....              | 753 |
| Section 7A.04 | Scope .....   | 754 |

**CHAPTER 7B SIGNS**

|               |  |     |
|---------------|--|-----|
| Section 7B.01 | Size of School Signs.....  | 755 |
| Section 7B.02 | Illumination and Reflectorization.....   | 756 |
| Section 7B.03 | Position of Signs.....   | 756 |
| Section 7B.04 | Height of Signs .....  | 756 |
| Section 7B.05 | Installation of Signs.....   | 756 |
| Section 7B.06 | Lettering .....  | 756 |
| Section 7B.07 | Sign Color for School Warning Signs .....  | 756 |
| Section 7B.08 | School Sign (S1-1) and Plaques .....   | 756 |
| Section 7B.09 | School Zone Sign (S1-1) and Plaques (S4-3P, S4-7P) and END SCHOOL ZONE Sign (S5-2) .....                           | 758 |
| Section 7B.10 | Higher Fines Zone Signs (R2-10, R2-11) and Plaques.....  | 758 |
| Section 7B.11 | School Advance Crossing Assembly.....  | 758 |
| Section 7B.12 | School Crossing Assembly.....  | 763 |
| Section 7B.13 | School Bus Stop Ahead Sign (S3-1).....   | 764 |
| Section 7B.14 | SCHOOL BUS TURN AHEAD Sign (S3-2).....   | 764 |
| Section 7B.15 | School Speed Limit Assembly (S4-1P, S4-2P, S4-3P, S4-4P, S4-6P, S5-1) and END SCHOOL SPEED LIMIT Sign (S5-3) ..... | 764 |

|               |   |     |
|---------------|---|-----|
| Section 7B.16 | Reduced School Speed Limit Ahead Sign (S4-5, S4-5a) ..... | 765 |
| Section 7B.17 | Parking and Stopping Signs (R7 and R8 Series) .....       | 766 |

## **CHAPTER 7C MARKINGS**

|               |   |     |
|---------------|---|-----|
| Section 7C.01 | Functions and Limitations .....                 | 767 |
| Section 7C.02 | Crosswalk Markings .....                        | 767 |
| Section 7C.03 | Pavement Word, Symbol, and Arrow Markings ..... | 767 |

## **CHAPTER 7D CROSSING SUPERVISION**

|               |  |     |
|---------------|--|-----|
| Section 7D.01 | Types of Crossing Supervision .....                  | 768 |
| Section 7D.02 | Adult Crossing Guards .....                          | 768 |
| Section 7D.03 | Qualifications of Adult Crossing Guards .....        | 768 |
| Section 7D.04 | Uniform of Adult Crossing Guards .....               | 768 |
| Section 7D.05 | Operating Procedures for Adult Crossing Guards ..... | 768 |
| Section 7D.06 | Student Patrols .....                                | 769 |
| Section 7D.07 | Choice of Student Patrols .....                      | 769 |
| Section 7D.08 | Operating Procedures for Student Patrols .....       | 769 |

## **PART 8 TRAFFIC CONTROL FOR RAILROAD AND LIGHT RAIL TRANSIT GRADE CROSSINGS**

### **CHAPTER 8A GENERAL**

|               |   |     |
|---------------|---|-----|
| Section 8A.01 | Introduction .....  | 771 |
| Section 8A.02 | Use of Standard Devices, Systems, and Practices at Highway-Rail Grade Crossings ..... | 772 |
| Section 8A.03 | Use of Standard Devices, Systems, and Practices at Highway-LRT Grade Crossings .....  | 772 |
| Section 8A.04 | Uniform Provisions .....  | 773 |
| Section 8A.05 | Grade Crossing Elimination .....  | 773 |
| Section 8A.06 | Illumination at Grade Crossings .....   | 774 |
| Section 8A.07 | Quiet Zone Treatments at Highway-Rail Grade Crossings .....                           | 774 |
| Section 8A.08 | Temporary Traffic Control Zones .....   | 774 |

### **CHAPTER 8B SIGNS AND MARKINGS**

|               |   |     |
|---------------|---|-----|
| Section 8B.01 | Purpose .....   | 775 |
| Section 8B.02 | Sizes of Grade Crossing Signs .....   | 775 |
| Section 8B.03 | Grade Crossing (Crossbuck) Sign (R15-1) and Number of Tracks Plaque (R15-2P)<br>at Active and Passive Grade Crossings ..... | 775 |
| Section 8B.04 | Crossbuck Assemblies with YIELD or STOP Signs at Passive Grade Crossings .....  | 778 |
| Section 8B.05 | Use of STOP (R1-1) or YIELD (R1-2) Signs without Crossbuck Signs at<br>Highway-LRT Grade Crossings .....                    | 782 |
| Section 8B.06 | Grade Crossing Advance Warning Signs (W10 Series) .....   | 782 |
| Section 8B.07 | EXEMPT Grade Crossing Plaques (R15-3P, W10-1aP) .....   | 783 |
| Section 8B.08 | Turn Restrictions During Preemption .....   | 784 |
| Section 8B.09 | DO NOT STOP ON TRACKS Sign (R8-8) .....   | 784 |
| Section 8B.10 | TRACKS OUT OF SERVICE Sign (R8-9) and TRAIN TRAFFIC RESUMED-<br>TRACKS IN SERVICE Sign (W10-Y12a) .....                     | 784 |
| Section 8B.11 | STOP HERE WHEN FLASHING Signs (R8-10, R8-10a) .....   | 785 |
| Section 8B.12 | STOP HERE ON RED Signs (R10-6, R10-6a) .....  | 785 |

Section 8B.13 Light Rail Transit Only Lane Signs (R15-4 Series) ..... 785

Section 8B.14 Do Not Pass Light Rail Transit Signs (R15-5, R15-5a) ..... 786

Section 8B.15 No Motor Vehicles On Tracks Signs (R15-6, R15-6a) ..... 786

Section 8B.16 Divided Highway with Light Rail Transit Crossing Signs (R15-7 Series)..... 786

Section 8B.17 LOOK Sign (R15-8)..... 786

Section 8B.18 Emergency Notification Sign (I-13)..... 786

Section 8B.19 Light Rail Transit Approaching-Activated Blank-Out Warning Sign (W10-7)..... 787

Section 8B.20 TRAINS MAY EXCEED 80 MPH Sign (W10-8)..... 787

Section 8B.21 NO TRAIN HORN Sign or Plaque (W10-9, W10-9P) ..... 787

Section 8B.22 NO GATES OR LIGHTS Plaque (W10-13P)..... 787

Section 8B.23 Low Ground Clearance Grade Crossing Sign (W10-5)..... 787

Section 8B.24 Storage Space Signs (W10-11, W10-11a, W10-11b),W10-Y11c, W10-Y11d,  
and W10-Y11e) ..... 788

Section 8B.25 Skewed Crossing Sign (W10-12) ..... 788

Section 8B.26 Light Rail Transit Station Sign (I-12)..... 789

Section 8B.27 Pavement Markings ..... 789

Section 8B.28 Stop and Yield Lines ..... 791

Section 8B.29 Dynamic Envelope Markings ..... 792

**CHAPTER 8C FLASHING-LIGHT SIGNALS, GATES, AND TRAFFIC CONTROL SIGNALS**

Section 8C.01 Introduction ..... 794

Section 8C.02 Flashing-Light Signals..... 794

Section 8C.03 Flashing-Light Signals at Highway-LRT Grade Crossings ..... 797

Section 8C.04 Automatic Gates ..... 797

Section 8C.05 Use of Automatic Gates at LRT Grade Crossings ..... 798

Section 8C.06 Four-Quadrant Gate Systems ..... 798

Section 8C.07 Wayside Horn Systems..... 800

Section 8C.08 Rail Traffic Detection..... 800

Section 8C.09 Traffic Control Signals at or Near Highway-Rail Grade Crossings ..... 801

Section 8C.10 Traffic Control Signals at or Near Highway-LRT Grade Crossings ..... 802

Section 8C.11 Use of Traffic Control Signals for Control of LRT Vehicles at Grade Crossings..... 803

Section 8C.12 Grade Crossings Within or In Close Proximity to Circular Intersections ..... 805

Section 8C.13 Pedestrian and Bicycle Signals and Crossings at LRT Grade Crossings ..... 805

**CHAPTER 8D PATHWAY GRADE CROSSINGS**

Section 8D.01 Purpose ..... 811

Section 8D.02 Use of Standard Devices, Systems, and Practices ..... 811

Section 8D.03 Pathway Grade Crossing Signs and Markings ..... 811

Section 8D.04 Stop Lines, Edge Lines, and Detectable Warnings ..... 811

Section 8D.05 Passive Devices for Pathway Grade Crossings ..... 812

Section 8D.06 Active Traffic Control Systems for Pathway Grade Crossings ..... 813

**PART 9 TRAFFIC CONTROL FOR BICYCLE FACILITIES**

**CHAPTER 9A GENERAL**

Section 9A.01 Requirements for Bicyclist Traffic Control Devices ..... 815

Section 9A.02 Scope ..... 815

|               |   |     |
|---------------|---|-----|
| Section 9A.03 | Definitions Relating to Bicycles.....                   | 815 |
| Section 9A.04 | Maintenance .....                                       | 815 |
| Section 9A.05 | Relation to Other Documents .....                       | 815 |
| Section 9A.06 | Placement Authority .....                               | 815 |
| Section 9A.07 | Meaning of Standard, Guidance, Option, and Support..... | 815 |
| Section 9A.08 | Colors .....  | 815 |

## **CHAPTER 9B SIGNS**

|               |  |     |
|---------------|--|-----|
| Section 9B.01 | Application and Placement of Signs.....  | 816 |
| Section 9B.02 | Design of Bicycle Signs .....  | 816 |
| Section 9B.03 | STOP and YIELD Signs (R1-1, R1-2).....   | 818 |
| Section 9B.04 | Bike Lane Signs and Plaques (R3-17, R3-17aP, R3-17bP).....   | 820 |
| Section 9B.05 | BEGIN RIGHT TURN LANE YIELD TO BIKES Sign (R4-4) .....   | 820 |
| Section 9B.06 | Bicycles May Use Full Lane Sign (R4-11) .....  | 820 |
| Section 9B.07 | Bicycle WRONG WAY Sign and RIDE WITH TRAFFIC Plaque (R5-1b, R9-3cP).....   | 820 |
| Section 9B.08 | NO MOTOR VEHICLES Sign (R5-3).....   | 821 |
| Section 9B.09 | Selective Exclusion Signs.....   | 821 |
| Section 9B.10 | No Parking Bike Lane Signs (R7-9, R7-9a) .....   | 821 |
| Section 9B.11 | Bicycle Regulatory Signs (R9-5, R9-6, R10-4, R10-24, R10-25, and R10-26) .....   | 821 |
| Section 9B.12 | Shared-Use Path Restriction Sign (R9-7).....   | 821 |
| Section 9B.13 | Bicycle Signal Actuation Sign (R10-22).....  | 822 |
| Section 9B.14 | Other Regulatory Signs .....   | 822 |
| Section 9B.15 | Turn or Curve Warning Signs (W1 Series) .....  | 822 |
| Section 9B.16 | Intersection Warning Signs (W2 Series) .....   | 822 |
| Section 9B.17 | Bicycle Surface Condition Warning Sign (W8-10).....  | 822 |
| Section 9B.18 | Bicycle Warning and Combined Bicycle/Pedestrian Signs (W11-1 and W11-15) .....   | 822 |
| Section 9B.19 | Other Bicycle Warning Signs .....  | 824 |
| Section 9B.20 | Bicycle Guide Signs (D1-1b, D1-1c, D1-2b, D1-2c, D1-3b, D1-3c, D11-1, D11-1c) .....                                      | 824 |
| Section 9B.21 | Bicycle Route Signs (M1-8, M1-8a, M1-9) .....  | 826 |
| Section 9B.22 | Bicycle Route Sign Auxiliary Plaques .....   | 828 |
| Section 9B.23 | Bicycle Parking Area Sign (D4-3).....  | 830 |
| Section 9B.24 | Reference Location Signs (D10-1 through D10-3) and Intermediate Reference<br>Location Signs (D10-1a through D10-3a)..... | 830 |
| Section 9B.25 | Mode-Specific Guide Signs for Shared-Use Paths (D11-1a, D11-2, D11-3, D11-4).....  | 831 |
| Section 9B.26 | Object Markers .....   | 831 |

## **CHAPTER 9C MARKINGS**

|               |  |     |
|---------------|--|-----|
| Section 9C.01 | Functions of Markings.....                           | 832 |
| Section 9C.02 | General Principles .....                             | 832 |
| Section 9C.03 | Marking Patterns and Colors on Shared-Use Paths..... | 832 |
| Section 9C.04 | Markings For Bicycle Lanes .....                     | 832 |
| Section 9C.05 | Bicycle Detector Symbol.....                         | 836 |
| Section 9C.06 | Pavement Markings for Obstructions.....              | 836 |
| Section 9C.07 | Shared Lane Marking .....                            | 836 |

**CHAPTER 9D SIGNALS**

|               |                                     |     |
|---------------|-------------------------------------|-----|
| Section 9D.01 | Application .....                   | 842 |
| Section 9D.02 | Signal Operations for Bicycles..... | 842 |

|   |      |
|---|------|
| <b>APPENDIX A1. CONGRESSIONAL LEGISLATION</b> ..... | A1-1 |
| <b>APPENDIX A2. METRIC CONVERSIONS</b> .....        | A2-1 |

## FIGURES

|              | <u>Page</u>   |
|--------------|---|
| Figure 1A-1  | Process for Requesting and Conducting Experimentations for New Traffic Control Devices... 5   |
| Figure 1A-2  | Process for Incorporating New Traffic Control Devices into the MUTCD ..... 8  |
| Figure 2A-1  | Examples of Enhanced Conspicuity for Signs ..... 37   |
| Figure 2A-2  | Examples of Heights and Lateral Locations of Sign Installations..... 38   |
| Figure 2A-3  | Examples of Locations for Some Typical Signs at Intersections ..... 39  |
| Figure 2A-4  | Relative Locations of Regulatory, Warning, and Guide Signs on an Intersection Approach... 40  |
| Figure 2B-1  | STOP and YIELD Signs and Plaques..... 51  |
| Figure 2B-2  | Unsignalized Pedestrian Crosswalk Signs..... 55   |
| Figure 2B-3  | Speed Limit and Photo Enforcement Signs and Plaques..... 57   |
| Figure 2B-4  | Movement Prohibition and Lane Control Signs and Plaques ..... 60  |
| Figure 2B-5  | Intersection Lane Control Sign Arrow Options for Roundabouts ..... 62   |
| Figure 2B-6  | Center and Reversible Lane Control Signs and Plaques ..... 65   |
| Figure 2B-7  | Location of Reversible Two-Way Left-Turn Signs..... 66  |
| Figure 2B-8  | Jughandle Regulatory Signs ..... 68   |
| Figure 2B-9  | Examples of Applications of Jughandle Regulatory and Guide Signing ..... 69   |
| Figure 2B-10 | Passing, Keep Right, and Slow Traffic Signs..... 72   |
| Figure 2B-11 | Selective Exclusion Signs..... 75   |
| Figure 2B-12 | Locations of Wrong-Way Signing for Divided Highways with Median Widths of 30 Feet or Wider..... 76  |
| Figure 2B-13 | ONE WAY and Divided Highway Crossing Signs ..... 78   |
| Figure 2B-14 | Locations of ONE WAY Signs ..... 79   |
| Figure 2B-15 | ONE WAY Signing for Divided Highways with Median Widths of 30 Feet or Wider ..... 80  |
| Figure 2B-16 | ONE WAY Signing for Divided Highways with Median Widths Narrower Than 30 Feet ..... 81  |
| Figure 2B-17 | ONE WAY Signing for Divided Highways with Median Widths Narrower Than 30 Feet and Separated Left-Turn Lanes ..... 82  |
| Figure 2B-18 | Example of Application of Regulatory Signing and Pavement Markings at an Exit Ramp Termination to Deter Wrong-Way Entry..... 83   |
| Figure 2B-19 | Example of Application of Regulatory Signing and Pavement Markings at an Entrance Ramp Terminal Where the Design Does Not Clearly Indicate the Direction of Flow ..... 83 |
| Figure 2B-20 | Roundabout Signs and Plaques ..... 84   |
| Figure 2B-21 | Example of Regulatory and Warning Signs for a Mini-Roundabout ..... 85  |
| Figure 2B-22 | Example of Regulatory and Warning Signs for a One-Lane Roundabout ..... 86  |
| Figure 2B-23 | Example of Regulatory and Warning Signs for a Two-Lane Roundabout with Consecutive Double Lefts ..... 87  |
| Figure 2B-24 | Parking and Standing Signs and Plaques (R7 Series)..... 88  |
| Figure 2B-25 | Parking and Stopping Signs and Plaques (R8 Series) ..... 90   |
| Figure 2B-26 | Pedestrian Signs and Plaques ..... 93   |
| Figure 2B-27 | Traffic Signal Signs and Plaques..... 96  |
| Figure 2B-28 | Ramp Metering Signs ..... 97  |
| Figure 2B-29 | Road Closed and Weight Limit Signs ..... 98   |
| Figure 2B-30 | Truck Signs..... 99   |
| Figure 2B-31 | Headlight Use Signs ..... 100   |

|              |   |     |
|--------------|---|-----|
| Figure 2B-32 | Other Regulatory Signs and Symbols.....   | 101 |
| Figure 2C-1  | Horizontal Alignment Signs and Plaques .....  | 109 |
| Figure 2C-2  | Example of Warning Signs for a Turn.....  | 111 |
| Figure 2C-3  | Example of Advisory Speed Signing for an Exit Ramp .....  | 116 |
| Figure 2C-4  | Vertical Grade Signs and Plaques .....  | 117 |
| Figure 2C-5  | Miscellaneous Warning Signs .....   | 118 |
| Figure 2C-6  | Roadway and Weather Condition and Advance Traffic Control Signs and Plaques.....  | 121 |
| Figure 2C-7  | Reduced Speed Limit Ahead Signs .....   | 124 |
| Figure 2C-8  | Merging and Passing Signs and Plaques .....   | 125 |
| Figure 2C-9  | Intersection Warning Signs and Plaques .....  | 127 |
| Figure 2C-10 | Vehicular Traffic Warning Signs and Plaques .....   | 129 |
| Figure 2C-11 | Non-Vehicular Warning Signs .....   | 130 |
| Figure 2C-12 | Supplemental Warning Plaques.....   | 132 |
| Figure 2C-13 | Object Markers .....  | 135 |
| Figure 2D-1  | Examples of Color-Coded Destination Guide Signs .....   | 138 |
| Figure 2D-2  | Arrows for Use on Guide Signs.....  | 141 |
| Figure 2D-3  | Route Signs.....  | 143 |
| Figure 2D-4  | Route Sign Auxiliaries .....  | 145 |
| Figure 2D-5  | Advance Turn and Directional Arrow Auxiliary Signs.....   | 147 |
| Figure 2D-6  | Illustration of Directional Assemblies and Other Route Signs (for One Direction of Travel Only) .....                           | 149 |
| Figure 2D-7  | Destination and Distance Signs .....  | 156 |
| Figure 2D-8  | Destination Signs for Roundabouts .....   | 159 |
| Figure 2D-9  | Examples of Guide Signs for Roundabouts.....  | 160 |
| Figure 2D-10 | Street Name and Parking Signs .....   | 163 |
| Figure 2D-11 | Example of Interchange Crossroad Signing for a One-Lane Approach .....  | 166 |
| Figure 2D-12 | Example of Minor Interchange Crossroad Signing .....  | 167 |
| Figure 2D-13 | Examples of Multi-Lane Crossroad Signing for a Diamond Interchange .....  | 168 |
| Figure 2D-14 | Examples of Multi-Lane Crossroad Signing for a Partial Cloverleaf Interchange.....  | 169 |
| Figure 2D-15 | Examples of Multi-Lane Crossroad Signing for a Cloverleaf Interchange .....   | 170 |
| Figure 2D-16 | Example of Crossroad Signing for an Entrance Ramp with a Nearby Frontage Road.....  | 171 |
| Figure 2D-17 | Example of Weigh Station Signing .....  | 174 |
| Figure 2D-18 | Examples of Community Wayfinding Guide Signs .....  | 175 |
| Figure 2D-19 | Example of a Community Wayfinding Guide Sign System Showing Direction from a Freeway or Expressway.....                         | 176 |
| Figure 2D-20 | Example of a Color-Coded Community Wayfinding Guide Sign System .....   | 177 |
| Figure 2D-21 | Crossover, Truck Lane, and Slow Vehicle Signs .....   | 179 |
| Figure 2D-22 | Examples of Use of the National Scenic Byways Sign .....  | 181 |
| Figure 2E-1  | Example of Guide Sign Spreading .....   | 186 |
| Figure 2E-2  | Pull-Through Signs.....   | 186 |
| Figure 2E-3  | Overhead Arrow-per-Lane Guide Sign for a Multi-Lane Exit with an Option Lane .....  | 196 |
| Figure 2E-4  | Overhead Arrow-per-Lane Guide Signs for a Two-Lane Exit to the Right with an Option Lane.....                                   | 197 |
| Figure 2E-5  | Overhead Arrow-per-Lane Guide Signs for a Two-Lane Exit to the Right with an Option Lane (Through Lanes Curve to the Left)..... | 198 |
| Figure 2E-6  | Overhead Arrow-per-Lane Guide Signs for a Split with an Option Lane .....   | 199 |
| Figure 2E-7  | Diagrammatic Guide Sign for a Multi-Lane Exit with an Option Lane .....   | 201 |
| Figure 2E-8  | Diagrammatic Guide Signs for a Two-Lane Exit to the Right with an Option Lane.....  | 202 |

|              |  |     |
|--------------|--|-----|
| Figure 2E-9  | Diagrammatic Guide Signs for a Two-Lane Exit to the Right with an Option Lane (Through Lanes Curve to the Left)..... | 203 |
| Figure 2E-10 | Diagrammatic Guide Signs for a Split with an Option Lane.....  | 204 |
| Figure 2E-11 | Example of Signing for a Two-Lane Intermediate or Minor Interchange Exit with an Option Lane and a Dropped Lane..... | 206 |
| Figure 2E-12 | Example of Signing for a Two-Lane Intermediate or Minor Interchange Exit with Option and Auxiliary Lanes .....       | 207 |
| Figure 2E-13 | EXIT ONLY and LEFT Sign Panels.....  | 208 |
| Figure 2E-14 | Guide Signs for a Split with Dedicated Lanes.....  | 209 |
| Figure 2E-15 | Guide Signs for a Single-Lane Exit to the Left with a Dropped Lane.....  | 210 |
| Figure 2E-16 | Guide Signs for a Single-Lane Exit to the Right with a Dropped Lane .....  | 211 |
| Figure 2E-17 | Interstate, Off-Interstate, and U.S. Route Signs .....   | 212 |
| Figure 2E-18 | Eisenhower Interstate System Signs.....  | 213 |
| Figure 2E-19 | Example of Interchange Numbering for Mainline and Circumferential Routes .....                                       | 215 |
| Figure 2E-20 | Example of Interchange Numbering for Mainline, Loop, and Spur Routes.....  | 216 |
| Figure 2E-21 | Example of Interchange Numbering for Overlapping Routes.....   | 217 |
| Figure 2E-22 | Examples of Interchange Advance Guide Signs, Exit Number Plaques, and LEFT Plaque....                                | 219 |
| Figure 2E-23 | Next Exit Plaques .....  | 220 |
| Figure 2E-24 | Supplemental Guide Sign for a Multi-Exit Interchange.....  | 221 |
| Figure 2E-25 | Supplemental Guide Sign for a Park - Ride Facility .....   | 221 |
| Figure 2E-26 | Examples of Interchange Exit Direction Signs.....  | 222 |
| Figure 2E-27 | Interchange Exit Direction Sign with an Advisory Speed Panel.....  | 223 |
| Figure 2E-28 | Exit Gore Signs.....   | 224 |
| Figure 2E-29 | Post-Interchange Distance Sign.....  | 225 |
| Figure 2E-30 | Example of Using an Interchange Sequence Sign for Closely-Spaced Interchanges.....                                   | 226 |
| Figure 2E-31 | Interchange Sequence Sign.....   | 227 |
| Figure 2E-32 | Community Interchanges Identification Sign.....  | 227 |
| Figure 2E-33 | NEXT EXITS Sign.....   | 227 |
| Figure 2E-34 | Examples of Guide Signs for a Freeway-to-Freeway Interchange.....  | 229 |
| Figure 2E-35 | Examples of Guide Signs for a Full Cloverleaf Interchange.....   | 231 |
| Figure 2E-36 | Examples of Guide Signs for a Full Cloverleaf Interchange with Collector-Distributor Roadways.....                   | 233 |
| Figure 2E-37 | Examples of Guide Signs for a Partial Cloverleaf Interchange.....  | 234 |
| Figure 2E-38 | Examples of Guide Signs for a Diamond Interchange .....  | 235 |
| Figure 2E-39 | Examples of Guide Signs for a Diamond Interchange in an Urban Area.....  | 237 |
| Figure 2E-40 | Examples of Guide Signs for a Minor Interchange .....  | 238 |
| Figure 2F-1  | Examples of ETC Account Pictographs and Use of Purple Backgrounds and Underlay Panels.....                           | 241 |
| Figure 2F-2  | Toll Plaza Regulatory Signs and Plaques .....  | 242 |
| Figure 2F-3  | Toll Plaza Warning Signs and Plaques.....  | 243 |
| Figure 2F-4  | ETC Account-Only Auxiliary Signs for Use in Route Sign Assemblies .....  | 245 |
| Figure 2F-5  | Examples of Guide Signs for Entrances to Toll Highways or Ramps.....   | 247 |
| Figure 2F-6  | Examples of Guide Signs for the Entrance to a Toll Highway on which Tolls are Collected Electronically Only .....    | 248 |
| Figure 2F-7  | Examples of Guide Signs for Alternative Toll and Non-Toll Ramp Connections to a Non-Toll Highway.....                | 249 |
| Figure 2F-8  | Examples of Conventional Toll Plaza Advance Signs .....  | 250 |
| Figure 2F-9  | Examples of Toll Plaza Canopy Signs .....  | 250 |

|              |  |     |
|--------------|--|-----|
| Figure 2F-10 | Examples of Mainline Toll Plaza Approach and Canopy Signing .....  | 252 |
| Figure 2F-11 | Examples of Guide Signs for a Mainline Toll Plaza on a Diverging Alignment from<br>Open-Road ETC Lanes.....  | 253 |
| Figure 2G-1  | Preferential Lane Regulatory Signs and Plaques.....  | 257 |
| Figure 2G-2  | Example of Signing for an Added Continuous-Access Contiguous or Buffer-<br>Separated HOV Lane.....   | 263 |
| Figure 2G-3  | Example of Signing for a General-Purpose Lane that Becomes a Continuous-<br>Access Contiguous or Buffer-Separated HOV Lane.....                        | 264 |
| Figure 2G-4  | Examples of Warning Signs and Plaques Applicable Only to Preferential Lanes .....  | 266 |
| Figure 2G-5  | Example of an Overhead Advance Guide Sign for a Preferential Lane Entrance .....   | 269 |
| Figure 2G-6  | Examples of Overhead or Post-Mounted Preferential Lane Entrance Direction Signs .....  | 269 |
| Figure 2G-7  | Entrance Gore Signs for Barrier-Separated Preferential Lanes .....   | 270 |
| Figure 2G-8  | Example of Signing for an Entrance to Access-Restricted HOV Lanes.....   | 271 |
| Figure 2G-9  | Example of Signing for an Intermediate Entry to a Barrier- or Buffer-Separated HOV Lane.....   | 273 |
| Figure 2G-10 | Example of Signing for the Intermediate Entry to, Egress from, and End of Access-<br>Restricted HOV Lanes.....   | 274 |
| Figure 2G-11 | Examples of Barrier-Mounted Guide Signs for an Intermediate Egress from<br>Preferential Lanes.....   | 275 |
| Figure 2G-12 | Examples of Guide Signs for an Intermediate Egress from a Barrier-or Buffer-<br>Separated HOV Lane.....  | 276 |
| Figure 2G-13 | Example of Signing for a Direct Entrance Ramp to an HOV Lane from a Park-<br>and-Ride Facility and a Local Street.....                                 | 277 |
| Figure 2G-14 | Exit Gore Sign for a Direct Exit from a Preferential Lane .....  | 278 |
| Figure 2G-15 | Examples of Guide Signs for Direct HOV Lane Entrance and Exit Ramps.....   | 279 |
| Figure 2G-16 | Examples of Guide Signs for a Direct Access Ramp between HOV Lanes on<br>Separate Freeways.....  | 280 |
| Figure 2G-17 | Regulatory Signs for Managed Lanes .....   | 282 |
| Figure 2G-18 | Examples of Guide Signs for Entrances to Priced Managed Lanes .....  | 283 |
| Figure 2G-19 | Example of an Exit Destinations Sign for a Managed Lane.....   | 284 |
| Figure 2G-20 | Example of a Comparative Travel Time Information Sign for Preferential or<br>Managed Lanes.....  | 284 |
| Figure 2G-21 | Example of Signing for the Entrance to an Access-Restricted Priced Managed Lane.....   | 285 |
| Figure 2G-22 | Example of Signing for the Entrance to an Access-Restricted Priced Managed Lane<br>Where a General-Purpose Lane Becomes the Managed Lane.....          | 286 |
| Figure 2G-23 | Example of Signing for an Intermediate Entry to a Barrier- or Buffer-Separated<br>Priced Managed Lane.....   | 287 |
| Figure 2G-24 | Example of Signing for the Intermediate Entry to, Egress from, and End of Access-<br>Restricted Priced Managed Lanes .....                             | 288 |
| Figure 2G-25 | Examples of Guide Signs for an Intermediate Egress from a Barrier- or Buffer-<br>Separated HOV Lane.....   | 289 |
| Figure 2G-26 | Examples of Guide Signs for Direct Managed Lane Entrance and Exit Ramps .....  | 290 |
| Figure 2G-27 | Examples of Guide Signs for a Direct Access Ramp between Managed Lanes on<br>Separate Freeways.....  | 291 |
| Figure 2G-28 | Examples of Guide Signs for a Direct Entrance Ramp to a Priced Managed Lane<br>and Trailblazing to a Nearby Entrance to the General-Purpose Lanes..... | 292 |
| Figure 2G-29 | Examples of Guide Signs for Separate Entrance Ramps to General-Purpose and<br>Priced Managed Lanes from the Same Crossroad.....                        | 293 |
| Figure 2H-1  | General Information and Miscellaneous Information Signs.....   | 295 |

|              |  |     |
|--------------|--|-----|
| Figure 2H-2  | Reference Location Signs .....   | 297 |
| Figure 2H-3  | Intermediate Reference Location Signs .....  | 297 |
| Figure 2H-4  | Enhanced Reference Location Signs .....  | 298 |
| Figure 2H-5  | Examples of Acknowledgment Sign Designs .....  | 300 |
| Figure 2I-1  | General Service Signs and Plaques .....  | 303 |
| Figure 2I-2  | Example of Next Services Plaque.....   | 304 |
| Figure 2I-3  | Examples of General Service Signs with and without Exit Numbering.....   | 306 |
| Figure 2I-4  | Examples of Interstate Oasis Signs and Plaques .....   | 308 |
| Figure 2I-5  | Rest Area and Other Roadside Area Signs .....  | 309 |
| Figure 2I-5a | Indiana Rest Area and Other Roadside Area Signs .....  | 310 |
| Figure 2I-6  | Brake Check Area and Chain-Up Area Signs.....  | 310 |
| Figure 2I-7  | Examples of Tourist Information and Welcome Center Signs.....  | 311 |
| Figure 2I-8  | Radio, Telephone, and Carpool Information Signs .....  | 312 |
| Figure 2I-9  | Travel Time Sign Example.....  | 314 |
| Figure 2J-1  | Examples of Specific Service Signs .....   | 317 |
| Figure 2J-2  | Example of Specific Service Sign Locations .....   | 318 |
| Figure 2J-3  | Examples of Supplemental Messages on Logo Sign Panels .....  | 319 |
| Figure 2J-4  | Example of RV Access Supplemental Messages on Logo Sign Panels .....   | 319 |
| Figure 2J-5  | Examples of Specific Service Trailblazer Signs.....  | 322 |
| Figure 2K-1  | Examples of Tourist-Oriented Directional Signs .....   | 325 |
| Figure 2K-2  | Examples of Intersection Approach Signs and Advance Signs for Tourist-Oriented Directional Signs .....           | 326 |
| Figure 2M-1  | Examples of Use of Arrows, Educational Plaques, and Prohibitory Slashes .....                                    | 337 |
| Figure 2M-2  | Examples of Recreational and Cultural Interest Area Guide Signs.....   | 338 |
| Figure 2M-3  | Arrangement, Height, and Lateral Position of Signs Located Within Recreational and Cultural Interest Areas ..... | 339 |
| Figure 2M-4  | Examples of Symbol and Destination Guide Signing Layout.....   | 340 |
| Figure 2M-5  | Recreational and Cultural Interest Area Symbol Signs for General Applications .....                              | 341 |
| Figure 2M-6  | Recreational and Cultural Interest Area Symbol Signs for Accommodations .....                                    | 342 |
| Figure 2M-7  | Recreational and Cultural Interest Area Symbol Signs for Services .....  | 342 |
| Figure 2M-8  | Recreational and Cultural Interest Area Symbol Signs for Land Recreation .....                                   | 343 |
| Figure 2M-9  | Recreational and Cultural Interest Area Symbol Signs for Water Recreation .....                                  | 344 |
| Figure 2M-10 | Recreational and Cultural Interest Area Symbol Signs for Winter Recreation .....                                 | 345 |
| Figure 2N-1  | Emergency Management Signs .....   | 347 |
| Figure 3B-1  | Examples of Two-Lane, Two-Way Marking Applications .....   | 354 |
| Figure 3B-2  | Examples of Four-or-More Lane, Two-Way Marking Applications.....   | 355 |
| Figure 3B-3  | Examples of Three-Lane, Two-Way Marking Applications .....   | 356 |
| Figure 3B-4  | Method of Locating and Determining the Limits of No-Passing Zones at Curves .....                                | 357 |
| Figure 3B-5  | Example of Application of Three-Lane, Two-Way Marking for Changing Direction of the Center Lane .....            | 359 |
| Figure 3B-6  | Example of Reversible Lane Marking Application .....   | 360 |
| Figure 3B-7  | Example of Two-Way Left Turn Lane Marking Applications.....  | 361 |
| Figure 3B.8  | Examples of Dotted Line and Channelizing Line Applications for Exit Ramp Markings.....                           | 362 |
| Figure 3B.9  | Examples of Dotted Line and Channelizing Line Applications for Entrance Ramp Markings.....                       | 364 |
| Figure 3B.10 | Examples of Applications of Freeway and Expressway Lane-Drop Markings.....                                       | 367 |
| Figure 3B.11 | Examples of Applications of Conventional Road Lane-Drop Markings.....  | 372 |

Figure 3B.12 Example of Solid Double White Lines Used to Prohibit Lane Changing ..... 374

Figure 3B.13 Examples of Line Extensions through Intersections ..... 376

Figure 3B.14 Examples of Applications of Lane-Reduction Transition Markings ..... 379

Figure 3B.15 Examples of Applications of Markings for Obstructions in the Roadway ..... 381

Figure 3B.16 Recommended Yield Line Layouts ..... 386

Figure 3B.17 Examples of Yield Lines at Unsignalized Midblock Crosswalks ..... 387

Figure 3B.18 Do Not Block Intersection Markings..... 388

Figure 3B.19 Examples of Crosswalk Markings ..... 388

Figure 3B.20 Example of Crosswalk Markings for an Exclusive Pedestrian Phase that Permits  
Diagonal Crossing ..... 389

Figure 3B.21 Examples of Parking Space Markings..... 390

Figure 3B.22 International Symbol of Accessibility Parking Space Marking ..... 391

Figure 3B.23 Example of Elongated Letters for Word Pavement Markings..... 391

Figure 3B.24 Examples of Standard Arrows for Pavement Markings ..... 392

Figure 3B.25 Examples of Elongated Route Shields for Pavement Markings..... 394

Figure 3B.26 Yield Ahead Triangle Symbols ..... 395

Figure 3B.27 Examples of Lane-Use Control Word and Arrow Pavement Markings ..... 396

Figure 3B.28 Example of the Application of Speed Reduction Markings ..... 398

Figure 3B.29 Pavement Markings for Speed Humps without Crosswalk ..... 400

Figure 3B.30 Pavement Markings for Speed Tables or Speed Humps with Crosswalk..... 401

Figure 3B.31 Advance Warning Markings for Speed Humps..... 402

Figure 3C.1 Example of Markings for Approach and Circulatory Roadways at a Roundabout ..... 403

Figure 3C.2 Lane-Use Arrow Pavement Marking Options for Roundabout Approaches ..... 404

Figure 3C.3 Example of Markings for a One-Lane Roundabout ..... 404

Figure 3C.4 Example of Markings for a Two-Lane Roundabout with One- and Two-Lane Approaches..... 405

Figure 3C.5 Example of Markings for a Two-Lane Roundabout with One-Lane Exits..... 407

Figure 3C.6 Example of Markings for a Two-Lane Roundabout with Two-Lane Exits..... 408

Figure 3C.7 Example of Markings for a Two-Lane Roundabout with a Double Left Turn..... 409

Figure 3C.8 Example of Markings for a Two-Lane Roundabout with a Double Right Turn..... 410

Figure 3C.9 Example of Markings for a Two-Lane Roundabout with Consecutive Double Lefts ..... 411

Figure 3C.10 Example of Markings for a Three-Lane Roundabout with Two- and Three-Lane Approaches..... 412

Figure 3C.11 Example of Markings for a Three-Lane Roundabout with Three-Lane Approaches ..... 413

Figure 3C.12 Example of Markings for a Three-Lane Roundabout with Two-Lane Exits ..... 414

Figure 3C.13 Example of Markings for Two Linked Roundabouts..... 415

Figure 3C.14 Example of Markings for a Diamond Interchange with Two Circular-Shaped Roundabout  
Ramp Terminals..... 416

Figure 3D-1 Markings for Barrier-Separated Preferential Lanes..... 422

Figure 3D-2 Markings for Buffer-Separated Preferential Lanes..... 422

Figure 3D-3 Markings for Contiguous Preferential Lanes..... 424

Figure 3D-4 Markings for Counter-Flow Preferential Lanes on Divided Highways..... 426

Figure 3F-1 Examples of Delineator Placement..... 429

Figure 3J-1 Examples of Longitudinal Rumble Strip Markings..... 436

Figure 4C-1 Warrant 2, Four-Hour Vehicular Volume ..... 445

Figure 4C-2 Warrant 2, Four-Hour Vehicular Volume (70% Factor) ..... 445

Figure 4C-3 Warrant 3, Peak Hour ..... 447

Figure 4C-4 Warrant 3, Peak Hour (70% Factor)..... 447

Figure 4C-5 Warrant 4, Pedestrian Four-Hour Volume ..... 450

Figure 4C-6 Warrant 4, Pedestrian Four-Hour Volume (70% Factor) ..... 450

|              |   |     |
|--------------|---|-----|
| Figure 4C-7  | Warrant 4, Pedestrian Peak Hour .....   | 451 |
| Figure 4C-8  | Warrant 4, Pedestrian Peak Hour (70% Factor) .....  | 451 |
| Figure 4C-9  | Warrant 9, Intersection Near a Grade Crossing (One Approach Lane at the Track Crossing)...  | 454 |
| Figure 4C-10 | Warrant 9, Intersection Near a Grade Crossing (Two or More Approach Lanes at the Track Crossing)  | 454 |
| Figure 4D-1  | Example of U-Turn Signal Face.....  | 466 |
| Figure 4D-2  | Typical Arrangements of Signal Sections in Signal Faces That Do Not Control<br>Turning Movements .....  | 468 |
| Figure 4D-3  | Recommended Vehicular Signal Faces for Approaches with Posted, Statutory,<br>or 85 <sup>th</sup> Percentile Speed of 45 mph or Higher.....                      | 470 |
| Figure 4D-4  | Lateral and Longitudinal Location of Primary Signal Faces.....  | 473 |
| Figure 4D-5  | Maximum Mounting Height of Signal Faces Located Between 40 Feet and 53 Feet<br>from Stop Line.....  | 475 |
| Figure 4D-6  | Typical Position and Arrangements of Shared Signal Faces for Permissive Only<br>Mode Left Turns.....  | 477 |
| Figure 4D-7  | Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow<br>Arrow for Permissive Only Mode Left Turns .....                              | 478 |
| Figure 4D-8  | Typical Position and Arrangements of Separate Signal Faces with Flashing Red<br>Arrow for Permissive Only Mode and Protected/Permissive Mode Left Turns.....    | 479 |
| Figure 4D-9  | Typical Positions and Arrangements of Shared Signal Faces for Protected Only<br>Mode Left Turns.....  | 480 |
| Figure 4D-10 | Typical Position and Arrangements of Separate Signal Faces for Protected Only<br>Mode Left Turns.....   | 481 |
| Figure 4D-11 | Typical Position and Arrangements of Shared Signal Faces for Protected/Permissive<br>Mode Left Turns.....   | 482 |
| Figure 4D-12 | Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow<br>Arrow for Protected/Permissive Mode and Protected Only Mode Left Turns ..... | 483 |
| Figure 4D-13 | Typical Positions and Arrangements of Shared Signal Faces for Permissive Only<br>Mode Right Turns.....  | 486 |
| Figure 4D-14 | Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow<br>Arrow for Permissive Only Mode Right Turns .....                             | 487 |
| Figure 4D-15 | Typical Position and Arrangements of Separate Signal Faces with Flashing Red<br>Arrow for Permissive Only Mode and Protected/Permissive Mode Right Turns .....  | 488 |
| Figure 4D-16 | Typical Positions and Arrangements of Shared Signal Faces for Protected Only<br>Mode Right Turns.....   | 489 |
| Figure 4D-17 | Typical Position and Arrangements of Separate Signal Faces for Protected Only<br>Mode Right Turns.....  | 490 |
| Figure 4D-18 | Typical Positions and Arrangements of Shared Signal Faces for Protected/Permissive<br>Mode Right Turns.....   | 491 |
| Figure 4D-19 | Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow<br>Arrow for Protected/Permissive Mode and Protected Only Mode Right Turns..... | 492 |
| Figure 4D-20 | Signal Indications for Approaches with a Shared Left-Turn/Right-Turn Lane and No<br>Through Movement.....   | 496 |
| Figure 4E-1  | Typical Pedestrian Signal Indications .....   | 506 |
| Figure 4E-2  | Pedestrian Intervals .....  | 508 |
| Figure 4E-3  | Pushbutton Location Area .....  | 511 |
| Figure 4E-4  | Typical Pushbutton Locations .....  | 512 |
| Figure 4F-1  | Guidelines for the Installation of Pedestrian Hybrid Beacons on Low-Speed Roadways.....   | 520 |
| Figure 4F-2  | Guidelines for the Installation of Pedestrian Hybrid Beacons on High-Speed Roadways....   | 520 |

|                |   |     |
|----------------|---|-----|
| Figure 4F-3    | Sequence for a Pedestrian Hybrid Beacon .....   | 521 |
| Figure 4G-1    | Sequence for an Emergency-Vehicle Hybrid Beacon .....   | 525 |
| Figure 4M-1    | Left-Turn Lane-Use Control Signals.....   | 536 |
| Figure 5B-1    | Regulatory Signs on Low-Volume Roads .....  | 544 |
| Figure 5B-2    | Parking Signs and Plaques on Low-Volume Roads .....   | 545 |
| Figure 5C-1    | Horizontal Alignment and Intersection Warning Signs and Plaques and Object<br>Markers on Low-Volume Roads ..... | 546 |
| Figure 5C-2    | Other Warning Signs and Plaques on Low-Volume Roads.....  | 548 |
| Figure 5F-1    | Highway-Rail Grade Crossing Signs and Plaques for Low-Volume Roads .....  | 552 |
| Figure 5G-1    | Temporary Traffic Control Signs and Plaques on Low-Volume Roads.....  | 555 |
| Figure 6C-1    | Component Parts of a Temporary Traffic Control Zone .....   | 563 |
| Figure 6C-2    | Types of Tapers and Buffer Spaces.....  | 566 |
| Figure 6C-3    | Example of a One-Lane, Two-Way Traffic Taper.....   | 569 |
| Figure 6E-1    | Example of the Use of a STOP/SLOW Automated Flagger Assistance Device (AFAD) .....                              | 580 |
| Figure 6E-2    | Example of the Use of a Red/Yellow Lens Automated Flagger Assistance Device (AFAD) .....                        | 582 |
| Figure 6E-3    | Use of Hand-Signaling Devices by Flaggers .....   | 584 |
| Figure 6F-1    | Height and Lateral Location of Signs—Typical Installations .....  | 591 |
| Figure 6F-2    | Methods of Mounting Signs Other Than on Posts .....   | 592 |
| Figure 6F-3    | Regulatory Signs and Plaques in Temporary Traffic Control Zones .....   | 594 |
| Figure 6F-4    | Warning Signs and Plaques in Temporary Traffic Control Zones .....  | 598 |
| Figure 6F-5    | Exit Open and Closed and Detour Signs .....   | 602 |
| Figure 6F-6    | Advance Warning Arrow Board Display Specifications.....   | 612 |
| Figure 6F-7    | Channelizing Devices.....   | 615 |
| Figure 6H-1    | Work Beyond the Shoulder (TA-1) .....   | 645 |
| Figure 6H-2    | Blasting Zone (TA-2).....   | 647 |
| Figure 6H-3    | Work on the Shoulders (TA-3) .....  | 649 |
| Figure 6H-4    | Short-Duration or Mobile Operation on a Shoulder (TA-4) .....   | 651 |
| Figure 6H-5    | Shoulder Closure on a Freeway (TA-5).....   | 653 |
| Figure 6H-6    | Shoulder Work with Minor Encroachment (TA-6).....   | 655 |
| Figure 6H-7    | Road Closure with a Diversion (TA-7).....   | 657 |
| Figure 6H-8    | Road Closure with an Off-Site Detour (TA-8).....  | 659 |
| Figure 6H-9    | Overlapping Routes with a Detour (TA-9) .....   | 661 |
| Figure 6H-10   | Lane Closure on a Two-Lane Road Using Flaggers (TA-10).....   | 663 |
| Figure 6H-11   | Lane Closure on a Two-Lane Road with Low Traffic Volumes (TA-11) .....  | 665 |
| Figure 6H-12   | Lane Closure on a Two-Lane Road Using Traffic Control Signals (TA-12).....                                      | 667 |
| Figure 6H-13   | Temporary Road Closure (TA-13).....   | 669 |
| Figure 6H-13AY | Short Term or Short Duration Work in a Roundabout (TA-13AY) .....   | 671 |
| Figure 6H-14   | Haul Road Crossing (TA-14).....   | 673 |
| Figure 6H-15   | Work in the Center of a Road with Low Traffic Volumes (TA-15) .....   | 675 |
| Figure 6H-16   | Surveying Along the Center Line of a Road with Low Traffic Volumes (TA-16) .....                                | 677 |
| Figure 6H-17   | Mobile Operations on a Two-Lane Road (TA-17).....   | 679 |
| Figure 6H-17AY | Mobile Operations on a Two-Lane Road Using Flaggers (TA-17AY).....  | 681 |
| Figure 6H-18   | Lane Closure on a Minor Street (TA-18) .....  | 683 |
| Figure 6H-19   | Detour for One Travel Direction (TA-19).....  | 685 |
| Figure 6H-20   | Detour for a Closed Street (TA-20).....   | 687 |
| Figure 6H-21   | Lane Closure on the Near Side of an Intersection (TA-21).....   | 689 |
| Figure 6H-22   | Right-Hand Lane Closure on the Far Side of an Intersection (TA-22) .....  | 691 |
| Figure 6H-23   | Left-Hand Lane Closure on the Far Side of an Intersection (TA-23).....  | 693 |

Figure 6H-24 Half Road Closure on the Far Side of an Intersection (TA-24)..... 695

Figure 6H-25 Multiple Lane Closures at an Intersection (TA-25)..... 697

Figure 6H-26 Closure in the Center of an Intersection (TA-26)..... 699

Figure 6H-27 Closure at the Side of an Intersection (TA-27)..... 701

Figure 6H-28 Sidewalk Detour or Diversion (TA-28)..... 703

Figure 6H-29 Crosswalk Closures and Pedestrian Detours (TA-29)..... 705

Figure 6H-30 Interior Lane Closure on a Multi-Lane Street (TA-30) ..... 707

Figure 6H-30AY Work in a Dual Left-Turn Lane (TA-30AY)..... 709

Figure 6H-31 Lane Closures on a Street with Uneven Directional Volumes (TA-31) ..... 711

Figure 6H-32 Half Road Closure on a Multi-Lane, High-Speed Highway (TA-32) ..... 713

Figure 6H-32AY Lane Shift on a Road with a Dual Left-Turn Lane (TA-32AY)..... 715

Figure 6H-33 Stationary Lane Closure on a Divided Highway (TA-33) ..... 717

Figure 6H-34 Lane Closure with a Temporary Traffic Barrier (TA-34)..... 719

Figure 6H-35 Mobile Operation on a Multi-Lane Road (TA-35)..... 721

Figure 6H-35AY Mobile Operation on Multiple Lanes of a Multi-Lane Divided Road (TA-35AY)..... 723

Figure 6H-36 Lane Shift on a Freeway (TA-36)..... 725

Figure 6H-37 Double Lane Closure on a Freeway (TA-37) ..... 727

Figure 6H-38 Interior Lane Closure on a Freeway (TA-38) ..... 729

Figure 6H-39 Median Crossover on a Freeway (TA-39) ..... 731

Figure 6H-40 Median Crossover for an Entrance Ramp (TA-40)..... 733

Figure 6H-41 Median Crossover for an Exit Ramp (TA-41) ..... 735

Figure 6H-42 Work in the Vicinity of an Exit Ramp (TA-42)..... 737

Figure 6H-43 Partial Exit Ramp Closure on the Right-hand Side (TA-43) ..... 739

Figure 6H-43AY Partial Exit Ramp Closure with Work in Gore Area (TA-43AY) ..... 741

Figure 6H-44 Work in the Vicinity of an Entrance Ramp (TA-44) ..... 743

Figure 6H-45 Temporary Reversible Lane Using Movable Barriers (TA-45)..... 745

Figure 6H-46 Work in the Vicinity of a Grade Crossing (TA-46)..... 747

Figure 6I-1 Examples of Traffic Incident Management Area Signs ..... 749

Figure 7A-1 Example of School Route Plan Map..... 754

Figure 7B-1 School Area Signs ..... 757

Figure 7B-2 Example of Signing for a Higher Fines School Zone without a School Crossing..... 759

Figure 7B-3 Example of Signing for a Higher Fines School Zone with a School Speed Limit ..... 760

Figure 7B-4 Example of Signing for a School Crossing Outside of a School Zone..... 761

Figure 7B-5 Example of Signing for a School Zone with a School Speed Limit and a School Crossing 762

Figure 7B-6 In-Street Signs in School Areas ..... 763

Figure 7C-1 Two-Lane Pavement Marking of “SCHOOL” ..... 767

Figure 8B-1 Regulatory Signs and Plaques for Grade Crossings ..... 777

Figure 8B-2 Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support ..... 778

Figure 8B-3 Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support..... 779

Figure 8B-4 Warning Signs and Plaques for Grade Crossings ..... 783

Figure 8B-5 Example of an Emergency Notification Sign ..... 787

Figure 8B-6 Example of Placement of Warning Signs and Pavement Markings at Grade Crossings..... 790

Figure 8B-7 Grade Crossing Pavement Markings ..... 791

Figure 8B-8 Example of Dynamic Envelope Pavement Markings at Grade Crossings..... 792

Figure 8B-9 Examples of Light Rail Transit Vehicle Dynamic Envelope Markings for Mixed-Use Alignments ..... 793

Figure 8C-1 Composite Drawing of Active Traffic Control Devices for Grade Crossings Showing Clearances... 795

Figure 8C-2 Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates ..... 799

|              |  |     |
|--------------|--|-----|
| Figure 8C-3  | Light Rail Transit Signals.....  | 804 |
| Figure 8C-4  | Example of Flashing-Light Signal Assembly for Pedestrian Crossings.....  | 806 |
| Figure 8C-5  | Example of a Shared Pedestrian/Roadway Gate.....   | 807 |
| Figure 8C-6  | Example of a Separate Pedestrian Gate.....   | 807 |
| Figure 8C-7  | Examples of Placement of Pedestrian Gates.....   | 808 |
| Figure 8C-8  | Example of Swing Gates.....  | 809 |
| Figure 8C-9  | Example of Pedestrian Barriers at an Offset Grade Crossing.....  | 809 |
| Figure 8C-10 | Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade Crossing ...   | 810 |
| Figure 8D-1  | Example of Signing and Markings for a Pathway Grade Crossing.....  | 812 |
| Figure 9B-1  | Sign Placement on Shared-Use Paths.....  | 816 |
| Figure 9B-2  | Regulatory Signs and Plaques for Bicycle Facilities.....   | 819 |
| Figure 9B-3  | Warning Signs and Plaques and Object Markers for Bicycle Facilities.....   | 823 |
| Figure 9B-4  | Guide Signs and Plaques for Bicycle Facilities.....  | 825 |
| Figure 9B-5  | Example of Signing for the Beginning and End of a Designated Bicycle Route on a Shared-Use Path.....   | 827 |
| Figure 9B-6  | Example of Bicycle Guide Signing.....  | 828 |
| Figure 9B-7  | Examples of Signing and Markings for a Shared-Use Path Crossing.....   | 829 |
| Figure 9B-8  | Example of Mode-Specific Guide Signing on a Shared-Use Path.....   | 831 |
| Figure 9C-1  | Example of Intersection Pavement Markings-Designated Bicycle Lane with Left-Turn Area, Heavy Turn Volumes, Parking, One-Way Traffic, or Divided Highway..... | 833 |
| Figure 9C-2  | Examples of Center Line Markings for Shared-Use Paths.....   | 834 |
| Figure 9C-3  | Word, Symbol, and Arrow Pavement Markings for Bicycle Lanes.....   | 835 |
| Figure 9C-4  | Example of Bicycle Lane Treatment at a Right Turn Only Lane.....   | 837 |
| Figure 9C-5  | Example of Bicycle Lane Treatment at Parking Lane into a Right Turn Only Lane.....   | 838 |
| Figure 9C-6  | Example of Pavement Markings for Bicycle Lanes on a Two-Way Street.....  | 839 |
| Figure 9C-7  | Bicycle Detector Pavement Marking.....   | 840 |
| Figure 9C-8  | Examples of Obstruction Pavement Markings.....   | 841 |
| Figure 9C-9  | Shared Lane Marking.....   | 841 |

## TABLES

|            | <u>Page</u>  |
|------------|--|
| Table I-1  | Evolution of the MUTCD..... I-4  |
| Table I-2  | Target Compliance Dates Established by the FHWA..... I-6                           |
| Table 1A-1 | Acceptable Abbreviations..... 24   |
| Table 1A-2 | Abbreviations that Shall be Used Only on Portable Changeable Message Signs..... 25 |
| Table 1A-3 | Unacceptable Abbreviations..... 26   |
| Table 2A-1 | Illumination of Sign Elements..... 29  |
| Table 2A-2 | Retroreflection of Sign Elements..... 29   |
| Table 2A-3 | Minimum Maintained Retroreflectivity Levels..... 31                                |
| Table 2A-4 | Use of Sign Shapes..... 32   |
| Table 2A-5 | Common Uses of Sign Colors..... 33   |
| Table 2B-1 | Regulatory Sign and Plaque Sizes..... 46   |
| Table 2B-2 | Meanings of Symbols and Legends on Reversible Lane Control Signs..... 65           |
| Table 2C-1 | Categories of Warning Signs and Plaques..... 104                                   |
| Table 2C-2 | Warning Sign and Plaque Sizes..... 105   |
| Table 2C-3 | Minimum Size of Supplemental Warning Plaques..... 107                              |
| Table 2C-4 | Guidelines for Advance Placement of Warning Signs..... 108                         |
| Table 2C-5 | Horizontal Alignment Sign Selection..... 110                                       |

|             |  |     |
|-------------|--|-----|
| Table 2C-6  | Approximate Spacing of Chevron Alignment Signs on Horizontal Curves .....  | 113 |
| Table 2D-1  | Conventional Road Guide Sign Sizes.....  | 139 |
| Table 2D-2  | Recommended Minimum Letter Heights on Street Name Signs.....   | 164 |
| Table 2E-1  | Freeway or Expressway Guide Sign and Plaque Sizes.....   | 188 |
| Table 2E-2  | Minimum Letter and Numeral Sizes for Expressway Guide Signs According to<br>Interchange Classification .....   | 190 |
| Table 2E-3  | Minimum Letter and Numeral Sizes for Expressway Guide Signs According to Sign Type .....   | 191 |
| Table 2E-4  | Minimum Letter and Numeral Sizes for Freeway Guide Signs According to Interchange<br>Classification .....  | 192 |
| Table 2E-5  | Minimum Letter and Numeral Sizes for Freeway Guide Signs According to Sign Type .....  | 193 |
| Table 2F-1  | Toll Facility Sign and Plaque Minimum Sizes .....  | 239 |
| Table 2G-1  | Managed and Preferential Lanes Sign and Plaque Minimum Sizes .....   | 256 |
| Table 2H-1  | General Information Sign Sizes.....  | 294 |
| Table 2I-1  | General Service Sign and Plaque Sizes .....  | 301 |
| Table 2J-1  | Minimum Letter and Numeral Sizes for Specific Service Signs According to Sign Type....   | 319 |
| Table 2L-1  | Example of Units of Information.....   | 332 |
| Table 2M-1  | Category Chart for Recreational and Cultural Interest Area Symbols .....   | 335 |
| Table 2N-1  | Emergency Management Sign Sizes .....  | 347 |
| Table 3B-1  | Minimum Passing Sight Distances for No-Passing Zone Markings .....   | 356 |
| Table 3D-1  | Standard Edge Line and Lane Line Markings for Preferential Lanes .....   | 421 |
| Table 3F-1  | Approximate Spacing for Delineators on Horizontal Curves.....  | 431 |
| Table 4C-1  | Warrant 1, Eight-Hour Vehicular Volume .....   | 443 |
| Table 4C-2  | Warrant 1, Eight Hour Vehicular Volume (ADT Equivalent).....   | 443 |
| Table 4C-3  | Warrant 2, Four Hour Vehicular Volume, Mathematical Equation Equivalency to Figure 4C-1.....   | 446 |
| Table 4C-4  | Warrant 2, Four Hour Vehicular Volume (70% Factor), Mathematical Equation<br>Equivalency to Figure 4C-2.....   | 446 |
| Table 4C-5  | Warrant 3, Peak Hour Vehicular Volume, Mathematical Equation Equivalency to Figure 4C-3..  | 448 |
| Table 4C-6  | Warrant 3, Peak Hour Vehicular Volume (70% Factor), Mathematical Equation<br>Equivalency to Figure 4C-4.....   | 448 |
| Table 4C-7  | Warrant 4, Pedestrian Volume, Mathematical Equation Equivalency to Figures 4C-5<br>thru 4C-8 .....   | 448 |
| Table 4C-8  | Warrant 5, School Crossing, Vehicular Volume Equivalency For Sufficient Gaps<br>In Vehicular Flow .....  | 448 |
| Table 4C-9  | Warrant 9, Adjustment Factor for Daily Frequency of Rail Traffic.....  | 455 |
| Table 4C-10 | Warrant 9, Adjustment Factor for Percentage of High-Occupancy Buses .....  | 455 |
| Table 4C-11 | Warrant 9, Adjustment Factor for Percentage of Tractor-Trailer Trucks.....   | 455 |
| Table 4C-12 | Warrant 9, Intersection Near a Grade Crossing (One Approach Lane at the Track Crossing)<br>Mathematical Equation Equivalency to Figure 4C 9 .....                              | 456 |
| Table 4C-13 | Warrant 9, Intersection Near a Grade Crossing (Two or More Approach Lanes at the Track Crossing)<br>Mathematical Equation Equivalency to Figure 4C-9.....                      | 457 |
| Table 4D-1  | Recommended Minimum Number of Primary Signal Faces for Through Traffic on<br>Approaches with Posted, Statutory, or 85 <sup>th</sup> -Percentile Speed of 45 mph or Higher..... | 471 |
| Table 4D-2  | Minimum Sight Distance for Signal Visibility.....  | 471 |
| Table 5A-1  | Sign and Plaque Sizes on Low-Volume Roads .....  | 542 |
| Table 6C-1  | Recommended Advance Warning Sign Minimum Spacing.....  | 564 |
| Table 6C-2  | Stopping Sight Distance as a Function of Speed.....  | 565 |
| Table 6C-3  | Taper Length Criteria for Temporary Traffic Control Zones.....   | 567 |
| Table 6C-4  | Formulas for Determining Taper Length.....   | 567 |

|            |  |      |
|------------|--|------|
| Table 6E-1 | Stopping Sight Distance as a Function of Speed .....         | 585  |
| Table 6F-1 | Temporary Traffic Control Zone Sign and Plaque Sizes.....    | 588  |
| Table 6H-1 | Index to Typical Applications .....                          | 642  |
| Table 6H-2 | Meaning of Symbols on Typical Application Diagrams .....     | 643  |
| Table 6H-3 | Meaning of Letter Codes on Typical Application Diagrams..... | 643  |
| Table 6H-4 | Formulas for Determining Taper Length.....                   | 643  |
| Table 7B-1 | School Area Sign and Plaque Sizes .....                      | 755  |
| Table 8B-1 | Grade Crossing Sign and Plaque Minimum Sizes .....           | 776  |
| Table 9B-1 | Bicycle Facility Sign and Plaque Minimum Sizes .....         | 817  |
| Table A2-1 | Conversion of Inches to Millimeters .....                    | A2-1 |
| Table A2-2 | Conversion of Feet to Meters .....                           | A2-1 |
| Table A2-3 | Conversion of Miles to Kilometers .....                      | A2-1 |
| Table A2-4 | Conversion of Miles per Hour to Kilometers/Hour.....         | A2-1 |

(This page left intentionally blank)

# INDIANA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES

## INTRODUCTION

### Introduction and General Provisions

This Edition of the Indiana Manual on Uniform Traffic Control Devices (IMUTCD), has been established and the contents contained herein shall be used by state and local officials in determining the necessity for any traffic control device in their respective jurisdictions. It also applies to private roadways and parking areas open to the public where the use of traffic control devices are needed.

The principal purpose of this IMUTCD is to give the size, shape, color, etc. of the signs, markings, and devices, which may be used under varying circumstances.

One of the primary purposes of this Manual is to promote uniformity in the type of devices used throughout the State. The devices suggested and their applications are to be used in conjunction with field investigation and engineering judgment; however, these devices are not a substitute for the exercise of reasonable care on the part of the highway user. This Manual shall not be construed as an instrument to mandate the use of any of the control devices or procedures at a particular location.

### Legal Authority

It is the intent, in the adoption of the IMUCTD, to meet the various requirements of the statutes of the State of Indiana. In particular, the following statutes are considered to be enabling legislation which allows for the promulgation of the Indiana Manual on Uniform Traffic Control Devices for Streets and Highways: Indiana Code 4-22-2, 9-21-2, 9-21-3, and 9-21-4, and specifically in sections:

#### IC 9-21-2-1

Sec. 1. "The Indiana department of transportation shall adopt rules under IC 4-22-2 to create the Indiana Manual on Uniform Traffic Control Devices for Streets and Highways."

#### IC 9-21-2-2

Sec. 2. "The Indiana Manual on Uniform Traffic Control Devices for Streets and Highways must substantially conform with the Manual on Uniform Traffic Control Devices for Streets and Highways, 1961 Edition, and the Manual for Signing and Pavement Marking for the National System for Interstate and Defense Highways, 1962 Edition, and all other manuals and revisions to the manuals that have the approval of the Federal Highway Administrator."

#### IC 9-21-2-3

Sec. 3. "All manuals (including revisions to the manuals) described in section 2 of this chapter may be considered to become a part of the Indiana Manual on Uniform Traffic Control Devices for Streets and Highways if the following conditions exist:

- (1) The Indiana Department of Transportation concurs in the revisions.
- (2) The Indiana Department of Transportation adopts the manuals (including revisions) by order of the commissioner of the Indiana department of transportation

#### IC 9-21-2-4

Sec. 4. "The Indiana Department of Transportation may add control devices to the state manual in those areas where the federal standards are silent."

#### IC 9-21-4-1

Sec. 1. "A governmental agency in Indiana that is responsible for the signing, marking, and erection of traffic control devices on streets and highways within Indiana shall follow the Indiana Manual on Uniform Traffic Control Devices for Streets and Highways."

**Revisions**

Revisions to the IMUTCD will be accomplished as specified in Indiana Code 9-21-2-3. Generally any change to the IMUTCD need not be implemented immediately unless specifically so stated in the newly adopted IMUTCD. The policies and practices of the governmental agencies involved will determine the reasonableness in time in making any changes or additions as required by regulations in the use of traffic control devices as set forth in the IMUTCD.

Not all of the traffic control devices that appear in later revisions to the National MUTCD will appear in the IMUTCD; however, local jurisdictions, at their own discretion, may utilize portions of the revised National MUTCD providing such use is in substantial conformance to the National MUTCD and does not conflict with Indiana State law.

Reasonable time periods for changing existing installations to conform to the IMUTCD should normally be updated at the end of normal service life or as published, by the Federal Highway Administration, for the "Phase-in Compliance Periods".

**Standard:**

01 **Traffic control devices shall be defined as all signs, signals, markings, and other devices used to regulate, warn, or guide traffic, placed on, over, or adjacent to a street, highway, pedestrian facility, bikeway, or private road open to public travel (see definition in Section 1A.13) by authority of a public agency or official having jurisdiction, or, in the case of a private road, by authority of the private owner or private official having jurisdiction.**

02 **The Manual on Uniform Traffic Control Devices (MUTCD) is incorporated by reference in 23 Code of Federal Regulations (CFR), Part 655, Subpart F and shall be recognized as the national standard for all traffic control devices installed on any street, highway, bikeway, or private road open to public travel (see definition in Section 1A.13) in accordance with 23 U.S.C. 109(d) and 402(a). The policies and procedures of the Federal Highway Administration (FHWA) to obtain basic uniformity of traffic control devices shall be as described in 23 CFR 655, Subpart F.**

03 **In accordance with 23 CFR 655.603(a), for the purposes of applicability of the MUTCD:**

- A. **Toll roads under the jurisdiction of public agencies or authorities or public-private partnerships shall be considered to be public highways;**
- B. **Private roads open to public travel shall be as defined in Section 1A.13; and**
- C. **Parking areas, including the driving aisles within those parking areas, that are either publicly or privately owned shall not be considered to be “open to public travel” for purposes of MUTCD applicability.**

04 **Any traffic control device design or application provision contained in this Manual shall be considered to be in the public domain. Traffic control devices contained in this Manual shall not be protected by a patent, trademark, or copyright, except for the Interstate Shield and any items owned by FHWA.**  
Support:

05 Pictographs, as defined in Section 1A.13, are embedded in traffic control devices but the pictographs themselves are not considered traffic control devices for the purposes of Paragraph 4.

06 The need for uniform standards was recognized long ago. The American Association of State Highway Officials (AASHO), now known as the American Association of State Highway and Transportation Officials (AASHTO), published a manual for rural highways in 1927, and the National Conference on Street and Highway Safety (NCSHS) published a manual for urban streets in 1930. In the early years, the necessity for unification of the standards applicable to the different classes of road and street systems was obvious. To meet this need, a joint committee of AASHO and NCSHS developed and published the original edition of this Manual on Uniform Traffic Control Devices (MUTCD) in 1935. That committee, now called the National Committee on Uniform Traffic Control Devices (NCUTCD), though changed from time to time in name, organization, and personnel, has been in continuous existence and has contributed to periodic revisions of this Manual. The FHWA has administered the MUTCD since the 1971 edition. The FHWA and its predecessor organizations have participated in the development and publishing of the previous editions. There were nine previous editions of the MUTCD, and several of those editions were revised one or more times. Table I-1 traces the evolution of the MUTCD, including the two manuals developed by AASHO and NCSHS.

**Standard:**

07 **The U.S. Secretary of Transportation, under authority granted by the Highway Safety Act of 1966, decreed that traffic control devices on all streets and highways open to public travel in accordance with 23 U.S.C. 109(d) and 402(a) in each State shall be in substantial conformance with the Standards issued or endorsed by the FHWA.**

## Support:

08 The “Uniform Vehicle Code (UVC)” is one of the publications referenced in the MUTCD. The UVC contains a model set of motor vehicle codes and traffic laws for use throughout the United States.

*Guidance:*

09 *The States should adopt Section 15 -116 of the UVC, which states that, No person shall install or maintain in any area of private property used by the public any sign, signal, marking, or other device intended to regulate, warn, or guide traffic unless it conforms with the State manual and specifications adopted under Section 15 -104.”*

**Table I-1. Evolution of the MUTCD**

| Year | Name   | Month / Year Revised                  |
|------|--|---------------------------------------|
| 1927 | Manual and Specifications for the Manufacture, Display, and Erection of U.S. Standard Road Markers and Signs (for rural roads) | 4/29, 12/31                           |
| 1930 | Manual on Street Traffic Signs, Signals, and Markings (for urban streets)  | No revisions                          |
| 1935 | Manual on Uniform Traffic Control Devices for Streets and Highways (MUTCD)   | 2/39                                  |
| 1942 | Manual on Uniform Traffic Control Devices for Streets and Highways — War Emergency Edition                                     | No revisions                          |
| 1948 | Manual on Uniform Traffic Control Devices for Streets and Highways   | 9/54                                  |
| 1961 | Manual on Uniform Traffic Control Devices for Streets and Highways   | No revisions                          |
| 1971 | Manual on Uniform Traffic Control Devices for Streets and Highways   | 11/71, 4/72, 3/73, 10/73, 6/74, 6/75, |
| 1978 | Manual on Uniform Traffic Control Devices for Streets and Highways   | 12/79, 12/83, 9/84, 3/86              |
| 1988 | Manual on Uniform Traffic Control Devices for Streets and Highways   | 1/90, 3/92, 9/93, 11/94, 12/96, 6/98, |
| 2000 | Manual on Uniform Traffic Control Devices for Streets and Highways — Millennium Edition  | 7/02                                  |
| 2003 | Manual on Uniform Traffic Control Devices for Streets and Highways   | 11/04, 12/07                          |
| 2009 | Manual on Uniform Traffic Control Devices for Streets and Highways   | 5/12                                  |

**Support:**

- 10 The Standard, Guidance, Option, and Support material described in this edition of the MUTCD provide the transportation professional with the information needed to make appropriate decisions regarding the use of traffic control devices on streets, highways, bikeways, and private roads open to public travel (see definition in Section 1A.13).
- 11 Throughout this Manual the headings Standard, Guidance, Option, and Support are used to classify the nature of the text that follows. Figures and tables, including the notes contained therein, supplement the text and might constitute a Standard, Guidance, Option, or Support. The user needs to refer to the appropriate text to classify the nature of the figure, table, or note contained therein.

**Standard:**

- 12 **When used in this Manual, the text headings of Standard, Guidance, Option, and Support shall be as defined in Paragraph 1 of Section 1A.13.**

**Support:**

- 13 Throughout this Manual all dimensions and distances are provided in English units. Appendix A2 contains tables for converting each of the English unit numerical values that are used in this Manual to the equivalent Metric (International System of Units) values.

**Standard:**

- 14 **All minimum and maximum values noted in a Standard shall be construed as referring to the English System of Units.**

*Guidance:*

- 15 *If Metric units are to be used in laying out distances or determining sizes of devices, such units should be specified on plan drawings and made known to those responsible for designing, installing, or maintaining traffic control devices.*
- 16 *Except when a specific numeral is required or recommended by the text of a Section of this Manual, numerals displayed on the images of devices in the figures that specify quantities such as times, distances, speed limits, and weights should be regarded as examples only. When installing any of these devices, the numerals should be appropriately altered to fit the specific situation.*

**Support:**

- 17 The following information will be useful when reference is being made to a specific portion of text in this Manual.
- 18 There are nine Parts in this Manual and each Part is comprised of one or more Chapters. Each Chapter is comprised of one or more Sections. Parts are given a numerical identification, such as Part 2 – Signs. Chapters are identified by the Part number and a letter, such as Chapter 2B – Regulatory Signs, Barricades, and Gates. Sections are identified by the Chapter number and letter followed by a decimal point and a number, such as Section 2B.03 – Size of Regulatory Signs.

19 Each Section is comprised of one or more paragraphs. The paragraphs are indented and are identified by a number. Paragraphs are counted from the beginning of each Section without regard to the intervening text headings (Standard, Guidance, Option, or Support). Some paragraphs have lettered or numbered items. As an example of how to cite this Manual, the phrase “Not less than 40 feet beyond the stop line” that appears in Section 4D.14 of this Manual would be referenced in writing as “Section 4D.14, P1, A.1,” and would be verbally referenced as “Item A.1 of Paragraph 1 of Section 4D.14.”

**Standard:**

20 **In accordance with 23 CFR 655.603(b) (3), States or other Federal agencies that have their own MUTCDs or Supplements shall revise these MUTCDs or Supplements to be in substantial conformance with changes to the National MUTCD within 2 years of the effective date of the Final Rule for the changes. Substantial conformance of such State or other Federal agency MUTCDs or Supplements shall be as defined in 23 CFR 655.603(b)(1).**

21 **After the effective date of a new edition of the MUTCD or a revision thereto, or after the adoption thereof by the State, whichever occurs later, new or reconstructed devices installed shall be in compliance with the new edition or revision.**

22 **In cases involving Federal-aid projects for new highway or bikeway construction or reconstruction, the traffic control devices installed (temporary or permanent) shall be in conformance with the most recent edition of the National MUTCD before that highway is opened or re-opened to the public for unrestricted travel [23 CFR 655.603(d)(2) and (d)(3)].**

23 **Unless a particular device is no longer serviceable, non-compliant devices on existing highways and bikeways shall be brought into compliance with the current edition of the National MUTCD as part of the systematic upgrading of substandard traffic control devices (and installation of new required traffic control devices) required pursuant to the Highway Safety Program, 23 U.S.C. §402(a). The FHWA has the authority to establish other target compliance dates for implementation of particular changes to the MUTCD [23 CFR 655.603(d)(1)]. These target compliance dates established by the FHWA shall be as shown in Table I-2.**

24 **Except as provided in Paragraph 24, when a non-compliant traffic control device is being replaced or refurbished because it is damaged, missing, or no longer serviceable for any reason, it shall be replaced with a compliant device.**

**Option:**

25 A damaged, missing, or otherwise non-serviceable device that is non-compliant may be replaced in kind if engineering judgment indicates that:

- A. One compliant device in the midst of a series of adjacent non-compliant devices would be confusing to road users; and/or
- B. The schedule for replacement of the whole series of non-compliant devices will result in achieving timely compliance with the MUTCD.

**Table I-2. Target Compliance Dates Established by the FHWA**

| 2009 MUTCD Section Number(s) | 2009 MUTCD Section Title   | Specific Provision  | Compliance Date  |
|------------------------------|--|---|--|
| 2A.08                        | Maintaining Minimum Retroreflectivity                                    | Implementation and continued use of an assessment or management method that is designed to maintain traffic sign retroreflectivity at or above the established minimum levels (see paragraph 2)           | 2 years from the effective date of this revision of the 2009 MUTCD*  |
| 2A.19                        | Lateral Offset   | Crashworthiness of sign supports on roads with posted speed limit of 50 mph or higher   | January 17, 2013 (date established in 2000 MUTCD)  |
| 2B.40                        | ONE WAY Signs (R6-1, R6-2)   | New requirement in the 2009 MUTCD for the number and locations of ONE WAY signs   | December 31, 2019  |
| 2C.06 thru 2C.14             | Horizontal Alignment Warning Signs                                       | Revised requirements in the 2009 MUTCD regarding the use of various horizontal alignment signs (see Table 2C-5)   | December 31, 2019  |
| 2E.31, 2E.33, and 2E.36      | Plaques for Left-Hand Exits  | New requirement in the 2009 MUTCD to use E1-5aP and E1 -5bP plaques for left-hand exits   | December 31, 2014  |
| 4D.26                        | Yellow Change and Red Clearance Intervals                                | New requirement in the 2009 MUTCD that durations of yellow change and red clearance intervals shall be determined using engineering practices (see paragraphs 3 and 6)                                    | 5 years from this revision of the 2009 MUTCD, or when timing adjustments are made to the individual intersection and/or corridor, whichever occurs first |
| 4E.06                        | Pedestrian Intervals and Signal Phases                                   | New requirement in the 2009 MUTCD that the pedestrian change interval shall not extend into the red clearance interval and shall be followed by a buffer interval of at least 3 seconds (see paragraph 4) | 5 years from this revision of the 2009 MUTCD, or when timing adjustments are made to the individual intersection and/or corridor, whichever occurs first |
| 6D.03 <sup>***</sup>         | Worker Safety Considerations   | New requirement in the 2009 MUTCD that all workers within the right-of-way shall wear high-visibility apparel (see Paragraphs 4, 6, and 7)  | December 31, 2011  |
| 6E.02 <sup>**</sup>          | High-Visibility Safety Apparel   | New requirement in the 2009 MUTCD that all flaggers within the right-of-way shall wear high-visibility apparel  | December 31, 2011  |
| 7D.04 <sup>**</sup>          | Uniform of Adult Crossing Guards   | New requirement in the 2009 MUTCD for high-visibility apparel for adult crossing guards   | December 31, 2011  |
| 8B.03, 8B.04                 | Grade Crossing (Crossbuck) Sign and Supports                             | Retroreflective strip on Crossbuck sign and support (See Paragraph 7 in Section 8B.03 and Paragraphs 15 and 18 in Section 8B.04)  | December 31, 2019  |
| 8B.04                        | Crossbuck Assemblies with YIELD or STOP Signs at Passive Grade Crossings | New requirement in the 2009 MUTCD for the use of STOP or YIELD signs with Crossbuck signs at passive grade crossings  | December 31, 2019  |

\* Types of signs other than regulatory or warning are to be added to an agency's management or assessment method as resources allow.

\*\* MUTCD requirements is a result of a legislative mandate.

Note: All compliance dates that were previously published in Table I-2 of the 2011 Indiana MUTCD and that do not appear in this revised table have been eliminated.

**Table I-3. Revision Summary (Sheet 1 of 3)**

| Revision # | Part         | Section/<br>Figure/<br>Table | Page No.     | Revision   |
|------------|--------------|------------------------------|--------------|--|
| 1          | Introduction | Table I-2                    | I-6          | Target Compliance Dates Re-established by the FHWA revised<br>Dates revised for sections 2A.08, 2A.19, 4D.26, 4E.06, and 8B.03<br>Dates Deleted for sections 2A.08, 2B.03, 2B.09, 2B.10, 2B.11, 2B.13, 2B .26, 2B .55, 2C.04, 2C .20, 2C.30, 2C .38, 2C.40 to 2C.42, 2C.46, 2C.49, 2C.50, 2C .61, 2C.63, 2D.43 to 2D.45, 2G.01 to 2G.07, 2G.11 to 2G.15, 2H.02 & .03, 2I.07, 2I.08, 2J.05, 2N.03, 3B.04 & 05, 3B.18, 4D.31, 4E.07, 5C.05, 7B.11, 7B.12, 7B16, 8B.19 and 8C.02 to .05, 8C.09, 9B.18<br>Reference for Grade Crossing (Crossbuck) Sign and Supports changed from Section 8B.03 to 8B.03 and 8B.04 |
| 1          | Introduction | Table I-3                    | I-7 thru I-9 | Added table to document revisions  |
| 1          | Part 1       | Section 1A.14                | 23           | "LRT-light rail transit" added as a new item 27  |
| 1          | Part 1       | Table 1A-1                   | 24           | In the Row for "US Numbered Route", the "US" in the second column changed to "See Table 1A-2"  |
| 1          | Part 1       | Table 1A-2                   | 25           | In the Row for "State, county, or other non-US or non-Interstate numbered Route" the double asterisk in the second column is replaced with a single asterisk. And a double asterisk is added after "Number" in the fourth column   |
| 1          | Part 1       | Table 1A-2                   | 25           | A new Row is added between the rows for "Upper" and "Vehicle(s)" that has "US Numbered Route" in the first column, "US**" in the second column, a dash in the third column, and "Number***" in the fourth column.  |
| 1          | Part 2       | Section 2A.18                | 42           | Paragraph 12, the reference to "Section 2D.31" changed to "Section 2D.12"  |
| 1          | Part 2       | Table 2B-1<br>(Sheet 2 of 4) | 47           | The Asterisk associated with the message to Table 9B-1 for minimum sign size for bicycle facilities shown next to signs R4-1, R4-2, R4-3, R4-7, R4-7a, R4-7b, R4-16,, and R5-6   |
| 1          | Part 2       | Table 2B-1<br>(Sheet 2 of 4) | 47           | The size of the Van Assessable (R7-8P) plaque changed to 12"x6" from 18"x9" in both of the Conventional Road columns.  |
| 1          | Part 2       | Table 2B-1<br>(Sheet 3of 4)  | 48           | In the Sign or Plaque column, the name of the R9-3 sign changed from "No Pedestrian Crossing (symbol)" changed to "No Pedestrians"   |
| 1          | Part 2       | Table 2B-1<br>(Sheet 3of 4)  | 48           | STOP HERE FOR FLASHING RED (R10-14b) sign added  |
| 1          | Part 2       | Figure 2B-27                 | 96           | STOP HERE ON FLASHING RED (R10-14b) sign added   |
| 1          | Part 2       | Table 2C-2<br>(Sheet 1 of 3) | 105          | In the Sign or Plaque column, the name of the W3-1,2,3 signs changed from "Advanced Traffic Control" to "Stop, Yield, or Signal Ahead" to be more descriptive and to be consistent with Table 9B-1   |
| 1          | Part 2       | Table 2C-2<br>(Sheet 1 of 3) | 105          | In the Sign or Plaque column, the name of the W4-1 sign changed from "Merge" to "Merging Traffic" to be more descriptive and to be consistent with Table 6F-1.   |
| 1          | Part 2       | Section 2C.65                | 136          | Paragraph 3, the word "appurtances" changed to "appurtenances"   |
| 1          | Part 2       | Table 2D-1                   | 139          | In the Conventional Road column, the asterisk deleted from the sizes for the 2-lines and 3-line D3-2 signs.  |
| 1          | Part 2       | Table 2D-1                   | 139          | Size of the 4-line D3-2 sign changed to "Varies x 54" from "Varies x 60**".  |
| 1          | Part 2       | Table 2E-1<br>(Sheet 2 of 2) | 189          | The minimum sizes of the following signs are changed:<br>D1-1 and D1-1a changed to "Varies x 24" from "Varies x 30"<br>D1-2 and D1-2a changed to "Varies x 42" from "Varies x 54"<br>D1-3 and D1-3a changed to "Varies x 60" from "Varies x 72"<br>D2-1 changed to "Varies x 24" from "Varies x 30"<br>D2-2 changed to "Varies x 36" from "Varies x 54"<br>D2-3 changed to "Varies x 48" from "Varies x 72"<br>2-line D3-2 sign changed to "Varies x 36" from "Varies x42**"<br>3-line D3-2 sign changed to "Varies x 48" from "Varies x66**"<br>4-line D3-2 sign changed to "Varies x 66" from "Varies x84**" |

**Table I-3. Revision Summary (Sheet 2 of 3)**

| Revision # | Part   | Section/<br>Figure/<br>Table  | Page No.  | Revision  |
|------------|--------|-------------------------------|-----------|---|
| 1          | Part 2 | Section 2F.10                 | 244       | Paragraph 1. the reference to "section 2E.30 and 2E.33" changed to "Section 2E.33 and 2E.36"  |
| 1          | Part 2 | Figure 2G-27                  | 291       | Note number 5 changed to 3  |
| 1          | Part 2 | Table 2I-1                    | 302       | The size of the D12-5 sign changed to "48 x 60" from "42 x 60" in the Conventional Road column, and "66 x 72" from "66 x 78" in the Freeway or Expressway column. |
| 1          | Part 2 | Section 2I.02                 | 304       | Paragraph 19 at the end of the first line and beginning of the second the word "sign" changed to "plaque"   |
| 1          | Part 2 | Section 2I.02                 | 304       | Paragraph 19 the designation "D9-13a", "D9-13b", "D9-13c", and "D9-13d" changed to "D19-13aP", "D9-13bP", "D19-13cP", and "D19-13dP" respectively                 |
| 1          | Part 2 | Figure 2I-8                   | 312       | In the note the reference to "Section 2I.08" changed to "Section 2I.10"   |
| 1          | Part 2 | Figure 2J-2                   | 318       | Replaced ½ Mile Advance Guide Sign with an Exit Direction Sign.   |
| 1          | Part 2 | Section 2J.06                 | 320       | Changed paragraph 01 so that limitations on specific service sign placement are based on Exit Direction sign location.  |
| 1          | Part 2 | Table 2M.1                    | 335       | The Radiator Water (RS-124) sign has been added to the "Services" portion of the table  |
| 1          | Part 2 | Figure 2M-7                   | 342       | Designation of the Radiator Water sign changed from RS-114 to RS-124  |
| 1          | Part 3 | Figure 3B-8<br>(Sheet 2 of 2) | 363       | The label for the "Theoretical gore" deleted  |
| 1          | Part 3 | Figure 3C-1                   | 403       | The "optional" label near the bottom of the figure that point to the edges lines along the approach roadway deleted   |
| 1          | Part 3 | Figure 3C-13                  | 415       | The note "Optional diagonal yellow crosshatch markings" added   |
| 1          | Part 4 | Table 4C-3                    | 446       | In first column "Major" street changed to "Minor" street, and in second column "Minor" street changed to "Major" street   |
| 1          | Part 4 | Table 4C-4                    | 446       | In first column "Major" street changed to "Minor" street, and in second column "Minor" street changed to "Major" street   |
| 1          | Part 4 | Table 4C-5                    | 448       | In first column "Major" street changed to "Minor" street, and in second column "Minor" street changed to "Major" street   |
| 1          | Part 4 | Table 4C-6                    | 448       | In first column "Major" street changed to "Minor" street, and in second column "Minor" street changed to "Major" street   |
| 1          | Part 4 | Section 4E.11                 | 516       | Paragraph 15, the reference to "section 4D.13" changed to "Section 4E.13"   |
| 1          | Part 4 | Figure 4F-3                   | 521       | In step 5 the phrase "Pedestrian Clearance Interval " changed to "Pedestrian Change Interval"   |
| 1          | Part 4 | Section 4F.03                 | 521 & 522 | Paragraphs 2 and 3 the phrase "pedestrian clearance interval" changed to "pedestrian change interval"   |
| 1          | Part 6 | Section 6E.06                 | 581 & 583 | Paragraphs 2 to 10 added back in as INFORMATION ONLY  |
| 1          | Part 6 | Table 6F-1<br>(Sheet 1 of 3)  | 588       | Name of the sign R3-7 changed from "Mandatory Movement (text) to "Right (Left) lane Must Turn Right (Left)"   |
| 1          | Part 6 | Table 6F-1<br>(Sheet 1 of 3)  | 588       | Name of the W1-8 sign changed from "Chevron" to "Chevron alignment"   |
| 1          | Part 6 | Table 6F-1<br>(Sheet 3 of 3)  | 590       | G20-5aP "Work Zone" plaque deleted and XG20-5P "Worksite" plaque added  |

**Table I-3. Revision Summary (Sheet 3 of 3)**

| Revision # | Part         | Section/<br>Figure/<br>Table   | Page No. | Revision  |
|------------|--------------|--------------------------------|----------|---|
| 1          | Part 6       | Table 6F-1<br>(Sheet 3 of 3)   | 590      | Name of the signs "XR2-6", "XR2-6a", and "XR2-6b" changed to "XW2-6", "XW2-6a", and "XW2-6b"  |
| 1          | Part 6       | Figure 6F-3<br>(Sheet 1 of 2)  | 594      | G20-5aP "Work Zone" plaque deleted and XG20-5P "Worksite" plaque added  |
| 1          | Part 6       | Section 6F.12                  | 596      | Paragraph 1 changed plaque from "Work Zone" G20-5aP to "Worksite" XG20-5P. Paragraph 6 name of the signs "XR2-6", "XR2-6a", and "XR2-6b" changed to "XW2-6", "XW2-6a", and "XW2-6b" |
| 1          | Part 6       | Figure 6F-4<br>(Sheet 3 of 3)  | 600      | Image of W20-5 sign corrected   |
| 1          | Part 7       | Table 7B-1                     | 755      | Size for "Watch for School Bus" sign (S3-Y3) changed for Conventional Road from 30"x30" to 36" x 36", and for minimum from 36" x 36' to 30" x 30"                                   |
| 1          | Part 9       | Table 9B-1<br>(Sheet 1 of 2)   | 817      | In the sign or Plaque column, the name of the W1-1,2,3,4,5 changed from "Turn and Curve Warning" to "Horizontal Alignment"  |
| 1          | Part 9       | Table 9B-1<br>(Sheet 2 of 2)   | 818      | In the sign or Plaque column, the numbers of the digits for the D10-1a, D10-2a, and D10-3a signs changed to 2, 3, and 4 respectively  |
| 1          | Appendix     | Table A2-4                     | A2-1     | The "010" in the mph column changed to "10". The conversion for 65 mph to 110 km/h deleted and a conversion for 70 mph to 115 km/h added.   |
| 2          | Part 2       | Table 2B-1                     | 49       | Deleted Left on Arrow Only Sign (R10-Y5a) from Table.   |
| 2          | Part 2       | Section 2B.53                  | 95       | Deleted Left on Arrow Only Sign (R10-Y5a). It is incompatible with the red arrow signal indication.   |
| 2          | Part 4       | Section 4D.32                  | 503      | The prohibition against the use of portable traffic signals is eliminated. Standards regarding proper use of portable traffic signals added.  |
| 2          | Part 6       | Section 6F.84                  | 625      | The requirement that temporary traffic signals not be mounted on trailers is eliminated; portable signals not allowed for mobile and short duration work.                           |
| 3          | Introduction | Table I-1                      | I-4      | Added date of first revision to the 2009 (National) MUTCD   |
| 3          | Part 1       | Table 1A-1                     | 24       | Added Standard Abbreviation for LANE (correction from list of known errors).  |
| 3          | Part 2       | Table 2B-1<br>(1, 2, & 3 of 4) | 46-48    | Removed the inapplicable asterisks in the minimum size column (correction from list of known errors).   |
| 3          | Part 2       | Table 2B-1<br>(3 of 4)         | 48       | Corrected sizes of R10-17a "right on Red Arrow After Stop" sign   |
| 3          | Part 2       | Section 2B.11                  | 54 & 55  | Last sentence in paragraph 01 made into new paragraph 02 as an option statement (correction from list of known errors).   |
| 3          | Part 2       | Section 2B.40                  | 78       | The word "to" added between "used" and "notify" (correction from list of known errors).   |
| 3          | Part 2       | Figure 2B-18                   | 83       | Deleted asterisks denoting "one way" signs in SE corner as optional (correction from list of known errors).   |
| 3          | Part 2       | Figure 2B-16                   | 93       | Corrected images of R10-3c and R10-3g signs (correction from list of known errors).   |

**Table I-3. Revision Summary (Sheet 3 of 3)**

| Revision # | Part     | Section/<br>Figure/<br>Table | Page No.             | Revision  |
|------------|----------|------------------------------|----------------------|---|
| 3          | Part 2   | Figure 2B-27                 | 96                   | Corrected image of R10-15 sign (correction from list of known errors).  |
| 3          | Part 2   | Section 2M.04                | 334                  | Deleted second sentence )reference to the Standard Highway Signs and Marking Book (correction from list of known errors). |
| 3          | Part 3   | Figure 3B-9                  | 365                  | Added fourth figure to show typical markings at multi lane entrance ramps   |
| 3          | Part 3   | Section 3B.04                | 366                  | Deleted paragraph 24 as it was a duplicate of paragraph 19 (correction from list of known errors).                        |
| 3          | Part 3   | Section 3B.18                | 389                  | Adding guidance regarding crosswalk markings at diagonally oriented curb ramps to paragraph 17.                           |
| 3          | Part 4   | Section 4G.04                | 525                  | Changed “the word “WHEN” to “ON” in paragraph 18.   |
| 3          | Part 6   | Section 6C.09                | 568                  | Guidance statement in paragraph 02 italicized (correction from list of known errors)                                      |
| 3          | Part 6   | Sections 6E.04 & 6E.06       | 577, 578, 581, & 583 | The prohibition against the Red/Yellow Lens type of Automated Flagger Assistance Devices eliminated.                      |
| 3          | Part 6   | Table 6F-1 (1 of 3)          | 588                  | Changed name of R3-7 sign (correction from list of known errors).   |
| 3          | Part 6   | Table 6F-1 (3 of 3)          | 590                  | Added plaque designation to W23-1cP and corrected standard sizes (correction from list of known errors).                  |
| 3          | Part 6   | Section 6F.12                | 596                  | Clarified intent behind requirement for added penalty sign.   |
| 3          | Part 7   | Table 7B-1                   | 755                  | Modified size and name of S4-Y8P plaque for conventional roads.   |
| 3          | Part 7   | Figure 7B-1                  | 757                  | Modified design of S4-Y8P plaque.   |
| 3          | Appendix | Table A2-4                   | A2-1                 | Corrected metric conversions for 130, 140, 150, and 180 ft (correction from list of known errors).                        |