

## PART B. Devices Functionality and Capability

### 2. Hardware Periphery Compatibility

#### 2.0. Apple(R) iPod Series Device

[✓]: Win7 Ready

Type		Model	O.S. Environment
USB 2.0	iPod	iPod touch 8G	✓
		iPod Classic 160G	✓
	iPhone	iPhone 3GS 16G	✓
		iPhone 4 16G	✓
	iPad	iPad2 Wifi 16G	✓

#### 2.1. Hard Drives

[✓]: Win7 Ready

Type		Model	O.S. Environment
SATA300	Hitachi	Hitachi HDP725050GLA360	✓
		Hitachi HDS721010KLA330	✓
		Hitachi HDT721010SLA360	✓
		Hitachi HDS721010CLA332	✓
	Samsung	Samsung HD501LJ	✓
		Samsung HD321KJ	✓
		Samsung HD753LJ	✓
		Samsung HD502IJ	✓
		Samsung HD103UJ	✓
		Samsung HD103SJ	✓
		Samsung HD203WI	✓
		Seagate	Seagate ST3750640AS
	Seagate ST3750330AS		✓
	Seagate ST31500341AS		✓
	Seagate ST31000528AS		✓
	Seagate ST3500320NS		✓
	Seagate ST3500320AS		✓
	Seagate ST3500418AS		✓
	Seagate ST31000340NS		✓
	Seagate ST31000333AS		✓
	WD	WD WD5000ABYS	✓
		WD WD5000AAKS	✓
		WD WD10EVVS	✓
		WD WD10EACS	✓
		WD WD20EADS	✓
		WD WD3000GLFS	✓
		WD WD5000AVDS	✓
		WD WD6400AAKS	✓
	WD WD6401AALS	✓	

Type		Model	O.S. Environment
SATA300	WD	WD WD10EADS	✓
		WD WD22EADS	✓
		WD WD10EARS	✓
		WD WD20EARS	✓
		WD WD30EZRS	✓
SATA 6G	Seagate	Seagate ST32000641AS	✓
		Seagate ST2000DL003	✓
		Seagate ST3500413AS	✓
		Seagate ST500DM002	✓
	WD	WD WD6402AAEX	✓
		WD WD1002FAEX	✓
		WD WD10EADX	✓
		WD WD5000AAKX	✓
		WD WD6000HLHX	✓
	Hitachi	WD-WD2002FAEX	✓
		Hitachi HDS723030ALA640	✓
		Hitachi HDS723020BLA642	✓
SATA3G SSD	G.skill	G.Skill FM-25S2S-064	✓
	Kingfast	Kingfast KF2501-128S-128	✓
	OCZ	OCZ Core-Series-V2-120	✓
		OCZ SSD2-2VTX120G	✓
SATA6G SSD	Crucial	Crucial C300	✓
		CT064M4SSD2	✓
	OCZ	OCZ-AGT3-25SAT3-480	✓
		OCZ-VTX3-25SAT3-480	✓
		OCZ-SLD3-25SAT3-60G	✓
	PATRIOT	PATRIOT-PP60GS25SSDR-60G	✓
	PLEXTOR	PLEXTOR-PX-64M2S-64G	✓
	Intel	Intel-SSDSC2MH250A2K5	✓

## 2.2. Video Cards

[✓]: Win7 Ready

Type		Model	O.S. Environment	
AMD Chipset	ASUS	ASUS EAH5450 SILENT/DI/HM512MD3/GL (BIOS: V68E1.12.20.0.58.AS02)	✓	
		ASUS EAH5450 SILENT/DI/1GD3 (BIOS: V68F9.12.16.0.2.AS01)	✓	
		ASUS EAH6450 SILENT/DI/1GD3(LP) (BIOS: V6779.13.12.0.0.AS02)	✓	
		ASUS EAH6450 SILENT/DI/512MD3(LP) (BIOS: V6779.13.12.0.0.AS05 V6779.13.12.0.0.AS01)	✓	
		ASUS EAH6570/DIS/512MD5(C242PI) (BIOS: V6759.13.12.0.14.AS01)	✓	
		ASUS EAH6570/DI/1GD3(C331P) (BIOS: V6759.13.11.0.14.AS01)	✓	
		ASUS EAH6670 DCSL/DI/1GD3(C095PI2) (BIOS: V6758.13.12.0.8.AS02)	✓	

Type	Model	O.S. Environment
AMD Chipset	ASUS ASUS EAH6670/DI/1GD3(C095PI) (BIOS: V6758.13.12.0.8.AS01)	✓
	ASUS EAH6750 FML/DI/1GD5/(C099PI) (BIOS: V68BF.12.20.0.50.AS01.U128)	✓
	ASUS-EAH6770 DC/DI/1GD5/A(C099PI ) (BIOS: V68BA.12.20.0.50.AS01.U128)	✓
	ASUS EAH6770/DI/1GD5(C013PMI3) (BIOS: V68BA.12.20.0.55.AS01.U126)	✓
	ASUS EAH6850 DC/2DIS/1GD5/V2(C223P) (BIOS: V6739.13.8.0.6.AS01)	✓
	ASUS EAH6850 DC/2DIS/1GD5 (BIOS: V6379.13.7.0.2.AS01)	✓
	ASUS EAH6870 DC/2DI2S/1GD5 (BIOS: V6738.13.10.0.9.AS01)	✓
	ASUS EAH6950 DCII/2D4S/1GD5(C204PI) (BIOS: V6719.13.10.0.9.AS02.U13)	✓
	ASUS EAH6950/2DI2S/2GD5 (BIOS: V6719.13.8.0.9.AS01)	✓
	ASUS EAH6970/2DI2S/2GD5 (BIOS: V6718.13.8.0.9.AS01)	✓
	ASUS EAH6990/3DI4S/4GD5 (BIOS: V671D.13.11.0.14.AS01)	✓
	ASUS HD7750-O-1GD5-DIS(C445) (BIOS: V683F.15.14.0.3.AS02)	✓
	ASUS HD7750-O-1GD5-DIS(C445PI) (BIOS: V683F.15.14.0.4.AS01)	✓
	ASUS HD7770-DCO-1GD5- DI2S(C441) (BIOS: V683D.15.14.0.1.AS05)	✓
	ASUS HD7770-O-2GD5(C468PI) (BIOS: V683D.15.18.0.0.AS01)	✓
	ASUS HD7870-DC2O-2GD5- DI2S(C401) (BIOS:V6818.15.15.0.2.AS01)	✓
	ASUS HD7970/3GD5/DI2S (BIOS: V6798.15.12.0.4.AS02)	✓
	DATALAND DATALAND HD6570 VORTEX/1G (BIOS: V013.012.000.035.000000)	✓
	Maxsun HD6450/1024MB/64bit/GDDR3 (BIOS: V013.012.000.019)	✓
	MSI MSI R6850/HAWK/1GB/256bi/DDR5 (BIOS: V013.009.000.004.000000)	✓
XFX XFX HD-677X-ZNL (BIOS: V012.020.000.044)	✓	
nVidia Chipset	ASUS ASUS EN8400GS SILENT/HTP/512(C381G2)	✓
	ASUS EN8400GS SILENT/DI/1GD3 (LP) (C872MPI) (BIOS:70.18.5F.00.AS02)	✓
	ASUS EN210/DI/512MD2/A (BIOS: 70.18.2D.00.AS01)	✓
	ASUS EN210 SILENT/DI/1GD2(LP)(C872M) (BIOS:70.18.79.00.AS02)	✓
	ASUS ENGT520 SILENT/DI/1GD3(C1310MPT) (BIOS:75.19.24.00.AS01)	✓

Type	Model	O.S. Environment
nVidia Chipset	ASUS ASUS ENGT520 SILENT/DI/TC1GD3/CS(C1071P) (BIOS: V70.08.5C.00.AS03)	✓
	ASUS ENGT220/DI/1GD3/LP (C684P) (BIOS:V70.16.2E.00.AS01)	✓
	ASUS ENGT220/DI/1GD2/A(LP) R1.00(C682MFI)(WB) (BIOS:70.16.2E.00.AS04)	✓
	ASUS ENGT430/DI/1GD3 LP R1.01 (BIOS:70.08.29.00.AS05)	✓
	ASUS ENGT430 MG/DI/1GD3(LP)(C1071PLM/ELP)(BI OS:70.08.29.00.AS16)	✓
	ASUS ENGT440/DI/1GD3/C1071LMI R1.01 (SAM) (BIOS: V 70.08.4D.00.AS03)	✓
	ASUS ENGT440/DI/1GD5 (C1070PM) (BIOS:70.08.56.00.AS03)	✓
	ASUS ENGTS450 DIRECTCU/DI/1GD5 (BIOS:V70.06.0F.00.AS01)	✓
	ASUS ENGTS450 DC OC/DI/1GD5(C1060) (BIOS:70.26.26.00.AS11)	✓
	ASUS ENGTX460 DIRECTCU TOP/2DI/1G (BIOS: 70.04.13.00.AS02)	✓
	ASUS ENGTX550 TI DC/DI/1GD5 (BIOS:70.26.20.00.AS05)	✓
	ASUS ENGTX550 TI DC TOP/DI/1GD5(C1060MP) (BIOS: 70.26.20.00.AS09)	✓
	ASUS ENGTX560 TI DCII/2DI/1GD5 (BIOS:V70.08.4D.00.AS02)	✓
	ASUS ENGTX570/2DI/1280MD5 (BIOS:V 70.10.17.00.AS07)	✓
	ASUS ENGTX570/2DIS/1280MD5/C1263P (BIOS: V70.10.1B.00.AS02)	✓
	ASUS ENGTX580/2DI/1536MD5 (BIOS:V70.10.17.00.AS01)	✓
	ASUS ENGTX580/2DIS/1536MD5/C1261PI (BIOS: V70.10.17.00.AS03) (BIOS:V70.10.20.00.AS03)	✓
	ASUS-GTX670-DC2T-2GD5-2DIS (BIOS:V80.04.19.00.AS02)	✓
	ASUS-GTX680/2GD5/2048M (BIOS: V80.04.09.00.AS01)	✓
	ASUS-GTX690-4GD5 (BIOS: V80.04.1E.00.AS01)	✓
	Galaxy GIGABYTE GV-N430OC-1GL (BIOS: V70.08.29.00.01)	✓
	ZOTAC ZOTAC GEFORCE210-TC512D2 (BIOS:70.18.39.00.B4)	✓
	Unika Unika 速配 2 GT220 V512+ (BIOS:70.16.2E.00.07)	✓
MSI MSI-N440GT暴雪V5/512 (BIOS:70.08.45.00.00)	✓	
GIGABYTE GIGABYTE-GV-N450-512I (BIOS:V70.06.1F.00.04)	✓	

Type	Model		O.S. Environment
<i>nVidia Chipset</i>	<i>GALAXY</i>	<i>GALAXY -GTS450-GC-1GB-DDR5 (BIOSV70.06.13.00.01)</i>	✓
	<i>Maxsun</i>	<i>Maxsun GTX550Ti巨無霸/1G/DDR5 (BIOS: 70.26.28.00.00)</i>	✓
	<i>EVGA</i>	<i>EVGA GTX560Ti/1G/DDR5 (BIOS:70.24.11.00.60)</i>	✓
<i>Other Chipset</i>	<i>HIS</i>	<i>HIS HD5450-512M/DDR3</i>	✓
	<i>KF</i>	<i>KF210-512MB/DDR2</i>	✓

## 2.3. Peripheral

[✓] : Win7 Ready

### 2.3.1. Audio

#### 2.3.1.1 Audio Decoder

Type	Model		O.S. Environment
<i>SPDIF</i>	<i>Logitech</i>	<i>Z-5400 Digital</i>	✓
		<i>Z-5500 Digital</i>	✓
	<i>DENON</i>	<i>AVR-3311</i>	✓

#### 2.3.1.2 Earphone Devices

Type	Model		O.S. Environment
<i>Earphone</i>	<i>AKG</i>	<i>K701</i>	✓
	<i>Philips</i>	<i>SHM7410</i>	✓
	<i>Beyerdynamic</i>	<i>DT 880</i>	✓
	<i>Sennhieser</i>	<i>MX160</i>	✓
<i>Ear-Mic</i>	<i>Somic</i>	<i>EP-10</i>	✓

#### 2.3.1.3 Microphone Devices

Type	Model		O.S. Environment
<i>Dynamic</i>	<i>Audio-technica</i>	<i>AT-VD5</i>	✓
	<i>Somic</i>	<i>DANYIN-DM-021</i>	✓
	<i>Salar</i>	<i>M6</i>	✓

#### 2.3.1.4 Sound Cards

Type	Model		O.S. Environment
<i>PCI</i>	<i>ASUS</i>	<i>ASUS XONAR DG</i>	✓
<i>PCIEX1</i>	<i>ASUS</i>	<i>XONAR HDAV1.3 DELUXE</i>	✓
	<i>Creative</i>	<i>SB X-Fi Titanium Fatal1ty Pro</i>	✓
<i>USB 2.0</i>	<i>ASUS</i>	<i>XONAR U3</i>	✓
	<i>Creative</i>	<i>USB SB X-FI GO</i>	✓

#### 2.3.1.5 Speaker

Type	Model		O.S. Environment
<i>Line out</i>	<i>Creative</i>	<i>Gigaworks T20</i>	✓
		<i>T7900</i>	✓
		<i>InspireT7700</i>	✓
	<i>Edifier</i>	<i>DA5000</i>	✓
	<i>Logitech</i>	<i>Z-5500</i>	✓
		<i>Z-5400</i>	✓

Type	Model		O.S. Environment
USB 1.1	Edifier	R10U	✓
	Logitech	V10	✓
		S-150 USB	✓

## 2.3.2. Controller Cards

### 2.3.2.1. SATA

Type	Model		O.S. Environment
PCIEX1	HighPoint	Rocket620A	WinXP
PCIEX4	ASUS	U3S6-1.02G (BIOS: V0.0.0.1012)	✓

### 2.3.2.2. SATA RAID

Type	Model		O.S. Environment
PCIEX1	Adaptec	AAR-1220SA (BIOS: V6.0-0 Build 2330)	✓
	HighPoint	RocketRAID620 (BIOS: V1.0)	✓
		RocketRAID2300	✓
PCIEX8	HighPoint	RocketRAID2340 (BIOS: V1.4)	✓

### 2.3.2.3. SAS RAID

Type	Model		O.S. Environment
PCIEX4	HighPoint	RocketRAID 2640	✓
PCIEX8	Adaptec	ASR-5405	✓
	HighPoint	RocketRAID 4320	✓
	HighPoint	RocketRAID 2720	✓

## 2.3.3. Ethernet

### 2.3.3.1. 100 BaseTx Networking Cards

Type	Model		O.S. Environment
PCI	Tenda	Tenda L8139D	✓
USB 2.0	Z-Tek	Z-Tek ZK-R07	✓

### 2.3.3.2. 1000 BaseTx Networking Cards

Type	Model		O.S. Environment
PCI	Intel	Intel Pro/1000GT	✓
	TP-Link	TP-Link-TG-3269C	✓
PCIEX1	Intel	1000PT	✓
	EVGA Kille	EVGA Killer XENO Pro	✓
	Netcore	Netcore 7010Net	✓
	Syskonnect	Syskonnect SK-9E21D	✓
PCIEX4	Intel	EXPI9402PT	✓

### 2.3.3.3. Networking Hubs/Switches/Routers

Type		Model	O.S. Environment
Home Plug	D-Link	DHP-200	✓
	ASUS	PL-X31	✓
Switch	ASUS	GIGAX1105	✓
		GIGAX2124X	✓
		GX-D1241	✓
	D-Link	DES-1008D	✓
		DGS-1008D	✓
		DGS-1008T	✓
		DGS-1016D	✓
	H3C	S5024P	✓
	Linksys	SD2008	✓
		SD208	✓
	Netgear	GS608	✓
		FS608	✓
Netcore	NSW1324M	✓	
	NS318	✓	
TP-Link	TL-SG1016DT	✓	
Router	ASUS	RX3042HC	✓
	D-Link	DI-604+	✓
	Netgear	RP614	✓

### 2.3.3.4. Wireless Networking

Type		Model	O.S. Environment
PCI	D-Link	DWA-525	✓
	TP Link	TL-WN350G	✓
	TP-LINK	TL-WN550G	✓
	FAST	FW54P-54M	✓
USB2.0	D-Link	DWA-131	✓
	NETGEAR	WN111	✓
	ASUS	USB-N13	✓
	TP-Link	TL-WN722N 150M	✓
	D-LINK	DWA-160	✓
PCIE	ASUS	PCE-N13	✓
	ASUS	PCE-N15	✓

### 2.3.4. Fans and Heatsinks

Type		Model	O.S. Environment	
Intel 1156&1155	COGAGE	True Spirit	✓	
	CoolerMaster	V8	✓	
	Deepcool	冰凌 400 黑玉至尊版	✓	
	Intel	Black Edition Product Fan (E88216 0.45A Sample)		✓
		Product Fan (E41747) 0.2A		✓

Type		Model	O.S. Environment
<b>Intel 1156&amp;1155</b>	<b>Intel</b>	<i>Product Fan (E41759) 0.2A</i>	✓
		<i>Product Fan (E41997) 0.17A</i>	✓
		<i>Product Fan (E41759) 0.6A</i>	✓
		<i>Product Fan (E97378) 0.17A</i>	✓
		<i>Product Fan (E97378) 0.2A</i>	✓
		<i>Product Fan (E97378) 0.6A</i>	✓
		<i>Product Fan (E97379) 0.20A</i>	✓
		<i>XTS100H</i>	✓
	<b>PCcooler</b>	<i>Q版火鳥 SPA-801</i>	✓
		<i>刀仔熱管版 HP-829</i>	✓
		<i>紅海 MINI HP-825</i>	✓
		<i>紅海 至尊版 HP-9310E</i>	✓
	<b>Prolimatech</b>	<i>SAMUEL 17</i>	✓
	<b>SilverStone</b>	<i>NT01 Evolution</i>	✓
		<i>NT06-E Evolution</i>	✓
	<b>Thermalright</b>	<i>Ultra 120 Extreme</i>	✓
		<i>AXP-140</i>	✓
	<b>Thermaltake</b>	<i>Contac 29</i>	✓
		<i>Frio</i>	✓
		<i>ISGC-400</i>	✓
		<i>SpinQ</i>	✓
		<i>V1</i>	✓
	<b>ZALMAN</b>	<i>CNPS10X Extreme</i>	✓
		<i>CNPS10X Quiet</i>	✓
		<i>CNPS9900 LED</i>	✓

## 2.3.5. Keyboards/Mice

### 2.3.5.1. Keyboards

Type		Model	O.S. Environment
<b>Bluetooth</b>	<b>Magic-Pro</b>	<i>Promini -V-Touch</i>	✓
<b>PS/2</b>	<b>Win2</b>	<i>X7 G800</i>	✓
	<b>Logitech</b>	<i>Logitech-Y-SAH83</i>	✓
	<b>REALFORCE</b>	<i>LA0100</i>	✓
<b>USB 1.1 / USB 2.0</b>	<b>Apple</b>	<i>MB110LL/A</i>	✓
	<b>Cherry</b>	<i>G80</i>	✓
	<b>Microsoft</b>	<i>Natural Ergonomic Keyboard4000</i>	✓
	<b>Majestouch</b>	<i>Filco Fkbn104ML/EB</i>	✓
	<b>Logitech</b>	<i>G19</i>	✓
		<i>USB-K750</i>	✓
		<i>G105</i>	✓
	<b>Razer</b>	<i>Lycosa</i>	✓
		<i>Tarantula-VZ03</i>	✓
<i>Arctosa-RZ03-0026</i>		✓	



Type		Model	O.S. Environment
USB 1.1 / USB 2.0	Razer	Blackwindow Ultimate	✓
	GIGABYTE	K8100	✓
	Rapoo	V7	✓
	3R	FKB3010UBK	✓
	I-ROCKS	KR-6402	✓

### 2.3.5.2. Keyboard + Mice Combos

Type		Model	O.S. Environment
Bluetooth	Logitech	Desktop Wave	✓
		MX5500 Revolution	✓
PS/2	Logitech	SU61	✓
		G1	✓
		MK100	✓
	RAPOO	N3900	✓
	Tsinghua Tongfang	TF K040	✓
	Hyundai	HY Ma51	✓
USB1.1/USB2.0	RAPOO	N1800 KPM	✓
		Wireless 8130	✓
	Microsoft	Wireless Desktop 3000	✓
		Wireless Entertainment Desktop 8000	✓
		Logitech	MK260
		Cordless Optical Mouse	✓
		Y-RCP140	✓
	T.C.STAR	KIT9901	✓
	Razer	Abussus Essential Gaming Bundle	✓
	MSI	Wireless Combo 630	✓
	WIN2	G7600	✓
HP	CHIRU Keyboard/Mouse II	✓	

### 2.3.5.3. Mice

Type		Model	O.S. Environment
PS/2	Win2	OP-220	✓
	Logitech	Wheel Mouse	✓
	Huaerte	H33-Optical mouse	✓
Serial	Win2	OK-720	✓
USB 1.1/ USB 2.0	Apple	MB112FE/B	✓
	ROCCAT	ROCCAT KOVA	✓
	Lenovo	LS-1000	✓
	Logitech	Gaming Mouse G500	✓
		M515	✓
		G5	✓
	Icon7	Z500 Gaming laser mouse MZ01	✓
	Microsoft	Microsoft Wireless Mobile 1000	✓
Microsoft ARC TOUCH		✓	

Type	Model	O.S. Environment	
<b>USB 1.1/ USB 2.0</b>	<b>Sidewinder X3</b>	✓	
	<b>Philips</b>	<b>SPM5910</b>	✓
	<b>Dell</b>	<b>MS111 P</b>	✓
	<b>Razer</b>	<b>Abussus Essential</b>	✓
	<b>Elecom</b>	<b>SCOPE NODE400</b>	✓
	<b>GIGABYTE</b>	<b>GM-M7580</b>	✓
	<b>ASUS</b>	<b>MS7124-WHT/RF2.4</b>	✓

### 2.3.6. Monitor

Type	Model	O.S. Environment		
<b>D-Sub</b>	<b>Acer</b>	<b>T230H</b>	✓	
	<b>AOC</b>	<b>2343F</b>	✓	
	<b>ASUS</b>	<b>LS201</b>	✓	
		<b>VE276Q-A</b>	✓	
		<b>PA246Q-A</b>	✓	
		<b>MS246H-A</b>	✓	
	<b>BenQ</b>	<b>E2220HDP</b>	✓	
	<b>Dell</b>	<b>2408WFP</b>	✓	
		<b>U2711</b>	✓	
		<b>U3011</b>	✓	
		<b>U2412M</b>	✓	
		<b>U2212M</b>	✓	
	<b>HP</b>	<b>X2301</b>	✓	
	<b>LG</b>	<b>32LH20RC</b>	✓	
		<b>E2290V-SN</b>	✓	
		<b>IPS236V</b>	✓	
		<b>E2381VR-BN</b>	✓	
	<b>Panasonic</b>	<b>TH-42PV8C</b>	✓	
	<b>Philips</b>	<b>248C3LSB</b>	✓	
		<b>190E1SB</b>	✓	
	<b>Samsung</b>	<b>S24A350H</b>	✓	
		<b>2493HM</b>	✓	
		<b>740NW</b>	✓	
		<b>T220</b>	✓	
	<b>Sharp</b>	<b>LCD-52RX1</b>	✓	
	<b>Toshiba</b>	<b>42RV500G</b>	✓	
	<b>Viewsonic</b>	<b>VX2250W</b>	✓	
		<b>VP950B</b>	✓	
	<b>DVI</b>	<b>Acer</b>	<b>T230H</b>	✓
		<b>AOC</b>	<b>2343F</b>	✓
		<b>ASUS</b>	<b>LS201</b>	✓
<b>VE276Q-A</b>			✓	

Type		Model	O.S. Environment	
<b>DVI</b>	<b>ASUS</b>	PA246Q-A	✓	
		VG236H	✓	
	<b>BenQ</b>	E2220HDP	✓	
	<b>Dell</b>	2408WFP	✓	
		U2412M	✓	
		U2212M	✓	
	<b>HP</b>	HP ZR2440W	✓	
		X2301	✓	
	<b>LG</b>	E2290V-SN	✓	
		IPS236V	✓	
		E2381VR-BN	✓	
	<b>Panasonic</b>	TH-42PV8C	✓	
	<b>Philips</b>	248C3LSB	✓	
		190E1SB	✓	
	<b>Viewsonic</b>	VX2250W	✓	
		VP950B	✓	
	<b>Samsung</b>	T220	✓	
		2493HM	✓	
		S23A950	✓	
	<b>HDMI</b>	<b>Acer</b>	T230H	✓
<b>ASUS</b>		VE276Q-A	✓	
		PA246Q-A	✓	
		MS246H-A	✓	
<b>BenQ</b>		VJ2611	✓	
<b>Dell</b>		2408WFP	✓	
		U3011	✓	
		U2711	✓	
<b>Hannsg</b>		HG281D	✓	
<b>HP</b>		X2301	✓	
		HP ZR2440W	✓	
<b>LG</b>		32LH20RC	✓	
		IPS236V	✓	
		E2290V-SN	✓	
		E2381VR-BN	✓	
<b>Panasonic</b>		TH-42PV8C	✓	
<b>Samsung</b>		2493HM	✓	
		S24A350H	✓	
		S23A950	✓	
<b>Sharp</b>		LCD-52RX1	✓	
<b>Toshiba</b>		42RV500G	✓	
<b>Display Port</b>		<b>Dell</b>	2408WFP	✓
			U3011	✓
	Dell U2711		✓	
	U2412M		✓	

Type	Model		O.S. Environment
<b>Display Port</b>	<b>Dell</b>	<b>U2212M</b>	✓
	<b>ASUS</b>	<b>PA246Q-A</b>	✓
		<b>VE276Q-A</b>	✓
	<b>HP</b>	<b>HP ZR2440W</b>	✓
	<b>Samsung</b>	<b>S23A950</b>	✓
	<b>Apple</b>	<b>A1316</b>	✓

### 2.3.7. Optical Drives

Type	Model		O.S. Environment	
<b>SATA</b>	<b>ASUS</b>	<b>ASUS DRW-24B1ST</b>	✓	
		<b>ASUS DRW-24B3ST</b>	✓	
		<b>ASUS DVD-E818A6T</b>	✓	
		<b>ASUS DVD-E818A7T</b>	✓	
		<b>ASUS DRW-24B1LT</b>	✓	
		<b>ASUS BC-08B1LT</b>	✓	
		<b>ASUS BW-12B1LT</b>	✓	
	<b>BenQ</b>	<b>BenQ DW240S</b>	✓	
	<b>LG</b>	<b>LG GH22NS70</b>	✓	
		<b>LG BH12LS35</b>	✓	
		<b>LG CH10LS20</b>	✓	
	<b>Lite-On</b>	<b>Lite-On IHOS104</b>	✓	
		<b>Lite-On IHAS524</b>	✓	
		<b>Lite-On IHAS324</b>	✓	
		<b>Lite-On IHBS212</b>	✓	
	<b>MSI</b>	<b>MSI DH-24AS</b>	✓	
	<b>Pioneer</b>	<b>Pioneer-BDR-S05XLB</b>	✓	
		<b>Pioneer BDR-206MBK</b>	✓	
		<b>Pioneer DVR-216BK</b>	✓	
		<b>Pioneer DVR-219CHV</b>	✓	
	<b>Plextor</b>	<b>Plextor PX-880SA</b>	✓	
	<b>Samsung</b>	<b>Samsung SH-S223C</b>	✓	
	<b>Sony</b>	<b>Sony AD-7260S</b>	✓	
		<b>Sony BWU-300S</b>	✓	
	<b>USB2.0</b>	<b>ASUS</b>	<b>ASUS SBC-04D1S-U</b>	✓
			<b>ASUS SDRW-08D2S-U</b>	✓
			<b>ASUS-SBC-06D1S-U</b>	✓
<b>Lite-On</b>		<b>Lite-On eNAU508-T26</b>	✓	
<b>LG</b>		<b>LG GP10NB20</b>	✓	
<b>MSI</b>		<b>MSI UO881</b>	✓	
		<b>MSI UO800</b>	✓	

Type	Model		O.S. Environment
USB2.0	Pioneer	Pioneer DVR-XD10C	✓
USB3.0	ASUS	ASUS BW-12D1S-U	✓
	Buffalo	BUFFALO BR-X1216U3	✓

### 2.3.8. Power Supplies

M/B 電源			O.S. Environment
Model		O.S. Environment	
ASUS	ASUS U-75HA	✓	
Antec	EA-430D	✓	
	EA-750	✓	
	HCG-900	✓	
AcBel	IP-500 HB9024	✓	
Bubalus	PE600WJD	✓	
Century Star	大風車320	✓	
CoolerMaster	RS-B00-AAAA-A3	✓	
	RS-460-ASAA-D3	✓	
	RS-C00-80GA-D3	✓	
COMMANDER	IRP-COM750	✓	
Delux	DLP-650PG	✓	
EnerMAX	EMG600AWT	✓	
	EPM850EWT	✓	
FSP	AX-260HHC	✓	
	ATX-300PNR	✓	
	AX-310HHN	✓	
GreatWall	BTX-600SE	✓	
	BTX-400SD	✓	
	ATX-350P4升級版	✓	
	BTX-500GT	✓	
Golden Field	ATX-S395(靜音版)	✓	
HAMER	MIT750	✓	
Huntkey	多核R85	✓	
	冷靜王鑽石版Win7	✓	
	HK1000-11PEP-X7 900	✓	
SAMA	YUHUI 350P	✓	
Seasonic	X-760(SS-760KM)	✓	
Segotep	勁持400P一鍵節能(SG-400PYJ)	✓	
Sharkoon	SHA-R600M	✓	
Silverstone	SST-ST40F-ES	✓	
SUPER FLOWER	SF-350P14XE	✓	
	SF-550P14PE	✓	
Thermaltake	TP-650AH3CCG (Toughpower Grand 650W)	✓	
	Thermaltake TP-1200AH3CSG (Toughpower Grand 1200W)	✓	
	Toughpower 1500W	✓	

## 2.3.9. Printers/Scanners

### 2.3.9.1. Printer

Type		Model	O.S. Environment
Bluetooth	HP	Photosmart A320	WinXP
	Canon	PIXMA IP100	✓
USB 2.0	Canon	MX308	✓
		Pixma IP4500	✓
	Epson	Office 360	✓
	HP	ColorLaserjet 1600	✓
		Photosmart D5168	✓

### 2.3.9.2. Scanner

Type		Model	O.S. Environment
USB 2.0	Canon	Canoscan 8800F	✓
	Epson	Office 360	WinXP
		Perfection V30	✓
	HP	ScanJet-G3110	✓
	Microtek	Scanmaker-S460	✓

### 2.3.10. TV Cards

Type		Model	O.S. Environment
PCI	10Moons	TB400	✓
	Aver	Super 009	✓
PCIEX1	Aver	H788A	✓
	Aver	Media H727	✓
	Compro	E900F	✓
USB 2.0	10Moons	UT822	✓
	Aver	A833	✓
	MyGica	UT550	✓

### 2.3.11. USB Storage

#### 2.3.11.1 Card Readers

Type		Model	O.S. Environment
USB 2.0	SSK	SCRM010	✓
	ATP	ProMax	✓
	Transcend	Multi Card Reader TS-RDM3	✓

#### 2.3.11.2 External Enclosures

Type		Model	O.S. Environment
e-SATA	Cyberslim	S1-U3S-ESATA-USB3.0	✓
	ORICO	3548RUS3	✓
	Seagate	Free Agent XTreme (1TB)	✓
	Stardom	SR3610-2S-SB2	✓
	Newsmy	YIJIAN USB2.0/E-320G	✓

Type	Model		O.S. Environment
e-SATA	WD	My Book Studio Edition(1TB)	✓
		My Book Studio Edition II	✓
	Newsmy	YIJIAN USB2.0/E-320G	✓
USB 2.0	HITACHI	LIFE STUDIO-1TB	✓
	Lenovo	F310-320G	✓
	Maxtor	Stm315005ehm301-Rk	✓
	Netac	K200-500G	✓
	Samsung	G2 HX-MU050DC/GL2	✓
	Seagate	ST903203FGG201-RK	✓
		ST905004EXM101-RK	✓
	TOSHIBA	SK250Q3-320G	✓
	Teclast	T10-640G	✓
	WD	My Book Studio Edition II	✓
	Newsmy	YIJIAN USB2.0/E-320G	✓
	USB3.0	ADATA	NOBILITY-NH01-500G
AGESTAR		3UB3A8	✓
AGESTAR		3UBT-USB3	✓
ASUS		AN300-500G-USB3.0	✓
BLACKMAGIC		INTENSITY SHUTTLE-USB3.0	✓
Buffalo		BUF-HD-HXU3	✓
		BUF-HD-H1.5XU3	✓
		HD-H1.0TU3	✓
CENDA		C601U-5G	✓
CENTURY		CROSU3-USB3.0	✓
Cyberslim		S2-U3-USB3.0	✓
		S1-U3S-ESATA-USB3.0	✓
DATA-TEC		U350SR-U3-USB3.0	✓
EGO		IOMEGA-USB3-500G	✓
		IOMEGA-USB3-2T	✓
I/O DATA		HDJ-UT1.0-USB3.0	✓
INEO		U3-HDD DOCKING	✓
RATOC		RS-EC3-U3BK	✓
PQI		HD566 320G	✓
SEAGATE		STAC3000301-3TB-USB3.0	✓
SHARKOOM		SATA QUICKPORT USB3.0	✓
		RAPID-CASE	✓
Silicon power		10060946-640GA80-SS	✓
TRANSCEND		TS500GSJ25D3	✓
		TS640GSJ25D3-USB3	✓
WD		MYBOOK 3.0 WDBABP0010HCH-USB3	✓
		WDBACW0010HBK-USB3.0	✓
UNITEK		USB3.0 HDD ENCLOSURE Y-3251	✓
		USB3.0 HDD DOCKING Y-1072	✓

Type	Model		O.S. Environment
USB3.0	UNITEK	U3 TO SATA ADAPTER-Y-1034	✓
	VANTE	NST-380S3 USB3.0 CASE	✓
	CYBERSLIM	CYBERSLIM-S2-U3 TURBO-USB3.0	✓
	CYBERSLIM	CYBERSLIM-S1-U3 TURBO-USB3.0	✓
	HITACHI	TOURO MOBILE PRO 500GB/Go USB3.0 +Free 3GB Cloud	✓
	VANTEC	NST-280S3-BK USB3.0 1TB SATA/II	✓

### 2.3.11.3 Floppy Drives

Type	Model		O.S. Environment
USB 1.1	Sony	MPF82E-U1	✓

### 2.3.11.4 USB Flash Devices

Type	Model		O.S. Environment
USB 2.0	ADATA	C903	✓
	AIGO	L8202	✓
	Apacer	AH223	✓
		AH302	✓
	Corsair	Flash Voyager	✓
	IMate	combo driver	✓
	KINGMAX	Super Stick mini U204G	✓
		Super Stick mini U208G	✓
	Kingston	DT 200	✓
		DT 120	✓
		DT G2	✓
	KingSpec	KSD-eSA.1-008MJ	✓
	Netac	U235	✓
	PNY	Lovely Attache	✓
	PQI	U262	✓
		U273	✓
	Sandisk	CZ36	✓
		CZ6	✓
	SILICON POWER	TOUCH 830	✓
	Teclast	CF32GBNCM-B2	✓
Toshiba	U2PG-016GT	✓	
Transcend	JetFlash V60	✓	
USB 3.0	ADATA	NOBILITY N005	✓
	Corsair	Voyager 3.0	✓
	DDUSB	AP722X	✓
	Kingston	DTU30	✓
	MACH XTREME	MX-FX	✓
	APACER	AH552-32GB	✓
	KINGSTON	DTU30G2-64GB	✓
	SHARKOON	Flexi-Drive Extreme Duo	✓
SILICON POWER	Blaze B10	✓	



Type	Model		O.S. Environment
USB 3.0	Transcend	JetFlash 700	✓
e-SATA	IMate	combo driver	✓
	KingSpec	KSD-eSA.1-008MJ	✓

### 2.3.11.5 USB Hubs

Type	Model		O.S. Environment
USB 2.0	Belkin	F5U237	✓
	D-Link	Dub-H4	✓
	Z-tek	ZE341	✓
	OSTRAN	OST-368	✓
	Dell	2408WFP(Monitor)	✓
USB 3.0	BUFFALO	BSH4A03U3BK (VIA Chip Firmware:0373)	✓
	愛斯基摩	HUB301WT(VIA Chip Firmware:0373)	✓

### 2.3.12. Others Input Device:

#### 2.3.12.1 Bluetooth Adapter

Type	Model		O.S. Environment
USB 1.1	LINKSYS	USBBT100	✓
USB 2.0	MSI	STARKEY 2.0	✓
	BILLIONTON	GUBTCR421-BI-GL	✓
	AIBO-MINI	V2.0-DCAD02	✓
	OSTRAN	O-108	✓

#### 2.3.12.2 Digital Camcorders

Type	Model		O.S. Environment
USB 2.0	Sony	HDR-SR7E	✓

#### 2.3.12.3 Digital Cameras

Type	Model		O.S. Environment
USB 2.0	Canon	IXUS 850IS	✓
	Kodak	P850	✓
	Nikon	D40X	✓
	Panasonic	DMC-FZ20	✓
	Sony	Cybershot DSC-T9	✓

#### 2.3.12.4 Tablets

Type	Model		O.S. Environment
USB 2.0	Wewa	CHUNQIU DYNASTY-V9.1	✓
	PenPower	Touch Pad PD8UE	✓
	Wacom	Bamboo-CTH-460/K0-C	✓

### 2.3.12.5 PC Game Controller

Type		Model	O.S. Environment
USB 1.1	Logitech	Extreme 3D PRO	✓
	Logitech	G25 Racing wheel	✓
USB 2.0	Microsoft	XBOX 360 Controller	✓
	BETOP	BETOP-BTP-2276	✓
	BETOP	BETOP-BTP-2165	✓
	LOGITECH	LOGITECH-GAMEPAD F310	✓
	SAITEK	SAITEK-CYBORG V.1	✓

### 2.3.12.6 Web Cams

Type		Model	O.S. Environment
USB 2.0	Logitech	C500	✓
	Microsoft	LifeCam Cinema	✓
	10Moons	T24	✓
	Teclast	TL-W900-NDS2W	✓

### 2.3.13. UPS device

#### 2.3.13.1 UPS

Type		Model	O.S. Environment
Serial	APC	APC Smart-UPS 1000VA	✓

### 2.3.14. Recovery Cards

#### 2.3.14.1

Type		Model	O.S. Environment
PCI	Xiaoshaobin	Xiaoshaobin V9R	✓