

Select Tech INC

Parts Catalog



Select-Tech is your **one-stop source** for ambulance parts. We offer in-stock replacement parts for a wide variety of ambulance brands. Our inventory includes everything from warning lights, bulbs, lenses, inverters, sirens, cots, wheel liners, weather-stripping, and much more! We also manufacture aluminum rub-rails, stone guards, rear kick-plates, cab-extensions, and rear bumpers and sell them at **wholesale prices!**

VISIT OUR ONLINE STORE

www.fixmyambulance.com

(931) 684-8964
Voice



(931) 684-8965
Fax



ORDERING INFORMATION:

By Phone: You may place an order by calling Select-Tech's Parts Department at 931-684-8964

By Fax: Using the attached order form, fax orders to 931-684-8965.

Email: You can also place an order by email at parts@selecttechambulances.com. Be sure to include part numbers, quantities, a shipping address, and payment method.

Website: Most of our parts are listed on our website at www.fixmyambulance.com or www.selecttechambulances.com and payment can be made using Visa, Mastercard, Discover, and American Express.

SHIPPING:

Orders must be placed by 2:00 PM CST to receive same day shipping on in-stock items.

We ship via UPS-Ground. Standard shipping rates are applied to orders. Expedited shipping services (Next Day Air, 2nd Day Air, etc.) are available at an additional charge.

TERMS:

New accounts are required to make payment via Credit Card or COD. To be set-up with open terms, please contact Select-Tech's Part Department at 931-684-8964 for further information.

ATTENTION GOVERNMENT BUYERS. Our Tax ID Number is 62-1614658

**PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. Please call
931-684-8964 for the most current pricing.**



PARTS ORDER FORM

Bill To Address

Company Name: _____
Attention: _____
Address: _____
City, State, Zip _____
Phone: _____
Fax: _____
Email: _____

Ship To Address

Company Name: _____
Attention: _____
Address: _____
City, State, Zip _____
Phone: _____
Fax: _____
Email: _____

Qty.	Part Number	Description	Price

TOTAL _____

Place Orders By:
Phone: (931)-684-8964

PO# _____

Fax: (931)-684-8965

Email: parts@selecttechambulances.com



A/C & Heater Parts
Pg. 5



Air Horns & Compressors
Pg. 6-7



Air Suspension
Parts
Pg. 8



Aluminum Parts
Pg. 9



Clearance/Marker
Lights
Pg. 10



Cots & Hardware
Pg. 11-12



Decals & Pinstriping
Pg. 13



Door Hardware
Pg. 14-16



Electrical Parts
Pg. 17-20




Exterior Parts
Pg. 20-23



Inverters & Chargers
Pg. 24



Interior Lighting
Pg. 25



Lights, Lenses & Flanges
Pg. 26-34



Lightbar Parts
Pg. 35



Lightbulbs
Pg. 36-37



Oxygen Equipment
Pg. 38-39



Seats & Cushions
Pg. 40



Sirens & Speakers
Pg. 41-42



Weatherstripping
& Seals
Pg. 43-44



Wheel Liners &
Parts
Pg. 45

A/C & Heater Parts



PN: Hoseli 52-0161

Electric/Vacuum controlled solenoid valve



PN: Hoseli 7-9125

Dryer for HVAC unit. Mounts on backside of HVAC unit.



PN: Hoseli 52-176

Vacuum Controlled Water Valve, Normally Closed



PN: Hoseli 860026-W

12" Puller Fan for Top or Bottom mount condenser



PN: Hoseli EXV928

Expansion Valve for R-134A & R-12



PN: Hoseli 20659

Vacuum Pump



PN: Hoseli 7-7280

Accumulator (Dryer) for '05-'07 F-350, 6.0L engine



PN: Hoseli M600MC

Thermostat - Double for Rear HVAC



PN: Hoseli BH1400-24

Blower Housing for Hoseline HVAC with M928 resistor/mount and motor



**PN: Hoseli VL100 (7ft)
Hoseli HOS19 (22ft)**

Vacuum Line Kit for water valves. Available in 7ft & 22ft.



PN: Hoseli EWP-12V

Booster Pump for heater hose, 5/8". Also available in 3/4"



PN: Hoseli M916

Blower Resistor for HVAC



PN: Hoseli H2036

Heater Valve, Manual 5/8 x 5/8



PN: Hoseli M5H754

3 Speed fan switch w/ knob & nut

Air Horns & Compressors



PN: B 1061

10" Buell Air Horn



PN: B 1062

12" Buell Air Horn



PN: B 1071

10" Buell Trumpet Only



PN: B 1072

12" Buell Trumpet Only




PN: B 1073

15" Buell Trumpet Only



PN: B 1070

Strombos sound unit only



PN: B 5440

Buell 12 VDC 1.15cfm Air Compressor



PN: B 12076

Air horn solenoid valve, 12VDC, aluminum body




PN: B 4546

Front Mount Chrome Pedestal for air horn



PN: B 2243

6" x 25" Air Tank w/ legs and platform



PN: B 1068

Gasket for Sound Unit



PN: B 1069

Diaphragm for Sound Unit



PN: B 4659

Pressure Cup for Sound Unit

We are distributors for Buell and Grover Air Horns. If you don't see the air horn part you are looking for, please [give us a call](#). We will be happy to assist you!

Air Horns & Compressors



PN: Grover 1510

Stutter Tone Air Horn,
Chrome, 24.5" long



PN: Grover 1675

Truktone Air Horn,
Chrome, 15.5" long



PN: Grover 1678

Truktone Air Horn,
Chrome, 13.5" long



PN: Grover 1522

Sound Unit repair kit for
Grover 1510 Stutter Tone
Air Horn



PN: Grover 1720

Chrome Pedestal for Air
Horn



PN: Grover 1136

Air Horn Solenoid, 12VDC



PN: Grover 1167

Grover Air Compressor for
Air Horns, 80/100 psi,
12VDC, 6 Amps.

Air Suspension Parts



PN: TH 5188

GAST 1/3 HP Compressor
Comes standard with
Granning Air Ride



PN: TH 8609

Air spring for '99 & up F-
350 Granning Air Ride sys-
tem



PN: TH 5480

Height Control Linkage Kit



PN: TH 8892

Pressure Switch, Normally
Closed



PN: TH 707413-01

Dump Valve Solenoid for
Air Suspension



PN: V V 034065

Height Control Valve



PN: TH 4017

1/4" NPT Check valve for
compressor.



PN: LINK 800M1027

Link Control Panel



PN: LINK 800M1033

Air kit for 2008 & up F-450.
Mounts inside frame rail.
For Link air ride system



PN: LINK 13010062

Leveling Valve only for
Link air ride system



PN: LINK 13010558

Auto Drain valve for Link
air ride system



PN: LINK 15000271

Threaded rod for dump
valve. For Link air ride
system.




PN: LINK 800M0100

Link Leveling Valve Kit,
(Includes linkage, 90 deg.
fittings, mounting brackets)

We stock numerous replacement parts for Granning, Link, Silent Drive & Kelderman air suspension systems. If you do not see the part you are looking for, please give us a call!

Aluminum Parts



PN: Rear Bumper

Standard Rear Bumper. Fits most 96" width boxes. Can be made smaller for narrow or Mini-Mod boxes or Type II vans. Includes "L" shape mounting brackets & hardware.




PN: Type II Stationary Bumper

Fits all conversion vans



PN: Rubrail

Custom Tread-Plate rubrail can be custom built to identically match your ambulance.




**PN: Type I F-350 Running Boards (Pictured)
Type I Chevy C3500 Running Boards
Type I F-450 Running Boards
Type I Dodge Running Boards**

Tread-Plate running boards custom built to fit your Type I application



PN: Type I F-350 Running Board with Grip Strut Step. *Grip strut can be added to any of our running boards



**PN: Type III E-350 / E-450 Running Boards (Pictured)
Type III Chevy G3500 / G4500 Running Boards**

***Also Available with Grip-Strut Step.**



PN: Type II E-350 / E-450 Running Boards—102" length. **Also available for Type II Chevy G3500/G4500 vans.

Custom Tread-Plate running boards to fit your Type II Conversion ambulance.



PN: Rock/Stone Guards

Custom Tread-Plate rock-guards. Can be built to fit any ambulance manufacturer.



PN: Cab Extension

Custom built cab extension for E-350/450 and Chevy G3500/4500 Cutaways.

Call for pricing!

All of our custom Aluminum parts are made here at Select-Tech! We custom build all parts to fit your specifications! If it is made of aluminum, stainless, or steel and fits on an ambulance, we [can](#) build it!

Clearance / Marker Lights



**PN: A 057-00-722 (Red)
A 057-00-712 (Amber)**



Self Grounding Clearance/
Marker Light




**PN: Grote 45252 (Red)
Grote 45253 (Amber)**



Wheeled Coach Style
Incand. bulb clearance
light



**PN: Grote 45382 (Red)
Grote 45383 (Amber)**



Collins Style "Turtleback"
clearance light. Incandescent
bulb.



**PN: Grote 46792 (Red)
Grote 46793 (Amber)**



Duramold 2-bulb incandescent
clearance light



**PN: Grote G4602 (Red)
Grote G4603 (Amber)**



L.E.D. Duramold style
clearance light



**PN: KD 501-3601 (Red)
KD 501-3101 (Amber)**



F.A.C.T style clearance /
marker light. Incandescent



PN: TB 30-68-510

McCoy-Miller style Side
marker light, Red (comes
with foam gasket)



**PN: W 0SR00MCR (Red)
W 0SA00MCR (Amb)**



Whelen LED steady clear-
ance light w/ chrome flange



PN: WC EL45013

Wheeled Coach corner
marker lens & bulb kit, Red



PN: WC EL45012

Wheeled Coach corner
marker lens & bulb kit, Amber



**PN: WC AS81950 (Red)
WC AS81951 (Amber)**

Wheeled Coach corner
marker LED insert



PN: WC AS75132


Wheeled Coach corner strobe
bulb



**PN: IL 200-4400 (Red)
IL 200-1100 (Amber)**



LED Clearance / Marker Lights.
Often used on McCoy-Miller.



PN: Grote G4002

4" Hi-Count LED, Grommet
mount light
Grommet PN: Grote 91740



**PN: W ICC5RL (Red)
W ICC5AL (Amber)**

Set of (5) Whelen LED ICC
Marker Lights for top of lightbars

Cots, Stair-Chairs, & Cot Hardware



PN: Stryker MX-Pro
CALL FOR PRICING!
650 lb. capacity cot.



PN: Stryker Power-Pro XT
CALL FOR PRICING!
700 lb. capacity all-power cot.



PN: Stryker Stair-Chair 6252
CALL FOR PRICING!
500 lb. capacity stair-chair



PN: Stryker 6371-000-000
Wall Mount Cot Mounting Hardware Kit.
Kit includes aluminum floor plates and round screw-knob.


Stryker Cot Hardware



PN: Stryker 6370-000-000
Single Position Cot Mount Hardware Kit.
Kit includes aluminum floor plates and round screw-knobs.
*Also available w/ extra blocks for dual position (Stryker 6377-000-000)




PN: Stryker 6360-20-10S
Stryker Rail assembly cot latch only



PN: Stryker 6360-30-24S
Rail Support Bracket, Floor



PN: Stryker 6360-30-18
Rail Clamp for rail assembly cot latch to rail support bracket.



PN: (A) Stryker 6060-36-17
(B) Stryker 6060-36-18
(C) Stryker 6092-36-18
(A) Safety Hook, Short
(B) Safety Hook, Long
(C) Safety Hook, "J" hook



PN: Stryker 6360-030-011
Stryker 6360-030-012
Large alum. floor plate
Small alum. floor plate



PN: Stryker 6360-30-31
Round Knob for floor plates

Cots & Cot Hardware



PN: Stryker 6060-002-010

Stryker wheel assembly.
(Fits MX-Pro and Power-Pro Cots)



PN: Stryker 1010-031-077

Head-Rest gas cylinder for all Stryker cots



PN: Stryker 6082-026-010

Stryker side-rail assembly



PN: Stair Chair Bracket

Mounting system for the Stryker Stair Chair. Includes Basket, Nylon Strap w/ buckle and mounting hardware. Perfect for mounting on curbside door or inside a compartment.

We can help you find any replacement part for your Stryker or Ferno cots, stair-chairs, and mounting hardware!

Ferno Cot Hardware




PN: FW 175-4

Ferno Cot Fastener Kit for Dual Positions



PN: FW 090-0278

Ferno 175 Cot Latch Only



PN: FW 090-0263

Ferno Cot Latch Support Bracket



PN: FW 090-0262

Ferno Cot Latch Clamp



**PN: FW 090-0266
FW 090-0265**



Large alum. floor plate
Small alum. floor plate



**PN: FW 090-0268
FW 090-0267**



Short Hold Down Bolt
Long Hold Down Bolt

Decals, Lettering, & Pinstriping



PN: 4" Star of Life

KKK certified for hood of vehicle. Blue w/ white border



PN: 14" Star of Life

KKK certified for rear of ambulance. Blue w/ white border



PN: 18" Star of Life

KKK certified for Side of ambulance. Blue w/ white border



PN: 32" Star of Life

KKK certified for Top (roof) of ambulance. Blue w/ white border.



PN: 4" Mirror Image "ECNALUBMA"

KKK certified for hood of vehicle. Blue w/ white border



PN: 6" Ambulance Blue w/ white border

KKK certified for side of ambulance. Blue w/ white border



PN: TP 3M 72608

1/4" Blue Pinstriping. 150' roll. Can be sold by the foot.

* Pinstriping is also available in reflective material, sizes 1/4", 3/8", and 1/2" (Sold by the foot and 150' Rolls)



PN: SS-Orange Reflective

Custom cut to your specified width and length. Call for Pricing!



PN: No Smoking Decal

3.5" x 10" - "No Smoking Oxygen in Use"

Select-Tech has "in-house" capabilities to design and install custom vinyl lettering, striping, logos, and graphics for your vehicles. We stock reflective and custom colored vinyl to fit any application! Call us today for a free quote!



Door Hardware




PN: AH ALH21ESLR-50 SS

Paddle Handle w/ 2pt. studs - 4.25" w x 5.5" h. Can be keyed CH501, 510, 545



PN: AH 25-4974-51

Paddle Handle w/ 2pt. Holes - 4.25" w x 5.5" h. Can be keyed 501, 510, 545



PN: AH ALH21ESR-50WF

Paddle Handle, non locking. Typically used as inside door handle on street side door. 4.75" w x 5.75" h



PN: AH 69ESL-SS

Back-to-Back style Paddle handle. 4.75" w x 5.75" w. Can be keyed 501, 510, 545



PN: AH TM22614-05

Tri-Mark paddle handle. Med-Tec Style. Curbside door. TM202 key



PN: AH TM18481-07

Tri-Mark paddle handle. Med-Tec Style. Street side door. TM202 key



PN: AH TM13080-02

Tri-Mark paddle handle. Non-Locking



PN: EMC-21100-210K-03

Eberhard Chrome Paddle Handle, Keyed J210. *Often used on Taylor-Made ambulances



PN: AH 12430-37BLK

Tri-Mark Paddle Handle, Curbside door (RH), Keyed TM211



PN: AH 12429-37BLK

Tri-Mark Paddle Handle, Street-side door (LH), Keyed TM211



PN: WC HA25518

Wheeled Coach style door handle, Max Grab, Locking, Right Hand Keyed J236 (for compartments)



PN: WC HA25519

Wheeled Coach style door handle, Max Grab, Locking, Left Hand Keyed J236 (for compartments)



PN: WC HA25488-O

Wheeled Coach style door handle, Max Grab, Locking, Right Hand Keyed J236 (ENTRY DOORS)



PN: AH TM21430-06

Tri-Mark Interior door bezel, Locking, Curb Side rear door (LH)



PN: AH TM21431-01

Tri-Mark Interior door bezel, Locking, Street Side rear door (RH)



PN: AH M1-63

Southco Pull Latch, Non-Locking



PN: AH M1-42

Southco Pull Latch, Locking

Door Hardware



PN: AH 69ESL-51
 Lock Cylinder
 Can be keyed CH501, 510, 545



PN: AH 522-A
 Lock Cylinder, No Key,
 Black thumb knob. Used
 on inside portion of handle.



PN: AH 4901-60
 Lock Cylinder w/ short cam
 Can be keyed CH501, 510, 545



PN: AH 4901-60/123
 Lock Cylinder w/ long cam
 Can be keyed CH501, 510, 545



PN: AH 411SL-51
 Lock Cylinder
 Keyed 1250



PN: AH C2-33-15
 Trigger Latch, Non-
 Locking, Black



PN: AH C2-33-25
 Trigger Latch, Locking,
 Black
 (Keyed CH751)




PN: IT 10206-03
 Trigger Latch, Non Lock-
 ing, Chrome



PN: IT 10212-03
 Trigger Latch, Locking,
 Chrome



PN: AH C2-33-11
 Trigger Latch, Non-
 Locking, Textured Chrome



PN: AH C2-33-21
 Trigger Latch, Locking,
 Textured Chrome
 (Keyed CH751)




← 2-7/16" →

PN: AH TM-11665 -RH
 Tri-Mark Rotary Latch, RH
 Distance between outside
 mounting holes is 2-7/16"



← 2-7/16" →

PN: AH TM-11664 -LH
 Tri-Mark Rotary Latch, LH
 Distance between outside
 mounting holes is 2-7/16"



← 2-11/16" →

PN: AH EMC1-400ZN-LH
 Eberhard Rotary Latch, LH
 Distance between outside
 mounting holes is 2-11/16"



← 2-11/16" →

PN: AH EMC1-400ZN-RH
 Eberhard Rotary Latch, RH
 Distance between outside
 mounting holes is 2-11/16"



PN: AH CH3300TL-LH
 Rotary Latch w/ thumb
 release, LH



PN: AH CH3300TL-RH
 Rotary Latch w/ thumb
 release, RH

If you don't see the door hardware part
 you are looking for, you can send a pic-
 ture to
parts@selecttechambulances.com and
 we will be happy to help you find it!

Door Hardware



PN: AH GSS 1713UE (18 lb. force)
AH GSS 1715UV (29 lb. force)
AH GSS 1717UL (61 lb. force)

Gas Spring - 7.5" extended - 5.3" compressed, 18 lb. force, PS130 connectors



PN: AH AVM-SE300A-20 PE

Gas Spring - 10" extended - 7" compressed gas shock, 20 Lb. force, PS130 connectors



PN: AH GSS 6554UD

Gas Spring - 11.9" Extended, 8.4" Compressed, 20 lb. w/ PS 90 Connectors



PN: AH GSS 1777UC (20 lb. force)
AH GSS 1783UQ (30 lb. force)

Gas Spring - 12" extended - 8.5" compressed, PS130 connectors



PN: AH GSS 6558UK

Gas Spring - 12.09" Extended, 7.84" Compressed, 94 lb. w/ PS 90 Connectors



PN: AH GSS 1924UG

Gas Spring - 15" Extended, 9.5" Compressed, 34 lb. w/ PS 90 Connectors



PN: AH GSS 6372UP

Gas Spring - 17.2" Extended, 10.45" Compressed, 34 lb. w/ PS 90 Connectors



PN: AH GSS 6359UT

Gas Spring - 19.6" Extended, 12.6" Compressed, 30 lb w/ PS 90 Connectors



PN: AH DC5-J-1511-SS

Stainless Door Check, 15 lb. force. 12.75" J-arm, 13" distance between mounting holes



PN: AH DC23-5011-ZN

Standard Door Check, 11" arm, 12.75" distance between mounting holes.



PN: AH ALH 5-7-SSWCNS

Wheeled Coach style door check, 8" distance between mounting holes.



PN: AH 38RWC (Rubber Male & Female)

PN: AH 83-R-BKT (Bracket only)

Wheeled Coach Style door grabber, Rubber Grabbers only (bracket sold separately)



PN: CPI DH0017-1

Door "Grabber" . Complete system. 4 -1/2" base-to-base. Chrome plated.



PN: AH DH450-SS

Door Holder, 4" long, Stainless w/ white nylon receiver



PN: AH B-3

1" diameter x 1" high rubber door bumper

Electrical Parts (Shorelines & Connectors)



PN: WG 205EL.OEM

Marinco 20 Amp, 125VAC
Shoreline Inlet



PN: WG 301EL.OEM

Marinco 30 Amp, 125VAC
Shoreline Inlet



PN: RX LEV4937

15 Amp, 125VAC Shore-
line Outlet & Cover, Gray



**PN: RX 15378
RX WP1 (Cover)**

20 Amp, 125VAC Shore-
line Flanged male inlet.
Cover sold separately.



PN: KM 091-18WP-120

Kussmaul 15 Amp, 120
VAC, AutoEject Shoreline
w/ yellow cover



PN: KM 091-20WP-120

Kussmaul 20 Amp, 120
VAC, AutoEject Shoreline
w/ yellow cover



PN: KM 091-55-20-120

Kussmaul 20 Amp, 120
VAC, Super Auto Eject w/
yellow cover.



PN: KM 091-159-30-120

Kussmaul 30 Amp, 120
VAC, Super Auto Eject w/
yellow cover.



PN: KM 091-159-CON-3P-120

3-Pin Connector for 30 Amp
Super Auto Eject, 120VAC,
Yellow (NEW STYLE)



PN: KM 091-73-CON-3P

3-Pin Connector for 30
Amp Auto Eject, 120VAC,
Blue (OLD STYLE)



PN: KM 5-20P

20A, 125V Female Cord
End, Connector. Replace-
ment for 20A Auto Eject.



PN: RX LEV5269N

15A, 125V Female Cord
End, Connector



PN: RX LEV5266N

15A, 125V Male Cord End,
Plug



PN: RX LEV515AN

15A, 125V Male 90° Angle
Cord End, Plug



PN: TEK LJ5382

20A, 125V Male Cord End,
Connector



PN: RX HBL2613

30A, 125V Female Twist-
Lock Cord End, Connector

Electrical Parts (Panels & Switches)




PN: RCT 01584

Select-Tech Front Switch Panel w/ LED Back-lighting. Measures 10" x 12"



PN: TST VM-501

Digital Ammeter, Voltmeter, and Hall Effect Sensor. Fits in Select-Tech Panel



Ford E-Series



Chevy G-Series

**PN: MM 106874 (Ford E-series)
MM 115465 (Chevy G series)**

Type III Console/Switch Panel Housing, Charcoal




We stock custom built consoles for your ambulance. We offer consoles in "Splatter-Paint" or "Formica" coverings. We can also build consoles to your specifications, give us a call for a free quote!




Wheeled Coach style switches


- PN: (A) WC EL33670** - Master, ON-OFF w/ paddle
(B) WC EL33681 - ON-OFF, (Hot Fired)
(C) WC EL33690 - ON-OFF, (Ground Fired)
(D) WC EL33674 - ON-OFF-ON, (Hot Fired)
(E) WC EL33691 - ON-OFF-ON, (Ground Fired)
(F) WC EL33676 - ON-ON-ON, Non-lighted
(G) WC EL33682 - ON-ON, Non-lighted




- PN: (A) TST 040-0021** - On-Off, White
(B) TST 040-0012 - On-Off-On, White
(C) TST 040-0014 - Momentary (ON)-Off, White
(D) WG LTILC54-AMAM - On-Off-On, Orange or Red
(E) WG LTILA51-RC - On-Off, Red Lens
(F) WG LTILA51-AM - On-Off, Amber Lens
(G) WG LTILA51-GN - On-Off, Green Lens
(H) WG LTILA51-LU - On-Off, Blue Lens
(I) WG LTILA51-Paddle - On-Off, Red Paddle Style



*Switches available in 0.25" Slip-on tabs (Left) or Screw-on terminals (Right). Please specify when ordering!



- PN: (A) WG 8004K35N1V1** - Momentary (On)-Off, Black
(B) WG 8951K635 - On-Off-On, Red Lenses
(C) WG 8005K23N313V41 - On-Off, Amber Lens
(D) WG 8005K23N313V62 - On-Off, Blue Lens
(E) WG 8005K23N313V21 - On-Off, Red Lens
(F) WG 8005K23N313V31 - On-Off, Green Lens



* Switches and Switch Covers are sold separately in this style

- PN: (A) WT 44361** - Black Actuator
(B) WT 44362 - Black Actuator, 1 red lens
(C) WT 44365 - Black Actuator, 2 red lenses
(D) WT 44367 - Red Actuator, 1 red lens
(E) WT 44341 - Gray Actuator
(F) WT 44342 - Gray Actuator, 1 red lens
(G) WT 44345 - Gray Actuator, 2 red lenses
(H) WT 44338 - Gray Actuator, 1 amber lens

- PN: WT 44305** - Switch, On-Off (1 light)
WT 44306 - Switch, On-Off-On (2 lights)
WT 44302 - Switch, Moment. (On)-Off (no lights)
WG V4D1DCCB - Switch, On-On (2 lights)
WG VED1S00B - Switch, On-On-On (no lights)

Electrical Parts

(Misc. Electrical Parts)



PN: V V 697297

Back-Up Alarm, 97dB w/
wiring pigtail



PN: MCM 58-15835

Volume Control, 75 Watt,
with white décora cover



PN: MCM FD15MWC

Intermatic 15-Minute timer



PN: RX HBL8200HLR

Illuminated Medical Outlet,
15 or 20A, 125VAC, Red



PN: WG 12VRC.OEM

12V receptacle, 30A.
Comes with locking nut &
mounting plate.



PN: WG M-2484-16

Cole-Hersee Battery Dis-
connect switch



PN: TST CDR-357

Commander 357 Power
Disconnect Switch, 350A



PN: WG 586-902

200A Heavy Duty Solenoid



PN: WG 124-902

100A Heavy Duty Solenoid



PN: WG 896H-1CH

Standard 30A relay, 12VDC



PN: WT 75724

Micro Relay, 20A, 12VDC



PN: WT 75551

75A Relay, 12VDC. Four
Terminals, dual contact,
125,000 cycles



PN: WG S87R11A2B1D1

120VAC, 20A Relay



PN: RCT 00659

200A Ammeter, fits in a 2"
hole.



PN: RCT 00660


Voltmeter, fits in 2" hole



**PN: WT 47211 (Black)
WT 47213 (Red)**



Junction Stud, 3/8"-16
thread



PN: WT 46050

Fuse Panel, 6 circuits,
Fuses sold separately.

**We also stock wire, connectors,
terminals, fuses, zip-ties,
heat-shrink and many more
electrical supplies!**

Electrical Parts (Strobe Power Supplies & Flash-



PN: W CSP690
Whelen Strobe Power Supply, 6 outlet, 90 Watt



PN: W UPS690
Whelen Strobe Power Supply, 6 Outlet, 90 Watt



PN: W UPS64LXA
Whelen Strobe Power Supply, 4 Outlet, 75 Watt



PN: W UPS158A
Whelen Strobe Power Supply, 8 Outlet, 158 Watt



PN: W ISP188
Whelen Strobe Power Supply, 8 Outlet, 90 Watt



PN: W UFM8
Whelen Halogen Flasher, 8 Outlet, 60W per outlet. 17 flash patterns



PN: W AFM560
Whelen 5 Post, 60 Watt Ambulance Flasher



PN: VANNER 3860GCPE
Vanner Duo-Mode Flasher.



PN: W AFL530
Whelen LED Flasher, 5 Post



PN: W UHF2150A
Whelen Headlight Flasher (Wig-Wag) w/ 4 flash patterns



PN: CODE3 700
Code3 Headlight Flasher (Wig-Wag), Handles (2) 100W loads of 8 amps ea.



PN: CODE3 360HL
Code3 Headlight Flasher (Wig-Wag), Handles (2) 55W loads of 5 amps ea.



PN: SD ETPSS-P
Sound-Off Signal Power Pulse Solid-State Wig-Wag



PN: W LEDLOAD
Whelen LED Turn Signal Load Module.

Exterior Parts (Fenderettes)



PN: WC CH27186

Wheeled Coach aluminum fenderette.
39.875" OD x 19.75" Tall



PN: AH TH4026

Stainless Fenderette. Often used on Med
-Tec & Marque. 36.375" OD x 18.25" Tall



PN: AH TH4025

Stainless Fenderette. Often used on McCoy-
Millers & Osage. 35" OD x 17.5" Tall



PN: AH TH4035

Stainless Fenderette. Often used on Medix.
36.125" OD x 17.375" Tall



PN: CPI FD1009

Cast aluminum fenderette. Often used on
McCoy-Millers. 37" OD x 18.25" Tall



PN: CPI FD1006

Cast aluminum 3-piece fenderette.
38.84" OD x 17.84" tall



PN: CPI FD1002

Cast aluminum fenderette.
36.375" wide x 18" tall



PN: AH TH3005

Cast aluminum fenderette.
34" wide x 17.375" Tall



PN: CPI FD1004

Cast aluminum fenderette.
33.75" wide x 17.25" Tall



PN: AH GSX178

Rubber Fenderette. Flexible to fit
any radius. Sold by the foot

Exterior Parts (Mirrors)

2020 Series for 2003 & UP Ford E-Series Vans



Standard



Deluxe



Part #	Finish	Body Width	Head Type	Flat Glass	Convex Glass	Qty.
715404	Black	96"	Standard	Manual	N/A	Pair
715422	Black	96"	Standard	H/R	N/A	Pair
715449	Black	96"	Deluxe	Manual	Manual	Pair
715437	Black	96"	Deluxe	H/R	H/R	Pair

2020 Series for GMC Savana, Express Vans, & Topkick Medium



Standard



Deluxe



Part #	Finish	Body Width	Head Type	Flat Glass	Convex Glass	Qty.
714557	Black	96"	Standard	Manual	N/A	Pair
714563	Black	96"	Standard	H/R	N/A	Pair
714545	Black	96"	Deluxe	Manual	Manual	Pair
714551	Black	96"	Deluxe	H/R	H/R	Pair

2020 Series for Ford Super Duty F-250 to F-750



Standard



Deluxe



Part #	Finish	Body Width	Head Type	Flat Glass	Convex Glass	Qty.
714527	Black	96"	Standard	Manual	N/A	Pair
714533	Black	96"	Standard	H/R	N/A	Pair
714515	Black	96"	Deluxe	Manual	Manual	Pair
714521	Black	96"	Deluxe	H/R	H/R	Pair

MIRROR HEADS ONLY



Part #	Finish	Head Type	Flat Glass	Side
714575	Black	Standard	Manual	Right or Left
714577	Black	Standard	H/R	Right or Left



Part #	Finish	Head Type	Flat Glass	Side
714580	Black	Deluxe	Manual	Right Side
714579	Black	Deluxe	Manual	Left Side
714582	Black	Deluxe	H/R	Right Side
714581	Black	Deluxe	H/R	Left Side

If you don't see the part you need, give us a call. We have many more mirror parts to choose from!

GLASS KITS ONLY



PN: V V 709407 (Manual)
V V 709748 (Heated/Remote)
Glass kit includes bezel & wedge convex mirror for Standard Head



PN: V V 723068
Wedge Stick-on Convex mirror only for Standard Head



PN: V V 709448
Heated flat glass for manual or remote Deluxe mirror head



PN: V V 709449
Heated convex mirror for manual or remote Deluxe mirror head

Exterior Parts



PN: Perko 1312
 Chrome Cowl Vent w/
 black mounting base.
 Base has 4 mounting
 holes



PN: AW 1364A1
 Chrome Cowl Vent w/
 black mounting base.
 Base has 3 mounting
 holes



PN: BS C-8
 White Cowl Vent w/ black
 mounting base. Typically
 used on McCoy-Miller
 ambulances



PN: CPI VC0004-1
 Cast Aluminum Vent
 *Often used on Wheeled
 Coach ambulances



PN: CPI VC0001-1
 Cast Aluminum Vent
 Cover w/ two #10 mount-
 ing holes, Polished



PN: Hoseli 2226
 12.38" x 5.51" Plastic
 Return Air Grille, Black




PN: Hoseli 2223
 12.38" x 2.75" Plastic
 Return Air Grille, Black



PN: Hoseli 2241
 6.19" x 5.51" Plastic
 Return Air Grille, Black



PN: AH 7504-1SS
 4" Round Louvered Vent.
 Stainless



PN: CPI FG5301-255
 Fuel Filler Guard, 53 degree, 8.08" x
 7.98", 2.5" Diameter Hole.
 Cast Aluminum



PN: CPI FG2201-225
 Fuel Filler Guard, 22 degree, 7.56" x
 7.56", 2.25" Diameter Hole.
 Cast Aluminum



PN: CPI FG4503-1-163
 Urea Filler Guard
 Cast Aluminum



PN: CPI LP0002-1
 License Plate Holder, 14" x
 8", Polished Cast Aluminum



PN: Grote 60101
 License Plate Courtesy
 Lamp, Incandescent



PN: Grote 61501
 License Plate Courtesy
 Lamp, Incandescent

Inverters & Chargers



PN: Dimensions DUI-12U12AT

Dimension Unlimited 1200W Quasi-Sine wave Inverter w/ transfer switch



PN: Vanner 20-1050CUL

Vanner 12VDC to 120VAC, 1050W Inverter w/ a built-in 55 Amp battery charger



PN: Dimensions DUI-12U12AB3T

Dimension Unlimited 1200W Quasi-Sine wave Inverter w/ built-in battery charger




PN: Vanner IFM1

Interface Module for remote options on Vanner Inverters.



PN: Tripp EMS1250TUL

Tripp-Lite 1200W Inverter



PN: Dimensions DUI-12U12-1800AB1T

Dimensions Unlimited 1800W Pure-Sine wave Inverter w/ built-in battery charger



PN: Intelli-Power PD9130

Intelli-Power 30Amp AC to DC Power Converter/ Battery Charger.



PN: Vanner 20-1000TUL.2

Vanner 12VDC to 120VAC, 1050W Inverter



PN: KM 091-165-12

Kussmaul AutoCharge-12 battery charger. Shuts off when battery is fully charged

If you have questions about which inverter or battery charger would best fit your applications, please [give us a call](#). We will be happy to help you find the one that fits your needs at the lowest price!

Interior Lighting



PN: IT ZY-170-6
6" Gooseneck Light,
12VDC



PN: IT ZY-170-12
12" Gooseneck Light,
12VDC



PN: TL OEM-736
Thin-Lite Recessed 12V Fluorescent Light w/
switch. Almond colored end caps. Dual 18"
F15T8CW bulbs. 30W. 20.531" x 6.625" x 1.75"



PN: TL OEM-P716XL
Thin-Lite Recessed 12V Fluorescent Light w/
switch. Dual 18" F15T8CW bulbs. 30W.
20.625" x 6.625" x 2"



PN: TL OEM-P712XL
Thin-Lite Recessed 12V Fluorescent Light w/
switch. Dual 12" F8T5-CW bulbs. 16W.
14.75" x 6.625" x 2"



PN: LC 17918386 (Recessed Mount)
Liteco Recessed Mount 12V Fluorescent
Light w/ switch. Dual 18" F15T8CW bulbs.
30W. 19.5" L x 6.5" W



PN: LC 17918200 (Surface Mount)
Liteco Surface Mount 12V Fluorescent Light
w/ switch. Dual 18" F15T8CW bulbs. 30W.
19.5" L x 6.5" W




PN: TL IB-P116
TL IB-P112
Thin-Lite Ballast for lights with
(2) F15T8CW bulbs, 30W



Thin-Lite Ballast for lights with
(2) F8T5CW bulbs , 16W



PN: W 8635CU
Whelen Rectangular interior
dome light. Dual Intensity halo-
gen bulb



PN: IT Y-357
8" Halogen Dome Light.
High Beam #358 bulb, Low
beam #906 bulb.



PN: LC 357-L
Replacement Lexan lens
for 8" Dome Light



PN: W 80C0EJCR
Whelen 6-Diode LED
Dome Light. Fits the same
cut-out as the Halogen



PN: W 80C0EHCR
Whelen 9-Diode LED
Dome Light. Fits the same
cut-out as the Halogen



PN: W 86CE1
Whelen Rectangular LED
Dome light. Fits in the same
cut-out as the 8635CU
Halogen Dome Light



PN: IL 004-5200-1
White LED compartment or
step-well light. Commonly
used on McCoy-Miller's.
Measures: 1.57" x .82" x .57"

Light Assemblies (M Series)

M9 Series Super-LED®

Flashing with Color Outer Lens



Model	Color
W M9R	Red
W M9A	Amber
W M9B	Blue

Flashing with Clear Outer Lens



Model	Color
W M9RC	Red
W M9AC	Amber
W M9BC	Blue
W M9CC	White
W M9K	Red/Amb
W M9J	Red/Blue
W M9D	Red/White


M9 Series Tail Lights



PN: W M9BTTX
Brake Light, Red BTT/
MAX



PN: W M9BUW
Back-Up Light



PN: W M9T
Turn Signal, Amber
Arrow

M6 Series Super-LED®

Flashing with Color Outer Lens



Model	Color
W M6R	Red
W M6A	Amber
W M6B	Blue

Flashing with Clear Outer Lens



Model	Color
W M6RC	Red
W M6AC	Amber
W M6BC	Blue
W M6CC	White
W M6K	Red/Amb
W M6J	Red/Blue
W M6D	Red/White

M6 Series Tail Lights



PN: W M6BTT
Brake Light, Red BTT/
MAX



PN: W M6BUW
Back-Up Light



PN: W M6T
Turn Signal, Amber
Arrow

M7 Series Super-LED®

Flashing with Color Outer Lens



Model	Color
W M7R	Red
W M7A	Amber
W M7B	Blue

Flashing with Clear Outer Lens



Model	Color
W M7RC	Red
W M7AC	Amber
W M7BC	Blue
W M7CC	White
W M7K	Red/Amb
W M7J	Red/Blue
W M7D	Red/White

M4 Series Super-LED®

Flashing with Color Outer Lens



Model	Color
W M4R	Red
W M4A	Amber
W M4B	Blue

Flashing with Clear Outer Lens




Model	Color
W M4RC	Red
W M4AC	Amber
W M4BC	Blue
W M4CC	White
W M4K	Red/Amb
W M4J	Red/Blue
W M4D	Red/White

Light Assemblies (900 Series)


900 Series Linear Super-LED®

Flashing with Color Outer Lens



Model	Color
W 90RR5FRR	Red
W 90AA5FAR	Amber
W 90BB5FBR	Blue

Flashing with Clear Outer Lens



Model	Color
W 90RR5FCR	Red
W 90AA5FCR	Amber
W 90BB5FCR	Blue
W 90CC5FCR	White
W 90RA5FCR	Red/Amb
W 90RB5FCR	Red/Blue
W 90RC5FCR	Red/White

900 Series 5MM-LED Flashing

Flashing with Color Outer Lens



Model	Color
W 90R00FRR	Red
W 90A00FAR	Amber
W 90B00FBR	Blue

Flashing with Clear Outer Lens



Model	Color
W 90R00FCR	Red
W 90A00FCR	Amber
W 90B00FCR	Blue
W 90C00FCR	White

900 Series 5MM-LED Tail Lights




PN: W 90R00XRR
Brake Light, Red BTT/
MAX



PN: W 90A00TAR
Turn Signal, Amber
Arrow

**Check out the CHROME flanges
for the 900 Series on Page 32**

900 Series Scenelights



PN: W 90E000ZR
Halogen Scene Light




PN: W 90C0ELZR
LED Scene Light, 12
Diode LED's




PN: W 90C0ENZR
LED Scene Light, 24 Diode
LED's, chrome flange included

900 Series Strobe Lights



Model	Color
W 902000RR	Red
W 902000AR	Amber
W 902000BR	Blue
W 902000CR	Clear
W 902000DR	Red/Clear
W 902000KR	Red/Amber
W 902000JR	Red/Blue

900 Series Halogen Lights




Model	Color
W 90F000RR	Red
W 90F000AR	Amber
W 90F000BR	Blue
W 90F000CR	Clear
W 90F000DR	Red/Clear
W 90F000KR	Red/Amber
W 90F000JR	Red/Blue

900 Series Halogen Tail Lights



PN: W 90X000RR
Halogen Brake Light,
Red BTT



PN: W 90J000CR
Halogen Back-Up Light,
Clear




PN: W 90X000TR
Halogen Turn Signal
Light, Amber Arrow

Light Assemblies (700 Series)

700 Series Linear Super-LED®

Flashing with Color Outer Lens




Model	Color
W 70R02FRR	Red
W 70A02FAR	Amber
W 70B02FBR	Blue

Flashing with Clear Outer Lens



Model	Color
W 70R02FCR	Red
W 70A02FCR	Amber
W 70B02FCR	Blue
W 70C02FCR	White
W 70BR6FCR	Blue/Red
W 70RA6FCR	Red/Amb
W 70RC6FCR	Red/White




700 Series 5MM-LED Flashing

Flashing with Color Outer Lens



Model	Color
W 70R00FRR	Red
W 70A00FAR	Amber
W 70B00FBR	Blue

Flashing with Clear Outer Lens




Model	Color
W 70R00FCR	Red
W 70A00FCR	Amber
W 70B00FCR	Blue
W 70C00FCR	White

700 Series 5MM-LED Tail Lights



PN: W 70R00XRR
Brake Light, Red BTT/
MAX



PN: W 70A00TAR
Turn Signal, Amber
Arrow

**Check out the CHROME flanges
for the 700 Series on Page 32**

700 Series Scene Light



PN: W 70K000ZR

Halogen Scene Light



PN: W 70C00ELZR

LED Scene Light, 12
Diode

700 Series Strobe Lights



Model Color

W 702000RR	Red
W 702000AR	Amber
W 702000BR	Blue
W 702000CR	Clear
W 702000DR	Red/Clear
W 702000KR	Red/Amber
W 702000JR	Red/Blue



700 Series Halogen Lights



Model Color

W 70F000RR	Red
W 70F000AR	Amber
W 70F000BR	Blue
W 70F000CR	Clear
W 70F000DR	Red/Clear
W 70F000KR	Red/Amber
W 70F000JR	Red/Blue



700 Series Halogen Tail Lights



PN: W 70X000RR

Halogen Brake Light,
Red BTT



PN: W 70J000CR

Halogen Back-Up Light,
Clear




PN: W 70X000TR

Halogen Turn Signal
Light, Amber Arrow

Light Assemblies (600 Series)

600 Series Linear Super-LED®

Flashing with Color Outer Lens




Model	Color
W 60R02FRR	Red
W 60A02FAR	Amber
W 60B02FBR	Blue

Flashing with Clear Outer Lens




Model	Color
W 60R02FCR	Red
W 60A02FCR	Amber
W 60B02FCR	Blue
W 60C02FCR	White
W 60BR6FCR	Blue/Red
W 60RA6FCR	Red/Amb
W 60RC6FCR	Red/White



600 Series 5MM-LED Flashing

Flashing with Color Outer Lens



Model	Color
W 60R00FRR	Red
W 60A00FAR	Amber
W 60B00FBR	Blue

Flashing with Clear Outer Lens




Model	Color
W 60R00FCR	Red
W 60A00FCR	Amber
W 60B00FCR	Blue
W 60C00FCR	White

600 Series 5MM-LED Tail Lights



PN: W 60R00XRR
Brake Light, Red BTT/
MAX




PN: W 60A00TAR
Turn Signal, Amber
Arrow

*Check out the **CHROME** flanges
for the 600 Series on Page 32*

600 Series Scene Light

PN: W 60K000XR




Halogen Scene Light

PN: W 60C0ELZR



LED Scene Light, 12
Diode

600 Series Strobe Lights




Model **Color**

W 602000RR	Red
W 602000AR	Amber
W 602000BR	Blue
W 602000CR	Clear
W 602000DR	Red/Clear
W 602000KR	Red/Amber
W 602000JR	Red/Blue




600 Series Halogen Lights



Model **Color**


W 60F000RR	Red
W 60F000AR	Amber
W 60F000BR	Blue
W 60F000CR	Clear
W 60F000DR	Red/Clear
W 60F000KR	Red/Amber
W 60F000JR	Red/Blue



600 Series Halogen Tail Lights



PN: W 60X000RR
Halogen Brake Light,
Red BTT



PN: W 60J000CR
Halogen Back-Up Light,
Clear



PN: W 60X000TR
Halogen Turn Signal
Light, Amber Arrow

Light Assemblies (500 Series)

500 Series TIR6™ Super-LED®

Flashing with Color Outer Lens



Model	Color
-------	-------

W 50R03ZRR	Red
W 50R03ZAR	Amber
W 50R03ZBR	Blue



Flashing with Clear Outer Lens



Model	Color
-------	-------

W 50R03ZCR	Red
W 50A03ZCR	Amber
W 50B03ZCR	Blue
W 50C03ZCR	White



500 Series 5MM-LED Flashing


Flashing with Color Outer Lens



Model	Color
-------	-------

W 50R00FRR	Red
W 50A00FAR	Amber
W 50B00FBR	Blue

Flashing with Clear Outer Lens



Model	Color
-------	-------

W 50R00FCR	Red
W 50A00FCR	Amber
W 50B00FCR	Blue
W 50C00FCR	White

500 Series 5MM-LED Surface Mount

Flashing with Color Outer Lens



Model	Color
-------	-------

W 5SR00FRR	Red
W 5SA00FAR	Amber
W 5SB00FBR	Blue

Flashing with Clear Outer Lens



Model	Color
-------	-------

W 5SR00FCR	Red
W 5SA00FCR	Amber
W 5SB00FCR	Blue
W 5SC00FCR	White

500 Series Strobe Lights

Model	Color
-------	-------




W 502000RR	Red
W 502000AR	Amber
W 502000BR	Blue
W 502000CR	Clear
W 502000DR	Red/Clear
W 502000KR	Red/Amber
W 502000JR	Red/Blue



500 Series Halogen Lights

Model	Color
-------	-------



W 50K000RR	Red
W 50K000AR	Amber
W 50K000BR	Blue
W 50K000CR	Clear

*Check out the **CHROME** flanges for the 500 Series on Page 32*

Light Assemblies (400 Series)

400 Series Linear 4 Super-LED®

Flashing with Color Outer Lens



<u>Model</u>	<u>Color</u>
W 40R02ZRR	Red
W 40A02ZAR	Amber
W 40B02ZBR	Blue


Flashing with Clear Outer Lens



<u>Model</u>	<u>Color</u>
W 40R02ZCR	Red
W 40A02ZCR	Amber
W 40B02ZCR	Blue
W 40C02ZCR	White

400 Series 5MM-LED Flashing

Flashing with Color Outer Lens




<u>Model</u>	<u>Color</u>
W 40R00FRR	Red
W 40A00FAR	Amber
W 40B00FBR	Blue

Flashing with Clear Outer Lens





<u>Model</u>	<u>Color</u>
W 40R00FCR	Red
W 40A00FCR	Amber
W 40B00FCR	Blue
W 40C00FCR	White

400 Series Strobe Lights



<u>Model</u>	<u>Color</u>
W 402000RR	Red
W 402000AR	Amber
W 402000BR	Blue
W 402000CR	Clear
W 402000DR	Red/Clear
W 402000KR	Red/Amber
W 402000JR	Red/Blue

400 Series Halogen Lights



<u>Model</u>	<u>Color</u>
W 40J000RR	Red
W 40J000AR	Amber
W 40J000BR	Blue
W 40J000CR	Clear
W 40J000DR	Red/Clear
W 40J000KR	Red/Amber
W 40J000JR	Red/Blue

**Check out the CHROME flanges
for the 400 Series on Page 32**

Light Assemblies (LIN3/TIR3/LINZ6/ION)

LIN3 Series LED®

Flashing with Clear Outer Lens



<u>Model</u>	<u>Color</u>
W RSR02ZCR	Red
W RSA02ZCR	Amber
W RSB02ZCR	Blue
W RSC02ZCR	White

TIR3 Series LED®

Flashing with Clear Outer Lens



<u>Model</u>	<u>Color</u>
W RSR03ZCR	Red
W RSA03ZCR	Amber
W RSB03ZCR	Blue
W RSC03ZCR	White

LINZ Series LED

Flashing with Clear Outer Lens



<u>Model</u>	<u>Color</u>
W LINZ6R	Red
W LINZ6A	Amber
W LINZ6B	Blue
W LINZ6C	White
W LINZ6D	Red/White

ION Wide-Angle Series LED



<u>Model</u>	<u>Color</u>
W WIONR	Red
W WIONA	Amber
W WIONB	Blue
W WIONC	Clear
W WIOND	Red/White

**Check out the *CHROME* flanges
for these Series on Page 32**

Light Assemblies (Flanges)



PN: W 9EFLANGE

Chrome Flange for 900 Series Strobe, Halogen, and LED (not Super-LED)



PN: W 90FLANGC

Chrome Flange for 900 Series Super-LED only



PN: W 7EFLANGE

Chrome Flange for 700 Series Strobe, Halogen, or LED lights



PN: W 6EFLANGE

Chrome Flange for 600 Series Strobe, Halogen, or LED Lights



PN: W 5TSMAC

Chrome Flange for 500 Series TIR6 LED lights only. For surface mounting



PN: W 5FLANGEC

Chrome Flange for 500 Series Surface Mount LED's



PN: W 4EFLANGE

Chrome Flange for 400 Series Strobe, Halogen, or LED lights



PN: W RFLANGEC

Chrome Flange for LIN3/TIR3 LED models



PN: W LINZ6FC

Chrome Flange for LINZ6 LED models

Lenses

900 Series Halogen Lenses



PN: W 68-1183542-50 (Red)
W 68-1183542-30 (Clear)
W 68-1183542-20 (Blue)
W 68-1183542-10 (Amber)

900 Series Strobe Lenses



PN: W 68-1182268-50 (Red)
W 68-1182268-30 (Clear)
W 68-1182268-20 (Blue)
W 68-1182268-10 (Amber)

900 Series Super-LED Lenses



PN: W 68-1984100-50 (Red)
W 68-1984100-30 (Clear)
W 68-1984100-20 (Blue)
W 68-1984100-10 (Amber)

97 Halogen & Strobe Lenses



PN: W 68-1181349-50 (Red)
W 68-1181349-30 (Clear)
W 68-1181349-20 (Blue)
W 68-1181349-10 (Amber)



PN: W 68-1983892-30
900 Scene Light Lens, Clear



PN: W 02-0361457-13C
97 Scene Light Lens w/ light refractor. (13 deg)

700 Series Halogen or Super-LED Lenses



PN: W 68-1183582-50 (Red)
W 68-1183582-30 (Clear)
W 68-1183582-20 (Blue)
W 68-1183582-10 (Amber)

700 Series Strobe Lenses



PN: W 68-3183573-50 (Red)
W 68-3183573-30 (Clear)
W 68-3183573-20 (Blue)
W 68-3183573-10 (Amber)

73 Series Halogen & Strobe Lenses




PN: W 68-1181370-50 (Red)
W 68-1181370-30 (Clear)
W 68-1181370-20 (Blue)
W 68-1181370-10 (Amber)

600 Series LED Tail Light Lenses



PN: W 68-3183587-50 (Red BTT)
W 68-3183587-10 (Amber)

600 Series Halogen Tail Light Lenses



PN: W 68-1183581-50 (Red BTT)
W 68-1183490-10 (Amber Arrow)

500 Series TIR6 or 5MM LED Lenses



PN: W 68-1963583-50 (Red)
W 68-1963583-30 (Clear)
W 68-1963583-20 (Blue)
W 68-1963583-10 (Amber)

400 Series Super-LED Lenses



PN: W 68-3183725-50 (Red)
W 68-3183725-30 (Clear)
W 68-3183725-20 (Blue)
W 68-3183725-10 (Amber)

This is a small sample of some of the [most popular](#) lenses we sell. We can provide lenses for any light sold by Whelen, Weldon, Code3, Federal Signal, and many more! [Call us today](#) for more information.

Lightbar Parts

Whelen 4500 Edge Lightbar Parts



PN: W 68-3983813-50

4500 Lightbar Endcap.
Fits Left or Right Side.
(also available in blue,
clear, and amber)



**PN: W 68-3983799-50 (Red)
W 68-3983799-30 (Clear)
W 68-3983799-10 (Amber)**

4500 Lightbar Lens, Non-Optic,
Can be ordered to any length.



PN: W 02-0342941-00

4500 Lightbar Lens
divider gasket/retainer



PN: W 02-0342933-00

4500 Lightbar light
mounting base



PN: W 02-0342932-00

4500 Lightbar endcap
mounting base



PN: W 45ADROTA

4500 Lightbar Halogen
Rotator

Whelen 4000 AdvantEdge Lightbar Parts



PN: W 68-3181184-50

4000 Lightbar Red Endcap.



**PN: W 68-1181149-50 (Red)
W 68-1181149-30 (Clear)
W 68-1181149-10 (Amber)**

4000 Lightbar Lens, Optic. For
Strobe/Halogen Section. Can be
ordered to any length.




**PN: W 68-3180909-50 (Red)
W 68-3180909-30 (Clear)
W 68-3180909-10 (Amber)**

4000 Lightbar Lens, Non-Optic.
For Rotator Section. Can be
ordered to any length.



PN: W 38-0281186-00

4000 Lightbar Endcap Gasket



PN: W 02-0341154-00

4000 Lightbar Lens Divider
Gasket



PN: W REPROTA4

4000 Lightbar Halogen
Rotator

Whelen 5000 Super AdvantEdge-Plus Lightbar Parts



PN: W 68-1182060-50

5000 Lightbar Red Endcap




**PN: W 68-1161696-R0B (Red)
W 68-1161696-C0B (Clear)
W 68-1161696-A0B (Amber)**

5000 Lightbar Lens, Non-Optic.
Can be ordered to any length



PN: W 38-0261694-00B

5000 Lightbar Endcap Gasket



PN: W 02-0341768-00A

5000 Lightbar Lens Divider
Gasket



PN: W REPROTA5

5000 Lightbar Halogen Rotator



PN: W 02-0363207-00

600 Series Strobe Reflector w/
strobe bulb for 5000 Lightbar

Light Bulbs



PN: IT ZY-358

High Dome Bulb. Halogen bulb for High beam in round dome lights.



PN: IT ZY-906

Low Dome Bulb. Incandescent bulb for Low beam in round dome lights.



PN: W H35DSN12

Whelen 35W Dual Filament (Hi/Low) Halogen Dome light bulb for Whelen 8635CU Dome Light



**PN: W H27SN12 (27 Watt)
W H35SN12 (35 Watt)
W H50SN12 (50 Watt)
W H60SN12 (60 Watt)**

Whelen Halogen Snap-In bulb. Available in 27, 35, 50, and 60 Watt



**PN: W H35TL12 (35 Watt)
W H50TL12 (50 Watt)**

Whelen Halogen Twist-Lock bulb. Available in 35 and 50 Watt.



PN: W BRAKTL12

Brake/Tail/Turn bulb, Twist-Lock Style, (Incandescent)



PN: W STOPSN12

Brake/Tail/Turn bulb, Snap-In style (Incandescent Globe Style)



PN: W S30TL

Whelen Twist-Lock Strobe bulb.



PN: W S30HACP

Whelen Clear Hide-Away Strobe bulb, Soft Plug-in style



PN: W S30HAC

Whelen Clear Hide-Away Strobe bulb, Flange mount



PN: W TURBO5

Whelen 5" Linear Strobe bulb w/ stiff trigger lead. For 97, 9E, and 81E Series Linear lights.



PN: W TURBO64

Whelen 6" Linear Strobe bulb. For 64 & 508 Series Linear lights.



PN: W TURBOTUB

Whelen 6.75" Linear Strobe bulb. For 97 & 810 Series Linear lights.



PN: W TURBOASY

Whelen Linear Strobe bulb. For "Classic" Edge & Edge-Plus Lightbars

Light Bulbs



**PN: EB 1A27W (27 Watt)
EB 1A50W (50 Watt)**

27W or 50W axial bulb w/
long prongs. (Halogen)



PN: EB 1142

Double Contact, Single
Filament, Bayonet Bulb.
(Incandescent)



PN: EB 1156

Single Contact, Bayonet
bulb. (Incandescent)



PN: EB 1157

Double Contact, Dual Fila-
ment, Index Bulb
(Incandescent)



PN: EB 168

Wedge Base Bulb. Often
used in Grote 46792 Clear-
ance Lights. (Incandescent)



PN: EB 1895

Miniature bayonet bulb.
(Incandescent)



PN: EB 562

3/8" diam. X 1.72" rigid loop
bulb



PN: EB 67

Single Contact Bayonet
Bulb (Incandescent)



PN: EB 795

Halogen Single Contact
bulb.



**PN: EB H1-12258 (55W)
EB H1-12454 (100W)**

55W or 100W Halogen Lightbar
bulb. Snap-ring retainer style.



PN: BULB F15T8-CW

Fluorescent bulb, 18" length, 15
Watt, Cool-White




PN: BULB F8T5-CW

Fluorescent bulb, 12" length, 8
Watt, Cool-White

**Do you have a
"hard-to-find" bulb?**

Let our parts department
help you find it for the lowest
price! Call us today at
931-684-8964

Oxygen Equipment



PN: AL Z-OX31200

Single Ohmeda Style Oxygen Outlet, DISS termination. (Front & Back Pictured)



PN: AL Z-OX30020

Single Vacuum Outlet, 1/4" Hose Barb terminate (Front & Back Pictured)

* Hose is sold by the foot

**PN: AL MH4-16A (Yellow)
AL MH4-24A (Green)**



Medical Air Hose, Conductive. 1/4" ID (Yellow)



Medical Oxygen Hose, Conductive. 1/4" ID (Green)



PN: WM M1-540-P

Western Medica Oxygen Regulator, 50 Psi



PN: WM FMA107

Oxygen Flow Meter, Slim-line, Aluminum body with Ohmeda adapter.



PN: RICO 1001D

Bemis Style Suction Canister, Regulator, Mounting Bracket, & Tubing. Regulator plugs into Ohmeda style outlet



* Back view of Regulator



PN: RICO 1001C

Baxter Style Suction Canister, Regulator, Mounting Bracket, & Tubing. Plugs into Ohmeda style outlet.



* Back view of Regulator





PN: RICO 1022

Thomas Suction Pump #907





PN: FW 521

"D" & "E" Size Oxygen Cylinder Bracket, Stainless. Made by Ferno.



**PN: CPI OA0006-1 (Single)
CPI OA0008-1 (Double)**

Cast Aluminum Oxygen Cylinder Clamp w/ Velcro strap, aluminum. Holds "D" & "E" cylinders.



**PN: CPI OA0003-1 (Single)
CPI OA0005-1 (Double)**

Cast Aluminum Oxygen Cylinder Cup for "D" & "E" cylinders, aluminum. To be used with OA0006-1 & OA0008-1 (Above)

Oxygen Equipment



PN: Z QR-D-1

Oxygen "D" Cylinder Bracket, Stainless. Made by Ziamatic Corp. (Cylinder not included)



PN: Z QR-OTS-ML

Electronic Oxygen Cylinder Lift for "M" size cylinder. Motor on Left Hand side. (Also available with motor on Right hand side - PN: QR-OTS-MR)



PN: Z QR-GH

Oxygen Cylinder Bracket for "G" or "H" size cylinder.



PN: Z QR-M

Oxygen Cylinder Bracket for "M" size cylinder



PN: Z QR-OTS-HL

Electronic Oxygen Cylinder Lift for "H" size cylinder. Motor on Left Hand side. (Also available with motor on Right hand side - PN: QR-OTS-HR)

Seats & Cushions



PN: Wise WM1611
 Attendant Seat w/ 2 pt. seat belt. Available in a wide selection of colors.



PN: Wise WM1613
 Attendant Seat w/ 3 pt. seat belt. Available in a wide selection of colors.



PN: Wise WM1615
 Child-Safety attendant seat w/ 2 pt. seat belt. Available in a wide selection of colors.



PN: Wise WM1610
 Wise cabinet base for any style attendant seat.



PN: Wise WM 1600
 Wise pedestal specifically designed for attendant seats. 4-position locking.



PN: Wise WM 1612
 Wise swivel pedestal specifically designed for Child-Safety attendant seats. 4-position locking.



PN: IT ZA-209-SHP-02
 Standard retractable seat belt



PN: IT 209-02
 Retractable seat belt w/ 8" extension housing on retractor side.



PN: Wise Seamless Cushions
 Vacuum-Formed Seamless Cushions can be custom made to fit your ambulance and custom made to any size (length and width). Options of 2" and 3" thickness. Available in a wide selection of colors.



DA304
 Cobalt
 1007



DA314
 Desert Rose
 1015



DA322
 Ash
 1004



DA324
 Gun Metal
 1009

These colors are just a sample of the most popular colors we sell. For a more complete list of all available colors, please call our parts department at [931-684-8964](tel:931-684-8964)

Sirens & Speakers

WHELEN®



PN: W 295SLSA1

Whelen Hands-Free Self-Contained Siren, 200W



PN: W 295HFS2

Whelen Remote Siren Amplifier, Flush-Mount head, 200W



PN: W 295HFSA7

Whelen Dual-Tone Hands-Free Remote Siren Amplifier. Operates in 2 independent siren tones, 200W.



PN: W 295HFSA9

Whelen Dual-Tone Self-Contained Siren. Operates in 2 independent siren tones, 200W

CARSON SIRENS



PN: C SA-400-10

Carson "Classic" Siren, Self-Contained, 200W



PN: C SA-430-10F

Carson Remote Head Siren, Flush-Mount, 200W



PN: C SA-441-10F

Carson Dual-Tone Remote Head Siren, Flush-Mount, 200W



PN: SVP SS700

SVP Standard Siren, Self-Contained, 200W



PN: SVP SS730

SVP Remote Head Siren, Flush-Mount, 200W

Sirens & Speakers



PN: W SA315P

Whelen 100W Composite Speaker



PN: FS Z8280090A

Speaker Driver without neck, 100W



PN: FS Z8619145A

Speaker Driver with threaded neck, 100W




PN: CPI SA4316-07G35-1

2008 & Up GMC G3500 Thru-Bumper Speaker, Cast Aluminum w/ 100W speaker. Fits Driver or Passenger Side



**PN: CPI SAD3809(Driver)
CPI SAP3809 (Pass.)**

2011 & Up Chevy C3500 Thru-Bumper Speaker, Cast Aluminum w/ 100W speaker



SAD4314

**PN: CPI SAD4314 (Driver)
CPI SAP4314 (Pass.)**

2008-2010 F-Series Thru-Bumper Speaker, Cast Aluminum w/ 100W speaker



**PN: CPI SAD3806 (Driver)
CPI SAP3806 (Pass.)**

2011 & Up F-Series Thru-Bumper Speaker, Cast Aluminum w/ 100W speaker



**PN: CPI SAD4312 (Driver)
CPI SAP4312 (Pass.)**

'05-'07 F-Series Thru-Bumper Speaker, Cast Aluminum w/ 100W speaker



**PN: CPI SAD4319 (Driver)
CPI SAP4319 (Pass.)**

2008 & Up E-Series Thru-Bumper Speaker, Cast Aluminum w/ 100W speaker



**PN: CPI SAD4602 (Driver)
CPI SAP4602 (Pass.)**

'05-'07 E-Series Thru-Bumper Speaker, Cast Aluminum w/ 100W speaker. Holds a 7" x 3" light assembly.



**PN: CPI SAD4318 (Driver)
CPI SAP4318 (Pass.)**

2008 & Up International Thru-Bumper Speaker, Cast Aluminum w/ 100W speaker.



**PN: CPI SAD4307 (Driver)
CPI SAP4307 (Pass.)**

'02-'07 International Thru-Bumper Speaker, Cast Aluminum w/ 100W speaker.



PN: W HOWLER


Whelen HOWLER® Low-Frequency Tone Siren. An effective added layer of warning when used with your 100W/200W siren amplifier. Mounting brackets available for the '08-'09 E-Series & F-Series. Includes (2) Speakers & amplifier.

Weatherstripping




PN: UNI ED-5383

Extra Small Accordion Boot Material. 1" compressed, 2" stretched




PN: UNI ED-5381

Small Accordion Boot Material. 2" compressed, 4.5" stretched





PN: UNI ED-5386

Medium Accordion Boot Material. 2" compressed, 7" stretched




PN: UNI ED-5388

Large Accordion Boot Material. 4" compressed, 10" stretched



PN: CS G-7056

Large Clip-On Bulb Style Gasket. Often used on Taylor-Made ambulances




PN: CS G-7011-S

Medium Clip-On Bulb Style Gasket.





PN: UNI SD-351

Medium Clip-On Bulb Style Gasket.



PN: UNI SD-480

Med-Tec style bulb seal




PN: UNI SD-321

"T" shaped Cab Seal. Typically used to seal Cut-Away vans to module.



PN: LV TPV15200112

2-Sided Tape, .063" thick x 0.75" Wide



PN: CD 8650

1/2" x 1/2" Foam w/ adhesive back.



PN: CD 8150

1/2" x 2" Foam w/ adhesive back



PN: WC GA47058

Flat Weatherstripping w/ adhesive back. 0.094" thick x 0.875" wide. Wheeled Coach Style



PN: WC GA47100-1

Wheeled Coach "D" shaped door gasket for pan formed doors



PN: WC GA40760


Wheeled Coach "L" shaped Door gasket, Hard Plastic w/ adhesive back



PN: MM 113013


McCoy-Miller "D" Shaped weather-stripping

Weatherstripping




PN: CS 5253H2

"D" Shaped Hollow EPDM Weather-stripping w/ adhesive back



PN: CS 2123H2

Triangular Hollow weather-stripping w/ adhesive back. Typically used on Taylor-Made's



PN: CS 5491H2

Tapered Square Hollow weather-stripping w/ adhesive back

PN: CS 113H2



.375" wide x .188" tall Ribbed EPDM seal w/ adhesive back. (Small)

PN: CS 2897H2



.500" wide x .312" tall Ribbed EPDM seal w/ adhesive back. (Medium)

PN: CS 103H2



.625" wide x .375" tall Ribbed EPDM seal w/ adhesive back. (Large)

We can supply weather-stripping for any brand of ambulance. If you can't find what you are looking for, please give us a call!

Wheel Simulators & Parts



PN: Phoenix GD816

'06 & Up E-350/450 (w/ dual rear wheels) Wheel Simulator Set, 4 oval holes



PN: Phoenix AML1

Valve Stem Extension Kit for Dual Rear Wheels. (only 1 kit needed per vehicle)



PN: Phoenix NF98

'02-'07 E-350/450 (w/ dual rear wheels) Wheel Simulator Set, 8 "bullet" holes



PN: Phoenix PGD168TSX

Stud Extender for GD816 set



PN: Phoenix PGDG01TSX

Stud Extender for GDG01 set




PN: Phoenix PGD168LNT

Jam Nut & Lug nut cover for GD816, GDG01, & NG17 sets



PN: Phoenix NF23

'05 & Up F-350 (w/ dual rear wheels) Wheel Simulator Set



PN: Phoenix PNF10STX

Stud Extender for NF98 set



PN: Phoenix PNF10JNT

Jam Nut for NF98 set



PN: Phoenix PNF8LNC

Lug nut cover for NF98 set



PN: Phoenix NF25

'05 & Up F-450 (w/ dual rear wheels) Wheel Simulator Set



PN: Phoenix PNF22LNT

Jam Nut & Lug nut cover for NF23 & NF25 sets



PN: Phoenix GDG01

'08 & Up Chevy G3500/G4500 (w/ dual rear wheels) Wheel Simulator Set



PN: Phoenix PNH8495JNT

Jam Nut for NH8495 set



PN: Phoenix PN6256LNC

Lug nut cover for NH8495 set



PN: Phoenix NG17

'08 & Up Chevy C3500 (w/ dual rear wheels) Wheel Simulator Set



PN: Phoenix CLPH2

2" Phoenix USA Logo Sticker



PN: Phoenix NH8495

'07 & Up International 4300 Wheel Simulator Set (19.5" wheels)

Ambulance Remounts

FAQ

Why remount an ambulance?

Typically an ambulance module's lifespan is 3 to 4 times longer than the lifespan of a chassis. Remounting saves money!

What is the cost of a remount vs. a new ambulance?

On average, a remount cost \$30,000 - \$40,000 less than a new ambulance and, if done properly, lasts just as long as a new ambulance.

What is the typical lead time (down-time) in doing a remount?

On average it takes approximately 45-60 days to complete a remount. Chassis availability is typically the cause of longer wait times.

What type of warranty is offered with a remount?

We offer a 3 year / 36,000 mile warranty on the remount itself. Individual parts on the ambulance (such as lighting, sirens, speakers, etc.) may carry a longer warranty which would be covered by the manufacturer.

How do I get bid specifications to do a remount?

We would be more than happy to help walk you through the process and help you write bid specifications to match your remount needs.

What options do I have on upgrading various parts of my ambulance during a remount?

Select-Tech is a completely custom remount facility. We can make any alterations or upgrades that you desire. Typical upgrades include converting a Type III to a Type I, adding a 20" cab extension on Type III ambulances, new upholstery, seamless seat cushions, cabinet re-configuration, upgrading to LED lighting, complete re-wiring of electrical system, and much more!

Why choose Select-Tech as my remount facility?

We at Select-Tech have never claimed to be perfect, but we do strive to be honest and fair in everything we do. We work hard to perform the highest quality ambulance remount in the industry and feel our standards are much higher than many of our competitors. We would be happy to give you a list of our current customers for you to find out for yourself the level of service we provide. We are in the business of creating long-lasting relationships with our customers, not just making another sale!

Remount Process



A Pre-Remount inspection is performed to identify any non-working items before the module is removed from the old chassis.

- All Carry-on equipment is removed.
- All radios are removed

(Left): Picture of a Montgomery Co. EMS ambulance before remount

The module is removed from the chassis and all electrical harnesses are disconnected

- All lights and lightbars are removed
- All door handles & latches are removed
- All windows are removed
- All doors are taken off of the module before going to paint.
- Door hinges are removed and polished



The module is placed on a trailer and moved to the paint booth. The old paint is removed and the module is painted using a PPG single stage system to match the chassis. All doors are painted separately.

We can remount your ambulance module on any make of chassis. We have performed remounts on International, Ford F & E-Series, Chevrolet C & G series.



The new chassis is prepped for the module to be remounted. New mounting brackets are installed on the frame of the chassis with rubber & metal isolators using high strength Grade 8 bolts.



The newly painted module is re-mounted onto the new chassis using the same over-head sling system.

- New diamond-plate trim is installed; including running boards, rock-guards, rubrails, and a rear bumper
- New warning, clearance, and tail-lights lights are installed
- New weather-stripping is installed on all doors
- New Stainless or Aluminum Fender Flares are installed
- All door hardware is tested and re-installed



After the module is mounted, we can apply striping to meet your specifications. Any color stripe can be painted or applied with reflective vinyl.

(Right): Picture of a Medical Center EMS (Jackson, TN) ambulance with a 10" Orange Reflective Vinyl stripe & custom lettering.



BEFORE



- 48 -
AFTER

Interior modifications and upgrades are performed.

- New rear HVAC unit installed
- Upholstery can be recovered to any color
- New Seamless Seat Cushions
- Any damaged cabinetry or Formica is repaired
- New Lonseal floor covering installed
- Man-Saver net is installed
- New cot hardware installed
- New attendant seat & base installed

Interior lighting can be upgraded to new LED dome lights or the fluorescent lights can be replaced with LED's

(Right): Ambulance upgraded with LED dome lights



BEFORE



AFTER




All electrical components are reconnected and all items are tested for proper operation.

- New center console (Formica or "Splatter Paint") is installed in cab
- New front switch panel with digital volt/ammeter and new switches installed

Optional replacement of the entire electrical system is available.

- New power distribution board
- New Front & Rear Switch Panels w/ LED Back-lighting



BEFORE



AFTER



- An extensive Post Re-mount inspection is performed to verify all components are operating properly
- Ambulance is road test to check for vibrations or wind-noise.

(Left): Picture of a Montgomery Co. EMS ambulance after remount.

[Please call us with any questions you may have about remounts!](#)

(931) 684-8964