Patient Engagement Improving Outcomes for Patients with Rheumatoid Arthritis

Ryan Antolini, M.D.

Timothy Gensler, M.D.

John Janas, M.D.



©Copyright 2016 Clinical Content Consultants, LLC All rights reserved.

Presenters

Denver Arthritis Clinic

Ryan Antolini, M.D.

- Board Certified Internal Medicine, 2015
- Rheumatology, 2008
- West Virginia University School of Medicine, Morgantown, WV, 2002
- Massachusetts General Hospital, Harvard Medical School, Boston, MA, 2008

Timothy Gensler, M.D.

- Board Certified Rheumatology
- Vanderbilt School of Medicine, Nashville, TN, 1993
- Brigham and Women's Hospital, Harvard Medical School, Boston, MA, 1999

Clinical Content Consultants

John Janas, M.D.

- Board Certified Internal Medicine and Pediatrics 1987
- Creighton University School of Medicine, Omaha, NE, 1983
- Baystate Medical Center, Springfield, MA 1987
- President/CEO of Clinical Content Consultants (CCC)
- Founder Clinical Quality Improvement Collaborative (CQIC)

Presentation Description

 Rheumatoid Arthritis (RA) is a chronic inflammatory disorder affecting millions of Americans. Major advances in the management and treatment of RA have occurred in recent years with the introduction of biologic disease-modifying anti-rheumatic drugs (DMARDs). In 2012, the American College of Rheumatology updated RA medical management guidelines. These guidelines describe which biologic DMARDs to use for specific RA disease profiles (e.g., features such as disease activity, signs and symptoms, and prognosis). Learn how Denver Arthritis Clinic has implemented the use of Rheumatoid Arthritis Disease Activity Surveys to rapidly assess, manage, and track clinical outcomes and responses to treatment.

- Be able to rapidly administer, document, and calculate the following Rheumatoid Arthritis Disease Activity Surveys
- <u>RAPID-3</u> Tool for : the three (3) components required are the Multi-Dimensional Health Assessment Questionnaire (MDHAQ – Function Index), Patient Pain Assessment, and Patient Global Severity Scale
- <u>PAS-II</u>: the three (3) components required are the Health Assessment Questionnaire-II (HAQ-II), Patient Pain Assessment, and Patient Global Severity Scale
- <u>CDAI</u>: the four (4) components required are the Physician Global Assessment, Patient Global Severity Scale, Total Painful Joints, and Total Swollen Joints

 Learn how to use Centricity EHR Entry Form Templates for a variety of Patient Assessment Questionnaires that can be used for a variety of clinical quality measures.

 Learn proven workflows to efficiently administer Patient **Assessment Questionnaires and** document within the Centricity **EHR**

RAPID-3

• (3) components required are:

- Multi-Dimensional Health Assessment Questionnaire (MDHAQ – Function Index)
- Patient Pain Assessment

Patient Global Severity Scale



RAPID-3

1. PLEASE CHECK THE **ONE** BEST ANSWER FOR YOUR ABILITIES AT THIS TIME:

	<u> </u>			
OVER THE LAST WEEK, WERE YOU ABLE TO:	WITHOUT ANY DIFFICULTY	WITH SOME DIFFICULTY	WITH MUCH DIFFICULTY	UNABLE TO DO
 a. Dress yourself, including tying shoelaces and doing buttons? 	0	1	2	3
b. Get in and out of bed?	0	1	2	3
c. Lift a full cup or glass to your mouth?	0	1	2	3
d. Walk outdoors on flat ground?	0	1	2	3
e. Wash and dry your entire body?	0	1	2	3
f. Bend down to pick up clothing from the floor?	0	1	2	3
g. Turn regular faucets on and off?	0	1	2	3
h. Get in and out of a car, bus, train, or airplane?	0	1	2	3
i. Walk two miles or three kilometers, if you wish?	0	1	2	3
j. Participate in recreational activities and sports as you would like, if you wish?	0	1	2	3
k. Get a good night's sleep?	0	1.1	2.2	3.3
1. Deal with feelings of anxiety or being nervous?	0	1.1	2.2	3.3
m. Deal with feelings of depression or feeling blue?	0	1.1	2.2	3.3

1. a-j FN (0-10): 16=5.3 1 = 0.317=5.7 2=0.718=6.0 3=1.0 4=1.3 19=6.3 5=1.7 20=6.76=2.0 21=7.0 7=2.3 22=7.3 8=2.7 23=7.7 9=3.0 24=8.0 10=3.3 25=8.3 11=3.7 26=8.7 12=4.0 27=9.0 13=4.3 28=9.3 14=4.7 29=9.7 15=5.0 30=10 2. PN (0-10): 3. PTGE (0-10): RAPID3 (0-30)

RAPID-3

2. HOW MUCH PAIN HAVE YOU HAD BECAUSE OF YOUR CONDITION OVER THE PAST WEEK? PLEASE INDICATE BELOW HOW SEVERE YOUR PAIN HAS BEEN:	
NO PAIN PAIN AS BAD AS IT COULD BE	
0 0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 8.5 9.0 9.5 10	
3. considering all the ways in which illness and health conditions may affect you	J
at this time, please indicate below how you are doing:	
VERY WELL VERY POORLY	
0 0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 8.5 9.0 9.5 10	

http://www.rheumatology.org/Portals/0/Files/RAPID3%20Form.pdf

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved.

EXAMPLE RAPID-3

1. PLEASE CHECK THE ONE BEST ANSWER FOR YOUR ABILITIES AT THIS TIME:										
OVER THE LAST WEEK, WERE YOU ABLE TO:	WITHOUT ANY DIFFICULTY	WITH SOME DIFFICULTY	WITH MUCH DIFFICULTY	UNABLE TO DO						
a. Dress yourself, including tying shoelaces and doing buttons?	<u>×</u> 0	1	2	3						
b. Get in and out of bed?	0	<u>×_</u> 1	2	3						
c. Lift a full cup or glass to your mouth?	0	1	2	×3						
d. Walk outdoors on flat ground?	<u>×</u> _0	1	2	3						
e. Wash and dry your entire body?	<u>×</u> 0	1	2	3						
f. Bend down to pick up clothing from the floor?	0	<u>×_ 1</u>	2	3						
g. Turn regular faucets on and off?	0	1	×_2	3						
h. Get in and out of a car, bus, train, or airplane?	0	1	<u>≯_</u> 2	3						
i. Walk two miles or three kilometers, if you wish?	0	×_ 1	2	3						
j. Participate in recreational activities and sports as you would like, if you wish?	0	<u>×_1</u>	2	3						
k. Get a good night's sleep?	<u>×</u> _0	1.1	2.2	3.3						
 Deal with feelings of anxiety or being nervous? 	0	1.1	2.2	₹_3.3						
m. Deal with feelings of depression or feeling blue?	0	1.1	≥ 2.2	3.3						

1. a-j FN (0-10): 3.7 1-0.3 16-5.3 2-0.7 17-5.7 3-1.0 18-6.0 4-1.3 19-6.3 5-1.7 20-6.7 6-2.0 21-7.0 7-2.3 22-7.3 8-2.7 23-7.7 9-3.0 24-8.0 10-3.3 25-8.3 11-3.7 26-8.7 12-4.0 27-9.0 13-4.3 28-9.3 14-4.7 29-9.7 15-5.0 30-10 2. PN (0-10): 2.5 3. PTGE (0-10): 1.0

RAPID3 (0-30)



2. HOW MUCH PAIN HAVE YOU HAD BECAUSE OF YOUR CONDITION OVER THE PAST WEEK? PLEASE INDICATE BELOW HOW SEVERE YOUR PAIN HAS BEEN:

NO PAIN 0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 8.5 9.0 9.5 10

3. CONSIDERING ALL THE WAYS IN WHICH ILLNESS AND HEALTH CONDITIONS MAY AFFECT YOU AT THIS TIME, PLEASE INDICATE BELOW HOW YOU ARE DOING:

VER	YWEL	LV								VER	Y POO	RLY	
		OX.										RLY	
	0.5												

SCORING RAPID-3

HOW TO CALCULATE RAPID 3 SCORES

- 1. Ask the patient to complete questions 1, 2, and 3 while in the waiting room prior to his/her visit.
- 2. For question one, add up the scores in question A-J, for a total of 0-30. Recode this sum to 0-10 using the scoring template on the right side of the page. For example, a score of 19 would have a recoded score of 6.3. Enter this score as an evaluation of the patient's functional status (FN).
- 3. For question 2, enter the raw score (0-10) in the box on the right as an evaluation of the patient's pain tolerance (PIN).
- 4. For question 3, enter the raw score (0-10) in the box on the right as an evaluation of the patient's global estimate (PTGE).
- Add the total score from questions 1, 2, and 3 and enter them as the patient's RAPID 3 cumulative score (maximum score is 30). Use the disease activity table below to categorize the levels of disease activity.

INTERPRETING RAPID-3

RAPID 3 Score	Disease Activity Level
0.0 - 3.0	Near Remission (NM)
3.1 - 6.0	Low Severity (LS)
6.1 - 12	Moderate Severity (MS)
12.1 - 30	High Severity (HS)

Near Remission: 0.0-3.0
Moderate: 6.1-12

• Low: 3.1-6.0

• High: 12.1-30

EXAMPLE RAPID-3

1. PLEASE CHECK THE ONE BEST ANS	WER FOR YO	UR ABILITIES	AT THIS TIM	IE:
OVER THE LAST WEEK, WERE YOU ABLE TO:	WITHOUT ANY DIFFICULTY	WITH SOME DIFFICULTY	WITH MUCH DIFFICULTY	UNABLE TO DO
a. Dress yourself, including tying shoelaces and doing buttons?	<u>×</u> 0	1	2	3
b. Get in and out of bed?	0	<u>×_</u> 1	2	3
c. Lift a full cup or glass to your mouth?	0	1	2	×3
d. Walk outdoors on flat ground?	<u>×</u> _0	1	2	3
e. Wash and dry your entire body?	<u>×</u> 0	1	2	3
f. Bend down to pick up clothing from the floor?	0	<u>×_1</u>	2	3
g. Turn regular faucets on and off?	0	1	×_2	3
h. Get in and out of a car, bus, train, or airplane?	0	1	<u>≯_2</u>	3
i. Walk two miles or three kilometers, if you wish?	0	<u>×_1</u>	2	3
j. Participate in recreational activities and sports as you would like, if you wish?	0	<u>×_1</u>	2	3
k. Get a good night's sleep?	<u>×</u> _0	1.1	2.2	3.3
 Deal with feelings of anxiety or being nervous? 	0	1.1	2.2	≥_3.3
m. Deal with feelings of depression or feeling blue?	0	1.1	≥ 2.2	3.3

6-2.0 21-7.0 7-2.3 22-7.3 8-2.7 23-7.7 9-3.0 24-8.0 10-3.3 25-8.3 11-3.7 26-8.7 12-4.0 27-9.0 13-4.3 28-9.3 14-4.7 29-9.7 15-5.0 30-10 2. PN (0-10): Moderate 2.5 3. PTGE (0-10): 6.1-12 1.0 RAPID3 (0-30) 7.2

1. a-j FN (0-10): 3.7 1-0.3 16-5.3 2-0.7 17-5.7 3-1.0 18-6.0 4-1.3 19-6.3 5-1.7 20-6.7

2. HOW MUCH PAIN HAVE YOU HAD BECAUSE OF YOUR CONDITION OVER THE PAST WEEK? Please indicate below how severe your pain has been:

NO PAIN | PAIN AS BAD AS IT COULD BE | 0 0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 8.5 9.0 9.5 10

3. CONSIDERING ALL THE WAYS IN WHICH ILLNESS AND HEALTH CONDITIONS MAY AFFECT YOU AT THIS TIME, PLEASE INDICATE BELOW HOW YOU ARE DOING:

VER	YWEL	LV								VER	Y POO	RLY	
	Y WEL	OX.											
	0.5												

PAS-II

• (3) components required are:

–Health Assessment Questionnaire-II (HAQ-II)

-Patient Pain Assessment



We are interested in learning how your illness affects your ability to function in daily life. Shade the oval which best describes your usual abilities OVER THE PAST WEEK.

Are you able to:	Without Any Difficulty (0)	With Some Difficulty (1)	With Much Difficulty (2)	Unable To Do (3)
Stand up from a straight chair?	0	0	0	0
Walk outdoors on flat ground?	0	0	0	0
Get on/off toilet?	0 0	00	0 0	00
Open car doors?	0 0	0 0	0 0	0 0
Wait in a line for 15 minutes?	0	0	0	0
Lift heavy objects?	0	0	0	0
Move heavy objects?	0 0	0 0	0 0	0 0

Total HAQ-II Score (0 - 30)

We are also interested in learning whether or not you are affected by pain because of your illness.

How much pain have you had because of your illness in the past week? Shade the oval that best describes the severity of your pain on a scale of 0 - 10.

Considering ALL THE WAYS THAT YOUR ILLNESS AFFECTS YOU, RATE HOW YOU ARE DOING on the following scale. Shade the oval that best describes how you are doing on a scale of 0 - 10.

Form adapted from http://www.rheumatology.org/practice/clinical/quality/PASII.asp

Wolfe F, Michaud K, Pincus T. A composite disease activity scale for clinical practice, observational studies, and clinical trials: the Patient Activity Scale (PAS/PAS-II). J Rheumatol. 2005;32:2410–5.

We are interested in learning how your illness

affects your ability to function in daily life. Place an X in the box which best describes your usual				
abilities OVER THE PAST WEEK:	Without Any	With Some	With Much	Unable
Are you able to:	Difficulty (0)	Difficulty (1)	Difficulty (2)	To Do (3)
Stand up from a straight chair?				
Walk outdoors on flat ground?				
Get on/off toilet?				
Reach and get down a 5 pound object (such as a bag of sugar) from just above your head?				
Open car doors?				
Do outside work (such as yard work)?				
Wait in a line for 15 minutes?				
Lift heavy objects?				
Move heavy objects?				
Go up two or more flights of stairs?				

http://www.rheumatology.org/Portals/0/Files/PAS%20II.pdf

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved.

We are also interested in learning whether or not you are affected by pain because of your illness.

WELL

How much pain have you had because of your illness in the past week? Place an X in the box that best describes the severity of your pain on a scale of 0-10.

0

NO PAIN						SEVERE PAIN
Considering ALL in the box below t			,	OU ARE DOING	on the following	ng scale. Place an X
VERY	0				10	VERY

POOR

http://www.rheumatology.org/Portals/0/Files/PAS%20II.pdf

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved.

SCORING PAS-II

BELOW IS FOR HEALTHCARE PROFESSIONAL USE ONLY

Total HAQ-II Score (0 - 30; from side one)

Total number questions answered (0 - 10)

Average HAQ-II Score (0 - 3)

.

Patient Activity Scale II (PAS-II) Scoring

Variable	Range	Value
Average HAQ-II Score (from above) X 3.33	(0 - 10)	
Pain score (from side one)	(0 - 10)	+
Wellness score (from side one)	(0 - 10)	+
SUBTOTAL SUM	(0 - 30)	
PAS-II = SUBTOTAL SUM ÷ 3	(0 - 10)	

INTERPRETING PAS-II

PAS-II Disease Activity Interpretation

Range	Remission	Low	Moderate	High
0 - 10	0.00 - 0.25	0.26 - 3.70	3.71 - 7.99	8.00 - 10.00

Anderson J, Caplan L, Yazdany J, Robbins ML, Neogi T, Michaud K, et al. Rheumatoid arthritis disease activity measures: American College of Rheumatology recommendations for use in clinical practice. Arthritis Care Res. 2012; 64; 640-7.

Remission: 0.00-0.25
 Moderate: 3.71-7.99

• Low: 0.26-3.70

• High: 8.00-10.00

CDAI

• (4) components required are:

- Physician Global Assessment
- Patient Global Severity Scale
- Total Painful Joints

Total Swollen Joints





Rheumatoid Arthritis Disease Activity Survey Patient - Provider Assessment (CDAI)

If you are a patient who has rheumatoid arthritis, please answer the following questions. Your physician may use a third party to collate and report data from your responses.

Please completely shade in each response oval that you select. Shade ovals like this.
In the boxes, print neatly and write only 1 digit per box, for example: 23. Do not cross out questions on the form that do not apply. The data will be computer read and aggregated for analysis.

Gender: O Female Male Age: Years (1 digit per box)

How long have you had rheumatoid arthritis? Years

Patient Global Assessment of Disease Activity

Considering all the ways your arthritis affects you, rate how well you are doing on the following scale:

BELOW IS FOR HEALTHCARE PROFESSIONAL USE ONLY

Provider Global Assessment of Disease Activity

Provider Tender and Swollen Joint Count

Joint	Left		Riç	ght
	Tender	Swollen	Tender	Swollen
Shoulder	0	0	0	0
Elbow	0	0	0	
Wrist	0	0	0	0
MCP 1	0	0	0	0
MCP 2	0	0	0	0
MCP 3	0		0	
MCP 4	0			0
MCP 5	0	0	0	0
PIP 1	0	0	0	0
PIP 2	0	0	0	0
PIP 3	0	0	0	0
PIP 4	0	0	0	0
PIP 5	0	0	0	0
Knee	0	0	0	0
Total:				



 $Form\ adapted\ from\ \underline{http://www.rheumatology.org/practice/clinical/quality/CDAI.asp}$

Aletaha D, Nell VPK, Stamm T, Uffmann M, Pflugbeil S, Machold K, et al. Acute phase reactants add little to composite disease activity indices for rheumatoid arthritis: validation of a clinical activity score. Arthritis Res Ther 2005;7:R796–806.

Patient Completes





Rheumatoid Arthritis Disease Activity Survey Patient - Provider Assessment (CDAI)


If you are a patient who has rheumatoid arthritis, please answer the following questions. Your physician may use a third party to collate and report data from your responses.

Please completely shade in each response oval that you select. Shade ovals like this.
In the boxes, print neatly and write only 1 digit per box, for example:
Do not cross out questions on the form that do not apply. The data will be computer read and aggregated for analysis.

Gender: O Female	O Male	Age:	Years (1 digit per box)
How long have you ha	ad rheumatoid	d arthritis?	Years
Patient Global Asse	ssment of Di	sease Activity	

Considering all the ways your arthritis affects you, rate how well you are doing on the following scale:


Patient Completes




http://www.rheumatology.org/Portals/0/Files/CDAI%20Form.pdf

BELOW IS FOR HEALTHCARE PROFESSIONAL USE ONLY

Provider Global Assessment of Disease Activity



Provider Tender and Swollen Joint Count





Form adapted from http://www.rheumatology.org/practice/clinical/quality/CDAI.asp

SCORING CDAI

BELOW IS FOR HEALTHCARE PROFESSIONAL USE ONLY

Clinical Disease Activity Index (CDAI) Scoring

Variable (from page one)	Range	Value
Patient global score	(0 - 10)	
Provider global score	(0 - 10)	+ .
Tender joint count:		
Left	(0 - 14)	+
Right	(0 - 14)	+ .
Swollen joint count:		
Left	(0 - 14)	+ .
Right	(0 - 14)	+
Total CDAI score	(0 - 76)	

Scoring/Interpreting CDAI

How to Score the CDAI

Variable	Range	Value
Tender joint score	(0-28)	
Swollen joint score	(0-28)	
Patient global score	(0-10)	
Provider global score	(0-10)	
Add the above values to	(0-76)	
calculate the CDAI score		

CDAI Score Interpretation		
0.0 - 2.8	Remission	
2.9 - 10.0	Low Activity	
10.1 - 22.0	Moderate Activity	
22.1 – 76.0	High Activity	

http://www.rheumatology.org/Portals/0/Files/CDAI%20Form.pdf
@Copyright 2016 Clinical Content Consultants, LLC All rights reserved.

INTERPRETING CDAI

CDAI Disease Activity Interpretation

Range	Remission	Low	Moderate	High
0 - 76	0.0 - 2.8	2.9 - 10.0	10.1 - 22.0	22.1 - 76.0

Anderson J, Caplan L, Yazdany J, Robbins ML, Neogi T, Michaud K, et al. Rheumatoid arthritis disease activity measures: American College of Rheumatology recommendations for use in clinical practice. Arthritis Care Res. 2012; 64; 640-7.

• Remission: 0.0-2.8

Moderate: 10.1-22.0

• Low: 2.9-10.0

• High: 22.1-76.0

- Rapidly administer, document, and calculate the following Rheumatoid Arthritis Disease Activity Surveys
 - -RAPID-3
 - **-PAS-II**
 - -CDAI



CQIC Rheumatoid Arthritis Disease Activity Surveys Project • Create Entry Form Templates

— Manual Administration Workflow
Print -> Complete -> Staff Enters -> Score (functions-FX)

Patient Entered History

Send -> Patient Completes -> Retrieve -> Score (FX)



CQIC Rheumatoid Arthritis Disease Activity Surveys Project

Create Scoring Functions

- -MDHAQ Function Index
- -RAPID-3 / RAPID 4
- -PAS-II
- -CDAI / CDAI Interpretation



CQIC Rheumatoid Arthritis Disease Activity Surveys Project

• Integrate Musculoskeletal Exam-CCC

-Enhanced Scoring Tab

- MDHAQ Function Index
- RAPID-3 / RAPID 4
- CDAI / CDAI Interpretation



Entry--Page 1a Entry--Page 2a Entry--Page 2b Entry--Page 3 Entry--Page 4 Entry--Page 5 ry--Page 1b **Arthritis Disease** MDHAQ/HAQ-II) MDHAQ/HAQ-II) Patient Joint Patient Pain Patient Global Patient Joint Rheumatoid Arthritis Disease Activity Survey Select Rheumatoid Arthritis Disease Activity Survey **Activity Survey** Pages with fields: 1a, 1b, 2a, 2b, 3, 4 Remove Text **Entry Form** OVER THE LAST WEEK, were you able to... All 0 Values Dress yourself, including tying shoelaces and doing buttons? **ENTRY** Get in and out of bed? Lift a full cup or glass to your mouth? Walk outdoors on flat ground? Wide View Wash and dry your entire body? Bend down to pick up clothing from the floor? Turn regular faucets on and off? Get in and out of a car, bus, train, or airplane? Page 1a Walk two miles or three kilometers, if you wish? Participate in recreational activities and sports as you would like, if you wish? Get a good night's sleep? Deal with feelings of anxiety or being nervous? Deal with feelings of depression or feeling blue? **MDHAQ** MDHAQ Score:

Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

Entry-Wide View-C/C: Mac Crash Crash

Rheumatoid

Calculate MDHAQ Calculate HAQ-II) Probs Test Mgmt Pt. Instr Defer] Entry Review P-M-A PMH FH-SH ROS VS PE] A/P


Other

Prior 1

Clear

Podi--Vand

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se



Rheumatoid

Entry-Wide View-CCC: Mr. Crash Crash

Entry--Page 2a

Patient Joint

Entry--Page 1a Entry--Page 1b

Calculate MDHAQ

Entry

Prev Form (Ctrl+PqUp)

Calculate HAQ-II)

P-M-A

Next Form (Ctrl+PgDn)

PMH

FH-SH

ROS

VS

Review

MDHAQ/HAQ-II) MDHAQ/HAQ-II

Pages with fields: 1a, 1b, 2a, 2b, 3, 4

Rheumatoid Arthritis Disease Activity Survey



MDHAQ: OVER THE LAST WEEK, were you able to... All 0 Values Prior Clear Dress yourself, including tying shoelaces and doing buttons? 1: with SOME difficulty Get in and out of bed? 1: with SOME difficulty Lift a full cup or glass to your mouth? 1: with SOME difficulty Walk outdoors on flat ground? 1: with SOME difficulty Wash and dry your entire body? 2: with MUCH difficulty Bend down to pick up clothing from the floor? 2: with MUCH difficulty Turn regular faucets on and off? 1: with SOME difficulty Get in and out of a car, bus, train, or airplane? 3: UNABLE to do Walk two miles or three kilometers, if you wish? 2: with MUCH difficulty Participate in recreational activities and sports as you would like, if you wish? 3: UNABLE to do Get a good night's sleep? 1.1: with SOME difficulty Deal with feelings of anxiety or being nervous? 2.2: with MUCH difficulty Deal with feelings of depression or feeling blue? 3.3: UNABLE to do 0: without ANY difficulty 1.1: with SOME difficulty 2.2: with MUCH difficulty MDHAQ Score: 3.3: UNABLE to do

Entry--Page 2b

Patient Joint

Entry--Page 3

Patient Pain

Select Rheumatoid Arthritis Disease Activity Survey

PE Probs

Test Mgmt

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se

A/P

Pt. Instr

Entry--Page 5

Other

Defer ©

Podi--Vand

Entry--Page 4

Patient Global

Remove Text


Arthritis Disease Activity Survey Entry Form

Rheumatoid

ENTRY Wide View Page 1a

MDHAQ

Print
Complete
Manually
Enter
Calculate



Rheumatoid Entry--Page 1a Entry--Page 1b Litry--Page 2a Entry--Page 2b Entry--Page 3 Entry--Page 4 Entry--Page 5 Other **Arthritis Disease** MDHAQ/HAQ-II) MDHAQ/HAQ-II Patient Joint Patient Joint Patient Pain Patient Global **Activity Survey** Pages with fields: 1a, 1b, 2a, 2b, 3, 4 **Entry Form** All 0 Values Clear HAQ-II: OVER THE LAST WEEK, were you able to... Prior 1 Stand up from a straight chair? **ENTRY** Walk outdoors on flat ground? **V** Get on/off toilet? Reach and get down a 5 pound object -such as a bag of sugar- from just above your head? Wide View Open car doors? Do outside work-such as yard work? Wait in a line for 15 minutes? Lift heavy objects? Page 1b Move heavy objects? Go up two or more flights of stairs? HAQ-II Score: **HAQ-II** Calculate MDHAQ Calculate HAQ-II) FH-SH VS PE] Probs Test Mgmt A/P Pt. Instr Defer | © Entry Review P-M-A PMH ROS

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se

Entry-Wide View-CCC: Mr. Crash C

Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

Rheumatoid Entry--Page 2b Entry--Page 1a Entry--Page 1b Entry--Page 2a Entry--Page 3 Entry--Page 4 Entry--Page 5 **Arthritis Disease** MDHAQ/HAQ-II) MDHAQ/HAQ-II Patient Joint Patient Joint Patient Global Patient Pain **Activity Survey** Pages with fields: 1a, 1b, 2a, 2b, 3, 4 **Entry Form** HAQ-II: OVER THE LAST WEEK, were you able to... **ENTRY Wide** View Page 1b HAQ-II HAQ-II Score: Print

Entry-Wide View-CCC: Mr. Crash Crash

Calculate MDHAQ

Entry

HPI

Calculate HAQ-II)

P-M-A

PMH

FH-SH

ROS

VS

Review

Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

Complete Manually Enter Calculate

Stand up from a straight chair? 1: with some difficulty Walk outdoors on flat ground? 2: with much difficulty Get on/off toilet? 3: unable to do Reach and get down a 5 pound object -such as a bag of sugar- from just above your head? 1: with some difficulty Open car doors? 2: with much difficulty Do outside work-such as yard work? 1: with some difficulty Wait in a line for 15 minutes? 1: with some difficulty Lift heavy objects? 3: unable to do Move heavy objects? 2: with much difficulty Go up two or more flights of stairs? 2: with much difficulty 0: without any difficulty with some difficulty with much difficulty 3: unable to do

PE]

Probs Test Mgmt

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se

A/P

Pt. Instr

Other

Defer

Clear

All 0 Values

Arthritis Disease Activity Survey Entry Form

Rheumatoid

ENTRY Wide View Page 1b

HAQ-II

Print Complete **Manually Enter** Calculate



HAQ-II Score Calculated

KOS JE VS JE PE JE PEODS JE JESE MIGHTE JE AIP JE PE HISTEJE DETEL JE S



Entry-Wide View-CCC: Mr. Crash Crash

Entry

Review

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

Activity Survey Entry Form ENTRY Wide View Page 2a

Rheumatoid

Arthritis Disease

Patient Joint Count

PMH

FH-SH

ROS

VS]

PE]

Probs

Entry--Page 1b Entry--Page 2a Lntry--Page 2b

Patient Joint

Patient Joint

Entry--Page 3

Patient Pain

Entry--Page 4

Patient Global

Patient Joint Count:

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se

Test Mgmt

A/P

Pt. Instr

Entry-Wide View-CCC: Mr. Crash Crash

Pages with fields: 1a, 1b, 2a, 2b, 3, 4

CALC JT Count | Calc RAS Scores

Review P-M-A

Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

Entry

HPI

MDHAQ/HAQ-II

Entry--Page 1a

MDHAQ/HAQ-II)

Prior (Clear) Patient Joint Count: All 0 Left Fingers: Right Fingers: Left Wrist: Right Wrist: Left Elbow: Right Elbow: Left Shoulder: Right Shoulder: Left Hip: Right Hip: Left Knee: Right Knee: Left Ankle: Right Ankle: Left Toes: Right Toes: Neck: Back:

Entry--Page 5

Other

Defer | ©

Arthritis Disease Activity Survey Entry Form ENTRY Wide View

Rheumatoid

Entry-Wide View-CCC: Mr. Crash Crash

MDHAQ/HAQ-II) MDHAQ/HAQ-II

Prev Form (Ctrl+PgUp) Next Form (Ctrl+PgDn)

Entry--Page 1a

Entry--Page 1b Entry--Page 2a

Patient Joint

Patient Joint Count

> **Print** Complete

Manually Enter

Pages with fields: 1a, 1b, 2a, 2b, 3, 4 Patient Joint Count: All 0 Prior | Clear Left Fingers: 1: mild Right Fingers: 2: moderate Left Wrist: 3: severe Right Wrist: 3: severe Left Elbow: 0: none Page 2a Right Elbow: 0: none Left Shoulder: 0: none Right Shoulder: 0: none Left Hip: 0: none Right Hip: 0: none Left Knee: 2: moderate Right Knee: 2: moderate Left Ankle: 0: none Right Ankle: 0: none Left Toes: 0: none Right Toes: 0: none Neck: 0: none Back: 0: none Patient Joint Count: 2: moderate 3: severe CALC JT Count | Calc RAS Scores P-M-A PMH FH-SH ROS VS PE Probs | Test Mgmt | A/P Pt. Instr Defer © Entry | Review |

Entry--Page 2b

Patient Joint

Entry--Page 3

Patient Pain

Entry--Page 4

Patient Global

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved See

Entry--Page 5

Other

Arthritis Disease
Activity Survey
Entry Form
ENTRY Wide
View

Rheumatoid

Entry-Wide View-CCC: Mr. Crash Crash

Review

Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

P-M-A

PMH

FH-SH

ROS

VS

Entry

Patient Joint Count

Page 2a

Print
Complete
Manually Enter
Calculate



PE]

Probs Test Mgmt

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se

A/P

Pt. Instr

Defer

Arthritis Disease Activity Survey Entry Form ENTRY Wide

Rheumatoid

Entry-Wide View-CCC: Mr. Crash Crash

MDHAQ/HAQ-II) MDHAQ/HAQ-II)

Pages with fields: 1a, 1b, 2a, 2b, 3, 4

Entry--Page 1b

Entry--Page 2a


Patient Joint

Entry--Page 1a

View

Page 3 **Patient Pain** Score Page 4

Patient Global Score



Entry--Page 2b

Patient Joint

Entry--Page 3

Patient Pain

Entry--Page 4

Patient Global


Entry--Page 5


Other


Rheumatoid
Arthritis Disease
Activity Survey
Entry Form
Page 3
Patient Pain Score
"6.5"

Page 4
Patient Global
Score
"8.0"

Print Complete Manually Enter








Arthritis Disease Activity Survey Entry Form NOTE: If try and **CALCULATE** without completing all fields, get **ERROR** Message detailing fields are **EMPTY!**

Rheumatoid



Arthritis Disease Activity Survey Entry Form

• EXAMPLE:

Rheumatoid

CDAI requires
Physician Global

Assessment &

Provider JT Count

• Can Enter EITHER using the

Musculoskeletal Exam-CCC Form

Scoring Tab

Global Assessment Remove Text Last Value First Value Current Values Prior Values % Improvement ? Total Painful Joints Edit Total Painful Joints ---Total Painful Joints ---Total Swollen Joints -Edit otal vollen Joints ---Total Swollen Joints ---Physician Global Assessment 5.0 Patient Pain Score 6.5 Patient Global Score 8.0 Lowest #: No Pain Lowest #: 0 Lowest #: No Pain Highest # : Sev 0.5 Highest # : Severe Pain Highest # : Severe Pain Calculate RAPID 3] ? MDHAQ Fund 1.5 RAPID 3 Score 20.2 RAPID 4 Score 33.2 RADAI Patient self-report in Calculate RAPID 4) ? Calculate CDAI) ? CDAI Interpretation 3.0 Func Go to DAS Website ACR Improvement Assessme 4.5 ACR 20 ? **1** % ACR % Improvement 5.5

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved.

Musculoskeletal Exam-CCC: Mr. Crash Crash


Rheumatoid **Arthritis Disease Activity Survey Entry Form** • EXAMPLE: **CDAI** requires **Physician Global** Assessment OR

Entry-Wide View-CCC: Mr. Crash Crash

Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

• ADD fields to the Rheumatoid Arthritis Disease Activity Survey

Entry Form



Entry-Wide View-CCC: Mr. Crash Crash Rheumatoid Entry--Page 2b Entry--Page 2a Entry--Page 3 Entry--Page 4 Other **Arthritis Disease** MDHAQ/HAQ-II) MDHAQ/HAQ-II) Patient Joint Patient Joint Patient Pain Patient Global **Activity Survey** Pages with fields: 1a, 1b, 2a, 2b, 3, 4 **Entry Form** RA Disease Activity Scores Prior | Clear • NOTE: Obs PAS-II Score: 6.83 PAS-II Interpretation: Terms MUST NOTE: CDIA requires the following fields: match in the Physician Global Assessment: 5.0 Total Painful Joints: 6 Total Swollen Joints: 8 Musculoskeletal CDAI Score: **Exam-CCC Form** Musculoskeletal Exam-CCC: Mr. Crash Crash CDAI Interpretation: **Scoring Tab** MS Exam Assess-1 Assess-2 Scoring RAPID-3 Score: 20.2 RAPID-3 Interpretation: and the Global Assessment RAPID-4 Score: 33.2 ADDED fields to RAPID-4 Interpretation: Current Values the Rheumatoid ? Total Painful Joints 6 Edit **OBSERVATIONS:** ? Total Swollen Joints 8 Edit **Arthritis Disease SWELLJTTOTAL: 8** Physician Global Assessment 5.0 **Activity Survey** PAINITTOTAL: 6 CALC JT Count | Calc RAS Scores **Entry Form** PGAMUSCEXAM: 5.0 PE Pro ROS VS © Entry Review P-M-A PMH FH-SH ©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

Entry-Wide View-CCC: Mr. Crash Crash Rheumatoid Entry--Page 1a Entry--Page 1b Entry--Page 2a Entry--Page 2b Entry--Page 3 Entry--Page 4 Entry--Page 5 Other **Arthritis Disease** MDHAQ/HAQ-II) MDHAQ/HAQ-II Patient Joint Patient Joint Patient Pain Patient Global **Activity Survey** Pages with fields: 1a, 1b, 2a, 2b, 3, 4 **Entry Form** Prior Clear **RA Disease Activity Scores** · CALCULATE PAS-II Score: 6 83 PAS-II Interpretation: using CQIC NOTE: CDIA requires the following fields: Physician Global Assessment: 5.0 Total Painful Joints: 6 **Functions for** Total Swollen Joints: 8 **RAS Scoring** CDAI Score: 27 CDAI Interpretation: RAPID-3 Score: 20.2 RAPID-3 Interpretation: PROVIDER RAPID-4 Score: 33.2 RAPID-4 Interpretation: can then **ENTER** Interpretation CALC JT Count Calc RAS Scores (OPTIONAL) PE] Probs Test Mgmt Defer Entry Review P-M-A **PMH** FH-SH ROS VS A/P Pt. Instr ©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

Rheumatoid Entry--Page 1a **Arthritis Disease Activity Survey Entry Form** CALCULATE using CQIC **Functions for RAS Scoring** PROVIDER can then **ENTER**

Entry-Wide View-CCC: Mr. Crash Crash

Entry--Page 1b

Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

MDHAQ/HAQ-II) MDHAQ/HAQ-II Patient Joint Patient Joint Patient Pain Patient Global Pages with fields: 1a, 1b, 2a, 2b, 3, 4 **RA Disease Activity Scores** Prior | Clear PAS-II Score: [6.83] PAS-II Interpretation: \(\beta.71-7.99 \): Moderate 0.00-0.25: Remission 0.26-3.70: Low NOTE: CDIA requires the following fields: Physician Global Assessment: 8.00-10.00: High Total Painful Joints: 6 Total Swollen Joints: [8] CDAI Score: 27 CDAI Interpretation: RAPID-3 Score: 20.2 RAPID-3 Interpretation: RAPID-4 Score: 33.2 RAPID-4 Interpretation: Interpretation CALC JT Count Calc RAS Scores (OPTIONAL) PE] Probs Test Mgmt Defer] Entry Review P-M-A PMH FH-SH ROS VS A/P Pt. Instr

Entry--Page 2b

Entry--Page 3

Entry--Page 4

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se

Entry--Page 2a

Entry--Page 5

Other

INTERPRETING PAS-II

PAS-II Disease Activity Interpretation

Range	Remission	Low	Moderate	High
0 - 10	0.00 - 0.25	0.26 - 3.70	3.71 - 7.99	8.00 - 10.00

Anderson J, Caplan L, Yazdany J, Robbins ML, Neogi T, Michaud K, et al. Rheumatoid arthritis disease activity measures: American College of Rheumatology recommendations for use in clinical practice. Arthritis Care Res. 2012; 64; 640-7.

- Remission: 0.00-0.25 Moderate: 3.71-7.99
- Low: 0.26-3.70
 High: 8.00-10.00

PAS-II Score: 6.83

PAS-II Interpretation: 3.71-7.99: Moderate

NOTE: CDIA requires the following fields: Physician Global Assessment: 8.00-10.00: High

INTERPRETING CDAI

CDAI Disease Activity Interpretation


Range	Remission	Low	Moderate	High
0 - 76	0.0 - 2.8	2.9 - 10.0	10.1 - 22.0	22.1 - 76.0

Anderson J, Caplan L, Yazdany J, Robbins ML, Neogi T, Michaud K, et al. Rheumatoid arthritis disease activity measures: American College of Rheumatology recommendations for use in clinical practice. Arthritis Care Res. 2012; 64; 640-7.

- Remission: 0.0-2.8
- Moderate: 10.1-22.0

• Low: 2.9-10.0


• High: 22.1-76.0




INTERPRETING RAPID-3

RAPID 3 Score	Disease Activity Level
0.0 - 3.0	Near Remission (NM)
3.1 - 6.0	Low Severity (LS)
6.1 - 12	Moderate Severity (MS)
12.1 - 30	High Severity (HS)

- Near Remission: 0.0-3.0
 Moderate: 6.1-12
- Low: 3.1-6.0





Can also create a function to "auto" populate the Interpretation fields


Prev Form (Ctrl+PqUp) Next Form (Ctrl+PqDn)

Entry-Wide View-CCC: Mr. Crash Crash

Entry--Page 1a Entry--Page 1b

MDHAQ/HAQ-II) MDHAQ/HAQ-II

Pages with fields: 1a, 1b, 2a, 2b, 3, 4



©Copyright 2016 Clinical Content Consultants, LLC All rights reserved se

Entry--Page 4

Patient Global



Entry--Page 3

Patient Pain

Entry--Page 2a Entry--Page 2b

Patient Joint

Patient Joint

CALC JT Count Calc RAS Scores

HPI Entry Review P-M-A PMH FH-SH ROS VS PE Probs Test Mgmt A/P Pt. Instr Defer ©

TEXT TRANSLATION

Rheumatoid Arthritis Disease Activity Survey

MDHAQ: OVER THE LAST WEEK, were you able to...

Dress yourself, including tying shoelaces and doing buttons? 1: with SOME difficulty
Get in and out of bed? 1: with SOME difficulty
Lift a full cup or glass to your mouth? 1: with SOME difficulty
Walk outdoors on flat ground? 1: with SOME difficulty
Wash and dry your entire body? 2: with MUCH difficulty
Bend down to pick up clothing from the floor? 2: with MUCH difficulty
Turn regular faucets on and off? 1: with SOME difficulty
Get in and out of a car, bus, train, or airplane? 3: UNABLE to do
Walk two miles or three kilometers, if you wish? 2: with MUCH difficulty
Participate in recreational activities and sports as you would like, if you wish? 3: UNABLE to do
Get a good night's sleep? 1.1: with SOME difficulty

Deal with feelings of anxiety or being nervous? 2.2: with MUCH difficulty Deal with feelings of depression or feeling blue? 3.3: UNABLE to do

MDHAQ Score: 5.7

HAQ-II: OVER THE LAST WEEK, were you able to...

Stand up from a straight chair? 1: with some difficulty Walk outdoors on flat ground? 2: with much difficulty Get on/off toilet? 3: unable to do

Reach and get down a 5 pound object -such as a bag of sugar- from just above your head? 1: with some difficulty

Open car doors? 2: with much difficulty

Do outside work-such as yard work? 1: with some difficulty

Wait in a line for 15 minutes? 1: with some difficulty

Lift heavy objects? 3: unable to do

Move heavy objects? 2: with much difficulty

Go up two or more flights of stairs? 2: with much difficulty

HAQ-II Score: 1.80

TEXT TRANSLATION

Patient Joint Count:

Left Fingers: 1: mild

Right Fingers: 2: moderate

Left Wrist: 3: severe Right Wrist: 3: severe Left Elbow: 0: none Right Elbow: 0: none Left Shoulder: 0: none

Right Shoulder: 0: none Left Hip: 0: none Right Hip: 0: none

Left Knee: 2: moderate

Right Knee: 2: moderate

Left Ankle: 0: none Right Ankle: 0: none Left Toes: 0: none Right Toes: 0: none

Neck: 0: none Back: 0: none

Patient Joint Count: 13

RA Disease Activity Scores

PAS-II Score: 6.83

PAS-II Interpretation: 3.71-7.99: Moderate

Physician Global Assessment: 5.0

Total Painful Joints: 6 Total Swollen Joints: 8

CDAI Score: 27

CDAI Interpretation: 22.1-76.0: High

RAPID-3 Score: 20.2

RAPID-3 Interpretation: 12.1-30.0: High Severity

RAPID-4 Score: 33.2

Patient Pain Score:

6.5

Patient Global Score:


8.0

Musculoskeletal Exam-CCC Form

SCORING TAB

OBS TERMS
SAME AS
"Rheumatoid
Arthritis
Disease
Activity
Survey" ENTRY
FORM

'Calculate" BUTTONS



Objective 2

 Learn how to use Centricity EHR Entry Form Templates for a variety of Patient Assessment Questionnaires that can be used for a variety of clinical quality measures.

Objective 3

 Learn proven workflows to efficiently administer Patient **Assessment Questionnaires and** document within the Centricity **EHR**

CQIC Rheumatoid Arthritis Disease Activity Surveys Project

- Manual Administration Workflow
 Print -> Complete -> Staff Enters -> Score
 (Scoring Functions-FX)
- Patient Entered History
 Send -> Patient Completes -> Retrieve -> Score
 (Scoring Functions-FX)

Patient Entered History

- Entry Form Templates can be sent using SECURE MESSAGING for Patient to Complete:
 - **—TEXT**
 - -EMAIL
 - -KIOSK MODE



Patient Entered History

- FASTER SAVES TIME
- CONVENIENT EASIER




• IMPROVES DATA CAPTURE

SECURE MESSAGE

TEXT OR EMAIL

CLICK LINK TO OPEN



SECURE MESSAGE

TEXT OR EMAIL



John Janas Md @ Don Bassett

Please fill out and submit these form(s) at your earliest convenience




CLICK TO COMPLETE

PATIENT INSTRUCTIONS

MDHAQ


PATIENT ANSWERS QUESTIONS



PATIENT INSTRUCTIONS

<u>MDHAQ</u>


PATIENT ANSWERS QUESTIONS



PATIENT INSTRUCTIONS

MDHAQ

PATIENT ANSWERS QUESTIONS



PATIENT INSTRUCTIONS

MDHAQ


PATIENT ANSWERS QUESTIONS



PATIENT INSTRUCTIONS

HAQ-II


PATIENT ANSWERS QUESTIONS



PATIENT INSTRUCTIONS

HAQ-II

PATIENT ANSWERS QUESTIONS



PATIENT INSTRUCTIONS

HAQ-II

PATIENT ANSWERS QUESTIONS



Rheumatoid Arthritis Disease Activity Survey Rheumatoid Arthritis Disease Activity Survey Please select the appropriate response regarding the amount of pain you **Patient Entered Hx** are having today in each of the joint areas listed blow. Left Fingers: Choose one... **PATIENT** Right Fingers: Choose one... **INSTRUCTIONS** Left Wrist: Choose one... Right Wrist: Choose one... **PATIENT JOINT** Left Flbow: Choose one **SCORE** Right Elbow: Choose one Left Shoulder-Choose one **PATIENT** Right Shoulder: Choose one... **ANSWERS**

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved.

Choose one...


Left Hip:

QUESTIONS

PATIENT INSTRUCTIONS

PATIENT JOINT SCORE


PATIENT ANSWERS QUESTIONS



PATIENT INSTRUCTIONS

PATIENT JOINT
SCORE

PATIENT ANSWERS QUESTIONS



PATIENT INSTRUCTIONS

PATIENT PAIN
SCORE

PATIENT ANSWERS QUESTIONS

How much pain have you had because of your condition OVER THE PAST WEEK? Please indicate below how severe your pain has been: Patient Pain Score: 0: NO PAIN 0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.0 6.5
0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0
7.0 7.5 8.0 8.5 9.0

PATIENT INSTRUCTIONS

PATIENT PAIN
SCORE

PATIENT ANSWERS QUESTIONS

Rheumatoid Arthritis Diseas		×
	ou had because of your condition OVER THE PAST below how severe your pain has been:	^
Patient Pain Score:	0: NO PAIN 0.5	
	1.5	
	2.5 3.0 3.5	
	4.0 4.5 5.0	
	5.5	
	6.5 7.0 7.5	
	8.0 8.5 9.0	~

PATIENT INSTRUCTIONS

PATIENT GLOBAL SCORE

> PATIENT ANSWERS QUESTIONS

Rh	eumatoid Arthritis Disease Activity	Survey	×
	Considering all the ways in whic you at this time, please indicate	h illness and health conditions may affect below how you are doing:	^
	Patient Global Score:	0: VERY WELL 0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 8.5 9.0	~

PATIENT INSTRUCTIONS


PATIENT GLOBAL SCORE

> PATIENT ANSWERS QUESTIONS

Considering all the ways	s in which illness and health conditions may affect	
you at this time, please i	indicate below how you are doing:	
Patient Global Score:	0: VERY WELL	
	0.5	
	1.0	
	1.5	
	2.0	
	2.5	
	3.0	
	3.5	
	4.0	
	4.5	
	5.0	
	6.0	
	6.5	
	7.0	
	7.5	
	8.0	
	8.5	
	9.0	

PATIENT ANSWERS QUESTIONS

> CLICKS SUBMIT



PATIENT GETS CONFRIMATION OF COMPLETED QUESTIONS (FORM)



John Janas Md @ Don Bassett

Please fill out and submit these form(s) at your earliest convenience







Don Bassett @ John Janas Md



PATIENT
ARRIVES
OR
BROUGHT
INTO EXAM
ROOM



PROMPT TO 'RETRIEVE'



Clear

Clear

 \blacksquare

 \blacksquare

Prior I

Defer

Close

Entry-CCC: Don C. Bassett

Calculate MDHAQ (Calculate HAQ-II)

Review | P-M-A

Prev Form (Ctrl+PgUp) | Next Form (Ctrl+PgDn)

PMH

FH-SH

ROS

VS.

Probs

Test Mamt

A/P

Pt. Instr

Defer

Close

Entry

PATIENT RESPONSES **RETRIEVED**

POPULATES ENTRY FORM

MDHAQ

Entry ---- Page 1 Entry ---- Page 2 Entry ---- Page 3 Entry ---- Page 4 Other MDHAQ/HAQ-II Patient Joint Patient Pain Patient Global Rheumatoid Arthritis Disease Activity Survey Select Rheumatoid Arthritis Disease Activity Survey Oral--Rheu Pages with fields: 1, 2, 3, 4 Questionnaire inserted Remove Text Default Prior Clear All 0 Values 1 Clear IST WEEK, were you able to... All 0 Values 1 IST WEEK, were you able to... Prior 1 Clear tying shoelaces and doing buttons? 1: with SOME difficulty Stand up from a straight chair? 1: with some difficulty Walk outdoors on flat ground? 2: with much difficulty Get in and out of bed? 2: with MUCH difficulty ft a full cup or glass to your mouth? 2: with MUCH difficulty Get on/off toilet? 2: with much difficulty Walk outdoors on flat ground? 2: with MUCH difficulty sugar- from just above your head? 2: with much difficulty Wash and dry your entire body? 2: with MUCH difficulty Open car doors? 1: with some difficulty in to pick up clothing from the floor? [2: with MUCH difficulty outside work-such as yard work? 2: with much difficulty Turn regular faucets on and off? 2: with MUCH difficulty Wait in a line for 15 minutes? 2: with much difficulty out of a car, bus, train, or airplane? 2: with MUCH difficulty Lift heavy objects? 3: unable to do es or three kilometers, if you wish? 3: UNABLE to do Move heavy objects? 2: with much difficulty orts as you would like, if you wish? 3: UNABLE to do Go up two or more flights of stairs? 2: with much difficulty Get a good night's sleep? 1.1: with SOME difficulty. elings of anxiety or being nervous? 2.2; with MUCH difficulty HAQ-II Score: lings of depression or feeling blue? 3.3: UNABLE to do MDHAQ Score:

HAQ-II



Entry-CCC: Don C. Bassett

Prev Form (Ctrl+PgUp) | Next Form (Ctrl+PgDn)

POPULATES ENTRY FORM

<u>PATIENT</u> JOINT COUNT

Entry ---- Page 1 Entry ---- Page 2 Entry ---- Page 3 Entry ---- Page 4 Other MDHAQ/HAQ-II Patient Joint Patient Pain Patient Global Pages with fields: 1, 2, 3, 4 Default **Patient Joint Count:** All 0 Clear Prior I RA Disease Activity Scores Left Fingers: 2: moderate PAS-II Score: Right Fingers: 2: moderate PAS-II Interpretation: Left Wrist: 3: severe Right Wrist: 2: moderate CDIA requires the following fields: Left Elbow: 0: none Physician Global Assessment: Right Elbow: 0: none Total Painful Joints: Left Shoulder: (0: none Total Swollen Joints: Right Shoulder: 0: none Left Hip: 0: none CDAI Score: Right Hip: 0: none CDAI Interpretation: Left Knee: 2: moderate Right Knee: 3: severe RAPID-3 Score: Left Ankle: 1: mild RAPID-3 Interpretation: Right Ankle: 2: moderate Left Toes: 0: none RAPID-4 Score: Right Toes: 0: none RAPID-4 Interpretation: Neck: 0: none Back: 0: none Patient Joint Count: CALC JT Count | Calc RAS Scores Entry Review P-M-A PMH. FH-SH ROS VS Probs Test Mamt A/P Pt. Instr

Prior

Prior I

Defer

Close

Clear

Clear

PATIENT RESPONSES RETRIEVED

POPULATES ENTRY FORM

PATIENT PAIN
SCORE &
GLOBAL

SCORE



PATIENT RESPONSES RETRIEVED POPULATES ENTRY FORM

> **MDHAQ HAQ-II**




Close

Prev Form (Ctrl+PgUp) | Next Form (Ctrl+PgDn)

PATIENT
RESPONSES
RETRIEVED
POPULATES
ENTRY FORM

<u>PATIENT</u> JOINT COUNT

CALCULATE





Rheumatoid

Entry-CCC: Don C. Bassett

Prev Form (Ctrl+PgUp) | Next Form (Ctrl+PgDn)

PATIENT RESPONSES RETRIEVED POPULATES ENTRY FORM





Close

PATIENT RESPONSES RETRIEVED **POPULATES ENTRY FORM**

TEXT TRANSLATION

Doc ID: 1861 Properties: Office Visit at SOUTH on 09/14/2016 10:02 PM by Harry S. Winston MD

Rheumatoid Arthritis Disease Activity Survey

MDHAQ: OVER THE LAST WEEK, were you able to...

Dress yourself, including tying shoelaces and doing buttons? 1: with SOME difficulty Get in and out of bed? 2: with MUCH difficulty

Lift a full cup or glass to your mouth? 2: with MUCH difficulty

Walk outdoors on flat ground? 2: with MUCH difficulty Wash and dry your entire body? 2: with MUCH difficulty.

Bend down to pick up clothing from the floor? 2: with MUCH difficulty Turn regular faucets on and off? 2: with MUCH difficulty.

Get in and out of a car, bus, train, or airplane? 2: with MUCH difficulty

Walk two miles or three kilometers, if you wish? 3: UNABLE to do Participate in recreational activities and sports as you would like, if you wish? 3: UNABLE to do

Get a good night's sleep? 1.1; with SOME difficulty

Deal with feelings of anxiety or being nervous? 2.2: with MUCH difficulty

Deal with feelings of depression or feeling blue? 3.3: UNABLE to do

MDHAQ Score: 7

HAQ-II: OVER THE LAST WEEK, were you able to...

Stand up from a straight chair? 1: with some difficulty Walk outdoors on flat ground? 2: with much difficulty.

Get on/off toilet? 2: with much difficulty.

Reach and get down a 5 pound object -such as a bag of sugar- from just above your head? 2: with much

difficulty

Open car doors? 1: with some difficulty

Do outside work-such as yard work? 2: with much difficulty Wait in a line for 15 minutes? 2: with much difficulty

Lift heavy objects? 3: unable to do

Move heavy objects? 2: with much difficulty

Go up two or more flights of stairs? 2: with much difficulty HAQ-II Score: 1.90

PATIENT RESPONSES RETRIEVED **POPULATES ENTRY FORM**

TEXT TRANSLATION

Patient Joint Count:

Doc ID: 1861

Left Fingers: 2: moderate

Right Fingers: 2: moderate Left Wrist: 3: severe Right Wrist: 2: moderate

Left Elbow: 0: none Right Elbow: 0: none

Left Shoulder: 0: none Right Shoulder: 0: none

Left Hip: 0: none Right Hip: 0: none

Left Knee: 2: moderate Right Knee: 3: severe Left Ankle: 1: mild

Right Ankle: 2: moderate Left Toes: 0: none Right Toes: 0: none

Neck: 0: none Back: 0: none

Patient Joint Count: 17

RA Disease Activity Scores

PAS-II Score: 7.11

Physician Global Assessment: 7.0 Total Painful Joints: 10

Total Swollen Joints: 12 CDALScore: 37

RAPID-3 Score: 22 RAPID-4 Score: 39

Patient Pain Score: 7.0

©Copyright 2016 Clinical Content Consultants, LLC All rights reserved.

Properties: Office Visit at SOUTH on 09/14/2016 10:02 PM by Harry S. Winston MD

SCORING OBS TERMS

- PGAMUSCEXAM
- MDHAQSCORE
- PGS-RHEUM
- PAINSCRRHEUM
- RAPID3

- RADAIPTJTCT
- RAPID4 SCORE

- HAQIISCORE
- PGS-RHEUM
- PAINSCRRHEUM
- PASIISCORE

- PGS-RHEUM
- SWELLJTTOTAL
- PAINJTTOTAL
- CDAI



HAQ-II OBS TERMS

- HAQIIQ1
- HAQIIQ2
- HAQIIQ3
- HAQIIQ4
- HAQIIQ5

- HAQIIQ6
- HAQIIQ7
- HAQIIQ8
- HAQIIQ9
- HAQIIQ10



MDHAQ OBS TERMS

- MDHAQ1A
- MDHAQ1B
- MDHAQ1C
- MDHAQ1D
- MDHAQ1E
- MDHAQ1F
- MDHAQ1G

- MDHAQ1H
- MDHAQ1I
- MDHAQ1J
- MDHAQ1K
- MDHAQ1L
- MDHAQ1M



PT JOINT SCORE OBS TERMS


- RADAIPTJT1
- RADAIPTJT2
- RADAIPTJT3
- RADAIPTJT4
- RADAIPTJT5
- RADAIPTJT6
- RADAIPTJT7
- RADAIPTJT8
- RADAIPTJT9

- RADAIPTJT10
- RADAIPTJT11
- RADAIPTJT12
- RADAIPTJT13
- RADAIPTJT14
- RADAIPTJT15
- RADAIPTJT16
- RADAIPTJT17
- RADAIPTJT18



MACRA

MIPS









APM

ACOs

PCMH

BPMs

Quality Counts for 50% of Score *MIPS Score* (year 1):

- 1. Quality-of-care component 50%
- 2. Advancing care information accounting 25%
- 3. Clinical practice improvement 15%
- 4. Cost 10%



MIPS Composite Performance Score (CPS) and Categories

- Quality Performance Category: replaces PQRS and the quality component of the Value Modifier Program
- **50 percent** of CPS in year 1
- Physicians choose <u>6 measures</u>
 - Additional population measures are calculated based on claims data, with number of measures dependent on group size
- > 200 measures from which to choose; 80% geared to specialists

 @Convright 2016 Clinical Content Consultants, LLC All rights reserved.

CQIC CQM Planning Guide

Clinical Quality Measures (CQMs) Planning Guide for PQRS/MU/MIPS/ACOs for CQIC Sites

	chinear Quality Measures (Co	givis) Flatining duide for FQR3/1410/1411F3/	ACO3 IOI C	ZIC SICCS
	CQIC Site:		Specialty:	
		Meaningful Us	se Stage (None, I, 2, 3):	
	List of Five (5) CQMs PLUS One (1) Cross Cutting CQM Measure Title		Previously Reported	
	and (NQF/PQRS #)	Current User Workflow (CDSS / CAM / Entry Form / Other Form / TBD)	Scores (Range)	Recommendations & Action Plan
		Flu Shot Vaccine CDSS (Enabled but NOT 'Required') & Immunization		
Ex.	Preventive Care and Screening: Influenza Immunization (0041/110)	Management Forms	70-88%	
1				
2				
3				
4				
5			<u> </u>	
Cross				
Cutting				
			Previously Reported	
	List ALL Additional CQMs or ANY other CQI Projects	Current User Workflow (CDSS / CAM / Entry Form / Other Form / TBD)	Scores (Range)	Recommendations & Action Plan
1			+	
2			+ +	
3			+ +	
4			+	
5			+	
6			+	
7			+	
8			+	
9			<u>+</u>	





TABLE E. 2017 Droposed MIDC Consider Massure Cote

	IABLE E: 2017 Proposed MIPS Specialty Measure Set						ts
MIPS ID Number	NQF/ PQRS	CMS E-Measure ID	Data Submission Method	Measure Type	National Quality Strategy Domain	Measure Title and Description [‡]	Measure Steward
				1. All	ergy/Immu	nology/Rheumatology	
*	N/A/ 176	N/A	Registry	Process	Effective Clinical Care	Rheumatoid Arthritis (RA): Tuberculosis Screening Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) who have documentation of a tuberculosis (TB) screening performed and results interpreted within 6 months prior to receiving a first course of therapy using a biologic disease-modifying anti-rheumatic drug (DMARD)	American College of Rheumatol ogy
*	N/A/ 177	N/A	Registry	Process	Effective Clinical Care	Rheumatoid Arthritis (RA): Periodic Assessment of Disease Activity Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) who have an assessment and classification of disease activity within 12 months	American College of Rheumatol ogy
	N/A/ 178	N/A	Registry, Measures Group	Process	Effective Clinical Care	Rheumatoid Arthritis (RA): Functional Status Assessment Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) for whom a	American College of Rheumatol ogy

within 12 months

functional status assessment was performed at least once

TABLE E: 2017 Proposed MIPS Specialty Measure Sets

MIPS ID Number	NQF/ PQRS	CMS E-Measure ID	Data Submission Method	Measure Type	National Quality Strategy Domain	Measure Title and Description [‡]	Measure Steward
				1. All	ergy/Immu	nology/Rheumatology	
*	N/A/ 179	N/A	Registry	Process	Effective Clinical Care	Rheumatoid Arthritis (RA): Assessment and Classification of Disease Prognosis Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) who have an assessment and classification of disease prognosis at least once within 12 months	American College of Rheumatol ogy
*	N/A/ 180	N/A	Registry	Process	Effective Clinical Care	Rheumatoid Arthritis (RA): Glucocorticoid Management Percentage of patients aged 18 years and older with a diagnosis of rheumatoid arthritis (RA) who have been assessed for glucocorticoid use and, for those on prolonged doses of prednisone ≥ 10 mg daily (or equivalent) with improvement or no change in disease activity, documentation of glucocorticoid management plan within 12 months	American College of Rheumatol ogy

Q&A

• Questions?

• Comments?



Contact Information

- John Janas MD
 - jjanas@clinicalcontent.com
- Ryan Antolini MD
 - RAntolini@DACdenver.com
- Timothy Gensler MD
 - TGensler@DACdenver.com