# Next Day Pest Control Supplies

Edition 21.1

Do you want to grow your business?

You can with the NEW... *PestFix* Find a Pest Controller Service

- Over **600** people visit *PestFix* website looking for help *Every Day*!
- **Partner** with *PestFix* to connect with these customers
- **Benefit** from *PestFix's* **Six Figure** marketing spend
- **Build** your **Brand** - **Increase** your **Sales**

Want to know more?

Terms and Conditions apply.

Contact us on 01903 538 488 TODAY
or send us an email: sales@pestfix.co.uk

Dan and Matt England

PestFix Directors

Welcome

PestFix distributes award winning pest control products and consumables to the professional pest control sector.

Welcome to our 2021 catalogue and thank you for choosing *PestFix* for your pest control supplies. We are an award-winning independent business, owned and operated exclusively by the England family.

We supply a comprehensive range of products and consumables to the professional and amateur use pest control industry, as well as offering first class technical support. We believe in giving back to the industry and *PestFix* continues to actively support the British Pest Control Association, and the National Pest Technicians Association through its manufacturer and distributor memberships of both bodies.

PestFix sponsors and attends regional training events held by both industry bodies around the UK, giving CPD approved talks on the latest innovations in the Pest Control Industry. Why not come along to a BPCA or NPTA event near you and meet some of our team. Keep an eye on our website for further details.

- Stay up-to-date with what's new in your industry
- Meet the *PestFix* team and listen to professional talks
- Pick up those all-important CPD points
- Network with like-minded public health sector professionals

Don't Forget!
We have a 5pm deadline for next day deliveries, which enables you to place orders right up until the close of business each day and receive them the following day. Trade customers can now order online, simply visit our website at the usual address: **www.pestfix.co.uk**, create an account and enjoy the following features:

- View our TRADE pricing online
- Build favourites lists
- Create written quotations
- Place orders on account 24/7
- For all orders received before 5pm, we guarantee next day delivery on stock items.

Thank you.

Dan and Matt England

PRICE PROMISE

PRICE PROMISE

- **X** **NO** tiered price schemes

- **X** **NO** minimum annual spend

- **X** **NO** minimum order quantities

- **X** **NO** tie-in on annual reward scheme rebates

- **X** **NO** high overheads pushing up prices

- ✔ **Just our lowest prices all year round!**

PestFix®

The customer is King!

We believe in success through service…
Trust *PestFix* to deliver

PestFix employs dedicated telephone support experts, field support experts and aftersales/logistical support experts who work together as a coordinated team to ensure your day goes smoothly.

Call our Technical Sales Support Team on **+44 (0)1903 538 488 8am - 6pm** to benefit from **FREE** and comprehensive technical guidance and support. Our team are all holders of the RSPH Level II award in Pest Management.

PestFix prides itself on its ability to respond rapidly to requests for pricing. Our sophisticated customer relationship management system allow us to respond to RFQs with a formal written quotation within the hour, during office hours. We can assist you in the application, planning, design, specification, installation and/or repair of all our products.

Meet us in person, we offer free on-site support to our customer base. We will work alongside you and your team to help you achieve the best results through site surveys, technical training and quotation writing. Our field-based sales team are here just for you, so give us a call when you need support.

The *PestFix* team offer a friendly and supportive service to our customers, backed-up with comprehensive product specification sheets, installation instructions and material safety data sheets.

For out of hours support visit our website **www.pestfix.co.uk** where you will find in-depth technical guides, product specifications, catalogues and price lists to download.

Follow us on:

**Written QUOTES within the hour!**

FREE ON-SITE support

**ONLINE technical resource centre**

4

FEATURED NEW PRODUCTS

BIRCHMEIER REC 15 BATTERY BACKPACK FOGGER

SEE PAGE 112

STERI-7 XTRA BIOCIDAL HAND WASH

SEE PAGE 118

PESTFIX BATTERY POWERED HANDHELD SPRAYER

SEE PAGE 112

DIGRAIN FUMITE OPP DISINFECTANT SMOKE BOMB

SEE PAGE 117

STERI-7 BIOMIST ULV FOGGER UNI

SEE PAGE 112

CONTINU USOL HAND SANITISER ALCOHOL-FREE

PRODUCT CODE: DI046-5

STERI7 XTRA HIGH LEVEL SURFACE DISINFECTANT

SEE PAGE 118

BIOHYGIENE ALL PURPOSE 4D VIRUCIDAL DISINFECTANT

PRODUCT CODE: DI053

TRAPPIT WASP BAG DISPOSABLE WASP TRAP

SEE PAGE 103

GCG STERIHAND 70% ALCOHOL SANITISER

PRODUCT CODE: DI054

Sales: +44 (0)1903 538 488   **Email:** sales@pestfix.co.uk

FEATURED NEW PRODUCTS

MEDIK4N AEROSOL DISINFECTANT FOGGER

PRODUCT CODE: DI085

BIOPREN 6EC

SEE PAGE 88

I-TRAP 50 LED ELECTRIC FLY KILLER

SEE PAGE 93

PHOBI CAPS & PHOBI FLASH DOSE

SEE PAGE 86

X-TRAP 50 LED ELECTRIC FLY KILLER

SEE PAGE 93

GREEN HERO FROST SPRAY

SEE PAGE 92

I-TRAP 30 LED ELECTRIC FLY KILLER

SEE PAGE 93

BIOPREN BMS PHARAOH ANT BAIT

SEE PAGE 85

IC169 DIGRAIN BUGSTER

SEE PAGE 87

TRAPPIT SPM LOCATOR MOTH TRAP

SEE PAGE 104

Order online 24/7: www.pestfix.co.uk

FEATURED NEW PRODUCTS

AVIX AUTONOMIC GEN II BIRD DISPERSAL LASER

SEE PAGE 54

PROVOKE PROFESSIONAL MOUSE TRAP GEL ATTRACTANT

SEE PAGE 82

NON PIERCING QWIK FOOT ROOF MOUNT

SEE PAGE 23

TRAPPER GLUE BOARDS FOR RATS

SEE PAGE 81

AVIX LITE PORTABLE DISPERSAL LASER

SEE PAGE 54

NEOSOREXA GOLD RAT AND MOUSE BAIT

SEE PAGE 69

PROVOKE PROFESSIONAL RAT TRAP GEL ATTRACTANT

SEE PAGE 29

WIRE WOOL

SEE PAGE 80

PREVENTAVENT PLASTIC AIR BRICK COVERS

SEE PAGE 79

PREVENTAVENT ALUMINIUM AIR BRICK COVERS

SEE PAGE 79

Sales: +44 (0)1903 538 488   **Email:** sales@pestfix.co.uk

CONTENTS

BIRD CONTROL

RODENT CONTROL

INSECT CONTROL

ANIMAL CONTROL

EQUIPMENT AND PPE

SHOOTING ACCESSORIES AND CONSUMABLES

Product Symbol Keys:

PFR *PestFix* Recommends

SO3 Special Order 3-Day Lead Time

PUO Professional Use Only

ISO Ideal Sell-On

ES Energy Saving

NP New Product

TFS Tools Free Servicing

BS Best Seller

GET SERIOUS.

BPCA
British Pest Control Association
MEMBER

Be part of something bigger.

JOIN BPCA.

Being part of the British Pest Control Association shows the world your company is serious about pest control.

You get:
- Consumer referrals
- Technical advice
- Business support
- Discounts on training
- Access to CPD materials
- Access to more clients
- A logo to be proud of

The advantages of BPCA are clear. Not only can we be assured that we are meeting the high standards that our customers expect and deserve, we are also entitled to technical support, business guidance, help with documentation and legislation, discounts and marketing.

PAUL BATES, MANAGING DIRECTOR CLEANKILL ENVIRONMENTAL SERVICES

Serious about professionalism and excellence?

ASK US ABOUT MEMBERSHIP TODAY

membership@bpca.org.uk
bpca.org.uk/getserious
01332 225 112

TAKE YOUR CAREER SERIOUSLY?
ADVANCED TRAINING WITH BPCA.

ADVANCED TECHNICIAN IN PEST MANAGEMENT

So you have successfully achieved the RSPH Level 2 Award in Pest Management, you have some experience and you are now wondering what's next. A widely recognised and admired qualification within the pest control industry.

CERTIFIED FIELD BIOLOGIST

Field biologists deliver technical expertise, provide service appraisals and help ensure compliance to resolve pest problems head on.

FIND OUT MORE

training@bpca.org.uk
bpca.org.uk/training
01332 225 113

BIRD PROOFING - **BIRD SPIKES**

PestFix Bird Spike Systems provide a very effective, low-cost way of deterring birds from perching and roosting. They can be used to control a wide variety of architectural bird problems caused by pigeons and seagulls.

- Maintenance-free **polycarbonate** or **stainless steel** in **narrow, medium** or **wide**
- **100% effective** in deterring **pigeons, seagulls, starlings, sparrows** and other small birds
- Suitable for use on **ridgelines, ledges, window sills, chimneys, guttering** or anywhere pest birds are roosting or nesting
- **Eliminates** pest **damage** and **liability**

BS370   DEFENDER 4 NARROW POLYCARBONATE PIGEON SPIKES
Per Metre
109mm high x 47mm wide between outer tips, base width 19mm

BS284   BIRD-X MEDIUM STAINLESS STEEL PIGEON SPIKES
Per Metre
115mm high x 120mm wide between outer tips, base width 40mm

BS302 DEFENDER 8 MEDIUM POLYCARBONATE PIGEON SPIKES
Per Metre
112mm high x 145mm wide between outer tips, base width 42mm

BS296   BIRD-X PIGEON SPIKES WIDE IN STAINLESS STEEL
Per Metre
115mm high x 180mm wide between outer tips, base width 40mm

BS272   BIRD-X PIGEON SPIKES NARROW IN STAINLESS STEEL
Per Metre
115mm high x 60mm wide between outer tips, base width 40mm

BS252   BIRD-X SEAGULL SPIKES IN STAINLESS STEEL
Per Metre
150mm high x 220mm wide between outer tips, base width 40mm

BIRD PROOFING - **BIRD SPIKES**

CASEMENT WINDOW CLIPS
BS324 BIRD-X SPIKES   60/600 Pack
BS385 DEFENDER 8 MEDIUM POLYCARBONATE SPIKES 60/600 Pack
Transparent clips used for mounting bird spikes on opening
windows, use two clips per strip / 6 per metre.

CG070   DEFENDER CHIMNEY GUARD STAINLESS STEEL (304) Each
Simple one size fits all design, 1.2m long, 200mm spikes, spring
strap fixing.

BS371   DEFENDER TRIANGULAR RIDGE SEAGULL SPIKES
                                                    Per Metre
Polycarbonate spikes on a transparent base ideal for rooftops
with triangular profile ridge tiles, special base sets the spikes
vertically over ridge point.

BS364   STARLING AND SPARROW SPIKES STAINLESS STEEL
                                                    600mm Strip
Dimensions 112mm high x 100mm wide x 600mm long,
premium stainless steel spike with 240 points per strip.

CABLE TIES 430MM FOR PIPE MOUNTING
BS315 BLACK   60/600 Pack
BS318 TRANSLUCENT   60/600 Pack
For mounting our range of bird spikes on pipes and other tubular
surfaces. Maximum diameter 130mm, for larger diameters join
cable ties together.

RAINWATER GUTTER CLIPS
BS321 BIRD-X SPIKES - HALF ROUND   60/600 Pack
BS361 BIRD-X SPIKES - OGEE   60/600 Pack
BS384 DEFENDER 8 POLYCARBONATE
SPIKES- HALF ROUND   60/600 Pack
Used for mounting bird spikes onto half round or ogee / lipped
gutters.

For surface cleaner, activator and bird spike adhesive, please see page 42.

There are now **45 reasons** why you should **change your spikes supplier**

The Bird-X™ Range of professional stainless steel bird control spikes offers the user up to 45 more points per linear metre* than other leading brands.

- Super flexible & super slim
- UV stabilised polycarbonate base
- Built-in glue groove & rivet holes
- Gutter clips available
- Manufactured in 33cm strips from grade 304 stainless steel
- Available in Narrow, Medium & Wide x 115mm for Pigeons & 150mm for Gulls

Call: +44 (0)1903 538 488
for a Trade Price List and Catalogue
sales@pestfix.co.uk

BIRD-X

DISTRIBUTED BY

PestFix

Free written quotations. Free technical advice.
Available from stock, next day delivery.

* Based on medium width spike.
Pestfix, Unit 1d, Littlehampton Marina, Ferry Road, Littlehampton, West Sussex, BN17 5DS. United Kingdom.

PestFix Cut to Size Bird Netting

Our knotted polyethylene nets are made from spooled 12/9 twine on a range of net weaving machines, and will last in excess of 10 years in average UK sunlight. The nets are stretched and heat-set to prevent knot slippage before being hand joined and cut to size by one of our skilled team. Cut-to-size nets are hand-made to order and take 4 working days to dispatch from receipt of order.

- Provides total exclusion of all pest birds
- Strong and versatile with a twine breaking strength of 14kg
- Available in black, stone, translucent and flame retardant

75MM SEAGULL NETTING – TRANSLUCENT, DIMENSIONS IN METRES	
N75T-5 X 5 STOCK SIZE	Each
N75T-5 X 10 STOCK SIZE	Each
N75T-5 X 15 STOCK SIZE	Each
N75T-5 X 20 STOCK SIZE	Each
N75T-10 X 10 STOCK SIZE	Each
N75T-10 X 15 STOCK SIZE	Each
N75T-10 X 20 STOCK SIZE	Each
N75T-15 X 15 STOCK SIZE	Each
N75T-15 X 20 STOCK SIZE	Each
N75T-20 X 20 STOCK SIZE	Each
N75T CUT TO SIZE SEAGULL NETTING	Per Square Metre

75MM SEAGULL NETTING – BLACK, DIMENSIONS IN METRES	
N75B-5 X 5 STOCK SIZE	Each
N75B-5 X 10 STOCK SIZE	Each
N75B-5 X 15 STOCK SIZE	Each
N75B-5 X 20 STOCK SIZE	Each
N75B-10 X 10 STOCK SIZE	Each
N75B-10 X 15 STOCK SIZE	Each
N75B-10 X 20 STOCK SIZE	Each
N75B-15 X 15 STOCK SIZE	Each
N75B-15 X 20 STOCK SIZE	Each
N75B-20 X 20 STOCK SIZE	Each
N75B CUT TO SIZE SEAGULL NETTING	Per Square Metre

75MM SEAGULL NETTING – STONE, DIMENSIONS IN METRES	
N75S-5 X 5 STOCK SIZE	Each
N75S-5 X 10 STOCK SIZE	Each
N75S-5 X 15 STOCK SIZE	Each
N75S-5 X 20 STOCK SIZE	Each
N75S-10 X 10 STOCK SIZE	Each
N75S-10 X 15 STOCK SIZE	Each
N75S-10 X 20 STOCK SIZE	Each
N75S-15 X 15 STOCK SIZE	Each
N75S-15 X 20 STOCK SIZE	Each
N75S-20 X 20 STOCK SIZE	Each

BIRD PROOFING - BIRD NETTING - PIGEON

30M SIZES NOW AVAILABLE

50MM PIGEON NETTING – BLACK, DIMENSIONS IN METRES	
N50B-5 X 5 STOCK SIZE	Each
N50B-5 X 10 STOCK SIZE	Each
N50B-5 X 15 STOCK SIZE	Each
N50B-5 X 20 STOCK SIZE	Each
N50B-5 X 25 STOCK SIZE	Each
N50B-5 X 30 STOCK SIZE	Each
N50B-10 X 10 STOCK SIZE	Each
N50B-10 X 15 STOCK SIZE	Each
N50B-10 X 20 STOCK SIZE	Each
N50B-10 X 25 STOCK SIZE	Each
N50B-10 X 30 STOCK SIZE	Each
N50B-15 X 15 STOCK SIZE	Each
N50B-15 X 20 STOCK SIZE	Each
N50B-15 X 25 STOCK SIZE	Each
N50B-15 X 30 STOCK SIZE	Each
N50B-20 X 20 STOCK SIZE	Each
N50B-20 X 25 STOCK SIZE	Each
N50B-20 X 30 STOCK SIZE	Each
N50B-25 X 25 STOCK SIZE	Each
N50B-25 X 30 STOCK SIZE	Each
N50B-30 X 30 STOCK SIZE	Each
N50B CUT TO SIZE PIGEON NETTING	Per Square Metre

50MM PIGEON NETTING – STONE, DIMENSIONS IN METRES	
N50S-5 X 5 STOCK SIZE	Each
N50S-5 X 10 STOCK SIZE	Each
N50S-5 X 15 STOCK SIZE	Each
N50S-5 X 20 STOCK SIZE	Each
N50S-10 X 10 STOCK SIZE	Each
N50S-10 X 15 STOCK SIZE	Each
N50S-10 X 20 STOCK SIZE	Each
N50S-15 X 15 STOCK SIZE	Each
N50S-15 X 20 STOCK SIZE	Each
N50S-20 X 20 STOCK SIZE	Each
N50S CUT TO SIZE PIGEON NETTING	Per Square Metre

50MM PIGEON NETTING – NO FLAME, DIMENSIONS IN METRES	
N50NF-5 X 5 STOCK SIZE	Each
N50NF-5 X 10 STOCK SIZE	Each
N50NF-5 X 15 STOCK SIZE	Each
N50NF-5 X 20 STOCK SIZE	Each
N50NF-10 X 10 STOCK SIZE	Each
N50NF-10 X 15 STOCK SIZE	Each
N50NF-10 X 20 STOCK SIZE	Each
N50NF-20 X 20 STOCK SIZE	Each
N50NF-15 X 15 STOCK SIZE	Each
N50NF-15 X 20 STOCK SIZE	Each
N50NF-CUT TO SIZE PIGEON NETTING	Per Square Metre

50MM PIGEON NETTING – TRANSLUCENT, DIMENSIONS IN METRES	
N50T-5 X 5 STOCK SIZE	Each
N50T-5 X 10 STOCK SIZE	Each
N50T-5 X 15 STOCK SIZE	Each
N50T-5 X 20 STOCK SIZE	Each
N50T-10 X 10 STOCK SIZE	Each
N50T-10 X 15 STOCK SIZE	Each
N50T-10 X 20 STOCK SIZE	Each
N50T-15 X 15 STOCK SIZE	Each
N50T-15 X 20 STOCK SIZE	Each
N50T-20 X 20 STOCK SIZE	Each
N50T CUT TO SIZE PIGEON NETTING	Per Square Metre

Flame Retardant Netting with Red Fleck
Flame retardant netting will not propagate a flame, the net turns to ash when subjected to fire. Only available in black.

28MM STARLING NETTING BLACK, DIMENSIONS IN METRES

N28B-5 X 5 STOCK SIZE	Each
N28B-5 X 10 STOCK SIZE	Each
N28B-5 X 15 STOCK SIZE	Each
N28B-5 X 20 STOCK SIZE	Each
N28B-10 X 10 STOCK SIZE	Each
N28B-10 X 15 STOCK SIZE	Each
N28B-10 X 20 STOCK SIZE	Each
N28B-15 X 15 STOCK SIZE	Each
N28B-15 X 20 STOCK SIZE	Each
N28B-20 X 20 STOCK SIZE	Each
N28B CUT TO SIZE STARLING NETTING	Per Square Metre

28MM STARLING NETTING TRANSLUCENT, DIMENSIONS IN METRES

N28T-5 X 5 STOCK SIZE	Each
N28T-5 X 10 STOCK SIZE	Each
N28T-5 X 15 STOCK SIZE	Each
N28T-5 X 20 STOCK SIZE	Each
N28T-10 X 10 STOCK SIZE	Each
N28T-10 X 15 STOCK SIZE	Each
N28T-10 X 20 STOCK SIZE	Each
N28T-15 X 15 STOCK SIZE	Each
N28T-15 X 20 STOCK SIZE	Each
N28T-20 X 20 STOCK SIZE	Each
N28T CUT TO SIZE STARLING NETTING	Per Square Metre

GAME BIRD NETTING

28MM STARLING NETTING STONE, DIMENSIONS IN METRES

N28S-5 X 5 STOCK SIZE	Each
N28S-5 X 10 STOCK SIZE	Each
N28S-5 X 15 STOCK SIZE	Each
N28S-5 X 20 STOCK SIZE	Each
N28S-10 X 10 STOCK SIZE	Each
N28S-10 X 15 STOCK SIZE	Each
N28S-10 X 20 STOCK SIZE	Each
N28S-15 X 15 STOCK SIZE	Each
N28S-15 X 20 STOCK SIZE	Each
N28S-20 X 20 STOCK SIZE	Each
N28S CUT TO SIZE STARLING NETTING	Per Square Metre

40MM GAME BIRD NETTING – BLACK	CUT TO SIZE ONLY
N40B CUT TO SIZE GAME BIRD NETTING	Per Square Metre

For bird netting fixings, please see pages 14 to 27.

19MM SPARROW NETTING BLACK, DIMENSIONS IN METRES

N19B-5 X 5 STOCK SIZE	Each
N19B-5 X 10 STOCK SIZE	Each
N19B-5 X 15 STOCK SIZE	Each
N19B-5 X 20 STOCK SIZE	Each
N19B-10 X 10 STOCK SIZE	Each
N19B-10 X 15 STOCK SIZE	Each
N19B-10 X 20 STOCK SIZE	Each
N19B-15 X 15 STOCK SIZE	Each
N19B-15 X 20 STOCK SIZE	Each
N19B CUT TO SIZE SPARROW NETTING	Per Square Metre

19MM SPARROW NETTING STONE, DIMENSIONS IN METRES

N19S-5 X 5 STOCK SIZE	Each
N19S-5 X 10 STOCK SIZE	Each
N19S-5 X 15 STOCK SIZE	Each
N19S-5 X 20 STOCK SIZE	Each
N19S-10 X 10 STOCK SIZE	Each
N19S-10 X 15 STOCK SIZE	Each
N19S-10 X 20 STOCK SIZE	Each
N19S-15 X 15 STOCK SIZE	Each
N19S-15 X 20 STOCK SIZE	Each
N19S-20 X 20 STOCK SIZE	Each
N19S CUT TO SIZE SPARROW NETTING	Per Square Metre

19MM SPARROW NETTING TRANSLUCENT, DIMENSIONS IN METRES

N19T-5 X 5 STOCK SIZE	Each
N19T-5 X 10 STOCK SIZE	Each
N19T-5 X 15 STOCK SIZE	Each
N19T-5 X 20 STOCK SIZE	Each
N19T-10 X 10 STOCK SIZE	Each
N19T-10 X 15 STOCK SIZE	Each
N19T-15 X 15 STOCK SIZE	Each
N19T-15 X 20 STOCK SIZE	Each
N19T-20 X 20 STOCK SIZE	Each
N19T CUT TO SIZE SPARROW NETTING	Per Square Metre

19MM SPARROW NETTING NO FLAME, DIMENSIONS IN METRES

|	
N19NF-5 X 5 STOCK SIZE	Each
N19NF-10 X 10 STOCK SIZE	Each
N19NF-20 X 20 STOCK SIZE	Each
N19NF CUT TO SIZE SPARROW NETTING	Per Square Metre

Flame Retardant Netting with Red Fleck
Flame retardant netting will not propagate a flame, the net turns to ash when subjected to fire. Only available in black.

If you need any help or advice, please contact our Sales Team on 01903 538 488.

BIRD PROOFING - **BIRD NETTING FIXINGS**

All stainless steel fixings are grade 304 unless otherwise stated.

WIRE ROPE - 7 X 7 STRAND

For use in perimeter framework cables and cross wire to support bird control netting installations.

NF303	STAINLESS STEEL	1.2MM Ø	100 Metres
NF135	STAINLESS STEEL	2MM Ø	50 Metres
NF136	STAINLESS STEEL	2MM Ø	200 Metres
NF137	GALVANISED STEEL	2MM Ø	50 Metres
NF138	GALVANISED STEEL	2MM Ø	200 Metres
NF276	STAINLESS STEEL	3MM Ø	50 Metres
NF277	STAINLESS STEEL	3MM Ø	200 Metres
NF278	GALVANISED STEEL	3MM Ø	50 Metres
NF279	GALVANISED STEEL	3MM Ø	200 Metres

WIRE ROPE TERMINATION PRODUCTS

Ideal for the termination of wire rope in netting frameworks.

NF139

NF280

NF298

NF140

NF229

FERRULES

NF304	1.5MM COPPER FOR 1.2MM WIRE ROPE	100/1000 Pack
NF139	2.5MM COPPER FOR 2MM WIRE ROPE	100/1000 Pack
NF280	2.5MM ALUMINIUM FOR 2MM WIRE ROPE	100/1000 Pack
NF298	3.5MM COPPER FOR 3MM WIRE ROPE	100/1000 Pack

WIRE ROPE GRIPS M3

NF140	GALVANISED STEEL FOR 2MM & 3MM WIRE ROPE	100/1000 Pack
NF229	STAINLESS STEEL FOR 2MM & 3MM WIRE ROPE	100/1000 Pack

BARREL STRAINERS

Features a hook and loop for tensioning wire rope in netting frameworks.

NF142	GALVANISED STEEL M5	Each / 100 Pack
NF141	STAINLESS STEEL M5	Each / 100 Pack
NF232	GALVANISED STEEL M6	Each / 100 Pack
NF230	STAINLESS STEEL M6	Each / 100 Pack
NF233	GALVANISED STEEL M8	Each / 100 Pack
NF231	STAINLESS STEEL M8	Each / 100 Pack

HOG RING STAPLES C-RING

Perfect for securing bird netting to perimeter wire rope and securing zips to nets.

NF154	GALVANISED STEEL SR8-GA	2500 Pack
NF151	STAINLESS STEEL SR8-304SS	2500 Pack
NF284	MARINE GRADE 316 STAINLESS STEEL SR8-316SS	2500 Pack
NF307	ALUMINIUM SR8-AL	2500 Pack
NF308	GALFAN LONG LIFE R8-ZA	2500 Pack
NF299	CL12 PNEUMATIC STAINLESS STEEL	10000 Pack
NF347	CL12 PNEUMATIC GALVANISED STEEL	10000 Pack

S CLIP DE-MOUNTABLE NET FIXING

Moulded black HDPE plastic clip, UV stabilised for outdoor use as either a netting to perimeter fixing or netting access/repair fixing. The S Clip allows the net to be easily de-mounted for access and servicing.

NF260 S CLIP DE-MOUNTABLE NET FIXING	100 Pack

NETTING CORNER TIE

Our cable ties are supplied in 100 or 1000 packs. Ideal for securing the corners of nets to corner fixings.

NF148-B NETTING CORNER TIE 160MM X 4.8MM 100/1000 Pack	
NF148-T NETTING CORNER TIE 160MM X 4.8MM 100 Pack TRANSLUCENT	

NETTING CORNER EYE BOLTS AND HOOK BOLTS

A masonry fixing used to secure the corners of netting wire rope. Use eyes for permanent installations, use hooks where demounting may be required.

NF145 M6 STAINLESS STEEL EYE (DRILL SIZE 10MM) 10/100 Pack	
NF147 M6 YELLOW PASSIVATED EYE (DRILL SIZE 12MM) 10/100 Pack	
NF275 M8 YELLOW PASSIVATED EYE (DRILL SIZE 14MM) 10/100 Pack	
NF325 M6 YELLOW PASSIVATED HOOK (DRILL SIZE 10MM) 10/100 Pack	
NF318 M8 YELLOW PASSIVATED HOOK (DRILL SIZE 14MM) 10/100 Pack	

OUTSIDE CORNER BRACKET

Outside corner brackets are ideal for taking wire rope off or around external corners. They can be fixed to masonry, sheet metal or timber. Manufactured in stainless steel, each plate measures 100mm x 35mm, each side of the corner. The plate contains two 6mm diameter fixing holes at 40mm and 85mm from corner.

NF225 OUTSIDE CORNER BRACKET STAINLESS STEEL Each	

BIRD PROOFING - **BIRD NETTING FIXINGS**

MINI EYE BOLTS

These heavy duty intermediate fixings are ideal for 19mm or 28mm nets. They require an 8mm diameter hole, 45mm deep. Can also be used as a corner fixing on small nets no bigger than 5m x 5m.

| NF285 | SLEEVED FIXING STAINLESS STEEL | 10/100 | Pack |
| NF287 | SLEEVED FIXING BZP | 10/100 | Pack |

NET SPIKES

Intermediate fixing for use in brick, concrete and stone. Requires a 5.5mm diameter hole. Not suitable for render or mortar joints.

| NF235 HAMMER-IN MASONRY FIXING GALVANISED | 100/1000 | Pack |
| NF321 HAMMER-IN MASONRY FIXING STAINLESS | 100/1000 | Pack |

ANKER EYE BOLTS

A masonry corner and intermediate fixing for use in brick, concrete and stone. Not suitable for render or mortar joints.

| NF288 | MASONRY FIXING BZP | 6MM | 10/100 Pack |
| NF289 | MASONRY FIXING BZP | 8MM | 10/100 Pack |

SCREW EYES

An intermediate fixing used to secure wire rope to timber or masonry (with red wall plugs NF146).

| NF143 SCREW EYE 40MM GALVANISED STEEL FIXING | 100/1000 Pack |
| NF144 SCREW EYE 40MM STAINLESS STEEL FIXING | 100/1000 Pack |

BIRD PROOFING - BIRD NETTING FIXINGS

SCREW PIN INTERMEDIATE FIXING FOR TIMBER AND MASONRY

A low profile intermediate fixing for use on timber and masonry (with red wall plugs NF146).

NF261	SCREW PIN FIXING STAINLESS STEEL 100/1000 Pack

MASONRY RIVETS

Intermediate fixings to be used with PW247 and PW253 split pins, NF261 screw pin or NF143 and NF144 screw eyes.

PW209	25MM FOR 4MM Ø POST - GREY	100/1000 Pack
PW210	25MM FOR 4MM Ø POST - STONE	100/1000 Pack
PW254	38MM FOR 4MM Ø POST - GREY	100/1000 Pack

SPLIT PIN MASONRY ANCHOR FIXING STAINLESS STEEL

Designed to fit our range of masonry rivets PW209, PW210 and PW254.

4MM Ø SPLIT PIN MASONRY ANCHOR FIXING STAINLESS STEEL (304)		
PW247	25MM	100/1000 Pack
PW253	38MM	100/1000 Pack

RED WALL PLUGS FOR MASONRY

Requires 5.5mm Ø hole. Compatible with NF261 screw pin, NF143, NF144 screw eyes and No.8 screws.

NF146	RED WALL PLUGS FOR MASONRY	100/1000 Pack

BIRD PROOFING - **BIRD NETTING FIXINGS**

MULTI PURPOSE BRACKET STAINLESS

An intermediate bracket for fixing into masonry, timber and cladding. Compatible with NF179 self drill screws. Can be used as a de-mountable fixing, or for two wires perpendicular to each other.

NF234 MULTI PURPOSE BRACKET STAINLESS   100/1000 Pack

NET GUIDES DE-MOUNTABLE

Install Netting Guides as intermediate fixings along the axis in which you wish to draw the net back. Install a netting zip at one end of the net, when you wish to open the netting simply unzip the net at one end, de-mount the perimeter wire and draw back the net like a curtain.

NF181 NET GUIDES DE-MOUNTABLE STAINLESS STEEL
100/1000 Pack

DOME HEAD POZI DRIVE SCREWS

General purpose screws which are compatible with many of our fixings. For use with timber or masonry (with a wall plug).

NF328	NO. 6	25MM GALVANISED STEEL	100/1000 Pack
NF327	NO. 6	25MM STAINLESS STEEL	100/1000 Pack
NF326	NO. 6	31MM GALVANISED STEEL	100/1000 Pack
NF324	NO. 6	31MM STAINLESS STEEL	100/1000 Pack
NF306	NO. 8	25MM GALVANISED STEEL	100/1000 Pack
NF311	NO. 8	25MM STAINLESS STEEL	100/1000 Pack
NF282	NO. 8	31MM GALVANISED STEEL	100/1000 Pack
NF301	NO. 8	31MM STAINLESS STEEL	100/1000 Pack

GIRDER CLAMPS

For use on steelwork, girders and undersides of bridges. Made from stainless steel. For thick beams. Range 20mm to 50mm or 45mm to 75mm.

NF332	50MM GIRDER CLAMP	10/100 Pack
NF333	75MM GIRDER CLAMP	10/100 Pack

BEAM BOLT CORNER FIXINGS

A corner fixing for netting installed on structural steel and requires a 6.5mm diameter hole. Use the eye to start and finish runs of wire rope, and to hook barrel strainers through for tensioning perimeter wire rope netting frameworks.

NF162	GALVANISED STEEL (DRILL SIZE 6.5MM)	10/100 Pack
NF161	STAINLESS STEEL (DRILL SIZE 6.5MM)	10/100 Pack

BEAM CLAMP CORNER FIXINGS

Perimeter wire rope fixing that will fit a steel beam flange up to 28mm thick. Use NF159 17mm spanner or NF160 10mm spanner.

NF159	20MM GALVANISED STEEL	10/100 Pack
NF160	20MM STAINLESS STEEL	10/100 Pack
NF336	28MM GALVANISED STEEL	10/100 Pack

M8 BRIDGE CLAMP 30-45MM FLANGE GALVANISED STEEL

A netting corner fixing suitable for tapered and non tapered flanges. For use on the underside of bridges and industrial structures.

NF226 M8 BRIDGE CLAMP 30-45MM FLANGE GALVANISED STEEL	10/100 Pack

LINDAPTER TYPE F9 FLANGE CLAMP CORNER FIXINGS

Heavy duty netting corner fixing ideal for use on installations on the underside of bridges and industrial structures, with flange thicknesses ranging from 19mm to 82mm.

NF292 M10	19MM -42MM F910NC	Each
NF293 M12	26MM - 60MM F912NC	Each
NF294 M16	29MM - 69MM F916NC	Each
NF295 M20	32MM - 82MM F920NC	Each

HAMMER-ON BEAM CLIP INTERMEDIATE FIXINGS

Intermediate fixings for use on structural steel flanges. Fast and economical.

NF168	GALVANISED STEEL	2-3MM	100/1000 Pack
NF169	GALVANISED STEEL	3-8MM	100/1000 Pack
NF170	GALVANISED STEEL	8-14MM	100/1000 Pack
NF256	GALVANISED STEEL	10-16MM	100/1000 Pack
NF171	GALVANISED STEEL	14-20MM	100/1000 Pack
NF172	STAINLESS STEEL	3-8MM	100/1000 Pack
NF173	STAINLESS STEEL	8-14MM	100/1000 Pack
NF174	STAINLESS STEEL	14-20MM	100/1000 Pack

BIRD CONTROL

BIRD PROOFING - **BIRD NETTING FIXINGS**

CLADDING BOLT CORNER FIXINGS

Fixing features an expanding rubber anker nut which requires a 13mm diameter hole. Provides secure corner fixing into sheet metal, cladding GRP and uPVC facias.

NF164	GALVANISED STEEL	15MM	10/100 Pack
NF163	STAINLESS STEEL	15MM	10/100 Pack
NF241	GALVANISED STEEL	25MM	10/100 Pack
NF242	STAINLESS STEEL	25MM	10/100 Pack

ANGLE BRACKET INTERMEDIATE FIXINGS

Use as an intermediate fixing for cladding. Compatible with NF176, NF281 and NF300 self drill screws, as well as NF177 and NF180 rubber bonded washers.

NF175	GALVANISED STEEL	100/1000 Pack
NF178	STAINLESS STEEL	100/1000 Pack

SELF DRILL HEX HEAD SCREWS

Self-drilling gash screw with 8mm hex-head, used to secure intermediate fixings to cladding and other sheet metal substrates. Ideal for use with angle brackets and bonded washers. Requires NT132 Hex Drive Socket 8mm and a cordless drill/driver. Maximum steel thickness 25mm = 3mm, 32mm = 12.5mm.

NF176	25MM GALVANISED STEEL	100/1000 Pack
NF281	25MM STAINLESS STEEL CARBIDE TIP	100/1000 Pack
NF300	32MM GALVANISED STEEL	100/1000 Pack

RUBBER BONDED WASHERS

Use with NF176, NF281 and NF300 self drill screws as well as NF175 and NF178 angle brackets to provide a watertight seal.

NF180	STAINLESS STEEL	100/1000 Pack
NF177	GALVANISED STEEL	100/1000 Pack

To find out how we can save you £'s on your pest control products call 01903 538 488.

WIRE HANGER YELLOW PASSIVATED

Heavy duty intermediate masonry fixing, requires 6mm x 40mm hole. Intermediate fixings are best suited to 19mm or 28mm nets over 100 metres square.

NF290 WIRE HANGER YELLOW PASSIVATED	100/1000 Pack

MAGNETIC FIXING 25MM M5 - INDOOR 20Kg HD

A magnetic intermediate fixing for indoor use, on ferrous substrates, which can be used as a temporary fixing or where a substrate cannot be drilled.

NF320	MAGNETIC FIXING 25MM M5 - INDOOR 20KG HD	
		10/100 Pack

MAGNETIC NETTING FIXING - OUTDOOR 4KG

A magnetic fixing for indoor and outdoor use on ferrous substrates. Can be used as a temporary fixing or where a substrate cannot be drilled.

NF312	MAGNETIC NETTING FIXING - OUTDOOR 4KG	
		10/100 Pack

VINE EYE CORNER FIXINGS

Vine eyes are used as corner fixings for netting being fixed to timber. Our vine eyes are available in galvanised steel and grade 304 stainless steel. Each vine eye measures 100mm x 4mm.

NF166	100MM GALVANISED STEEL	100/1000 Pack
NF167	100MM STAINLESS STEEL	100/1000 Pack

PESTFIX 3 WAY SURFACE MOUNT BASES

Bases for intermediate fixings to guide netting wire on surfaces that cannot be drilled into. Use with adhesive and surface activator. Also used as a post and wire mount.

PW315	GREY RAL 7024	100/1000 Pack
PW316	STONE RAL 1000	100/1000 Pack
PW317	WHITE RAL 9010	100/1000 Pack
PW318	BLACK RAL 9005	100/1000 Pack

NEW TWO-WAY BRACKETS

The Two Way Slate Bracket slips between adjoining slates to hold the wire rope close to the surface of the roof. It is designed to allow the wires to be attached horizontally or vertically. Standard slate bracket also available.

NF335	TWO-WAY SLATE BRACKET	10/100 Pack
NF192	STANDARD SLATE BRACKET	10/100 Pack

BOX SECTION STAINLESS STEEL ROOF MOUNTS

Free-standing netting mount used for flat roof netting frameworks. It features an 8mm diameter hole in each face at top of mount. Accepts M5 barrel strainer hook. Ideal for dormer roof netting installations. Counter-tensioning essential.

NF184	500MM STAINLESS STEEL	Each
NF185	1000MM STAINLESS STEEL	Each

CORNER NON-PIERCING ROOF MOUNTS GALVANISED STEEL

Requires 4 x 450mm x 450mm paving slabs (not supplied). 4 holes in pole top, 12mm diameter accepts the hook of M5, M6 and M8 barrel strainers. Footprint dimensions, 980mm x 990mm. You will need a 17mm spanner for assembly. Counter-tensioning and under-matting recommended.

NF187-1	1M POLE 4 SLAB TRAY	Each
NF187-2	2M POLE 4 SLAB TRAY	Each

INTERMEDIATE NON-PIERCING ROOF MOUNTS GALVANISED STEEL

Requires 2 x 450mm x 450mm paving slabs (not supplied). 4 holes in pole top, 12mm diameter. Accepts the hook of M5, M6 and M8 barrel strainers. Footprint dimensions, 465mm x 990mm. Requires 17mm spanner for assembly. Counter-tensioning and under-matting recommended.

NF186-1	1M POLE 2 SLAB TRAY	Each
NF186-2	2M POLE 2 SLAB TRAY	Each

NON-PIERCING RIDGE MOUNTS GALVANISED STEEL

A unique *PestFix* design enabling a netting roof mount to straddle a ridge line. Requires 4 x 450mm x 450mm paving slabs. Variable pitch angle from 10-60 degrees. 4 x perpendicular 12mm holes in pole top accept M5, M6 or M8 barrel strainer hooks. Requires 17mm spanner for assembly. Counter-tensioning and under-matting recommended.

NF190-1	1M POLE 4 SLAB TRAY	Each
NF190-2	2M POLE 4 SLAB TRAY	Each

NON PIERCING QWIK FOOT ROOF MOUNT

Light duty support mount, to be fixed with counter tension wires. 350x350x100mm durable recycled rubber.

NF340	NON PIERCING QWIK FOOT ROOF MOUNT	Each

ROOF MOUNT EXTENSION COLLAR

Aluminium extension collar for netting roof mounts, to be used in conjunction with poles NF314 & NF314.

NF309	EXTENSION COLLAR ALUMINIUM	Each

NON PIERCING CADDY PYRAMID BASE ROOF MOUNT

Roof mount base accepts standard Unistrut C-Section channels, available locally, that can be cut to length for a customised, light-duty netting mount. The foam rubber underside protects the roof substrate. Counter-tensioning essential.

NF291	NON PIERCING CADDY PYRAMID BASE	Each

PRESSED STEEL BZP SWIVEL COUPLER FOR 50MM TUBE

Pressed swivel fitting, used for connecting two 50mm tubes at any angle. This fitting is designed for use in all types of scaffolding construction, we recommend its use in securing poles for netting frameworks, speaker mounting and Autonomic laser mounting.

NF323	PRESSED STEEL BZP SWIVEL COUPLER FOR 50MM TUBE	Each

ROOF MOUNT EXTENSION POLES

Lightweight aluminium poles to increase the height of netting roof mounts NF186, NF187 & NF190. Requires 13mm spanner and extension collar NF309 for assembly.

NF314	EXTENSION POLE - 1 METRE – ALUMINIUM	Each
NF315	EXTENSION POLE - 0.5 METRE – ALUMINIUM	Each

UNISTRUT 41 X 41mm SLOTTED CHANNEL

Galvanised steel Unistrut for Qwik and Caddy roof mounts.

NF345	UNISTRUT 41MM X 41MM SLOTTED CHANNEL 0.5M STRUT	Each
NF344	UNISTRUT 41MM X 41MM SLOTTED CHANNEL 1M STRUT	Each
NF329	UNISTRUT 41MM X 41MM SLOTTED CHANNEL 1.5M STRUT	Each
NF343	UNISTRUT 41MM X 41MM SLOTTED CHANNEL 2M STRUT	Each

BIRD PROOFING - **BIRD NETTING FIXINGS**

ROOF MOUNT MAT 1400 X 1400 X 3MM

UV stable EPDM rubber mat to sit underneath our range of non-piercing roof mounts NF186, NF187 and NF190 to protect roof surface from abrasion or puncture. Can be easily divided into two using a trimming knife for NF190 and NF186.

NF310	ROOF MOUNT MAT 1400 X 1400 X 3MM	Each

NETTING RIDGE TILE MOUNTS STAINLESS STEEL

Lifts netting wire rope supporting framework off ridgeline by 450mm. Can be glued or screwed into position. Hole in top of upright accepts 2mm wire rope. Counter-tensioning recommended.

NF220	HALF ROUND MOUNT	Each
NF221	TRIANGULAR MOUNT	Each

DORMER ROOF BRACKET INTERMEDIATE

Stainless steel intermediate bracket for parapet and dormer roofs. Secured using coach screws and/or silicone through 10mm holes.

NF183	INTERMEDIATE BRACKET	380MM	Each

DORMER ROOF BRACKET CORNER

Stainless steel corner bracket for parapet and dormer roofs. Secured using coach screws and/or silicone through 10mm holes.

NF182	CORNER BRACKET	380MM	Each

J PIN 8 INCH NETTING GROUND ANCHORS

Ideal for securing netting to soft ground around vegetation. Serrated pins in J profile give maximum hold. Use 1 pin per 300mm of netting. Length: 200mm. Perfect for hedgerow or fruit netting.

NF296	J PIN 8 INCH NETTING GROUND ANCHORS 100 Pack

NETTING CAPITAL BRACKETS STAINLESS STEEL

To prevent a net being damaged by any protruding features from a building or structure, or to stand off the perimeter wire rope along parapets and ledges.

NF305-200	200MM BRACKET	Each
NF305-350	350MM BRACKET	Each
NF305-500	500MM BRACKET	Each

OUTSIDE CORNER PROTECTOR GALVANISED

This galvanised corner protector prevents damage to structures from wire rope under tension.

NF224	OUTSIDE CORNER PROTECTOR GALVANISED STEEL 10/100 Pack

GALVANISED STEEL CANTILEVER SUPPORT BRACKET

750mm cantilever arm to direct netting away from protruding features. Includes 2 x M10 BZP loose bolts requiring 16mm ø hole 60mm deep.

NF316	GALVANISED STEEL CANTILEVER SUPPORT BRACKET	Each

If you need any help or advice, please contact our Sales Team on 01903 538 488.

BIRD PROOFING - **BIRD NETTING FIXINGS**

NETTING ACCESS ZIPS NO.9 SPIRAL NYLON TEETH OPEN ENDED

Netting zips can be installed into any type of bird netting allowing you reach or climb through. Ideal for carrying out maintenance behind the netting. Zips are available in black, stone or white and come in 1 to 5 metre lengths. Custom lengths can be made to order, call us on 01903 538 488 for information.

OPEN

CLOSED

NF193	1M BLACK	Each/100 Pack	NF195	1M STONE	Each/100 Pack	NF194	1M WHITE	Each/100 Pack
NF196	2M BLACK	Each/100 Pack	NF198	2M STONE	Each/100 Pack	NF197	2M WHITE	Each/100 Pack
NF266	3M BLACK	Each/100 Pack	NF267	3M STONE	Each/100 Pack	NF268	3M WHITE	Each/100 Pack
NF269	4M BLACK	Each/100 Pack	NF270	4M STONE	Each/100 Pack	NF271	4M WHITE	Each/100 Pack
NF272	5M BLACK	Each/100 Pack	NF273	5M STONE	Each/100 Pack	NF274	5M WHITE	Each/100 Pack

ACCESS GATE 50MM GALVANISED STEEL 2M X 1M

A safe, permanent access point to allow maintenance to areas inside bird netting without risking damage to the net. Made to order. Inbuilt wire rope loops around frame. 50mm mesh. Accepts padlock.

BIRD SCAPE HUMANE NETTING ESCAPE FUNNEL

Allows birds to escape if unintentionally trapped within a netting structure during installation, unique one-way design.

PFR ✓

NP

SO3

NF319   ACCESS GATE 50MM GALVANISED STEEL 2M X 1M Each

NF228-5   BIRD SCAPE HUMANE NETTING ESCAPE FUNNEL 5 Pack

NETTING REPAIR REELS - POLYETHYLENE TWINE - 12/9

100m reels of 12/9 twine to be used for repairing holes in nets or to join two nets together. Available in three colours, black, stone or translucent.

NF199-B   NF199-T   NF199-S

NF199-B	BLACK TWINE		100m Reel
NF199-S	STONE TWINE		100m Reel
NF199-T	TRANSLUCENT TWINE		100m Reel

NETTING REPAIR CLIPS STAINLESS STEEL

These stainless steel Netting Repair Clips can be used to repair or join netting structures. They can also be used to provide access to areas behind nets.

NF259	NETTING REPAIR CLIPS 50MM	100 Pack

UNISTRUT SLOTTED CHANNEL

NF329	UNISTRUT 41MM X 41MM X 1.5M	Each
NF343	UNISTRUT 41MM X 41MM SLOTTED CHANNEL 2M STRUT	Each
NF344	UNISTRUT 41MM X 41MM SLOTTED CHANNEL 1M STRUT	Each
NF345	UNISTRUT 41MM X 41MM SLOTTED CHANNEL 0.5M STRUT	Each

INSTALLERS SIGN - MADE TO ORDER

Fully weatherproof 150mm x 150mm x 3mm Foamex sign generates after sales service and maintenance revenue. Please contact us for details.

NF322	INSTALLERS SIGN - MADE TO ORDER	25/50/100 Pack

STANDING SEAM CLAMP

Specialist aluminium clamp that allows netting wire rope to be clamped to standing seam roof profiles without drilling or penetration.

NF317	STANDING SEAM CLAMP	Each

BIRD PROOFING - **BIRD SHOCK**® **FLEX TRACK**®

BIRD SHOCK® FLEX TRACK®

This low-profile, electrified track conforms to any architectural configuration. Flex-Track curves up, down and side to side; and the stainless steel braid gently follows the UV-stabilised PVC base without wrinkling.

BT001-B	BIRD SHOCK FLEX TRACK - BLACK	15m Roll
BT001-G	BIRD SHOCK FLEX TRACK - GREY	15m Roll
BT001-S	BIRD SHOCK FLEX TRACK - STONE	15m Roll

BIRD SHOCK 12V DC SOLAR CHARGED ENERGISER

Solar powered 12 volt DC energiser. Easy to install, no mains power connection required. Must be placed in a southerly aspect in full sunlight.

- Small: maximum 150m of track
- Large: maximum 300m of track

| BT004 | BIRD SHOCK 12V DC ENERGISER – SMALL | Each |
| BT013 | BIRD SHOCK 12V DC ENERGISER – LARGE | Each |

BIRD SHOCK 100-240V AC MAINS ENERGISERS

Small energiser can power up to 150 metres of Flex Track.

- Large energiser can power up to 500 metres of Flex Track
- Can be powered by a 12 volt mains adapter (included) or a 12 volt battery (connector lead included)

| BT014 | BIRD SHOCK 100-240 VOLT AC – SMALL | Each |
| BT015 | BIRD SHOCK 100-240 VOLT AC – LARGE | Each |

FLEX TRACK QUICK CONNECTOR - STRAIGHT

Simply snaps together for quick and easy installation of the Bird Shock Flex Track System.

| BT002 | FLEX TRACK QUICK CONNECTOR – STRAIGHT | 10 Pack |

FLEX TRACK QUICK CONNECTOR - CORNER

Quickly joins two pieces of track to create a 90° bend.

| BT003 | FLEX TRACK QUICK CONNECTOR – CORNER | 10 Pack |

FLEX TRACK QUICK CONNECTOR - T-JUNCTION

Quickly joins three pieces of track to create a T-junction.

NP

| BT009 | FLEX TRACK QUICK CONNECTOR – T-JUNCTION | 10 Pack |

BIRD PROOFING - **BIRD SHOCK® FLEX TRACK®**

BIRD SHOCK LEAD OUT WIRE

Used to connect the energiser to the Flex Track and to make track-to-track connections in conjunction with Quick Connectors and Spade Terminals.

BT011-B	BIRD SHOCK LEAD OUT WIRE - BLACK	16M Roll
BT011-G	BIRD SHOCK LEAD OUT WIRE - GREY	16M Roll
BT011-S	BIRD SHOCK LEAD OUT WIRE - STONE	16M Roll

BIRD SHOCK RING CONNECTOR TERMINALS

Used to connect the Lead Out Wire to the energiser.

BT010	BIRD SHOCK RING CONNECTOR TERMINALS	100 Pack

BIRD SHOCK WIRE CLIPS

Used to retain Lead Out Wire to the structure.

BT012	BIRD SHOCK WIRE CLIPS	100 Pack

BIRD SHOCK FEMALE SPADE CONNECTORS

Fully insulated female push-on spade terminal. Ideal for connecting Lead Out wire to the Bird Shock Flex Track and for making track-to-track connections in conjunction with Quick Connectors.

BT006	BIRD SHOCK FEMALE SPADE CONNECTOR	100 Pack

BIRD SHOCK MALE SPADE CONNECTORS

Used to connect Lead Out Wires to Flex Track and for track to track connections.

BT022	BIRD SHOCK MALE SPADE CONNECTORS	100 Pack

BIRD SHOCK PIGGY BACK SPADE CONNECTORS

Used to connect Lead Out Wires to Flex Track and for track to track connections.

BT024	BIRD SHOCK PIGGY BACK SPADE CONNECTORS	100 Pack

BIRD SHOCK T-TAP SNAP CONNECTOR

Used to create 3-way connections in Lead Out Wire.

VISUAL POWER INDICATOR

Gives the user a visual indication that Flex Track is energised.

BT016	BIRD SHOCK T-TAP SNAP CONNECTOR	100 Pack

BT029	VISUAL POWER INDICATOR	Each

BIRD SHOCK WARNING LABELS

Double-sided, self-adhesive warning label for windows and structures.

WARNING
ELECTRIFIED TRACK
ISOLATE BEFORE ACCESS

BT008	BIRD SHOCK WARNING LABELS	10 Pack

BIRD PROOFING - **POST & WIRE**

PIGEON WIRE REELS

All reels are 0.45mm Ø 1x7 304 stainless steel ply with a PVC UV-resistant coating to 0.76mm outer Ø.

PIGEON WIRE NICKEL PLATED CRIMP

For terminating / retaining 0.76mm Ø Pigeon Wire.

PW200	50M	Reel
PW201	100M	Reel
PW202	250M	Reel
PW203	500M	Reel

PW208   PIGEON WIRE NICKEL PLATED CRIMP 100/1000 Pack

GULL WIRE REELS

All reels are 0.96mm Ø 1x7 304 stainless steel ply.

GULL WIRE COPPER FERRULE CRIMP

For terminating / retaining 0.96mm Ø Gull Wire.

PW249	50M	Reel
PW250	100M	Reel
PW225	250M	Reel
PW251	500M	Reel

PW228   GULLWIRE COPPER FERRULE CRIMP   100/1000 Pack

PIGEON WIRE STANDARD SPRINGS

Stainless steel (304) suitable for Pigeon Wire installations.

GULL WIRE MICRO SPRING HEAVY-DUTY

Stainless steel (304). This spring is recommended as a heavy-duty alternative for high pressure Gull Wire installations.

BIRD CONTROL

PW207	PIGEON WIRE STANDARD SPRING	100/1000 Pack
PW312	PIGEON WIRE MINI SPRING	100 Pack

PW227	GULL WIRE MICRO SPRING HEAVY-DUTY	100/1000 Pack

PIGEON AND SEAGULL POSTS

All posts are 4mm Ø and manufactured from grade 304 stainless steel, compatible with Masonry Rivets and Surface Mount Bases. All sold in 100/1000 packs.

PIGEON POSTS
PW215	90MM SINGLE HEAD
PW204	115MM SINGLE HEAD
PW214	130MM SINGLE HEAD
PW205	130MM DOUBLE HEAD AT 42MM CENTRES
PW295	130MM DOUBLE HEAD AT 75MM CENTRES
PW294-P	130MM TRIPLE HEAD AT 50MM CENTRES
PW293	150MM DOUBLE HEAD AT 75MM CENTRES
PW292	150MM TRIPLE HEAD AT 50MM CENTRES

COMBINED GULL AND PIGEON POSTS
PW206	150MM SINGLE HEAD
PW293-G	150MM DOUBLE HEAD AT 75MM CENTRES
PW292-G	150MM TRIPLE HEAD AT 50MM CENTRES
PW298	180MM DOUBLE HEAD AT 50MM CENTRES
PW297	180MM DOUBLE HEAD AT 75MM CENTRES
PW296	180MM TRIPLE HEAD AT 50MM CENTRES

GULL POSTS
PW226	GULL POST 180MM SINGLE HEAD

BIRD PROOFING - **POST & WIRE**

MASONRY RIVETS

Designed to fit our range of 4mm Ø pigeon and gull posts, requires a 6.5mm Ø masonry drill bit, colour matched to RAL codes.

PW209	25MM – GREY RAL 7024	100/1000 Pack
PW210	25MM - STONE RAL 1000	100/1000 Pack
PW254	38MM – GREY RAL 7024	100/1000 Pack

4MM Ø SPLIT PIN MASONRY ANCHOR FIXING STAINLESS STEEL (304)

Designed to fit our range of masonry rivets. All sold in 100/1000 packs.

| PW247 | 25MM | 100/1000 Pack |
| PW253 | 38MM | 100/1000 Pack |

GULL POST 200MM SINGLE HEAD AND MASONRY PLUG

Used in high pressure infestations to proof against large gull species, Herring / Black-Backed, thicker 5mm Ø post with a special masonry plug.

| PW299 | GULL POST 200MM SINGLE HEAD | 100/1000 Pack |
| PW300 | MASONRY PLUG | 100/1000 Pack |

DRILLED RODS

An efficient method of running multiple parallel wires with minimal drilling. All versions are 6mm Ø with holes at 65mm centres.

PW307	320MM X 4 HOLES	10 Pack
PW308	385MM X 5 HOLES	10 Pack
PW309	450MM X 6 HOLES	10 Pack
PW310	515MM X 7 HOLES	10 Pack
PW311	580MM X 8 HOLES	10 Pack

SCREW PIN AND PLUG

Stainless Steel (304) counter-tension anchor requires a 5.5 Ø masonry drill bit, threaded length 20mm: L.O.A. 35mm.

PW211	SCREW PIN AND PLUG	Each

DEFENDER SURFACE MOUNT BASE

Drastically cuts installation time, reduces drilling. Each strip protects up to 333mm of ledge. Can be glued or screwed into position. Suitable for both pigeon and seagull wire systems. Ideal for fragile masonry substrates where drilling could cause damage. Ideal for non-penetrable substrates including lead sills, parapets etc. Requires surface activator and adhesive if bonding or #8 screws.

PW313	DEFENDER SURFACE MOUNT BASE GREY	Each

PESTFIX 3 WAY SURFACE MOUNT BASES

Designed to fit our range of 4mm Ø pigeon & gull posts, requires surface activator and adhesive or can be screwed down. Design allows for a wire over leading edge and two runs of wire from one base.

PW315	GREY RAL 7024	100/1000 Pack
PW316	STONE RAL 1000	100/1000 Pack
PW317	WHITE RAL 9010	100/1000 Pack
PW318	BLACK RAL 9005	100/1000 Pack

RIDGE BRACKET 3 X POSTS STAINLESS STEEL (304)

Provides for a triple-run of parallel wire over ridge tiles. Can be glued or screwed into position. Half-round versions can also be clamped. Requires surface activator and glue if bonding or #10 screws. Gull brackets feature heavy duty 5mmm Ø posts. All sold individually.

PW212	PIGEON WIRE TRIANGULAR PROFILE 3X4MM Ø 90MM POSTS
PW213	PIGEON WIRE HALF ROUND PROFILE 3X4MM Ø 90MM POSTS
PW229	GULL WIRE TRIANGULAR PROFILE 3X5MM Ø 180MM POSTS
PW230	GULL WIRE HALF ROUND PROFILE 3X5MM Ø 180MM POSTS

BIRD PROOFING - **POST & WIRE**

PIGEON & GULL WIRE TUBULAR MOUNTING SYSTEM

Stainless steel (304) system allows installer to mount pigeon and gull wire on tubular substrates up to 160mm Ø.

Gull brackets feature heavy duty 5mmm Ø posts. All sold individually.

PW234	PIGEON RAIL CLAMP POST	4MM Ø X 90MM
PW235	GULL RAIL CLAMP POST	5MM Ø X 180MM
PW236	RAIL CLAMP	25 - 35MM Ø
PW237	RAIL CLAMP	45 - 60MM Ø
PW238	RAIL CLAMP	60 - 80MM Ø
PW239	RAIL CLAMP	90 - 120MM Ø
PW240	RAIL CLAMP	130 - 160MM Ø

GIRDER BEAM CLAMP POSTS STAINLESS STEEL (304)

Protects upper and lower steel beam flanges from gulls and pigeons without time-consuming drilling. Max Flange thickness 20mm. 10mm spanner required.

PW218	SINGLE HEAD	4MM Ø 95MM		10 Pack
PW252	SINGLE HEAD	4MM Ø 150MM		10 Pack
PW289	COUNTER TENSION BEAM CLAMP	20MM	10 Pack

GUTTER CLAMP POST STAINLESS STEEL (304)

Prevents pigeons and gulls from perching on outer lip of rainwater gutters. Simply clamps in position with no drilling. Max jaw size 20mm. 10mm spanner required.

PW216	SINGLE HEAD	4MM Ø 95MM	10 Pack
PW217	DOUBLE HEAD	4MM Ø 120MM	10 Pack

For bird proofing tools please see pages 43-47.

CHIMNEY COWL STANDARD HEIGHT BONNET TOP RAIN GUARD

Fits chimney pots with outside diameters from 230mm - 290mm, powder coated aluminium, strap fixing.

CG078-BF-G	ALUMINIUM	BUFF - GAS	Each
CG078-BF-SF	ALUMINIUM	BUFF - SOLID FUEL	Each
CG078-B-G	ALUMINIUM	BLACK - GAS	Each
CG078-B-SF	ALUMINIUM	BLACK - SOLID FUEL	Each
CG078-T-G	ALUMINIUM	TERRACOTTA - GAS	Each
CG078-T-SF	ALUMINIUM	TERRACOTTA - SOLID FUEL	Each

COLT COWL UNIVERSAL ANTI DOWN DRAUGHT CHIMNEY COWL

Suitable for all fuel types, pot sizes 125mm – 250mm. Hook bolt fixing.

CG087-A	NATURAL ALUMINIUM	Each
CG087-B	BLACK ALUMINIUM	Each
CG087-SS	STAINLESS STEEL	Each

HIGH TOP BIRD GUARD

Extra height for chimneys that require a greater draw, fits chimney pots with outside diameters from 230mm-290mm. For use with appliances fired by solid fuel (coal or wood), oil or redundant chimneys only. Strap fixing.

CG075-BF	ALUMINIUM	BUFF	Each
CG075-B	ALUMINIUM	BLACK	Each
CG075-T	ALUMINIUM	TERRACOTTA	Each
CG075-SS-T	STAINLESS STEEL	TERRACOTTA	Each

C CAP DISUSED CHIMNEY CAPS - ABS PLASTIC

Protects disused chimneys from birds, squirrels, bees, leaves and weather. Prevents heat loss and allows ventilation. Internal sprung leg fixing.

CG073-BF	BUFF STANDARD 190 - 280MM O.D.	Each
CG073-T	TERRACOTTA STANDARD 190 - 280MM O.D.	Each
CG084-BF	BUFF LARGE 220 - 330MM O.D.	Each
CG084-T	TERRACOTTA LARGE 220 - 330MM O.D.	Each

BIRD PROOFING - **CHIMNEY PROTECTION**

COLT TOP LID 3 CHIMNEY POT CAP

Suitable for pot sizes 125mm – 250mm, steel with painted finish. Redundant pots only. Strap fixing.

CG089-T COLT TOP LID 3 CHIMNEY POT CAP TERRACOTTA		Each

ORIGINAL COLT TOP CHIMNEY COWL WITH INTEGRATED BIRD GUARD

Suitable for all fuel types and pot sizes 125mm – 250mm. Hook bolt fixing, anti-down draught.

CG085-A	NATURAL	Each
CG085-BF	BUFF	Each
CG085-T	TERRACOTTA	Each

COLT COWL UNIVERSAL STRAP FIXING KIT

Converts cowls with hook bolt fixings to strap fixing. Ideal for damaged or fragile pots.

CG090	COLT COWL UNIVERSAL STRAP FIXING KIT	Each

SPARK ARRESTER CHIMNEY COWL

Suitable for 125mm - 250mm (5"-10") internal diameter pots on thatched or timber shingle roofs. Hook bolt fixing.

CG079	SPARK ARRESTER CHIMNEY COWL TERRACOTTA	Each

COLT TOP 2 CHIMNEY COWL

Suitable for all fuel types, pot sizes up to 285mm O.D. anti-downdraught.

CG086-A-S	STRAP FIT - ALUMINIUM/NATURAL 170MM – 250MM	Each
CG086-SS-S	STRAP FIT - STAINLESS STEEL/NATURAL 170MM – 250MM	Each
CG086-T-B	BOLT FIT - ALUMINIUM/TERRACOTTA 125MM – 250MM	Each
CG086-T-S	STRAP FIT - ALUMINIUM/TERRACOTTA 170MM – 250MM	Each

COLT OVERSIZE POT ADAPTERS - TERRACOTTA

Fits chimney pots with an O.D. of 390mm. Strap fixing.

CG091	(FLAT TOP) FOR ORIGINAL COLT TOP RANGE	Each
CG092	(FLANGED) FOR COLT TOP 2 RANGE	Each

CHIMNEY POT MESH BALLOONS

Made from galvanised steel mesh to fit chimney pots of various sizes. Chimney Pot Mesh Balloon can be used with all types of heating appliance.

CG055	SMALL 150MM I.D	Each
CG058	MEDIUM 200MM I.D	Each
CG061	LARGE 225MM I.D	Each

SCARBOROUGH CHIMNEY SPIKE KIT

Can be placed inside pots, between rows of pots, or in the "V" shaped area where the stack meets roof.

CG080	SCARBOROUGH CHIMNEY SPIKE KIT	Each

DECORATIVE UNIVERSAL CHIMNEY POT BIRD GUARD

One size fits all 150mm - 225mm (6" - 9") internal diameter pots. Pointed shape prevents gulls from landing.

CG064-B	BLACK	Each
CG064-S	SILVER	Each
CG064-T	TERRACOTTA	Each

CONE TOP CHIMNEY BIRD GUARD

Suitable for pot sizes 110mm – 260mm, strap fixing.

CG088-SS	CONE TOP CHIMNEY BIRD GUARD	Each

For bird proofing tools please see pages 43-47.

BIRD PROOFING - **MISCELLANEOUS**

ORANGE COATED WIRE ROPE STAINLESS STEEL

For Gull Grid parallel wire roof protection system at 400mm centres, compatible with 2.5mm ferrules and 3mm wire rope grips.

NF302	ORANGE COATED WIRE ROPE 1.2MM Ø	100 Metres
NF280	2.5MM ALUMINIUM FERRULES	100/1000 Pack
NF229	WIRE ROPE GRIPS 3MM DIN74	100/1000 Pack

DADDI LONG LEGS ROTATING BIRD SPIDER

Spider-shaped circular bird deterrent ideal for keeping seagulls and pigeons off boats, street lighting, flat roofs and A/C units. Stainless Steel.

DL109	0.6M Ø	Each
DL102	1.25M Ø	Each
DL103	1.8M Ø	Each
DL104	2.5M Ø	Each

DADDI LONG LEGS BOAT RAILING CLAMP

Allows Daddi Long Legs to be mounted on boat railing. Max 25mm ø.

DL105	DADDI LONG LEGS BOAT RAIL CLAMP	Each

DADDI LONG LEGS SANDBAG BOAT BASE

Non-penetrating sand-filled canvass mount for use on boat decks for quick removal.

DL106	DADDI LONG LEGS SANDBAG BOAT BASE	Each

DADDI LONG LEGS STRAP ON BOAT BASE

For mounting Daddi Long Legs on boat booms and self-reefing canvas.

DL107	DADDI LONG LEGS STRAP ON BOAT BASE	Each

HEDGEHOG GUTTER BRUSH

Protects rainwater gutters and leading edge of tiles from infesting birds and leaf-fall.

HH75-BL	75MM Ø X 4M BLACK	Each
HH100-BL	100MM Ø X 4M BLACK	Each
HH100-BR	100MM Ø X 4M BROWN	Each
HH100-WH	100MM Ø X 4M WHITE	Each
HH150-BL	150MM Ø X 4M BLACK	Each
HH200-BL	200MM Ø X 4M BLACK	Each
HHCLIP	HEDGEHOG GUTTER BRUSH CLIPS	20 Pack

SOLAR PANEL MESH GALVANISED

Size: 25mm x 25mm x 200mm 16 gauge.
30m = 60 clips (WM132).

WM133 SOLAR PANEL MESH GALVANISED	30M Roll

SOLAR PANEL MESH STAINLESS STEEL WELDMESH

Size: 25mm x 25mm x 250mm 19 gauge.

PFR

WM139 SOLAR PANEL MESH STAINLESS STEEL WELDMESH	30M Roll

SOLAR PANEL MESH CLIP

BS

Accept No Substitute - Specify *SolarFix* Clips by PestFix

Manufactured from super-durable virgin-grade *Nylon* giving the clip high strength & flexibility

Non-penetrating SolarFix clip design requires a 20-25mm return lip on solar panel

Industry-leading, extra-large 35mm diameter locking disc fits 25mm X 25mm welded mesh.

85mm ribbed shaft acts like a zip-tie with one-way locking teeth
WARNING: SINGLE USE

Unique, patented double-toothed locking mechanism disc eliminates all risk of slippage

Industry-leading 20mm pull-tip makes installing SolarFix clips at height both safer & quicker.

WM132 SOLAR PANEL MESH CLIP	Each/60 Pack

FOLDAWAY FERAL PIGEON TRAPS

Galvanised steel mesh trap with/without vinyl floor. Easy to assemble, flat packs for ease of storage and transportation.

BC001	FOLDAWAY FERAL PIGEON TRAP WITH BASE	Each
BC002	FOLDAWAY FERAL PIGEON TRAP WITHOUT BASE	Each

SPARROW TRAP DOOR HUMANE BIRD TRAP

Non-lethal song bird trap, ideal for use in supermarkets and warehouses.
Optional audio module
bird caller available.
Please see BC008 below.

BC007 SPARROW TRAP DOOR HUMANE BIRD TRAP	Each

SPARROW TRAP DOOR AUDIO MODULE

Proven to enhance the catch-rate of the BC007 Sparrow Trap Door. Requires 2 x AA batteries. For use with the BC007 above.

BC008 SPARROW TRAP DOOR AUDIO MODULE	Each

FIX ALL HIGH TACK - GREY

SMX Hybrid Polymer Adhesive. Can be over-painted.

BS329	FIX ALL HIGH TACK - GREY	290ML Tube/12 Pack

FIX ALL CRYSTAL SUPER CLEAR

SMX Hybrid Polymer Adhesive. Can be over-painted.

BS337	FIX ALL CRYSTAL SUPER CLEAR 290ML Tube/12 Pack

FIX ALL TURBO SUPER FAST - WHITE

SMX Hybrid Polymer Adhesive. Can be over-painted.

BS338	FIX ALL TURBO SUPER FAST - WHITE 290ML Tube/12 Pack

SURFACE CLEANER

For use on greasy substrates.

BS332	SURFACE CLEANER	500ML

SURFACE ACTIVATOR

Chemical etch surface preparation for non-porous surfaces prior to bonding.

BS365	SURFACE ACTIVATOR	500ML

SILIRUB N SILICONE ADHESIVE CLEAR

Low modulus, neutral cure.

BS327	SILIRUB N SILICONE ADHESIVE	310ML Tube/24 Pack

SEMARK DESPATCHER

For the quick and humane despatch of pest birds via neck dislocation.

BC005	SEMARK DESPATCHER	Each

DISPOSABLE PRIMING BRUSH FOR SILICONE ADHESIVE

Single use brush for sealing porous surfaces using adhesive prior to bonding.

PFR

BS335	DISPOSABLE PRIMING BRUSH FOR SILICONE ADHESIVE	Each

METAL SCRAPER

Perfect for removing loose material on substrates when bonding.

GC091	METAL SCRAPER	Each

CAULKING FRAME GUN

Ideal for applying Silicone Adhesive FixAll and Bird Repellent Gel.

BS334	CAULKING FRAME GUN	Each

WIRE BRUSH

Ideal for removing loose material on substrates when bonding.

GC092	WIRE BRUSH	Each

PROFESSIONAL CARTRIDGE FRAME GUN - HEAVY DUTY

Fits all cartridges up to 300ml.

AE015	PROFESSIONAL CARTRIDGE FRAME GUN	Each

BIRD PROOFING - **TOOLS**

MASONRY DRILL BITS - STRAIGHT SHANK

Suitable for use with conventional chuck masonry hammer drills. Overall length / working length.

NT145	5.5MM Ø X 150MM / 90MM	Each
NT128	6MM Ø X 150MM / 90MM	Each
NT144	6.5MM Ø X 100MM / 90MM	Each
NT141	8MM Ø X 150MM / 90MM	Each
NT130	10MM Ø X 150MM / 90MM	Each
NT136	12MM Ø X 150MM / 90MM	Each
NT138	14MM Ø X 150MM / 90MM	Each

MASONRY DRILL BITS - SDS PLUS

SDS-Plus high performance drill bit with 4 tungsten carbide cutting edges. Especially suitable for problem-free drilling in reinforced concrete. Overall length / working length.

NT135	5.5MM Ø 160MM / 100M	Each
NT129	6MM Ø 160MM / 100MM	Each
NT146	6.5MM Ø 160MM / 100MM	Each
NT142	8MM Ø 160MM / 100MM	Each
NT131	10MM Ø 160MM / 100MM	Each
NT137	12MM Ø 160MM / 100MM	Each
NT139	14MM Ø 160MM / 100MM	Each

HSS HIGH SPEED STEEL DRILL BITS

Industrial quality twist drill for drilling steel, alloyed carbon, plain steel, grey iron castings, copper-alloys, nickelsilver, graphite and similar materials.

NT148	4MM Ø X 75MM	Each
NT149	5MM Ø X 86MM	Each
NT150	6MM Ø X 93MM	Each
NT151	6.5MM Ø X 101MM	Each
NT152	7MM Ø X 109MM	Each
NT153	8MM Ø X 117MM	Each
NT154	9MM Ø X 125MM	Each
NT155	10MM Ø X 133MM	Each
NT156	11MM Ø X 142MM	Each
NT157	12MM Ø X 151MM	Each
NT147	13MM Ø X 151MM	Each

CENTRE SPUR WOOD DRILL BITS

5% cobalt-alloyed jobber drills with high heat resistant up to 650˚C. For drilling in soft and hard wood, in chipboards, fibreboards, for drilling dowel holes. Length refers to length overall.

NT158	4MM Ø X 70MM	Each
NT159	5MM Ø X 85MM	Each
NT160	6MM Ø X 90MM	Each
NT161	7MM Ø X 105MM	Each
NT162	8MM Ø X 110MM	Each
NT163	9MM Ø X 115MM	Each
NT164	10MM Ø X 120MM	Each
NT165	12MM Ø X 140MM	Each

BLOW OUT PUMP

Clear masonry and wood holes of debris easily after drilling.

AE016	BLOW OUT PUMP	Each

Y-ADAPTOR FOR SCREW EYES AND VINE EYES

A hollowed out 'Y' shaped driver bit designed for the driving-in of our range of Screw Eyes and Vine Eyes. Compatible with most cordless drill-drivers.

NT166 Y-ADAPTOR FOR SCREW EYES	Each

STANDARD SIDE CUTTERS

Capable of cutting up to 7mm Ø wire, clean side-action prevents wire rope fraying.

NT120	STANDARD SIDE CUTTERS	Each

PROFESSIONAL FELCO C7 SIDE CUTTERS SWISS-MADE

Professional, Felco swiss-made side action cutters for cutting of wire rope up to 7mm in diameter.

NT119	PROFESSIONAL C7 SIDE CUTTERS BY `FELCO'	Each

STANDARD RATCHET FERRULE CRIMP TOOL 1-2.5MM

For use with 1.5mm and 2.5mm wire rope ferrules (NF304, NF280 and NF139 - page 14).

NT143	STANDARD RATCHET FERRULE CRIMP TOOL	Each

PROFESSIONAL PRESSMASTER RATCHET FERRULE CRIMP TOOL

A superior quality tool for heavy daily use, Pressmaster branded, compatible with 1.5mm and 2.5mm wire rope ferrules (NF304, NF280 and NF139 - page14).

NT118	PROFESSIONAL PRESSMASTER RATCHET FERRULE TOOL	Each

3.5MM FERRULE RATCHET CRIMP TOOL

Heavy-duty crimp tool for use with heavier gauge 3mm wire rope ferrules (NF298).

NT140	3.5MM FERRULE RATCHET CRIMP TOOL	Each

7MM NUT SPINNER

Thin wall drive socket allows user to easily tighten 7mm nuts found on M3 Wire Rope Grips (NF140 and NF229). Also fits worm-drive nuts on post and wire Rail Clamps (PW237-PW240).

NT121	7MM NUT SPINNER	Each

G7 HOG RING STAPLER

Takes one strip of 50# 16 Gauge SR8 or 616G50 hog ring staples at a time. Considered a "must have" tool for all bird netting applications. Compatible with NF151, NF154, NF284, NF307 and NF308 Hog Ring Staples (page14).

NT122	G7 HOG RING STAPLER	Each

BIRD PROOFING - **TOOLS**

PROFESSIONAL STANLEY BOSTITCH P7 HOG RING STAPLER

Branded original Stanley® Bostitch® P7 Hog Ring Pliers. Takes one strip of 50# 16 Gauge SR8 or 616G50 hog ring staples at a time. Compatible with NF151, NF154, NF284, NF307 and NF308 (page 14).

| NT123 | PROFESSIONAL STANLEY BOSTITCH P7 HOG RING STAPLER | |

PNEUMATIC CL12 HOG RING STAPLE GUN

Compatible with CL12 staples (NF286 and NF299). Light, durable and robust the Pneumatic CL12 Hog Ringer is the ideal choice for large-scale bird netting installations and welded mesh fabrication.

| NT124 | PNEUMATIC CL12 HOG RING STAPLE GUN | Each |

SPRUNG NETTING SHEARS

Stainless steel, spring-loaded shears ideal for fast and accurate trimming of all types of net, sprung reverse action of the shears significantly increases the work rate over conventional scissors.

| NT125 | SPRUNG NETTING SHEARS | Each |

PROFESSIONAL SPRUNG NETTING SHEARS BY `FELCO' SWISS-MADE

Felco 310 sprung shears, the professionals tool of choice for fast and accurate cutting of nets.

| NT117 | PROFESSIONAL SPRUNG NETTING SHEARS | Each |

WIRE ROPE REEL DISPENSER

Holds wire rope reels, dispenses wire rope without kinks, keeps reel off the floor, essential tool for the professional bird netting installer.

| NT134 | WIRE ROPE REEL DISPENSER | Each |

HEX DRIVE SOCKET 8MM MAGNETIC

Compatible with our range of self-drilling 8mm hex-head screws; (NF176, NF281 and NF300).

| NT132 | HEX DRIVE SOCKET 8MM MAGNETIC | Each |

SCREW PIN DRIVE SOCKET FOR DRILL DRIVER

Speeds-up the installation of NF261 Screw Pins into masonry plugs or timber. For use with a drill/driver.

PW256	SCREW PIN DRIVE SOCKET FOR DRILL DRIVER	Each

BIRD WIRE COMBI CRIMP AND CUT TOOL

An essential tool for Pigeon Wire installations, shaped jaw ensures secure compression of crimp onto wire, features built-in wire cutter.

PW241	BIRD WIRE COMBI CRIMP AND CUT TOOL	Each

BIRD SHOCK FLEX TRACK CUTTING TOOL

Heavy-duty side-action shears required to cut the Flex Track cleanly.

BT007	BIRD SHOCK FLEX TRACK CUTTING TOOL	Each

BIRD SHOCK CONNECTOR CRIMPING TOOL

Electrical connector crimping tool for terminating connectors onto Lead Out Wire.

BT018	BIRD SHOCK CONNECTOR CRIMPING TOOL	Each

BIRD SHOCK WIRE STRIPPING TOOL

Automatically strips PVC outer sheath from Lead Out Wire prior to crimping connectors onto wire.

BT019	BIRD SHOCK WIRE STRIPPING TOOL	Each

BIRD SHOCK DIGITAL VOLTAGE TESTER

Essential tool for testing all components of a Bird Shock Flex Track installation, during and after installation.

BT017	BIRD SHOCK DIGITAL VOLTAGE TESTER	Each

BIRD DETERRENTS - **ACOUSTIC**

scarecrow
GROUP

WHAT IS A BIO-ACOUSTIC BIRD SCARER?

In the simplest of terms a bio-acoustic bird scarer is an electronic, digitized recording of a distressed pest bird that replays at random intervals over the course of time. It is designed to be heard by the bird and hence to create a sense of danger, alarm and perceived threat to the pest bird, to such an extent that it flees the immediate vicinity of the threat, to what it perceives as a safe distance.

These electronic systems can be used to great effect to protect man-made structures, crops and airfields from infesting birds.

SCARECROW GOOSE PATROL

Effective range up to 350 metres with 9 standard distress calls:
- Canada Geese 1, 2, 3 and 4
- Black Headed Gull
- Herring Gull
- Starling
- Rook
- Pigeon

Call exchange available, please see page 50.

AD075	SCARECROW GOOSE PATROL	Each
AD157	SCARECROW GOOSE PATROL RENTAL RATE	Per Week

SCARECROW PATROL TWO

Effective range up to 350 metres and 9 Distress calls:
- Pigeon
- Herring Gull
- Common Gull
- Black Headed Gull
- Crow
- Lapwing
- Starling
- Rook
- Magpie

Call exchange available see page 50.

AD015	SCARECROW PATROL TWO	Each
AD016	SCARECROW PATROL TWO RENTAL RATE	Per Week

SCARECROW 180/360 SYSTEM

10 standard calls:
- Herring Gull
- Black Headed Gull
- Canada Goose 1
- Canada Goose 2
- Birds of Prey
- Starling
- Rook
- Crow
- Pigeon
- Jackdaw

Stand-alone dispersal system ideal for large open areas including fields and commercial roofs. 180 system coverage up to 20,000 m2, 360 system coverage up to 40,000 m2. Slave unit can be purchased separately at a later date to upgrade 180 system to a 360 system.

Call exchange available see page 50.

AD052-AC	180 MAIN UNIT 100V-240V AC OPTION	Each
AD052-DC	180 MAIN UNIT 12V DC OPTION	Each
AD054 360	SLAVE UNIT	Each
AD053-AC	360 SYSTEM 100-240V AC OPTION	Each
AD053-DC	360 SYSTEM 12V DC OPTION	Each

SCARECROW B.I.R.D.™ FIXED DISPERSAL SYSTEM

Unique variable volume feature and 3-channel playback rotation for added realism and threat enhancement. Additional speakers can be added, maximum 30 speakers.

10 standard calls:
- Herring Gull
- Black Headed Gull
- Canada Goose 1
  Canada Goose 2
- Starling
- Rook
- Crow
- Pigeon
- Jackdaw
- Birds of Prey

AD056-AC	4 SPEAKER SYSTEM 100V-240V AC	Each
AD056-DC	4 SPEAKER SYSTEM 12V DC OPTION	Each
AD028-L	CLASS 1 "EexmN" SPEAKER FOR AD137-AC ATEX SYSTEM	Each
AD137-AC	ATEX RATED PROCESSOR IN ZONE 1 ENCLOSURE	Each

SOLAR POWER KIT

Suitable for B.I.R.D. System™, Scarecrow 180™ and Scarecrow 360™ System.

System comprises:
- Solar Panel
- Battery
- Regulator Pack
- 2m Stand

AD158	SOLAR POWER KIT	Each

SCARECROW 15-VOLT AC-DC POWER SUPPLY

Input 100V – 250V AC 50 Hz output. 15V DC regulated switch mode power supply with universal EU/UK plug top for powering from AC supplies.

AD024	SCARECROW 15-VOLT AC-DC POWER SUPPLY	Each

SCARECROW 180, 360 & B.I.R.D. 12V DC BATTERY

For powering Scarecrow B.I.R.D, 180 and 360 Systems from a deep-cycle 12V DC leisure battery.

AD055	SCARECROW 180, 360 & B.I.R.D. 12V DC BATTERY POWER LEAD	Each

10-WATT RE-ENTRANT HORN LOUDSPEAKER IP65

For enhancing Scarecrow B.I.R.D. Systems. Maximum 30 speakers per B.I.R.D. system.

AD026-L	10-WATT RE-ENTRANT HORN LOUDSPEAKER IP65	Each

20 WATT RE-ENTRANT HORN LOUDSPEAKER IP65

For enhancing Scarecrow B.I.R.D. Systems. Maximum 30 speakers per B.I.R.D. system.

AD027-L	20 WATT RE-ENTRANT HORN LOUDSPEAKER IP65	Each

BIRD DETERRENTS - **ACOUSTIC**

SPEAKER TO ROOF MOUNT CLIP BLACK NYLON 50MM Ø

Suitable for mounting Scarecrow B.I.R.D. speakers to our NF186, NF187 and NF190 range of flat roof and roof ridge speaker mounts. 50mm outside diameter, black nylon UV stabilised plastic with stainless steel bolt and nut.

AD138	SPEAKER TO ROOF MOUNT CLIP	Each

SPEAKER TO SCAFFOLD POLE ADAPTOR CLAMP

Suitable for mounting Scarecrow B.I.R.D. speakers to a 48.3mm outside diameter scaffold pole. Pressed steel, yellow passivated.

**Pressed Steel
48.3mm**

AD088	SPEAKER TO SCAFFOLD POLE ADAPTOR CLAMP	Each

FREE STANDING NON PENETRATING SPEAKER MOUNTS

Versatile and robust free standing mount allows Scarecrow B.I.R.D. speakers to be placed in optimal position on flat roofs, level ground or any other flat surface.

Supplied complete with speaker-to-pole mount clip AD138. Requires 450mm x 450mm paving slabs as kentledge, not supplied.

AD160-1	1 METRE POLE 2-SLAB TRAY	Each
AD160-2	2 METRE POLE 4-SLAB TRAY	Each

NON PENETRATING SPEAKER RIDGE MOUNTS

Robust, adjustable non-penetrating mounting system that enables Scarecrow 180/360 systems or B.I.R.D. speakers to be mounted on the ridge line of pitched roofs (10-60 degree pitch). Supplied with speaker-to-pole mount clip AD138. Requires 450mm x 450mm paving slabs as kentledge, not supplied.

AD139-1	1 METRE POLE 4-SLAB TRAY	Each
AD139-2	2 METRE POLE 4-SLAB TRAY	Each

SCARECROW CUSTOM CALL EXCHANGE LIBRARY

Custom distress calls for Scarecrow B.I.R.D, PATROL, 180/360 systems (more available). Each custom call option requires one standard call to be deleted.

AD090	MALE AUSTRALIAN WHITE IBIS (THRESKIORNIS MOLUCCA)
AD091	FEMALE AUSTRALIAN WHITE IBIS (THRESKIORNIS MOLUCCA)
AD092	CANADA GOOSE (BRANTA CANADENSIS) - 4 VARIANTS
AD093	OYSTERCATCHER (HAEMATOPUS OSTRALEGUS)
AD094	LAPWING (VANELLUS VANELLUS)
AD095	HERRING GULL (LARUS ARGENTATUS)
AD096	YELLOW-LEGGED GULL (LARUS MICHAHELLIS)
AD097	RING-BILLED GULL (LARUS DELAWARENSIS)
AD098	COMMON GULL (LARUS CANUS)
AD099	SILVER GULL (LARUS NOVAEHOLLANDIAE)
AD100	BLACK-HEADED GULL (LARUS RIDIBUNDUS)
AD101	FERAL PIGEON (COLUMBA LIVIA)
AD102	HOUSE SPARROW (PASSER DOMESTICUS)
AD103	BLACKBIRD (TURDUS MERULA)
AD104	SONG THRUSH (TURDUS PHILOMELOS)
AD105	YELLOW-HEADED BLACKBIRD (XANTHOCEPHALUS)
AD106	RED-WINGED BLACKBIRD (AGELAIUS PHOENICEUS)
AD107	EUROPEAN STARLING (STURNUS VULGARIS)
AD108	BLACK-COLLARED STARLING (STURNUS NIGRICOLLIS)
AD109	CRESTED MYNA (ACRIDOTHERES CRISTATELLUS)
AD110	ROOK (CORVUS FRUGILEGUS)
AD111	CARRION CROW (CORVUS CORONE) - 2 VARIANTS
AD112	JACKDAW (CORVUS MONEDULA)
AD113	MAGPIE (PICA PICA)
AD114	JAY (GARRULUS GLANDARIUS)

PFR

SO3

BIRDXPELLER PRO DIGITAL BIRD SCARER

Version 1 is suitable for Pigeons, Gulls, Starlings and Sparrows. Version 2 is suitable for Cormorants, Blackbirds, Crows, Ravens and Grackles. Covers up to 1-acre of open ground at full volume.

AD010-DC-V1	12V DC VERSION 1	Each
AD010-240V	240V AC VERSION 1	Each
AD011-12V-V2	12V DC VERSION 2	Each
AD011-240V-V2	240V AC VERSION 2	Each

SUPER BIRDXPELLER PRO DIGITAL BIRD SCARER

Version 1 is suitable for use against Pigeons, Gulls, Starlings and Sparrows. Version 2 is suitable for use against Cormorants, Blackbirds, Crows, Ravens and Grackles. Will cover up to 6 acres (2.4 hectares) at full volume.

AD012-12V-V1	12V DC VERSION 1	Each
AD012-240V-V1	240V AC VERSION 1	Each
AD042-12V-V2	12V DC VERSION 2	Each
AD042-240V-V2	240V AC VERSION 2	Each

GOOSE BUSTER DIGITAL CANADA GOOSE SCARER

Uses the Canada Geese natural distress call and alarm call. Coverage 5 - 7 acres per unit.

AD039-12V	12V DC	Each
AD039-240V	240V AC	Each

WOODPECKER PRO DIGITAL BIRD SCARER

Covers up to 1 Acre. 8 Dispersal calls for Woodpeckers and related species.

AD132-12V	12V DC	Each
AD132-240V	240V AC	Each

BIRD DETERRENTS - **ACOUSTIC**

RIDGE MOUNT SPEAKER BRACKET STAINLESS STEEL

For use with USX, BXP, BBPRO and SBXP Speakers.

AD074	RIDGE MOUNT SPEAKER BRACKET	Each

WALL MOUNT SPEAKER BRACKET STAINLESS STEEL

For use with USX, BXP, BBPRO and SBXP speakers.

| AD034 | WALL MOUNT SPEAKER BRACKET STAINLESS STEEL | |
| | | Each |

SURFACE MOUNT SPEAKER BRACKET

For use with USX, BXP, BBPRO and SBXP speakers.

AD035	SURFACE MOUNT SPEAKER BRACKET	Each

12-VOLT DC MAINS ADAPTOR

For use with USX, BXP, BBPRO and SBXP.

AD038	12-VOLT DC MAINS ADAPTOR	Each

SOLAR PANELS

| AD013 | 5 W FOR BIRDXPELLER PRO | Each |
| AD014 | 21W FOR SUPER BIRDXPELLER PRO & GOOSE BUSTER | Each |

EXTENSION SPEAKER FOR BIRDXPELLER PRO AND QUADBLASTER

AD020	EXTENSION SPEAKER BIRDXPELLER PRO/QUADBLASTER	Each

WHAT IS AN ULTRASONIC BIRD REPELLER?

Ultrasonic deterrents involve the use of high frequency sound waves that are virtually in-audible to the human ear. The sound pressure emitted by these highly effective devices temporarily affect the inner ear and nervous system of the target pest species located in direct line-of-sight of the speaker up to 10m range, causing stress and fatigue in the pest birds which forces them to flee the protected area.

Use outdoors, indoors or anywhere where silent operation is essential.

BROADBAND PRO 4 SPEAKER ULTRASONIC AND BIO-ACOUSTIC DETERRENT

| AD022 | BROADBAND PRO 4 SPEAKER ULTRASONIC AND BIO-ACOUSTIC DETERRENT | Each |

QUADBLASTER Q8-4 ULTRASONIC REPELLER

4 channel 360° ultrasonic bird repeller for indoor use. Ideal for warehouses.

| AD019 | QUADBLASTER Q8-4 ULTRASONIC REPELLER | Each |

BALCONY GUARD ULTRASONIC DETERRENT

Coverage: 65m², max range in front of speaker 8-10m. Can be set to either constant output or motion-activated output.

| AD043 | BALCONY GUARD ULTRASONIC DETERRENT | Each |

SUPER QUADBLASTER Q8-4 WITH STROBE LIGHT

360° ultrasonic bird repeller with automated flashing strobe light for indoor use.

| AD071 | SUPER QUADBLASTER Q8-4 WITH STROBE LIGHT | Each |

ULTRASONX OUTDOOR ULTRASONIC DETERRENT

4 channel weatherproof ultrasonic bird repeller with 330m² coverage.

| AD021 | ULTRASONX OUTDOOR ULTRASONIC DETERRENT | Each |

For information on rodent control please see pages 60 to 83.

BIRD DETERRENTS - **VISUAL DETERRENTS**

AVIX AUTONOMIC BIRD DISPERSAL LASER

The next generation of Laser Bird Dispersal systems with new features including:

Adaptive Technology: Software allows you to adjust the laser brightness, projection speed and time slots to make the system adapt perfectly to your surroundings.

Remote Control & Wireless Connectivity: You can use the App to wirelessly configure the AVIX Autonomic. It also allows you to monitor the system status, laser activity and switch the system on and off.

Modular Design The modular design allows you to easily replace all components of the AVIX Autonomic within 5 minutes. No professional tools or skills are needed.

NP
PUO
BS

| VD390 | AVIX AUTONOMIC MARK II LASER BIRD DISPERSAL SYSTEM | |

BASE EXTENSION AUTONOMIC ADJUSTABLE FRAME EXTENDER KIT

Four adjustable extension legs that attach to each corner of the Autonomic base to raise it up to 1m off ground. Ideal for straddling ridges. Adjustable feet for angled surfaces.

| VD374-BASE-EXT | AUTONOMIC ADJUSTABLE FRAME EXTENDER KIT | Each |

AVIX LITE PORTABLE BIRD DISPERSAL LASER

New shockproof cover and key lock system. Long-distance silent optical bird repeller for indoor/outdoor use Maximum range 1000m. Ideal for large indoor structures.

NP
PUO

| VD392 | AVIX LITE PORTABLE DISPERSAL LASER | Each |

HANDHELD PORTABLE LASER BIRD REPELLER

The Avix Handheld comes in two models with different laser output power: 100 & 500. Choosing the right model is essential in order to generate a laser projection with sufficient contrast for effective bird dispersal. Range up to 2500 metres. Red dot sight, key lock security system. Supplied with aluminium carry case.

| VD373 | HANDHELD 100 LASER | Each |
| VD373-500 | HANDHELD 500 LASER | Each |

AUTONOMIC BASE EXTENSION POLES

Galvanised steel pole bolts directly on to the Autonomic base and extends the laser source height up to 2m above the base for improved angle of attack, enhancing line-of-sight and performance.

VD374-POLEEXT-1	EXTENSION POLE - 1M	Each
VD374-POLEEXT-2	EXTENSION POLE - 2M	Each

AUTONOMIC POLE MOUNT

50mm Ø galvanised steel pole with base plate adapter and 2 x swivel couplers allows installation of autonomic on handrails, scaffolds or other tubular surfaces when the Autonomic frame cannot be used.

VD374-POLEMOUNT-1	POLE MOUNT - 1M	Each
VD374-POLEMOUNT-2	POLE MOUNT - 2M	Each

LASER SAFETY GLASSES

For use by personnel working down-range of a laser whilst laser is in operation. Ideal for maintenance personnel.

VD374-SAFETY-GLASSES	LASER SAFETY GLASSES	Pair

AUTONOMIC POWER EXTENSION CABLE

A 14 metre, 16-amp 240V "Commando" outdoor extension lead that plugs directly into the Autonomic's switch-mode power supply to connect it to a mains outlet. 1 male and 1 female socket included.

VD374-CABLEEX	AUTOMONIC POWER EXTENSION CABLE	Each

AUTONOMIC WARNING SIGN

WARNING

CLASS 3B LASER CONTROLLED AREA

AVOID DIRECT EYE EXPOSURE

VD374-SAFETY SIGN	AUTONOMIC WARNING SIGN	Each

AUTONOMIC ACCURACY IMPROVEMENT SCOPE

For use in commissioning Autonomic systems at long range, aids installer in spotting laser dot.

VD374-SCOPE	AUTOMONIC ACCURACY IMPROVEMENT SCOPE	Each

BIRD CONTROL

HAWK KITE BIRD SCARER

Kit includes kite, telescopic pole, line and ground stake.

VD351	HAWK KITE COMPLETE KIT	Each
VD351-KITE	REPLACEMENT KITE (INC 4 X SPARS)	Each
VD351-POLE	REPLACEMENT TELESCOPIC POLE	Each
VD351-SPAR	REPLACEMENT SPAR KIT (4 SPARS PER KITE)	4 Pack
VD351-TETHER	REPLACEMENT TETHER KIT	Each

HAWK KITE SCREW-IN FIXING KIT FOR TIMBER AND MASONRY

Kit includes:
- 2 x Pole clamps with female threaded sockets
- 2 x Double thread screws
- 2 x Masonry plugs
- Supplied in either grade 304 stainless steel (VD369-PRO) or bright zinc electroplated steel (VD369-STD)

1 fixing kit required per Hawk Kite.

VD369-PRO	STAINLESS STEEL	Each
VD369-STD	GALVANISED STEEL	Each

DECOY HERRING GULL EGGS

Measures 60mm x 44mm. Weighs approximately 60 grams.

VD358	DECOY HERRING GULL EGG FULLY MADE	Each

HAWK KITE NON PIERCING RIDGE MOUNT

Mounts Hawk Kite system centrally over ridge lines of pitched roofs.

VD385	HAWK KITE NON PIERCING RIDGE MOUNT	Each

HAWK KITE FREE STANDING MOUNT

1m x 1m footprint with a 1m tall pole into which slots the Hawk Kite mast.

VD362	HAWK KITE FREE STANDING MOUNT	Each

PROWLER OWL BY BIRD-X PREDATOR VISUAL SCARER

Predator decoy with realistic wings that move in the wind. 120cm wingspan.

VD337	PROWLER OWL BY BIRD-X VISUAL SCARE	Each

PEREGRINE FALCON DECOY

Decoy Peregrine Falcon 41cm tall.

VD341	PEREGRINE FALCON DECOY	Each

DECOY FLYING FALCON

Hanging predator decoy 56cm wing span.

VD342	DECOY FLYING FALCON	Each

HERON DECOY

Height 86cm (34 Inches).
Ground anchor included.

VD344	HERON DECOY	Each

TERROR EYES VISUAL SCARER

Inflatable hanging predator eye balloon with holographic eyes 60cm diameter.

VD338	TERROR EYES VISUAL SCARER	Each

DEFENDERS HOLOGRAPHIC REPELLER RIBBON 30M

30m of tough weatherproof 100 micron ribbon.

VD340	DEFENDERS HOLOGRAPHIC REPELLER RIBBON	Each

WIND ACTION OWL DECOY

Rotating Head spins in the wind.

VD346	WIND ACTION OWL DECOY	Each

BIRD DETERRENTS - **VISUAL DETERRENTS**

BIRD STROBE LIGHT

Gives off intense white, red and blue light, 75 flashes per minute.

VD347	BIRD STROBE LIGHT	Each

FIREFLY BIRD FLIGHT DIVERTER

Protects birds from collisions with overhead power lines and communications towers 12m radius.

VD349	FIREFLY BIRD FLIGHT DIVERTER	Each

BIRD DEFLECTOR

A reflective, movable device that creates the illusion of blinding light when it spins in the wind.

BD	BIRD DEFLECTOR	Each

BIRDMARK AFTERGLOW BIRD FLIGHT DIVERTER

Protects birds from collisions with overhead power lines and communications towers 5m radius.

VD350	BIRDMARK AFTERGLOW BIRD FLIGHT DIVERTER	Each

BIRD DETERRENTS - **GELS**

ORNAWAY® OPTICAL BIRD GEL PRE-FILLED DISHES

Non-toxic visual and olfactory bird repellent gel with 15 pre-filled winged dishes. Wings accept gutter clips.

VD382	ORNAWAY ® OPTICAL BIRD GEL PRE-FILLED DISHES 15 Pack

BIRD FREE GEL - PRE-FILLED DISHES

NP

Bird Free® ready-to-use dishes that can be fixed to surfaces using silicone. Ready to use dishes. Quick, easy, mess-free installation.

VD386	BIRD FREE GEL - PRE-FILLED DISHES	15 Pack

ORNAWAY® OPTICAL BIRD REPELLENT GEL

Non-toxic visual and olfactory bird repellent gel in an easy to dispense 250g tube.
15 winged dishes included.
Wings accept gutter clips.

VD381	ORNAWAY ® OPTICAL BIRD REPELLENT GEL	250g

DISH MAGNETS FOR USE WITH ORNAWAY® DISHES

Facilitates fast installation onto ferrous substrates. Ornaway Gel and dishes not included.

VD354	DISH MAGNETS	Each

GUTTER CLIPS TO FIT ORNAWAY® GEL DISHES

Use one clip per dish. Allows dish to be clipped over the front-edge of a rainwater gutter.

VD383	HALF ROUND GUTTER CLIPS	Each
VD384	OGEE LIPPED GUTTER CLIPS	Each

CASEMENT WINDOW CLIPS FOR ORNAWAY DISHES

Allows dishes to be mounted on window ledges Essential for casement windows opening outwards across ledge Dish travels with window motion. Prevents dish blocking window use and becoming damaged.

VD391	CASEMENT WINDOW CLIPS FOR ORNAWAY DISHES	15 Pack

BIRD PROOF BIRD REPELLENT GEL 283G TUBE

One tube covers approximately 3-4 linear metres depending on species. Lay in parallel beads, seal surfaces in advance of treatment to avoid permanent staining.

BR244	BIRD PROOF BIRD REPELLENT GEL	Each

BIRD PROOF REPELLENT LIQUID

1 x US Gallon 3.8 Litres.

1 gallon treats 120 square feet of surface. Apply with a brush, roller or pump sprayer, seal surfaces in advance of treatment to avoid permanent staining.

BR246	BIRD PROOF REPELLENT LIQUID	Each

BIRD CONTROL

Campaign for Responsible Rodenticide Use
To protect wildlife while promoting and providing
effective rodent control through the responsible use
of rodenticides in rural areas.

*Photograph: Mike Brown, Reproduced by kind
permission of BirdWatch Ireland.*

The CRRU Code

The rodenticide industry, acting as a whole,
has recognised the need to address the
concerns surrounding the responsible use
of rodenticides and the need to ensure that
rodenticides are used correctly and in ways
that will minimise the exposure of wildlife. The
industry has therefore initiated the Campaign
for Responsible Rodenticide Use (CRRU).

Key to the campaign is a code of good practice
for the responsible use of rodenticides in
rural areas.

This stresses the need to adhere to the
following good practice. It has adopted the logo
'Think Wildlife' to build recognition of the code
and the overall campaign aims.

CRRU Code is:

Always have a planned approach

- Before treatment begins, a thorough survey of the infested site is an essential key to success when using any rodenticide.

- Environmental changes which could be made to reduce the attractiveness of the site to rodents should be noted for implementing after the treatment. Usually this will involve rodent proofing and removing rubbish and weeds that provide harbourages and cover. However, the site should not be cleared before treatment since this will disturb the rodent population and make bait acceptance more difficult to achieve.

- Obvious food, such as spilled grain, should be removed as far as possible and any food sources covered.

- Rodenticide baits should only be used for as long as is necessary to achieve satisfactory control.

- In most cases, any anticoagulant bait should have achieved control within 35 days. Should activity continue beyond this time, the likely cause should be determined and documented. If bait continues to be consumed without effect, a more potent anticoagulant should be considered. If bait take is poor, relative to the apparent size of the infestation, consideration should be given to re-siting the bait points and possibly changing to another bait base, as well as making other environment changes.

Always record quantity of bait used and where it is placed

- A simple site plan or location list identifying areas of particular concern pertinent to the site should be drawn up and retained on file.

- A record of all bait points and the amount of bait laid should be maintained during the treatment. Activity should be noted at each bait point, including any missing or disturbed baits, as the treatment progresses.

- By carefully recording the sites of all bait points responsible users of rodenticides are able to return to these sites at the end of the treatment and remove uneaten bait so that it does not become available to wildlife.

Always use enough baiting points

- Users should follow the label instructions regarding the size and frequency of bait points and the advice given regarding the frequency and number of visits to the site.

- By using enough bait points the rodent control treatment will be conducted most efficiently and in the shortest possible time. This will restrict the duration of exposure of non-target animals to a minimum.

Always collect and dispose of rodent bodies

- The bodies of dead rodents may carry residues of rodenticides and, if eaten by predators or scavengers, may be a source of wildlife exposure to rodenticides.

- It is essential to carry out regular searches for rodent bodies, both during and after the treatment period. Bodies may be found for several days after rats have eaten the bait and rats may die up to 100 metres or more away from the baited site.

- Any rodent bodies should be removed from the site and disposed of safely using the methods recommended on the label.

THINK WILDLIFE
Campaign for Responsible Rodenticide Use

Never leave bait exposed to non-target animals and birds

- Care should be taken to ensure that bait is sufficiently protected to avoid accidentally poisoning other mammals and birds. Natural materials should be used where possible.

- Bait stations should be appropriate to the prevailing circumstances. They should provide access to the bait by rodents, while reducing the risks of non-target access and interference by unauthorised persons. They should protect the bait from contamination by dust or rain. Their design, construction and placement should be such that interference is minimised.

Never fail to inspect bait regularly

- Where the risk assessment or treatment records show that multiple visits are required, then those should be made as frequently as is considered necessary. Daily inspection may be required.

- At each visit, baits should be replenished according to the product label and a thorough search made to ensure that bodies and any spilled bait are removed and disposed of safely. Records of such visits should be maintained.

Never leave bait down at the end of the treatment

- Bait left out at the end of a treatment is a potential source of contamination of wildlife. On completion of the treatment, records should be updated to signify that the infestation is controlled and that, as far as reasonably practical, all steps have been taken to ensure that the site is now free of rodenticide bait.

For further details on CRRU see:
www.thinkwildlife.org or email: info@thinkwildlife.org

JADE GRAIN - 10Kg

Contains 0.005% Bromadiolone infused wholegrain.

PUO

WG019	JADE GRAIN	10 Kg

ROMAX B RAT MOUSE KILLER WHOLE WHEAT - 10 Kg

Multi-feed poison-infused high quality food grade whole wheat. Contains 0.005% Bromadiolone.

PUO

WG046	ROMAX B RAT MOUSE KILLER WHOLE WHEAT	10 Kg

BELL LABORATORIES CONTRAC RODENTICIDE - 5Kg

Contains 0.005% Bromadiolone.

PUO

WG044 CONTRAC 50G SACHETS	5Kg

JADE GRAIN 100G SACHETS - 10Kg

JADE Bromagrain Rat and Mouse Killer. Sachets contain the active ingredient 0.005% Bromadiolone.

PUO

WG032	JADE GRAIN SACHETS	10 Kg

DEADLINE BROMADIOLONE MOUSE BAIT 10G BLOCKS

A triangular-shaped 10g wax and cereal block with excellent weatherability and palatability. Contains 0.01% Bromadiolone.

PUO

BB055	DEADLINE BROMADIOLONE MOUSE BAIT 10G BLOCKS 480 PACK	10 Kg

DEADLINE BROMADIOLONE WHOLE GRAIN BAIT

A highly attractive and palatable whole wheat. Contains 0.005% Bromadiolone.

PUO

WG067	DEADLINE BROMADIOLONE WHOLE GRAIN BAIT	5Kg

RODENTICIDES - **BROMADIOLONE**

JADE BLOCK RAT AND MOUSE POISON BLOCKS - 10Kg

20g Rat and Mouse poison blocks for use in and around buildings. Contains 0.005% Bromadiolone.

PUO

BB022 JADE BLOCK RAT AND MOUSE POISON BLOCKS	10Kg

BELL LABORATORIES CONTRAC BLOX - 8Kg

Contrac Blox is a potent rat and mouse poison that kills in one feed. Contains 0.005% Bromadiolone.

PUO

BS

BB018	CONTRAC BLOX 28G	8 Kg

DEADLINE® RAT BAIT 120G BLOCKS

Contains 0.005% Bromadiolone.

PUO

BB038	DEADLINE® RAT BAIT 120g BLOCKS	72 Pack

JADE CLUSTER GRAIN CEREAL BLOCK - 5Kg

Contains Bromadiolone 0.005% active ingredient Available in 5kg tubs.

ISO

BB035 JADE CLUSTER GRAIN CEREAL BLOCK	5Kg

BELL LABORATORIES CONTRAC SUPER BLOX - 9Kg

Contains Bromadiolone 0.005% w/w active ingredient. Large 225g extruded blocks.

PUO

BB029	BELL LABS CONTRAC SUPER BLOX 225G x 40	9 Kg

DEADLINE® PASTE BAIT TUBE PSD91

300g tube for use with a standard frame gun. Highly palatable special wheat-based paste formulation.

PUO

PB033	DEADLINE® PASTE BAIT TUBE PSD91	12 Pack

RODENTICIDES - **BROMADIOLONE & DIFENACOUM**

ROMAX MUSKIL - 4KG, 5KG, 7Kg and 10Kg

Contains 0.0025% Bromadiolone, 0.0025% Difenacoum. Muskil Blocks and Pasta Sachets also contain FLUO-NP bio-marker.

BB033	ROMAX MUSKIL BLOCKS WITH FLUO-NP	7Kg
PB031	ROMAX MUSKIL PASTA BAIT WITH FLUO-NP	4Kg
WG074	ROMAX MUSKIL WHEAT	4Kg
WG076	ROMAX MUSKIL WHEAT	10Kg
WG079	ROMAX MUSKIL WHOLE WHEAT SACHETS	5Kg

RSPH LEVEL 2 USING RODENTICDES SAFELY

training@pestfix.co.uk

PestFix ACADEMY

This qualification will enable the candidate to use rodenticides safely and meet the requirements of the Campaign for Responsible Rodenticide Use (CRRU) second generation anticoagulant rodenticide (SGAR) stewardship scheme.

Successful candidates will be able to use this qualification to purchase second generation anticoagulant rodenticides from authorised suppliers.

This qualification will provide candidates with an understanding of why the purchase and use of SGARs is controlled and why other rodent control methods should be considered before rodenticides are used.

RODENTICIDES - **DIFENACOUM**

RUBY GRAIN - 10Kg

Ruby Grain is highly effective and very palatable whole grain cereal bait. Contains 0.005% Difenacoum.

PUO

BS

WG014	RUBY GRAIN	10 Kg

RUBY BLOCKS - 10Kg

20g rat and mouse poison block with wax additive for use in and around buildings. Contains 0.005% Difenacoum.

PUO

BB024 RUBY BLOCKS 20G	10Kg

RUBY PASTE 10G SACHETS - 5Kg

A unique and phenomenally attractive paste bait. Contains 0.005% Difenacoum.

PUO

PB014 RUBY PASTE 10G SACHETS	5Kg

ROMAX D WHOLE WHEAT - 10Kg

Contains 0.005% Difenacoum, 2nd generation anticoagulant active ingredient.

PUO

WG036	ROMAX D WHOLE WHEAT	10 Kg

ROMAX D ALL WEATHER BAIT BLOCKS - 5Kg

For use in and around buildings, in open areas, waste dumps and in sewers. Contains 0.005% Difenacoum.

PUO

BB019 ROMAX D ALL WEATHER BAIT BLOCKS	5Kg

SAKARAT LIQUID BAIT

NP

Ready-to-use formulation. Especially useful when rodents are active in dry conditions. Highly attractive formulation. For use in and around buildings. Contains: 0.005% (0.05g/kg) Difenacoum.

- 100ml version for rats and mice
- 250ml version for rats only

PUO

ST079 SAKARAT LIQUID BAIT	100ml
ST080 SAKARAT LIQUID BAIT	250ml

NEOSOREXA BAIT BLOCKS

Low wax, compressed fixable bait blocks for consistent control. Palatable and durable. Contains 0.05g/kg (0.005%) Difenacoum.

NP

PUO

BB052-3	NEOSOREXA BLOCKS	3Kg
BB052-5	NEOSOREXA BLOCKS	5Kg
BB052-10	NEOSOREXA BLOCKS	10Kg

NEOSOREXA GOLD RAT AND MOUSE BAIT

A mixture of foraging grain pellets and cut wheat means greater palatability & faster control. Contains 0.005% Difenacoum

PUO

WG065-3	NEOSOREXA GOLD	3Kg
WG065-6	NEOSOREXA GOLD	6Kg
WG065-10	NEOSOREXA GOLD	10Kg

NEOSOREXA PASTA BAIT

Multi-feed moist pasta bait with maximum palatability, for rats and mice. Contains 0.005% Difenacoum

PUO

| PB059 | Neosorexa Pasta Bait | 5Kg |

DEADLINE® PASTE 300G CARTRIDGE

300g tube for use with a standard frame gun. Highly palatable special wheat-based paste formulation. For the control of mice in and around buildings. Contains Difenacoum 0.005%.

PUO

| PB034 | DEADLINE® PASTE CARTRIDGE 300G | 12 Pack |

NEOSOREXA GOLD RAT PACKS

Ready To Use 100g rat packs of cut wheat bait for effective and consistent control. Contains 0.005% Difenacoum

PUO

| WG064 | Neosorexa Gold Rat Packs | 5Kg |

DEADLINE DIFENACOUM WHOLE GRAIN BAIT

A special whole-wheat based anticoagulant rodenticide to control rats and mice. Contains 0.005% Difenacoum

PUO

| WG068 | Deadline Difenacoum Whole Grain Bait | 10Kg |

RODENT CONTROL

RODENTICIDES - **BRODIFACOUM**

SAPPHIRE GRAIN SINGLE FEED RAT AND MOUSE KILLER

Highly palatable apple flavoured bait, with excellent efficacy. Contains Brodifacoum 0.005%.

PUO

| WG049 | SAPPHIRE GRAIN | 5 Kg |
| WG080 | SAPPHIRE GRAIN WHOLEGRAIN BRODIFACOUM | 10 Kg |

SAPPHIRE PASTE 10G SACHETS - 5KG
SAPPHIRE PASTE 280G CARTRIDGE

Fast acting single feed professional rat and mouse poison. For use in and around buildings. Contains 0.004% Brodifacoum.

PUO

| PB018 | SAPPHIRE PASTE 10G SACHETS | 5 Kg |
| PB020 | SAPPHIRE PASTE CARTRIDGE | 12 Pack |

SOLO BLOX 20G BAIT BLOCKS - 4Kg

Solo is effective in controlling both rats and mice, and works especially well to clear out persistent mouse infestations. Contains Brodifacoum 0.005%.

PUO

| BB049 | SOLO BLOX 20G BAIT BLOCKS | 4 Kg |

TALON SOFT BAIT 300G CARTRIDGE

Brodifacoum 0.005% paste bait. Single feed rodenticide effective against rats and mice.

PUO

| PB040 | TALON SOFT BAIT CARTRIDGE | 12 Pack |

ROMAX VENOM BLOCKS - 5Kg

Presented in a multi-edged extruded block format. Contains 0.005% Brodifacoum.

PUO

| BB030 | ROMAX VENOM BLOCKS | 5 Kg |

RODENTICIDES-BRODIFACOUM&COUMATETRALYL

ROMAX VENOM WHEAT - 4Kg and 10Kg

The Romax Venom when consumed is particularly potent to rodents. Approved for use in and around buildings for rats and mice. Contains 0.005 % Brodifacoum.

PUO

| WG016 | ROMAX VENOM WHEAT 4KG | Each |
| WG077 | ROMAX VENOM WHEAT 10KG | Each |

ROMAX VENOM PASTA - 3Kg

Manufactured from high calorie Italian pasta for maximum efficacy. Sachets can be attached or skewered within the bait box. Contains 0.005 % Brodifacoum.

PUO

| PB056 | ROMAX VENOM PASTA SACHET 3KG | Each |

ROMAX VENOM 300G LIPOGEL

NP

Increased water activity formulation creates rapid absorption of active into soft tissue. Also available in wheat, block and paste sachet. Contains 0.005 % Brodifacoum.

PUO

| PB057 ROMAX VENOM LIPOGEL 300G | 12 Pack |

ROMAX RAT CP BLOCKS - 5Kg

Soft block formulation that is particularly attractive to rats. Contains 0.0375% Coumatetralyl.

PUO

| BB031 | ROMAX RAT CP BLOCKS | 5Kg |

RASCAL BRODIFACOUM CONTACT GEL

Ready for use contact gel for the control of mice indoors. Contains Brodifacoum 0.005% w/w & Denatonium Benzodate 0.001% w/w

PUO

| RG001 | RASCAL BRODIFACOUM CONTACT GEL | 300g |

BAYER RACUMIN FOAM CONTACT RODENTICIDE

Contains 0.400% Coumatetralyl.

PUO

BS

| RC001 | BAYER RACUMIN FOAM | Each |

ROMAX CONTACT STATION

Station designed specifically to allow for high impact of contact rodenticides plus quick disposal of rodenticides at the end of treatment.

NP

RC004	ROMAX CONTACT STATION	4 Pack

RODENTICIDES - **FLOCOUMAFEN**

STORM SECURE BLOCKS - 3Kg

Proven single feed flocoumafen efficacy in fixable bait blocks. Contains 0.005% Flocoumafen.

PUO

BB041	STORM SECURE BLOCKS	3 Kg

RODENTICIDES - **DIFETHIALONE**

RODILON WHEAT TECH WHOLE WHEAT GRAIN - 10Kg

Contains 0.005% Difethialone.

PUO

WG056	RODILON WHEAT TECH WHOLE WHEAT GRAIN	10Kg

For rodent proofing products please see pages 79 to 80.

STORM ULTRA SECURE BAIT BLOCKS

This single-feed 25ppm flocoumafen bait controls rodent populations effectively, including rats and mice resistant to other anti-coagulants.

PUO

BB058-3	STORM ULTRA SECURE BAIT BLOCKS	3 Kg
BB058-5	STORM ULTRA SECURE BAIT BLOCKS	5 Kg

To view prices log in to your account at www.pestfix.co.uk

RODENTICIDES - **ALPHACHLORALOSE**

BLACK PEARL 10G GRAIN SACHETS - 1Kg

Contains 4.00% Alphachloralose.

PUO

WG042	BLACK PEARL 10G GRAIN SACHETS	1Kg

BLACK PEARL PASTE 10G SACHETS - 1Kg

Contains 4.00% Alphachloralose.

PUO

NP

PB019	BLACK PEARL PASTE 10G SACHETS	1Kg

BLACK PEARL PASTE BAIT CARTRIDGE

270g cartridge formulation of the tried and tested Black Pearl Paste. Extremely fast acting, mice have been know to die next to the bait station. Contains 4.00% Alphachloralose.

PUO

PB021	BLACK PEARL PASTE BAIT CARTRIDGE	12 Pack

DEADLINE® ALPHA EXPRESS BLOCKS

For the control of mice indoors using a lockable bait station. Contains 4% Alphachloralose.

PUO

BB036	DEADLINE® ALPHA EXPRESS BLOCKS PSD105 48 Pack

RODENTICIDES -**TRACKING & MONITORING**

ULTRAVIOLET TRACKING TORCH

An essential tool for use in conjunction with all products in the TRACKING category.

PFR

RI012	ULTRAVIOLET TRACKING TORCH	Each

ROMAX FLUORESCENT TRACKING DUST

A rodent detector system which uses tracking dust which fluoresces under black light (ultraviolet).

RI010	ROMAX FLUORESCENT TRACKING DUST	1Kg
RI011	ROMAX FLUORESCENT TRACKING DUST	250g

BELL LABS DETEX BLOX WITH UV TRACKER - 4Kg

A non-toxic bait with a special additive that makes rodent droppings glow bright green under "black light" (ultraviolet).

RI013	BELL LABS DETEX BLOX WITH UV TRACKER	4 Kg

BELL LABS DETEX SOFT BAIT WITH LUMITRACK

Lumitrack fluoresces under ultraviolet light, highly palatable, all weather.

RI017	BELL LABS DETEX SOFT BAIT WITH LUMITRACK 4 Kg

DEADLINE® FLUORESCENT TRACKING GEL - 300ML

Tracking contact gel for rats and mice. Can be used on horizontal and vertical surfaces.

NP

RI018	DEADLINE® FLUORESCENT TRACKING GEL	300ml

DEADLINE® NON-TOX INDICATOR 300G PASTE

Contains the same base ingredient as Deadline Bromadiolone and Difenacoum pastes to allow for later introduction of poisons with no change in taste to avoid neophobia.

RI014	DEADLINE® NON-TOX INDICATOR PASTE PSD90	300g

UV BLOCKS - 4Kg

Monitoring block bait formulated with a UV tracker that makes rodent urine glow under black light (ultraviolet).

RI015	UV BLOCKS	4 Kg

UV PASTE - 4Kg

Monitoring soft bait formulated with a UV tracker that makes rodent urine glow under black light (ultraviolet).

RI016	UV PASTE	4 Kg

RODENT CONTROL

BAIT STATIONS & ACCESSORIES

PESTFIX MOUSE BAIT STATION

NP

Accepts blocks, pasta sachets and grain.
Size: 62mm x 140mm x 115mm. Supplied with
2 x UniKeys per 100 pack. Available in Black or
Transparent. Personalise with your company logo.

| ST055-B | BLACK | 100 Pack |
| ST055-T | TRANSPARENT | 100 Pack |

PESTFIX SNAPBOX MOUSE BAIT STATION

Accepts snap traps and bait simultaneously. **NP**
Size: 37mm x 132mm x 78mm. Supplied with
2 x UniKeys per 20 pack. Available in Black or
Transparent. Personalise with your company logo.

PFR

| ST054-B | BLACK | 20 Pack |
| ST054-T | TRANSPARENT | 20 Pack |

PESTFIX RANGER MOUSE BAIT STATION

Allows 2 x snap traps to be mounted at 90°
giving mice clear line-of-sight through the box.
Supplied with 2 x UniKeys per 10 units. Personalise
with your company logo. Superior catch rate.

NP

| ST058-BK | BLACK | 20 Pack |
| ST058-TR | TRANSPARENT | 20 Pack |

QUICKLOCK MICROBAIT PLASTIC MOUSE BAIT STATION

High quality mouse box with steel VersaKey locking
mechanism. Size: 121mm x 90mm x 41mm.
Supplied with 2 x Versa Keys
per 50 pack. Personalise with
your company logo.

ST037-BK	BLACK	50 Pack
ST037-BL	BLUE	50 Pack
ST037-G	GREEN	50 Pack
ST037-R	RED	50 Pack
ST037-W	WHITE	50 Pack

MICROBAIT STEEL MOUSE BAIT STATION AND KEY

Heavy-duty steel mouse bait station. Unique steel
Microbait locking mechanism. Measures 155mm x
104mm x 58mm. Requires Microbait Key.

| ST042 | MICROBAIT STEEL MOUSE BAIT STATION | Each |
| ST043 | MICROBAIT KEY (FITS ST042 ONLY) | Each |

BAIT STATION TETHERING PADS AND WIRE

Ready to go kit which includes 270mm length of
stainless steel wire which is looped at each end
through plastic self-adhesive pads and crimped.

NP

| ST088 BAIT STATION TETHERING PADS AND WIRE | 10 Pack |

BAIT STATIONS & ACCESSORIES

CARDBOARD RODENTICIDE MOUSE BAIT BOX

Budget, indoor use mouse bait point, supplied flat packed. Measures 50mm x 50mm x 120mm.

ST017	CARDBOARD RODENTICIDE MOUSE BAIT BOX	100 Pack

BAIT TRAYS

Vacuum formed trays to hold loose wheat or pellet bait indOors, available in two sizes.

ST061-S	MEDIUM - 118MM x 90MM x 20MM	100 Pack
ST061-L	LARGE - 170MM x 90MM x 20MM	100 Pack

PESTFIX BULLET RAT BAIT STATION

Accepts snap traps and bait simultaneously. Measures 37mm x 132mm x 78mm. Supplied with 2 x UniKeys per 20 pack. Available in Black or Transparent. Personalise bait box with your logo.

ST052-B	BLACK	10 Pack
ST052-T	TRANSPARENT	10 Pack
ST052-BD	BAIT DIVIDER	10 Pack

QUICKLOCK ULTRA STEEL RAT BAIT STATION

Premium quality steel construction. Accepts snap traps. Requires Versa Key.

ST035-B	BLACK	Each
ST035-G	GREEN	Each
ST044	GROUND STAKE 500MM	Each
ST039	WALL BRACKET	Each
ST038	VERSA KEY	Each

PESTFIX VANGUARD HEAVY DUTY RAT BAIT STATION

Accepts snap traps, grain, pasta or blocks. Tunnel entrance for rapid rodent acceptance. Box printing available. Supplied with 2 x UniKeys per 10 pack.

ST053-B	BLACK	10 Pack
ST053-WB	WALL BRACKET	10 Pack

UNIKEY

The ST059 UniKey fits a wide range of bait boxes, including the ST055, ST054, ST058, ST052, ST053 and ST060.

ST059	UNIKEY	Each

BAIT STATIONS & ACCESSORIES

ULTRABAIT VR RAT BAIT STATION - KEY NOT INCLUDED

Measures 322mm x 212mm x 120mm
Vandal resistant. Accepts snap traps.

ST030B	BLACK	Each
ST030G	GREEN	Each
ST018	HEAVY-DUTY WALL BRACKET	Each
ST019	STANDARD WALL BRACKET	Each
ST020	GROUND STAKE	Each
ST041	REPLACEMENT BAIT TRAY (HOLDS SNAP TRAP)	Each
ST032	KEY FOR ULTRABAIT VR RAT BAIT STATION	Each

BELL LABS PROTECTA LANDSCAPE BAIT STATION

Includes 1 x key per 4 pack. Accepts snap traps.

ST027	SANDSTONE	4 Pack
ST028	GRANITE	4 Pack
ST083	BELL LABS PROTECTA BAIT STATION KEY	Each

RODENTICIDE BAIT BAGS

Used for presenting loose rodenticides. Keeps bait
fresh and reduces risk of secondary poisoning
through spillage.

Rodenticide
Do not touch

ACTIVE INGREDIENT: Tick appropriate box	
Brodifacoum	Warfarin
Bromadiolone	Coumatetralyl
Difenacoum	Chlorophacinone
Flocoumafen	

This bag contains an anticoagulent rodenticide.
In the event of accidental ingestion, contact a doctor/veterinary surgeon.

The antidote for anticoagulent poisoning is Vitimin K1, phytomenadione BP.

Emergency telephone number:

ST048	RODENTICIDE BAIT BAGS	1000 Pack

INSPECTION RECORD LABELS

Vinyl inspection record labels for use with bait sta-
tions, insect monitors and electric fly killers, 100mm
x 40mm, matt finish for easy writing

ST082	INSPECTION RECORD LABELS	Roll of 250

PESTFIX BAIT STATION ANCHOR KIT

Kit includes adhesive, anchor points, stainless
steel wire, crimps and tool stations. Self adhesive
options available.

ST029-W	WHITE	50 Pack
ST029-G	GREY	50 Pack
ST029-B	BLACK	50 Pack
ST029-SA	SELF ADHESIVE	50 Pack
PW241-ST	CRIMP AND CUT TOOL	Each

BAIT STATION WARNING LABELS

Many bait stations now require labelling
with warning information. To assist pest controllers,
these labels full-fill this requirement by showing the
warning notice, product name and active substance.
The labels are weatherproof, waterproof and UV
resistant. The label can be easily written on with
either ball point pen or permanent marker.

DO NOT MOVE OR OPEN, CONTAINS A RODENTICIDE

Product name (for authorisation number)
Active substance(s):

| Non-toxic monitor | Coumatetralyl | Difenacoum | Brodifacoum |
| Warfarin | Bromadiolone | Difethialone | Flocoumafen |

IN CASE OF INCIDENT CALL A POISON CENTRE - UK: 111

ST077	105MM X 25MM	100 Rolls
ST078	76MM X 63MM	100 Rolls

RODENT **PROOFING**

RODENT CONTROL

PREVENTAVENT RODENT PROOF AIR BRICK COVERS

Fine grade stainless steel mesh with plastic surround. Available in Small (245 x 95mm), Medium (245 x 170mm) or Large (245 x 245mm).

WM153-BL	SMALL BLACK	Each
WM153-BR	SMALL BROWN	Each
WM153-W	SMALL WHITE	Each
WM154-BL	MEDIUM BLACK	Each
WM154-BR	MEDIUM BROWN	Each
WM154-W	MEDIUM WHITE	Each
WM155-BL	LARGE BLACK	Each
WM155-BR	LARGE BROWN	Each
WM155-W	LARGE WHITE	Each

GUN GRADE EXPANDING FOAM AND ACCESSORIES

BS382	JCP GUN GRADE EXPANDING FOAM	750ml
AE031	APPLICATOR GUN CLEANER	500ml
AE017	APPLICATOR GUN - PROFESSIONAL	Each
AE018	APPLICATOR GUN - STANDARD	Each

STUF-FIT COPPER MESH

100% pure copper wire 25mm wide rolls. Can be combined with expanding polyurethane foam for voids.

| WM124 | 20 FOOT ROLL | 6m Roll |
| WM125 | 100 FOOT ROLL | 30m Roll |

PREVENTAVENT RODENT PROOF AIR BRICK COVERS- ALUMINIUM

Perforated aluminium plate, available in Small (245 x 95mm), Medium (245 x 170mm) or Large (245 x 245mm).

WM153-A	SMALL	Each
WM154-A	MEDIUM	Each
WM155-A	LARGE	Each

SOUDAFOAM 1K B3 EXPANDING FOAM GAP FILLER

One component, self-expanding, ready-to-use polyurethane foam. Ideal gap filler, can be combined with copper mesh for anti-gnaw properties.

| BS380 | SOUDAFOAM EXPANDING FOAM | 500ml |

RODENT-PROOF WELDMESH 6.5MM X 6.5MM

Perfect for keeping rodents out of domestic and commercial buildings.

| WM143 | RODENT PROOF WELDMESH 0.9m x 6m | Each |
| WM144 | RODENT PROOF WELDMESH 0.9m x 30m | Each |

RODENT **PROOFING**

ROMAX RODENT SEAL

Combination of sealant with stainless steel fibres for rodent proofing around services, metal detectable.

| WM126	ROMAX RODENT SEAL	310Ml

STEEL WIRE WOOL

450 gram steel wire wool can be used to plug voids, gaps and any potential ingress point for rodents.

WM152	WIRE WOOL	450G

METAL BRUSH STRIP

Nylon brush strips on aluminium carriers for sealing doors against the ingress of pests, strips can be bonded, bolted or screwed into position.

BRUSH STRIP - SOLD IN 2M LENGTHS

BRI1820	20MM BRISTLE 180°	Each
BRI1830	30MM BRISTLE 180°	Each
BRI1850	50MM BRISTLE 180°	Each
BRI1870	70MM BRISTLE 180°	Each
BRI4520	20MM BRISTLE 45°	Each
BRI4530	30MM BRISTLE 45°	Each
BRI4550	50MM BRISTLE 45°	Each
BRI4570	70MM BRISTLE 45°	Each
BRI9020	20MM BRISTLE 90°	Each
BRI9030	30MM BRISTLE 90°	Each
BRI9050	50MM BRISTLE 90°	Each
BRI9070	70MM BRISTLE 90°	Each

WATERTIGHT DRAIN NON-RETURN VALVES - PLASTIC

One way valves prevent access to properties by rats via sewer pipes. Quick and easy to fit.

RP001	TO FIT 6"(150MM) PLASTIC PIPES	Each
RP002	TO FIT 4"(110MM) PLASTIC PIPES	Each
RP003	TO FIT 4"(110MM) CLAY, SALT GLAZED, CONCRETE PIPES	Each

PLASTIC BRUSH STRIP

Reels of flexible thermoplastic rubber brush strip to cut down to perfect size on site installation.

BRI1820-25	20MM BRISTLE - 180 DEGREE	25 Metres
BRI1830-25	30MM BRISTLE - 180 DEGREE	25 Metres
BRI1850-25	50MM BRISTLE - 180 DEGREE	25 Metres

RAT WALL AND INSTALLATION TOOL

Simple but highly effective rat drain barrier protection system for homes and businesses.

RP008	RAT WALL 4"	Each
RP009	RAT WALL 6"	Each
RP010	INSTALLATION TOOL 950MM	Each
RP011	INSTALLATION TOOL 2M	Each

To view prices log in to your account at www.pestfix.co.uk

PESTFIX MOUSE SNAP TRAP

Professional break-back mouse trap. Compatible with some mouse bait station.

MT018	*PESTFIX* MOUSE SNAP TRAP	Each

PESTFIX RAT SNAP TRAP

Professional break-back rat trap. Compatible with some rat bait stations. Measures 139mm x 76mm x 95mm.

BS

RT028	*PESTFIX* RAT SNAP TRAP	Each

TRAPPER MINI-REX SUPERIOR MOUSE SNAP TRAP

Powerful mouse trap with aggressive interlocking teeth. Removable bait cup for safer baiting.

RT029	TRAPPER MINI-REX SUPERIOR MOUSE SNAP TRAP	24 Pack

TRAPPER T-REX SUPERIOR RAT SNAP TRAP

Powerful rat trap with aggressive interlocking teeth. Features removable bait cup for safer baiting. Fits into various rat bait stations.

RT019	TRAPPER T-REX SUPERIOR RAT SNAP TRAP	Each

TRAPPER GLUE BOARDS FOR RATS - PRO PACK - BY BELL

Captures rats without poison, making them ideal to use in sensitive areas where poison is prohibited or discouraged, dimensions 112mm X 237mm

RT036	TRAPPER GLUE BOARDS FOR RATS - PRO PACK - BY BELL	12 Pack

TRAPPER LTD GLUE TRAP FOR MICE AND INSECTS

Catches mice and insects with powerful adhesive on fibreboard. Can be laid out flat or folded into a tunnel. Measures 202mm x 102mm.

IM012	TRAPPER LTD GLUE TRAP FOR MICE AND INSECTS	72 Pack

RODENT **TRAPS**

TRAPPER MAX GLUE TRAP FOR MICE AND INSECTS

40% more surface area than the Trapper LTD. Can be used against mice or insects. Use flat or folded into a tunnel. Measures 196mm x 136mm.

IM010	TRAPPER MAX GLUE TRAP	72 Pack

RAT CAGE TRAP

Multi-catch live rat cage trap.

RT012	RAT CAGE TRAP	Each

PESTFIX RODENT GLUE BOARD TRAP

Open size: 355mm x 220mm. Widely regarded as one of the most effective glue boards available.

RT018	*PESTFIX* RODENT GLUE BOARD TRAP	10/100 Pack

ELECTRONIC MOUSE KILLER

Kills 50 mice per set of 4AA batteries (not included).

MT015	ELECTRONIC MOUSE KILLER	Each

PROVOKE PROFESSIONAL RAT TRAP GEL ATTRACTANT

Professional Attractant Gel for Rat Traps that will greatly increase your catch rate. Non-toxic and hypoallergenic food-grade gel Helps overcome trap-shyness

RT033	PROVOKE PROFESSIONAL RAT TRAP GEL	227G

PROVOKE PROFESSIONAL MOUSE TRAP GEL ATTRACTANT

Professional Attractant Gel for Mouse Traps that will greatly increase your catch rate. Non-toxic and hypoallergenic food-grade gel. Helps overcome trap-shyness

RT034	PROVOKE PROFESSIONAL MOUSE TRAP GEL	56G

QUADBLASTER 4-CHANNEL INDOOR ULTRASONIC REPELLER

360° ultrasonic repeller for indoor use. Deters rodents from infesting voids and raised floors, lofts and suspended ceilings.

AD019	QUADBLASTER 4-CHANNEL REPELLER	Each

YARD GUARD OUTDOOR ULTRASONIC PEST REPELLER

Effective against rats, cats, foxes, dogs, squirrels, deer and more. Ideal for courtyards, patios, alleyways etc.

AD116	YARD GUARD PEST REPELLER	Each

PEST STOP ULTRASONIC PLUG-TOP RODENT REPELLERS

Ultrasonic protection up to 370 square metres. Electromagnetic function keeps rodents out of wall cavities and protects cabling.

RR010	SMALL HOUSE REPELLER	Each
RR011	LARGE HOUSE REPELLER	Each

ANTI RODENT AEROSOL SPRAY - 500ML

Specialised spray to protect electrical cabling and insulation materials from rodent attack. Lasts for up to 6 months.

RC002	ANTI RODENT AEROSOL SPRAY	Each

INSECTICIDES - AEROSOLS

DIGRAIN CONTROL INSECT DESTROYER

For use against flying and crawling insects. Contains 0.25% Permethrin, 0.24% Tetramethrin.

PUO

IC001	DIGRAIN CONTROL INSECT DESTROYER	600ml

PHOBI F AND F TOTAL RELEASE AEROSOL

Single use against flying and crawling insects. Contains 0.011% Imiprothrin and 0.33% Cyphenothrin.

PUO

BS

IC032	PHOBI F AND F TOTAL RELEASE AEROSOL	300ml

DETHLAC CRAWLING INSECT LACQUER

One application remains effective for months. Contains Deltamethrin 0.02%, Pyrethrins 0.08%.

BS

ISO

IC007	DETHLAC CRAWLING INSECT LACQUER	250ml

DIGRAIN WASP AND HORNET NEST DESTROYER

Contains 0.25% Permethrin, 0.24% Tetramethrin.

PUO

IC034	DIGRAIN WASP AND HORNET NEST DESTROYER	600ml

INSECTO FLY AND WASP DESTROYER

Ideal sell-on product. Contains 0.25% Permethrin and 0.25% Tetramethrin.

ISO

IC057	INSECTO FLY AND WASP DESTROYER	300ml

INSECTO INSECT FOGGER

Insecto Insect Fogger decimates all insects. Effective against all flying and crawling insects. Contains 0.33% Cyphenothrin.

ISO

IC033	INSECTO FLEA AND FLY BOMB	125ml

INSECTICIDES - GRANULES

SHEILA RB1 FLY CONTROL GRANULAR BAIT

Ready to use. Insecticide to control flies in livestock buildings. Contains fly sex pheromone attractants. Contains 1% Azamethiphos.

PUO

IC035	SHEILA RB1	2Kg

MAGGOTS LARVICIDE FLY CONTROL GRANULES

Specially formulated to eliminate and control nuisance fly larvae in animal housing and refuse areas. Contains 2% Cyromazine.

PFR

PUO

IC086-10	MAGGOTS LARVICIDE	10Kg
IC086-20	MAGGOTS LARVICIDE	20Kg

DIGRAIN C40 WP

High strength broad spectrum Insecticide with proven long term residual activity. 10g per 5L of water. Contains 40% Cypermethrin.

PUO

IC002	10G SACHET	15 Pack
IC003	500G CONTAINER	Each
IC004	2G SACHETS	20 Pack

BIOPREN BMS PHARAOH ANT BAIT

Attracts pharaoh ants encouraging more bait to be taken into the nest for better control. Contains 0.5% s-methoprene.

PUO

IC160 BIOPREN BMS PHARAOH ANT BAIT	12 Pack

INSECTICIDES - WETTABLE POWDERS

BELGAGRI TWENTY ONE

Dilutable powder for applying as spray or paste to control flies in livestock housing. Contains 10% Azamethiphos

PUO

IC043 BELGAGRI TWENTY ONE FLY KILLER SACHETS	1Kg

CYTROL FORTE WP BY PELGAR

High strength broad spectrum insecticide for use against crawling insects. 10g per 5L of water. Contains 40.0% Cypermethrin.

IC078	10G SACHETS	10 Pack
IC077	250G CONTAINER	Each

INSECTICIDES - LIQUIDS

DIGRAIN INSECTACLEAR C

Ready to use coarse surface spray. Treatment against crawling insects. Contains 0.092% Cypermethrin, 0.01% Natural Pyrethrum.

ISO

| IC012 | INSECTACLEAR TRIGGER SPRAY | 1 Litre |
| IC025 | INSECTACLEAR JERRY CAN | 5 Litres |

INSECTACLEAR STRONG

Can be used on soft furnishings. Contains 0.04% Imiprothrin and 0.06% Cyphenothrin.

| IC119-1 | INSECTACLEAR STRONG TRIGGER SPRAY | 1 Litre |
| IC119-5 | INSECTACLEAR STRONG JERRY CAN | 5 Litres |

PHOBI CAPS

Microencapsulated liquid concentrate with new in the UK active ingredient Prallethrin.

PUO

NP

| IC170 | PHOBIC CAPS PRALLETHRIN | 5 Litres |

PHOBI RTU

Ready to use coarse spray against crawling and flying insects. Can be used on mattresses and bedding. Contains 0.04% Imiprothrin and 0.06% Cyphenothrin.

PFR

| IC120 | PHOBI RTU | 5 Litres |

PHOBI LARVOX

Contains 6.10% S-Methoprene, insect growth regulator for use as a coarse spray. Perfect against stored product pests, moths and bed bugs.

PUO

| IC121 | PHOBI LARVOX | 500ml |

PHOBI FLASH DOSE

Based on a natural pyrethrum, synergised with Piperonyl Butoxide, 2.175% Pyrethrins for flying and crawling insects.

PUO

| IC157 | Phobi Flash Dose | 250ml |

DIGRAIN CYPERBIO 100EW

For use as a coarse spray against flying and crawling insects. 6.25ml/L of water treats 25m². Contains 9.75% Cypermethrin, 0.01% Natural Pyrethrum

PUO

BS

| IC028 | DIGRAIN CYPERBIO 100EW | 1 Litre |

PERBIO CHOC RTU

Ready to use as a coarse spray or space treatment against flying and crawling insects. 1L treats 125m² or 2500m³. Contains 0.64% Permethrin and 0.63% Tetramethrin.

PUO

| IC030 | PERBIO CHOC RTU 1 LITRE TRIGGER SPRAY | 1 Litre |
| IC031 | PERBIO CHOC RTU 5 LITRE PAIL | 5 Litres |

DIGRAIN BUGSTER

NP

All purpose insecticide suitable for spraying and ULV cold & thermal hot fogging. 8-12 weeks residual. Contains Prallethrin 2% w/w Cypermethrin 10% w/w.

PUO

| IC169 | DIGRAIN BUGSTER | 1 Litre |

DEADLINE® INSECTABAN LIQUID

Ready to use as a coarse spray or space treatment against flying and crawling insects. Contains Permethrin 0.23%. 1L of water treats 100m² or 300m³.

PUO

| IC085 | DEADLINE® INSECTABAN LIQUID PSD88 | 5 Litres |

ALPHABAN SUPER EW

For use as a coarse spray against bedbugs, fleas and cockroaches. Contains 14.5% Cypermethrin, 4.5% Tetramethrin & 19.3% Piperonyl Butoxide. 5ml/L of water treats 20m².

PFR

PUO

| IC122 | ALPHABAN SUPER EW | 500ml |

DIGRAIN FORCE EW

Broad spectrum insecticide for use as a coarse surface spray against flying and crawling insects. Contains 14.5% Cypermethrin, 4.5% Tetramethrin, 19.3% Piperonyl Butoxide.

PUO

| IC130 | DIGRAIN FORCE EW | 250ml |

INSECTICIDES - LIQUIDS

CIMETROL SUPER RFU

NP

Ideal for spot treatments on hard, non-porous surfaces, cracks and crevices and is approved for use on mattresses and other soft surfaces. The unique 300ml bottle sprays continuously and can be operated upside down

PUO

IC162 - CIMETROL SUPER RFU	250ml

For Insect Traps and Monitors please see pages 102-107

BIOPREN 6EC

An emulsifiable concentrate containing s-methoprene 6.74 % (w/w), as well as a flushing agent and knock-down insecticide pyrethrins 4.81% (w/w). Suitable for both bedbugs and fleas.

IC155	BIOPREN 6EC	500ml

CIMETROL SUPER

$5ml/L$ treats $20m^2$. Coarse low pressure spray insecticide with fast flushing and knockdown action. Contains 25% Cypermethrin, 10% Tetramethrin, 20% Piperonyl Butoxide and 1% Pyriproxyfen.

PFR

PUO

IC109	CIMETROL SUPER	500ml

K-OTHRINE PARTIX

A broad spectrum suspension concentrate which can be used on any surface, hard or soft. Contains 2.49% Deltamethrin.

PUO

IC171	K-OTHRINE PARTIX	250ml

PERMOST CS

Micro-encapsulated insecticide for use against flying and crawling insects. Use as a coarse surface spray or space treatment.

PUO

IC111	PERMOST CS	500ml

PERMOST UNI FLY SPRAY

Use as a coarse surface spray or space treatment. Contains Permethrin 0.3%, Tetramethrin 0.1% and Piperonyl Butoxide 0.3%.

PUO

IC112	PERMOST UNI FLY SPRAY	5 Litres

VULCAN NP 18

Ready to use coarse surface spray and space treatment against flying and crawling insects. Contains 0.372% Pyrethrin & 1.116% Piperonyl Butoxide.

IC079	VULCAN NP 18	5 Litres

LIGNUM WOODWORM KILLER

Ready To Use

IC123	LIGNUM WOODWORM KILLER	5 Litres

BAYER AQUAPY 1L

Ready to use oil-based insecticide for use as a surface treatment against woodworm and other wood boring pests. Contains 0.2 % Permethrin.

PUO

IC133	BAYER AQUAPY	1 Litre

VULCAN P RFU FLY SPRAY

Ready to use as a coarse spray or space treatment against flying and crawling insects. Contains Permethrin 0.25%, Tetramethrin 0.125%, Piperonyl Butoxide 0.75%. 1 litre treats 25m^2 or 1000m^3.

PUO

IC080	VULCAN P RFU FLY SPRAY	5 Litres

LIGNUM PRO WOODWORM KILLER

Broad spectrum insecticide for use against flying and crawling insects. Contains Deltamethrin 2.5%.

BS

PUO

IC124	LIGNUM PRO WOODWORM KILLER	1 Litre

INSECTICIDES - SMOKE GENERATORS

INSECTO SMOKE GENERATORS

For use as a space treatment against flying and crawling insects. 3.5g max 120m³, 15g max 500m³, 31g max 1000m³. Contains 13.25% Permethrin.

PUO

BS

IC102	MINI 3.5G	Each
IC103	MIDI 15G	Each
IC104	MAXI 31G	Each

BAYER COOPEX® SMOKE GENERATORS

For use as a space treatment against flying and crawling insects. Contains 13.35% Permethrin.

PUO

| IC066 | MINI 3.5G | Each |
| IC065 | MAXI 31G | Each |

INSECTICIDES - DUSTABLE POWDER

FICAM D POWDER

RTU powder containing Bendiocarb 1.289 % w/w for use indoors against ants, and for the control of wasps and hornets (nests), including Asian Hornets.

PUO

BS

| IC045 | FICAM D POWDER | 3Kg |

VULCAN P5 DUST BY PELGAR

Contains 0.50% Permethrin dustable powder for use against flying and crawling insects, superior against wasps, ants and bed bugs.

PUO

| IC081 | DUSTER | 400g |
| IC089 | BUCKET | 4Kg |

IMIDASECT COCKROACH GEL SYRINGE 35G

Ready to use effective insecticidal gel bait for indoor control of cockroaches. Contains Imidacloprid 2.15%.

PUO

IC068	IMIDASECT COCKROACH GEL SYRINGE 35g	Each

MAXFORCE QUANTUM ANT GEL

Controls Black/Garden ants (2-3 weeks), Pharaoh ants (1-2 weeks), Argentine and Ghost ants. Contains 0.03 % Imidacloprid.

PUO

IC132	MAXFORCE QUANTUM ANT GEL	Each

IMIDASECT ANT GEL SYRINGE

Ready to use insecticidal gel bait for indoor control of ants. Contains Imidacloprid 0.01%.

PUO

IC069	IMIDASECT ANT GEL SYRINGE	Each

INSECTICIDE GEL CANTEEN

Compatible with all ant and cockroach gels.
Use in conjunction with a gel bait applicator gun.
For tools please see pages 115 to 117.

PFR

IT023	INSECTICIDE GEL CANTEEN	20 Pack

GOLIATH COCKROACH GEL SYRINGE

Ready to use insecticidal gel bait for indoor control of cockroaches. Contains 0.05% Fipronil.

PUO

IC070	GOLIATH COCKROACH GEL SYRINGE 35g	Each

ADDICT COCKROACH GEL SYRINGE 30G

Ready to use effective insecticidal gel bait for indoor control of cockroaches. Contains 2% Dinotefuran.

PUO

IC071	ADDICT COCKROACH GEL SYRINGE 30g	Each

FORMIDOR ANT GEL

Formidor is a highly effective ant bait for complete colony control. Quick and easy to use, for use both indoors and out. Contains 0.05% Fipronil.

PUO

IC145	FORMIDOR ANT GEL 25g	Each

INSECTICIDES - PESTICIDE FREE

OA2KI RTU TRIGGER SPRAY

Pesticide free and ready to use. Ideal product to use or leave behind with your customer as a back-up.

ISO

IC017	OA2KI RTU TRIGGER SPRAY	500ml

OA2KI PROFESSIONAL CONCENTRATE

A novel nano-surfactant technology formulation combined with a water-based delivery system. Functions solely by physical means as a liquid sticky trap.

IC052	OA2KI PROFESSIONAL CONCENTRATE	500ml

ORGAN-X DESI DUST INSECT KILLING DIATOMACEOUS EARTH POWDER

A mineral product made up of fossilised remains of diatoms, acts as a desiccant when applied to insect harbourages.

ISO

IC064	ORGAN-X DESI DUST	450g
IC116	ORGAN-X DESI DUST	2 Kg
IC117	ORGAN-X DESI DUST	5 Kg

GREEN HERO FROST SPRAY

NP

Pesticide free insect killer that uses extreme cold. Can be used indoors or outdoors against all insect pest species.

ISO

IC158	GREEN HERO FROST SPRAY	500ml

OA2KI DIATOMACEOUS EARTH DESSICANT POWDER

Produced from fossilised diatoms, Oa2Ki dessicant powder can be applied as a dust up to 10 to 30 g/m^2 of hard surface.

PFR **ISO**

IC053	OA2KI PUFFER	400g
IC058	OA2KI BUCKET	4 Kg
IC059	OA2KI SACK	25 Kg

ANTI-STATIC CABLE MITE FLUID

A non-hazardous water-based formulation to combat static electricity caused by man-made carpets and textiles, otherwise known in the industry as Cable Mite. Dilute 1-9 with clean water.

IC048	ANTI-STATIC CABLE MITE FLUID	5 Litres

ELECTRIC - FLY KILLERS

X-TRAP 50 LED ELECTRIC FLY KILLER **NP**

Dimensions 538mm x 103mm x 311mm, Size 2x 15 Watt UV-A LED, Coverage 50- 80m^2

PFR ✔

TFS

ES

FK231-ST - X-TRAP 50	LED ELECTRIC FLY KILLER	Each

I-TRAP 50 LED ELECTRIC FLY KILLER **NP**

Dimensions 470mm x 100mm x 325mm, Size 2x 15 Watt UV-A LED, Coverage 50- 80m^2

PFR ✔

TFS

ES

FK232-ST - I-TRAP 50	LED ELECTRIC FLY KILLER	Each

I-TRAP 30 LED ELECTRIC FLY KILLER **NP**

Dimensions 494mm x 147mm x 165mm, Size 1x 15 Watt Astron UV-A LED, Coverage 30-50m^2

PFR ✔

TFS

ES

| FK233-ST - I-TRAP 30	LED ELECTRIC FLY KILLER	Each

ASTRON 15W 18IN UV-A LED SHATTERPROOF LAMP

This eco friendly bulb has a 3 year life span (25,000 hours) and provides a saving of up to 79kW per year in annual energy use.

FK234-ST - ASTRON	15W 18IN UV-A LED SHATTERPROOF LAMP	Each

LED ELECTRIC FLY KILLER GLUE BOARDS

FK009	Genus Universal Glue Board for X-Trap 50	15 Pack
FK236	I-Trap 30 Glueboard	10 Pack
FK235	I-Trap 50 Glueboard	10 Pack

Coming Soon SMART Electric Fly Killers, call +44 (0)1903 538 488 to find out more

INSECT-A-CLEAR COMPACT 15W

Dimensions 370mm x 225mm x 110mm.
Size: 1 x 15W. Coverage 30 - 40 m^2.

FK020-ST	WHITE SAFETY TUBE	Each
FK020	WHITE STANDARD LAMP	Each

INSECT-A-CLEAR COMPACT CIRCLINE 22W

Dimensions 310mm x 340mm x 115mm.
Size: 1 x 22W. Coverage 50 - 80 m^2.

FK022-ST	WHITE SAFETY TUBE	Each
FK022	WHITE STANDARD LAMP	Each

INSECT-A-CLEAR T65 30W WHITE SAFETY TUBE

Dimensions 500mm x 270mm x 145mm.
Size: 2 x 15W (30W). Coverage 80 - 130 m^2.

TFS

FK026-W-ST	INSECT-A-CLEAR T65 30W SAFETY TUBE	Each

INSECT-A-CLEAR T95 35W IPX5 RATED

Dimensions 650mm x 275mm x 145mm.
Size: 2 x 18W(36W). Coverage 180 m^2.

TFS

FK032-SS-ST	WATER RESISTANT STAINLESS STEEL SAFETY TUBE F95ISS	Each

INSECT-A-CLEAR COMPACT MAXI 80W

Dimensions 690mm x 395mm x 155mm.
Size: 2 x 40W (80W). Coverage 180 - 280 m^2.

FK024-ST	WHITE SAFETY TUBE	Each
FK024	WHITE STANDARD LAMPS	Each

INSECT-A-CLEAR T100 44W

Dimensions 545mm x 395mm x 150mm.
Size: 2 x 22W (44W), Coverage 110 - 180 m^2.

TFS

FK028-SS-ST	STAINLESS STEEL SAFETY TUBE	Each
FK028-W-ST	WHITE SAFETY TUBE	Each

ELECTRIC - FLY KILLERS

INSECT-A-CLEAR NANO H30 30W KILL GRID

Dimensions 500mm x 350mm x 120mm.
Size: 2 x 15W (30W). Coverage 140 m².

TFS

ES

FK033-SS-ST	STAINLESS STEEL SAFETY TUBE FHN3SS	Each
FK033-W-ST	WHITE SAFETY TUBE FHN3SW	Each

INSECT-A-CLEAR FUSION 2 36W GLUE BOARD

Dimensions 510mm x 380mm x 900mm.
Size: 2 x 18W (36W). Coverage 100 m².

TFS

ES

FK044-SS-ST	STAINLESS STEEL SAFETY TUBE FGF2SS	Each
FK044-W-ST	WHITE SAFETY TUBE FGF2SW	Each

INSECT-A-CLEAR NANO G20 20W GLUE BOARD

Dimensions 280mm x 350mm x 150mm.
Size: 1 x 20W. Coverage 40 m².

TFS

ES

FK035-SS-ST	STAINLESS STEEL SAFETY TUBE FGN2SS	Each
FK035-SS	STAINLESS STEEL STANDARD TUBE FGN2BS	Each
FK035-W-ST	WHITE SAFETY TUBE FGN2SW	Each
FK035-W	WHITE STANDARD TUBE FGN2BW	Each

INSECT-A-CLEAR NANO G30 30W GLUE BOARD

Dimensions 500mm x 350mm x 120mm.
Size: 2 x 15W (30W). Coverage 100 m².

TFS

ES

FK036-SS-ST	STAINLESS STEEL SAFETY TUBE FGN3SS	Each
FK036-W-ST	WHITE SAFETY TUBE FGN3SW	Each

INSECT-A-CLEAR NANO G72 72W GLUE BOARD

Dimensions 650mm x 350mm x 120mm.
Size: 2 x 36W (72W). Coverage 170 m².

TFS

ES

FK037-SS-ST	STAINLESS STEEL SAFETY TUBE FGN7SS	Each
FK037-W-ST	WHITE SAFETY TUBE FGN7SW	Each

INSECT-A-CLEAR VANQUISH 72W GLUE BOARD

Dimensions 410mm x 475mm x 70mm.
Size: 2 x 36W (72W). Coverage 360 m².

TFS

ES

PFR

FK038-ST	SAFETY TUBE FGVWSA	Each
FK038	STANDARD TUBE FGVWBA	Each

INSECT-A-CLEAR VULCAN 2 30W GLUE BOARD

Dimensions 595mm x 344mm x 100mm.
Size: 2 x 15W (30W). Coverage 80 m^2.

TFS

ES

FK039-2-ST	STAINLESS STEEL SAFETY TUBE FGT2SS	Each

INSECT-A-CLEAR VULCAN 3 45W GLUE BOARD

Dimensions 320mm x 395mm x 150mm.
Size: 1 x 22W. Coverage 60 - 100 m^2.

TFS

ES

FK039-3-ST	STAINLESS STEEL SAFETY TUBE FGT3SS	Each
FK039-IP65-ST	STAINLESS STEEL SAFETY TUBE IP RATED FGT4SS	Each

INSECT-A-CLEAR FLY SHIELD SOLO 20W GLUE BOARD

Dimensions 230mm x 310mm x 125mm.
Size: 1 x 20W. Coverage 90 m^2.

ISO

PFR

FK043-ST	SAFETY TUBE FGS2SA	Each
FK043-SS	STANDARD TUBE FGS1BA	Each

INSECT-A-CLEAR FLY SHIELD ONE 18W GLUE BOARD

Dimensions 345mm x 250mm x 115mm.
Size: 1 x 18W. Coverage 90 m^2.

TFS

ES

FK040-SS-ST	SAFETY TUBE FG1CSS	Each
FK040-SS	STANDARD TUBE FG1CBS	Each

INSECT-A-CLEAR FLY SHIELD TWO 36W GLUE BOARD

Dimensions 305mm x 440mm. Size: 2 x 18W (36W).
Coverage 100 m^2.

TFS

ES

| FK041-SS-ST	SAFETY TUBE FG2CSS	Each
FK041-SS	STANDARD TUBE FG2CSS	Each

INSECT-A-CLEAR GLU60 30W GLUE BOARD

Dimensions 280mm x 350mm x 150mm.
Size: 2 x 15W (30W). Coverage 40 m^2.

ES

FK046-W-ST	WHITE SAFETY TUBE FG6CSW-D	Each
FK087-SS-ST	STAINLESS STEEL SAFETY TUBE FG6CSS-D	Each

PestFix® ACADEMY

COURSES NATIONWIDE

RSPH ACCREDITED CENTRE

BASIS PROMPT AND BPCA REGISTERED CPD

BESPOKE TRAINING

Training@pestfix.co.uk
+44 (0)1903 538488

RSPH
ROYAL SOCIETY FOR PUBLIC HEALTH
VISION, VOICE AND PRACTICE

ELECTRIC - FLY KILLERS

INSECT-A-CLEAR FLY CHECK 30W GLUE BOARD

Dimensions 490mm x 305mm x 70mm.
Size: 2 x 15W (30W). Coverage 100 m².

FK051-SS-ST	STAINLESS STEEL SAFETY TUBE FGC3SS	Each

INSECT-A-CLEAR WALL FLY 18W GLUE BOARD

Dimensions 450mm x 200mm x 140mm.
Size: 1 x 18W. Coverage 90 m².

TFS

FK052-W-ST	WHITE SAFETY TUBE FGW1SW	Each
FK053-SS-ST	STAINLESS STEEL SAFETY TUBE FGW1SS	Each

INSECT-A-CLEAR REPLACEMENT GLUE BOARDS

Replacement glue boards to fit the Insect-A-Clear glue board unit range. We recommend changing your glue boards once every three months to maintain efficiency. Glue boards should be inspected weekly and changed sooner if necessary.

FK054-TRADE	NANO G20 MGNTR2	6 Pack
FK055-TRADE	NANO G30 MGNTR3	6 Pack
FK056-TRADE	NANO G72 MGNTR7	6 Pack
FK057-TRADE	X-FLY 1 MGXTR1	6 Pack
FK058-TRADE	X-FLY 2 MGXTR2	6 Pack
FK059-TRADE	FUSION 2 MGFTR2	6 Pack
FK060-TRADE	FUSION 4 MGFTR4	6 Pack
FK061-TRADE	VANQUISH MGVTR2	6 Pack
FK062-TRADE	VULCAN MGLTR36	6 Pack
FK070-TRADE	FLY SHIELD ONE MG1TRA6	6 Pack
FK071-TRADE	FLY SHIELD TWO MG2TRA 6	6 Pack
FK072-TRADE	FLY SHIELD SOLO MGSTR1	6 Pack
FK073-TRADE	GLU60 MG6TRA-Y	6 Pack
FK074-TRADE	GLU90 MG9TRA	6 Pack
FK075-TRADE	WALL FLY MGWTR1	6 Pack
FK076-TRADE	FLY CHECK MGCTR3	6 Pack

INSECT-A-CLEAR ACCESSORIES

PestFix stock a full range of spare parts for the Insect-A-Clear range of EFKs, please call us on 01903 538 488 for details.

FK063	CLUSTER BOX FOR T35 T65 T100 T160- MCBTXS	Each
FK064	EXTENSION TRAY- SMALL MSFTXS	Each
FK065	EXTENSION TRAY- LARGE MLFTXS	Each
FK067	SUSPENSION CHAIN - STANDARD (MOST FLY KILLERS) SCHA01	Metre
FK068	SUSPENSION CHAIN- MEDIUM (LANTERN) SCHA03	Metre
FK069	SUSPENSION CHAIN- HEAVY DUTY (T160) SCHA02	Metre

ELECTRIC - FLY KILLERS

GENUS COBRA GREY 45W GLUE BOARD WALL MOUNT OR FREE STANDING

Dimensions 344mm x 528mm x 128mm.
Size: 3 x 15W (45W).

TFS

ES

| FK001-G-GB-ST | GREY SAFETY TUBES | Each |
| FK001-G-IP45-GB-ST | GREY IP45 JET PROOF SAFETY TUBES | Each |

GENUS COBRA TRANSLUCENT 45W GLUE BOARD WALL MOUNT

Dimensions 344mm x 528mm x 128mm.
Size: 3 x 15W (45W). 186% higher catch-rate than Grey.

ES

TFS

BS

PFR

| FK001-TT-GB-ST | TRANSLUCENT SAFETY TUBE | Each |
| FK001-TT-COVER | TRANSLUCENT REPLACEMENT FRONT COVER | Each |

GENUS VIPER 60, 60W KILL GRID / GLUE BOARD

Dimensions 430mm x 512mm x 134mm.
Size: 4 x 15W (60W).

NP

ES

TFS

| FK106-GB-ST | GLUE BOARD SAFETY TUBES | Each |
| FK106-KG-ST | KILL GRID SAFETY TUBES | Each |

GENUS VIPER 30, 30W KILL GRID / GLUE BOARD

Dimensions 337mm x 511mm x 134mm.
Size: 2 x 15W (30W).

NP

TFS

ES

| FK105-GB-ST | GLUE BOARD SAFETY TUBES | Each |
| FK105-KG-ST | KILL GRID SAFETY TUBES | Each |

GENUS SPECTRA COMPACT 36W

Dimensions 163mm x 525mm x 69mm.
Size: 1 x 36W.

ES

TFS

| FK018-GB-ST | GLUE BOARD SAFETY TUBE | Each |

GENUS SPECTRA 72W

Dimensions 518mm x 318mm x 69mm.
Size: 2 x 36W (72W).

ES

TFS

| FK017-GB-ST | GLUE BOARD SAFETY TUBES | Each |

GENUS LIBERATOR 60W KILL GRID / GLUE BOARD

Dimensions 465mm x 490mm x 170mm. Available in 4 x 15W (60W). Sold singularly.

TFS

PFR

FK002-IP45-KG-ST	KILL GRID IP45 JET PROOF SAFETY TUBES
FK002-SS-KG-ST	KILL GRID STAINLESS STEEL SAFETY TUBES
FK003-IP45-GB-ST	GLUE BOARD P45 JET PROOF SAFETY TUBES
FK003-SS-GB-ST	GLUE BOARD STAINLESS STEEL SAFETY TUBES

GENUS ATRAPAFLY 9W PLUG-IN FLY KILLER

Dimensions 104mm x 33mm x 25mm. Available in 1 x 9W.

BS

ISO

FK103-PLUG	GENUS ATRAPAFLY 9W PLUG-IN FLY KILLER Each

GENUS ILLUME 30W GLUE BOARD WALL MOUNT

30W UVA lamp results in higher output than smaller units. Silent operation and out of sight catch area for total discretion in sensitive front of house areas. Colours – Black, White, Polished Stainless and Brass.

TFS

ES

FK109	WHITE SAFETY TUBE	Each
FK110	BLACK SAFETY TUBE	Each
FK111	STAINLESS STEEL SAFETY TUBE	Each
FK112	BRASS SAFETY TUBE	Each

GENUS REPLACEMENT GLUE BOARDS

Universal glue board fits Viper, Cobra, BT Liberator Eclipse, Spectra and Spectra Compact. Sold in packs of 15 glue boards. Also fits many other non-genus flying insect traps. Useful grid pattern helps with insect monitoring.

FK009	UNIVERSAL TO FIT VIPER COBRA LIBERATOR	15 Pack
FK010	ILLUMÉ	10 Pack
FK113	ATRAPAFLY	10 Pack

ELECTRIC - FLY KILLERS

ELECTRIC FLY KILLER REPLACEMENT UVA LAMPS

All UVA lamps are sold singularly.

FK013-ST	WEMLITE 15W 18 INCH SLEEVED SAFETY LAMP
FK013	WEMLITE 15W 18 INCH STANDARD LAMP
FK014	ELECTROSECT 26W ILLUME SLEEVED SAFETY LAMP
FK015-ST	ELECTROSECT 36W 18 INCH SLEEVED SAFETY LAMP
FK015	ELECTROSECT 36W 18 INCH STANDARD LAMP
FK016-ST	PHILIPS 9W G23 GE BIAX F9BX BL SLEEVED SAFETY LAMP
FK016	PHILIPS 9W G23 GE BIAX F9BX BL STANDARD LAMP
FK077-ST	WEMLITE 12 INCH SLEEVED SAFETY LAMP LS14WS-W
FK077	WEMLITE 12 INCH STANDARD LAMP LS14WX-W
FK083-ST	WEMLITE 20 WATT E27 SCREW SLEEVED SAFETY LAMP
FK083	WEMLITE 20 WATT E27 SCREW STANDARD LAMP
FK096-ST	OSRAM LYNX 18W 8 ¾" X 1¾" BL368 4 PIN SLEEVED SAFETY LAMP
FK096	OSRAM LYNX 18W 8 ¾" X 1¾" BL368 4 PIN STANDARD LAMP

FK097-ST	WEMLITE 18W 24" x 1" BL368 SLEEVED SAFETY LAMP
FK097	WEMLITE 18W 24" x 1" BL368 STANDARD LAMP
FK098-ST	SYLVANIA 20W 24"X 1½" BL368 SLEEVED SAFETY LAMP
FK098	SYLVANIA 20W 24"X 1½" BL368 STANDARD LAMP
FK100-ST	SYLVANA 36W 24" X 1" BL368 SLEEVED FLY KILLER SAFETY LAMP
FK100	SYLVANA 36W 24" X 1" BL368 STANDARD LAMP
FK019-ST	WEMLITE 15W 12 INCH T5 SLEEVED SAFETY LAMP
FK019	WEMLITE 15W 12 INCH T5 STANDARD LAMP
FK029-ST	WEMLITE CIRCLINE 8 INCH 22W SLEEVED SAFETY LAMP LC22WS-W
FK029	WEMLITE CIRCLINE 8 INCH 22W STANDARD LAMP LC22WX-W
FK234-ST	ASTRON 15W 18IN UV-A LED SHATTERPROOF LAMP Each

INSECT - TRAPS

THE BUZZ FLY PAPERS

Baited with insect attractant. For indoor and outdoor use.

NP

IT013	THE BUZZ FLY PAPERS	8 Pack

EXOSEX® MOTH CONTROL PHEROMONE TABS

NP

Unlike conventional pheromone traps which monitor moth numbers, Exosex® SPTab and Exosex® CLTab are an 'Auto-confusion' system which employs pheromone to control clothes moths and stored product moths.

IC151	EXOSEX CL TABS	24 Pack
IC153	EXOSEX SP TABS	24 Pack
IC152	EXOSEX CL TABS DISPENSER	24 Pack
IC154	EXOSEX SP TABS DISPENSER	24 Pack

MAXIFLY OUTDOOR FLY TRAP

Ideal for use in waste management and animal housing. Includes 2 x MAXI*fly* bait and 2 x MAXI*dry* sachets.

IT017	MAXIFLY FLY TRAP	Each
IT018	RE-CHARGE KIT	20 Pack

RED TOP FLY TRAP

Outdoor hanging fly trap lasts for 12 weeks. Ideal for waste management and animal housing.

IT030	RED TOP FLY TRAP	Each

TRAPPIT FLY BAG

Outdoor hanging fly trap easy to use, just add water. Ideal for waste management and animal housing.

IT028	TRAPPIT FLY BAG	Each
IT159	TRAPPIT WASP BAG	Each

WASPBANE EFFICIENCY WASP TRAP

Clean, easy to use lasts all season long with no refill necessary, unique venturi tower.

IT025	COMPLETE TRAP	Each
IT026	REPLACEMENT BAIT CHAMBER	Each

FRUIT FLY LEMON TRAP

Small and discreet yellow plastic, ready to use trap, with an attractive lemon shaped design.

IT033	FRUIT FLY LEMON TRAP	12 Pack

TRAPPIT WASP DOME TRAP

Classic design outdoor wasp trap for use with Wasp Lure Liquid in outdoor eating areas, playgrounds and gardens.

IT032	TRAPPIT WASP DOME TRAP	Each

INSECT - TRAPS

WASP PRO WASP TRAP

Wasp and fly trap for outdoor use. Ideal for gardens and outdoor eating areas. Requires 250ml liquid lure.

IT019	TRAP WITHOUT LURE	Each
IT020	WASP PRO WASP LURE 250ML	5 Pack

TRAPPIT LIQUID WASP BAIT

Agrisense formulated non-toxic liquid wasp bait for use in outdoor hanging wasp traps

IT031-1	BOTTLE	1 Litre
IT031-5	PAIL WITH DISPENSING PUMP	5 Litres

TRAPPIT CLOTHES MOTH TRAP BLACK STRIPE DELTA

Single use cardboard monitoring trap for hanging in wardrobes. Contains 1 x 6 week lure per trap.

IT022	TRAPPIT CLOTHES MOTH TRAP BLACK STRIPE DELTA	10 Pack
IT043	TRAPPIT BLACK STRIPE DELTA MOTH TRAP - BASIC - NO LURE	10 Pack

TRAPPIT BLACK STRIPE FUNNEL MOTH TRAP

Best-selling, large volume moth monitoring trap designed for permanent / long term monitoring.

Lure Holder

Trap

IT039	FUNNEL MOTH TRAP	Each
IT040	STICKY LINER INSERT	10 Pack

TRAPPIT LURES

TRAPPIT 6 WEEK SPM PHEROMONE LURE		
IT042	WHITE 6 WEEK SPM PHEROMONE LURE	10 Pack
IM017	6 WEEK TOBACCO MOTH PHEROMONE LURE	10 Pack

TRAPPIT 12 WEEK SPM PHEROMONE LURES			
IT041-BLUE	BLUE	(JAN-MAR)	10 Pack
IT041-GREEN	GREEN	(APR-JUN)	10 Pack
IT041-RED	RED	(JUL-SEP)	10 Pack
IT041-YELLOW	YELLOW	(OCT-DEC)	10 Pack
IM016	12 WEEK CLOTHES MOTH PHEROMONE LURE		10 Pack

TRAPPIT SPM LOCATOR MOTH TRAP FOR STORED PRODUCT MOTH

Stored product moth locator insect monitoring trap low profile disposable SPM trap for rapid detection of source moth Ephestia spp

IM015	TRAPPIT SPM LOCATOR MOTH TRAP FOR STORED PRODUCT MOTH	10 Pack

TRAPPER INSECT MONITOR - BELL LABORATORIES

178mm x 89mm cardboard trap. Can be used whole or separated along perforated lines transforming it into three smaller traps . Includes cockroach lure tablets.

IM001	TRAPPER INSECT MONITOR	100 Pack

MICROBAIT MONITORING STATION

For use with Quicklock Microbait mouse bait station, or independently. Compatible with Trappit CR Pads IM003 (sold separately).

IM002-BK	BLACK	10 Pack
IM002-BL	BLUE	10 Pack
IM002-G	GREEN	10 Pack
IM002-R	RED	10 Pack
IM002-W	WHITE	10 Pack

TRAPPIT CR PADS RTU

Proven industry-leading pheromone attractant. Effective against American, German and Oriental cockroach.

IM003	TRAPPIT CR PADS RTU	100 Pack

TRAPPIT CR CORNER INSECT MONITOR

Compact, corner style cockroach detector trap, designed for route mapping. Supplied with high performance tablet attractant.

IM006	TRAPPIT CR CORNER INSECT MONITOR	30 Pack

TRAPPIT CR LO-LINE CR INSECT MONITOR

Cockroach trap designed for heavy infestations and maximum efficacy. Supplied with high performance tablet attractant.

IM007	TRAPPIT CR LO-LINE CR INSECT MONITOR	10 Pack

TRAPPIT BB PLUS BED BUG MONITOR

With advanced bed bug pheromone lure technology, this is the most sensitive bed bug detection product in the Trappit range.

IM008	TRAPPIT BB PLUS BED BUG MONITOR	20 Pack

INSECT - MONITORING

TRAPPIT BB DETECTOR - BED BUG MONITOR

Easy to use and cost-effective bed bug monitoring device which is effective at trapping bed bugs across the development cycle.

IM013	TRAPPIT BB DETECTOR - BED BUG MONITOR	20 Pack

TRAPPIT CR WINGED INSECT MONITOR RTU

Low profile cockroach detector trap for light and multi-harbourage monitoring in narrow spaces. Includes performance tablet attractant.

IM009	TRAPPIT CR WINGED INSECT MONITOR	30 Pack

BED BUG ALERT MONITOR

Superior quality, crush-free bed bug monitoring station lasts for 6 months. Unsure if you have bed bugs or not? Then Bed Bug ALERT is for you. Captures both adult bed bugs and 2nd instar nymphs.

PFR

BB-ALERT	BED BUG ALERT MONITOR	48 Pack

BELL LABS TRAPPER GLUE TRAP FOR MICE AND INSECTS

Captures mice, cockoaches and all other crawling Insects. Poison-free disposable cardboard glue trap.

IM010	TRAPPER MAX	72 Pack
IM012	TRAPPER LTD	72 Pack

TRAPPIT BB BARRIER TAPE FOR BED BUGS

Glue coated double-sided clear plastic sticky trap which acts as a discreet, continuous barrier to bed bugs.

IM011	TRAPPIT BB BARRIER TAPE FOR BED BUGS 50M Roll

BORDER CONTROL

NP

Border Control™ is a specifically developed paper-backed glue roll that is 20 metres long. It can be used to monitor both crawling insects and mice.

IM018	BORDER CONTROL	20M Roll

FLY SCREEN FOR DOORS VELCRO FIT

Dimensions 2.1m x 1.5m. Lets fresh air in and keeps flying insects out.

IT005	FLY SCREEN FOR DOORS VELCRO FIT	Each

SILVER ALUMINIUM CHAIN SCREEN FOR DOORS

High quality aluminium hanging chain screen measuring 90cm x 200cm. Protects buildings from infestation by flying and biting insects . Ideal for use in kitchens, cafes, food shops, patio doors and conservatories.

IT016	SILVER ALUMINIUM CHAIN SCREEN FOR DOORS	Each

FLY SCREEN FOR WINDOWS VELCRO FIT

Dimensions 1.3m x 1.5m. Lets fresh air in and keeps flying insects out.

IT006	FLY SCREEN FOR WINDOWS VELCRO FIT	Each

FLY SCREEN ROLL

30m x 1.2m fine mesh insect screening net on a roll for large installations.

WM136	FLY SCREEN ROLL	Each

INSECT REPELLERS

TRANSONIC BUGCHASER ULTRASONIC INSECT REPELLER

Protects up to 140 square metres. Effective Against Spiders, Fleas, Mosquitoes, Cockroaches, Ants, Mice and other small pests.

TX-BUG	TRANSONIC BUGCHASER INSECT REPELLER	Each

TRANSONIC PRO ULTRASONIC INSECT REPELLER

Protects up to 325 m^2.

TX-PRO	TRANSONIC PRO INSECT REPELLER	Each

DIGRAIN
C40 WP & BUGSTER EC

ALL-PURPOSE INSECTICIDES

Control insects with confidence.
Digrain C40 WP & BUGSTER EC
Wettable powder, fogging, & surface spray application treatments.

LodiUK
Leading through innovation

Leading insecticides for professional use against flying and crawling insects.

www.lodi-uk.com

Digrain C40 WP contains cypermethrin 40% w/w, Digrain Bugster EC contains prallethrin 2% w/w, cypermethrin 10% w/w. Use Biocides safely. Always read the label and product information before use.

APPLICATION EQUIPMENT - SPRAYERS & DUSTERS

GLORIA 89 1L COMPRESSION SPRAYER

Efficient plastic pump with brass piston and Viton oil resistant seals. Pest control fan-spray tip fitted as standard 00-900/02.

AE029	GLORIA 89 1L COMPRESSION SPRAYER	Each

GLORIA AIR STAR STRATOS 5L COMPRESSION SPRAYER

Pressure gauge, brass spray lance and oil resistant Viton seals . Strong plastic container. Ideal for suspension concentrates and emulsions.

AE003	GLORIA AIR STAR STRATOS COMPRESSION SPRAYER	Each

GLORIA 505T / 405T STEEL 5L COMPRESSION SPRAYERS

Welded stainless steel or mild steel 5L tank. Includes pressure gauge, safety valve and decompression valve.

AE001	505T 5 LITRE - STAINLESS - VITON	Each
AE030	505T 5 LITRE – STAINLESS - NITRILE	Each
AE027	405T 5 LITRE- STEEL – VITON	Each
AE028	405T 5LITRE – STEEL - NITRILE	Each

GLORIA 510T / 410T STEEL COMPRESSION SPRAYERS

Welded stainless steel or mild steel 10L tank. Mild steel tanks are lined with a polymer coating and painted. Includes pressure gauge, safety valve and decompression valve.

AE046	410T 10 LITRE - STEEL - VITON	Each
AE002	510T 10 LITRE - STAINLESS - VITON	Each
AE048	510T 10 LITRE - STAINLESS - NITRILE	Each

GLORIA®

GLORIA COMPRESSION SPRAYER SPARE PARTS LIST

AE036	AIR STRATOS 5 TRIGGER ASSEMBLY	Each
AE044	AIR STRATOS 5 PUMP ASSAY	Each
AE049	FLAT FAN NOZZLE ASSEMBLY - YELLOW TIP	Each
AE050	NITRILE SEAL KIT FOR 405T 505T 410T 510T	Each
AE051	VITON SEAL KIT FOR 405T 505T 410T 510T	Each
AE052	PISTON O-RING - VITON	Each
AE053	PISTON O-RING - NITRILE	Each
AE054	BRASS LANCE WITHOUT NOZZLE	Each
AE055	COMPLETE BRASS TRIGGER ASSEMBLY	Each
AE056	PUMP ASSEMBLY - VITON	Each
AE059	PUMP ASSEMBLY - NITRILE	Each
AE057	TRIGGER VALVE COMPLETE WITH CLIP	Each
AE060	HOSE ASSEMBLY 1.3M - OIL RESISTANT	Each
AE061	COMPRESSOR CONNECTOR - (REPLACES PUMP ASSEMBLY)	Each

If the spares you require are not listed, please contact our Sales Team on 01903 538 488.

BIRCHMEIER COMPRESSION SPRAYERS

Swiss-made quality compression sprayers. Robust construction with metal parts made of brass and stainless steel.

| AE026 | SPRAY-MATIC 5 P 5 LITRE - PLASTIC - VITON | Each |
| AE025 | SPRAY-MATIC 5 S 5 LITRE - STAINLESS- VITON | Each |

BIRCHMEIER SENIOR 20L HEAVY DUTY KNAPSACK SPRAYER

The ideal knapsack sprayer for large scale applications with uncompromising quality. For professional users. 20 litre capacity.

| AE022 | BIRCHMEIER SENIOR 20L HEAVY DUTY KNAPSACK SPRAYER | Each |

BIRCHMEIER FLOX 10L HEAVY DUTY KNAPSACK PUMP SPRAYER

The ideal knapsack sprayer for large scale applications with uncompromising quality. For professional users. 10 litre capacity.

| AE020 | BIRCHMEIER FLOX 10L HEAVY DUTY SPRAYER | Each |

BIRCHMEIER BOBBY MINI DUSTER

Small, light powder duster for spreading products like C40 or Diatomaceous Earth. Simple to use with excellent effect.

| AE023 | BIRCHMEIER BOBBY MINI SPRAYER | Each |

BIRCHMEIER IRIS 15L PROFESSIONAL BACKPACK SPRAYER

The ideal backpack sprayer for large scale applications with uncompromising quality. For professional users. 15 litre capacity.

| AE021 | BIRCHMEIER IRIS 15L PROFESSIONAL BACKPACK SPRAYER | Each |

BIRCHMEIER DR5 PROFESSIONAL HAND PUMP POWDER DUSTER

The professional powder duster for a wide range of uses including wasp and bed bug treatments.

| AE004 | BIRCHMEIER DR5 PROFESSIONAL HAND PUMP POWDER DUSTER | Each |

APPLICATION EQUIPMENT - **SPRAYERS & DUSTERS**

BIRCHMEIER DR5 LANCES

Used to extend the effective range of the DR5 duster.

AE005	DR5 700MM RIGID ALUMINIUM LANCE FOR DR5	Each
AE006	DR5 1500MM RIGID ALUMINIUM LANCE FOR SR5	Each
AE007	DR5 1-2M TELESCOPIC LANCE FOR DR5	Each
AE008	DR5 1M STANDARD LANCE FOR DR5	Each

XL8 7.1M TELESCOPIC LANCE FOR DR5

Long-reach telescopic tool for treating wasp nests at height. Supplied with carry bag.

AE019	XL8 7.1M TELESCOPIC LANCE FOR DR5	Each

MINI-FLEX DR5 DUSTER ATTACHMENT

50cm flexible dusting tool for difficult to reach treatment areas.

AE024	MINI-FLEX DR5 DUSTER ATTACHMENT	Each

THE DUSTICK

Ideal tool for target dusting wasp nests from over 20 feet away.

AE009	THE DUSTICK	Each

APPLICATION EQUIPMENT **- FOGGERS**

SS MINI FOGGER

Designed for jobs where a smaller, less expensive ULV machine is desirable. Features a rotary valve to adjust the output size. 15-40 microns. Adjustable.

AE012	SS MINI FOGGER	Each

B & G 2600 FOGGER

Popular robust ULV machine. Directional hose and flow adjustment knob. 18' hose as standard, 48' hose model available.

AE010	B & G 2600 FOGGER	Each
AE011	B & G 2600 FOGGER WITH 48 INCH HOSE	Each

BIRCHMEIER REC 15 PC4 15L BATTERY BACKPACK ULV COLD FOGGER

Battery-operated backpack sprayer designed specifically for high-performance fogging of large indoor spaces and vehicles compatible with Birchmeier AS1200 air assisted sprayer.

AE102	Birchmeier REC 15 PC4 15L Battery Backpack ULV Cold Fogger	Each

STERI-7 BIOMIST ULV FOGGER

Biomister for volumetric treatment of indoor spaces using biocidal disinfection products. 10-50microns Adjustable.

AE099	STERI-7 BiomiST ULV Fogger Unit	Each

BIRCHMEIER AS 1200 BATTERY SPRAY BLOWER ULV COLD FOGGER

To be combined with the Birchmeier REC 15 this unit provides A large spraying range can be achieved with pre-spraying and a variable air stream. A minimum loss of spray solution and a long reach is the result.

AE104	Birchmeier AS 1200 Battery Spray Blower ULV Cold Fogger	Each

PESTFIX BATTERY POWERED HANDHELD SPRAYER

1.8L Capacity, 30 minutes run time on a full charge. Delivers a 70 micron mist.

AE110	PestFix Battery Powered Handheld Sprayer	Each

STANDARD GEL BAIT APPLICATION GUN

A high quality, light weight, cost effective plastic bait gun. Gun provides pressure relief at end of stroke to control run-on.

| AE014 | STANDARD GEL BAIT APPLICATION GUN | Each |

B & G PROFESSIONAL MULTI-DOSE BAIT GUN 3000

This easy to use multi-dose gun allows you to precisely place gels. One pull gives you the same dose each time. Instant selection from six different gel and paste sizes.

| AE013 | B & G PROFESSIONAL MULTI-DOSE BAIT GUN 3000 Each |

INSECTICIDE GEL CANTEEN

Compatible with all ant and cockroach gels. Use in conjunction with a gel bait applicator gun, see tools section.

| IT023 | INSECTICIDE GEL CANTEEN | 60 Pack |

BROOM - WOOD AND COIR - 18 INCH HEAD

General purpose broom, wood handle and head, stiff coir bristles, handle length 48in, broom head width 18in, 1.1/8" x 48".

| AE086 | BROOM - WOOD AND COIR - 18 INCH HEAD | Each |

LONG HANDLED SCRAPER

Replaceable high carbon spring steel blade, ground and polished finish. Tubular steel handle. Blade size: 75 x 205mm. Overall length: 1220mm. Replacment blade available.

| AE087 | LONG HANDLED SCRAPER | Each |
| AE087-R | REPLACMENT BLADE | Each |

SPECIMEN MAGNIFYING POT

Each individual transparent pot has measurement grids of 5mm squares on the base, making it easier to size specimens. Features a magnifying lid for viewing hard to see details.

IT027	SPECIMEN MAGNIFYING POT	10 Pack

TECHNICIANS CARRY BAG 45L

45 Litre storage bag, designed for easy storage of pesticides and tools. With carry handles and shoulder strap.

AE065	TECHNICIANS CARRY BAG 45L	Each

PESTICIDE STORAGE JAR

Strong, robust plastic storage jar.

AE066	PESTICIDE STORAGE JAR	Each

PLASTIC BAIT SCOOP

Tough, durable and easy to clean polypropylene. Virtually unbreakable .

AE063	PLASTIC BAIT SCOOP	Each

ADHESIVE CAULKING FRAME GUN - STANDARD

Ideal for applying Silicone Adhesive FixAll and Bird Repellent Gel. Lightweight, robust design.

BS334	ADHESIVE CAULKING FRAME GUN - STANDARD	Each

PROFESSIONAL HEAVY DUTY FRAME GUN

Heavy duty frame gun for use with all our cartridge based products. Fits all cartridges up to 300ml. An essential tool for the professional pest controller.

AE015	PROFESSIONAL HEAVY DUTY FRAME GUN	Each

LIQUID FUNNEL

Hook handle for easy use. Removeable sieve filter to prevent solids entering the container.

AE095	LIQUID FUNNEL	Each

POURING JUG

Tough durable 2L pouring jug for the transfer of liquids.

AE094	POURING JUG 2L	Each

WATER SPRAY BOTTLE

1L Empty polycarbonate spray bottle. Heavy duty trigger handle.

AE073	WATER SPRAY BOTTLE	Each

MAGNIFYING HAND LENS

2x Magnification 100mm Diameter.

AE078	MAGNIFYING HAND LENS	Each

DUAL MAGNIFYING LENS

Dual lenses: a x10 (18mm) Triplet lens and a x20 (12mm).

AE088	DUAL MAGNIFYING LENS	Each

SCREWDRIVERS YAMOTO 150MM

Ergonomically designed handles which are dual material and three-sided. Chrome vanadium steel blades with magnetic tips.

FK118	PHILLIPS SCREWDRIVER NO.1 150MM	Each
FK119	FLATHEAD 5.0MM PARALLEL 150MM	Each

HUMANE BIRD DESPATCHER PLIERS

For the humane despatch of birds by neck dislocation.

BC005	HUMANE BIRD DESPATCHER PLIERS	Each

DISPOSABLE ADHESIVE PRIMING BRUSH

An essential surface preparation tool for installing bird control spikes.

BS335	DISPOSABLE ADHESIVE PRIMING BRUSH	Each

BLOW OUT PUMP

Used for clearing holes drilled in masonry and concrete prior to inserting fixings.

AE016	BLOW OUT PUMP	Each

METAL SCRAPER

Heavy-duty metal scraper for removing stubborn guano solids. 220mm x 75mm. Durable construction.

GC091	METAL SCRAPER	Each

EXPANDING FOAM APPLICATOR GUN

For use with our Gun-Grade Expanding Foam BS382. Professional gun is ideal for heavy-duty use. Use Foam Gun Cleaner after use.

AE018	EXPANDING FOAM APPLICATOR GUN - STANDARD	Each
AE017	EXPANDING FOAM APPLICATOR GUN - PROFESSIONAL	Each
AE031	EXPANDING FOAM APPLICATOR GUN CLEANER	500ml

WIRE BRUSH

Ideal for removing stubborn guano. 290mm x 30mm x 45mm. Durable wood and steel construction.

GC092	WIRE BRUSH	Each

MINI GRABBER

A safe and hygienic way to handle dead mice and rats.

RT015	MINI GRABBER	Each

HEAVY GAUGE WASTE SACKS BLUE AND CLEAR

Much stronger than a domestic black bin liner. Ideal for use in disposing of pest carcasses, droppings and infestation site clearance work.

NP

GC083	HEAVY GAUGE WASTE SACK - BLUE	10 Pack
GC110	HEAVY GAUGE WASTE SACKS - CLEAR	10 Pack

CABLE TIES 200MM x 4MM

For use in sealing our heavy duty waste sacks once full. Available in packs of 100.

GC095-100	CABLE TIES	100 Pack

METAL SHOVEL

All steel construction. 140mm x 393mm x 60mm.

GC097	METAL SHOVEL	Each

SOFT BRUSH

Soft Brush for use in collecting guano. Durable wood construction.

GC098	SOFT BRUSH	Each

DIGRAIN FUMITE OPP DISINFECTANT SMOKE BOMB

Proven 99.9% control of E. coli, Staphylococcus Aureus, Avian Influenza, Norovirus and Salmonella. Digrain Fumite OPP is a quick and easy bacterial, fungicidal and virucidal disinfectant smoke bomb.

DI035	DIGRAIN FUMITE OPP DISINFECTANT SMOKE BOMB	30 G
DI036	DIGRAIN FUMITE OPP PRO DISINFECTANT BOMB	250 G

EQUIPMENT AND PPE

STERI-7 XTRA HIGH LEVEL SURFACE DISINFECTANT CLEANER

Kills 99.9999% biocidal liquid for surface spray and fogging disinfecting. Fragrance free or Lemon in ready to use or concentrate. Unique reactive barrier means continual disinfecting on surfaces for days after application.

DI012	READY TO USE	750ml
DI014	READY TO USE	5 Litres
DI016	CONCENTRATE	1 Litre
DI018	CONCENTRATE	5 Litres
DI020	CONCENTRATE	20 Litres

MARINE BIRD MUCK REMOVER

Specialist detergent for cleaning guano off vehicles, boats and other sensitive surfaces.

GC099-500	TRIGGER SPRAY	500ml
GC099-5	JERRY CAN	5 Litres

STERI-7 XTRA BIOCIDAL WIPES

Kills 99.9999% of pathogens in seconds and leaves a reactive barrier which continues to disinfect for days after application.

DI061	WIPES	80 Pack
DI022	WIPES TUB	200 Pack
DI023	WIPES BUCKET	800 Pack

STERI-7 XTRA BIOCIDAL HAND WASH AND HAND RUB

Use wherever the highest standards of hand hygiene is required including, healthcare & food processing environments where there is a risk of cross contamination.

DI027	STERI-7 XTRA Biocidal Hand Wash	600 ml
DI028	STERI-7 XTRA Biocidal Hand Wash	5 Litre
DI029	STERI-7 XTRA Biocidal Hand Rub	250ml
DI025	STERI-7 XTRA Biocidal Hand Rub	600ml
DI026	STERI-7 XTRA Biocidal Hand Rub	5 Litre

GUANAWAY DISINFECTANT SPRAY AND CONCENTRATE

Detergent and disinfectant for bird dropping removal.

GC101-750	GUANAWAY TRIGGER SPRAY	750ml
GC101-5	GUANAWAY JERRY CAN CONCENTRATE	5 Litres

TOOLS & CLEANING - CLEANERS & DISINFECTANTS

PX LEPTO CONCENTRATE

Disinfectant for sanitising rodent droppings, urine, nesting materials and carcasses.

DI005-1	PX LEPTO CONCENTRATE	1 Litre
DI005-5	PX LEPTO CONCENTRATE	5 Litres

PX PARVO CONCENTRATE

Contains biguanide and QAC biocides. Effective against bacteria, viruses and fungi. For use in the animal housing and animal health care industries.

DI006-1	PX PARVO CONCENTRATE	1 Litre
DI006-5	PX PARVO CONCENTRATE	5 Litres

DIGRAIN CLEAN DISINFECTANT CONCENTRATE

Public health disinfectant. Quarterny ammoniums.

DI002	DIGRAIN CLEAN DISINFECTANT CONCENTRATE	5 Litres

PX ORNIKILL AVIAN DISINFECTANT CONCENTRATE

Specialist disinfectant for use in cleaning up bird droppings, carcasses and nest materials.

GC079-1	SQUEEZE AND POUR DOSAGE BOTTLE	1 Litre
GC079-5	JERRY CAN	5 Litres

DEADLINE® ODORISING 24.5g SACHETS

Orchid fragrance sachet designed to mask unpleasant odours.

DI004	DEADLINE® ODORISING 24.5g SACHETS	10 Pack

EARTHCARE ODOUR REMOVAL BAG

Simply and easily removes the odours caused by dead rats, mice as well as many other unpleasant odours.

DI008	EARTHCARE ODOUR REMOVAL BAG	Each

PERSONAL **PROTECTIVE EQUIPMENT**

BLUE NITRILE POWDER FREE DISPOSABLE GLOVES

Powder-free non-sterile light-duty disposable nitrile gloves.

GC080-S	Small	100 Pack
GC080-M	Medium	100 Pack
GC080-L	Large	100 Pack
GC080-XL	X Large	100 Pack

NITRILE GAUNTLET GLOVES

Chemically resistant nitrile gloves for heavy duty cleaning work.

GC084	NITRILE GAUNTLET GLOVES	Pair

KEEP SAFE NITRILE COATED WORK GLOVES

Suitable for light handling or assembly where a high degree of dexterity is required.

AE040	KEEP SAFE NITRILE COATED WORK GLOVES	Pair

HEAVY DUTY RIGGERS GLOVES

Heavy-duty, suede leather palmed and finger tipped, canvas backed gloves.

GC082	HEAVY DUTY RIGGERS GLOVES	Pair

DUPONT TYVEK CHF5 HOODED SUIT

The Dupont disposable hooded suit is designed for single use only in the removal of pest droppings, infestations and animal carcasses. Elasticated at the cuffs and ankles, it protects against liquid splashes, sprays and particles .

GC087-S	Small	Each
GC087-M	Medium	Each
GC087-L	Large	Each
GC087-XL	Extra Large	Each
GC087-XXL	Double Extra Large	Each

TYVEK OVERSHOES

Disposable overshoes in Tyvek© White. One size fits all.

GC104	TYVEK OVERSHOES	Pair

PERSONAL **PROTECTIVE EQUIPMENT**

SAFETY GLASSES HONEYWELL A700 CLEAR LENS

Clear lens with anti-scratch coating.

GC105	SAFETY GLASSES HONEYWELL A700 CLEAR LENS	Pair

JSP GOGGLES

Shatterproof and scratch resistant, conforms to EN 166, ANSI Z87.1.

GC085	JSP GOGGLES	Pair

POLYCARBONATE FACE SHIELD & BROW GUARD

Safety face shield with a clear Polycarbonate Visor, integral browguard and elasticated head band .

AE041	POLYCARBONATE FACE SHIELD & BROW GUARD	Each

DISPOSABLE BLUE OVERSHOES

Made from polyethylene. Wear over shoes/boots to prevent spread of bacteria, viruses and muck. One size fits all

GC115	DISPOSABLE BLUE OVERSHOES	100 Pack

HARD HAT

Comfortable six point mounted fully adjustable Terylene cradle. Conforms to EN 397, MM, LD, -40°C.

AE037	HARD HAT	Each

HIGH VISIBILITY SAFETY VEST

Double reflective band and braces. Class 2 EN471.

PFR

AE039-M	Medium	Each
AE039-L	Large	Each
AE039-XL	Extra Large	Each
AE039-XXL	Extra Extra Large	Each

PERSONAL **PROTECTIVE EQUIPMENT**

DISPOSABLE EAR PLUGS PU FOAM

Easy to use dispensing box. Conforms to EN 352-2:2002, SNR = 37.

AE042	DISPOSABLE EAR PLUGS PU FOAM 200 Pack (100 Pairs)	

EAR DEFENDERS

General purpose ear defenders . Conforms to EN352-1.

AE038	EAR DEFENDERS	Each

FACE SHIELD DISPOSABLE SINGLE USE

Size: 33cm x 23cm, 175 micron face shield, Features a flexible polyurethane foam brow.

AE105	FACE SHIELD DISPOSABLE SINGLE USE	Each

PESTFIX PROFESSIONAL WHITE BEEKEEPER COVERALLS AND VEIL

Durable polyester-cotton fabric. Features strong easy to pull YKK zips. Supplied with two veils.

AE156-M	Medium	Each
AE156-L	Large	Each
AE156-XL	Extra Large	Each
AE156-XXL	Double Extra Large	Each

RESPAIR E DISPOSABLE P3 VALVED FACE MASK

High Quality Disposable Respirator Conforms To EN149:2001 + A1: FFP3 NR.

GC086	RESPAIR E P3 VALVED FACE MASK	Each

ARCO TWIN RESPIRATORS

These reusable respirators are designed for use with the Arco STS or Sundstrom range of particulate and gas filters.

AE096	ARCO REUSABLE HALF MASK RESPIRATOR	Each
AE161	ARCO REUSABLE FULL FACE RESPIRATOR	Each

PRIME QUALITY GALVANISED STEEL WELDMESH

Welded wire mesh in 0.9m wide rolls. Stainless steel weldmesh available to special order.

WM109	12.5MM X 25MM 16G	25M Roll
WM141	12.5MM X 25MM 16G	6M Roll
WM108	25MM X 25MM 15G	25M Roll
WM142	25MM X 25MM 15G	6M Roll
WM110	50MM X 50MM 14G	25M Roll
WM123*	50MM X 50MM 12G PANEL 2.4M X 1.2M	Each
WM143	6.5MM X 6.5MM 22G GALVANISED STEEL 0.9M X 6M ROLL	6M Roll
WM144	6.5MM X 6.5MM 22G GALVANISED STEEL 0.9M X 30M Roll	30M Roll

* Double pallet delivery or collection only

GALVANISED STEEL WELDMESH CLIPS

18mm x 23mm with a 6mm hole. Manufactured in galvanised steel. Ideal for securing weldmesh to cladding masonry or timber.

WM111-50	WELDMESH CLIPS	50 Pack
WM111-100	WELDMESH CLIPS	100 Pack

BIRD CATCH NET WITH 5FT EXTENDING POLE

Strong bird catch net with 5 foot extending pole.

BC006	BIRD CATCH NET WITH 5FT EXTENDING POLE	Each

GALVANISED STEEL WIRE RABBIT NETTING

Hot dipped galvanised wire netting.

WM116	600MM X 31MM 19G	50M Roll
WM117	1050MM X 31MM 19G	50M Roll
WM120	1050MM X 31MM 18G	50M Roll
WM130	1200MM X 31MM 19G	50M Roll
WM131	1200MM X 31MM 18G	50M Roll

SOLAR PANEL MESH

Wire mesh for bird proofing solar arrays, one 30m roll per bag of 60 solar panel clips.

WM133	GALVANISED 25MM X 25MM X 200MM 16 GAUGE.	30M Roll
WM134	STAINLESS STEEL 25MM X 25MM X 250MM 19 GAUGE.	30M Roll
WM132	SOLAR PANEL MESH CLIPS	60 Pack

DOME HEAD POZI DRIVE SCREWS

General purpose screws which are compatible with many of our fixings. For use with timber or masonry (with a wall plug).

NF328	NO. 6	25MM GALVANISED STEEL	100/1000 Pack
NF327	NO. 6	25MM STAINLESS STEEL	100/1000 Pack
NF326	NO. 6	31MM GALVANISED STEEL	100/1000 Pack
NF324	NO. 6	31MM STAINLESS STEEL	100/1000 Pack
NF306	NO. 8	25MM GALVANISED STEEL	100/1000 Pack
NF311	NO. 8	25MM STAINLESS STEEL	100/1000 Pack
NF282	NO. 8	31MM GALVANISED STEEL	100/1000 Pack
NF301	NO. 8	31MM STAINLESS STEEL	100/1000 Pack

ANIMAL TRAPS

WCS TUBE TRAP

For grey squirrel, mink, stoat or weasel.

AT008	WCS TUBE TRAP	Each

FENN TRAPS

For rat, squirrel, rabbit or mink.

AT009	FENN TRAP MARK 4	Each
AT010	FENN TRAP MARK 6	Each

BMI BODY GRIP SPRING TRAPS AND TUNNEL

Body grip trap approved for rats, grey squirrels, weasels and stoats.

AT003	BMI BODY GRIP 110 SPRING TRAP STANDARD	Each
AT004	BMI BODY GRIP 116 SPRING TRAP LARGE	Each
AT005	BMI BODY GRIP TRAP TUNNEL	Each

DEFENDERS MOLE CLAW TRAP

Catch and kill trap for protection of lawns and gardens. Strong spring action, made from durable galvanised construction.

AT002	DEFENDERS MOLE CLAW TRAP	Each

DUFFUS MOLE TRAP

The Duffus Mole Trap is fully spring loaded and once a mole passes through the loops it snaps upwards killing the mole. Made of rust proof galvanised steel.

AT021	DUFFUS MOLE TRAP	Each

MOLE SCISSOR TRAP

The Mole Scissor Trap is a poison free, fast and effective mole control mechanism for the protection of lawns and gardens. The trap features a double ended trap for maximum efficiency.

AT022	MOLE SCISSOR TRAP	Each

TALPEX MOLE TRAP

Double ended for maximum efficiency. Made from weather resistant galvanised metal.

AT011	TALPEX MOLE TRAP	Each

TALPIRID MOLE TRAP

Safer to use than a traditional mole trap. Made from glass- filled nylon no-rust with easy-set foot pedal. Robust all-weather construction.

AT012	TALPIRID MOLE TRAP	Each

MONARCH TYPE MULTI-CATCH RAT TRAP

This Multi-Catch rat trap has a one way entrance and self resetting door into the retention area. The tried and tested design is made from 15 swg welded zinc plated mesh. Dimensions: 430mm x 240mm x 180mm.

AT019	MONARCH TYPE MULTI-CATCH RAT TRAP	Each

DOUBLE ENTRY SQUIRREL AND MINK TRAP

Similar to the standard squirrel and mink trap but slightly longer and with a door at both ends. The target species can see a clear exit and therefore enters the trap more readily. Dimensions: 160mm x 150mm x 710mm.

AT020	DOUBLE ENTRY SQUIRREL AND MINK TRAP	Each

DEFENDERS SQUIRREL CAGE TRAP

Poison free, humane method of catching and removing pest grey squirrels. Can be used in lofts, attics and other indoor areas.

WM119	DEFENDERS SQUIRREL CAGE TRAP	Each

RABBIT METAL CAGE TRAP

Single catch trap. One door operated by treadle via a release arm. Dimensions: 800mm x 200mm x 225mm.

AT014	RABBIT METAL CAGE TRAP	Each

ANIMAL **TRAPS**

FERAL CAT TRAP

Features a rear sliding door for removal. Dimensions 750mm x 175mm x 150mm.

AT013	FERAL CAT TRAP	Each

DEFENDERS FOX CAGE TRAP - STV073

Humane, non-lethal, live capture animal trap. Ideal for foxes, badgers and other stray animals. Dimensions: 1460mm x 660mm x 430mm.

AT001	DEFENDERS FOX CAGE TRAP - STV073	Each

PESTFIX PROFESSIONAL DOG AND FOX CAGE TRAP - HEAVY DUTY

Dimensions: 1230mm x 360mm x 370mm. Single door trap with treadle plate. Heavy gauge galvanised steel construction.

AT015	*PESTFIX* PROFESSIONAL DOG AND FOX CAGE TRAP - HEAVY DUTY	Each

DOG AND FOX CAGE TRAP FOLD DOWN

Strong single live catch cage trap with bait hook release and dead fall galvanised door. Dimensions: 1200mm x 500mm x 550mm.

AT016	DOG AND FOX CAGE TRAP FOLD DOWN	Each

WILD BIRD SEED - 12.55Kg

NP

Contains selected seeds, grains and cereals. Supplied in a 12.55Kg sack. Store in a cool, dry place, away from direct sunlight.

BC009	WILD BIRD SEED	Each

FOLDAWAY FERAL PIGEON TRAPS

Galvanised steel mesh trap with/without vinyl floor. Easy to assemble, flat packs for ease of storage and transportation.

BC001	FOLDAWAY FERAL PIGEON TRAP WITH BASE	Each
BC002	FOLDAWAY FERAL PIGEON TRAP WITHOUT BASE	Each

ANIMAL - ALUMINIUM PHOSPHIDE

PHOSTOXIN ALUMINIUM PHOSPHIDE SPHERICAL 3G TABLETS

NP

Certificate and proof of training required. For control of brown rats, rabbits and moles in their burrows. Requires the use of a specialist applicator.

PUO

PH001	PHOSTOXIN - ALUMINIUM PHOSPHIDE [CERTIFICATION REQUIRED]	30 Tablets

PHOSTOXIN APPLICATOR

Essential and mandatory engineering measure to ensure safe use of Phostoxin tablets.

PH003	PHOSTOXIN APPLICATOR	Each

PHOSTOXIN DIBBER METAL PROBE

Essential tool for probing for and creating openings in burrows for Aluminium Phosphide tablet dispensing. Dibber probe head is the correct diameter for the head of the PH003 Phostoxin Applicator. **DO NOT** use Applicator itself to create openings as it will damage and/or block the tool .

PH006	PHOSTOXIN METAL PROBE	Each

PHOSTOXIN APPLICATION KIT

Kit contains Phostoxin applicator, metal dibber tool and carry case. The perfect starter kit for using Aluminium Phosphide. Kit components also sold separately.

Applicator   Metal Probe

Carry Case

PH002	PHOSTOXIN APPLICATION KIT	Each

PHOSTOXIN APPLICATOR SPARE TUBE

Simply screws on to the applicator dispenser/handle assembly.

PH004	PHOSTOXIN APPLICATOR SPARE TUBE	Each

PHOSTOXIN APPLICATOR CARRY CASE

Padded nylon transport and storage case for PH003 Phostoxin Applicator.

PH005	PHOSTOXIN APPLICATOR CARRY CASE	Each

ANIMAL CONTROL

SHOOTING - ACCESSORIES & CONSUMABLES

RWS RUAG SUPER H POINT AIR GUN PELLETS

Smooth diablo pellet with a hollow point. Guaranteed excellent penetration power and maximum shock effect within the vermin.

| SH003 | 0.22 CALIBER | 500 Pack |
| SH004 | 0.177 CALIBER | 500 Pack |

BISLEY PEST CONTROL AIR GUN PELLETS

High quality pellet made in Germany. Medium weight hunting pellet with flat trajectory for medium range.

| SH005 | 0.22 CALIBER | 200 Pack |
| SH006 | 0.177 CALIBER | 500 Pack |

POWER PELLET LUBE BY NAPIER

Greatly improves the gyroscopic effect and results in improved flight, with dramatic improvement in accuracy.

| SH007 | 25ML ECO SPRAY NAPIER | Each |
| SH029 | 10ML BOTTLE NAPIER | Each |

WILKINS LEATHER AIR GUN PELLET POUCH

Supplied with a cord for wearing around the neck and quick release belt clip.

| SH008 | LARGE 500 X 0.22 CAL | Each |
| SH009 | SMALL 100 X 0.22 CAL | Each |

BISLEY CANVAS AIR GUN PELLET BELT POUCH

Velcro opening with belt attachment loop to the reverse.

Green

| SH010 | BISLEY CANVAS AIR GUN PELLET BELT POUCH | Each |

BISLEY AIR GUN CLEANING KIT

Suits both 0.177 and 0.22 calibre.

| SH011 | BISLEY AIR GUN CLEANING KIT | Each |

SHOOTING - **ACCESSORIES & CONSUMABLES**

BISLEY GUN OIL

An excellent general purpose light mineral oil for all guns.

| SH012 | 125ML TIN | Each |
| SH013 | 150ML AEROSOL | Each |

BISLEY GUN GREASE 50ML TUB

Ideally suited for all moving parts. Ensures lasting performance whilst resistant to corrosion.

| SH014 | BISLEY GUN GREASE 50ML TUB | Each |

BISLEY GUN LUBRICANT

Specially formulated for guns, for lubrication of interfacing metal surfaces.

| SH015 | BISLEY GUN LUBRICANT 30ML BOTTLE | Each |

BISLEY GUN BLUE 75G TUB

Bisley Blue Gel gives deep even blueing of gun barrels and other metal parts.

| SH024 | BISLEY GUN BLUE 75G TUB | Each |

TRACKER SHOOTING SAFETY GLASSES BY BOLLE

Features coatings for anti-scratch and anti-fog.

SH017	CLEAR LENS SHOOTING GLASSES	Pair
SH018	SMOKE LENS SHOOTING SAFETY GLASSES	Pair
SH019	YELLOW LENS SHOOTING SAFETY GLASSES	Pair

GUN MOUNTABLE TORCH AND SCOPE MOUNT

LED bulb 97 lumens - 145m distance. Supplied with spare bulb in cap.

| SH020 | LED AA MINI MAGLITE – GUN MOUNTABLE TORCH | Each |
| SH021 | MINI MAGLITE SCOPE MOUNT | Each |

DLX RIFLE CASE BY PLANO

Holds a single rifle with high-mount 50mm scope. Features strong durable full length piano hinges, a protective aluminium valance, fold-away handles and dual key-lock latches.

SH025	DLX RIFLE CASE BY PLANO	Each

SPECIAL EDITION RIFLE CASE PLANO

Contoured recessed latches, padlock tabs for added security and strong, rigid ribbed construction. Holds a single rifle with high-mount 50mm scope. Measures 47.87" x 10.44" x 3" internally.

Case only, gun not included

SH026	SPECIAL EDITION RIFLE CASE PLANO	Each

DAVID NICKERSON PADDED GUN SLIP

Full length nylon zip. Outer pocket and fleece lining. Length: 49" Width: 10".

SH028	DAVID NICKERSON PADDED GUN SLIP GREEN	Each

BISLEY BLACK ECONOMY RIFLE COVER

Top flap with single buckle and adjustable sling. Length: 50" width: 10".

SH027	BISLEY BLACK ECONOMY RIFLE COVER	Each

TERMS OF BUSINESS

In these terms of trading the following definitions apply:

A. The Seller (1) shall be Crisp Websites Limited (1) incorporating the trading name "PestFix"

B. The Purchaser (2) shall be the company name under which the purchase order is issued.

C. The "Goods" (3) shall be all or any part of the materials supplied by the Seller (1) to the Purchaser (2)

D. The term "Special Goods" (4) shall have the meaning in clause 8.

E. The "Carrier" (5) shall be any third party parcel delivery or postal service used by the Seller (1) to deliver the Goods (3) to the Purchaser (2).

Contract

All orders are placed by the Purchaser (2) and accepted by the Seller (1) on the terms and conditions of trading contained herein, unless these terms are varied in writing by a Company Director of Crisp Websites Limited (1). This contract will take precedence over the "The Buyers" conditions of purchase.

1. General

The contract to supply is between Crisp Websites Limited (1) of Unit 1d Littlehampton Marina, Ferry Road, Littlehampton, West Sussex, BN17 5DS; hereinafter referred to as to the 'Seller' (1) and the company in which name the purchase order refers to (2) hereinafter referred to as the 'Purchaser' (2) placing the order. The Seller (1) reserves the right to refuse to accept the Purchase order of the Purchaser (2). The Purchaser (2) undertakes to provide the Seller (1) with an official written purchase order printed on the Purchaser's (2) letterhead and containing a unique purchase order reference number, supplied either by email, fax or post in support of any verbal order placed either in person or by telephone with the Seller (1) by the Purchaser's (2) authorised representatives. Orders will only be valid once the Seller (1) issues an acknowledgement to the Purchaser (2) containing a unique sales order acknowledgement reference number, either verbally, by email, by fax or by post.

2. Payment Terms

For customers purchasing goods without a credit account payment of cleared funds is required by the Seller (1) prior to dispatch of goods.

For customers with credit accounts, the Purchaser (2) undertakes to accept and adhere to payment within 30 days end of month on the Seller's (1) invoice Payment is due to be made by the Purchaser (2) to the Seller (1) without right of set-off or counterclaim so as to be received by the Seller (1) at its business address not later than the 30-days stipulated. Failure to adhere to the Seller's (1) stated payment terms will be treated as a breach of contract. The Seller (1) accepts payment in Cash, by credit card (American Express, Visa, MasterCard and Maestro), by cheque and by bank transfer. Any variation of the Seller's (1) stated payment terms must be by prior written agreement between the Seller (1) and the Purchaser (2).

a. If any sum payable is not paid within the agreed payment terms, the Seller (1) will be entitled to:

b. Receive interest at the rate set by the Late Payment of Commercial Debts (Interest) Act 1998, calculated (on a daily basis) from the date of invoice until payment is received as cleared funds in the Seller's (1) bank account, compounded on the first day of each month and before and after any judgment (Unless a court orders otherwise).

c. Claim fixed sum compensation from the Purchaser (2) under section 5a of that Act.

d. Recover the cost of taking legal action to make the Purchaser (2) pay.

e. Payment of such interest shall be without prejudice to the Seller's (1) rights under the agreement.

Any credit given by the Seller (1) to the Purchaser (2) may be terminated at any time without notice.

3. Credit Accounts

The Purchaser (2) authorises the Seller (1) to use the information provided by the Purchaser (2) to Seller (1) in this application form to pass on to third party credit reference agencies for the purpose of establishing the creditworthiness of the Purchaser (2) and allocating a relevant credit limit against the Purchaser's (2) credit account. The Seller (1) may at its discretion open and close credit account facilities for the Purchaser (2) on such terms as the Seller (1) may determine. The Purchaser's (2) credit account will be allocated a credit limit above which no further credit will be given against orders placed by the Purchaser (2). In circumstances where a Purchaser's (2) credit limit is reached any further orders will not be processed or acknowledged until payment has been received to free up sufficient credit.

4. Prices

All prices quoted are in pounds sterling and are exclusive of Value Added Tax (VAT) where applicable. Prices quoted are subject to change without notice, though we will try, wherever possible, to give notice of any changes. Once the Seller (1) issues a unique sales order acknowledgement number as confirmation of the Purchaser's (2) official purchase order the prices therein will remain unchanged.

5. Re-Presented Cheques

A £15 charge will be made each time a cheque has to be re-presented for clearance.

6. Carriage Charges

Except where otherwise agreed in writing, prices will not include delivery charges. Delivery charges will be notified to the Purchaser (2) by the Seller (1) at point of order and charged as a separate line item on the invoice to the Purchaser (2).

All orders with a net value exceeding £200.00 will be shipped free of charge to one address per order, provided that the address is within UK mainland (meaning Scotland England & Wales but excluding Northern Ireland and all Islands). All orders with a net value below £200.00 will incur delivery a charge, which will be quoted at placement of order. Please call our customer service team on +44 (0)1903 538 488 for delivery costs outside UK mainland. Most orders depending upon weight, will be shipped by courier and will be delivered on the next working day following the date of order. If delivery charges are not agreed the following shall apply:

To each delivery address in Great Britain - meaning Scotland, England Wales but excluding all islands:

a. Orders in excess of £175.00 + VAT - no charge (unless Special Delivery)

b. Orders less than £175.00 + VAT will be charged a pre-agreed delivery fee per order and delivered within 5-working days of the order date.

7. Time for Delivery

All orders placed before 4:30pm, Monday to Friday will be dispatched the same day. Save under clause 8, the Seller (1) makes no agreement as to time of delivery. The Seller (1) has no control over carriage or post. Any delivery times indicated are estimated only and the Seller (1) accepts no liability for late delivery.

8. Lead time for Special Goods

Special Goods including cut-to-size or otherwise bespoke bird-netting and bespoke fixings or brackets are made to order. The Seller (1) will notify and agree the lead time for delivery of Special Goods to the Purchaser (2) at the time of ordering prior to acceptance of the order from the Purchaser (2) in writing by the Seller (1).

9. Address for Delivery and Point of Delivery

The Seller (1) shall deliver to the address provided by the Purchaser (2). All orders being delivered must have a valid postcode for the delivery address. The Seller (1) will not deliver goods to the Purchaser (2) without a full postal address. The Seller (1) is unable to deliver to P.O. boxes. All orders will require a signature upon receipt at the point of delivery. The Seller (1) accepts no liability if the delivery cannot be made or is not accepted at the address given. Undelivered goods will be retained by the Carrier (5) and a card left at the point of delivery giving details of how the goods may be released from the Carrier's (5) possession. The Purchaser (2) may be required to collect the goods from the Carrier's (5) premises. Where goods are collected by the Purchaser (2) from, the Seller's (1) premises, the Seller (1) shall in no circumstances be responsible for any collection vehicle or container used by the Purchaser (2), their suitability or condition nor liable for any damage or loss resulting from their use. The "point of delivery" for goods delivered by the Seller (1) shall be the point at which the Goods are signed for by the Purchaser (2). The point of delivery for goods collected by the Purchaser (2) from the Seller (1) shall be the point at which the goods are placed on the Purchaser's (2) transport or picked up by the Purchaser (2) and signed for by the Purchaser (2) or the Purchaser's (2) carrier or agent.

10. Deliveries to Site

All deliveries to site (any address other than the Purchaser's (2) billing address) will be handled on the same terms as described in section 9.

11. Special Deliveries

The Purchaser (2) can, by prior agreement, arrange for a special delivery within the UK Mainland (excluding all islands) as follows:

a. Express Delivery (next working Day)

The Seller (1) will aim to deliver the goods to the Purchaser (2) within 48-hours of confirming the Purchaser's (2) order. Orders received by 3pm between Monday and Friday will be despatched by the Seller (1) the same day using a third party Carrier (5) service, for delivery to the Purchaser (2) the next working day between 09:00 and 18:00 (excludes Saturdays, Sundays and public holidays).

b. Express Delivery (before 10:30 next working day)

The Seller (1) will aim to deliver the goods to the Purchaser (2) within 48-hours of confirming the Purchaser's (2) order. Orders received by 3pm between Monday and Friday will be despatched by the Seller (1) the same day using a third party Carrier (5) service, for delivery to the Purchaser (2) the next working day before 10:30 (excludes Saturdays, Sundays and public holidays).

c. Express Delivery (before 09:00 next working day)

The Seller (1) will aim to deliver the goods to the Purchaser (2) within 48-hours of confirming the Purchaser's (2) order. Orders received by 4:30pm between Monday and Friday will be despatched by the Seller (1) the same day using a third party Carrier (5) service, for delivery to the Purchaser (2) the next working day before 09:00 (excludes Saturdays, Sundays and public holidays).

d. Saturday Delivery (for Express Delivery orders placed on a Friday)

For orders received and confirmed by the Seller (1) on a Friday before 4:30pm where next day delivery is required. This will be sent via a third party Carrier (5) and should be received by the Purchaser (2) on the next Saturday

e. International Delivery (non-UK Mainland i.e. not England, Scotland or Wales) phone for a quotation.

To each delivery address outside the UK Mainland (meaning Scotland, England & Wales, but excluding Northern Ireland and all islands), charges will be agreed by the Seller (1) with the Purchaser (2) at the time of ordering prior to confirmation being sent to the Purchaser (2). Please call 01903 200 744 for a quotation and a firm delivery date.

f. Restricted Delivery Service to Selected Postal Codes on the UK Mainland

Special deliveries to certain postal code districts on the UK Mainland are restricted in terms of the level of express delivery service available in these areas. Where the Purchaser (2) requires the Seller (1) to deliver the Goods to one of these postal districts, the Seller (1) undertakes to inform the Purchaser (2) of any timed express delivery restrictions that would affect the time of deliver to the Purchaser (2) in advance of acknowledging the Purchaser's (2) order.

12. Unsuccessful Deliveries

If the delivery address is unoccupied at the time of attempting delivery. The Seller's (1) appointed Carrier (5) will leave a card notifying the Purchaser (2) that a delivery attempt has been made. A second attempt at delivering the Goods will be made on the next working day (excludes Saturdays, Sundays and Public Holidays) without additional charge by the Seller (1). After two failed attempts at delivering the Goods to the Purchaser (2) the Carrier (5) will hold the Goods at their depot, the Purchaser will be given the option of collecting the goods from the Carrier's (5) depot or requesting further delivery attempts from the Seller (1) at additional cost. If no action is taken by the Purchaser (2) to take possession of the Goods following two failed delivery attempts by the Carrier (5), the Goods will be returned by the Carrier (5) to the Seller (1) and additional delivery charges will apply.

13. Failure to Deliver or Failure to Deliver on Time

The Seller (1) can accept no responsibility for circumstances arising from the failure of the Carrier (5) to deliver goods or to deliver by an agreed time. For late deliveries the Purchaser (2) shall be responsible for noting the actual time of the delivery upon the Carrier's (5) point of delivery documentation, prior to signing for the Goods so

that the Seller (1) may prove the Carrier (5) to be at fault for the late delivery and seek compensation. Where it can be proved that the Carrier (5) was at fault, the only compensation that can be paid to the Purchaser (2) by the Seller (1) will be the costs of the carriage charged to the Purchaser (2) by the Seller (1). Failure to note the time of delivery on the point of delivery document by the Purchaser (2) will result in no claim for compensation being admissible by the Purchaser (2) to the Seller (1). It is the Purchaser's (2) responsibility to order the Goods in good time for their site requirements.

14. Stock Levels

In circumstances whereby the Seller (1) is out of stock of any item, this will be pointed out to the Purchaser (2) at the time of ordering, prior to the Seller (1) confirming the order with a written acknowledgement. Wherever possible the Seller (1) will undertake to make special arrangements to meet the Purchaser's (2) requirements.

Orders for stock items that cannot, for whatever reason be fully completed and shipped within the required timescales of the Purchaser (2) by the Seller (1) may be partially shipped by the Seller (1). Out of stock items will then be shipped to the Purchaser (2) by the Seller (1) on the day the Seller (1) receives stock from it's manufacturer, at no extra charge to the Purchaser (2), using Express Delivery (next working day). Alternatively the Purchaser (2) will be given the option of a partial credit by the Seller (1) to the value of the Goods that the Seller (1) is unable to despatch in time.

15. Return of Goods

Goods supplied against an official purchase order may only be returned if faulty or if they do not conform to contract. Any request to return goods must be made in writing by the Purchaser (2) to the Seller (1), upon which the Seller (1) will issue a return number to the Purchaser (2) to be quoted upon all returned goods documentation. The supply of a return number to the Purchaser (2) by the Seller (1) does not constitute an acceptance by the Seller (1) to provide the Purchaser (2) with a credit. Credit will only be given once we have received back and approved the goods as faulty, or after resolution if contract of sale is in question. All goods returned by the Purchaser (2) to the Seller (1) must be returned with the original packaging and be in original condition. The Seller (1) is not liable for re-imbursing the Purchaser's (2) original and return shipping costs as part of any refund that may be offered. The Seller (1) reserves the right to charge the purchaser (2) a 10% re-stocking and handling charge, should a refund be granted.

16. Claims for Damaged Goods

All deliveries must be inspected for visible damage by the Purchaser (2) prior to acceptance. Any damage must be noted by the Purchaser (2) on the documentation held by the Carrier (5). All deliveries should be unpacked by the Purchaser (2) as soon as possible, and any concealed damage must be reported in writing to the Seller (1) within 72 hours of receipt of the Goods. The Seller (1) will not entertain any claims made after this date, and in the absence of written advice from the Purchaser (2) within this time limit the Goods shall be deemed to have been delivered complete and in a satisfactory condition and the risk transferred to the Purchaser (2).

17. Title to the Goods

All goods remain the property of The Seller (1) until paid for in full by the Purchaser (2) subject to the terms laid out in clause 2 of this contract, governed exclusively by the Laws of England. In the period from the delivery of the Goods down to such payment the Purchaser (2) holds the Goods as a Bailee for the Seller (1) and undertakes to store the Goods in such a way as they may be clearly identified as the property of the Seller (1).

Should payment of any invoice become overdue or should the Purchaser (2) become insolvent, go into liquidation, have a winding up order made against it or have an administrator or administrative receiver appointed over its assets, income or any part thereof or enter into an arrangement with its creditors, all sums owed to the Seller (1) shall become immediately due and payable and the Seller (1) shall be entitled to recover and resell the Goods the property in which remains vested in it and may enter upon the Purchaser's (2) premises for that purpose.

When a product is hired, the goods remain the property of the Seller (1) and should be returned on the date specified. Should the goods not be returned by this date by the Purchaser (2) The will charge for a further one week's hire charges, and will continue to do so each week until the goods are returned by the Purchaser (2).

18. Subscription Plans Terms and Conditions

You may choose to subscribe to our products via a 12, 24 or 36 month subscription plan, Each subscription is for these purposes a single order forming part of a regular delivery of goods including shipping. The subscription plan to our products consists of an initial charge followed by recurring periodic charges (monthly) as agreed to by you. By entering into this Agreement, you acknowledge that your subscription has an initial and recurring payment feature and that you accept responsibility for all recurring charges or fees prior to cancellation.

We will submit periodic charges (monthly) without further authorization from you for the period of your subscription from the date of creation of your subscription plan. After the subscription period has elapsed your subscription plan will automatically renew on a rolling monthly contract until you contact sales@pestfix.co.uk to cancel your subscription.

For your first order on subscription the initial payment will be taken at the time of checkout by card or bank transfer. For subsequent orders on subscription, payments are automatically taken by direct debit on a recurring date each month. If this date lands on a weekend, it will be charged on the next business day. The renewal payment schedule may change without prior notice, at the discretion of PestFix. We are not able to manually assign charge run dates for individual subscribers.

You have a 14 day cooling off period (as required by UK legislation known as the Consumer Contracts (Information, Cancellation and Additional Charges) Regulations 2013) in which you may cancel your first order and receive a refund at any time before your order is delivered and up to fourteen days afterwards, beginning on the day after you receive the products. In this case, in accordance with PestFix refunds policy, a full refund of the price paid for the products will be initiated, from the date that your returned products are received back to PestFix.

To cancel your subscription you must inform PestFix by giving your full name, address, email and an order reference relating your subscription.

You are entitled to cancel your subscription at any time, however unless you cancel your subscription with us within 14 days from the day on which you acquire physical possession of your first order, you will be tied into the contract for the remainder of the subscription.

For the avoidance of doubt, by taking out a 12-month subscription plan, you agree to commit to it for the full 12 month period. If you chose to cancel your subscription before the end of the 12 month subscription period, you will stop receiving product but you will still be required to make full payment in respect of the full 12 month period in addition to an early termination fee. The early termination fee is calculated as the sum total of the remaining owing payments divided by 0.45. eg. If you had 5 month remaining on your subscription with monthly payments of £3.00 the early termination fee would be calculated a (5x£3)/0.45=£33.33.

You must update us with any changes to your payment details, within three working days of changing the details. You can make changes to your payment details by emailing sales@pestfix.co.uk or calling our office number".

If a payment has been rejected by your bank, we will not dispatch any orders until payment is received. We will notify you of any failed direct debit payments and you will need to contact us to reinstate your direct debits. Should you not contact us within 14 days of a failed payment we will deem this as instruction to an early termination of your subscription and invoice you the remaining payments owed and early termination fee.

In the event that you fail to pay in full for the remainder of the 12 month term and the early termination fee, we reserve our rights to recover such sums from you by all legal means necessary (including instructing a third party debt collection agency to recover the same). You will be liable to any legal costs incurred during this procedure.

Should you wish, you can increase the quantity of each product on a subscription. Your remaining monthly payments will increase accordingly, but your contract term will remain unchanged. E.G. if you have a subscription for 1 unit with 6 months remaining on your subscription period, you could increase this to 2 or more units for the remaining 6 months. Please contact sales@pestfix.co.uk should you wish to discuss increasing your subscription. Should you terminate your increased subscription before the end of the subscription period the you will be required to make full payment for the remainder of the increased subscription and the increased rate.

PestFix reserve the right to amend prices and subscriptions fees at any time however we will endeavour to notify you of these changes with 28 days notice.

Should we be unable to fulfil the stock of your subscribed products and delivery to you within 30 days of a payment taken we will automatically refund you that months payment. If we are unable to fulfil the remaining months on your subscription due to lack of stock we will stop taking payments, cancel your subscription and you will not incur any early termination fees.

We reserve the right at our absolute discretion not to renew your subscription at any time without giving any reasons for our decision.

19. Seller's (1) Warranty

All goods supplied by the Seller (1) carry the manufacturer's warranty, and it is the responsibility of the Purchaser (2) to register the warranty directly with the manufacturer and ensure that it is not invalidated in any way. This is a 'back to base' warranty therefore the seller will not cover any costs involved in returning the goods.

20. Purchaser's (2) Warranty

The Purchaser (2) undertakes to provide adequate and proper facilities for the reception and storage of the Goods and warrants that those facilities comply with all relevant statutes and regulations (including health & safety regulations) and that all necessary permits and licences have been obtained.

21. Installation

The Seller (1) can, by prior arrangement, provide a written quotation to install the Goods, if requested to do so by the Purchaser (2). Separate terms and conditions of sale will be agreed, by the Seller (1) with the Purchaser (2) for each individual installation service undertaken by the Seller (1), under a separate contract to this one. Products should only be installed by the Purchaser (2) using the materials and methods recommended by the Seller (1). The use of other, non approved materials and methods will invalidate any product warranty.

22. Change In Product Specification

The Seller (1) works closely with its suppliers on continuing product enhancements and development. The Seller (1) reserves the right to modify the specification of products on sale without prior notification.

23. Errors & Omissions

Any errors contained in the Seller's (1) price list, website, acknowledgement or invoice shall be rectified by the Seller (1) when discovered, and notified to the Purchaser (2). The Purchaser (2) and the Seller (1) shall have the option to settle any outstanding amounts or cancel the order.

24. Patents & Copyright

Many of the products in the Seller's (1) product portfolio are protected by patents or design copyrights owned by the Manufacturer. All information may only be reproduced with the written permission of the Seller (1). The Purchaser (2) shall not, in selling its products or promoting the sale thereof, make any reference to any of the Seller's (1) trademarks or brand names without the Seller's (1) written consent. All of the Seller's (1) brochures catalogues and other written material, including these terms are protected by copyright. The Purchaser (2) will not copy or reproduce the Seller's (1) written material.

25. Liability

The Company accepts no liability for matters arising from, or contributed to by, the installation of the Seller's (1) products by the Purchaser (2) or the Purchaser's (2) client.

26. Passing of Risk

The risk in the Goods shall pass to the Purchaser (2) at the "point of delivery" as defined in clause 9 above.

27 Force Majeure

Neither the Seller (1) nor the Purchaser (2) shall be responsible for any failure to fulfil any term of the contract, if fulfilment has been delayed, hindered or prevented by any circumstances whatsoever which are not within the control of the Seller (1) or the Purchaser (2).

28. Proper Law

The construction, validity and performance of this contract shall be governed by the law of England.

INDEX

136

Delivery Services

UK Mainland

Standard Delivery (3-5 Working Days) max 2kg*	From £3.99**
Express Delivery (Next Working Day)	From £9.99**
Express Delivery (Next Working Day before 12:00)	From £16.99**
Express Delivery (Next Working Day before 10:30)	From £17.99**
Express Delivery (Saturday Delivery)	From £14.99**
Express Delivery (Saturday Delivery before 12:00)	From £16.99**
Express Delivery (Saturday Delivery before 10:30)	From £18.99**
Express Delivery (Sunday Delivery)	From £16.99**
Express Delivery (Sunday Delivery before 12:00)	From £18.99**

Scottish Highlands and Northern Ireland

Postcodes starting with BT, AB31-38, AB40-56, FK17-21, IV1-39, IV52-54, IV63, KW1-14, PA21-40, PH19-26, PH30-41, PH49-50

Standard Delivery (3-5 Working Days) max 2kg*	From £3.99**
Express Delivery (2 Working Days)	From £15.99**
Express Delivery (Saturday Delivery)	From £89.99**

Channel Islands and Isle of Man

Standard Delivery (3-5 Working Days) max 2kg*	From £3.99**
Express Delivery (2 Working Days)	From £19.99**
Express Delivery (Saturday Delivery)	From £89.99**

Ireland, Scottish Islands

Express Delivery (2 Working Days)***	From £23.99**
Express Delivery (Saturday Delivery)	From £89.99**

International Delivery

EU countries (3-5 Working Days)	From £36.99

For delivery to a non-EU country please call
+44 (0)1903 538 488 for a quote

* ** *** See inside back cover for details

Order before 5pm for next day delivery

We are open:
Monday to Friday
8am to 6pm

Telephone:
+44 (0)1903 538 488

Email:
sales@pestfix.co.uk

Online:
www.pestfix.co.uk

PestFix • Cedar Park • 30 Terminus Road • Chichester • West Sussex • PO19 8GT

PFCAT19.1

| In stock | Picked | Packed | Delivered |

PestFix Delivery Service

PestFix prides itself on its high standards of delivery and customer support. We monitor every customer delivery and personally handle any potential issues that may arise during the delivery process through our dedicated Supply Chain & Logistics team.

Express Delivery

For Next Working Day delivery please place your order before 5pm the day before.

For Saturday and Sunday deliveries please place your order before 5pm the Friday before.

Orders Placed on Weekends and Public Holidays

Orders placed on Saturdays, Sundays or Public Holidays will not be dispatched until the next working day (with the exception of cut-to-size nets, which take 4 working days to dispatch).

Orders that have Next Working Day delivery selected will be processed on the next working day and will only be delivered on the next working day after dispatch date (with the exception of cut-to-size nets, which take 4 working days to dispatch).

FREE DELIVERY

Orders over £175.00 net goods value are shipped free of charge on our Next Working Day Delivery service to UK mainland addresses, excluding delivery addresses that have postcodes starting with BT, AB36-38, AB40-56, FK17-21, IV1-39, IV52-54, IV63, KW1-14, PA21-40, PH19-26, PH30-41, PH49-50. These postcodes will be charged accordingly, see back cover for details.

Public Holidays

Regional holidays count as national holidays and both are exempt from Next Working Day delivery calculations.

Disclaimer

Next Working Day delivery does not apply in the event of service interruptions or failures caused by events beyond our control (For example, but not limited to: adverse weather, road closures or road traffic accidents).

Shipping Method

Items may be shipped using a variety of methods, both air and ground.

* Hazardous Goods

We are unable to deliver certain hazardous goods to customers using our standard 3-5 day delivery service, as many of these items are prohibited for carriage by Royal Mail. Our range of pesticides, poisons and any product that is either classified as flammable and/or presented in a pressurised container.

All products containing pesticides and/or pressurised containers cannot be shipped by this method and must be sent by Express Delivery Next Working Day using an appropriate courier.

** Shipping Surcharges

Shipments over 2kg will be shipped by courier from £9.99 unless they qualify for carriage-paid status.

All shipments over 20kg are subject to further weight surcharges, unless they qualify for carriage-paid status.

*** Scottish Islands

Shipments to Scottish Islands with postcodes that begin with HS1-9, IV40-51, IV55-56, KA27-28, KW15-17, PA20, PA41-49, PA60-78, PH42-44 & ZE1-3 take between 2-5 working days please call us for details.