

PHP Version 5.6.24



System	Linux ip-192-169-227-105.secureserver.net 2.6.32-042stab103.6 #1 SMP Wed Jan 21 13:07:39 MSK 2015 x86_64
Build Date	Aug 10 2016 02:56:26
Configure Command	'./configure' '--disable-fileinfo' '--disable-pdo' '--enable-bcmath' '--enable-calendar' '--enable-ftp' '--enable-gd-native-ttf' '--enable-intl' '--enable-libxml' '--enable-mbstring' '--enable-openssl' '--enable-sockets' '--enable-zip' '--prefix=/usr/local' '--with-apxs2=/usr/local/apache/bin/apxs' '--with-curl=/opt/curlssl' '--with-freetype-dir=/usr' '--with-gd' '--with-icu-dir=/usr' '--with-ldap=/usr' '--with-imap=/opt/php_with_imap_client' '--with-imap-ssl=/usr' '--with-jpeg-dir=/usr' '--with-kerberos' '--with-libdir=lib64' '--with-libexpat-dir=/usr' '--with-libxml-dir=/opt/xml2' '--with-libxml-dir=/opt/xml2' '--with-mcrypt=/opt/libmcrypt' '--with-mysql' '--with-mysqli' '--with-openssl=/usr' '--with-openssl-dir=/usr' '--with-pcre-regex=/opt/pcre' '--with-pic' '--with-png-dir=/usr' '--with-xmllrpc' '--with-xpm-dir=/usr' '--with-zlib' '--with-zlib-dir=/usr' 'CFLAGS=' '--param' 'gcc-min-expand=1' '--param' 'gcc-min-heapsize=4096' 'LDFLAGS=' '-L/usr/X11R6/lib64' 'CXXFLAGS=' '--param' 'gcc-min-expand=1' '--param' 'gcc-min-heapsize=4096'
Server API	CGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/usr/local/lib
Loaded Configuration File	/usr/local/lib/php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20131106
PHP Extension	20131226
Zend Extension	220131226
Zend Extension Build	API220131226,NTS
PHP Extension Build	API20131226,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls, tlsv1.0, tlsv1.1, tlsv1.2
Registered Stream Filters	zlib.*, convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.6.0, Copyright (c) 1998-2016 Zend Technologies
 with Zend OPcache v7.0.6-dev, Copyright (c) 1999-2016, by Zend Technologies



Configuration

bcmath

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

calendar

Calendar support

enabled

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	<i>no value</i>	<i>no value</i>
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

Core

PHP Version	5.6.24
-------------	--------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	0	0
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	UTF-8	UTF-8
default_mimetype	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	error_log	error_log
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	24567	24567
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/local/lib/php/extensions/no-debug-non-zts-20131226	/usr/local/lib/php/extensions/no-debug-non-zts-20131226
file_uploads	On	On
highlight.comment	#FF8000	#FF8000

highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/lib/php:/usr/local/lib/php	./usr/lib/php:/usr/local/lib/php
input_encoding	no value	no value
internal_encoding	no value	no value
log_errors	On	On
log_errors_max_len	1024	1024
mail.add_x_header	Off	Off
mail.force_extra_parameters	no value	no value
mail.log	no value	no value
max_execution_time	300	300
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	600	600
max_input_vars	1000	1000
memory_limit	256M	256M
open_basedir	no value	no value
output_buffering	no value	no value
output_encoding	no value	no value
output_handler	no value	no value
post_max_size	128M	128M
precision	12	12
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
report_memleaks	On	On
report zend_debug	On	On
request_order	no value	no value
sendmail_from	no value	no value
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
sys_temp_dir	no value	no value
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_filesize	128M	128M
upload_tmp_dir	no value	no value
user_dir	no value	no value
user_ini.cache_ttl	300	300

user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	7.38.0
Age	3
Features	
AsynchDNS	No
CharConv	No
Debug	No
GSS-Negotiate	No
IDN	Yes
IPv6	No
krb4	No
Largefile	Yes
libz	Yes
NTLM	Yes
NTLMWB	Yes
SPNEGO	No
SSL	Yes
SSPI	No
TLS-SRP	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp
Host	x86_64-unknown-linux-gnu
SSL Version	OpenSSL/1.0.1e
ZLib Version	1.2.3

date

date/time support	enabled
"Olson" Timezone Database Version	2016.6
Timezone Database	internal
Default timezone	UTC

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333

date.sunset_zenith	90.583333	90.583333
date.timezone	UTC	UTC

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.9.2
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

filter

Input Validation and Filtering	enabled
Revision	\$Id: 0a967738ca580e8bfdacb06853749743fc79b969 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.11
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled
XPM Support	enabled
libXpm Version	30411
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b fnv132 fnv1a32 fnv164 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.12

Directive	Local Value	Master Value
iconv.input_encoding	<i>no value</i>	<i>no value</i>
iconv.internal_encoding	<i>no value</i>	<i>no value</i>
iconv.output_encoding	<i>no value</i>	<i>no value</i>

imap

IMAP c-Client Version	2007f
SSL Support	enabled
Kerberos Support	enabled

intl

Internationalization support	enabled
version	1.1.0
ICU version	4.2.1

Directive	Local Value	Master Value
intl.default_locale	<i>no value</i>	<i>no value</i>
intl.error_level	0	0
intl.use_exceptions	0	0

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.9.2
libXML Loaded Version	20902
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

libmbfl version	1.3.2
-----------------	-------

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	5.9.5

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	<i>no value</i>	<i>no value</i>
mbstring.http_output	<i>no value</i>	<i>no value</i>
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	mysqlnd 5.0.11-dev - 20120503 - \$Id: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/tmp/mysql.sock	/var/tmp/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited

mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

mysqli Support	enabled
Client API library version	mysqli 5.0.11-dev - 20120503 - \$Id: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	/var/tmp/mysql.sock	/var/tmp/mysql.sock
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off
mysqli.rollback_on_cached_plink	Off	Off

mysqlnd

mysqlnd	enabled
Version	mysqlnd 5.0.11-dev - 20120503 - \$Id: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$
Compression	supported
core SSL	supported
extended SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a
Loaded plugins	mysqlnd,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_sha256
API Extensions	mysqli,mysql

mysqlnd statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0