


# Polarization w/ radio interferometers

Frank Schinzel (NRAO)



Sixteenth Synthesis Imaging Workshop

16-23 May 2018




# Outline

- **Electromagnetic waves refresher**
- **Astrophysics Motivation**
- **Review of Definitions**
  - Monochromatic
  - Quasi-Monochromatic
  - Circular and Linear Bases
  - Analytic Signal Representation
- **Polarimetry with Interferometers**
  - Stokes Visibilities
  - Interferometer Response to Polarized Emission
- **Theory meets real-world**
  - Recovering the Stokes Visibilities
  - Polarization Calibration of Real Interferometers




# Plane Electromagnetic (EM) Wave




- **Vector fields** describe EM waves
- Applying Maxwell's equations for plane monochromatic waves (far field):  
wave vector:  $\vec{k} = \vec{E} \times \vec{B}$
- By convention  $\vec{k}$  points at us
- Can measure  $\vec{E}$  and  $\vec{B}$ ; typically one or the other
- Typically easiest to measure the field intensity of  $\vec{E}$

# Plane EM Wave



- **Vector fields** describe EM waves
- Applying Maxwell's equations for plane monochromatic waves (far field):  
wave vector:  $\vec{k} = \vec{E} \times \vec{B}$
- By convention  $\vec{k}$  points at us
- Can measure  $\vec{E}$  and  $\vec{B}$ ; typically one or the other
- Typically easiest to measure the field intensity of  $\vec{E}$

# Plane EM Wave



- Typically easiest to measure the field intensity of  $\vec{E}$
- Single  $\vec{E}$  field vector breaks down into a x/y component for monochromatic waves ( $\vec{B}$  obeys the same wave equations)


$$E_x = A_x \cos(kz - \omega t + \delta_1)$$
$$E_y = A_y \cos(kz - \omega t + \delta_2)$$

$$k = \frac{2\pi}{\lambda}; \omega = 2\pi\nu; \text{Phase: } \delta_{1/2}$$

- Note:  
 $E_x \neq E_y$   
 $\vec{E}$  may rotate


# Plane Polarized EM Wave

$$\left(\frac{E_x}{A_x}\right)^2 + \left(\frac{E_y}{A_y}\right)^2 - 2\frac{E_x E_y}{A_x A_y} \cos\delta = \sin^2\delta$$



- Essentially three parameters to describe ellipse:
 
$$A_x, A_y, \alpha = \tan\left(\frac{A_y}{A_x}\right)$$
- Measure of ellipticity:
  - $\delta = \delta_1 - \delta_2$
  - $\delta > 0$ : CW rotation
  - $\delta = 0$ : linear polarization
  - $\delta < 0$ : CCW rotation
- If  $\vec{E}$  is rotating, it is typically interpreted as:
  - Clockwise, the wave is Left Elliptically Polarized.
  - Anti-clockwise, the wave is Right Elliptically Polarized.

# Polarization Ellipse





# Polarized Radio Emission

## Synchrotron Emission





Image Credit: Gemini Observatory

- Generates polarized emission
- Main emission mechanism at cm-m wavelength
- Up to 80% linearly polarized (no circular pol.)
- $\langle \vec{E}_{\text{source}} \rangle \perp \vec{B}_{\text{source}}$





## Polarimetry provides

- B-field direction
- Turbulence
- Indirectly: B-field strength



# Polarized Radio Emission

## Zeeman splitting




## Process

- Generates polarized emission
- Only in spectral lines
- If magnetic moment:  
e.g. HI, OH, CN, H<sub>2</sub>O
- B-field splits RCP and LCP
- Separation: 2.8 Hz/mG

**Polarimetry provides  
(if detectable) B-field strength  
at source**

# Polarized Radio Emission

Zeeman splitting – Vlemmings, Diamond, & van Langevelde (2001)




The brightest  $\text{H}_2\text{O}$  maser feature around S Per.

The dashed line is the fit of the synthetic circularly polarized spectrum to the observed spectrum.

Also shown are the observed (dashed) and expected (solid) positions of the minimum and maximum of the circular polarization spectrum.

# Polarized Radio Emission

## Scattering/reflection




Unpolarized EM wave scattered by particles; the scattered wave is partially or completely polarized.

- Modifies polarization state
- Thomson scattering: no T dependence


Planets / Moon: dielectric transition

Polarimetry provides:

- Electron densities in cool gas
- Dust properties
- Lunar dielectric constant




# Faraday rotation



## Process

- Modifies polarization state
- Delay between LCP and RCP
- Rotates linear pol. Angle
- $\Delta\chi = \chi_0 + \phi\lambda^2$

## $\lambda^2$ law



Graphs of polarization angle against wavelength squared for polarized extragalactic sources in the field (Haverkorn, Katgert, & de Bruyn 2003).

$$\phi = 0.812 \int_{\text{there}}^{\text{here}} n_e \vec{B} \cdot d\vec{l}$$

## Polarimetry provides

- Source plasma properties
- Intervening plasma properties
- Rare cases: 3D tomography



# Stokes Parameters – Monochromatic Case

- We utilize in radio astronomy the parameters defined by George Stokes (1852;  $ABCD$ ), and introduced to astronomy by Chandrasekhar (1946;  $I_l I_r UV$ ):


$$\begin{aligned} I &= A_X^2 + A_Y^2 &= A_R^2 + A_L^2 \\ Q &= A_X^2 - A_Y^2 &= 2A_R A_L \cos \delta_{RL} \\ U &= 2A_X A_Y \cos \delta_{XY} &= 2A_R A_L \sin \delta_{RL} \\ V &= 2A_X A_Y \sin \delta_{XY} &= A_R^2 - A_L^2 \end{aligned} \quad \left. \vphantom{\begin{aligned} I \\ Q \\ U \\ V \end{aligned}} \right\} \text{Units of power:} \\ & & & \text{Jy, or Jy/beam}$$

where  $A_X$  and  $A_Y$  are the Cartesian amplitude components of the E-field, and  $\delta_{XY}$  is the phase lag between them, and  $A_R$  and  $A_L$  are the opposite circular amplitude components of the E-field, and  $\delta_{RL}$  the phase lag between them.

- Monochromatic radiation is 100% polarized:  $I^2 = Q^2 + U^2 + V^2$



# IAU convention (since 1973)





# Real Fields, Real Physics

- The monochromatic case is useful for visualizing the definitions, but is not realistic in astronomy.
- Real wideband signals comprise emission from an uncountable number of distant radiators, and are statistical in nature
- 100% polarization is not possible with such systems
- For analysis, we employ the ‘quasi-monochromatic’ representation:
  - Restrict attention to a very narrow slice of frequency of width  $\Delta\nu$ , for which the fields are described by a single amplitude and phase for a period  $t \sim 1/\Delta\nu$
  - Since the integration time  $T \gg t$ , average the short-duration statistical measures to derive the Stokes parameters for timescales of interest.



# Stokes Parameters – quasi-monochromatic

- Monochromatic radiation does not exist
- Narrow slices of frequency width  $\Delta\nu$ , for which fields are described by a single amplitude and phase for a period of  $t \sim \frac{1}{\Delta\nu}$ .
- Averaging time  $\tau \gg \Delta\nu^{-1}$

$$\begin{aligned} I &= \langle A_X^2 \rangle + \langle A_Y^2 \rangle &= \langle A_R^2 \rangle + \langle A_L^2 \rangle \\ Q &= \langle A_X^2 \rangle - \langle A_Y^2 \rangle &= \langle 2 A_R A_L \cos \delta_{RL} \rangle \\ U &= \langle 2 A_X A_Y \cos \delta_{XY} \rangle &= \langle 2 A_R A_L \sin \delta_{RL} \rangle \\ V &= \langle 2 A_X A_Y \sin \delta_{XY} \rangle &= \langle A_R^2 \rangle - \langle A_L^2 \rangle \end{aligned}$$

- Note in this case:  $I^2 > Q^2 + U^2 + V^2$  (100% polarization is not possible)
- Fractional pol.: linear  $p = \sqrt{Q^2 + U^2}/I \leq 1$  ; circular:  $v = ||V||/I \leq 1$



# Stokes Parameters for Analytic Signal Representation

- An analytic signal is in signal theory a complex function of time, which imaginary part is the Hilbert transform of the real part.
- We denote the analytic Electric field with script letter  $\mathcal{E}$
- The (real) Stokes parameters are thus:

$$\begin{aligned}
 I &= \langle \mathcal{E}_X \mathcal{E}_X^* \rangle + \langle \mathcal{E}_Y \mathcal{E}_Y^* \rangle &= \langle \mathcal{E}_R \mathcal{E}_R^* \rangle + \langle \mathcal{E}_L \mathcal{E}_L^* \rangle \\
 Q &= \langle \mathcal{E}_X \mathcal{E}_X^* \rangle - \langle \mathcal{E}_Y \mathcal{E}_Y^* \rangle &= \langle \mathcal{E}_R \mathcal{E}_L^* \rangle + \langle \mathcal{E}_L \mathcal{E}_R^* \rangle \\
 U &= \langle \mathcal{E}_X \mathcal{E}_Y^* \rangle + \langle \mathcal{E}_Y \mathcal{E}_X^* \rangle &= i(\langle \mathcal{E}_R \mathcal{E}_L^* \rangle - \langle \mathcal{E}_L \mathcal{E}_R^* \rangle) \\
 V &= i(\langle \mathcal{E}_X \mathcal{E}_Y^* \rangle - \langle \mathcal{E}_Y \mathcal{E}_X^* \rangle) &= \langle \mathcal{E}_R \mathcal{E}_R^* \rangle - \langle \mathcal{E}_L \mathcal{E}_L^* \rangle
 \end{aligned}$$

- The relations are valid for a single antenna. All derived values are real.
- How about interferometry?

# Stokes Visibilities

- Combining the complex fields at antennas 1 and 2, the Stokes visibilities can be written as

$$\mathcal{J} = (\epsilon_{X1} \epsilon_{X2}^* + \epsilon_{Y1} \epsilon_{Y2}^*) = (\epsilon_{R1} \epsilon_{R2}^* + \epsilon_{L1} \epsilon_{L2}^*)$$

$$\mathcal{Q} = (\epsilon_{X1} \epsilon_{X2}^* - \epsilon_{Y1} \epsilon_{Y2}^*) = (\epsilon_{R1} \epsilon_{L2}^* + \epsilon_{L1} \epsilon_{R2}^*)$$

$$\mathcal{U} = (\epsilon_{X1} \epsilon_{Y2}^* + \epsilon_{Y1} \epsilon_{X2}^*) = i(\epsilon_{R1} \epsilon_{L2}^* - \epsilon_{L1} \epsilon_{R2}^*)$$

$$\mathcal{V} = i(\epsilon_{X1} \epsilon_{Y2}^* - \epsilon_{Y1} \epsilon_{X2}^*) = (\epsilon_{R1} \epsilon_{R2}^* - \epsilon_{L1} \epsilon_{L2}^*)$$


» The angle brackets  $\langle \rangle$  were dropped for better readability

- The script symbols  $\mathcal{J}$ ,  $\mathcal{Q}$ ,  $\mathcal{U}$ ,  $\mathcal{V}$  remind us that these Stokes Visibilities are complex numbers, related to the (real) source brightness through Fourier transform, e.g.:  $\mathcal{J}(u, v) = \int_{lm} I e^{+2\pi i v (ul+vm)/c} dl dm$ .


- $\mathcal{J} \longleftrightarrow I, \quad \mathcal{Q} \longleftrightarrow Q, \quad \mathcal{U} \longleftrightarrow U, \quad \mathcal{V} \longleftrightarrow V$

# Relation to Sensors

- The above is formulated in terms of electric fields measured at two locations.
- What is the relation to real sensors (antennas)?
- Antennas are polarized – they provide two simultaneous voltage signals whose values are (ideally) representations of the two electric field components – either in circular or linear basis.




# Relation to Sensors



- Two antennas, each with two differently polarized outputs, produce four complex correlations.
- From these four outputs, we want to generate the four complex Stokes' visibilities  $\mathcal{I}, \mathcal{Q}, \mathcal{U}, \mathcal{V}$ .



# Relating the Products to Stokes' Visibilities



- Let  $R_1, L_1, R_2, L_2$  be the complex representation (analytic signal) of the RCP and LCP voltages emerging from our (perfect) antennas.
- We can then utilize the definitions given earlier to show that the four complex correlations between these fields are related to the desired visibilities by (ignoring gain factors):

$$V_{R_1 R_2} = \langle R_1 R_2^* \rangle = (\mathcal{J} + \mathcal{V}) / 2$$

$$V_{L_1 L_2} = \langle L_1 L_2^* \rangle = (\mathcal{J} - \mathcal{V}) / 2$$

$$V_{R_1 L_2} = \langle L_1 R_2^* \rangle = (\mathcal{Q} + i\mathcal{U}) / 2$$

$$V_{L_1 R_2} = \langle R_1 L_2^* \rangle = (\mathcal{Q} - i\mathcal{U}) / 2$$

# Solving for Stokes Visibilities

- The solutions are straightforward:

## Circular

$$\mathcal{I} = V_{R1R2} + V_{L1L2}$$

$$\mathcal{V} = V_{R1R2} - V_{L1L2}$$

$$\mathcal{Q} = V_{R1L2} + V_{L1R2}$$

$$\mathcal{U} = i(V_{R1L2} - V_{L1R2})$$

## Cartesian

$$\mathcal{I} = V_{X1X2} + V_{Y1Y2}$$

$$\mathcal{Q} = V_{X1X2} - V_{Y1Y2}$$

$$\mathcal{U} = V_{X1Y2} + V_{Y1X2}$$

$$\mathcal{V} = i(V_{X1Y2} - V_{Y1X2})$$

- If calibration errors dominate (and they often do), the circular basis favors measurements of linear polarization and the linear basis favors measurements of circular polarization.
- Although it is true that  $\mathcal{Q}$ ,  $\mathcal{U}$ , and  $\mathcal{V}$  are  $\ll I$ , it does not necessarily follow that  $\mathcal{Q}$ ,  $\mathcal{U}$ , and  $\mathcal{V}$  are much smaller than  $I$  (notable for extended objects).



# Real Sensors

- Sadly real sensors are:
  - Imperfectly polarized.  
Typically, the cross-polarization for circularly polarized systems is  $\sim 5\%$  (better with linear).
  - Misaligned with the sky frame.
    - Alt-Az antennas rotate w.r.t. the sky frame as they track a celestial source. The angle describing the misalignment is called the ‘parallactic angle’.
    - Equatorial antennas are fixed w.r.t the sky, but there will be a (small) misalignment of the feed system with the sky.
- How do these imperfections affect the polarimetry?
- Start with Antenna rotation (it’s easier)



# Antenna Rotation - Circular

- For perfectly circularly polarized antennas, when both antennas are rotated by an angle  $\psi_P$ .

$$V_{R1R2} = (\mathcal{J} + \mathcal{V}) / 2$$

$$\mathcal{J} = V_{R1R2} + V_{L1L2}$$

$$V_{L1L2} = (\mathcal{J} - \mathcal{V}) / 2$$

$$\mathcal{V} = V_{R1R2} - V_{L1L2}$$

$$V_{R1L2} = (\mathcal{Q} + i\mathcal{U}) e^{i2\psi_P} / 2$$

$$\mathcal{Q} = V_{R1L2} e^{i2\psi_P} + V_{L1R2} e^{-i2\psi_P}$$

$$V_{L1R2} = (\mathcal{Q} - i\mathcal{U}) e^{-i2\psi_P} / 2$$

$$\mathcal{U} = -i(V_{R1L2} e^{i2\psi_P} - V_{L1R2} e^{-i2\psi_P})$$

- The effect of antenna rotation is to simply rotate the RL and LR visibilities. Parallel hand visibilities are unaffected.
- Q and U require only the cross-hand correlations. I and V require only the parallel hand correlations.



# Circular vs Linear

- One of the ongoing debates is the advantages and disadvantages of Linear and Circular systems, e.g. VLA mostly circular vs. ALMA linear
- Point of principle: For full polarization imaging, both systems must provide the same results. Advantages/disadvantages of each are based on points of practicalities.

Circular System	Linear System
$\mathcal{I} = V_{R1R2} + V_{L1L2}$	$\mathcal{I} = V_{X1X2} + V_{Y1Y2}$
$\mathcal{V} = V_{R1R2} - V_{L1L2}$	$\mathcal{V} = i(V_{X1Y2} - V_{Y1X2})$
$\mathcal{Q} = e^{i2\Psi_P} V_{R1L2} + e^{-i2\Psi_P} V_{L1R2}$	$\mathcal{Q} = (V_{X1X2} - V_{Y1Y2}) \cos 2\Psi_P - (V_{Y1X2} + V_{X1Y2}) \sin 2\Psi_P$
$\mathcal{U} = i(e^{-i2\Psi_P} V_{L1R2} - e^{i2\Psi_P} V_{R1L2})$	$\mathcal{U} = (V_{X1X2} - V_{Y1Y2}) \sin 2\Psi_P + (V_{Y1X2} + V_{X1Y2}) \cos 2\Psi_P$

- For both, Stokes 'I' is the sum of the parallel-hands.
- Stokes 'V' is the difference of the crossed hand responses for linear (good) and is the difference of the parallel-hand responses for circular (bad)
- Stokes 'Q' and 'U' are differences of cross-hand responses for circular (good), and differences of parallel hands for linear (bad).



# Circular vs. Linear

- Both systems provide straightforward derivation of the Stokes' visibilities from the four correlations.
- Deriving useable information from differences of large values requires both good stability and good calibration. Hence:
  - To do good circular polarization using circular system, or good linear polarization with a linear system, we need special care and special methods to ensure good calibration.
- There are practical reasons to use linear:
  - Antenna polarizers are natively linear – extra components are needed to produce circular. This hurts performance.
  - These extra components are also generally of narrower bandwidth – it's harder to build circular systems with really wide bandwidth.
  - At mm wavelengths, the needed phase shifters are not available.
- One important practical reason favoring circular:
  - Calibrator sources are often significantly linearly polarized, but have imperceptible circular polarization.
  - Gain calibration is much simpler with circular feeds, especially for 'snapshot' style observations.





# Calibration Troubles ...

- To understand this last point, note that for the linear system:

$$V_{Y_1Y_2} = G_{Y_1} G_{Y_2}^* (\mathcal{J} + \mathcal{Q} \cos 2\Psi_p + \mathcal{U} \sin 2\Psi_p) / 2$$

$$V_{X_1X_2} = G_{X_1} G_{X_2}^* (\mathcal{J} - \mathcal{Q} \cos 2\Psi_p - \mathcal{U} \sin 2\Psi_p) / 2$$

- To calibrate means to solve for  $G_Y$  and  $G_X$  terms.
- To do so requires knowledge of both  $\mathcal{Q}$  and  $\mathcal{U}$ .
- Virtually all calibrators have notable, and variable, linear pol.
- Meanwhile, for circular:

$$V_{R_1R_2} = G_{R_1} G_{R_2}^* (\mathcal{J} + \mathcal{V}) / 2$$


$$V_{L_1L_2} = G_{L_1} G_{L_2}^* (\mathcal{J} - \mathcal{V}) / 2$$

- In this case we have **no** sensitivity to  $\mathcal{Q}$  or  $\mathcal{U}$  (good!). Instead, we have a sensitivity to  $\mathcal{V}$ .
- But as it turns out  $-\mathcal{V}$  is nearly always negligible for the 1000-odd sources that we use as standard calibrators.




# Polarization of Real Antennas

- Unfortunately, antennas never provide perfectly orthogonal outputs.
- In general, the two outputs from an antenna are elliptically polarized.



# Beam Polarization for VLA

- The beam polarization is due to the antenna and feed geometry.
- Grasp8 calculation by Walter Brisken. (EVLA Memo #58, 2003)
- Contour intervals:  $V/I = 4\%$ ,  $Q/I$ ,  $U/I = 0.2\%$
- Very large  $V/I$  polarization is due to the VLA's offset feeds.
- The more modest linear polarization is due to the parabolic antenna.
- The beam polarizations can be removed in software – if antenna patterns are known – at considerable computational cost.




# Coherency matrix

## Relating Output Voltages from Real Systems to Input Electric Fields

- The Stokes visibilities we want are defined in terms of the complex cross-correlations (coherencies) of electric fields ( $E_{ij}$ ).

- Voltage vector from polarizers:  $\mathbf{e}_i = \begin{pmatrix} p_i \\ q_i \end{pmatrix}$

$p/q$  designate either  $x/y$  or  $r/l$



- Correlator multiplies ( $E_{ij}$  is the coherency matrix):

$$\mathbf{E}_{ij} = \mathbf{e}_i \mathbf{e}_j^\dagger = \begin{pmatrix} p_i \\ q_i \end{pmatrix} (p_j^* \ q_j^*)$$

$$\mathbf{E}_{ij} = \begin{pmatrix} p_i p_j^* & p_i q_j^* \\ q_i p_j^* & q_i q_j^* \end{pmatrix}$$

- In a real system,  $\mathbf{E}_{ij} \neq \mathbf{e}_i \mathbf{e}_j^\dagger$ , it's a function of both polarizations **and** some gain factors,  $\mathbf{E}_{ij} = \mathbf{g}_i \mathbf{e}_i \mathbf{g}_j^\dagger \mathbf{e}_j^\dagger$ .

# Jones Matrix Algebra

- From now assume all systems linear:

$$\mathbf{e}'_i = \mathbf{J}_i \mathbf{e}_i$$

- $\mathbf{J}_i$  (2x2) is called **Jones matrix**

- Cross correlation: 
$$\begin{aligned} \mathbf{E}'_{ij} &= \mathbf{e}'_i \mathbf{e}'_j{}^\dagger \\ &= \mathbf{J}_i \mathbf{e}_i (\mathbf{J}_j \mathbf{e}_j)^\dagger \\ &= \mathbf{J}_i \mathbf{e}_i \mathbf{e}_j^\dagger \mathbf{J}_j^\dagger \\ &= \mathbf{J}_i \mathbf{E}_{ij} \mathbf{J}_j^\dagger \end{aligned}$$

- This is the **measurement equation**.
- Invertible!

$$\mathbf{E}'_{ij} = \mathbf{J}_i^{-1} \mathbf{E}_{ij} \mathbf{J}_j^{\dagger-1}$$



# Example Jones Matrices

- Perfect instrument:

$$J = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$$

- Time delay:

$$J = \begin{pmatrix} e^{2\pi i\nu\tau_p} & 0 \\ 0 & e^{2\pi i\nu\tau_q} \end{pmatrix}$$

- Receiver gain:

$$J = \begin{pmatrix} g_p & 0 \\ 0 & g_q \end{pmatrix}$$

- Polarization leakage:

$$J = \begin{pmatrix} g_p & d_{q\rightarrow p} \\ d_{p\rightarrow q} & g_q \end{pmatrix}$$

- Parallactic angle or feed rotation XY:

$$J = \begin{pmatrix} \cos \theta & \sin \theta \\ -\sin \theta & \cos \theta \end{pmatrix}$$

- Parallactic angle or feed rotation RL:


$$J = \begin{pmatrix} e^{+i\theta} & 0 \\ 0 & e^{-i\theta} \end{pmatrix}$$

*Each component of the overall system, including propagation effects, can be represented by a Jones matrix and multiplied to obtain a 'system Jones' matrix.*




# RL Delays/Phase – real examples

Instrumental delay between polarizations due to e.g. differences in signal path lengths.



Derived delays of parallel hands with respect to each other (one held at zero).



Derived RL phase corrections



# Measuring Cross-Polarization Terms

- Correction of the X/Y or R/L response for the ‘leakage’ is important, since the D-term amplitude is comparable to the fractional polarization.
- There are two standard ways to proceed (circular base):
  1. Observe a calibrator source of known polarization (preferably zero!)
  2. Observe a calibrator of unknown polarization over an extended period.
- **Case I: Calibrator source known to have zero polarization**

$$V_{R_1 R_2} = \mathcal{J} / 2$$

$$V_{L_1 L_2} = \mathcal{J} / 2$$

$$V_{R_1 L_2} = \mathcal{J} (D_{R_1} + D_{L_2}^*) / 2$$

$$V_{L_1 R_2} = \mathcal{J} (D_{L_1} + D_{R_2}^*) / 2$$

Single observation should suffice to measure leakage terms.

Note: In this approximation, only 2Nant-I terms can be determined. One must be assumed (usually = 0). All the others are referred to this, thus ‘relative’ D terms.



# Measuring Cross-Polarization Terms


## Case 2: Calibrator with significant (or unknown) polarization.

- You can determine both the (relative) D terms and the calibrator polarizations for an alt-az antenna by observing over a wide range of parallactic angle. (Conway and Kronberg first used this method.)

$$V_{L1R2} = \left[ (D_{L1} + D_{R2}^*) \mathcal{J} + e^{2i\Psi_p} (\mathcal{Q} - i\mathcal{U}) \right] / 2$$


$$V_{R1L2} = \left[ (D_{R1} + D_{L2}^*) \mathcal{J} + e^{-2i\Psi_p} (\mathcal{Q} + i\mathcal{U}) \right] / 2$$

- As time passes  $\psi_p$  changes in a known way.
- The source polarization term then rotates w.r.t. the antenna leakage term, allowing a separation.



# Examples VLA D-terms

D table: VLASS1.1.sb34984786.eb34985738.58150.33651579861.ms.D2 Antenna='ea02'





- Real VLA S-band D-term amplitudes.
- Significant frequency structure (2-4 MHz scale).
- Antenna polarization  $\sim 8-10\%$  for this particular VLA antenna w.r.t. the reference antenna.

# I and Q Visibilities for Mars at 23 GHz

VLA, 23 GHz, 'D' config. (Jan. 2006)



## Amplitude

- $|I|$  is close to a  $J_0$  Bessel function.
- Zero crossing at  $20 \text{ k}\lambda$  tells that Mars is diameter  $\sim 10''$ .
- $|Q|$  amplitude  $\sim 0$  at zero baseline
- $|Q|$  zero at  $30 \text{ k}\lambda$  means pol. Structures  $\sim 8''$  scale.




## Phase

- I phase alternates between  $0$  &  $\pi$
- Q phase = both  $0$  and  $\pi$  in the 'main lobe' – this tells us there are both positive and negative structures, at different PA.



# Mars I,Q,U (P)




- Mars emits in the radio as a black body.
- Shown are false-color coded I,Q,U,P images.
- V is not shown – all noise – no circular polarization.
- Resolution is 3.5'', Mars' diameter is ~10''
- From the Q and U images alone, we can deduce the polarization is radial, around the limb.

$$P = \frac{\sqrt{Q^2 + U^2}}{I}$$

# Mars – A Traditional Representation



- Here I, Q, and U are combined to make a more realizable map of the total and linearly polarized emission from Mars.
- The dashes show the direction of the E-field.
- The dash length is proportional to the polarized intensity.
- One could add the V components, to show little ellipses to represent the polarization at every point.

$$\chi = 0.5 \tan^{-1} \left( \frac{U}{Q} \right)$$





# VLA Moon – linear system




Dirty Stokes I Image of the Moon at ~350 MHz


Polarization of the Moon



# Pulsars





*LWA1; Dike, Taylor, Stovall (2017)*



- Pulsars are highly magnetized  
=> strong polarized emission
- Study of which provides insights  
into the poorly understood  
emission mechanism of  
Pulsars.

# Polarization from Quasar jet

## The late 2011 outburst of 4C +71.07 as seen by VLBA and Fermi



Credit: Jorstad/Marscher/NASA/DOE/Fermi LAT Collaboration

# Summary

- Polarimetry is a little complicated, but do not be afraid!
- The polarized state of EM radiation gives valuable insights into the physics of the emission.
- Well designed systems are stable, and have low cross-polarization, making correction relatively straightforward.
- Such systems easily allow estimation of polarization to an accuracy of the order 1 part in 10000.
- Beam-induced polarization can be corrected in software – development is under way (ask Preshanth Jagannathan about Full Mueller imaging).
- Understanding polarization improves calibration and imaging even in the unpolarized case.

*Thanks to Rick Perley & Michiel Brentjens from whom I extensively borrowed presented materials.*



# Further Reading

- K. Rohlfs & T.L. Wilson: *Tools of Radio Astronomy (Chapters 2 & 3)*
- Thompson, Moran & Swenson: *Interferometry and Synthesis in Radio Astronomy*
- Taylor, Carilli, & Perley: *Synthesis Imaging in Radio Astronomy II*
- Bracewell: *The Fourier Transform & Its Applications*
- Hamaker/Bregman/Sault: *Understanding radio polarimetry: papers I - V (1996-2006)*
- Brentjens & de Bruyn: *Faraday rotation measure synthesis (2005)*
- *EVLA Memos by Perley & Sault (#131, #134, #135, #141, #151, #170, #178)*
- *Guide to Observing with the VLA - Polarimetry*  
(<https://science.nrao.edu/facilities/vla/docs/manuals/obsguide/modes/pol>)
- Hales *EVLA Memo #201*

