

20

SP



- 1. S.A.E. combination wrenches (17 pegs)
- 2. Metric combination wrenches (22 pegs)
- 3. <sup>1</sup>/<sub>2</sub>" S.A.E. deep sockets (20 pegs)
- 4. <sup>1</sup>⁄<sub>2</sub>" Metric deep sockets (20 pegs)
- 5. <sup>3</sup>/<sub>8</sub>" Metric deep sockets (15 pegs)
- 6. ¾" S.A.E. deep sockets (13 pegs)
- 3⁄8" Metric regular sockets (15 pegs)
- 8. 3/8" S.A.E. regular sockets (13 pegs)

- ½" Metric regular sockets (20 pegs)
- ). 1/2" S.A.E. regular sockets (19 pegs)
- 11. ¼" Metric regular & deep sockets (32 pegs)
- 12. 1/4" S.A.E. regular & deep sockets (32 pegs)
  - 3. ½", ¾" & ¼" ratchets & extensions (21 holes)
  - 4. Screwdrivers (21 hole
  - 15. Socket tray lifts to access tools underneath



	WEI	WEIGHT		CAPACITY		WIDTH		IGHT DEPTH		тн
MODEL #	LB.	KG	CU.IN.	CU.CM.	IN.	MM	IN.	MM	IN.	ММ
XL450B	91.93	41.70	13,120	214,997	36.85	936	21.5	546	18.07	459

- ▶ Heavy duty steel construction with welded seams no spot welding
- ▶ Holds both metric and S.A.E. tools
- **Doubles as the perfect toolbox for mobile and stationery use**
- Lid secures tools in position when closed
- ▶ Weather stripping creates a tight seal against dust and moisture
- ▶ Gas spring raises lid when unlatched for easy tool access
- Tool inventory at a glance
- Gas springs raise socket tray for access to storage underneath
- Locking latch secures tools from unauthorized use

**PORTABLE TOOLBOX** 



- 1. S.A.E. combination wrenches up to 1-¼" (18 pegs can hold up to 3 combination wrenches per peg)
- Metric combination wrenches up to 32 mm (17 pegs, smaller sizes can be doubled up to accommodate all metric sizes, can hold up to 3 combination wrenches per peg)
- 3. Screwdrivers and/or nut drivers
- 4. 1⁄2" Metric deep sockets up to 32 mm (23 pegs)
- 5. 1/2" Metric regular sockets up to 32 mm (23 pegs)
- 6. ¾" Metric deep sockets up to 22 mm (15 pegs)
- %" Metric regular sockets up to 22 mm (15 pegs)
- 8. ¼" Metric deep sockets up to 13 mm (11 pegs)
- 9. ¼" Metric regular sockets up to 13 mm (11 pegs)

- 10. Socket lid handles
- 11. ½" S.A.E. deep sockets up to 1-¼" (18 pegs)
- ½" S.A.E. regular sock up to 1-¼" (18 pegs)
- 13. Hammers, pipe wrenches, hacksaws, pry bars, universal socket sets, terminal kits, hand cleaner, penetrating oil, tool sets or pouches and other large tools
- 14. 1/4" S.A.E. deep sockets up to <sup>9</sup>/16" (11 pegs)
- 15. ¼" S.A.E. regular sockets up to <sup>9</sup>/<sub>16</sub>" (11 pegs)
- 16. 3/6" S.A.E. regular sockets up to 7/6" (15 pegs)
- 17. 3/8" S.A.E. deep sockets up to 7/8" (15 pegs)
- 18.  $\frac{1}{2}$ ,  $\frac{3}{8}$ " &  $\frac{1}{4}$ " ratchets and extensions
- 19. Socket tray lifts to access tools underneath
- 20. Socket tray lifts to access tools underneath

	WEI		IGHT CAPA		CITY WIDTH		HEIGHT		DEPTH	
MODEL #	LB.	KG	CU.IN.	CU.CM.	IN.	ММ	IN.	ММ	IN.	ММ
LA400B	90.39	41	8,581	140,557	30.71	780	20.43	519	19.17	487

- Heavy duty steel construction with welded seams no spot welding
- Holds both metric and S.A.E. tools
- Lid secures tools in position when closed
- Lock cylinder has double-cut keys for easier locking and unlocking
- Weather stripping creates a tight seal against dust and moisture
- Gas spring raises lid when unlatched for easy tool access
- Sturdy side handles make moving easy
- Tool inventory at a glance
- Locking latch secures tools from unauthorized use



## **30" PORTABLE TOOLBOX**

- 1. S.A.E. combination wrenches up to 1-¼" (18 pegs can hold up to 3 combination wrenches per peg)

- 4. 1/4" S.A.E. deep sockets up to <sup>9</sup>/16" (1 1 pegs)
- 5. 1/4" S.A.E. regular sockets up to <sup>9</sup>/16" (11 pegs)
- 6. 1/2" S.A.E. deep sockets up to 1-1/4" (18 pegs)
- 7. 1/2" S.A.E. regular sockets up to 1-1/4" (18 pegs)

terminal kits, hand cleaner, penetrating oil, tool sets or pouch and other large tools

3.  $\frac{1}{2}$ ",  $\frac{3}{8}$ " &  $\frac{1}{4}$ " ratchets and extensions 9. Socket tray lifts to access tools

- 10. Universal socket sets, terminal kit hand cleaner, penetrating oil, tool or pouches and other small hand t
- 11. Pliers, tape measures & other miscellaneous small hand to
- 12. 3/8" S.A.E. deep sockets up to  $\frac{7}{8}$ " (15 pegs)
- 13. 3/8" S.A.E. regular sockets up to  $\frac{7}{8}$ " (15 pegs)
- 14. Punches, chisels, hex key sets and other miscellaneous hand tools

es	
s, sets tools	- HILLING
	And the second second
l,	

MODEL #	WEI	WEIGHT		CAPACITY		WIDTH		GHT	DEPTH	
MODEL #	LB.	KG	CU.IN.	CU.CM.	IN.	MM	IN.	ММ	IN.	ММ
ME300B	65.04	29.5	5,260	86,159	30.75	781	18.23	463	15.75	400

- Heavy duty steel construction with welded seams no spot welding
- Holds either metric and S.A.E. tools
- Lid secures tools in position when closed
- Lock cylinder has double-cut keys for easier locking and unlocking
- Weather stripping creates a tight seal against dust and moisture
- Gas spring raises lid when unlatched for easy tool access  $\triangleright$
- Sturdy side handles make moving easy
- $\triangleright$ Tool inventory at a glance
- $\triangleright$ Locking latch secures tools from unauthorized use



## **30" PORTABLE TOOLBOX**

- 1. S.A.E. combination wrenches up to 1-¼" (18 pegs can hold up to 3 combination wrenches per peg)

- 4. 1/4" S.A.E. deep sockets up to <sup>9</sup>/16" (11 pegs)
- up to <sup>9</sup>/16" (11 pegs)
- 6. 1/2" S.A.E. deep sockets up to 1-1/4" (18 pegs)
- 7. 1/2" S.A.E. regular sockets up to 1-1/4" (18 pegs)

- terminal kits, hand cleaner, penetrating oil, tool sets or pouch and other large tools
- 3.  $\frac{1}{2}$ ",  $\frac{3}{8}$ " &  $\frac{1}{4}$ " ratchets and extensions 9. Socket tray lifts to access tools
  - 10. Universal socket sets, terminal kit hand cleaner, penetrating oil, tool or pouches and other small hand t
  - 11. Pliers, tape measures & other miscellaneous small hand to
  - 12. 3/8" S.A.E. deep sockets up to  $\frac{7}{8}$ " (15 pegs)
  - 13. 3/8" S.A.E. regular sockets up to  $\frac{7}{8}$ " (15 pegs)
  - 14. Punches, chisels, hex key sets and other miscellaneous hand tools

-	No	
		CARALLUL
	Contraction Name	1
		in and
	2 00 13	000
es		- Mile
		- Childhe
S,		
sets tools		
		all and the second s
	Y	
	(Diama -	
	Million Constanting	
l,	America	

	WEIGHT		CAPACITY		WIDTH		HEI	GHT	DEPTH	
MODEL #	LB.	KG	CU.IN.	CU.CM.	IN.	MM	IN.	ММ	IN.	ММ
ME300AL	51	23.4	5,260	86,195	31.06	789	18.31	465	15.39	391

- Heavy duty tread brite alumunium with welded seams no spot welding
- Holds either metric or S.A.E. tools
- Lid secures tools in position when closed
- Lock cylinder has double-cut keys for easier locking and unlocking
- Weather stripping creates a tight seal against dust and moisture
- Gas spring raises lid when unlatched for easy tool access
- Sturdy side handles make moving easy
- $\triangleright$ Tool inventory at a glance
- $\triangleright$ Locking latch secures tools from unauthorized use



# 26" PORTABLE TOOLBOX

- 1. S.A.E. combination wrenches up to 1-¼" (17 pegs can hold up to 3 combination wrenches per peg)
- 3. 1/2", 3/3" & 1/4" ratchets and extensions 9. Socket tray lifts to access tools
- 4. 1/4" S.A.E. regular sockets up to <sup>9</sup>/16" (18 pegs)
- 5. <sup>1</sup>/<sub>4</sub>" S.A.E. deep sockets up to <sup>9</sup>/16" (18 pegs)
- 6. <sup>1</sup>/<sub>2</sub>" S.A.E. deep sockets up to 1" (16 pegs)
- 7. 1/2" S.A.E. regular sockets up to 1" (16 pegs)

- pry bars, universal socket sets, terminal kits, hand cleaner, penetrating oil, tool sets or pouches and other large tools
- 10. Universal socket sets, terminal kits, hand cleaner, penetrating oil, tool sets or pouches and other small hand tools
- 11. Pliers, tape measures & other miscellaneous small hand too
- 12. <sup>3</sup>/<sub>8</sub>" S.A.E. deep sockets up to  $\frac{7}{8}$ " (13 pegs)
- 13. 3/8" S.A.E. regular sockets up to  $\frac{7}{8}$ " (13 pegs)
- 14. Punches, chisels, hex key sets and, other miscellaneous hand tools



	WEI	WEIGHT		CAPACITY		WIDTH HEI		GHT	DEPTH	
MODEL #	LB.	KG	CU.IN.	CU.CM.	IN.	MM	IN.	ММ	IN.	ММ
SE250B	64	29	5,260	86,195	26.81	681	18.42	468	17.91	455

- Heavy duty steel construction with welded seams no spot welding
- Holds either metric or S.A.E. tools
- Lid secures tools in position when closed
- Lock cylinder has double-cut keys for easier locking and unlocking  $\triangleright$
- Weather stripping creates a tight seal against dust and moisture
- Gas spring raises lid when unlatched for easy tool access
- >Sturdy side handles make moving easy
- $\triangleright$ Tool inventory at a glance
- $\triangleright$ Locking latch secures tools from unauthorized use




# 26" PORTABLE TOOLBOX

- 1. S.A.E. combination wrenches up to 1-¼" (17 pegs can hold up to 3 combination wrenches per peg)

- 4. 1/4" S.A.E. regular sockets up to <sup>9</sup>/16" (18 pegs)
- 5. ¼" S.A.E. deep sockets up to %16" (18 pegs)
- 6. <sup>1</sup>/<sub>2</sub>" S.A.E. deep sockets up to 1" (16 pegs)
- 7. 1/2" S.A.E. regular sockets up to 1" (16 pegs)

- pry bars, universal socket sets, terminal kits, hand cleaner, penetrating oil, tool sets or pouches and other large tools
- 3. 1/2", 3/3" & 1/4" ratchets and extensions 9. Socket tray lifts to access tools
  - 10. Universal socket sets, terminal kits, hand cleaner, penetrating oil, tool sets or pouches and other small hand tools
  - 11. Pliers, tape measures & other miscellaneous small hand too
  - 12. 3/8" S.A.E. deep sockets up to  $\frac{7}{8}$ " (13 pegs)
  - 13. 3/8" S.A.E. regular sockets up to  $\frac{7}{8}$ " (13 pegs)
  - 14. Punches, chisels, hex key sets and, other miscellaneous hand tools



MODEL #	WEIGHT		CAPACITY		WIDTH		HEI	GHT	DEI	PTH
MODEL #	LB.	KG	CU.IN.	CU.CM.	IN.	MM	IN.	MM	IN.	ММ
SE250AL	53	24	5,260	86,195	27.09	688	18.43	468	17.4	442

- Heavy duty tread brite alumunium with welded seams no spot welding
- Holds either metric or S.A.E. tools
- Lid secures tools in position when closed
- Lock cylinder has double-cut keys for easier locking and unlocking  $\triangleright$
- Weather stripping creates a tight seal against dust and moisture
- Gas spring raises lid when unlatched for easy tool access
- Sturdy side handles make moving easy
- Tool inventory at a glance  $\triangleright$
- $\triangleright$ Locking latch secures tools from unauthorized use



### 22-1/2" PORTABLE TOOLBOX

- 1. S.A.E. combination wrenches up to 1" (14 pegs can hold up to 3 combination wrenches per peg)
- 2. Screwdrivers and/or nut drivers
- 3. 1/2", 3/8" & 1/4" ratchets and extensions
- 4. ¼" S.A.E. deep sockets up to <sup>9</sup>⁄16" (10 pegs)
- 5.  $\frac{1}{4}$ " S.A.E. regular sockets up to  $\frac{9}{16}$ " (10 pegs )
- 6. <sup>1</sup>/<sub>2</sub>" S.A.E. deep sockets up to 1" (13 pegs)
- 7. ½" S.A.E. regular sockets up to 1" (13 pegs)

- 8. Socket tray lifts to access tools underneath
- Hammers, pipe wrenches, hacksaws, pry bars, universal socket sets, terminal kits, hand cleaner, penetrating oil, tool sets or pouches and other large tools
- 10. Pliers, tape measures & other miscellaneous small hand tools
- 11. 3/8" S.A.E. deep sockets up to 7/8" (11 pegs)
- 12. 3⁄8" S.A.E. regular sockets up to 7⁄8" (11 pegs)
- 13. Punches, chisels, hex key sets and, other miscellaneous hand tools



	WEIGHT		CAPACITY		WIE	IDTH HEI		GHT	DEPTH	
MODEL #	LB.	KG	CU.IN.	CU.CM.	IN.	MM	IN.	MM	IN.	ММ
SM200B	43	19.5	2,890	47,338	23.42	595	14.41	366	13.19	335

- Heavy duty steel construction with welded seams no spot welding
- Holds either metric or S.A.E. tools
- Lid secures tools in position when closed
- Lock cylinder has double-cut keys for easier locking and unlocking
- Weather stripping creates a tight seal against dust and moisture
- Gas spring raises lid when unlatched for easy tool access
- Sturdy side handles make moving easy
- Tool inventory at a glance
- Locking latch secures tools from unauthorized use





### 72" 17-DRAWER Roller Cabinet

DDAWEDO	WI	DTH	DE	PTH	HEI	GHT
DRAWERS	IN.	MM	IN.	ММ	IN.	MM
1	49.75	1263.6	26.5	673.1	5	127
2	49.75	1263.6	26.5	673.1	2	50.8
4	15	381	26.5	673.1	2.25	57.15
5	15	381	26.5	673.1	5.25	133.3
1	31.75	806.4	26.5	673.1	2.25	57.15
3	31.75	806.4	26.5	673.1	5.25	133.3
1	15	381	26.5	673.1	11.25	285.7



	WEIGHT		CAPACITY		WI	WIDTH HEI		GHT	DEF	ртн
MODEL #	LB.	KG	CU.IN.	CU.CM.	IN.	MM	IN.	ММ	IN.	ММ
BK7217MZ	1031.76	468	50,650	830,004	72	1828.8	46.25	1174.8	30	762

- ▶ 6 Spring loaded casters (4-swivel & 2-rigid) with a load rating of 1300 lbs. each
- ► Full extension ball bearing drawer slides with load rating of 250 lbs. per set (a total of 27 sets of drawer slides per cabinet)
- **•** Tubular style coded lock with keys (locks all **17** drawers with one lock)
- Security drawer with tubular style lock
- Heavy duty PVC coated MDF work surface
- Full width fully extruded alumunium drawer pulls with raise and release drawer latch
- Full width extruded alumunium drawer front top trim
- Chrome plated side handles
- Premium drawer liner

#### **TOOLBOX**



BK5607CH	WI	DTH	DE	PTH	HEIGHT		
DRAWERS	IN.	MM	IN.	MM	IN.	ММ	
1	16.25	1263.6	17.12	434.9	8	203.2	
1	33.12	841.3	17.12	434.9	5	127	
2	16.25	412.7	17.12	434.9	2	50.8	
3	33.12	841.3	17.12	434.9	2	50.8	

<u>Montezuma</u><sup>®</sup>

A

BK5611TC	WI	DTH	DE	PTH	HEIGHT		
DRAWERS	IN.	MM	IN.	MM	IN.	MM	
1	51.75	1314.4	17.12	434.9	5	127	
3	16	406.4	17.12	434.9	2	50.8	
3	33	838.2	17.12	434.9	2	50.8	
1	33	838.2	17.12	434.9	5	127	
1	16	406.4	17.12	434.9	5	127	
1	33	838.2	17.12	434.9	8	203.2	
1	16	406.4	17.12	434.9	8	203.2	



#### BK5607CH - 56" 7 DRAWER TOP CHEST BK5611TC - 56" 11 DRAWER ROLLER CABINET

MODEL #	WEIGHT		CAPACITY		WIDTH		HEIGHT		DEPTH	
	LB.	KG	CU.IN.	CU.CM.	IN.	MM	IN.	ММ	IN.	ММ
BK5607CH	155	70.3	33,562	549,982	55.39	1407	22.36	568	19.69	500
BK5611TC	271	123	41,440	679,079	56.02	1423	40.47	1028	20.04	509

- Tubular painted side handle on cabinet
- Coded tubular lock and keys
- Dual sets of drawer slides on larger drawers
- Alumunium trimmed drawer pulls with raise and release drawer latch
- Ball bearing drawer slides with load rating of 100 lbs. per set

- **5x2** casters (4-swivel with brakes and 2 rigid)
- 2.000 lbs total caster capacity
- Drawer liners
- Gas springs in chest lid for easy opening
- Textured powder coat paint finish
- PVC coated work surface on roller cabinet

#### **TOOLBOX**



### 41" 8 DRAWER TOP CHEST & 11 DRAWER ROLLER CABINET

BK4108CH	WI	DTH	DEF	PTH	HEIGHT		
DRAWERS	IN.	MM	IN.	MM	IN.	MM	
3	23.5	596.9	15.75	400	2.25	57.1	
1	23.5	596.9	15.75	400	5	127	
3	11.75	298.4	15.75	400	2.25	57.1	
1	11.75	298.4	15.75	400	5	127	

BK4111TC	WI	DTH	DE	PTH	HEIGHT		
DRAWERS	IN.	MM	IN.	ММ	IN.	MM	
1	37.5	952.5	15.75	400	4.5	114.3	
3	23.5	596.9	15.75	400	2.25	57.1	
3	11.75	298.4	15.75	400	2.25	57.1	
1	11.75	298.4	15.75	400	5	127	
1	23.5	596.9	15.75	400	5	127	
1	11.75	298.4	15.75	400	8	203.2	
1	23.5	596.9	15.75	400	8	203.2	



#### BK4108CH - 41" 8 DRAWER TOP CHEST BK4111TC - 41" 11 DRAWER ROLLER CABINET

MODEL #	WEIGHT		CAPACITY		WIDTH		HEIGHT		DEPTH	
	LB.	KG	CU.IN.	CU.CM.	IN.	MM	IN.	MM	IN.	ММ
BK4108CH	124	56.2	22,578	369,987	40.94	1040	22.36	568	17.72	450
BK4111TC	208	94.3	34,783	569,991	41.57	1056	40.67	1033	18.11	460

- Tubular painted side handle on cabinet
- Coded tubular lock and keys
- Dual sets of drawer slides on larger drawers
- Alumunium trimmed drawer pulls with raise and release drawer latch
- Ball bearing drawer slides with load rating of 100 lbs. per set

- **5x2** casters (4-swivel with brakes and 2 rigid)
- 2.000 lbs total caster capacity
- Drawer liners
- Gas springs in chest lid for easy opening
- Textured powder coat paint finish
- PVC coated work surface on roller cabinet

### **TOOLBOX**



### 36" 8 DRAWER TOP CHEST & 6 DRAWER ROLLER CABINET

BK3608CH	WI	DTH	DEF	PTH	HEIGHT		
DRAWERS	IN.	ММ	IN.	MM	IN.	ММ	
6	15.5	393.7	15.75	400	2.25	57.1	
2	32.5	825.5	15.75	400	2.25	57.1	

BK3606TC	WI	DTH	DEF	ртн	HEIGHT		
DRAWERS	IN.	IN. MM		IN. MM		MM	
2	32.5	825.5	15.75	400	5	127	
3	32.5	825.5	15.75	400	2.25	57.1	
1	32.5	825.5	15.75	400	8	203.2	



BK3608CH - 36" 8 DRAWER TOP CHEST BK3606TC - 36" 6 DRAWER ROLLER CABINET

MODEL #	WEIGHT		CAPACITY		WIDTH		HEIGHT		DEPTH	
	LB.	KG	CU.IN.	CU.CM.	IN.	MM	IN.	MM	IN.	ММ
BK3608CH	117	53	20,137	329,986	35.98	914	22.36	568	17.72	450
BK3606TC	166	75.2	30,511	499,985	36.61	930	40.47	1028	18.11	460

- Tubular chrome plated side handle on cabinet
- Coded tubular lock and keys
- Dual sets of drawer slides on larger drawers
- Alumunium trimmed drawer pulls with raise and release drawer latch
- Ball bearing drawer slides with load rating of 100 lbs. per set

- **5x2** casters (4-swivel with brakes and 2 rigid)
- 1.500 lbs total caster capacity
- Drawer liners
- Gas springs in chest lid for easy opening
- Textured powder coat paint finish
- PVC coated work surface on roller cabinet

### **GARAGE ORGANIZATION**



## **10-PIECE GARAGE STORAGE SET**

- 1. 2 x 1-Door top cabinets 20"H x 30.5"W x 12"D
- 2. 2 x Pegboard back wall & rail sets 25"H x 30.5"W x 0.8"D
- 3. 1 x 4-Drawer base cabinet 36.5"H x 30.5"W x 18"D
- 4. 1 x 2-Door base cabinet 36.5"H x 30.5"W x 18"D
- 5. 4 x 2-Door stackable base cabinets 42"H x 30.5"W x 18"D

**BK30POD - 30" GARAGE STORAGE SET** 





- ▶ 70lb full extension ball bearing drawer slides
- ▶ Fully lockable drawers and doors prevent unauthorized access
- ▶ Peg board back wall holds a wide range of tools
- ► Adjustable shelves offer greater storage flexibility
- ► Gas struts make opening top cabinet easy
- ▶ Adjustable feet to steady base cabinets on uneven floors



#### **GARAGE ORGANIZATION**





Scan this code and watch our assembly video Average set up time - 1 hour





#### **MONTEZUMA TOOLBOXES**

#### **Limited 5-Year Warranty**

All Montezuma toolboxes have a Limited 5-Year Warranty to the original user against defects in workmanship and materials under normal use. This Limited 5-Year Warranty does not apply to products that have been misused, abused, damaged by accident or otherwise, subjected to abnormal use, or modified by anyone other than Montezuma, Mfg., Inc. During the applicable duration of the warranty, at its option, Montezuma Mfg., Inc. will repair or replace its products which fail to give satisfactory performance due to defective workmanship or materials, or provide a refund by repaying or crediting with an amount equal to the purchase price of such products.

- **Do not open more than one loaded drawer at a time.**
- ► Keep children away.
- ► Lock drawers before moving.
- Apply brakes on casters when not moving units.
- ▶ Do not step in or on drawers.

MONTEZUMA MFG., INC. RESERVES THE RIGHT TO MAKE CHANGES IN DESIGN OR CONSTRUCTION AT ANY TIME WITHOUT INCURRING ANY OBLIGATION IN INCORPORATING SUCH CHANGES IN PRODUCTS PREVIOUSLY SOLD. ACTUAL PRODUCT MAY DIFFER SLIGHTLY FROM THOSE IMAGES ILLUSTRATED IN THIS CATALOG.

THE SLOPED-FRONT TOOL BOX SHAPE IS REGISTERED IN THE U.S. PATENT AND TRADEMARK OFFICE (U.S. REGISTRATION NO. 3,930,484) AND IS A FEDERALLY REGISTERED TRADEMARK OF QUALITY CRAFT INDUSTRIES INC. OTHER PRODUCTS MAY BE PROTECTED BY ONE OR MORE OF THE FOLLOWING PATENTS: CANADA: 139, 150 USA: D660, 462 OTHER PATENTS PENDING

Tools and materials shown in this catalog are not included

