

Prevalence and Services of Mental Disorders in U.S. Adolescents

Marcy Burstein, Ph.D.

Genetic Epidemiology Research Branch
National Institute of Mental Health














- Prevalence of the major mental disorders in youth
- Sociodemographic correlates of mental disorders
- Patterns of comorbidity among mental disorders
- Service utilization for mental disorders in youth



- Sample:
- N = 10, 123 adolescents ages 13-18 years
- N = 6,483 caregivers

- Measures:
- WHO Composite International Diagnostic Interview
- Self-Administered Questionnaire

Kessler, Avenevoli, Costello et al., 2009; Merikangas, Avenevoli, Costello et al., 2009

Source

Household: 8.9%

School: 91.1%

Age

13-14 years: 36.29%

15-16 years: 41.5%

17-18 years: 22.3%

Sex

Female: 51.1%

Male: 48.9%

Race/Ethnicity

White: 55.7%

Black: 19.3%

Hispanic: 18.9%

Other: 6.1%

Lifetime Prevalence of Mental Disorders in U.S. Adolescents: Results from the National Comorbidity Survey Replication— Adolescent Supplement (NCS-A)

Kathleen Ries Merikangas, Ph.D., Jian-ping He, M.Sc., Marcy Burstein, Ph.D., Sonja A. Swanson, Sc.M., Shelli Avenevoli, Ph.D., Lihong Cui, M.Sc., Corina Benjet, Ph.D., Katholiki Georgiades, Ph.D., Joel Swendsen, Ph.D.


JOURNAL OF THE AMERICAN ACADEMY OF CHILD & ADOLESCENT PSYCHIATRY

VOLUME 49 NUMBER 10 OCTOBER 2010


Service Utilization for Lifetime Mental Disorders in U.S. Adolescents: Results of the National Comorbidity Survey–Adolescent Supplement (NCS-A)

Kathleen Ries Merikangas, Ph.D., Jian-ping He, M.Sc., Marcy Burstein, Ph.D., Joel Swendsen, Ph.D., Shelli Avenevoli, Ph.D., Brady Case, M.D., Katholiki Georgiades, Ph.D., Leanne Heaton, Ph.D., Sonja Swanson, Sc.M., Mark Olfson, M.D., M.P.H.

Lifetime Prevalence Estimates of Mental Disorders in the NCS-A




Sex-Specific Lifetime Prevalence Estimates of Mental Disorders in the NCS-A



Note. Multivariate models adjusted for age, race, parent education/marital status, PIR, urbanicity; * *p* < .05

Age-Specific Lifetime Prevalence Estimates of Mental Disorders in the NCS-A




Note. Multivariate models adjusted for sex, race, parent education/marital status, PIR, urbanicity; youngest age group served as the reference; *p < .05

Other Sociodemographic Correlates


Mood Disorders	Anxiety Disorders	Behavior Disorders	Substance Use Disorders
High Among Hispanics			Low Among Blacks
High Parental Education	High Parental Education	Low Parental Education	Low Parental Education
Parental Divorce		Parental Divorce	

Note. Multivariate models adjusted for sex, age, race, parent education/marital status, PIR, urbanicity;


Age-Specific Incidence Curves Among U.S. Youth by Major Classes of Disorder



Psychiatric Comorbidity: Number of Major Classes of Mental Disorders



Mental Health Services Among Those With Mental Disorders



Summary

- Almost 50% of youth will experience one mental disorder in their lifetime
- Most mental disorders begin in childhood or adolescence
- A substantial proportion of youth with mental disorders do not receive mental health services

Principal Investigators

Ronald Kessler

Kathleen R. Merikangas

Investigators

Shelli Avenevoli

Elizabeth J. Costello

Doreen Koretz

David Offord

Alan Zaslavsky

Collaborators

Lihong Cui

Kevin Conway

Lisa Dierker

Kathy Georgiades

Jian-ping He

Joel Swendsen

Other Resources

Mood Disorders

Lamers et al., 2012 Merikangas et al., 2012

Eating Disorders

Swanson et al., 2011

Anxiety Disorders

Burstein et al., 2011 Burstein et al., 2011 Burstein et al., 2012

Headache

Nakamura et al., 2011

Substance Use

Swendsen et al., 2012 Dierker et al., 2012

Suicide

Husky et al., 2012

Medications

Merikangas et al., 2012

Thank You

Questions?

bursteinme@mail.nih.gov