PRICE BOOK JULY 1, 2015



ALARM LOCK

ALARM LOCK SYSTEMS, INC

345 Bayview Ave. Amityville, NY 11701 1-800-ALA-LOCK (252-5625) (631) 789-4871 Tel or (631) 789-3383 Fax



Important Things to Know about Doing Business with Alarm Lock Systems, Inc.

Prices shown in this book are list prices. All customers with direct accounts receive a discount letter along with each new price book. If you have a direct account with Alarm Lock you may request a copy of your discount letter in writing or by contacting you local sales representative.

The price book is for pricing purposes only and does not represent stocking levels. Certain items are manufactured to order. Please be sure to consult the factory or your Alarm Lock representative or Regional Sales Manager for availability.

Terms: Net 30

Freight Allowance: Shipments are F.O.B. Amityville, NY. Freight allowed within the continental U.S.A. is \$7,500.00. Freight allowance not available on drop ship orders.

Drop Shipments: All orders shipping to an address other than the customer's or one of their branches, is subject to a \$25.00 handling fee. Freight allowance not available on drop ship orders.

Minimum Order: The minimum order requirement has been changed to \$250.00 for all customers.

Returns/Warranty: Please see last page of price book for details.

Website: Visit us at <u>www.alarmlock.com</u> for a complete list of sales representatives by state, product specifications, technical data, and downloadable PDF files of all Alarm Lock's products as well as the most current version of our software DL-Windows.

If you need to contact us:

Alarm Lock Systems, Inc. 345 Bayview Ave Amityville NY 11701

Toll free number – 1 800 ALA-LOCK (252-5625) Direct telephone – 631 789-4871 Direct fax – 631 789-3383

Table of Contents

Trilogy DL2700/D	L2700LD100 user Lock/LocDown
Trilogy DL5200	100 user Double Sided Lock7
Trilogy DL2800	200 user Lock 8
Trilogy DL3000	300 user Lock 9
Trilogy DL3200	2000 user Lock10
Trilogy DL5300	2000 user Double Sided Lock11
Trilogy DL4100	2000 user Privacy/Residency Lock12
Trilogy PDL3000	2000 user Proximity & Keypad Lock 13
Trilogy PDL5300	2000 user Proximity Double Sided Lock14
Trilogy PL3000	2000 user Proximity Only Lock 15
Trilogy PDL4100	2000 user Proximity w/Privacy/Residency Lock16
Trilogy Cylindrica	ll Lock Parts
Trilogy & Networz	x Remote Release Products 19
Trilogy DL3500	300 user Mortise Lock 20, 21
Trilogy DL4500	2000 user Mortise w/Privacy/Residency Lock
Trilogy PDL3500	2000 user Proximity Mortise Lock23,24
Trilogy PL3500	2000 user Proximity Only Lock24
Trilogy PDL4500	2000 user Proximity Mortise w/Privacy/Residency Lock
Trilogy Mortise Lo	ock Parts26



Table of Contents (con't)

Trilogy	DL1200	100 user Narrow stile Lock27
Trilogy	DL1300	2000 user Narrow Stile Lock
Trilogy	PDL1300	2000 user Narrow Stile Proximity Lock
Trilogy	Narrow Stile	Lock Parts & Accessories30
Trilogy	DL1200ET	100 user Narrow Stile Exit Trim31,32
Trilogy	DL1300ET	2000 user Narrow Stile Exit Trim32
Trilogy	PDL1300ET	2000 user Narrow Stile Proximity Exit Trim Lock32
Trilogy	Narrow Stile	Exit Trim Parts & Accessories33
Trilogy	ETDL	2000 user Exit Trim Lock
Trilogy	ETPDL	2000 user Proximity Exit Trim Lock
Trilogy	Exit Trim Pa	arts & Accessories35
Trilogy	DK3000	2000 user Keypad/Wall Mounted Reader
Trilogy	PDK3000	2000 user Proximity Keypad/Wall Mounted Reader
Trilogy	DL6100	Networx Digital Lock, 5,000 user codes
Trilogy	PDL6100	Networx Proximity & Keypad 5,000 user codes
Trilogy	Training Opt	tions 40
Trilogy	PL6100/PDL	6200 Networx Proximity Only 5,000 user codes41
Trilogy	DL6500 No	etworx Digital Mortise Lock 5,000 user codes42
DL 650	0 Mortise Loc	ck Accessories43
Trilogy	PDL6500/PL	6500 Networx Proximity and Prox Only 5,000 user codes
PDL65()0/PL6500/PE	0L6600 Mortise Lock Accessories45



Table of Contents (con't)

PDL8200/PDL8600 iClass Networx Locks and Accessories	46,47,48
New Networx Accessories	49
ETPDNSRX Networx Exit Trim	50
Trilogy ETDLN Networx Exit Trim 5,000 user codes	50, 51, 52
Trilogy ETPDN Networx Exit Trim 5,000 user codes	50, 51, 52
Trilogy ETPLN Networx Exit Trim 5,000 user codes	50, 51, 52
NETDK Networx Digital wireless Keypad	53
NETPDK Networx Proxmity & Digital Keypad	53
NETDK/PDK Kits and Accessories	53,54
Trilogy Remote Release	55
Networx Upgrade Kits	56
ArchiTech TM Series Locks and Accessories	
Weather Resistant Alarmed Panic Devices	59
Alarmed Panic Devices	60
Door Alarms	61
Delayed Egress Panic Device	62
Electric Deadbolts	63
Remote Release Magnets	63
Power Magnets	63, 64
Alarm Lock Warranty/Return Policy	65



TRILOGY ELECTRONIC DIGITAL LOCKS

DL2700 SERIES -

Electronic battery operated digital lock. Holds up to 100 user codes, 1 Master, 10 Manager codes & up to 3 one time user codes.

SPECIFICATIONS:

	-
6	

DL2700LD (LocDownTM) ***NEW***

<i>.</i>	
Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
Backset:	2 3/4" (2 3/8" also available)
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8
	ASA strike included
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw
	reversible
Handing:	Non-handed
Power:	5 AA alkaline batteries (included)
Keypad:	All metal, 12 button. All functions programmed
	through keypad.
Door prep:	Standard ANSI A115 Series prep, modified by
1 1	adding additional through-bolt holes
Compliances:	BHMA Certified Grade 1 heavy duty cylindrical lockse
	UL Listed 10C Positive Pressure Specification. FCC
	Certified . ADA compliant levers
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all
	key override locks. Schlage, Corbin-Russwin CL,
	Sargent 480 series, ASSA 65-611 & Lori cylinders
	can also be used with HW620 tailpiece (supplied)
Interchangable	Standard model accepts 6 & 7 pin cylinders from
Core Models:	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba
	Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco,
	Sargent, Corbin-Russwin & Schlage are also available



PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS SPECIFY "WP" FOR WEATHER RISISTENT MODEL

PRODUCT	FINISH	LIST PRICE
DL2700	US26D	\$834.00
Standard key override	US3 & US10B	\$951.00
DL2775		
Standard Key override	US26D	\$887.00
Regal (curved)	US3 & US10B	\$1,005.00
DL2700IC*	US26D	\$867.00
Interchangeable core	US3 & US10B	\$969.00
DL2775IC*		
Interchangeable core	US26D	\$920.00
Regal (curved)	US3 & US10B	\$984.00
DL2700WP	US26D	\$936.00
Weather proof key override	US3 & US10B	\$995.00
DL2775WP		
Weather proof key override	US26D	\$951.00
Regal (curved)	US3 & US10B	\$1,016.00
DL2700WPIC*		
Weather proof	US26D	\$951.00
Interchangeable core	US3 & US10B	\$982.00
DL2775WIC*		
New Regal (curved) lever	US26D	\$969.00
Interchangeable core	US3 & US10B	\$1,038.00
DL2700SK	Mounted DL2700 demo	Call Factory
	DL2700 w/LocDown TM capability via	
NEW DL2700LD **NEW**	wireless key fob. Inside housing has a	\$900.00
(LocDown TM)	light bar that indicates that the door is	
	locked down.	

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL LOCKS

DL5200 SERIES -

Double sided electronic battery operated digital lock. Holds up to 100 user codes, 1 Master, 10 Manager codes & up to 3 one time user codes. Programmable keypad on both sides of the door. Key override is only operable on the primary side. The key on the secondary side is used only to remove the lever and access the batteries.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,
D 1 .	please consult factory 2 3/4" (2 3/8" also available)
Backset:	
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
	ASA strike included
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw reversible
Handing:	Non-handed
Power:	5 AA alkaline batteries (included)
Keypad:	All metal, 12 button. All functions programmed
	through keypad on both sides of the door
Door prep:	Standard ANSI A115 Series prep, modified by
	adding additional through-bolt holes
Compliances:	BHMA CertifiedGrade 1 heavy duty cylindrical lockset. UL listed
	UL Listed 10C Positive Pressure Specification. FCC
	Certified . ADA compliant levers
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all
	key override locks. Schlage, Corbin-Russwin CL,
	Sargent 480 series, ASSA 65-611 & Lori cylinders
	can also be used with HW620 tailpiece (supplied)
Interchangable	Standard model accepts 6 & 7 pin cylinders from
Core Models:	Best, Falcon, and Arrow.

ALL DL5200 LOCKS ARE WEATHER RESISTANT

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
DL5200	US26D	\$1,400.00
Standard key override	US3 & US10B	\$1,463.00
DL5275		
Standard Key override	US26D	\$1,426.00
Regal (curved)	US3 & US10B	\$1,485.00
DL5200IC	US26D	\$1,421.00
Interchangeable core	US3 & US10B	\$1,485.00
DL5275IC		
Interchangeable core	US26D	\$1,437.00
Regal (curved)	US3 & US10B	\$1,512.00
DL5200SK	Mounted DL5200 demo	Call Factory

Note: Key override operates latch on primary side only. Key override on secondary side protects battery pack.



TRILOGY ELECTRONIC DIGITAL LOCKS

DL2800 SERIES – Electronic battery operated digital lock. Holds up to 200 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & 1,000 event audit trail.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,	
	please consult factory	
Backset:	2 3/4 " (2 3/8" also available)	
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"	
	ASA strike included	. 7 8
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw reversible	• * •
Handing:	Non-handed	
Power:	5 AA alkaline batteries (included)	Section 2.
Keypad:	All metal, 12 button. All functions programmed	•
• •	through keypad.	
Door prep:	Standard ANSI A115 Series prep, modified by	
	adding additional through-bolt holes	G
Compliances:	BHMA Certified Grade 1 heavy duty cylindrical lockset.	
*	UL listed, 10C Positive Pressure Specification. FCC	
	Certified . ADA compliant levers	(commenter of the second
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all	
•	key override locks. Schlage, Corbin-Russwin CL,	
	Sargent 480 series, ASSA 65-611 & Lori cylinders	
	can also be used with HW620 tailpiece (supplied)	
Interchangeable		
Core Models:	Standard model accepts 6 & 7 pin cylinders from	
	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.	
	IC core models prepped for 6 & 7 pin Yale, Medeco,	
	Sargent, Corbin-Russwin & Schlage are also available	
	5	



All DL2800 LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

DIAL FINEL FILE AND ICT REFS		
PRODUCT	FINISH	LIST PRICE
DL2800	US26D	\$1,016.00
Standard key override	US3 & US10B	\$1,103.00
DL2875		
Standard key override	US26D	\$1,038.00
Regal (curved) lever	US3 & US10B	\$1,119.00
DL2800IC*	US26D	\$1,038.00
Interchangeable core	US3 & US10B	\$1,119.00
DL2875IC*		
Interchangeable core	US26D	\$1,059.00
Regal (curved) lever	US3 & US10B	\$1,136.00
DL2800SK	Mounted DL2800 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$448.00
	Computer interface cable for	
AL-PCI2	Serial connection includes	\$129.00
	DL-Windows Software	
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infrared Printer	\$520.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY ELECTRONIC DIGITAL LOCKS

DL3000 SERIES – Electronic battery operated digital lock. Holds up to 300 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & 1,600 event audit trail.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,	
	please consult factory	
Backset:	2 3/4" (2 3/8" also available)	
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"	
	ASA strike included	
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw	
	reversible	
Handing:	Non-handed	
Power:	5 AA alkaline batteries (included)	
Keypad:	All metal, 12 button. All functions programmed	
••	through keypad.	• •
Door prep:	Standard ANSI A115 Series prep, modified by	
	adding additional through-bolt holes	CONTRACTOR OF
Compliances:	BHMA Certified Grade 1 heavy duty cylindrical lockset.	
-	UL listed 10C Positive Pressure Specification. FCC	
	Certified . ADA compliant levers	
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all	
•	key override locks. Schlage, Corbin-Russwin CL,	
	Sargent 480 series, ASSA 65-611 & Lori cylinders	
	can also be used with HW620 tailpiece (supplied)	
Interchangeable	Standard model accepts 6 & 7 pin cylinders from	
Core Models	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.	
	IC core models prepped for 6 & 7 pin Yale, Medeco,	
	Sargent, Corbin-Russwin & Schlage are also available.	

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS SPECIFY "WP" FOR WEATHER RISISTENT MODEL

SPECIFI WP FOR WEATHER RISISTENT MODEL		
PRODUCT	FINISH	LIST PRICE
DL3000	US26D	\$1,233.00
Standard key override	US3 & US10B	\$1,319.00
DL3075		
Standard key override	US26D	\$1,228.00
Regal (curved) lever	US3 & US10B	\$1,298.00
DL3000IC*	US26D	\$1,228.00
Interchangeable core	US3 & US10B	\$1,298.00
DL3075IC*		
Interchangeable core	US26D	\$1,251.00
Regal (curved) lever	US3 & US10B	\$1,319.00
DL3000WP	US26D	\$1,260.00
Weather proof key override	US3 & US10B	\$1,324.00
DL3075WP		
Weather proof key override	US26D	\$1,282.00
Regal (curved) lever	US3 & US10B	\$1,324.00
DL3000WPIC*	US26D	\$1,282.00
Weather proof interchangeable core	US3 & US10B	\$1,346.00
DL3075WPIC*		
Weather proof interchangeable core	US26D	\$1,287.00
Regal (curved) lever	US3 & US10B	\$1,323.00
DL3000SK	Mounted DL3000 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$448.00
	Computer interface cable for serial	
AL-PCI2	connection with DL-Windows Software	\$129.00
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra red Printer	\$520.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above**MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY ELECTRONIC DIGITAL LOCKS

DL3200 SERIES – Electronic battery operated digital lock. Holds up to 2,000 codes, Master, Management, Supervisor & basic user. 500 event schedule, multiple "one-time" user codes & 40,000 event audit trail.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,
	please consult factory
Backset:	2 3/4" (2 3/8" also available)
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
	ASA strike included
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw reversible
Handing:	Non-handed
Power:	5 AA alkaline batteries (included)
Keypad:	All metal, 12 button. All functions programmed
	through keypad.
Door prep:	Standard ANSI A115 Series prep, modified by
	adding additional through-bolt holes
Compliances:	BHMA Certified Grade 1 heavy duty cylindrical
	lockset.
	UL listed 10C Positive Pressure Specification. FCC
	Certified . ADA compliant levers
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all
	key override locks. Schlage, Corbin-Russwin CL,
	Sargent 480 series, ASSA 65-611 & Lori cylinders
	can also be used with HW620 tailpiece (supplied)
Interchangeable	Standard model accepts 6 & 7 pin cylinders from
Core Models	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
	IC core models prepped for 6 & 7 pin Yale, Medeco,
	Sargent, Corbin-Russwin & Schlage are also available
	-

ALL DL3200 LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE	
DL3200	US26D	\$1,270.00	
Standard key override	US3 & US10B	\$1,341.00	
DL3275			
Standard key override	US26D	\$1,292.00	
Regal (curved) lever	US3 & US10B	\$1,362.00	
DL3200IC*	US26D	\$1,292.00	
Interchangeable core	US3 & US10B	\$1,362.00	
DL3275IC*			
Interchangeable core	US26D	\$1,308.00	
Regal (curved) lever	US3 & US10B	\$1,362.00	
DL3200SK	Mounted DL3200 demo	Call Factory	
AL-DTMIII	Data Transfer Module	\$448.00	
	Computer interface cable for serial		
AL-PCI2	connection with DL-Windows Software	\$129.00	
	USB computer interface cable		
ALPCI2-U	includes DL-Windows software	\$237.00	
MX1130	USB Converter	\$118.00	
AL-IR1	Infrared Printer	\$520.00	

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL LOCKS

DL5300 SERIES – Double sided electronic battery operated digital lock. Holds up to 2,000 codes, Master, Management, Supervisor & basic user. 500 event schedule, multiple "one-time" user codes & 40,000 event audit trail. Programmable keypad on both sides of the door. Only primary keypad has data transfer capability. Key override is only operable on the primary side. The key on the secondary side is used only to remove the lever and access the batteries.

SPECIFICATIONS:

Fits 1 5/8" to 1 7/8". Other thickness,
please consult factory
2 3/4" (2 3/8" also available)
1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
ASA strike included
UL Listed, fire rated 3 hours, 1/2" throw
reversible
Non-handed
5 AA alkaline batteries (included)
All metal, 12 button. All functions programmed
through keypad on both sides of
Standard ANSI A115 Series prep, modified by
adding additional through-bolt holes
BHMA Certified Grade 1 heavy duty cylindrical lock
UL listed 10C Positive Pressure Specification. FCC
Certified . ADA compliant levers
6 pin solid brass, SC1 keyway, furnished with all
key override locks. Schlage, Corbin-Russwin CL,
Sargent 480 series, ASSA 65-611 & Lori cylinders
can also be used with HW620 tailpiece (supplied)
Standard model accepts 6 & 7 pin cylinders from
Best, Falcon, and Arrow.



Note: Key override operates kset. latch on primary side only. Key override on secondary side protects battery pack.

ALL DL5300 LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
DL5300	US26D	\$1,761.00
Standard key override	US3 & US10B	\$1,808.00
DL5375		
Standard key override	US26D	\$1,776.00
Regal (curved) lever	US3 & US10B	\$1,840.00
DL5300IC	US26D	\$1,766.00
Interchangeable core	US3 & US10B	\$1,835.00
DL5375IC		
Interchangeable core	US26D	\$1,761.00
Regal (curved) lever	US3 & US10B	\$1,857.00
DL5300SK	Mounted DL5300 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$448.00
	Computer interface cable for serial	
AL-PCI2	connection with DL-Windows Software	\$129.00
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra red Printer	\$520.00



TRILOGY ELECTRONIC DIGITAL LOCKS WITH PRIVACY & RESIDENCY FEATURES

DL4100 SERIES - Electronic battery operated digital lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. Privacy feature will lock out all users for programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,
	please consult factory
Backset:	2 3/4" (2 3/8" also available)
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
	ASA strike included
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw reversible
Handing:	Non-handed
Power:	5 AA alkaline batteries (included)
Keypad:	Weatherproof all metal, 12 button. All functions
••	programmed through keypad.
Door prep:	Standard ANSI A115 Series prep, modified by
	adding additional through-bolt holes
Compliances:	BHMA Certified Grade 1 heavy duty cylindrical lockset.
	UL listed 10C Positive Pressure Specification. FCC
	Certified . ADA compliant levers
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all
	key override locks. Schlage, Corbin-Russwin CL,
	Sargent 480 series, ASSA 65-611 & Lori cylinders
	can also be used with HW620 tailpiece (supplied)
	Interchangeable Core Models:
	Standard model accepts 6 & 7 pin cylinders from
	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
	IC core models prepped for 6 and 7 pin Yale, Medeco,
	Sargent, Corbin-Russwin & Schlage are also available
ALL I	DL4100 LOCKS ARE WEATHER RESISTANT



ALL DL4100 LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
DL4100	US26D	\$967.00
Standard key override	US3 & US10B	\$1,033.00
DL4175		
Standard key override	US26D	\$989.00
w/Regal (curved) lever	US3 & US10B	\$1,054.00
DL4100IC*	US26D	\$989.00
Interchangeable core prepped for Best®	US3 & US10B	\$1,054.00
DL4175IC*		
Interchangeable core prepped for Best®	US26D	\$1,005.00
W/Regal (curved) lever	US3 & US10B	\$1,076.00
DL4100SK	Mounted DL4100 Demo	Call Factory
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$129.00
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above.



Price Book 2015 TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS

PDL3000 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,	
	please consult factory	
Backset:	2 3/4" (2 3/8" also available)	
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"	
	ASA strike included	1
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw reversible	
Handing:	Non-handed	1
Power:	5 AA alkaline batteries (included)	1
Keypad:	Weatherproof all metal, 12 button. All functions	1
	programmed through keypad. Proximity antenna housing	1
	molded of ultra high strength, impact resistant Lexan®	1
Door prep:	Standard ANSI A115 Series prep, modified by	10000
	adding additional through-bolt holes	
Compliances:	BHMA Certified Grade 1 heavy duty cylindrical lockset.	
	UL listed 10C Positive Pressure Specification. FCC	U
	Certified . ADA compliant levers	
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all	
	key override locks. Schlage, Corbin-Russwin CL,	
	Sargent 480 series, ASSA 65-611 & Lori cylinders	
	can also be used with HW620 tailpiece (supplied)	
Interchangeable	Standard model accepts 6 & 7 pin cylinders from	
Core Models	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.	
	IC core models prepped for 6 and 7 pin Yale, Medeco,	
	Sargent, Corbin-Russwin & Schlage are also available	
	ALL PDL3000 LOCKS ARE WEATHER RESISTANT	
P	LEASE CHECK WITH FACTORY FOR LEAD TIMES	
	ON SPECIAL FINISHES AND IC PREPS	



ON SPECIAL FINISHES AND IC PREPS			
PRODUCT	FINISH	LIST PRICE	
PDL3000K	US26D	\$1,753.00	
Audit Trail with Key override	US10B	\$1,816.00	
PDL3000	US26D	\$1,730.00	
Standard key override	US3 & US10B	\$1,806.00	
PDL3075			
Standard key override	US26D	\$1,758.00	
Regal (curved) lever	US3 & US10B	\$1,827.00	
PDL3000IC*	US26D	\$1,758.00	
Interchangeable core	US3 & US10B	\$1,827.00	
PDL3075IC*			
Interchangeable core	US26D	\$1,778.00	
Regal (curved) lever	US3 & US10B	\$1,844.00	
PDL3000SKLE	Mounted PDL3000 demo	Call Factory	
	Computer interface cable for serial		
AL-PCI2	Connection includes DL-Windows	\$129.00	
	Software		
ALPCI2-U	USB computer interface cable	\$237.00	
	includes DL-Windows software		
MX1130	USB Converter	\$118.00	
AL-IR1	Infra-red Printer	\$520.00	
AL-DTMIII	Data Transfer Module	\$448.00	
AL-PRE	Prox Card Enroller	\$590.00	
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00	
	Proximity, Magnetic Stripe and Photo		
ALHID1336	ID cards 100 per box	\$1,1030.00	
	Proximity and Photo ID		
ALHID1386	Card 100 per box	\$927.00	
ALHID1391	MicroProx Tag 10 per box	\$ 80.00	
ALHID1346	Proximity keyfob 10 per box	\$118.00	

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



Price Book 2015 TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL PROXIMITY LOCKS

PDL5300 SERIES – Double sided electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, 40,000 event audit trail. Programmable keypad on both sides of the door. Only primary keypad has data transfer capability Will read most HID card and keyfob formats. Key override is only operable on the primary side. The key on the secondary side is use only to remove the lever and access the batteries. SPECIFICATIONS:

Fits 1 5/8" to 1 7/8". Other thickness,
please consult factory
2 3/4" (2 3/8" also available)
1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
ASA strike included
UL Listed, fire rated 3 hours, 1/2" throw
reversible
Non-handed
5 AA alkaline batteries (included)
Weatherproof all metal, 12 button. All functions
programmed through keypad. Proximity antenna housing
molded of ultra high strength, impact resistant Lexan®
Standard ANSI A115 Series prep, modified by
adding additional through-bolt holes
BHMA Certified Grade 1 heavy duty cylindrical lockset.
UL listed 10C Positive Pressure Specification. FCC
Certified . ADA compliant levers
6 pin solid brass, SC1 keyway, furnished with all
key override locks. Schlage, Corbin-Russwin CL,
Sargent 480 series, ASSA 65-611 & Lori cylinders
can also be used with HW620 tailpiece (supplied)
Standard model accepts 6 & 7 pin cylinders from
Best, Falcon, and Arrow.



Note: Key override operates latch on primary side only. Key override on secondary side protects battery pack.

ALL PDL5300 LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
PDL5300	US26D	\$2,100.00
Standard key override	US3 & US10B	\$2,163.00
PDL5375		
Standard key override	US26D	\$2,121.00
Regal (curved) lever	US3 & US10B	\$2,190.00
PDL5300IC	US26D	\$2,116.00
Interchangeable core	US3 & US10B	\$2,155.00
PDL5375IC		
Interchangeable core	US26D	\$2,142.00
Regal (curved) lever	US3 & US10B	\$2,181.00
PDL5300SK	Mounted PDL3000 demo	Call Factory
	Computer interface cable for serial	
AL-PCI2	Connection includes DL-Windows	\$129.00
ALPCI2-U	USB computer interface cable	\$237.00
	includes DL-Windows software	
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,1030.00
	Proximity and Photo ID	·
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00



Price Book 2015 TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS

PL3000 SERIES - Electronic battery operated proximity only lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

10.	
Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,
	please consult factory
Backset:	2 3/4" (2 3/8" also available)
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
	ASA strike included
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw
	reversible
Handing:	Non-handed
Power:	5 AA alkaline batteries (included)
Programming:	9 prox programming cards included
Door prep:	Standard ANSI A115 Series prep, modified by
	adding additional through-bolt holes
Compliances:	BHMA certified Grade 1 heavy duty cylindrical lockset.
	UL listed to the 10C Positive Pressure Specification.
	FCC Certified. ADA compliant levers
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all
	key override locks. Schlage, Corbin-Russwin CL,
	Sargent 480 series, ASSA 65-611 & Lori cylinders
	can also be used with HW620 tailpiece (supplied)
Interchangeable	Standard model accepts 6 & 7 pin cylinders from
Core Models	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
	IC core models prepped for 6 and 7 pin Yale, Medeco,
	Sargent, Corbin-Russwin & Schlage are also available



ALL PL3000 PROXIMITY LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
PL3000	US26D	\$1,730.00
Standard key override	US3 & US10B	\$1,806.00
PL3075		
Standard key override	US26D	\$1,758.00
Regal (curved) lever	US3 & US10B	\$1,827.00
PL3000IC*	US26D	\$1,758.00
Interchangeable core	US3 & US10B	\$1,827.00
PL3075IC*		
Interchangeable core	US26D	\$1,778.00
Regal (curved) lever	US3 & US10B	\$1,844.00
PL3000SK	Mounted PL3000 Demo	Call Factory
	Computer interface cable for serial	
AL-PCI2	connection includes DL-Windows	\$129.00
	software	#227 00
ALPCI2-U	USB computer interface cable	\$237.00
10/11/20	includes DL-Windows software	¢110.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,1030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS WITH PRIVACY & RESIDENCY FEATURES

PDL4100 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

SPECIFICATIONS:		
Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,	
	please consult factory	
Backset:	2 3/4" (2 3/8" also available)	
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"	
	ASA strike included	
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw reversible	
Handing:	Non-handed	
Power:	5 AA alkaline batteries (included)	
Keypad:	Weatherproof all metal, 12 button. All functions	
• •	programmed through keypad. Proximity antenna housing	
	molded of ultra high strength, impact resistant Lexan®	
Door prep:	Standard ANSI A115 Series prep, modified by	
1 1	adding additional through-bolt holes	
Compliances:	BHMA certified Grade 1 heavy duty cylindrical lockset.	
1	UL listed to the 10C Positive Pressure Specification.	
	FCC certified . ADA compliant levers	
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all	
5	key override locks. Schlage, Corbin-Russwin CL,	
	Sargent 480 series, ASSA 65-611 & Lori cylinders	
	can also be used with HW620 tailpiece (supplied)	
Interchangeable	Standard model accepts 6 & 7 pin cylinders from	
Core Models:	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba	
	Peaks.	
	IC core models prepped for 6 pin and 7 pin Yale, Medeco,	
	Sargent, Corbin-Russwin & Schlage are also available	
	Sargent, Coroni-Russwin & Seniage are also available	

Sargent, Corbin-Russwin & Schlage are also available ALL PDL4100 LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
	US26D	\$1,406.00
PDL4100	US3 & US10B	\$1,487.00
	US26D	\$1,421.00
PDL4175	US3 & US10B	\$1,519.00
	US26D	\$1,421.00
PDL4100IC*	US3 & US10B	\$1,519.00
	US26D	\$1,454.00
PDL4175IC*	US3 & US10B	\$1,519.00
PDL4100SK	Mounted PDL4100 demo	Call Factory
	Computer interface cable for serial	
AL-PCI2	connection Includes DL-Windows	\$129.00
ALPCI2-U	USB computer interface cable	\$237.00
	includes DL-Windows software	
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,1030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



Part Number	Description	List Price
S6054	Complete Outside housing for DL2700WP available finishes 26D, 3, & 10B	\$341.00
S6126	Complete outside housing for DL2800WP available finishes 26D, 3, & 10B	\$435.00
S6047	Complete outside housing for DL3000WP available finishes 26D, 3, & 10B	\$663.00
S6122	Complete outside housing for PDL3000 available finishes 26D, 3, & 10B	\$1,035.00
S6163	Complete outside housing for DL4100 available finishes 26D, 3, & 10B	\$499.00
S6164	Complete outside housing for PDL4100 available finishes 26D, 3, & 10B	\$826.00
S6045	Standard key override lock body complete	\$310.00
S6046	Best prep interchangeable core lock body complete	\$310.00
S6045-C/R	Corbin/Sargent prep interchangeable core lock body complete	\$341.00
S6045-Y/M	Yale/Medeco prep interchangeable core lock body complete	\$341.00
S6045-S	Schlage prep interchangeable core lock body complete	\$341.00
HW614C	Outside lever standard prep available finishes 26D, 3, & 10B	\$35.00
HW616C	Outside lever Best IC prep available finishes 26D, 3, & 10B	\$35.00
HW615C	Inside lever for all cylindrical locks available finishes 26D, 3, & 10B	\$35.00
HW592G	Battery Cover available finishes 26D, 3, & 10B Latch bolt 2 ³ 4" available finishes 26D, 3,	\$20.00
P5849	& 10B	\$25.00
S5980-1	Latch bolt 2 3/8" 26D finish	\$25.00
S5980-2 HW470	Latch bolt 2 3/8" US5 finish	\$25.00
HW577	4 7/8" strike available 26D, 3, & 10B 2 ¾" strike available finishes 26D, 3, & 10B	\$15.00
HW596F	Standard cylinder w/2 keys available finishes 26D, 3, & 10B	\$25.00
S6148	Lever return spring	\$5.00
S6061	Replacement battery pack cylindrical	\$45.00
S6172	Replacement battery pack Double sided	\$30.00
HW580	Schlage® key override tailpiece for Cylindrical locks	\$10.00
HW620D	Lori® key override tailpiece for Cylindrical locks	\$10.00
HW597E	Alarm Lock cylindrical key override tailpiece	\$10.00
HW598D	Cylindrical Interchangeable core Tailpiece Best prep	\$10.00
S6070	IC tailpiece bag assembly w/washer Specify for the following: S – Schalge, B – Best, R – Sargent, M – Medeco, Y – Yale, C – Corbin	\$15.00
MX942	Replacement DTM cable	\$20.00

TRILOGY CYLINDRICAL LOCK PARTS



TRILOGY CYLINDRICAL LOCK PARTS (con't)

Part Number	Description	List Price
	Washer used on HW620, HW597C &	
WA160C	HW598D	\$3.00
S6072	Set of spacers for doors 1 3/8" or less	\$67.00
CW-27AB	Wrap around plate in US5	\$62.00
CW-27PB	Wrap around plate in US3	\$67.00
CW-27S	Wrap around plate US32D	\$67.00
DL2700DJ	Drilling Jig for cylindrical locks	\$386.00

TRILOGY LOCK ACCESSORIES

	Computer interface cable for serial Connection includes DL-Windows	¢120.00
AL-PCI2		\$129.00
	Software	
ALPCI2-U	USB computer interface cable	\$237.00
	includes DL-Windows software	
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,1030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
	Trilogy DL-Windows and Networx	
	Connectivity software training videos	
	divided into 4 easy to follow sections	
ALTRAINDVD	conducted into a classroom style	\$0.00 + \$15.95 shipping and handling
	environment. Training videos cover	charge. Please contact customer service at
	basics, getting started, schedules and	1-800-ALA-LOCK to place your order via
	times zones, programming Trilogy locks	credit card, or email
	via a laptop and the DTM along with how	sales@alarmlock.com
	to connect and bring Networx on line.	



TRILOGY & NETWORX REMOTE RELEASE PRODUCTS

PRODUCT	DESCRIPTION	LIST PRICE
RR-TRILOGYKIT	Remote release kit for all Trilogy Cylindrical models includes the RR- 1BUTTON for desk mount applications and RR-RECEIVER which is designed to be installed inside the battery compartment next to the battery pack of any cylindrical Trilogy lock. The RR- RECEIVER connects to the 2 white remote release wires inside the battery compartment and to the black and red battery pack wires to power the receiver. These kits will retro fit to any existing cylindrical Trilogy manufactured since 1994.	\$221.00
RR-RECEIVER	RR-RECEIVER is designed to be installed next to the battery pack of any cylindrical Trilogy lock. The RR- RECEIVER connects to the 2 white remote release wires and to the black and red battery pack wires and will retro fit to any existing cylindrical Trilogy manufactured since 1994. You will need to purchase separately either an RR- 1BUTTON OR 4BKEYFOB to activate the receiver	\$128.00
RR-1BUTTON	Remote release desk mounted button designed to be used with any existing Networx lock enrolled with a simple keypad program. Must update the firmware of your existing Networx Lock. Also can be used with an RR-RECEIVER to any existing Trilogy Cylindrical Lock, RR-RECEIVER sold separately.	\$92.00
RR-4BKEYFOB	Remote release 4 button key fob designed to be used with any existing Networx lock enrolled with a simple keypad program. Must update the firmware of your existing Networx Lock. Also can be used with an RR-RECEIVER to any existing Trilogy Cylindrical Lock, RR-RECEIVER sold separately.	\$103.00
RR-MORTISEKIT	Remote release kit for Mortise Locks	\$242.00
RR-EXITTRIMKIT	Remote release kit for Exit Trim Locks Both include RR-1BUTTON and	\$242.00
	RECEIVER mounted on a Lexan battery cover.	

*Note: The Remote Release Products follow the Networx Discount Structure - will not work with DL2800 and Narrow Stile Locks



TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS

DL3500 SERIES - Electronic battery operated digital mortise lock. Holds up to 300 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail.

SPECIFICATIONS:

Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
Backset:	2 3/4" standard
Strike:	1 1/4" x 4 7/8"strike included
Handing:	Specify RH or LH when ordering, lock is reversible In the field
Power:	5 AA alkaline batteries (included)
Keypad:	All metal, 12 button. All functions programmed through keypad.
Door prep:	Standard ANSI A115 Mortise prep, modified by
1 1	adding additional through-bolt holes
Compliances:	Steelcase lockbody meets BHMA specifications
-	For Grade 1 locks. UL listed to the 10C Positive
	Pressure Specification. FCC Certified. ADA compliant levers
Functions:	Classroom function feature stainless steel latchbolt
	With 3/4" (1.91cm) projection and deadlocking latch
	Deadbolt function feature stainless steel deadbolt with
	1" (2.55cm) projection, latchbolt with 3/4" (1.91cm)
	projection and deadlocking latch Deadbolt may be
	projected from key cylinder from outside door or
	turn-piece from inside door
Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will
	Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise
	Cylinder. Classroom function supplied with straight
	Cam and deadbolt function supplied with cloverleaf
	Cam
Cams:	Cams for other manufacturer's cylinders are available
	See "Mortise Lock accessories" for part numbers &
	Manufacturers



ALL DL3500 MORTISE LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
DL3500CRR		
Straight lever classroom function	US26D	\$1,428.00
Right hand	US3 & US10B	\$1,498.00
DL3500CRL		
Straight lever classroom function	US26D	\$1,428.00
Left Hand	US3 & US10B	\$1,498.00
DL3500DBR		
Straight lever deadbolt function	US26D	\$1,428.00
Right hand	US3 & US10B	\$1,498.00
DL3500DBL		
Straight lever deadbolt function	US26D	\$1,428.00
Left Hand	US3 & US10B	\$1,498.00
DL3575CRR		
Regal (curved) lever classroom	US26D	\$1,444.00
Function right hand	US3 & US10B	\$1,514.00
DL3575CRL		
Regal (curved) lever classroom	US26D	\$1,444.00
Function left hand	US3 & US10B	\$1,514.00
DL3575DBR		
Regal (curved) lever deadbolt	US26D	\$1,444.00
Function right hand	US3 & US10B	\$1,514.00
DL3575DBL		
Regal (curved) lever deadbolt	US26D	\$1,444.00
Function left hand	US3 & US10B	\$1,514.00



PRODUCT	DESCRIPTION	LIST PRICE
DL3500SK	Mounted sales kit, straight lever. Available in classroom or deadbolt function.	Call Factory
AL-DTMIII	Data Transfer Module	\$448.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$129.00
ALPCI2-U	USB computer interface cable includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra red Printer	\$520.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com
	to connect and bring Networx on line.	

TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS (con't)

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	\$5.00
HW957-M	Marks Cloverleaf Cam	\$5.00
HW957-C	Corbin-Russwin Cloverleaf Cam	\$5.00
HW957-S	Schalge Cloverleaf Cam	\$5.00
HW957-A	Arrow Cloverleaf Cam	\$5.00
HW957-R	Sargent Cloverleaf Cam	\$5.00
HW1141	Schlage IC Cloverleaf Cam	\$5.00

S6123	DL3500 complete outside housing available in 26D, US3 & US10B	\$960.00
S6175	Replacement lever support spring	\$3.00
S6192	Lever and spring upgrade kit Standard lever – 26D, 10B, US3	\$51.00
S6193	Lever and spring upgrade kit Regal lever – 26D, 10B, US3	\$76.00
HW904DBR	Right hand deadbolt lock body	\$163.00
HW903DBL	Left hand deadbolt lock body	\$163.00
HW870CRL	Left Hand Classroom lock body	\$163.00
HW875CRR	Right hand Classroom lock body	\$163.00
S6065	Replacement Battery Pack	\$36.00



TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS WITH PRIVACY & RESIDENCY FEATURES

DL4500 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Privacy feature will lock out all users for programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
Backset:	2 3/4" standard
Strike:	1 1/4" x 4 7/8"strike included
Handing:	Specify RH or LH when ordering, lock is reversible In the field
Power:	5 AA alkaline batteries (included)
Keypad:	All metal, 12 button. All functions programmed through keypad.
Door prep:	Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
Compliances:	Steelcase lockbody meets BHMA specifications
	For Grade 1 locks. UL listed to the 10C Positive
	Pressure Specification. FCC Certified. ADA compliant levers
Functions:	Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm)
	projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will
	Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise
	Cylinder. Deadbolt function supplied with cloverleaf Cam
Cams:	Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers &

Manufacturers



ALL DL4500 LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	K WITH FACTORY FOR LEAD TIMES ON SPE FINISH	LIST PRICE	
DL4500DBR			
Straight lever deadbolt function	US26D	\$1,076.00	
Right hand	US3 & US10B	\$1,146.00	
DL4500DBL		· · · · · · · · · · · · · · · · · · ·	
Straight lever deadbolt function	US26D	\$1,076.00	
Left Hand	US3 & US10B	\$1,146.00	
DL4575DBR			
Regal (curved) lever deadbolt	US26D	\$1,097.00	
Function right hand	US3 & US10B	\$1,162.00	
DL4575DBL			
Regal (curved) lever deadbolt	US26D	\$1,097.00	
Function left hand	US3 & US10B	\$1,162.00	
	Computer interface cable for serial		
AL-PCI2	connection includes DL-Windows	\$129.00	
	software		
	Computer interface cable for serial and		
ALPCI2-U	USB computer interface cable includes	\$237.00	
	DL-Windows software		
MX1130	USB Converter	\$118.00	
AL-IR1	Infra-red Printer	\$520.00	
AL-DTMIII	Data Transfer Module	\$448.00	
DL4500SK	Mounted DL4500 Demo	Call Factory	



TRILOGY ELECTRONIC PROXIMITY MORTISE LOCKS

PDL3500/PL3500 - Electronic battery operated digital mortise lock. Holds up to 2000 user codes, Master, Management, Supervisor & basic user. 500 scheduled events, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
Backset:	2.3/4" standard
Strike:	1 1/4" x 4 7/8" strike included
Handing:	Specify RH or LH when ordering, lock is reversible In the field
Power:	5 AA alkaline batteries (included)
Keypad:	Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
Door prep:	Standard ANSI A115 Mortise prep, modified by
	adding additional through-bolt holes
Compliances:	Steelcase lockbody meets BHMA specifications
	For Grade 1 locks. UL listed to the 10C Positive
	Pressure Specification. FCC Certified. ADA
	compliant levers
Functions:	Classroom function feature stainless steel latchbolt
	With 3/4" (1.91cm) projection and deadlocking latch
	Deadbolt function feature stainless steel deadbolt with
	1" (2.55cm) projection, latchbolt with 3/4" (1.91cm)
	projection and deadlocking latch Deadbolt may be
	projected from key cylinder from outside door or
	turn-piece from inside door
Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will
	Accept 1 1/4" to 1 1/2" (3.5 – 3.82cm) mortise
	Cylinder. Classroom function supplied with straight
	Cam and deadbolt function supplied with cloverleaf
	Cam
Cams:	Cams for other manufacturer's cylinders are available
	See "Mortise Lock accessories" for part numbers &
	Manufacturers



ALL PDL3500 LOCKS ARE WEATHER-RESISTANT		
DI FASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES		

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES		
PRODUCT	FINISH	LIST PRICE
PDL3500CRR		
Straight lever classroom function	US26D	\$1,828.00
Right hand	US3 & US10B	\$1,904.00
PDL3500CRL		
Straight lever classroom function	US26D	\$1,828.00
Left Hand	US3 & US10B	\$1,904.00
PDL3500DBR		
Straight lever deadbolt function	US26D	\$1,828.00
Right hand	US3 & US10B	\$1,904.00
PDL3500DBL		
Straight lever deadbolt function	US26D	\$1,828.00
Left Hand	US3 & US10B	\$1,904.00
PDL3575CRR		
Regal (curved) lever classroom	US26D	\$1,844.00
Function right hand	US3 & US10B	\$1,919.00
PDL3575CRL		
Regal (curved) lever classroom	US26D	\$1,844.00
Function left hand	US3 & US10B	\$1,919.00



PRODUCT	K WITH FACTORY FOR LEAD TIME DESCRIPTION	LIST PRICE
PDL3575DBR		
Regal (curved) lever deadbolt	US26D	\$1,844.00
Function right hand	US3 & US10B	\$1,919.00
PDL3575DBL		
Regal (curved) lever deadbolt	US26D	\$1,844.00
Function left hand	US3 & US10B	\$1,919.00
	Mounted sales kit, straight lever.	
PDL3500SK/26D	Available in classroom or deadbolt	Call Factory
PL3500CRR	function.	
	US26D	\$1,828.00
Straight lever classroom function Right hand	US3 & US10B	\$1,828.00 \$1,904.00
PL3500CRL	053 & 0510B	\$1,904.00
Straight lever classroom function	US26D	\$1,828.00
Left Hand	US3 & US10B	\$1,828.00
PL3500DBR	000 @ 0010B	\$1,901.00
Straight lever deadbolt function	US26D	\$1.828.00
Right hand	US3 & US10B	\$1,904.00
PL3500DBL		
Straight lever deadbolt function	US26D	\$1,828.00
Left Hand	US3 & US10B	\$1,904.00
PL3575CRR		
Regal (curved) lever classroom	US26D	\$1,844.00
Function right hand	US3 & US10B	\$1,919.00
PL3575CRL		
Regal (curved) lever classroom	US26D	\$1,844.00
Function left hand	US3 & US10B	\$1,919.00
PL3575DBR		
Regal (curved) lever deadbolt	US26D	\$1,844.00
Function right hand	US3 & US10B	\$1,919.00
PL3575DBL	LISOND	¢1.844.00
Regal (curved) lever deadbolt Function left hand	US26D US3 & US10B	\$1,844.00 \$1,919.00
Function left hand	Computer interface cable for serial	\$1,919.00
AL-PCI2	connection includes DL-Windows	\$129.00
AL-I CI2	software	\$125.00
	USB computer interface cable includes	
ALPCI2-U	DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,1030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
	Trilogy DL-Windows and Networx	
	Connectivity software training videos	
	divided into 4 easy to follow sections	
ALTRAINDVD	conducted into a classroom style	\$0.00 + \$15.95 shipping and handling
	environment. Training videos cover	charge. Please contact customer service at
	basics, getting started, schedules and	1-800-ALA-LOCK to place your order via
	times zones, programming Trilogy locks	credit card, or email
	via a laptop and the DTM along with how to connect and bring Networx on line.	sales@alarmlock.com



TRILOGY ELECTRONIC DIGITAL PROXIMITY MORTISE LOCKS WITH PRIVACY & RESIDENCY FEATURES

PDL4500 - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
Backset:	2 3/4" standard
Strike:	1 1/4" x 4 7/8"strike included
Handing:	Specify RH or LH when ordering, lock is reversible
	In the field
Power:	5 AA alkaline batteries (included)
Keypad:	Weatherproof all metal, 12 button. All functions
	programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
Door prep:	Standard ANSI A115 Mortise prep, modified by
	adding additional through-bolt holes
Compliances:	Steelcase lockbody meets BHMA specifications
-	For Grade 1 locks. UL listed to the 10C Positive
	Pressure Specification. FCC Certified. ADA compliant levers
Functions:	Deadbolt function feature stainless steel deadbolt with
Functions.	1" (2.55cm) projection, latchbolt with 3/4" (1.91cm)
	projection and deadlocking latch Deadbolt may be
	1 5 6 5
	projected from key cylinder from outside door or turn-piece from inside door
Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will
Cymider.	Accept 1 $1/4$ " to 1 $1/2$ " (3.5 – 3.82cm) mortise
	Cylinder. Deadbolt function supplied with cloverleaf cam
Cams:	Cams for other manufacturer's cylinders are available
Callis.	
	See "Mortise Lock accessories" for part numbers &
	Manufacturers



ALL PDL4500 LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE	
PDL4500DBR			
Straight lever deadbolt function	US26D	\$1,568.00	
Right hand	US3 & US10B	\$1,644.00	
PDL4500DBL			
Straight lever deadbolt function	US26D	\$1,568.00	
Left Hand	US3 & US10B	\$1,644.00	
PDL4575DBR			
Regal (curved) lever deadbolt	US26D	\$1,585.00	
Function right hand	US3 & US10B	\$1,655.00	
PDL4575DBL			
Regal (curved) lever deadbolt	US26D	\$1,585.00	
Function right hand	US3 & US10B	\$1,655.00	
PDL4500SK/26D	Mounted Sales Demo	Call Factory	
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$129.00	
ALPCI2-U	USB computer interface cable includes DL-Windows software	\$237.00	
MX1130	USB Converter	\$118.00	
AL-IR1	Infra-red Printer	\$520.00	
AL-DTMIII	Data Transfer Module	\$448.00	
AL-PRE	Prox Card Enroller	\$590.00	



ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,1030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com
	to connect and bring Networx on line.	

MORTISE LOCK ACCESSORIES

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS		
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	\$5.00
HW957-M	Marks Cloverleaf Cam	\$5.00
HW957-C	Corbin-Russwin Cloverleaf Cam	\$5.00
HW957-S	Schalge Cloverleaf Cam	\$5.00
HW957-A	Arrow Cloverleaf Cam	\$5.00
HW957-S	Sargent Cloverleaf Cam	\$5.00
HW1141	Schlage IC Cloverleaf Cam	\$5.00

S6165	PDL3500 complete outside housing available in 26D, US3 & US10B	\$1015.00
S6175	Replacement lever support spring	\$3.00
S6192	Lever and spring upgrade kit Standard lever – 26D, 10B, US3	\$50.00
S6193	Lever and spring upgrade kit Regal lever – 26D, 10B, US3	\$75.00
HW904DBR	Right hand deadbolt lock body	\$163.00
HW903DBL	Left hand deadbolt lock body	\$163.00
HW870CRL	Left Hand Classroom lock body	\$163.00
HW875CRR	Right hand Classroom lock body	\$163.00
S6065	Replacement Battery Pack	\$36.00

CI COLO



TRILOGY NARROW STYLE LOCK PRODUCTS

DL1200 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 4500, 4700 & 4900 series deadlatch. 4070, MS18505 & MS19505 series deadbolts. 100 user codes, master, Manager, basic user and 3 "one-time" user codes.

SPECIFICATIONS:

Door thickness: Backset:	supports style 1 ¾" only supports 31/32", 1 1/8", & 1 ½"
Latch:	works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900
Latti.	Series spring latch and MS1850S & MS1950S series deadbolts
Handing:	non-handed
Power:	uses 2 DL123A lithium batteries
Keypad:	all metal, vandal resistant 12 button keypad supports 3-5 digit
	PIN codes
Cylinder:	supplied with 6 pin mortise standard mortise cylinder SC1
	Keyway. Use 1 3/8" or 1 1/2" cylinders
Cams:	cam supplied works with generic Alarm Lock cylinder. Other
	Standard cams available for Corbin-Russwin, Marks, Arrow,
	Sargent & Schlage. IC type cams for Best, Corbin-Russwin,
	Medeco, Schlage & Yale are also available

ALL DL1200 SERIES LOCKS ARE WEATHER-RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
	Lever set works with Adams Rite®	
	4500, 4700, & 4900 series deadlatch	
DL1200/26D1	26D finish	\$633.00
	Lever set works with Adams Rite®	
	4500, 4700 & 4900 series deadlatch	
DL1200/10B1	10B finish	\$633.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1225/26D2	26D finish	\$633.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1225/10B2	10B finish	\$633.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	¢ (22.00
DL1250/26D2	26D finish	\$633.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
DI 1050/10D0	deadbolt	¢(22.00
DL1250/10B2	10B finish	\$633.00



4 (1995)

TRILOGY NARROW STYLE LOCK PRODUCTS

DL1300 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS18505 & MS19505 series deadbolts. 2,000 user codes, master, Manager, basic user and multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail.

SPECIFICATIONS:

DDODI

Door thickness:	supports style 1 ³ / ₄ " only
Backset:	supports 31/32", 1 1/8", & 1 1/2"
Latch:	works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900
	Series spring latch and MS1850S & MS1950S series deadbolts
Handing:	non-handed
Power:	uses 2 DL123A lithium batteries
Keypad:	all metal, vandal resistant 12 button keypad supports 3-5 digit
	PIN codes
Cylinder:	supplied with 6 pin mortise standard mortise cylinder SC1
	Keyway. Use 1 3/8" or 1 ¹ /2" cylinders
Cams:	cam supplied works with generic Alarm Lock cylinder. Other
	Standard cams available for Corbin-Russwin, Marks, Arrow,
	Sargent & Schlage. IC type cams for Best, Corbin-Russwin,
	Medeco, Schlage & Yale are also available



PRODUCT	DESCRIPTION	LIST PRICE
	Lever set works with Adams Rite®	
	4500, 4700, & 4900 series deadlatch	
DL1300/26D1	26D finish	\$794.00
	Lever set works with Adams Rite®	
	4500, 4700, & 4900 series deadlatch	
DL1300/10B1	10B finish	\$794.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1325/26D2	26D finish	\$794.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
DL1325/10B2	10B finish	\$794.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	*-------------
DL1350/26D2	26D finish	\$794.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
DI 1250/10D2	deadbolt	¢770.00
DL1350/10B2	10B finish	\$779.00
	Computer interface cable for serial	¢120.00
AL-PCI2	connection includes DL-Windows	\$129.00
	software	
	USB computer interface cable includes	\$227.00
ALPCI2-U	DL-Windows software	\$237.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00

ALL DL1300 SERIES LOCKS ARE WEATHER RESISTANT



TRILOGY NARROW STILE LOCK PRODUCTS

PDL1300 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS18505 & MS19505 series deadbolts. 2,000 user codes, master, Manager, basic user and multiple "one-time" user codes. Proximity capabilities. 500 event schedule, real time clock & 40,000 event audit trail.

SPECIFICATIONS:

Door thickness:	supports style 1 ³ /4" only
Backset:	supports 31/32", 1 1/8", & 1 1/2"
Latch:	works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900
	Series spring latch and MS1850S & MS1950S series deadbolts
Handing:	non-handed
Power:	uses 2 DL123A lithium batteries
Keypad:	all metal, vandal resistant 12 button keypad supports 3-5 digit
••	PIN codes and HID proximity cards and fobs. Proximity
	antenna housing molded of ultra high strength, impact
	resistant Lexan®
Cylinder:	supplied with 6 pin mortise standard mortise cylinder SC1
•	Keyway. Use 1 3/8" or 1 ¹ /2" cylinders
Cams:	cam supplied works with generic Alarm Lock cylinder. Other
	Standard cams available for Corbin-Russwin, Marks, Arrow,
	Sargent & Schlage. IC type cams for Best, Corbin-Russwin,
	Medeco, Schlage & Yale are also available

ALL NARROW STILE LOCKS ARE WEATHER RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
	Lever set works with Adams Rite®	
	4500, 4700, & 4900 series deadlatch	
PDL1300/26D1	26D finish	\$1,151.00
	Lever set works with Adams Rite®	
	4500, 4700, & 4900 series deadlatch	
PDL1300/10B1	10B finish	\$1,151.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
PDL1325/26D2	26D finish	\$1,151.00
	Thumb turn works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
PDL1325/10B2	10B finish	\$1,151.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
PDL1350/26D2	26D finish	\$1,151.00
	Knob works with Adams Rite®	
	4070, MS18505, MS1950 series	
	deadbolt	
PDL1350/10B2	10BD finish	\$1,151.00
	Computer interface cable for serial	
AL-PCI2	connection includes DL-Windows	\$129.00
	software	



TRILOGY NARROW STYLE LOCK PRODUCTS (con't)

	USB computer interface cable includes	
ALPCI2-U	DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$520.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,1030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00

PARTS

STANDARD MORTISE CAMS	DESCRIPTION	LIST PRICE
HW1344	Corbin-Russwin standard cam	\$5.00
HW1346	Marks standard cam	\$5.00
HW1348	Arrow & Sargent standard cams	\$5.00
HW1349	Schlage standard cam	\$5.00
IC MORTISE CAMS		
HW1345	Corbin-Russwin IC cam	\$10.00
HW1347	Medeco IC cam	\$10.00
HW1350	Schlage IC cam	\$10.00
HW1343	Best IC cam	\$10.00
S6169	Best IC housing with cam attached 26D, 10B	\$40.00
Replacement Battery		
S6161	Inside Battery Kit	\$58.00
S6170	Replacement Battery	\$36.00

HOW TO ORDER THE TRILOGY NARROW STILE LOCKS

Last two digits of the part number are

- 00 Straight Lever
- 25 Thumb turn
- 50 Knob

Used with Adams Rite Product

4500, 4700 & 4900 Series Only

MS1850, MS1950 & 4070 Series

MS1850, MS1950 & 4070 Series



9



TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS

DL1200ET, DL1300ET & PDL1300ET SERIES - Aluminum door retrofit outside trim. Works with Arrow, DCI, Von Duprin, Corbin, Dor-o-matic, Dorma & Jackson. DL1200ET has 100 user codes, master, Manager, basic user and 3 "one-time" user codes. DL1300ET & PDL1300ET have 2,000 user codes, multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. PDL1300ET also has proximity capabilities.

SPECIFICATIONS:

	Door thickness:	supports style 1 ³ / ₄ " only
	Handing:	non-handed
	Power:	uses 2 DL123A lithium batteries
	Keypad:	all metal, vandal resistant 12 button keypad supports 3-5 digit
C C		PIN codes
	Cylinder:	supplied with 6 pin mortise standard mortise cylinder SC1
1000		Keyway. Use 1 3/8" or 1 1/2" cylinders
	Cams:	cam supplied works with generic Alarm Lock cylinder. Other
COLUMN DESIGN		Standard cams available for Corbin-Russwin, Marks, Arrow,
		Sargent & Schlage. IC type cams for Best, Corbin-Russwin,
		Medeco, Schlage & Yale are also available
and the second second	Must order sena	rate tailpiece for specific ET being installed
Sec. Barrier	must of der sept	(a al)

(See page 31)

Note: ET Trim works w/V33 LH (RHR) only

PRODUCT	DESCRIPTION	LIST PRICE
DL1200ET/26D STRAIGHT LEVER 100 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic LH (RHR) devices only	\$633.00
DL1200ET//10B STRAIGHT LEVER 100 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic LH (RHR) devices only	\$633.00
DL1225ET/26D TURNPIECE 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$633.00
DL1225ET/10B TURNPIECE 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$633.00
DL1250ET/26D KNOB 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$633.00

ALL NARROW STILE/EXIT LOCKS ARE WEATHER RESISTANT



Price Book 2015 TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS (CON'T)

DL1250ET/10B KNOB 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$633.00
DL1300ET/26D STRAIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$827.00
DL1300ET/10B STRIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$827.00
DL1325ET/26D TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$827.00
DL1325ET/210B TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$827.00
DL1350ET/26D KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$827.00
DL1350ET/10B KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$827.00
PDL1300ET/26D STRAIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$1,151.00
PDL1300ET/10B STRAIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$1,151.00
PDL1325ET/26D TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,151.00
PDL1325ET/10B TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,151.00
PDL1350ET/26D KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,151.00
PDL1350ET/10B KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,151.00



TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS (CON'T)

TAILPIECE PART NUMBER	PANIC DEVICE	LIST PRICE
TP-1691	Used with Arrow S1200/1250, DCI 1200/1300, Von Duprin 22 & Dorma 5300 Panic Devices	\$54.00
TP-1692	Used with Dor-o-Matic 2090 Panic Device	\$54.00
TP-1693	Used with Corbin ED8200 Panic Device	\$54.00
TP-1694	Used with Von Duprin 33 LH (RHR) devices only	\$54.00
TP-1698	Used with Jackson 1095 Panic Device	\$54.00

Tailpieces must be used with the Panic Devices as shown below

TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS

PARTS AND ACCESSORIES

ACCESSORIES	DESCRIPTION	LIST PRICE
AL-PCI2	Computer interface cable for serial connection includes DL-Windows	\$129.00
	software	<i><i><i><i></i></i></i></i>
	USB computer interface cable	
ALPCI2-U	includes DL-Windows software	\$237.00
MX1130	USB Converter	\$120.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,1030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00

STANDARD MORTISE CAMS	DESCRIPTION	LIST PRICE
HW1344	Corbin-Russwin standard cam	\$5.00
HW1346	Marks standard cam	\$5.00
HW1348	Arrow & Sargent standard cams	\$5.00
HW1349	Schlage standard cam	\$5.00
IC MORTISE CAMS		
HW1345	Corbin-Russwin IC cam	\$10.00
HW1347	Medeco IC cam	\$10.00
HW1350	Schlage IC cam	\$10.00
HW1343	Best IC cam	\$10.00
S6169	Best IC housing w/cam attached 26D, 10B	\$40.00
Replacement Battery		
S6161	Inside Battery Kit	\$58.00
S6170	Replacement Battery	\$36.00



TRILOGY EXIT TRIM PRODUCTS

Battery operated Trilogy outside trim works with Marks M9900, Von Duprin 99, Corbin ED5000, Yale 7100, Dorma 9300, Arrow 3800, Sargent 8800, Precision 1100, 2100 & Cal Royal 9800, series panic devices. Available in DL series (keypad) or PDL (prox/keypad) formats. Features include 2,000 user codes, 500 scheduled events and 40,000 event audit trail.

SPECIFICATIONS:

Cylinder:	Uses standard rim cylinder to operate key override function. Will accept 6 or 7 pin interchangeable core cylinders – see below.
Handing:	Non-handed
Power:	5 AA alkaline batteries (included) mounted on inside of door.
Keypad:	Weather-resistant all metal, 12 button. All functions Programmable through the keypad. PDL version proximity antenna housing molded of ultra high strength, impact resistant Lexan®



Outside Door

ALL ET SERIES LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	TH FACTORY FOR LEAD TIMES ON SPE DESCRIPTION	LIST PRICE
ETDL series	26D	\$1,244.00
ETDL series	US3 & US10B	\$1,308.00
ETDL series w/Regal lever	26D	\$1,265.00
ETDL series w/Regal lever	US3 & US10B	\$1,319.00
ETPDL series	26D	\$1,622.00
ETPDL series	US3 & US10B	\$1,688.00
ETPDL series w/Regal lever	26D	\$1,644.00
ETPDL series w/Regal lever	US3 & US10B	\$1,708.00
	26D	\$1,622.00
ETPL series	US3 & US10B	\$1,688.00
	26D	\$1,644.00
ETPL series w/Regal lever	US3 & US10B	\$1,708.00
Specify finish on adapter kit	Alarm Lock Standard Rim Cylinder	
ET- AL Finish = 26D, US3 & US10B	Adapter kit (Schlage C keyway)	\$54.00
	Arrow Standard Rim Cylinder	
ET- AR Finish = 26D, US3 & US10B	Adapter kit	\$54.00
	ASSA Standard Rim Cylinder	
ET- AS Finish = 26D, US3 & US10B	Adapter kit	\$54.00
	Corbin Standard Rim Cylinder	
ET – C Finish = 26D, US3 & US10B	Adapter kit	\$54.00
	Medeco Standard Rim Cylinder	
ET – M Finish = 26D, US3 & US10B	Adapter kit	\$54.00
	Sargent Standard Rim Cylinder	
ET – R Finish = 26D, US3 & US10B	Adapter kit	\$54.00
	Schlage Standard Rim Cylinder	
ET - S Finish = 26D, US3 & US10B	Adapter kit	\$54.00
	Yale Standard Rim Cylinder	
ET - Y Finish = 26D, US3 & US10B	Adapter kit	\$54.00
	Arrow IC 6 & 7 Pin Rim Cylinder	
ET – ARIC Finish = 26, 26D, 3, 4, 5, 10B	Adapter kit	\$75.00
	Best IC 6 & 7 Pin Rim Cylinder	
ET - BIC Finish = 26D, US3 & US10B	Adapter kit	\$75.00
	Corbin IC Rim Cylinder	
ET - CIC Finish = 26D, US3 & US10B	Adapter kit	\$75.00
	Medeco IC 6 & 7 Pin Rim Cylinder	
ET - MIC Finish = 26D, US3 & US10B	Adapter kit	\$75.00



TRILOGY EXIT TRIM PRODUCTS (CONT'D)

Product	Description	LIST PRICE
	Sargent IC Rim Cylinder	
ET - RIC Finish = 26D, US3 & US10B	Adapter kit	\$75.00
	Schlage IC Rim Cylinder	
ET - SIC Finish = 26D, US3 & US10B	Adapter kit	\$75.00
	Yale IC 6 Pin Rim Cylinder	
ET – YIC Finish = 26D, US3 & US10B	Adapter kit	\$75.00
ETDLSKZ/26D V99, C50, A38, D93, Y71, S88, CR8, P11	Mounted sales kit	Call Factory
V99, C30, A38, D95, 171, S88, CK8, P11	For demo purposes	
ETPDLSKZ/26D	Mounted sales kit	Call Factory
V99, C50, A38, D93, Y71, S88, CR8, P11	For demo purposes	
AL-PCI2	Computer interface cable for serial connection Includes DL-Windows software	\$129.00
ALPCI2-U	USB computer interface cable includes DL-Windows software	\$ 230.00
ALPCI2-0 AL-IR1	Infra-red Printer	\$230.00
AL-IKI AL-DTMIII	Data Transfer Module	\$320.00
Al-PRE	Prox Card Enroller	
AI-PKE		\$590.00
ALHID1326	Proximity Access Cards 100 per box	\$470.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,1030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1346	Proximity keyfob packed 10 per box	\$118.00
ALHID1391	MicroProx Tag 10 per box	\$82.00

EXIT TRIM KITS W/MARKS M9900 PANIC BAR

PRODUCT	DESCRIPTION	LIST PRICE
ETDL-M99K	26D Finish	\$1,629.00
ETPDL-M99K	26D Finish	\$1,996.00

EXTENDED SPINDLES CAN BE PURCHASED SEPARATELY

S6146	Extend exit trim to fit $2 - 2\frac{3}{4}$ doors	\$107.00
Extended Spindle and screws		
S6147	Extend exit trim to fit $3 - 4$ " doors	\$107.00
Extended Spindle and screws		
S6195	Extend exit trim to fit 4 1/4 - 5" doors	\$107.00
Extended Spindle and screws		
	Extended replacement screws with	
SC544	adjustable lengths (4 per unit)	\$20.00
9ETBATCASE	Replacement Battery	\$46.00
S6175	Lever return spring for ET	\$3.00
S6190	Exit Trim/Mortise Lock Parts Kit	\$144.00
S6191	Lever and spring upgrade kit	\$51.00
	Standard lever – 26D, 10B	
S6193	Lever and spring upgrade kit	
	Regal lever – 26D, 10B	\$76.00

PLEASE SEE "HOW TO ORDER" CHART ON PAGE 18 TO PROPERLY ORDER YOUR TRILOGY EXIT TRIM. IF YOU REQUIRE THE LOCK TO BE PREPPED FOR A THICKER DOOR, YOU MUST ORDER EXTENDED SPINDLE/SCREW KIT. THE BASIC MODEL IS PREPPED FOR A


1 5/8" TO 1 7/8" DOOR.

**** PRECISION 2100 SERIES WILL WORK WITH THE VON DUPRIN 99 PREP. YOU MUST GET A MOUNTING PLATE PART # 2141208 FROM PRECISION****



HOW TO ORDER YOUR TRILOGY EXIT LOCK

Below is a "How to Order" guide for the Trilogy Exit Trim products. Please follow this guide when placing orders to avoid any delay in processing your order. All units are sold with a generic cylinder adapter installed. When you are using a specific Brand of rim cylinder, you must purchase a Cylinder Adapter Kit from the chart below.







TRILOGY ELECTRONIC DIGITAL KEYPAD

DK3000/PDK3000 Series	- Electronic digital keypad. Available in keypad only and keypad plus prox. Holds up to 2,000 user codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Prox unit will read most HID cards and keyfobs.
Specifications:	
- Wall mount :	Single gang box mounting .
Wiring :	Unit provides flying leads for power, relays, tamper and remote Release.
I/O Specs:	2 form C relays 5AMP minimum contact rating. Red & green LED Indicators. 1 remote release input. Sounder and tamper.
Power:	Operating voltage 12-24VAC/DC field selectable.



ALL DK3000/PDK3000 ARE WEATHER-RESISTANT

PRODUCT	FINISH	LIST PRICE
DK3000	Metallic silver (MS) Metallic bronze (MB)	\$643.00
	26D, US3 & US10B	\$789.00
PDK3000	Metallic silver (MS) Metallic bronze (MB)	\$1,005.00
	26D, US3 & US10B	\$1,141.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$129.00
ALPCI2-U	USB computer interface cable includes DL-Windows software	\$237.00
MX1130	USB Converter	\$118.00
AL-IR1	Infra-red Printer	\$520.00
AL-DTMIII	Data Transfer Module	\$448.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 per box	\$505.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,1030.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$927.00
ALHID1346	Proximity keyfob packed 10 per box	\$118.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com
	to connect and bring Networx on line.	



Price Book 2015

TRILOGY NETWORX DIGITAL LOCKS

DL6100 SERIES – Digital cylindrical lock supporting 5,000 pin user codes (3-6 digits), 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,	
	please consult factory	
Backset:	2 3/4" (2 3/8" also available)	
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"	
	ASA strike included	Series
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw	-
	reversible	
Handing:	Non-handed	C
Power:	4 C-cell batteries (included)	
Keypad:	All metal, 12 button. Basic functions programmed	
J I	through the keypad.	
Door prep:	Standard ANSI A115 Series prep, modified by	
1 1	adding additional through-bolt holes	
Compliances:	BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed	
1	UL Listed 10C Positive Pressure Specification. FCC	
	Certified . ADA compliant levers	
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all	
•	key override locks. Schlage, Corbin-Russwin CL,	
	Sargent 480 series, ASSA 65-611 & Lori cylinders	
	can also be used with HW620 tailpiece (supplied)	
Interchangable	Standard model accepts 6 & 7 pin cylinders from	
Core Models:	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba	
	Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco,	
	Sargent, Corbin-Russwin & Schlage are also available	

ALL NETWORX LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE	
DL6100	26D	\$1,452.00	
Standard key override	10B	\$1,534.00	
DL6175			
Standard Key override	26D	\$1,472.00	
Regal (curved)	10B	\$1,586.00	
DL6100IC*	26D	\$1,472.00	
Interchangeable core	10B	\$1,550.00	
DL6175IC*			
Interchangeable core	26D	\$1,503.00	
Regal (curved)	10B	\$1,565.00	
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00	
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00	
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$610.00	
S6196	Networx Replacement Battery Pack	\$45.00	

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above.



TRILOGY NETWORX PROXMITY DIGITAL LOCKS

PDL6100/PDL6200— Prox and digital cylindrical lock supporting 5,000 PIN user codes (3-6 digits), and/or HID Proximity cards. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,	
	please consult factory	
Backset:	2 3/4" (2 3/8" also available)	
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"	
	ASA strike included	
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw	
	reversible	
Handing:	Non-handed	
Power:	4 C-cell batteries (included)	6
Keypad:	All metal, 12 button. Basic functions programmed	
	through the keypad.	
Door prep:	Standard ANSI A115 Series prep, modified by	
	adding additional through-bolt holes	
Compliances:	BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed	
	UL Listed 10C Positive Pressure Specification. FCC	
	Certified . ADA compliant levers	
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all	
	key override locks. Schlage, Corbin-Russwin CL,	
	Sargent 480 series, ASSA 65-611 & Lori cylinders	
	can also be used with HW620 tailpiece (supplied)	
Interchangable	Standard model accepts 6 & 7 pin cylinders from	
Core Models:	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba	
	Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco,	
	Sargant Carbin Bussyin & Sahlaga are also available	

Sargent, Corbin-Russwin & Schlage are also available ALL NETWORX LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
PDL6100	26D	\$1,864.00
Standard key override	10B	\$1,936.00
PDL6200		
Standard Key override	26D	\$1,915.00
w/door position switch	10B	\$1,987.00
PDL6175		
Standard Key override	26D	\$1,890.00
Regal (curved)	10B	\$1,951.00
PDL6100IC*	26D	\$1,879.00
Interchangeable core	10B	\$1,946.00
PDL6175IC*		
Interchangeable core	26D	\$1,962.00
Regal (curved)	10B	\$2,060.00
PDL6100SK	Mounted PDL6100 demo w/ mounted sales/demo kit including IME gateway and router mounted on plexi-glass for plug and play demonstrations with Alarm Lock carrying bag.	\$2,0000
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00

	Power Over Ethernet, plus hardwire		
AL-IMEPOEP	gateway interface capability. No AC	\$610.00	
	Power required.		
AL-PRE	Prox Card Enroller	\$590.00	
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00	
	Proximity, Magnetic Stripe and Photo		
ALHID1336	ID cards 100 per box	\$1,030.00	
	Proximity and Photo ID		
ALHID1386	Card 100 per box	\$927.00	
ALHID1391	MicroProx Tag 10 per box	\$82.00	
ALHID1346	Proximity keyfob 10 per box	\$118.00	
S6196	Networx Replacement Battery Pack	\$45.00	
AL-IME-USB	USB Gateway	\$300.00	
AL-NSM	Networx Signal Meter	\$296.00	
AL-NSG	Networx Signal Generator	\$240.00	

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**

Networx training options available. See below for details.

Note:

Training and education options available for Networx products:

- 1. FREE On-Line certification Software and Networx connectivity video training available at: <u>http://alarmlock.com/trainingvideos-list.asp</u>
- 2. On site training may be available thru our in field rep agencies on a quote-by-quote basis. The minimum charge is \$500. For a listing of the reps in your area, please go to our website at: http://alarmlock.com/contactn.html

AL Training DVD

ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com
------------	---	--



Price Book 2015

TRILOGY NETWORX PROXMITY DIGITAL LOCKS

PL6100 SERIES – Prox only cylindrical lock supporting 5,000 PIN user codes (3-6 digits), and/or HID Proximity cards. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,	
	please consult factory	
Backset:	2 3/4" (2 3/8" also available)	
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"	
	ASA strike included	•
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw	
	reversible	
Handing:	Non-handed	-
Power:	4 C-cell batteries (included)	
Door prep:	Standard ANSI A115 Series prep, modified by	C
* *	adding additional through-bolt holes	(E)
Compliances:	BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed	
-	UL Listed 10C Positive Pressure Specification. FCC	
	Certified . ADA compliant levers	
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all	
•	key override locks. Schlage, Corbin-Russwin CL,	
	Sargent 480 series, ASSA 65-611 & Lori cylinders	
	can also be used with HW620 tailpiece (supplied)	
Interchangable	Standard model accepts 6 & 7 pin cylinders from	
Core Models:	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba	
	Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco,	
	Sargent, Corbin-Russwin & Schlage are also available	
ATT NIEVENNA	ODY LOCKS ADD WEATHED DEGISTANT	

ALL NETWORX LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
PL6100	26D	\$1,864.00
Standard key override	10B	\$1,936.00
PL6175		
Standard Key override	26D	\$1,890.00
Regal (curved)	10B	\$1,951.00
PL6100IC*	26D	\$1,879.00
Interchangeable core	10B	\$1,946.00
PL6175IC*		
Interchangeable core	26D	\$1,962.00
Regal (curved)	10B	\$2,060.00
• • • • • •	Ethernet connected gateway w/AC	
AL-IME	adapter to plug into standard wall outlet	\$510.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$610.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
S6196	Networx Replacement Battery Pack	\$45.00

 *Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. **MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY NETWORX ELECTRONIC DIGITAL MORTISE LOCKS

DL6500 SERIES – Digital mortise lock supporting 5,000 PIN user codes (3-6 digits), 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
Backset:	2 3/4" standard
Strike:	1 1/4" x 4 7/8"strike included
Handing:	Specify RH or LH when ordering, lock is reversible In the field
Power:	4 C- cell batteries (included)
Keypad:	All metal, 12 button. Basic functions programmed through keypad.
Door prep:	Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
Compliances:	Steelcase lock body meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
Functions:	Classroom function feature stainless steel latchbolt With 3/4" (1.91cm) projection and deadlocking latch.
Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 3/8" to 1 $1/2$ " (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam.
Cams:	Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



ALL DL6500 MORTISE LOCKS ARE WEATHER-RESISTANT

PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
DL6500CRR		
Straight lever classroom function	26D	\$1,586.00
Right hand	10B	\$1,658.00
DL6500CRL		
Straight lever classroom function	26D	\$1,586.00
Left Hand	10B	\$1,658.00
DL6575CRR		
Regal (curved) lever classroom	26D	\$1,601.00
Function right hand	10B	\$1,673.00
DL6575CRL		
Regal (curved) lever classroom	26D	\$1,601.00
Function left hand	10B	\$1,673.00



TRILOGY NETWORX ELECTRONIC DIGITAL MORTISE LOCKS (con't)

AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$610.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com
AL-IME-USB	USB Gateway	\$300.00
AL-NSG	Networx Signal Generator	\$240.00
AL-NSM	Networx Signal Meter	\$296.00

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
S6175	Replacement lever support spring	\$5.00
S6192	Lever and spring upgrade kit Standard lever – 26D, 10B	\$51.00
S6193	Lever and spring upgrade kit Regal lever – 26D, 10B	\$76.00
HW870CRL	Left Hand Classroom lock body	\$163.00
HW875CRR	Right hand Classroom lock body	\$163.00
S6196	Networx Replacement Battery Pack	\$45.00



TRILOGY NETWORX ELECTRONIC PROXMITY DIGITAL MORTISE LOCKS

PDL6500/PL6500/PDL6600 – Prox and Digital mortise lock supporting 5,000 PIN user codes (3-6 digits) and HID Proximity cards. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

*Note: PDL6600-Request to exit (REX); real time when integrated with CIC, Lenel, Stanley B.A.S.I.S. When used on Networx; sound at door, will record on audit trail. Must pull audit log to view.

CATIONS:	
Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
Backset:	2 3/4" standard
Strike:	1 1/4" x 4 7/8"strike included
Handing:	Specify RH or LH when ordering, lock is reversible In the field
Power:	4 C- cell batteries (included)
Keypad:	All metal, 12 button. Basic functions programmed through keypad.
Door prep:	Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
Compliances:	Steelcase lock body meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
Functions:	Classroom function feature stainless steel latchbolt With 3/4" (1.91cm) projection and deadlocking latch.
Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam.
Cams:	Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers &

Manufacturers



ALL PDL6500 MORTISE LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES				
PRODUCT	FINISH	LIST PRICE		
PDL6500CR (L) or (R)				
Straight lever classroom function	26D	\$1,951.00		
Specify left or Right Handing	10B	\$2,018.00		
PDL6600CR (L) or (R)				
Straight lever classroom function	26D	\$2,003.00		
Specify left or Right Handing	10B	\$2,070.00		
w/door position switch				
PDL6575CRR				
Regal (curved) lever classroom	26D	\$1,967.00		
Function right hand	10B	\$2,034.00		
PDL6575CRL				
Regal (curved) lever classroom	26D	\$1,967.00		
Function left hand	10B	\$2,034.00		
PL6500CRR (prox only)				
Straight lever classroom function	26D	\$1,951.00		
Right hand	10B	\$2,018.00		
PL6500CRL (prox ony)				
Straight lever classroom function	26D	\$1,951.00		
Left Hand	10B	\$2,018.00		
PL6575CRR (prox only)				
Regal (curved) lever classroom	26D	\$1,967.00		
Function right hand	10B	\$2,034.00		
PL6575CRL (prox only)				
Regal (curved) lever classroom	26D	\$1,967.00		
Function left hand	10B	\$2,034.00		



	Ethernet connected gateway w/AC	
AL-IME	adapter to plug into standard wall outlet	\$510.00
	Wi-Fi gateway to connect to 802.11	
AL-IM80211	network w/AC adapter to plug into	\$710.00
	standard wall outlet.	
	Power Over Ethernet, plus hardwire	
AL-IMEPOEP	gateway interface capability. No AC	\$610.00
	Power required.	
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
	Trilogy DL-Windows and Networx	
	Connectivity software training videos	
	divided into 4 easy to follow sections	
ALTRAINDVD	conducted into a classroom style	\$0.00 + \$15.95 shipping and handling
	environment. Training videos cover	charge. Please contact customer service at
	basics, getting started, schedules and	1-800-ALA-LOCK to place your order via
	times zones, programming Trilogy locks	credit card, or email
	via a laptop and the DTM along with how	sales@alarmlock.com
	to connect and bring Networx on line.	
AL-IME-USB	USB Gateway	\$300.00
AL-NSG	Networx Signal Generator	\$240.00
AL-NSM	Networx Signal Meter	\$296.00

TRILOGY NETWORX ELECTRONIC DIGITAL MORTISE LOCKS (con't)

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
S6175	Replacement lever support spring	\$5.00
S6192	Lever and spring upgrade kit Standard lever – 26D, 10B	\$51.00
S6193	Lever and spring upgrade kit Regal lever – 26D, 10B	\$76.00
HW870CRL	Left Hand Classroom lock body	\$163.00
HW875CRR	Right hand Classroom lock body	\$163.00
S6196	Networx Replacement Battery Pack	\$45.00



Price Book 2015

TRILOGY NETWORX ICLASS w/REX & DPS PROXMITY DIGITAL LOCKS

PDL8200 SERIES - Prox and digital cylindrical lock supporting 5,000 PIN user codes (3-6 digits), and a 13.56 MHz iClass smart card proximity reader. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

*Note
Request to exit
(REX); real time
when integrated
with CIC, Lenel,
Stanley B.A.S.I.S.
When used on
Networx; sound
at door, will
record on audit
trail. Must pull
audit log to view.

S:			
	Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness,	
		please consult factory	
	Backset:	2 3/4" (2 3/8" also available)	6
	Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"	
		ASA strike included	
	Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw	
		reversible	
	Handing:	Non-handed)
	Power:	4 C-cell batteries (included)	
	Keypad:	All metal, 12 button. Basic functions programmed	
	• •	through the keypad.	0
	Door prep:	Standard ANSI A115 Series prep, modified by	
	* *	adding additional through-bolt holes	
	Compliances:	BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed	
	-	UL Listed 10C Positive Pressure Specification. FCC	
		Certified . ADA compliant levers	
	Cylinder:	6 pin solid brass, SC1 keyway, furnished with all	
	•	key override locks. Schlage, Corbin-Russwin CL,	
		Sargent 480 series, ASSA 65-611 & Lori cylinders	
		can also be used with HW620 tailpiece (supplied)	
	Interchangable	Standard model accepts 6 & 7 pin cylinders from	
	Core Models:	Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba	
		Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco,	
		Sargent, Corbin-Russwin & Schlage are also available	

ALL NETWORX LOCKS ARE WEATHER RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PDL820026D\$2,018.00Standard key override10B\$2,090.00PDL817526D\$2,044.00Standard Key override26D\$2,044.00Regal (curved)10B\$2,106.00PDL81001C*26D\$2,034.00Interchangeable core10B\$2,101.00PDL8175IC*26D\$2,054.00Interchangeable core Regal (curved)10B\$2,116.00PDL8175IC*26D\$2,054.00Interchangeable core Regal (curved)10B\$2,116.00Miter to plug into standard wall outlet\$510.00AL-IMEadapter to plug into standard wall outlet\$510.00AL-IMEPower Over Ethernet, plus hardwire gateway interface capability. No AC\$610.00Power Over Ethernet, plus hardwire gateway interface capability. No AC\$610.00AL-PREProximity Access Cards 100 Per Box\$505.00ALHID1326Proximity, Magnetic Stripe and Photo ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$1,030.00ALHID1391MicroProx Tag 10 per box\$82.00ALHID1346Proximity keyfob 10 per box\$118.00	
PDL8175 Standard Key override Regal (curved)26D\$2,044.00Regal (curved)10B\$2,106.00PDL8100IC*26D\$2,034.00Interchangeable core10B\$2,101.00PDL8175IC*26D\$2,054.00Interchangeable core Regal (curved)10B\$2,116.00Interchangeable core Regal (curved)10B\$2,116.00AL-IMEadapter to plug into standard wall outlet\$510.00AL-IMEadapter to plug into standard wall outlet\$510.00AL-IMEadapter to plug into standard wall outlet\$510.00AL-IMEPower Over Ethernet, plus hardwire gateway interface capability. No AC Power required.\$610.00AL-PREProx Card Enroller\$590.00AL-INE1326Proximity Access Cards 100 Per Box\$505.00ALHID1336ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
Standard Key override26D\$2,044.00Regal (curved)10B\$2,106.00PDL8100IC*26D\$2,034.00Interchangeable core10B\$2,101.00PDL8175IC*26D\$2,054.00Interchangeable core Regal (curved)10B\$2,116.00Mathematical Connected gateway w/ACStandard wall outlet\$510.00AL-IMEadapter to plug into standard wall outlet\$510.00AL-IMEPower Over Ethernet, plus hardwire gateway interface capability. No AC Power required.\$610.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00ALHID1336ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
Regal (curved)10B\$2,106.00PDL\$100IC*26D\$2,034.00Interchangeable core10B\$2,101.00PDL\$175IC*26D\$2,054.00Interchangeable core Regal (curved)10B\$2,116.00AL-IMEEthernet connected gateway w/AC adapter to plug into standard wall outlet\$510.00AL-IMEWi-Fi gateway to connect to 802.11 network w/AC adapter\$710.00AL-IME0211Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.\$610.00AL-IMEPOEPProx Card Enroller\$590.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00ALHID1336ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
PDL8100IC*26D\$2,034.00Interchangeable core10B\$2,101.00PDL8175IC*26D\$2,054.00Interchangeable core Regal (curved)10B\$2,116.00AL-IMEadapter to plug into standard wall outlet\$510.00AL-IMEwi-Fi gateway to connect to 802.11\$710.00AL-IMEPower Over Ethernet, plus hardwire\$710.00AL-IMEPower Over Ethernet, plus hardwire\$610.00AL-IMEPOEPPower Required.\$610.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00ALHID1336ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
Interchangeable core10B\$2,101.00PDL8175IC*26D\$2,054.00Interchangeable core Regal (curved)10B\$2,116.00AL-IMEEthernet connected gateway w/ACadapter to plug into standard wall outlet\$510.00AL-IMEWi-Fi gateway to connect to 802.11\$710.00AL-IME0211network w/AC adapter\$710.00AL-IMEPOEPPower Over Ethernet, plus hardwire gateway interface capability. No AC Power required.\$610.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box D cards 100 per box\$1,030.00ALHID1336D cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
PDL8175IC*26D\$2,054.00Interchangeable core Regal (curved)10B\$2,116.00AL-IMEEthernet connected gateway w/AC adapter to plug into standard wall outlet\$510.00AL-IMEWi-Fi gateway to connect to 802.11 network w/AC adapter\$710.00AL-IM80211Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.\$610.00AL-IMEPOEPProx Card Enroller\$590.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00ALHID1336ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
Interchangeable core Regal (curved)10B\$2,116.00AL-IMEEthernet connected gateway w/AC adapter to plug into standard wall outlet\$510.00AL-IMEWi-Fi gateway to connect to 802.11 network w/AC adapter\$710.00AL-IM80211Power Over Ethernet, plus hardwire gateway interface capability. No AC Power Over Ethernet, plus hardwire gateway interface capability. No AC Power over equired.\$610.00AL-IMEPOEPProx Card Enroller\$590.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00Proximity and Photo ID ALHID1386Proximity and Photo ID Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
Ethernet connected gateway w/AC adapter to plug into standard wall outlet\$510.00AL-IMEWi-Fi gateway to connect to 802.11 network w/AC adapter\$710.00AL-IM80211Power Over Ethernet, plus hardwire gateway interface capability. No AC\$610.00 \$610.00AL-IMEPOEPPower Over Ethernet, plus hardwire gateway interface capability. No AC\$610.00 \$590.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00Proximity, Magnetic Stripe and Photo ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
AL-IMEadapter to plug into standard wall outlet\$510.00Wi-Fi gateway to connect to 802.11 network w/AC adapter\$710.00AL-IM80211Power Over Ethernet, plus hardwire gateway interface capability. No AC\$610.00AL-IMEPOEPPower Over Ethernet, capability. No AC\$610.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00ALHID1336ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
AL-IM80211Wi-Fi gateway to connect to 802.11 network w/AC adapter\$710.00AL-IMEPOEPPower Over Ethernet, plus hardwire gateway interface capability. No AC\$610.00 \$610.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00Proximity, Magnetic Stripe and Photo ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
AL-IM80211network w/AC adapter\$710.00Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.\$610.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00Proximity, Magnetic Stripe and Photo ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
AL-IMEPOEPPower Over Ethernet, plus hardwire gateway interface capability. No AC Power required.\$610.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00Proximity, Magnetic Stripe and Photo ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
AL-IMEPOEPgateway interface capability. No AC Power required.\$610.00AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00Proximity, Magnetic Stripe and Photo ID cards 100 per box\$1,030.00ALHID1336ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
Power required.AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00Proximity, Magnetic Stripe and PhotoID cards 100 per box\$1,030.00ALHID1336ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
AL-PREProx Card Enroller\$590.00ALHID1326Proximity Access Cards 100 Per Box\$505.00Proximity, Magnetic Stripe and PhotoID cards 100 per box\$1,030.00ALHID1336ID cards 100 per box\$1,030.00ALHID1386Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
ALHID1326Proximity Access Cards 100 Per Box\$505.00Proximity, Magnetic Stripe and Photo ID cards 100 per box100 per box\$1,030.00ALHID1336Proximity and Photo ID Card 100 per box\$927.00ALHID1391MicroProx Tag 10 per box\$82.00	
Proximity, Magnetic Stripe and PhotoALHID1336ID cards 100 per boxProximity and Photo IDALHID1386Card 100 per boxALHID1391MicroProx Tag 10 per box	
ALHID1336 ID cards 100 per box \$1,030.00 Proximity and Photo ID	
Proximity and Photo IDALHID1386Card 100 per boxALHID1391MicroProx Tag 10 per box\$82.00	
ALHID1386 Card 100 per box \$927.00 ALHID1391 MicroProx Tag 10 per box \$82.00	
ALHID1391 MicroProx Tag 10 per box \$82.00	
ALTID1246 Dravinity leaved by 0 non-bay 0110.00	
ALHID1346 Proximity keyfob 10 per box \$118.00	
S6196 Networx Replacement Battery Pack \$45.00	
AL-IME-USB USB Gateway \$300.00	
AL-NSG Networx Signal Generator \$240.00	
AL-NSM Networx Signal Meter \$296.00	

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note**MUST SPECIFY 7 PIN FOR CORBIN AND YALE**



TRILOGY NETWORX ELECTRONIC ICLASS PROXMITY DIGITAL MORTISE LOCKS w/REX & DPS

PDL8600 - iClass Prox and Digital mortise lock supporting 5,000 PIN user codes (3-6 digits) with a 13.56 MHz iClass smart card proximity reader. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

51 201	1011101.01	
	Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
	Backset:	2 3/4" standard
	Strike:	1 1/4" x 4 7/8"strike included
*Note: Request to exit	Handing:	Specify RH or LH when ordering, lock is reversible In the field
(REX); real time	Power:	4 C- cell batteries (included)
when integrated with CIC, Lenel,	Keypad:	All metal, 12 button. Basic functions programmed through keypad.
Stanley B.A.S.I.S. When used on	Door prep:	Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
Networx; sound at door, will record on audit trail. Must pull	Compliances:	Steelcase lock body meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
audit log to view.	Functions:	Classroom function feature stainless steel latchbolt With 3/4" (1.91cm) projection and deadlocking latch.
	Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam.
	Cams:	Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers &

Manufacturers



ALL PDL8600 MORTISE LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES				
PRODUCT	FINISH	LIST PRICE		
PDL8600CRR				
Straight lever classroom function	26D	\$2,106.00		
Right Hand	10B	\$2,173.00		
PDL8600CRL				
Straight lever classroom function	26D	\$2,106.00		
Left Hand	10B	\$2,173.00		
PDL8675CRR				
Regal (curved) lever classroom	26D	\$2,121.00		
Function right hand	10B	\$2,188.00		
PDL8675CRL				
Regal (curved) lever classroom	26D	\$2,121.00		
Function left hand	10B	\$2,188.00		
PL8600CRR (prox only)				
Straight lever classroom function	26D	\$2,106.00		
Right hand	10B	\$2,173.00		
PL8600CRL (prox ony)				
Straight lever classroom function	26D	\$2,106.00		
Left Hand	10B	\$2,173.00		
PL8675CRR (prox only)				
Regal (curved) lever classroom	26D	\$2,121.00		
Function right hand	10B	\$2,188.00		
PL8675CRL (prox only)				
Regal (curved) lever classroom	26D	\$2,121.00		
Function left hand	10B	\$2,188.00		



\$590.00

\$505.00

\$1,030.00

\$927.00

\$82.00

\$118.00

0.00 + 15.95 shipping and handling

charge. Please contact customer service at

1-800-ALA-LOCK to place your order via

credit card, or email

sales@alarmlock.com

Price Book 2015

AL-PRE

ALHID1326

ALHID1336

ALHID1386

ALHID1391

ALHID1346

ALTRAINDVD

AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00	
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00	
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC	\$610.00	

Power required.

Prox Card Enroller

Proximity Access Cards 100 Per Box

Proximity, Magnetic Stripe and Photo

ID cards 100 per box

Proximity and Photo ID

Card 100 per box

MicroProx Tag 10 per box

Proximity keyfob 10 per box

Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections

conducted into a classroom style

environment. Training videos cover

basics, getting started, schedules and

times zones, programming Trilogy locks

TRILOGY NETWORX ELECTRONIC DIGITAL MORTISE LOCKS (con't)

	via a laptop and the DTM along with how to connect and bring Networx on line.	sales@alarmlock.c
AL-IME-USB	USB Gateway	\$300.00
AL-NSG	Networx Signal Generator	\$240.00
AL-NSM	Networx Signal Meter	\$296.00

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$5.00
HW956-M	Marks Straight Cam	\$5.00
HW956-C	Corbin-Russwin Straight Cam	\$5.00
HW956-S	Schlage Straight Cam	\$5.00
HW956-A	Arrow Straight Cam	\$5.00
HW956-R	Sargent Straight Cam	\$5.00
S6175	Replacement lever support spring	\$5.00
S6192	Lever and spring upgrade kit Standard lever – 26D, 10B	\$51.00
S6193	Lever and spring upgrade kit	
	Regal lever – 26D, 10B	\$76.00
HW870CRL	Left Hand Classroom lock body	\$163.00
HW875CRR	Right hand Classroom lock body	\$163.00
S6196	Networx Replacement Battery Pack	\$45.00



NEW TRILOGY NETWORX ACCESSORIES

AL-IME2	Ethernet connected gateway w/AC adapter to plug into standard wall outlet. Version 2 - allow use of expander	\$560.00
AL-IM2-80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet. Version 2 - allow use of expander	\$760.00
AL-IME2-POEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required. Version 2 - allow use of expander	\$660.00
AL-IME2-EXP	Wireless expander designed to expand the coverage area of version 2 gateways. AC power required. Up to 7 expanders per version 2 gateway	\$300.00

Note: AL-IME2-EXP will only work with v2 gateways



TRILOGY NETWORX EXIT TRIM PRODUCTS

Battery operated Trilogy outside trim works with Marks M9900, Von Duprin 99, Corbin ED5000, Yale 7100, Dorma 9300, Arrow 3800, Sargent 8888, Precision 1100, 2100 & Cal Royal 9800 series panic devices. Available in DL series (keypad) or PDL (prox/keypad) formats. Features include 5,000 user codes, 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Cylinder:	Uses standard rim cylinder to operate key override function. Will accept 6 or 7 pin interchangeable core cylinders – see below.	
Handing:	Non-handed	
Power:	4 C-cell batteries (included) mounted on inside of door.	
Keypad:	Weather-resistant all metal, 12 button. Basic functions Programmable through the keypad. PDL version proximity antenna housing molded of ultra high strength, impact resistant Lexan®	•



ALL ET SERIES LOCKS ARE WEATHER-RESISTANT PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	DESCRIPTION	LIST PRICE
ETDLN series	26D Finish	\$1,426.00
ETDLN series	10B Finish	\$1,493.00
ETDLN series w/Regal lever	26D Finish	\$1,447.00
ETDLN series w/Regal lever	10B Finish	\$1,503.00
ETPDN series	26D Finish	\$1,766.00
ETPDN series	10B Finish	\$1,828.00
ETPDN series w/Regal lever	26D Finish	\$1,781.00
ETPDN series w/Regal lever	10B Finish	\$1,843.00
ETPDNSRX w/request to exit and DPS	26DFinish	\$1,817.00
^	26D Finish	\$1,766.00
ETPLN series	10B Finish	\$1,828.00
	26D Finish	\$1,781.00
ETPLN series w/Regal lever	10B Finish	\$1,843.00
Specify finish on adapter kit	Alarm Lock Standard Rim Cylinder	
$\overrightarrow{\text{ET}}$ - $\overrightarrow{\text{AL}}$ Finish = 26D & US10B	Adapter kit (Schlage C keyway)	\$54.00
	Arrow Standard Rim Cylinder	<i>QD</i> H 00
ET- AR Finish = 26D & US10B	Adapter kit	\$54.00
	ASSA Standard Rim Cylinder	
ET- AS Finish = 26D & US10B	Adapter kit	\$54.00
	Corbin Standard Rim Cylinder	
ET - C Finish = 26D & US10B	Adapter kit	\$54.00
	Medeco Standard Rim Cylinder	
ET - M Finish = 26D & US10B	Adapter kit	\$54.00
	Sargent Standard Rim Cylinder	
ET - R Finish = 26D & US10B	Adapter kit	\$54.00
	Schlage Standard Rim Cylinder	
ET - S Finish = 26D & US10B	Adapter kit	\$54.00
	Yale Standard Rim Cylinder	
ET - Y Finish = 26D & US10B	Adapter kit	\$54.00
	Arrow IC 6 & 7 Pin Rim Cylinder	
ET - ARIC Finish = 26D & 10B	Adapter kit	\$75.00
	Best IC 6 & 7 Pin Rim Cylinder	
ET - BIC Finish = 26D & US10B	Adapter kit	\$75.00
	Corbin IC Rim Cylinder	
ET - CIC Finish = 26D & US10B	Adapter kit	\$75.00
	Medeco IC 6 & 7 Pin Rim Cylinder	
ET – MIC Finish = 26D & US10B	Adapter kit	\$75.00



Price Book 2015 TRILOGY NETWOX EXIT TRIM PRODUCTS (CONT'D)

Product	Description	LIST PRICE
	Sargent IC Rim Cylinder	
ET - RIC Finish = 26D, 10B	Adapter kit	\$75.00
	Schlage IC Rim Cylinder	
ET - SIC Finish = 26D, 10B	Adapter kit	\$75.00
	Yale IC 6 Pin Rim Cylinder	
ET – YIC Finish = 26D, 10B	Adapter kit	\$75.00
	Ethernet connected gateway w/AC	
AL-IME	adapter to plug into standard wall outlet	\$510.00
	Wi-Fi gateway to connect to 802.11	
AL-IM80211	network w/AC adapter to plug into	\$710.00
	standard wall outlet.	
	Power Over Ethernet, plus hardwire	
AL-IMEPOEP	gateway interface capability.	\$610.00
	No AC Power required.	
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
	Proximity, Magnetic Stripe and Photo	
ALHID1336	ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
S6196	Networx Replacement Battery Pack	\$45.00
S6190	Exit Trim Service Kit	\$144.00
S6191	Lever and spring upgrade kit	\$51.00
	Standard lever – 26D, 10B	
S6193	Lever and spring upgrade kit	
	Regal lever $-26D$, 10B	\$76.00

NETWORX EXIT TRIM KITS W/MARKS M9900 PANIC BAR

PRODUCT	DESCRIPTION	LIST PRICE
ETDLN-M99K	26D Finish	\$1,850.00
ETPDN-M99K	26D Finish	\$2,190.00

TRILOGY EXIT TRIM PRODUCTS PARTS EXTENDED SPINDLES MUST BE PURCHASED SEPARATELY

S6146	Extend exit trim to fit $2 - 2\frac{3}{4}$ doors	\$107.00
Extended Spindle and screws		
S6147	Extend exit trim to fit $3 - 4$ " doors	\$107.00
Extended Spindle and screws		
S6195	Extend exit trim to fit 4 1/4 - 5" doors	\$107.00
Extended Spindle and screws		
	Extended replacement screws with	
SC544	adjustable lengths (4 per unit)	\$20.00

PLEASE SEE "HOW TO ORDER" CHART ON PAGE 46 TO PROPERLY ORDER YOUR TRILOGY EXIT TRIM.

IF YOU REQUIRE THE LOCK TO BE PREPPED FOR A THICKER DOOR, YOU MUST ORDER BASED ON THE SELECTIONS SHOWN. THE BASIC MODEL IS PREPPED FOR A

1 5/8" TO 1 7/8" DOOR.


**** PRECISION 2100 SERIES WILL WORK WITH THE VON DUPRIN 99 PREP. YOU MUST GET A MOUNTING PLATE PART # 2141208 FROM PRECISION****



HOW TO ORDER YOUR TRILOGY NETWORX EXIT LOCK

Below is a "How to Order" guide for the Trilogy Exit Trim products. Please follow this guide when placing orders to avoid any delay in processing your order.

All units are sold with a generic cylinder adapter installed. When you are using a specific brand of rim cylinder, you must purchase a Cylinder Adapter Kit from the chart below.





TRILOGY NETWORX WIRELESS KEYPADS AND NETPANEL

Trilogy Networx Wireless Keypads and Netpanel combine to provide the ideal wireless keypad solution for use with mag locks, strikes and electrified exit devices in a smart access system with advanced features and functions, like automatic schedules, event logs and supports for 2000 doors and 5000 existing Prox ID Cards/Badges.

SPECIFICATIONS:

Networx Keypads NETDK / NETPDK

- Power Requirements: 12VDC supplied by NETWORXPANEL
- Idle Current: 10mA
- Maximum Wire Length: 200 feet (61m)
- Proximity Card Formats Supported: Alarm Lock
- standard 36 bit format or HID standard 26 bit format
- (for use with the model NETPDK only)

Networx Panel NETWORXPANEL

- Input Power: 16.5VAC via Class 2 Plug-In 50VATransformer (supplied model TRF-14)
- Maximum Lock Power Output Current: 1.5A @12VDC
- Maximum Wiegand Power Output Current:
- 250mA @ 12VDC
- Maximum Wiegand Red and Green LED Current: 20mA each output
- Maximum Sounder Current: 100mA
- Maximum Keypad Power Output Current:
- 200mA@ 12VDC
- Primary and Secondary Relays: SPDT Form C, N/O, N/C 8A @ 30VAC or VDC
- Supplied Backup Battery: Sealed Lead Acid 4AH
 Battery Backup Time: Approximately 2 hours at full load



Note: In order for NETDK OR NETPDK to operate you MUST include a NETWORXPANEL

ALL NETDK/PDK KEYPADS ARE WEATHER RESISTANT

PRODUCT	FINISH	LIST PRICE
NETDK Digital wireless keypad only	26D, 10B	\$309.00
NETPDK Digital & Prox wireless keypad only	26D, 10B	\$633.00
NETDKPAK Digital wireless wall mounted keypad kit, includes wall mounted reader, control panel w/door position switch with RX, remote release, battery backup and plug in transformer.	26D, 10B	\$1,050.00
NETPDKPAK Digital & HID wireless wall mounted keypad kit, includes wall mounted reader, control panel w/door position switch with RX, remote release, battery backup and plug in transformer.	26D, 10B	\$1,375.00



TRILOGY NETWORX WIRELESS KEYPADS AND NETPANEL (con't)

NETWORXPANEL	NETWORX wireless control panel only, used with Networx NETDK and NETPDK readers and approved wiegand input readers.	\$741.00
NETHIDNSPAK Networx Narrow Stile Pak	HID Narrow Stile Prox point reader, control panel w/door position switch with RX, remote release, and battery backup and plug in transformer.	\$957.00
NETHIDNS Networx Narrow Stile Reader	HID Narrow Stile Prox Point Reader Only	\$157.00
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$610.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,030.00
	Proximity and Photo ID	****
ALHID1386	Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00
BT102	Networx Panel Replacement Battery	\$55.00
S6187	Replacement ET Networx Radio	\$185.00
S6185 (specify finish)	Replacement Inside Housing for DL/PDL6100 (includes radio)	\$288.00
AL-IME-USB	USB Gateway	\$300.00
AL-NSG	Networx Signal Generator	\$240.00
AL-NSM	Networx Signal Meter	\$296.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com



PRODUCT	DESCRIPTION	LIST PRICE
RR-TRILOGYKIT	Remote release kit for all Trilogy Cylindrical models includes the RR- 1BUTTON for desk mount applications and RR-RECEIVER which is designed to be installed inside the battery compartment next to the battery pack of any cylindrical Trilogy lock. The RR- RECEIVER connects to the 2 white remote release wires inside the battery	\$221.00
	compartment and to the black and red battery pack wires to power the receiver. These kits will retro fit to any existing cylindrical Trilogy manufactured since 1994.	
RR-RECEIVER	RR-RECEIVER is designed to be installed next to the battery pack of any cylindrical Trilogy lock. The RR- RECEIVER connects to the 2 white remote release wires and to the black and red battery pack wires and will retro fit to any existing cylindrical Trilogy manufactured since 1994. You will need to purchase separately either an RR- 1BUTTON OR 4BKEYFOB to activate	\$128.00
RR-1BUTTON	the receiver Remote release desk mounted button designed to be used with any existing Networx lock enrolled with a simple keypad program. Must update the firmware of your existing Networx Lock. Also can be used with an RR-RECEIVER to any existing Trilogy Cylindrical Lock, RR-RECEIVER sold separately.	\$92.00
RR-4BKEYFOB	Remote release 4 button key fob designed to be used with any existing Networx lock enrolled with a simple keypad program. Must update the firmware of your existing Networx Lock. Also can be used with an RR-RECEIVER to any existing Trilogy Cylindrical Lock, RR-RECEIVER sold separately.	\$103.00
RR-MORTISEKIT	Remote release kit for Mortise Locks	\$242.00
RR-EXITTRIMKIT	Remote release kit for Exit Trim Locks	\$242.00
	Both include RR-1BUTTON and RECEIVER mounted on a Lexan battery cover.	

*Note: The Remote Release Products follow the Networx Discount Structure - will not work with DL2800 and Narrow Stile Locks

TRILOGY & NETWORX REMOTE RELEASE PRODUCTS



TRILOGY NETWORX UPGRADE KITS

PRODUCT	DESCRIPTION	LIST PRICE
DL610026DUPGRD	Component kit to upgrade a standard Trilogy cylindrical model to a DL6100 Networx model. Kit includes a Networx outside digital keypad housing, inside housing with radio and a battery pack. Upgrade kit is designed to replace the existing and install in place same components, reusing the existing levers, cylinder, lock body & strike plate. Used with a Networx gateway purchased separately.	\$875.00
PDL610026DUPGRD	Component kit to upgrade a standard Trilogy cylindrical model to a PDL6100 Networx model. Kit includes a Networx outside HID Prox & digital keypad housing, inside housing with radio and a battery pack. Upgrade kit is designed to replace the existing and install in place same components, reusing the existing levers, cylinder, lock body & strike plate. Used with a Networx gateway purchased separately.	\$1,287.00
DL650026DUPGRD	Component kit to upgrade a standard Trilogy mortise lock model to a DL6500CR Networx model. Kit includes a Networx outside digital keypad housing, inside housing with radio, inside/outside levers and a battery pack. Upgrade kit is designed to replace the existing and install in place same components, reusing the existing cylinder, lock body & strike plate. Used with a Networx gateway purchased separately.	\$1,158.00
PDL650026DUPGRD	Component kit to upgrade a standard Trilogy mortise lock model to a PDL6500CR Networx model. Kit includes a Networx HID Prox & outside digital keypad housing, inside housing with radio, inside/outside levers and a battery pack. Upgrade kit is designed to replace the existing and install in place same components, reusing the existing, cylinder, lock body & strike plate. Used with a Networx gateway purchased separately.	\$1,493.00



ArchiTechTM Series Networx Locks

Ideal access control solution; elegantly blending advanced wireless access control convenience within any decor, in attractive, infinitely customizable designer locking form, in choice of trims and finishes.

Features:

5000 Users, 500 Scheduled Events & 40,000 Event Audit Trail Surface-Mount or Mortised - in Electronics and Battery Pack Lock available in Mortise and Cylindrical versions Real Time Clock - Uses 4 AA Batteries – 3 to 4 year battery life Operated via access card, fob, key fob etc DL-Windows Software for programming USB Radio Key Programming Method or Via Networx Gateways Manual Card Enrollment Option for Quick Installation Wireless programming range: up to 20 ft. from lock

Specifications:

ANSI / BHMA Grade 1 Certified, UL Listed 3 Hours Includes standard lever rose hardware design Compatible with all 300+ optional architectural trim / lever or knob designs Stainless steel latch, 2-3/4" backset Auto-Reverse lock body tested to 6 million cycles Lock Body - Self cleaning long life motor Door closure monitor / electronic deadbolt monitor

Key override standard or high-Security


Optional integrated door position indicator switch



Cylindrical

Cymurical		
PRODUCT	LIST PRICE	
N90S2195F26D	\$880.00	
N90S1195F26D	\$880.00	
Mortise		
PRODUCT LIST PRICE		
N95S2RX92FD26D	\$1,100.00	
N95S1RW86FD26D	\$1,100.00	

Standard Model Ordering. Infinite Custom Models available. Call Factory For Ordering Assistance.





Product	DESCRIPTION	LIST PRICE
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$510.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$710.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$610.00
AL-IME-USB	USB Gateway	\$300.00
AL-NSG	Networx Signal Generator	\$240.00
AL-NSM	Networx Signal Meter	\$296.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,030.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$927.00
ALHID1391	MicroProx Tag 10 per box	\$82.00
ALHID1346	Proximity keyfob 10 per box	\$118.00

ArchiTechTM Series Networx Locks Parts and Accessories

ArchiTechTM Series Networx Locks Mounted Samples

Cylindrical		
PRODUCT	LIST PRICE	
N90S1295SK26D	consult factory	
S90S1195SK26D	consult factory	
N90S1195SK26D	consult factory	

Mortise

PRODUCT	LIST PRICE
N95S1RW86SK26D	consult factory




WEATHER-RESISTANT ALARMED PANIC LOCKS

Models 250, 260, 700, 710

Battery operated alarmed panic locks. All models (except 11A) feature deadbolt & deadlatch for extra security. Selectable 2-minute or constant alarm. 260/710. All models (except 11A) feature a 2-minute auto re-set on the alarm.

SPECIFICATIONS:

Cover:	Die-cast metal
Push Bar:	Extruded Aluminum channel and push bar
Handed:	All models non-handed except 11A
Installation:	Surface mounted for single or double doors
Cylinder:	Accepts most standard size rim cylinders for inside
	And outside key control (not included)
Power:	Uses 1 9v battery (included). Normal battery life 1
	Year. Can be powered by AC power by using either
	PP100 or AC9.
Lock bolt:	1" throw heavy die cast with reinforced
	Steel inserts.
Alarm:	Dual piezo siren measured at 95db



59

ED EMERGENCY ENT



ALARMED PANIC DEVICES

Models 250, 260, 700, 710 &11A- Battery operated alarmed panic locks. All models

(except 11A) feature deadbolt & deadlatch for extra security.

Selectable 2-minute or constant alarm.

Year. Can be powered by AC power by using either

1" throw heavy die cast with reinforced

260/710. All models (except 11A) feature a 2-minute auto

	SPECIF	re-set on the alarm. FICATIONS:	
1	Cover:	Die-cast metal	Γ
	Push Bar:	Extruded Aluminum channel and push bar	
	Handed:	All models non-handed except 11A	
10	Installation:	Surface mounted for single or double doors	20
NOV EXIT ONLY	Cylinder:	Accepts most standard size rim cylinders for inside	6
PART SOUND PARWAL SOUND PUSH HERE		And outside key control (not included)	
C & 2.14	Power:	Uses 1 9v battery (included). Normal battery life 1	E



Lock bolt:

Steel inserts.Alarm:Dual piezo siren measured at 95db

PP100 or AC9.

PRODUCT	FINISH	LIST PRICE
250 (PADDLE)	US28	\$447.00
260 (PADDLE)	US28	\$486.00
700 (36" BAR)	US28, US312 & Red	\$540.00
700X48 (48" BAR)	US28 & US312	\$578.00
710 (36"BAR)	US28	\$578.00
710X48 (48"BAR)	US28	\$591.00
	Deadbolt only exit lock. Handed order	
11A	11A or 11ALH. Use BP6 Battery.	\$563.00

ACCESSORIES

	ACCESSORIES	
CER-KD CER-12345 Rim Cylinder for Outside & Inside Key Control	Solid Brass Body Satin Chrome Face	\$31.00
730 Single Door Strike for 250,260,700 & 710	US28 & US312	\$46.00
732 Double Door Strike for 250,260,700 &710	US28 & US312	\$46.00
K24A K28	11A Single door strike 11A Double door strike	\$36.00 \$41.00
K210A	11A Strike for in-swing doors	\$52.00
44 Double Door Holder	Aluminum	\$129.00
22 Emergency Exit Pull (250/260/11A)	Aluminum	\$89.00
707 Exterior Door Pull use on 250,260 700 & 710 only	Metallic Silver (MS) Metallic Bronze (MB)	\$129.00
711 Exterior Finger Pull	US28 & US312 Use on 250,260,700 & 710 only	\$31.00
767 Mounting Plate for Aluminum Glass Door	US28 & US312 Use on 250,260,700 & 710 only	\$21.00
PP100 Optional AC Power Supply	Aluminum	\$264.00
AC9 Optional AC Power Supply	Aluminum	\$75.00
9936 9948	Used to mount 11A on 36" glass door Used to mount 11A on 48" glass door	\$91.00 \$96.00
261	Current Transfer	\$70.00
BP6	Replacement battery for 11A	\$36.00





DOOR ALARMS

PG10, PG21 & PG30 SERIES – Battery operated surface mounted door alarms. Alarms magnetically activated. Easy to install. Convenient plug-in "No cut" jumpers.

SPECIFICATIONS:

Power:	PG21, PG30 use 9v battery (supplied). PG10 & LL1use BP6 (supplied). BP6 must be purchased from Alarm Lock.
	AC power supply can also be used as a battery back up (see below).
Alarm:	Dual piezo siren measured at 95db.
Cylinder:	Accepts most 1 ¹ / ₄ " mortise cylinder used for interior activation (not supplied) and standard size rim cylinder used for exterior activation (not supplied).
Installation: Cover:	Surface mounted for single or double doors. Die cast metal.







PRODUCT	DESCRIPTION	LIST PRICE
	Available in aluminum finish uses BP6	
PG10	Battery replaced only through Alarm Lock	\$281.00
LL1	Same as PG10 with strobe light on top.	\$291.00
	Available in metallic silver and metallic	
PG21MS PG21MB	bronze. Uses 9v battery.	\$281.00
PG21MSS	Available in metallic silver and metallic bronze. Uses 9v battery with yellow strobe on top for noisy areas	\$345.00
PG30MS PG30MB	Available in metallic silver and metallic bronze. No cylinders required. All exit, entry and security levels programmed through keypad. 3 security levels, master, management and passage. Use 9v battery.	\$334.00
PG30KPD	Exterior keypad used with PG30 only.	\$193.00
СЕМ-КД СЕМ-12345	Standard mortise cylinder for interior activation. Solid brass body, satin chrome face	\$31.00
CER-KD CER-12345	Standard rim cylinder for exterior activation. Solid brass body, satin chrome face.	\$31.00
PP100	AC battery back-up complete with armored cable and housing.	\$264.00
AC9	AC battery back-up housing only	\$75.00
BP6	Replacement battery for PG10 & LL1	\$36.00



DELAYED EGRESS PANIC LOCKS

715 Series - Stand alone delayed egress panic lock. 15 second delayed latch, instant alarm. Instant egress in case of emergency or fire. Meets NFPA 101 Life Safety Code. Includes monitoring output for secondary siren, CCTV or remote monitoring. Smoke detector input.

SPECIFICATIONS:

Cover:	Die cast metal
Push bar:	Extruded aluminum push bar and channel
Handed:	Non-handed
Installation:	Surface mounted for single or double doors
Cylinder:	Accepts most standard size rim cylinder used for
	Inside and outside key control
Power:	AC powered with 9v battery back-up for siren. Transformer
	And armored cable included
Lock bolt:	1" throw heavy die cast with reinforced steel inserts
Alarm:	Dual piezo siren measured at 95db



PRODUCT	DESCRIPTION	LIST PRICE
	15 second delayed egress lock. Aluminum	
715X28X88	finish with monitoring output. 33" bar.	\$1,016.00
	15 second delayed egress lock. Aluminum	
715x28x88x48	finish with monitoring output. 48" bar	\$1,028.00
CER-KD CER-12345	Standard rim cylinder	\$31.00
725x28	Single door strike (included with unit)	\$53.00
	Double door strike (not included with	
735x28	unit)	\$53.00
SWK-715	Surface wiring kit for wood or glass doors	\$91.00
767x28	Metal mounting plate for glass doors	\$21.00
	277v transformer to wire 715 from Exit	
277-12	Sign	\$63.00
271	Armored cable	\$54.00

ELECTRIC DEADBOLTS

Models 103 & 104

Fail-safe or fail-secure electric deadbolts. Available In 12v or 24v AC or DC. Perfect for use on narrow stile Doors. Complete with angle, mortise or flush mount strikes. Use with standard key or push button switch.

SPECIFICATIONS:

Cover: Molded aluminum tires 400 mA for 24v, 800mA for 12v unit



Cover.	
Power :	Requires 400 mA for 24v, 800mA for 12v unit
Deadbolt:	Powered by a continuous duty solenoid. 5/8" diameter
	And 5/8" projection.

PRODUCT	DESCRIPTION	LIST PRICE
	24v AC or DC. Includes three strikes and	
103	magnets. Fail-safe	\$339.00
	12v AC or DC. Includes three strikes and	
103x12	magnets. Fail-safe	\$399.00
	24v AC or DC. Includes three strikes and	
104RA	magnets. Fail-secure	\$404.00
104x12	12v AC or DC. Includes three strikes and	\$447.00
	magnets. Fail-secure	
221 / 241	24v Plug-in style transformers	\$53.00
222	24v Wire-in style transformer	\$53.00



REMOTE RELEASE MAGNET

RR-PM1200 SERIES – Stand alone remote operated infra-red mag lock. Allows remote Lock control by a transmitting keyfob. Infra-red signal is detectable From interior and exterior sides of the door. Keyfob will operate From 10 feet on exterior side and 35 feet from interior side.

SPECIFICATIONS:

Magnet:	1200lb 12v DC magnet	0
Power:	Includes 12v AC plug in transformer. A 12v DC power supply	
	Can be utilized (not included)	
Keyfob:	Single button, dual LED infra-red transmitting. Up to 100 keyfobs	
-	Can be programmed into a single magnet.	
Programming:	Each keyfob must be presented to the magnet to enroll keyfob ID into	
	Software.	

PRODUCT	DESCRIPTION	LIST PRICE
	Includes 1 1200lb remote magnet, one	
RR-PM1200PAK	AL-REMOTE keyfob and one 12v AC	
	transformer	\$605.00
RR-PM1200	1200lb remote magnet	\$535.00
AL-REMOTE	Remote keyfob	\$64.00

POWER MAGNETS AND REQUEST TO EXIT BUTTONS

PRODUCT	DESCRIPTION	LIST PRICE
	600lb magnetic lock field selectable	
PM600BI	12/24v DC 97/8" x 1 11/16" x 1"	\$313.00
	Aluminum finish	
	600lb magnetic lock field selectable	
PM600L	12/24v DC 97/8" x 1 11/16" x 1"	\$367.00
	Aluminum finish L.E.D. indicator	
	& door bond sensor for remote monitoring	
	1200lb magnetic lock field selectable	
PM1200	12/24v DC 97/8" x 1 11/16" x 1"	\$329.00
	Aluminum finish	
	1200lb magnetic lock field selectable	
PM1200SL	12/24v DC 97/8" x 1 11/16" x 1"	\$383.00
	Aluminum finish L.E.D. indicator	
	& door bond sensor for remote monitoring	
	1200lb magnetic lock field selectable	
	12/24v DC 21" x 1 11/16" x 1"	
PM1200SLBI	Aluminum finish L.E.D. indicator	\$691.00
	& door bond sensor for remote monitoring	
	for use on double doors	
	1200lb magnetic lock field selectable	
PM120040	12/24v DC 97/8" x 1 11/16" x 1"	\$373.00
	dark bronze finish	
	1200lb magnetic lock field selectable	
	12/24v DC 21" x 1 11/16" x 1"	
PM1200SLBI40	dark bronze finish L.E.D. indicator	\$383.00
	& door bond sensor for remote monitoring	
	for use on double doors	
	Round red exit button non illuminate	
PE1	Standard switch plate	\$129.00
	Square green illuminated exit button	
PE2	Standard switch plate	\$129.00
	Square green illuminated exit button	
PE2S	Narrow switch plate	\$127.00
PMA-ANGL1	Angle bracket 1 1/2 x 10 1/2	\$47.00
PMA-ANGL2	Angle bracket adjustable 1 1/2 x2 3/8x 101/2	\$89.00
PMA-ANGL3	Angle bracket adjustable 1 3/8x2 3/8x10 ¹ / ₂	\$89.00
PMA-FILL1	Filler plate 10 ¹ / ₂ x ³ / ₄ x 5/8	\$37.00



POWER MAGNETS AND REQUEST TO EXIT BUTTONS (cont'd)

PRODUCT	DESCRIPTION	LIST PRICE
PMA-FILL2	Filler plate 10 ¹ / ₂ x ³ / ₄ x ¹ / ₂	\$37.00
	Z bracket adjustable use with PM600BI	
PMA-Z1	Series	\$172.00
	Z bracket adjustable use with PM1200	
PMA-Z2	series	\$281.00
PMA-ARMH1	Armature plate 7 ¹ / ₄ " x 1 ¹ / ₂ " x 19/32"	\$167.00
PMA-ARMH2	Armature plate 7 ¹ / ₂ " x 2 7/16" x 19/32"	\$183.00

ALARM LOCK SYSTEMS, INC. WARRANTY/RETURN POLICY

Alarm Lock Systems Inc. warrants its products to be free from manufacturing defects in material and workmanship. The length of said warranty is 24 months on all products from the date of manufacture.

Any customer may get an over-the-counter exchange with the original seller (distributor) for any Alarm Lock product failing to operate properly.

For those customers who have direct accounts with Alarm Lock, please follow this procedure to return product for warranty replacement:

- 1. Email your request to: returns@alarmlock.com
- 2. In order to receive a return authorization number, you must provide the date code of the product.
- 3. The 4-digit date code sticker is the actual expiration date of the warranty.
- 4. Any out of warranty product returned to the factory will be scrapped and is not returnable.
- 5. If said product is found not to be operating properly because of a factory defect and is within the warranty period, Alarm Lock will issue a product replacement.

If you experience a problem with any Alarm Lock product, you may contact Alarm Lock's Technical Support directly at 1 800 252-5625.

Notes

Notes

Alarm Lock Systems, Inc. 345 Bayview Ave Amityville, NY 11701 1 800 252-5625 1 631 789-3383 www.alarmlock.com

ALA132X 07/15