



Sofap
Do it smarter

PRICE LIST

NOVEMBER 2016


ALL PRICES ARE VAT INCLUSIVE



SOFT FEEL

Une touche de soie chez soi.

- Aspect soyeux et velouté
- Pas d'odeur résiduelle
- Peinture écologique conforme aux directives européennes en termes de COV (composés organiques volatiles)
- Excellente rétention de couleur
- Bonne résistance aux UV
- Lavable

sofap.mu | Service clientèle: 800 1515 |  permoglaze

By **Sofap**

Recommended retail prices for the guidance of retailers & professionals. Prices are subject to change without prior notice.



AQUA VARNISH

Le vernis réinventé

- Nouvelle formule écologique à base d'eau
- Séchage rapide
- Protège le bois contre les agressions; physiques, chimiques et biologiques
- Convient à un usage intérieur
- Facile à appliquer
- Aucune odeur



By **Sofap**

sofap.mu | Service clientèle: 800 1515 | permoglaze

CONTENT



Sofap produces and distributes Permoglaze paints, under the license of Crown Paints UK. Within the Permoglaze range, we have decorative and protective paints, for both interiors and exteriors, wood varnishes, automotive paints, floor paints, as well as surface preparations products.

TRIBE

The Tribe range of textured coatings have been created to bring a new dimension to interior decoration. Distributed by SOFAP, each of the products in our texture range have been inspired by the essence of Africa, to contribute to interior decoration styles that are as diverse as classical, modern, ethnic, contemporary or anything in between.

Included in this range is 'Palette of Africa' comprising of 70 carefully selected exclusive colours. This high quality, water based paint is suitable for walls and ceilings on interior and exterior surfaces, which dries to give a matt finish.

With these water based, low VOC products, Tribe offers intrigue, diversity and interest to surfaces.



Nova Wood Coatings is a pioneer and innovator in wood finishing systems since 1939. Easy to apply, well tested and backed by Genkem's 100% satisfaction guaranteed, Nova Wood Coatings offer a range of superior products to suit your every need, from weather protection, staining and enhancing the look of your wood both inside and outside your home. Nova offers a wide range of products to protect and enhance the natural beauty of wood.

RUST-OLEUM

Rust-Oleum is an aerosol product which allows you to experiment and change the look of your furniture and objects. Rust-Oleum is a "Do It Yourself" product easy to apply on various surfaces; cement, plastic, wood, plaster, metal, fabric and other. This range serves different functions : it can protect against different weather conditions; offers different finishes and effects; fluorescent, glitter, stone, blackboard, metallic, chrome, lacquer and protects against rust with its "Stops Rust" range.

07	Decorative Paint
11	Protection & Decoration of Wood & Wood Derivatives (MDF)
16	Decorative & Protective Lacquers
18	Protection for Mild & Galvanised Steel
23	Speciality Paints
26	Solvents & Thinners
28	Roof Coatings
29	Floor Coatings
31	Adhesives
32	Surface Preparation
35	Colour Match
38	Paintbrushes & Accessories
40	TRIBE
42	NOVA
44	RUST-OLEUM



DECORATIVE PAINT

		UNIT PRICE • Rs (INCLUDING VAT)																
		0.25L	0.5L	1L	2.5L	5L	10L	20L	200L									
WATER-BASED																		
PROLUXE		SPREAD RATE				35-40m ²		140-160m ²										
INTERIOR		SHADES	White				442.75		1,713.50									
Proluxe is an economic water-based white paint.																		
PERMOGLAZE FLAT VINYL		SPREAD RATE				17.5-20m ²		35-40m ²		140-160m ²		1400-1600m ²						
INTERIOR ECO EARTH		SHADES	White				258.75		460.00		1,788.25		16,485.25					
Permoglaze Flat Vinyl is a water-based economical paint for concrete surface.			Pastel				293.25		529.00		2,029.75		18,768.00					
PERMOGLAZE MATT EMULSION		SPREAD RATE				8-10m ²		20-25m ²		40-50m ²		160-200m ²		1600-2000m ²				
INTERIOR / EXTERIOR ECO EARTH / COLOUR MATCH		SHADES	White				143.75		327.75		592.25		2,294.25		21,533.75			
Permoglaze Matt Emulsion stands out as the finest in terms of matt acrylic paint and has a superior coverage capacity. This high opacity water-based paint is especially suited for semi-humid and dry regions.			Pastel				166.75		368.00		678.50		2,616.25		24,552.50			
			Medium				230.00		529.00		989.00		3,869.75		37,260.00			
			Basic				293.25		684.25		1,305.25		5,123.25		50,657.50			
PERMOGLAZE XTREME WHITE		SPREAD RATE				9-12m ²		22-30m ²		45-60m ²		90-120m ²		180-240m ²		1800-2400m ²		
INTERIOR / EXTERIOR ECO EARTH		SHADES	White				143.75		327.75		592.25		1,173.00		2,294.25		21,533.75	
Permoglaze Xtreme White is white pushed to its extreme. This beautiful pure white paint is a high quality, low odour and environmentally friendly water-based product. High covering power, spreading rate and washability. Suitable for both interior and exterior use.																		
PERMOGLAZE SOFT FEEL		SPREAD RATE				8-10m ²		40-50m ²		160-200m ²								
INTERIOR ECO EARTH / COLOUR MATCH		SHADES	White				224.25		954.50		3,737.50							
Permoglaze Soft Feel is an acrylic paint with a velvet-sheen finish that adds personality to your concrete walls. It is particularly suitable for use in semi-humid and humid regions.			Pastel				230.00		983.25		3,841.00							
			Medium				281.75		1,242.00		4,881.75							
			Basic				333.50		1,500.75		5,916.75							

DECORATIVE PAINT

		UNIT PRICE • Rs (INCLUDING VAT)							
		0.25L	0.5L	1L	2.5L	5L	20L	200L	
WATER-BASED									
PERMOGLAZE VIP SATIN INTERIOR		SPREAD RATE		6-7m ²		30-35m ²	120-140m ²	1200-1400m ²	
INTERIOR	ECO EARTH / COLOUR MATCH	SHADES	White		218.50		954.50	3,737.50	35,891.50
Permoglaze VIP Satin Interior is an acrylic emulsion whose satin finish makes it particularly suited for interior decoration. This highly washable system is designed for application on concrete surfaces and will give a very chic and refined touch to your interiors.			Pastel		230.00		1,012.00	3,956.00	38,007.50
			Medium		310.50		1,397.25	5,497.00	53,038.00
			Basic		391.00		1,776.75	7,038.00	69,667.00
PERMOGLAZE AQUA GLOSS		SPREAD RATE	2-2.5m ²	4-5m ²	8-10m ²	20-25m ²	40-50m ²	160-200m ²	
INTERIOR	ECO EARTH / COLOUR MATCH	SHADES	White	115.00	195.50	368.00	885.50	1,725.00	6,451.50
Permoglaze Aqua Gloss is an innovative and eco-friendly water-based gloss that dries to a super shiny and extremely hard-wearing finish. It is ideal for both interior and exterior wood, concrete, metal and galvanised metal surfaces.			Pastel			385.25		1,811.25	
			Medium			448.50		2,162.00	
			Basic			517.50		2,501.25	
PERMOTOP		SPREAD RATE		10-12m ²		50-60m ²	200-240m ²	2000-2400m ²	
EXTERIOR	ECO EARTH / COLOUR MATCH	SHADES	White		287.50		1,282.25	5,031.25	49,507.50
Permotop is a premium quality water-based acrylic medium for concrete surfaces. This highly weather resistant coating is recommended for application in semi-humid, humid and coastal regions. Permotop is also a highly washable eco-friendly paint.			Pastel		299.00		1,357.00	5,324.50	51,393.50
			Medium		373.75		1,679.00	6,635.50	64,595.50
			Basic		448.50		2,006.75	7,946.50	77,441.00
WATER-BASED ANTI-FUNGUS									
PERMOGLAZE ANTI-FUNGUS		SPREAD RATE		8-10m ²		40-50m ²	160-200m ²	1600-2000m ²	
EXTERIOR	ECO EARTH / COLOUR MATCH	SHADES	White		316.25		1,253.50	4,927.75	44,194.50
Permoglaze Anti-Fungus is the ideal coating for concrete surfaces in very humid regions. This water-based paint contains anti-fungal properties that inhibit mould and algae growth.			Pastel		333.50		1,322.50	5,209.50	46,086.25
			Medium		419.75		1,661.75	6,491.75	53,043.75
			Basic		500.25		1,995.25	7,774.00	59,524.00
WATER-BASED WATER REPELLENT									
PERMOGLAZE AQUASHIELD		SPREAD RATE		10-12m ²		50-60m ²	200-240m ²		
INTERIOR / EXTERIOR	ECO EARTH / COLOUR MATCH	SHADES	White		368.00		1,684.75	6,658.50	
Permoglaze Aquashield is a pure acrylic paint system. Its water repellent properties help significantly reduce water infiltration. Permoglaze Aquashield is particularly suitable for very humid regions, providing high resistance to mould, algae and tough weather conditions.			Pastel		379.50		1,725.00	6,825.25	
			Medium		460.00		2,116.00	8,400.75	
			Basic		546.25		2,512.75	9,976.25	

DECORATIVE PAINT

		UNIT PRICE • Rs (INCLUDING VAT)							
		0.25L	0.5L	1L	2.5L	5L	20L	200L	
WATER-BASED TEXTURED									
PERMOGLAZE SANDY EXPRESSIONS		SPREAD RATE					±5m ²	±20m ²	
INTERIOR / EXTERIOR	ECO EARTH	SHADES	White				1,127.00	3,795.00	
Permoglaze Sandy Expressions is a product that provides a beautiful textured finish. It will give a grainy but soft to the touch matt finish to your wooden surfaces or concrete walls.									
WATER-BASED MULTI TASK COATING									
PERMOGLAZE MULTI-TASK		SPREAD RATE			± 10 m ²		± 50 m ²	± 200 m ²	
INTERIOR / EXTERIOR	ECO EARTH / COLOUR MATCH	SHADES	White		345.00		1,581.25	6,290.50	
Permoglaze Multi-Task is an ideal 'all-purpose' paint. This water-based acrylic system offers excellent adhesion to multiple surfaces: metal, sheet metal, concrete, wood, plaster, PVC. This 'all-in-one' paint is recommended for both interior and exterior use and has high UV resistance. * DILUTION : Water.			Pastel		350.75		1,592.75	6,313.50	
			Medium		414.00		1,926.25	7,630.25	
			Basic		477.25		2,242.50	8,883.75	
SOLVENT-BASED									
PERMOGLAZE GLOSS FINISH		SPREAD RATE	2-2.5m ²	4-5m ²	8-10m ²	20-25m ²	40-50m ²	160-200m ²	
INTERIOR / EXTERIOR	COLOUR MATCH	SHADES	White	97.75	149.50	264.50	621.00	1,178.75	4,623.00
Permoglaze Gloss Finish is a premium quality product ideally formulated for use on wood and metal for both interior and exterior. It also provides a high gloss, durable finish. * DILUTION : Permoglaze Test Benzine.			Pastel	103.50	161.00	276.00	644.00	1,224.75	4,801.25
			Medium	109.25	184.00	327.75	764.75	1,460.50	5,732.75
			Basic	126.50	207.00	368.00	874.00	1,690.50	6,658.50
PERMOGLAZE EGGSHELL FINISH		SPREAD RATE			8-10m ²		40-50m ²	160-200m ²	
INTERIOR	COLOUR MATCH	SHADES	White		276.00		1,196.00	4,686.25	
Permoglaze Eggshell Finish provides a smooth even surface which is washable and suitable for use on wood and metal. Permoglaze Eggshell Finish has a mid sheen finish formulated for interior use only. * DILUTION : Permoglaze Test Benzine.			Pastel		287.50		1,230.50	4,824.25	
			Medium		333.50		1,466.25	5,773.00	
			Basic		379.50		1,702.00	6,721.75	
PERMOGLAZE MATT FINISH		SPREAD RATE	2-2.5m ²	4-5m ²	8-10m ²		40-50m ²	160-200m ²	
INTERIOR		SHADES	White & Black	109.25	184.00	281.75	1,207.50	4,732.25	
Permoglaze Matt Finish is a top quality and high opacity paint that is quick drying and provides an excellent coverage with a matt finish. * DILUTION : Permoglaze Test Benzine.			Pastel		287.50		1,242.00	4,870.25	
			Medium		333.50		1,483.50	5,824.75	
			Basic		379.50		1,719.25	6,785.00	



PROTECTION & DECORATION OF WOOD & WOOD DERIVATIVES (MDF)

		UNIT PRICE - Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
DYE								
PERMOGLAZE WOODSTAIN	SPREAD RATE			8-10m ²		40-50m ²	160-200m ²	
	SHADES			264.50		1,173.00	4,617.25	
<p>Permoglaze Woodstain is a solvent-based matt tint for wood and derivatives. No need to dilute. Ready to use. Apply directly on to the wood.</p>		Black, Brown, Dark Oak, Mahogany, Sapele, Teak.						
SEALER								
PERMOGLAZE N/C NITROSANDING SEALER	SPREAD RATE		4-5m ²	8-10m ²		40-50m ²	160-200m ²	1600-2000m ²
	SHADES	Clear	155.25	218.50		1,000.50	3,841.00	37,375.00
<p>Permoglaze N/C Nitrosanding Sealer is a wood sealer with a modified alkyd resin and nitrocellulose base. Ensures a better adhesion of the final coat of varnish. *DILUTION: Permoglaze Lacquer Thinner</p>								
PERMOGLAZE ACID CATALYSED SEALER	SPREAD RATE					40-50m ²	160-200m ²	
	SHADES	Clear				971.75	3,818.00	
<p>Permoglaze Acid Catalysed Sealer is a two-component matt sealer with a modified alkyd resin base for wooden furniture. Enables varnish to adhere better. Finish with a coat of Permoglaze Acid Catalysed Varnish. *DILUTION: Permoglaze Acid Catalysed Thinner</p>								
PERMOGLAZE EPOXY SEALER	SPREAD RATE			8-10m ²		40-50m ²	160-200m ²	
	SHADES	Clear		868.25		4,163.00	15,444.50	
<p>Permoglaze Epoxy Sealer is a two-component epoxy sealer, which enhances adhesion of subsequent coatings, for example Permoglaze Epoxy Enamel, Permoglaze Two Pack Acrylic and more. *DILUTION: Permoglaze Epoxy Thinner</p>								

PROTECTION & DECORATION OF WOOD & WOOD DERIVATIVES (MDF)

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
INTERIOR DECORATIVE VARNISH								
PERMOGLAZE UNIVERSAL WOOD VARNISH	SPREAD RATE		4-5m ²	8-10m ²	40-50m ²	160-200m ²		
Permoglaze Universal Wood Varnish, is a superior quality wood varnish adequate for all types of wood. DILUTION: Permoglaze Test Benzine	SHADES	Clear	143.75	247.25	1,081.00	4,255.00		
		Gloss Tinted	172.50	316.25	1,420.25			
		Satin & Matt Tinted	172.50	316.25	1,420.25			
PERMOGLAZE N/C PERMOCELL	SPREAD RATE		8-10m ²	40-50m ²	160-200m ²			
Permoglaze N/C Permocell is a quick-drying nitrocellulose-based varnish for furniture. Available in gloss and satin finish. DILUTION: Permoglaze Lacquer Thinner	SHADES	Gloss		270.25	1,190.25	5,054.25		
		Satin & Matt		276.00	1,201.75	5,129.00		
PERMOGLAZE 1 PACK POLYURETHANE VARNISH	SPREAD RATE		8-10m ²	40-50m ²	160-200m ²			
Permoglaze 1 Pack Polyurethane Varnish is a polyurethane alkyd varnish for wood. Available in gloss and satin finish for exteriors and in matt for interiors. DILUTION: Permoglaze Test Benzine	SHADES	Gloss		350.75	1,575.50	5,997.25		
		Satin & Matt		356.50	1,621.50	6,175.50		
PERMOGLAZE ACID CATALYSED VARNISH	SPREAD RATE		8-10m ²	40-50m ²	160-200m ²			
Permoglaze Acid Catalysed Varnish is a two-component varnish with a modified alkyd resin base for wooden furniture. Available in gloss, satin and matt finish. DILUTION: Permoglaze Acid Catalysed Thinner	SHADES	Gloss		230.00	989.00	3,881.25		
		Satin		247.25	1,092.50	4,272.25		
		Matt		253.00	1,109.75	4,335.50		

PROTECTION & DECORATION OF WOOD & WOOD DERIVATIVES (MDF)

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
PARQUET VARNISH								
PERMOGLAZE AQUA VARNISH	SPREAD RATE			8-10m ²	40-50m ²			
Permoglaze Aqua Varnish is the ideal clear coat for wood and parquet. It is a one-component aqueous dispersion based on tough aliphatic emulsion binder that is fast drying and provides a clear finish with a low sheen. It enhances the natural beauty of wood and offers excellent scratch, water and alkali resistance with outstanding performance against UV exposure.	SHADES	Clear		816.50	3,680.00			
		Pastel		816.50	3,680.00			
PERMOGLAZE POLYURETHANE HQ VARNISH	SPREAD RATE			8-10m ²	40-50m ²	160-200m ²		
Permoglaze Polyurethane HQ Varnish is a two-component polyurethane varnish for wooden floors. Excellent resistance to chemicals and abrasion. Good resistance to UV exposure. Available in gloss and satin finish. *DILUTION: Permoglaze D/D Lack Thinner	SHADES	Clear (Gloss & Satin)		891.25	3,984.75	15,392.75		
EXTERIOR PROTECTIVE VARNISH : WATER BASED VARNISH								
PERMOGLAZE AQUA LASURE	SPREAD RATE			10-12m ²	50-60m ²			
Permoglaze Aqua Lasure is a specially formulated water-based varnish that both protects and preserves the colour of wood. It provides a hard-wearing finish that enhances the natural beauty of the wood, with the added advantage of being free from solvents, quick drying, of low odour and presenting excellent colour resistance.	SHADES	Gloss		465.75	2,231.00			
			Navajo Red, California Rustic, Mission Brown, Redwood, Cedar, Black Walnut, Golden Sand, Harvest Gold, Outside White, Weathered, Stonehedge, Ebony, Caramel Roux, Ambre Canelle, Miel Doré, Ocre Terrerouge, Brun-Mélasse, Jaune de Chamarel, Coffee, Cocoa, Butternut, Chamois, Beige Gracy, Olive Branch, Heritage Blue, Seafoam, Woodland green, Bronze, Avocado, Forest, Clear.					
PERMOGLAZE AQUA DECK	SPREAD RATE			8-10m ²	40-50m ²			
Permoglaze Aqua Deck, is a protective wood impregnator, this polyurethane based aqueous dispersion, is composed of biocides, which protects wood against algae, moulds and bad weather conditions. It protects the natural wood colour. Recommended for both interior and exterior use. Ready to use.	SHADES	Clear		362.25	1,552.50			

PROTECTION & DECORATION OF WOOD & WOOD DERIVATIVES (MDF)

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
EXTERIOR PROTECTIVE VARNISH : SOLVANT BASED VARNISH								
PERMOGLAZE WOOD PRESERVATIVE VARNISH	SPREAD RATE			± 10m ²		± 50m ²	± 200m ²	
<p>Permoglaze Wood Preservative Varnish is a satin finish linseed -based varnish reinforced with fungicides and biocides. No need to dilute. Ready to use. Protects wood against termites and mould.</p>	SHADES	Brown		293.25		1,299.50	5,060.00	
PERMOGLAZE TIMBERCOAT EXTERIOR VARNISH	SPREAD RATE			10-12m ²		50-60m ²	200-240m ²	
<p>Permoglaze Timbercoat Exterior Varnish is a modified alkyd varnish for wood. Excellent resistance to UV exposure. Available in gloss and satin finish. DILUTION: Permoglaze Test Benzine</p>	SHADES	Clear-Gloss & Satin		649.75		2,961.25	11,494.25	
		Tinted-Gloss & Satin		770.50		3,450.00	13,420.50	
PERMOGLAZE LASURE	SPREAD RATE			8-10m ²		40-50m ²	160-200m ²	
<p>Permoglaze Lasure is a modified alkyd varnish, offering a good resistance to UV exposure. Preserves the natural beauty of the wood and protects it against termites and insects. Available in gloss and satin finish. DILUTION: Permoglaze Test Benzine</p>	SHADES	Gloss		483.00		1,834.25	7,222.00	
		Satin		517.50		2,006.75	7,946.50	
		Miel Doré, Ocre Terrerouge, Caramel Roux, Brun-Mélasse, Jaune de Chamarel, Ambre Cannelle, Sapele, Teak						
PERMOGLAZE 2 PACK ACRYLIC VARNISH	SPREAD RATE			8-10m ²		40-50m ²	160-200m ²	
<p>Permoglaze 2 Pack Acrylic Varnish is a two-component acrylic urethane varnish for wood. Excellent resistance to UV exposure. Good resistance to chemical products. Available in gloss and satin finish. DILUTION: Permoglaze 2 Pack Acrylic Thinner</p>	SHADES	Clear - Gloss		661.25		2,875.00	10,557.00	
		Clear - Satin		793.50		3,956.00	15,904.50	
UNDERCOAT AND PRIMER								
PERMOGLAZE WOOD PRIMER	SPREAD RATE			7-8m ²		35-40m ²		
<p>Permoglaze Wood Primer is a satin finish alkyd primer for wood. Enables paint to adhere better. Finish with alkyd paints. DILUTION: Permoglaze Test Benzine</p>	SHADES	White & Grey		281.75		1,207.50		



DECORATIVE & PROTECTIVE LACQUERS

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
NITROCELLULOSE LACQUER								
PERMOGLAZE AUTOMOTIVE LACQUER		SPREAD RATE	± 5m ²	± 10m ²	± 50m ²	± 200m ²		
<p>Permoglaze Automotive Lacquer is a quick drying lacquer ideal for motor vehicles. Permoglaze Automotive Lacquer will leave the surface smooth and glossy whilst offering an excellent resistance against weathering. DILUTION: Permoglaze Lacquer Thinner</p>	Bright Colours		368.00	707.25		3,352.25	13,409.00	
		Violet Toner, Maroon Toner, Gold Toner						
	Pastel & Aluminium		253.00	465.75		2,162.00	8,648.00	
		Blue Toner, Dark Green, Red Oxide, Yellow Oxide						
	Basic & transparent		304.75	563.50		2,679.50	10,718.00	
		Post office Red						
	Matt and Satin - Black & White		241.50	437.00		2,041.25		
	Matt and Satin - Pastel		276.00	506.00		2,415.00		
	Matt and Satin - Medium		310.50	580.75		2,765.75		
	Matt and Satin - Basic		345.00	655.50		3,116.50		
	Gloss Black & White		138.00	235.75		937.25	3,588.00	
	Gloss Pastel		253.00	465.75		2,162.00	8,648.00	
	Gloss Medium		281.75	517.50		2,415.00	9,085.00	
	Gloss Basic		304.75	563.50		2,673.75	10,626.00	
Blending Clear		253.00	465.75		2,162.00	8,337.50		

DECORATIVE & PROTECTIVE LACQUERS

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
PRIMER								
PERMOGLAZE AUTOMOTIVE PRIMER		SPREAD RATE	± 5m ²	± 10m ²	± 50m ²	± 200m ²		
<p>Permoglaze Automotive Primer is an economical filling primer which provides a uniform finish. It is a Nitro cellulose primer specially formulated for Permoglaze Automotive Lacquer. Quick drying. Suitable for interior and exterior use. DILUTION: Permoglaze Lacquer Thinner</p>	SHADES	White	143.75	241.50		960.25	3,680.00	
		Grey	143.75	241.50		960.25	3,680.00	
		Red	143.75	241.50		960.25	3,680.00	



PROTECTION FOR MILD AND GALVANISED STEEL (FER NOIR ET FER GALVANISE)

		UNIT PRICE • Rs (INCLUDING VAT)							
		0.25L	0.5L	1L	2.5L	5L	20L	200L	
WATER-BASED PRIMER									
PERMOGLAZE WATER BASED METAL PRIMER		SPREAD RATE		8-10m ²		40-50m ²	160-200m ²		
ECO EARTH									
<p>Permoglaze Water Based Metal Primer is a matt anti-rust primer with an acrylic resin base as well as iron oxide and zinc phosphate pigments. For ferrous and non-ferrous metals. Good resistance to corrosion. Finish with water based or alkyd based paints. (ex: Permoglaze Gloss, Eggshell and Matt Finish). DILUTION: Water</p>	SHADES	Red		287.50		1,316.75	4,600.00		
	Grey		287.50		1,316.75	4,600.00			
SOLVENT-BASED PRIMER									
PERMOGLAZE PRIMER ANTICORROSIVE - RED OXIDE METAL PRIMER		SPREAD RATE	2-2.5m ²	4-5m ²	8-10m ²	20-25m ²	40-50m ²	160-200m ²	1600-2000m ²
<p>Permoglaze Primer Anticorrosion – Red Oxide Primer, is a high adhesion primer to be used ideally on mild steel unpainted surface. DILUTION: Permoglaze Test Benzine</p>	SHADES	Red	92.00	143.75	241.50	563.50	1,058.00	4,140.00	38,812.50
PERMOGLAZE PRIMER ANTICORROSION - GALVA PRIMER		SPREAD RATE	2-2.5m ²	4-5m ²	8-10m ²	20-25m ²	40-50m ²	160-200m ²	
<p>Permoglaze Primer Anticorrosion – Galva Primer, is a top quality primer to be used on unpainted surface. It is also a rust inhibitor for steel. DILUTION: Permoglaze Test Benzine</p>	SHADES	Grey	103.50	161.00	281.75	638.25	1,213.25	4,755.25	
PERMOGLAZE RUST ANODE - GALVA FROID		SPREAD RATE		± 3m ²	± 6m ²		± 30m ²		
<p>Permoglaze Rust Anode is an anti-rust primer with a modified alkyd resin base and pigments of zinc rich. For welding. Excellent resistance to corrosion. Finish with alkyd-based paints. DILUTION: Permoglaze Test Benzine</p>	SHADES	Grey		638.25	1,144.25		5,278.50		
PERMOGLAZE PA10 PRIMER		SPREAD RATE		4-5m ²	8-10m ²		40-50m ²	160-200m ²	
<p>Permoglaze PA 10 Primer is a matt anti-rust primer, with a polyvinyl butyral, iron oxide and zinc phosphate base. For ferrous and non-ferrous metals. Gives an excellent adhesion for paint. Finish with solvent based paints. DILUTION: Permoglaze PA 10 Primer Thinner</p>	SHADES	Red		293.25	454.25		2,127.50	8,567.50	

PROTECTION FOR MILD AND GALVANISED STEEL (FER NOIR ET FER GALVANISE)

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
SOLVENT-BASED PRIMER								
PERMOGLAZE TWO PACK ETCH PRIMER		SPREAD RATE			± 10m ²		± 50m ²	± 200m ²
<p>Permoglaze Two Pack Etch Primer is a universal two-component adhesive primer for galvanised metals and aluminium. Gives a better adhesion for the final coat of paint. Finish with solvent based paints. DILUTION: Permoglaze Two Pack Etch Primer Thinner</p>	SHADES	Yellow			276.00		1,236.25	4,870.25
INTERMEDIATE PAINT								
PERMOGLAZE UNIVERSAL UNDERCOAT		SPREAD RATE	2-2.5m ²	4-5m ²	8-10m ²	20-25m ²	40-50m ²	160-200m ²
<p>Permoglaze Universal Undercoat is a high performance, high-build primer for exterior or interior use. To be used on wood and metal. DILUTION: Permoglaze Test Benzine</p>	SHADES	White	103.50	155.25	253.00	603.75	1,127.00	4,370.00
FINISHING PAINT								
PERMOGLAZE GLOSS FINISH		SPREAD RATE	2-2.5m ²	4-5m ²	8-10m ²	20-25m ²	40-50m ²	160-200m ²
<p>INTERIOR / EXTERIOR COLOUR MATCH</p> <p>Permoglaze Gloss Finish is a premium quality product ideally formulated for use on wood and metal for interior and exterior use. It also provides a high gloss, durable finish. DILUTION: Permoglaze Test Benzine</p>	SHADES	White	97.75	149.50	264.50	621.00	1,178.75	4,623.00
	Pastel	103.50	161.00	276.00	644.00	1,224.75	4,801.25	
	Medium	109.25	184.00	327.75	764.75	1,460.50	5,732.75	
	Basic	126.50	207.00	368.00	874.00	1,690.50	6,658.50	
PERMOTOP SUPER GLOSS MS 24		SPREAD RATE			10-12m ²		50-60m ²	
<p>Permotop Super Gloss MS 24 is a glossy alkyd-based finishing paint compliant with MS 24 standards. Good resistance to the elements and UV exposure.</p>	SHADES	White			333.50		1,454.75	
	Pastel				345.00		1,512.25	
	Medium				396.75		1,776.75	
	Basic				454.25		2,116.00	
PERMOGLAZE QUICK DRY ENAMEL		SPREAD RATE			8-10m ²		40-50m ²	
<p>Permoglaze Quick Dry Enamel is a glossy, quick drying finishing paint with a modified alkyd base. Resists well against the elements and UV exposure.</p>	SHADES	White			368.00		1,638.75	
	Pastel				379.50		1,684.75	
	Medium				494.50		2,259.75	
	Basic				603.75		2,852.00	

PROTECTION FOR MILD AND GALVANISED STEEL (FER NOIR ET FER GALVANISE)

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
ALUMINIUM								
PERMOGLAZE GP ALUMINIUM	SPREAD RATE	2.5-3.75m ²	5-7.5m ²	10-15m ²		50-75m ²	200-300m ²	
<p>Permoglaze GP Aluminium is a glossy aluminium solvent-based finishing paint. For ferrous and non-ferrous metals. Resists well against the elements and UV exposure. Dilution : Permoglaze Test Benzine</p>	SHADES	Glossy Silver	120.75	201.25	350.75		1,615.75	6,376.75
CHLORINATED RUBBER ANTI-CORROSIVE SYSTEM								
PERMOGLAZE CHLORINATED ENAMEL	SPREAD RATE			± 10m ²		± 50m ²	± 200m ²	
<p>Permoglaze Chlorinated Enamel is a glossy, highly resistant finishing paint with a chlorinated rubber base. For wood, metal, concrete and glass reinforced polyester. Dilution : Permoglaze Slow Aromatic Solvent</p>	SHADES	White & Pastel		414.00		1,891.75	7,469.25	
		Medium		465.75		2,156.25	8,561.75	
		Basic		523.25		2,426.50	9,654.25	
PERMOGLAZE CHLORINATED MIO ENAMEL	SPREAD RATE			± 10m ²		± 50m ²		
<p>Permoglaze Chlorinated Mio Enamel is an anti-corrosion strengthening undercoat, with a micaceous iron oxide pigment base. Dilution : Permoglaze Slow Aromatic Solvent</p>	SHADES	Grey		563.50		2,553.00		
PERMOGLAZE CHLORINATED ZINC PHOSPHATE PRIMER	SPREAD RATE			± 10m ²		± 50m ²	± 200m ²	
<p>Permoglaze Chlorinated Zinc Phosphate Primer is an anticorrosion primer with a chlorinated rubber base and zinc oxide pigments. Dilution : Permoglaze Slow Aromatic Solvent</p>	SHADES	Grey		373.75		1,656.00	6,727.50	
PERMOGLAZE CHLORINATED ZINC CHROMATE PRIMER	SPREAD RATE			± 10m ²		± 50m ²	± 200m ²	
<p>Permoglaze Chlorinated Zinc Chromate Primer is a versatile corrosion prevention primer. It can be applied directly to blast cleaned steel or properly prepared galvanised steel. It can be used in shipyards and for protection of steel structures. Dilution : Permoglaze Slow Aromatic Solvent</p>	SHADES	Yellow & Red		402.50		1,805.50	7,101.25	

PROTECTION FOR MILD AND GALVANISED STEEL (FER NOIR ET FER GALVANISE)

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
EPOXY-BASED ANTI-CORROSIVE SYSTEM								
PERMOGLAZE EPOXY SOLVENT-FREE ENAMEL	SPREAD RATE			± 8m ²		± 40m ²	± 160m ²	
<p>Permoglaze Epoxy Solvent-Free Enamel is a solvent-free glossy epoxy based finishing paint. For wood, concrete, metal and glass reinforced polyester. Excellent resistance to chemicals and abrasion. Recommended for warehouses, workshops and garages.</p>	SHADES	Pastel		1,075.25		4,904.75	19,090.00	
PERMOGLAZE EPOXY ENAMEL	SPREAD RATE			± 8-10m ²		± 40-50m ²	± 160-200m ²	
<p>Permoglaze Epoxy Enamel is a two-component epoxy-based gloss finish for wood, metal, concrete and glass reinforced polyester. Good resistance to abrasion and chemicals. Dilution : Permoglaze Epoxy Thinner</p>	SHADES	White & Pastel		810.75		3,887.00	14,340.50	
		Medium		845.25		4,076.75	15,410.00	
		Basic		885.50		4,266.50	16,473.75	
PERMOGLAZE EPOXY HT PRIMER	SPREAD RATE			± 8-10m ²		± 40-50m ²	± 160-200m ²	
<p>Permoglaze Epoxy HT Primer is a flexible two-component anti-corrosion primer with an epoxy and zinc phosphate pigment base. Good resistance to abrasion and chemicals. Dilution : Permoglaze Epoxy Thinner</p>	SHADES	Grey		471.50		2,133.25	8,435.25	
PERMOGLAZE EPOXY MIO ENAMEL	SPREAD RATE			± 6-8m ²		± 30-40m ²		
<p>Permoglaze Epoxy Mio Enamel is a strengthening undercoat for anti-corrosion protection, with an epoxy and micaceous iron pigment base. Dilution : Permoglaze Epoxy Thinner</p>	SHADES	Grey		902.75		4,387.25		
PERMOGLAZE EPOXY TAR ENAMEL	SPREAD RATE			± 8-9m ²		± 40-45m ²		
<p>Permoglaze Epoxy Tar Enamel is a strengthening undercoat with an epoxy and bitumen base. Excellent resistance to water, corrosion and abrasion. Dilution : Permoglaze Epoxy Thinner</p>	SHADES	Black		621.00		2,806.00		

PROTECTION FOR MILD AND GALVANISED STEEL (FER NOIR ET FER GALVANISE)

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
EPOXY-BASED ANTI-CORROSIVE SYSTEM								
PERMOGLAZE EPOXY ZINC PHOSPHATE PRIMER	SPREAD RATE			± 8-9m ²		± 40-45m ²		
<p>Permoglaze Epoxy Zinc Phosphate Primer is an anti-corrosion two-component primer with an epoxy and zinc phosphate pigment base. Good resistance to abrasion and chemicals. Dilution : Permoglaze Epoxy Thinner</p>	SHADES	Grey		891.25		4,272.25		
PERMOGLAZE EPOXY ZINC CHROMATE PRIMER	SPREAD RATE			± 8-9m ²		± 40-45m ²		
<p>Permoglaze Epoxy Zinc Chromate Primer is a two-component solvent-based polyamide-cured epoxy primer, with zinc chromate as anti-corrosive pigment. It can be overcoated with the following Permoglaze solvent-based products: Epoxy Enamel, Two Pack Acrylic Enamel, Polyurethane HQ Enamel and Chlorinated Rubber. Dilution : Permoglaze Epoxy Thinner</p>	SHADES	Yellow		891.25		4,272.25		
PERMOGLAZE EPOXY ZINC RICH PRIMER	SPREAD RATE		3-4m ²	± 6-8m ²		± 30-40m ²		
<p>Permoglaze Epoxy Zinc Rich Primer is a two-component primer with an epoxy and zinc pigment base. Excellent resistance to corrosion. Dilution : Permoglaze Epoxy Thinner</p>	SHADES	Grey	350.75	1,299.50		6,325.00		

SPECIALITY PAINTS

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
SWIMMING POOL PAINT								
PERMOGLAZE CHLORINATED SWIMMING POOL PAINT	SPREAD RATE			± 10 m ²		± 50 m ²	± 200 m ²	
<p>Permoglaze Chlorinated Swimming Pool Paint is a chlorinated rubber paint for decorating and protecting concrete or glass reinforced polyester pools and ornamental ponds. Dilution : Permoglaze Slow Aromatic Solvent</p>	SHADES	Pale Blue		494.50		2,248.25	8,935.50	
BITUMINOUS COATING								
PERMOGLAZE BITUKOTE	SPREAD RATE					± 20 m ²	± 80 m ²	
<p>Permoglaze Bitukote is a glossy bitumen-based finishing paint for concrete piping and basements. Considerably reduces water infiltration. Good resistance to the elements and UV exposure. No need to dilute. Ready to use.</p>	SHADES	Black				1,063.75	4,151.50	
PERMOGLAZE BITUMINOUS ALUMINIUM	SPREAD RATE					± 50 m ²	± 200 m ²	
<p>Permoglaze Bituminous Aluminium is a glossy finishing paint with a bitumen and aluminium pigment base. For metal and concrete. Reduces surface heat. Good resistance to corrosion, the elements and UV exposure. Dilution : Permoglaze Test Benzine</p>	SHADES	Brown				1,656.00	6,440.00	
BITULAC COATING								
PERMOGLAZE BITULAC	SPREAD RATE					± 50 m ²	± 200 m ²	
<p>Permoglaze Bitulac is a glossy modified alkyd resin-based finishing paint for wood and metal. Good resistance to the elements and UV exposure. Dilution : Permoglaze Test Benzine</p>	SHADES	Grey				1,299.50	5,129.00	
		Black				1,299.50	5,129.00	
		Red				1,604.25	6,336.50	
		Green				1,604.25	6,336.50	

SPECIALITY PAINTS

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
HAMMER FINISH								
PERMOGLAZE HAMMER FINISH		SPREAD RATE		± 10 m ²		± 50 m ²		± 200 m ²
<p>Permoglaze Hammer Finish is a satin and hammer finish top coat paint with a modified alkyd resin base. For protecting and decorating metals (ex: office furniture such as filing cabinets). Dilution : Permoglaze Slow Aromatic Solvant</p>	SHADES	White, Pastel & Metallic		425.50		1,955.00		7,659.00
ACRYLIC/URETHANE COATING								
PERMOGLAZE TWO PACK ACRYLIC		SPREAD RATE		± 8 m ²		± 40 m ²		± 160 m ²
<p>Permoglaze Two Pack Acrylic is a two-component acrylic urethane paint for wood, metal and glass reinforced polyester. Excellent resistance to chemicals, the elements and UV exposure. Dilution : Permoglaze Two Pack Acrylic Thinner</p>	SHADES	White & Pastel - Gloss		695.75		3,300.50		9,890.00
		White & Pastel - Satin		718.75		3,358.00		10,120.00
		Medium-Gloss		759.00		3,691.50		12,500.50
		Medium-Satin		782.00		3,749.00		12,730.50
		Basic - Gloss		816.50		3,898.50		15,180.00
		Basic-Satin		839.50		3,956.00		15,410.00
PERMOGLAZE POLYURETHANE HQ ENAMEL		SPREAD RATE		± 10 m ²		± 50 m ²		
<p>Permoglaze Polyurethane HQ is a glossy two-component acrylic polyurethane paint for wood, metal and glass reinforced polyester. Excellent resistance to chemicals, abrasion, corrosion, the elements and UV exposure. Dilution : Permoglaze D/D Lack Thinner</p>	SHADES	White		971.75		4,467.75		
		Pastel		1,029.25		4,732.25		
		Medium		1,086.75		4,858.75		
		Basic		1,196.00		5,267.00		

SPECIALITY PAINTS

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
HIGH TEMPERATURE PAINT								
PERMOGLAZE HIGH TEMPERATURE ALUMINIUM 700 °C.		SPREAD RATE		± 10m ²		± 50m ²		
<p>Permogaze High Temperature Aluminium 700°C is a silicone resin-based aluminium coating designed for use on metallic substrates which may be subjected to high surface temperatures. This material utilises a heat-resisting silicone binder combined with high quality flake aluminium which dries to give a soft lustrous finish. The dried film will resist up to red heat. For metal chimney stacks, exhaust manifolds and pipes, and metal surfaces adjacent to furnaces and so on, up to maximum service temperatures of 700°C.</p>	SHADES	Silver		2,185.00		10,120.00		



SOLVENTS & THINNERS

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
GLYCEROPHTALIC THINNER								
PERMOGLAZE TEST BENZINE (WHITE SPIRIT)	SPREAD RATE							
Permoglaze Test Benzine is a thinner for Alkyd and Pliolite Primer, Paints and Varnishes.	SHADES	Clear		138.00		465.75	1,753.75	15,496.25
CHLORINATED RUBBER THINNER								
PERMOGLAZE SLOW AROMATIC SOLVENT	SPREAD RATE							
Permoglaze Slow Aromatic Solvent is a thinner for Chlorinated Rubber Paints.	SHADES	Clear		218.50		914.25	3,542.00	33,005.00
EPOXY THINNER								
PERMOGLAZE EPOXY THINNER	SPREAD RATE							
Permoglaze Epoxy Thinner is a thinner for Epoxy Paints.	SHADES	Clear		247.25		977.50	3,967.50	37,145.00
ACRYLIC URETHANE THINNER								
PERMOGLAZE D/D LACK THINNER	SPREAD RATE							
Permoglaze D/D Lack Thinner is a thinner for D/D Lack Polyurethane HQ Paints & Varnishes.	SHADES	Clear		247.25		1,040.75	4,036.50	38,525.00
PERMOGLAZE TWO PACK ACRYLIC THINNER	SPREAD RATE							
Permoglaze Two Pack Acrylic Thinner is a thinner for Two Pack Acrylic Paints and Varnishes.	SHADES	Clear		258.75		1,121.25	4,427.50	
		UNIT PRICE • Rs (INCLUDING VAT)						
		1L	5L	20L	210L	235L		
THINNER FOR NITROCELLULOSE								
PERMOGLAZE LACQUER THINNER	SPREAD RATE							
Permoglaze Lacquer Thinner is a universal thinner for solvent based paints, mainly Nitrocellulose-Based Paints.	SHADES	Clear		126.50	552.00	2,179.25	17,244.25	19,291.25

SOLVENTS & THINNERS

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
THINNER FOR SPECIALITY PRODUCTS								
PERMOGLAZE ACID CATALYSED THINNER	SPREAD RATE							
Permoglaze Acid Catalysed Thinner is a thinner for Acid-Catalysed Varnishes.	SHADES	Clear		184.00		690.00	2,662.25	
ETCH PRIMER THINNER								
PERMOGLAZE TWO PACK ETCH PRIMER THINNER	SPREAD RATE							
Permoglaze Two Pack Etch Primer Thinner is a thinner for Permoglaze Two Pack Etch Primer.	SHADES	Clear		270.25		1,173.00	4,657.50	
PERMOGLAZE PA 10 PRIMER THINNER	SPREAD RATE							
Permoglaze PA 10 Primer Thinner is a thinner for Permoglaze PA 10 Primer.	SHADES	Clear		356.50		1,581.25	6,233.00	



ROOF COATINGS

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
WATER-BASED WATERPROOF ELASTIC COATING								
PERMOGLAZE FLEXIBLE ACRYLIC		SPREAD RATE		8 - 10 m ²		40 - 50m ²	160 - 200m ²	
ECO EARTH / COLOUR MATCH		SHADES	White		276.00		1,322.50	4,818.50
Permoglaze Flexible Acrylic is a pure acrylic resin-based elastic coating for concrete surfaces – specially for roofs and exterior vertical walls. This water-based paint is very well suited for humid regions.			Pastel		281.75		1,437.50	4,933.50
			Medium		322.00		1,621.50	5,939.75
			Basic		373.75		1,851.50	6,854.00
PERMOGLAZE FLEXIBLE ACRYLIC SEALER		SPREAD RATE		8 - 10 m ²		40 - 50m ²	160 - 200m ²	
ECO EARTH		SHADES	Clear		212.75		908.50	3,542.00
Permoglaze Flexible Acrylic Sealer is a versatile transparent sealer for interior and exterior use with both anti-suction properties and alkali resistance. It is also designed for application on powdery or eroded surfaces. This product is the ideal primer on plaster, cement, brickwork, hardboard, building boards and insulation boards.								
PERMOGLAZE ROOF COAT		SPREAD RATE				25-30m ²	100-120 m ²	
ECO EARTH		SHADES	White			1029.25	4,111.25	
Permoglaze Roof Coat is designed as an ideal coating solution for sloping concrete, galvanised metal sheets and tiled roofs. Overall superior durability gives this water-based product an exceptional resistance to the harshest climatic conditions, including UV exposure, saline air and water.			Beige Sepia			1253.50	4,812.75	
			Gris Sable			1,092.50	4,347.00	
			Gris Ardoise			1,253.50	4,812.75	
			Bleu Volcanique			1,253.50	4,812.75	
			Bleu Cendre			1,253.50	4,812.75	
			Vert Olive			1,253.50	4,812.75	
			Vert de Jade			1,253.50	4,812.75	
			Poivre Rouge			1,092.50	4,347.00	
			Brun d'Argile			1,092.50	4,347.00	

FLOOR COATINGS

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
DECORATIVE PAINT								
PERMOGLAZE FLOORCOTE		SPREAD RATE		8 - 10m ²		40 - 50m ²	160 - 200m ²	
ECO EARTH		SHADES	White and Pastel		350.75		1,529.50	5,962.75
Permoglaze Floorcote is a waterbased pure acrylic paint, for concrete flooring, cement plaster and previously painted floor. Resistant to alkali and common household detergents.			Basic		517.50		2,294.25	8,165.00
PERMOGLAZE ACRYLIC TENNIS COURT		SPREAD RATE				40 - 50m ²	160 - 200m ²	
ECO EARTH		SHADES	White - Red - Green - Pastel			1,305.25	5,152.00	
Permoglaze Acrylic Tennis Court Dressing is a water-based anti-skid acrylic paint for concrete or asphalt tennis courts. No need to dilute, ready to use. Excellent resistance to abrasion and UV exposure.								
PERMOGLAZE CHLORINATED FLOOR DRESSING		SPREAD RATE		8 - 10 m ²		40 - 50m ²	160 - 200m ²	
ECO EARTH		SHADES	Red - Black - Maroon - Green - LB Grey - DB Grey - Terracotta		396.75		1,817.00	7,187.50
Permoglaze Chlorinated Floor Dressing is a chlorinated rubberbased paint for concrete and wood. Easy to maintain. Good resistance to abrasion and UV exposure. Dilution : Permoglaze Slow Aromatic Solvent			Pastel		396.75		1,817.00	7,187.50
			Medium		500.25		2,311.50	8,211.00
			Basic		598.00		2,806.00	9,234.50
PROTECTIVE PAINT								
PERMOGLAZE EPOXY ENAMEL		SPREAD RATE		± 8-10m ²		± 40-50m ²	± 160-200m ²	
ECO EARTH		SHADES	White & Pastel		810.75		3,887.00	14,340.50
Permoglaze Epoxy Enamel is a two-component epoxy-based gloss finish for wood, metal, concrete and glass reinforced polyester. Good resistance to abrasion and chemicals. Dilution : Permoglaze Epoxy Thinner			Medium		845.25		4,076.75	15,410.00
			Basic		885.50		4,266.50	16,473.75

FLOOR COATINGS

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
PROTECTIVE PAINT								
PERMOGLAZE EPOXY ANTISKID COATING	SPREAD RATE			6 - 8m ²		30 - 40m ²	120 - 160m ²	
Permoglaze Epoxy Anti skid Coating is a three-component anti-skid paint, with an epoxy and antiskid particle system. For concrete, wood and metal. Excellent resistance to abrasion, fuel and grease. Dilution : Permoglaze Epoxy Thinner	SHADES	White & Pastel		943.00		4,508.00	17,733.00	
	SPREAD RATE			(3mm thickness) / ± 1.5 m ²		(3mm thickness) / ± 6 m ²		
Permoglaze Epoxy Screeding Compound is a screed with an epoxy and silica sand base for concrete. Excellent resistance to chemicals. Recommended for laboratories, food storage warehouses, etc.	SHADES	White / Pastel	On Sale per meter ² , applied by our contracting services at Rs.1,350/ m ²					

ROAD MARKING PAINT

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
PERMOGLAZE CHLORINATED ROAD MARKING MS87	SPREAD RATE			±10m ²		±50m ²	±200m ²	
"Permoglaze Chlorinated Road Marking MS87 is a chlorinated rubber based paint compliant with MS87 standards. For road signs and markings. Good adhesion to concrete and bitumen. Dilution : Permoglaze Slow Aromatic Solvent "	SHADES	White		322.00		1,449.00	5,635.00	
	SHADES	Black		322.00		1,449.00	5,635.00	
	SHADES	Yellow		396.75		1,811.25	7,147.25	
	SHADES	Red		396.75		1,811.25	7,147.25	
PERMOGLAZE ROAD MARKING	SPREAD RATE					±50m ²	±200m ²	
Permoglaze Road Marking is specially formulated with acrylic / alkyd blend, for the marking lines on road surfaces or where an exceptionally water repellent coating is required. Dilution : Permoglaze Slow Aromatic Solvent	SHADES	White				1,403.00	5,520.00	
	SHADES	Black				1,403.00	5,520.00	
	SHADES	Yellow				1,771.00	7,015.00	

		UNIT PRICE • Rs (INCLUDING VAT)					
		1Kg	5Kg	20Kg	25kg		
ANTISKID PARTICULES							
PERMOGLAZE ANTISKID PARTICULES	SPREAD RATE						
Permoglaze Antiskid Particules is an anti-skid for paint	SHADES	N/A		80.50	379.50	1,610.00	2,012.50

ADHESIVES

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
TILE ADHESIVES								
PERMOFIX	SPREAD RATE							"6 mm thickness / 8 m ² 10 mm thickness / 4 m ² "
The Permofix cementitious tile adhesive is easy to spread and very smooth and contains special polymers which give remarkable performance in terms of adhesion as well as water and impact resistance. It is ideal for application on interior and exterior walls and floors. Permofix can be used for laying mosaic, ceramic, stone brick and cement tiles and also as a powerful primer for plastering of walls and ceilings.	SHADES	Grey						276.00

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
BINDER								
PERMOGLAZE PERMOCRETE	SPREAD RATE			± 30m ²		± 60m ²	± 240m ²	
Permoglaze Permocrete is a specially formulated latex based product used in mortar and concretes as an admixture to increase resistance to water penetration. It is used with cement as a reliable water resistant bonding agent. It is used for concrete repair, floor screeds and topping, external rendering, waterproofing, tanking and for fixing slip bricks and tiles.	SHADES			207.00		943.00	3,864.00	

PERMOFIX
KOLÉ MAM!

Lacolle ciment ki trapé pa largé!

By Sofap

SURFACE PREPARATION

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
SURFACE PREPARATION								
PERMOGLAZE AQUA PRIME	SPREAD RATE			8-10m ²		40-50m ²	160-200m ²	1600-2000m ²
INTERIOR / EXTERIOR ECO EARTH	SHADES	White		195.50		707.25	2,679.50	25,357.50
<p>Permoglaze Aqua Prime is a superior quality water-based opacifying primer. Quick-drying and with a high spreading rate as well as good alkali resistance, it is ideal for new and old concrete surfaces, walls, ceilings, smooth and Tyrolean finishes. It enhances the adhesion of the finishing coat and can be overcoated with the range of Permoglaze water-based paints. It has no residual odour and can safely be used in rooms to be occupied the following day. Interior and exterior use. Available in white.</p>								
BINDER FOR POROUS & ABSORBENT CONCRETE								
PERMOGLAZE CLEAR EMULSION BINDER	SPREAD RATE			± 12m ²		± 60m ²	± 240m ²	± 2400m ²
ECO EARTH	SHADES	Clear		166.75		667.00	2,587.50	24,265.00
<p>"Permoglaze Clear Emulsion Binder is an acrylic-based binder. Strengthens the adhesion of finishing paint. Overcoat with water-based paints. No need to dilute. Ready to use."</p>								
PERMOGLAZE CHLORINATED SEALER	SPREAD RATE			± 10m ²		± 50m ²	± 200m ²	
	SHADES	Clear		374.00		1673.00	6561.00	
<p>Permoglaze Chlorinated Sealer is a sealer for sealing concrete surfaces. Enables better adhesion of finishing paint. Overcoat with Chlorinated Rubber Paints.</p>								
PERMOGLAZE EPOXY PRIMER SEALER	SPREAD RATE			± 6m ²		± 30m ²	± 120m ²	
	SHADES	Clear		943.00		4,588.50	17,244.25	
<p>"Permoglaze Epoxy Primer Sealer is a two-component primer with an epoxy resin base for sealing old and new concrete. Enables better adhesion of finishing paint. Overcoat with Solvent-Based paints.</p>								

SURFACE PREPARATION

		UNIT PRICE • Rs (INCLUDING VAT)							
		0.25L	0.5L	1L	2.5L	5L	20L	200L	
WOOD SEALER									
PERMOGLAZE N/C NITROSANDING SEALER	SPREAD RATE			4-5m ²	8-10m ²		40-50m ²	160-200m ²	1600-2000m ²
	SHADES	Clear		155.25	218.50		1,000.50	3,841.00	37,375.00
<p>Permoglaze n/c Nitrosanding Sealer is a wood sealer with a modified alkyd resin and nitrocellulose base. Ensures a better adhesion of the final coat of varnish. Dilution : Permoglaze Lacquer Thinner</p>									
PERMOGLAZE WOOD PRESERVATIVE	SPREAD RATE				± 10m ²		± 50m ²	± 200m ²	
	SHADES	Clear			212.75		891.25	3,461.50	
<p>Permoglaze Wood Preservative is a microporous sealer reinforced with fungicides and biocides. Protects against termites and mould. No need to dilute. Ready to use.</p>									
ACID-BASED CLEANER									
"PERMOGLAZE ETCH SOLUTION	SPREAD RATE				± 20m ²		± 100m ²		
	SHADES	Clear			155.25		575.00		
<p>Permoglaze Etch Solution is an acid based cleaner for mild and galvanised surfaces and concrete. Removes grease and dust, allowing primers and sealers to adhere better. No need to dilute. Ready to use.</p>									
PERMOGLAZE GALVANISED IRON CLEANER	SPREAD RATE				± 20m ²		± 100m ²	± 400m ²	
	SHADES	Clear			155.25		575.00	2,530.00	
<p>Permoglaze Galvanised Iron Cleaner is an acid-based cleaner for galvanised and aluminium surfaces. Allows primer to adhere better. No need to dilute. Ready to use.</p>									
ALL SURFACES MOULD-KILLING									
PERMOGLAZE BIOCIDAL WALL WASH	SPREAD RATE				± 10m ²		± 50m ²	± 200m ²	
	SHADES	Clear			178.25		707.25	2,553.00	
<p>Permoglaze Biocidal wall wash is a biocide-based solution for killing mould, algae and fungi. No need to dilute. Ready to use.</p>									

SURFACE PREPARATION

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
ALL SURFACES SPORE-KILLING								
"PERMOGLAZE FUNGICIDAL TREATMENT	SPREAD RATE			± 10m ²		± 50m ²		± 200m ²
Permoglaze Fungicidal Treatment is a fungicide-based solution used to kill off spores that have not yet developed into fungus. Use after treatment with Permoglaze biocidal wall wash and before applying Permoglaze Anti-Fungus paint. No need to dilute. Ready to use.	SHADES	Clear		178.25		707.25		2,553.00
READY MIX RENDERING PRODUCTS								
"PERMOGLAZE PERMOFILL	SPREAD RATE	Depending on size of cracks						
Permoglaze Permofill is an acrylic reinforced paste coating for filling cracks. No need to dilute. Ready to use.	SHADES	White		161.00		661.25		2,645.00
PERMOGLAZE SKIMFILL	SPREAD RATE	1m ² (4mm thickness)						
Permoglaze Skimfill is a polymer reinforced paste coating for the smoothing over of concrete surfaces. No need to dilute. Ready to use.	SHADES	White				471.50		1,886.00

COLOUR MATCH

		UNIT PRICE • Rs (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
NOT TINTED-BASED								
COLOUR MATCH MATT EMULSION	SPREAD RATE							
ECO EARTH / COLOUR MATCH	SHADES	Clear			123.05		500.25	1,932.00
		Deep			126.50		511.75	1,989.50
		Pastel			128.80		523.25	2,024.00
COLOUR MATCH SOFT FEEL	SPREAD RATE							
ECO EARTH / COLOUR MATCH	SHADES	Clear			218.50		914.25	3,565.00
		Deep			224.25		937.25	3 662.75
		Pastel			228.85		960.25	3 737.50
COLOUR MATCH ANTI FUNGUS	SPREAD RATE							
ECO EARTH / COLOUR MATCH	SHADES	Clear			258.75		1,023.50	4,036.50
		Deep			264.50		1,052.25	4,145.75
		Pastel			270.25		1,081.00	4,237.75
COLOUR MATCH VIP SATIN INTERIOR	SPREAD RATE							
ECO EARTH / COLOUR MATCH	SHADES	Clear			178.25		764.75	2,995.75
		Deep			184.00		782.00	3,076.25
		Pastel			189.75		793.50	3,133.75
COLOUR MATCH PERMOTOP	SPREAD RATE							
ECO EARTH / COLOUR MATCH	SHADES	Clear			195.50		977.50	3,841.00
		Deep			201.25		1,000.50	3,933.00
		Pastel			207.00		1,023.50	4,013.50
COLOUR MATCH AQUASHIELD	SPREAD RATE							
ECO EARTH / COLOUR MATCH	SHADES	Clear			270.25		1,230.50	4,864.50
		Deep			276.00		1,253.50	4,991.00
		Pastel			281.75		1,293.75	5,123.25



COLOUR MATCH

		UNIT PRICE - R _s (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
NOT TINTED-BASED								
COLOUR MATCH FLEXIBLE ACRYLIC		SPREAD RATE						
ECO EARTH / COLOUR MATCH								
SHADES	Clear			212.75		828.00	3,185.50	
	Deep			224.25		856.75	3,358.00	
	Pastel			235.75		908.50	3,657.00	
COLOUR MATCH AQUA GLOSS		SPREAD RATE						
ECO EARTH / COLOUR MATCH								
SHADES	Clear			327.75		1,472.00	5,807.50	
	Deep			356.50		1,667.50	6,578.00	
	Pastel			402.50		1,857.25	7,342.75	
COLOUR MATCH AQUA LASURE		SPREAD RATE						
ECO EARTH / COLOUR MATCH								
SHADES	Clear			379.50		1,782.50		
COLOUR MATCH MULTI-TASK		SPREAD RATE						
ECO EARTH / COLOUR MATCH								
SHADES	Clear			310.50		1,408.75	5,566.00	
	Deep			316.25		1,449.00	5,715.50	
	Pastel			327.75		1,483.50	5,842.00	
COLOUR MATCH GLOSS FINISH		SPREAD RATE						
COLOUR MATCH								
SHADES	Clear			224.25		966.00	3,783.50	
	Deep			230.00		989.00	3,887.00	
	Pastel			235.75		1,012.00	3,961.75	
COLOUR MATCH EGGSHELL FINISH		SPREAD RATE						
COLOUR MATCH								
SHADES	Clear			230.00		1,000.50	3,921.50	
	Deep			235.75		1,023.50	4,019.25	
	Pastel			241.50		1,052.25	4,122.75	
COLOUR MATCH MATT FINISH		SPREAD RATE						
COLOUR MATCH								
SHADES	Pastel			270.25		1,253.50	4,427.50	

COLOUR MATCH

		UNIT PRICE - R _s (INCLUDING VAT)						
		0.25L	0.5L	1L	2.5L	5L	20L	200L
TINTERS								
XERA ZVOC XZALF (LIGHT YELLOW: LIGHT FAST)							2,967.00	14,386.50
XERA ZVOC XZOO (ORANGE OXIDE)							1,144.25	4,784.00
XERA ZVOC XZB (BLACK)							316.25	1,535.25
XERA ZVOC XZGLF (BRIGHT ORANGE)							1,771.00	8,584.75
XERA ZVOC XZHSD (H.S PHTHALO GREEN)							2,058.50	9,976.25
XERA ZVOC XZHSE (H.S PHTHALO BLUE)							2,116.00	10,229.25
XERA ZVOC XZHSM (H.S MAROON)							2,921.00	14,156.50
XERA ZVOC XZC (YELLOW OXIDE)							477.25	2,317.25
XERA ZVOC XZD (PHTHALO GREEN)							701.50	3,381.00
XERA ZVOC XZE (PHTHALO BLUE)							546.25	2,668.00
XERA ZVOC XZF (RED OXIDE)							621.00	3,007.25
XERA ZVOC XZHFLF (PERMANENT RED)							1,196.00	5,773.00
XERA ZVOC XZJ (VIOLET)							730.25	3,530.50
XERA ZVOC XZK (WHITE)							661.25	3,202.75
XERA ZVOC XZL (UMBER)							396.75	1,932.00
XERA ZVOC XZM (MAGENTA)							1,196.00	5,790.25
XERA XTC (TIO YELLOW)							1,495.00	N/A
XERA XTD (TIO GREEN)							1,535.25	N/A
XERA XTF (TIO RED)							1,627.25	N/A

APS ORDERS (AS PER SAMPLE)
A SURCHARGE OF 10% ON THE PUBLIC PRICE WILL BE APPLICABLE, FOR ORDERS BELOW 50 LT.

PAINTBRUSHES & ACCESSORIES

		UNIT PRICE • Rs (INCLUDING VAT)					
HAMILTON ROLLERS							
CLASSIC ROLLERS							
Classic rollers are perfect for water-based paints on rough surfaces. Its long-twisted pile will enhance paint uptake and superior spreadability. Easy to clean.	CLASSIC Refill 225						132.25
	CLASSIC Roller 100						149.50
	CLASSIC Roller 225						172.50
FOAM ROLLERS							
Foam Rollers are used where a textured finish is required	FOAM Roller 225						373.75
MOHAIR ROLLERS							
Mohair Rollers are made with 100% mohair, which ensures that the fabric will not unwind even when soaked in water or solvents. Using Mohair rollers, ensures less spatter. It provides a superb finish on smooth surfaces, and is also suitable for solvent-based enamels.	MOHAIR Roller 150						201.25
	MOHAIR Roller 225						230.00
POLYPILE ROLLER							
Polypile rollers are suitable for application of water-based paints on smooth surfaces.	POLY-PILE Roller 225						195.50
WOOLPRO ROLLERS							
Woolpro Rollers are ideal for general paintworks, this high-density fabric roller will ensure the fabric will not unwind. Ideal for general-purpose use with water-based paints.	WOOLPRO Refill 225						109.25
	WOOLPRO Roller 225						155.25
SHEEPSKIN ROLLER							
Sheepskin rollers are suitable for use with water-based paints. Its composition makes it an ideal roller for high coverage paint.	Sheepskin Roller 225						281.75

PAINTBRUSHES & ACCESSORIES

		UNIT PRICE • Rs (INCLUDING VAT)					
HAMILTON ROLLERS							
EXTENSION POLES							
	Extension Pole 2 m						281.75
	Extension Pole 2.5 m						293.25
HAMILTON BRUSHES							
VIVA PAINT BRUSHES							
Viva paint brushes have rust-resistant ferrule, the bristles are of synthetic blend, ideal for all purpose use.	VIVA Brushes 19mm						28.75
	VIVA Brushes 25mm						34.50
	VIVA Brushes 38mm						42.55
	VIVA Brushes 50mm						48.30
	VIVA Brushes 75mm						80.50
	VIVA Brushes 100mm						143.75
	VIVA Brushes 150mm						195.50
FIBREGLASS BRUSHES							
Fibreglass brushes are 100% pure blonde bristle, designed for applying Epoxy and 2 components paints and varnishes	FIBERGLASS Brushes 25mm						69.58
	FIBERGLASS Brushes 38mm						82.23
	FIBERGLASS Brushes 50mm						107.53
	FIBERGLASS Brushes 75mm						158.13
	FIBERGLASS Brushes 100mm						215.05
	FIBERGLASS Brushes 150mm						354.20



**Tribe.
Une marque et une
culture réunies.**

La gamme de revêtements texturés Tribe a été créée afin d'apporter une nouvelle dimension à la décoration intérieure. Chacun des produits de notre gamme texturée est inspiré d'un riche héritage africain, conçu pour créer des styles de décors intérieurs classiques, modernes, ethniques ou contemporains. L'application des revêtements texturés peut être complexe. Il est donc conseillé d'avoir recours à des spécialistes en cas de doute.

Pour la gamme complète des couleurs, merci de vous référer aux échantillons de couleurs disponibles dans votre point de vente le plus proche.

www.tribecoatings.com



RODRIGUES
BRUSH-ON TEXTURE

Tribe Rodrigues has a granulated speckled stone-finish.

UNIT PRICE - Rs (INCLUDING VAT)			
	1L	5L	20L

TEXTURED COATING

TRIBE KILIMANJARO	442.75	1,771.00	6,900.00
TRIBE ZAMBEZI PASTE	460.00	1,886.00	7,222.00
TRIBE ZAMBEZI TEXTURE	575.00	2,645.00	10,350.00
TRIBE RODRIGUES	632.50	2,875.00	10,350.00
TRIBE TIMBUKTU MEDIUM	264.50	1,265.00	4,830.00
TRIBE TIMBUKTU PASTEL	264.50	1,265.00	4,830.00
TRIBE KALAHARI	391.00	1,719.25	6,440.00
TRIBE OKAVANGO	161.00	747.50	2,760.00
TRIBE BUFFALO	293.25	897.00	3,139.50

SURFACE PREPARATION

TRIBE FINE PRIMER	184.00	667.00	2,530.00
-------------------	--------	--------	----------

MATT PAINT

TRIBE POA MATT PASTEL BASE	241.50	1,069.50	3,990.50
TRIBE POA MATT DEEP BASE	333.50	1,495.00	5,232.50
TRIBE POA MATT CLEAR BASE	419.75	1,943.50	6,348.00

www.tribecoatings.com



DESCRIPTION	UNIT PRICE - Rs (INCLUDING VAT)		
	1L	5L	200L
MARBLE AND STONE SEALER	575.00	2,732.00	
NOVA 2 - SLASTO & STONE SEALER - GLOSS & MATT			72,000.01
NOVA 2 - SLASTO & STONE SEALER - GLOSS	550.00	2,138.00	
NOVA 2 - SLASTO & STONE SEALER - MATT	550.00	2,138.00	
NOVA 14 (PINE, IMBUA, SAPELE)	640.00	2,564.99	86,399.99
NOVA 16 (PINE, IMBUA, SAPELE)	595.00	2,352.00	72,000.01



UNIT PRICE - Rs (INCLUDING VAT)	
DECO	
ROL CHALKBOARD BLACK	224.25
ROL DRY ERASE WHITE	1,006.25
ROL FROSTED GLASS CLEAR	264.50
ROL GLOW IN THE DARK	776.25
ROL MAGNETIC PRIMER	1,006.25
ROL NEVERWET BOOT AND SHOE	1,006.25
ROL NEVERWET FABRIC	1,006.25
ROL MIRROR EFFECT	448.50
ROL RIPPLED EFFECT CLEAR	264.50
ROL TRIPLE THICK C GLAZE	264.50
FLUORESCENT	
ROL FLUORESCENT ORANGE	224.25
ROL FLUORESCENT RED-ORANGE	224.25
ROL FLUORESCENT YELLOW	224.25
ROL FLUORESCENT PINK	224.25
GLITTER	
ROL GLITTER CLEAR	281.75
ROL GLITTER GOLD, GREEN, PINK, PURPLE, RED, SILVER	448.50

UNIT PRICE - Rs (INCLUDING VAT)	
FLAT PAINT	
ROL FLAT GALVANIZING COMPOUND	310.01
ROL PT2X SATIN FRENCH LILAC	235.75
ROL PT2X ALUMINUM	235.75
ROL PT2X SATIN CINNAMON	235.75
ROL PT2X SATIN COLONIAL RED	235.75
ROL PT2X GLOSS DARK GRAY	235.75
ROL PT2X FLAT BLACK	235.75
ROL PT2X FLAT BLACK PRIMER	235.75
ROL PT2X FLAT WHITE	235.75
ROL PT2X GLOSS ALMOND	235.75
ROL PT2X GLOSS APPLE RED	235.75
ROL PT2X GLOSS BLACK	235.75
ROL PT2X GLOSS BRILLIANT BLUE	235.75
ROL PT2X GLOSS BERRY PINK	235.75
ROL PT2X GLOSS CLEAR	235.75
ROL PT2X GLOSS CHESTNUT	235.75
ROL PT2X GLOSS CANDY PINK	235.75
ROL PT2X GLOSS COLONIAL RED	235.75
ROL PT2X GLOSS DEEP BLUE	235.75
ROL PT2X GLOSS HUNTER GREEN	235.75
ROL PT2X GLOSS KEY LIME	235.75
ROL PT2X GLOSS MARIGOLD	235.75

UNIT PRICE - Rs (INCLUDING VAT)	
FLAT PAINT	
ROL PT2X GLOSS PURPLE	235.75
ROL PT2X GLOSS REAL ORANGE	235.75
ROL PT2X GLOSS SEASIDE	235.75
ROL PT2X GLOSS SUN YELLOW	235.75
ROL PT2X GLOSS WHITE	235.75
ROL PT2X MATTE CLEAR	235.75
ROL PT2X SATIN AQUA	235.75
ROL PT2X SATIN BLOSSOM WHITE	235.75
ROL PT2X SATIN CLEAR	235.75
ROL PT2X SATIN GRANITE	235.75
ROL PT2X SATIN GREEN APPLE	235.75
ROL PT2X SEMI-GLOSS BLACK	235.75
ROL PT2X SEMI-GLOSS CLEAR	235.75
ROL PT2X SEMI-GLOSS WHITE	235.75
ROL PT2X SATIN HUNT C GREEN	235.75
ROL PT2X SATIN NUTMEG	235.75
ROL PT2X SATIN OASIS BLUE	235.75
ROL PT2X SATIN SWEET PEA	235.75
ROL PT2X SATIN POPPY RED	235.75
ROL PT2X SATIN WILDFLO BLUE	235.75
ROL PT2X GLOSS WINTER GRAY	235.75
ROL PT2X WHITE PRIMER	235.75

RUST-OLEUM

UNIT PRICE • Rs (INCLUDING VAT)

HI HEAT	
ROL HI HEAT BAR-B-QUE BLACK	264.50
ROL HI HEAT ULTRA SILVER	322.00
LACQUER	
ROL APPLIANCE SPRAY STAINLESS	264.50
ROL APPLIANCE SPRAY WHITE	264.50
ROL LACQUER BLACK	264.50
ROL LACQUER CLEAR	224.25
ROL LACQUER WHITE	264.50
LEAK SEAL	
ROL LEAK SEAL BLACK	430.00
ROL LEAK SEAL CLEAR	430.00
ROL LEAK SEAL WHITE	430.00
STONE	
ROL STONE CREA BLEACH STONE	316.25
ROL STONE CREA GRAY STONE	316.25
ROL STONE CREA PEBBLE	316.25
ROL STONE CREA SIENNA STONE	316.25
ROL STONE CREA TUSCAN ROCK	316.25

UNIT PRICE • Rs (INCLUDING VAT)

STOP RUST	
ROL PRO FLAT BRIGHT GALV COMP	575.00
ROL PRO FLAT COLD GALV COMP	448.50
ROL REFLECTIVE	345.00
ROL RUST REFORMER	304.75
ROL STOPRUST F RUSTY M PRIM	235.75
ROL STOPRUST GLOSS CHROME	264.50
ROL STOPRUST HAMMERED COPPER	264.50
ROL STOPRUST HAMMERED SILVER	264.50
ROL STOPRUST METAL ANT BRASS	264.50
ROL STOPRUST METAL BURN BRASS	264.50
ROL STOPRUST MCOLOR T RUSTIC	304.75
ROL STOPRUST MCOLOR T CARIBBE	304.75
ROL STOPRUST MCOLOR T DESERT	304.75
ROL STOPRUST METAL DK BRONZE	264.50
ROL STOPRUST METAL MAT NICKEL	264.50
ROL STOPRUST METAL OIL RUB BRZ	264.50
ROL STOPRUST FWHT CLN MTL P	235.75
ROL STOPRUST TEX M MOONLIT	304.75
ROL STOPRUST TEX M SILVER	304.75



COMMANDEZ VOS ÉCHANTILLONS EN UN CLIC



Recevez des applications réelles de peinture gratuitement* sous 48 heures en format A5 en les commandant en ligne.

Pour trouver les couleurs qui conviendraient le mieux à vos divers projets, nous nous sommes inspirés d'ambiances réelles mauriciennes afin de créer des combinaisons exceptionnelles. Visualisez votre intérieur : les zones de lumière et d'ombre, les différentes parties de la pièce, vos meubles et accessoires avec ces échantillons grand format simples à utiliser. Visitez notre site web www.sofap.mu pour commander gratuitement votre combinaison de couleurs.

* Voir conditions sur www.sofap.mu

Retrouvez vos showrooms Inspirations by Sofap aux adresses suivantes :

Pailles

Avenue St Vincent de Paul
Tel : +230 210 9822

Rivière Noire

River Palm Building
La Mivoie
Tel : +230 483 1464

Grand Baie

Business Quarters
Chemin Vingt Pieds
Tel : +230 263 2833

Bagatelle

Shop 11
Home & Leisure
Tel : +230 468 8382

Moka

Les Allées d'Helvétia
Royal Road
Tel : +230 433 5100

Cascavelle

Shop 45
Cascavelle Shopping Mall
Tel: +230 452 9343

Customer Service : 800 15 15

Sofap
Do it smarter

