



HIGH-PERFORMANCE COATINGS




FOR COMMERCIAL SPACES.











FOR PROVEN COATING SOLUTIONS THAT MEET PERFORMANCE, AESTHETIC AND ENVIRONMENTAL REQUIREMENTS

JUST ASK.

No matter what structure or substrate you're coating, Sherwin-Williams Pro Industrial high-performance commercial coatings ensure superior durability and lasting aesthetics. Our innovative technologies have produced a line of coatings designed to withstand the harsh conditions of busy commercial and institutional environments. And, every product is backed by Sherwin-Williams' 145 years of experience, the support of 1,400 field reps and 3,300 Sherwin-Williams stores offering local service and quick access to products.

We've made it easy for you to understand the key features and benefits of all our Pro Industrial products.

The charts on the following pages organize the product information in different ways. This brochure will help you answer the questions:

- ✓ What products are available?
- ✓ What are the performance attributes?
- ✓ Which coating is best suited for my project?
- ✓ What if I have a highly specialized use?

REFER TO THE FOLLOWING PAGES FOR THE SELECTION TOOL THAT WORKS BEST FOR YOU.





| DESCRIPTION | ZERO VOC WATERBORNE CATALYZED EPOXY* B73-300 Series Environmentally responsible, extremely durable multi-use coating | ZERO VOC ACRYLIC* B66-600 Series Environmentally responsible, easy-to-use coating for commercial spaces | PRE-CATALYZED WATER BASED EPOXY K45, K46 Series Advanced toughness and durability in a single-component coating | HI-BILD WATER BASED CATALYZED EPOXY B71-100 Series Advanced toughness and durability in one coat | HIGH-PERFORMANCE EPOXY B67-200 Series Unsurpassed durability and chemical resistance | URETHANE ALKYD ENAMEL B54-150 Series General purpose maintenance enamel | MULTI-SURFACE ACRYLIC B66-500 Series Surface-tolerant utility coating with superior stain blocking properties | PRO-CRYL® UNIVERSAL ACRYLIC PRIMER B66-310 Series Versatile high-performance metal primer | ANTI-GRAFFITI COATING B97C150 Repels graffiti for fast and easy removal |
|---|--|--|---|--|---|--|---|--|---|
| FEATURES | Extremely hard and tough coating Superior corrosion resistance direct-to-metal Strong chemical resistance Flows and levels to a smooth finish Very low odor High-performance, advanced technology Highly stain resistant | Superior stain resistance Superior exterior color and gloss retention Flows and levels to a silky smooth finish Effortless application by brush, roll or spray Fast dry Virtually odorless | Enhanced performance, single-component convenience Resistant to most commercial cleaners Excellent stain blocking properties Flows and levels to a smooth finish Effortless application by brush, roll or spray | Uniquely high film build eliminates the need for a second coat Superior filling properties, ideal for block walls Fills and hides minor surface imperfections Resistant to commercial cleaners and mild chemicals Low odor | Extremely hard and tough coating Resistant to most industrial chemicals Direct-to-metal with excellent corrosion resistance Withstands harsh industrial environments High solids, high build coating | Fortified with urethane resin for durability and flexibility Good exterior color and gloss retention High solids, high build for increased productivity Flows and levels to a smooth finish | Self-priming directly to multiple surfaces Excellent one-coat hide and stain blocking Excellent adhesion to slick and glossy surfaces Good exterior color and gloss retention Dries fast with dry fall properties Optimized for spray application | Advanced technology rust inhibitive primer Multi-purpose primer for steel and most other metal surfaces Accepts catalyzed and non-catalyzed topcoats Excellent stain blocking properties Low odor, waterborne formula Fast dry | Non-stick coating prevents graffiti from adhering Easy graffiti removal by pressure washing or hand cleaning High build, one coat application Applies directly to concrete, brick and painted surfaces Long-term protection against repeated graffiti attacks |
| FINISHES | Gloss and Eg-Shel | Gloss, Semi-Gloss and Eg-Shel | Semi-Gloss and Eg-Shel | Semi-Gloss and Eg-Shel | Gloss | Gloss | Gloss and Eg-Shel | Eg-Shel | Semi-Gloss Clear |
| STANDARDS COMPLIANCE As of 12/31/10 | OTC Yes SCAQMD Yes CARB Yes MPI Spec# N/A LEED® 09 CI Yes LEED® 09 NC Yes LEED® 09 CS Yes LEED® S Yes GreenGuard Certified Yes Canada VOC Yes | OTC Yes SCAQMD Yes CARB Yes MPI Spec# 151, 164 LEED® 09 CI Yes LEED® 09 NC Yes LEED® 09 CS Yes LEED® S Yes GreenGuard Certified Yes Canada VOC Yes | OTC Yes SCAQMD No CARB Yes MPI Spec# 139, 141, 151, 153 LEED® 09 CI Yes LEED® 09 NC Yes LEED® 09 CS Yes GreenGuard Certified No Canada VOC Yes | OTC Yes SCAQMD No CARB Yes MPI Spec# No LEED® 09 CI No LEED® 09 NC No LEED® 09 CS No LEED® 09 H No GreenGuard Certified No Canada VOC Yes | OTC Yes SCAQMD No CARB Yes MPI Spec# 98 LEED® 09 CI No LEED® 09 NC No LEED® 09 CS No LEED® 09 H No GreenGuard Certified No Canada VOC Yes | OTC Yes SCAQMD No CARB No MPI Spec# No LEED® 09 Cl No LEED® 09 NC No LEED® 09 CS No LEED® 09 H No GreenGuard Certified No Canada VOC Yes | OTC Yes SCAQMD No CARB Yes MPI Spec# 114 LEED® 09 CI Yes LEED® 09 NC Yes LEED® 09 CS Yes GreenGuard Certified No Canada VOC Yes | OTC Yes SCAQMD Yes CARB Yes MPI Spec# 107 LEED® 09 Cl Yes LEED® 09 NC Yes LEED® 09 CS Yes LEED® 09 S Yes GreenGuard Certified Yes Canada VOC Yes | OTC Yes SCAQMD No CARB Yes MPI Spec# No LEED® 09 CI N/A LEED® 09 NC N/A LEED® 09 CS N/A LEED® 09 H N/A GreenGuard Certified No Canada VOC Yes |





| | Hardness Toughness Durability | Chemical Resistance | Scrub Resistance | Exterior Performance (Color & Gloss Retention) | Corrosion Resistance (Direct to metal) | Stain Blocking¹ | Stain Resistance² | Blocking Resistance ³ | Dry Time @ 77° F (Touch / Recoat) | Odor During Application | Ease of Application (Brushing & Rolling) | Smooth Finish | VOC's |
|--|-------------------------------------|------------------------|---------------------|---|--|--------------------|----------------------|-------------------------------------|---|----------------------------|--|------------------|----------|
| Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | **** | **** | **** | ** | **** | **** | **** | **** | 45 mins / 6 hrs | Slight | *** | *** | 0 g/L |
| Zero VOC Acrylic B66-600 Series | *** | *** | ** | **** | **** | *** | **** | *** | 30 mins / 5 hrs | None | **** | **** | 0 g/L |
| Pre-Catalyzed Water Based Epoxy K45, K46 Series | *** | *** | *** | ** | *** | *** | *** | *** | 1 hr / 8 hrs | Moderate | **** | **** | <150 g/L |
| Hi-Bild Water Based Catalyzed Epoxy B71-100 Series | *** | *** | *** | ** | *** | *** | *** | **** | 1 hr / 2 hrs | Slight | ** | *** | <250 g/L |
| High-Performance Epoxy B67-200 Series | **** | **** | **** | ** | **** | ** | **** | **** | 8 hrs / 8 hrs | Strong | *** | *** | <250 g/L |
| Urethane Alkyd Enamel B54-150 Series | *** | *** | *** | *** | *** | **** | *** | *** | 2.5 hrs / 18 hrs | Moderate | *** | *** | <330 g/L |
| Multi-Surface Acrylic B66-500 Series | **** | ** | ** | **** | *** | *** | *** | *** | 30 mins / 2 hrs | Moderate | ** | ** | <150 g/L |
| Pro-Cryl® Universal Acrylic Primer B66-310 Series | N/A (Primer) | N/A (Primer) | N/A (Primer) | N/A (Primer) | *** | **** | N/A (Primer) | N/A (Primer) | 40 mins / 4 hrs | Slight | *** | *** | <100 g/L |

¹Ability of coating to cover and hide existing stains on the substrate.

²Ability of coating to resist becoming stained by coffee, ink, ketchup, oil, etc. ³Degree to which two painted surfaces resist sticking together, such as a door and a door frame.



PEGIFICATION



HIGH TRAFFIC AREAS

Specific Applications:

Schools, Commercial Hallways & Corridors, Airport Terminals, Transit Stations, Gymnasiums & Sports Venues, Theaters & Auditoriums, Locker Rooms, Correctional Facilities, and Light Manufacturing Facilities.

These areas require systems that provide:

- ✓ An extremely hard and tough coating
- ✓ High abrasion resistance
- ✓ Superior stain resistance
- ✓ Resistance to commercial cleaning solutions
- ✓ A smooth finish
- ✓ Very low odor

| SUBSTRATE | ENVIRONMENT | PRIMER | INTERMEDIATE | TOPCOAT | |
|---------------------------------|-------------|--|--|--|--|
| | Heavy | ProGreen 200 Wall Primer B28W600 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | |
| Drywall | Moderate | ProGreen 200 Wall Primer B28W600 Series | Hi-Bild WB Catalyzed Epoxy B71-100 Series (optional) | Hi-Bild WB Catalyzed Epoxy B71-100 Series | |
| | Light | ProGreen 200 Wall Primer B28W600 Series | Pre-Catalyzed WB Epoxy K45, K46 Series | Pre-Catalyzed WB Epoxy K45, K46 Series | |
| | Heavy | Loxon Block Surfacer A24W200 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | |
| Concrete Block | Moderate | Loxon Block Surfacer A24W200 Series | Hi-Bild WB Catalyzed Epoxy B71-100 Series (optional) | Hi-Bild WB Catalyzed Epoxy B71-100 Series | |
| | Light | Loxon Block Surfacer A24W200 Series | Pre-Catalyzed WB Epoxy K45, K46 Series | Pre-Catalyzed WB Epoxy K45, K46 Series | |
| | Heavy | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | None Required | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | |
| Smooth Concrete / Masonry | Moderate | Hi-Bild WB Catalyzed Epoxy B71-100 Series | None Required | Hi-Bild WB Catalyzed Epoxy B71-100 Series | |
| | Light | Loxon Masonry Primer A24W8300 Series | Pre-Catalyzed WB Epoxy K45, K46 Series | Pre-Catalyzed WB Epoxy K45, K46 Series | |
| | Heavy | Pro-Cryl Universal Primer B66-310 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | |
| Steel | Moderate | Pro-Cryl Universal Primer B66-310 Series | Hi-Bild WB Catalyzed Epoxy B71-100 Series (optional) | Hi-Bild WB Catalyzed Epoxy B71-100 Series | |
| | Light | Pro-Cryl Universal Primer B66-310 Series | Pre-Catalyzed WB Epoxy K45, K46 Series | Pre-Catalyzed WB Epoxy K45, K46 Series | |
| | Heavy | Pro-Cryl Universal Primer B66-310 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | |
| Galvanized / Aluminum | Moderate | Pro-Cryl Universal Primer B66-310 Series | Hi-Bild WB Catalyzed Epoxy B71-100 Series (optional) | Hi-Bild WB Catalyzed Epoxy B71-100 Series | |
| | Light | Pro-Cryl Universal Primer B66-310 Series | Pre-Catalyzed WB Epoxy K45, K46 Series | Pre-Catalyzed WB Epoxy K45, K46 Series | |
| | | | | | |

HIGH EXPOSURE AREAS

Specific Applications:

Commercial Kitchens, Laboratories, Chemical Storage Areas, Shower & Wash Rooms, Manufacturing/Processing Plants, Public Restrooms, Laundry Facilities, Animal Clinics and Indoor Pool Areas

These areas require systems that provide:

- ✓ Heavy-duty protection
- ✓ Resistance to harsh environments
- ✓ A high-performance coating that's resistant to commercial chemicals
- ✓ Excellent corrosion resistance
- ✓ Resistance to repeated washing and cleaning
- ✓ Superior moisture resistance

| SUBSTRATE | ENVIRONMENT | PRIMER | INTERMEDIATE | TOPCOAT | |
|---------------------------------|-------------|--|--|--|--|
| | Severe | ProGreen 200 Wall Primer B28W600 Series | High-Performance Epoxy B67-200 Series | High-Performance Epoxy B67-200 Series | |
| Drywall | Moderate | ProGreen 200 Wall Primer B28W600 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | |
| | Mild | ProGreen 200 Wall Primer B28W600 Series | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only | |
| | Severe | Loxon Block Surfacer A24W200 Series | High-Performance Epoxy B67-200 Series | High-Performance Epoxy B67-200 Series | |
| Concrete Block | Moderate | Loxon Block Surfacer A24W200 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | |
| | Mild | Loxon Block Surfacer A24W200 Series | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only | |
| | Severe | High-Performance Epoxy B67-200 Series | None Required | High-Performance Epoxy B67-200 Series | |
| Smooth Concrete / Masonry | Moderate | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | None Required | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | |
| | Mild | Loxon Masonry Primer A24W8300 Series | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only | |
| | Severe | Pro-Cryl Universal Primer B66-310 Series | High-Performance Epoxy B67-200 Series | High-Performance Epoxy B67-200 Series | |
| Steel | Moderate | Pro-Cryl Universal Primer B66-310 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series (optional) | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | |
| | Mild | Pro-Cryl Universal Primer B66-310 Series | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only | |
| | Severe | Pro-Cryl Universal Primer B66-310 Series | High-Performance Epoxy B67-200 Series | High-Performance Epoxy B67-200 Series | |
| Galvanized / Aluminum | Moderate | Pro-Cryl Universal Primer B66-310 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series (optional) | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | |
| | Mild | Pro-Cryl Universal Primer B66-310 Series | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only | |

HIGH AESTHETIC AREAS

Specific Applications:

Lobbies, Restaurants & Cafeterias, Retail Stores, Healthcare Facilities, Office Buildings, Hotel & Hospitality, Museums, Exterior Architectural Elements, Community Centers, and Other High Visibility Areas

These areas require systems that provide:


- ✓ A silky smooth finish
- ✓ Extremely low odor
- ✓ Quick dry times
- ✓ Superior stain resistance
- ✓ Superior exterior gloss retention

| SUBSTRATE | ENVIRONMENT | PRIMER | INTERMEDIATE | TOPCOAT | |
|---------------------------------|-------------|--|--|--|--|
| | Heavy | ProGreen 200 Wall Primer B28W600 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series (interior only) | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series (interior only) | |
| Drywall | Moderate | ProGreen 200 Wall Primer B28W600 Series | Zero VOC Acrylic Coating B66-600 Series | Zero VOC Acrylic Coating B66-600 Series | |
| | Light | ProGreen 200 Wall Primer B28W600 Series | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | |
| | Heavy | Loxon Block Surfacer A24W200 Series | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series (interior only) | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series (interior only) | |
| Concrete Block | Moderate | Loxon Block Surfacer A24W200 Series | Zero VOC Acrylic Coating B66-600 Series | Zero VOC Acrylic Coating B66-600 Series | |
| | Light | Loxon Block Surfacer A24W200 Series | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | |
| | Heavy | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series | None Required | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series (interior only) | |
| Smooth Concrete / Masonry | Moderate | Loxon Masonry Primer A24W8300 Series | Zero VOC Acrylic Coating B66-600 Series | Zero VOC Acrylic Coating B66-600 Series | |
| | Light | Loxon Masonry Primer A24W8300 Series | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | Pre-Catalyzed WB Epoxy K45, K46 Series (interior only) | |
| | Heavy | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series (interior only) | None Required | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series (interior only) | |
| Steel | Moderate | Pro-Cryl Universal Primer B66-310 Series | Urethane Alkyd Enamel B54-150 Series | Urethane Alkyd Enamel B54-150 Series | |
| | Light | Pro-Cryl Universal Primer B66-310 Series | Zero VOC Acrylic Coating B66-600 Series (optional) | Zero VOC Acrylic Coating B66-600 Series | |
| | Heavy | Pro-Cryl Universal Primer B66-310 Series | None Required | Zero VOC Waterborne Catalyzed Epoxy B73-300 Series (interior only) | |
| Galvanized / Aluminum | Moderate | Pro-Cryl Universal Primer B66-310 Series | Urethane Alkyd Enamel B54-150 Series | Urethane Alkyd Enamel B54-150 Series | |
| | Light | Pro-Cryl Universal Primer B66-310 Series | Zero VOC Acrylic Coating B66-600 Series | Zero VOC Acrylic Coating B66-600 Series | |

Contact your Sherwin-Williams representative for additional high-performance coating solutions for your specific application.



EG A LI



Sherwin-Williams Anti-Graffiti
Coating creates a clear, non-stick
surface that allows graffiti to be
easily removed with pressure
washing or hand washing. No
chemicals. No solvents. No
headaches. And unlike sacrificial
paints that require repeated
applications, Sherwin-Williams
Anti-Graffiti Coating has a service
life of 10 to 15 years. SherwinWilliams Anti-Graffiti Coating
protects your facility and delivers
long-term savings.

- ✓ Graffiti washes away easily
- ✓ Covers in one coat and dries fast
- ✓ Can be applied with brush, roller or airless sprayer
- Excellent on concrete, steel and previously painted surfaces

Stampede[™] High-Performance Polyurethane Sealants



From window frames and concrete driveways to plastics and steel to horizontal joints, there's a Stampede product for virtually every sealant and caulking application. Stampede sealants withstand harsh weather, joint movement, abrasion and chemicals. And while they may be tough, they're easy on nature, and many carry our GreenSure® designation for high-performance and low environmental impact.

- ✓ High-performance sealants for commercial buildings
- ✓ Available in 7 different formulations
- ✓ Available in a variety of colors
- ✓ Versatile

ArmorSeal® High-Performance Floor Coatings



If you're looking for a high-performance flooring system that can stand up to harsh chemicals, abrasion and impact, look no further than ArmorSeal. Our heavy-duty systems have passed the test in the harshest environments — from industry to food service to aircraft hangars and beyond. With seven different ArmorSeal systems, we have the solution that is tailored to meet your specific needs.

- Epoxy and polyurethane industrial floor coatings
- ✓ Wide range of colors, including Clear
- ✓ Superior color and gloss retention
- Outstanding durability









For high-performance coatings, just ask.

Selection. Innovation. Performance. Durability. Dependability. Sherwin-Williams has it all covered with the Pro Industrial line of high-performance coatings. We're with you every step of the way with great products, specification assistance, application advice and just-in-time availability and delivery. You can depend on us for the efficiency, professionalism and profitability you expect. See your local Sherwin-Williams store or representative, or call 800-524-5979 to have a representative contact you.

