



PRO NAILER NEWS & REDEMPTION OFFERS

OCTOBER 2020 - JANUARY 2021

BOSTITCH®

DESIGNED FOR THE PROFESSIONAL, BUILT TO LAST $^{\mathsf{TM}}$

A LEGACY IN FASTENING

BOSTITCH, ORIGINALLY KNOWN AS THE BOSTON WIRE STITCHER® COMPANY, HAS A RICH HISTORY ROOTED IN INNOVATION, CREATIVITY, AND LEADERSHIP, INSPIRED BY IT'S FOUNDER THOMAS BRIGGS.

FROM THE WIRE STITCHER, TO THE FIRST COIL NAILER, TO THE SMART POINT® BRAD NAILER, BOSTITCH HAS BEEN CREATING RELIABLE AND DURABLE TOOLS SINCE 1896.





WHEN YOU PURCHASE A SELECTED BOSTITCH® AIR TOOL FROM A PARTICIPATING RETAILER.

BOSTITCHREDEMPTIONS.COM.AU

*Conditions apply. Valid for purchases made from 01/10/2020 until 31/01/2021 at participating retailers. Redemption claim period closes 14/02/2021. Selected Bostitch Air Tools eligible for redemption include F28WW, F33PT, PN50, N66C-1K, N75C-1, N89C-1, DA1564SP-A, FN1664SP-A, BT1855SP-A, HP118K, SX1838K, SL1838BC & MIIIFS only. Limited redemption stock available, while stocks last. Retain receipt. One hoodie redeemed per transaction. Hoodie sizes available: Medium, Large and X-Large only. Redeem and view full terms and conditions at www.bostitchredemptions.com.au



DEMPTION

33° PAPERTAPE FRAMING NAILER **F33PT**

 Tool-free Dial-A-Depth® Powerful engine drives control for precisely up to 90mm nails,

whilst the lightweight magnesium body ensures all day comfort

Paper Tape Framing Length	50mm - 90mm
Paper Tape Framing Diameter	2.5mm - 3.3mm
Magazine Capacity	75
Tool Weight (Tool Only)	3.6kg

driving recessed nails

Designed to drive into

engineered timber

FRAMING

28° WIRE WELD FRAMING **NAILER F28WW**

- Designed to drive into engineered timber
- Notched 16" layout indicator on magazine helps achieve correct distance between studs
- Tool-free Dial-A-Depth® control for precise
- countersinking of nails
- Lightweight, magnesium design for durability

	Fastener Length	50mm - 90mm
28°	Fastener Diameter	2.8mm to 3.3.mm
WIRE WELD NAIL	Magazine Capacity	100
	Tool Weight (Tool only)	3.5kg



ROOFING & SIDING

15° COIL SIDING NAILER N66C-1K

- Drives wire weld and plastic inserted coil nails
- Adjustable depth guide sets nails to desired depth quickly and conveniently
- Lightweight aluminum design for durability
- Tool-free adjustable exhaust conveniently directs air
- Adjustable rafter hook rotates easily for convenience

	Fastener Length	32mm - 6
15° coil siding nail	Fastener Diameter	2.1mm - 2
	Magazine Capacity	225
	Tool Weight (Tool only)	2.2 kg



15° SHEATHING / SIDING **NAILER** N75C-1

- Perfect for high-volume nailing of wall and roof
- Adjustable depth guide sets nails to desired depth quickly and conveniently
- Lightweight aluminum design
- Drives 15° wire weld and plastic inserted coil nails

	Fastene
15°	Fastene
COIL SIDING NAIL	Magazi
	Tool We

	Fastener Length	38mm - 75mm
5 °	Fastener Diameter	2.3mm - 3.3mm
SIDING NAIL	Magazine Capacity	300
	Tool Weight (Tool only)	2.13kg



15° HIGH-POWER COIL **FRAMING NAILER** N89C-1

- Lightweight magnesium design for durability
- Patented push-button adjustable depth guide sets nails to desired depth quickly and conveniently
- Adjustable exhaust directs air away from user



Fastener Length	50mm - 90mm
Fastener Diameter	2.5mm - 3.75mm
Magazine Capacity	300
Tool Weight (Tool only)	3.6kg



FREE BOSTITCH HOODIE VIA REDEMPTION* WHEN YOU PURCHASE A SELECTED BOSTITCH® AIR TOOL FROM A PARTICIPATING RETAILER.

SMART POINT™ TECHNOLOGY

IMPROVES VISIBILITY



EASY TO SEE WHERE NAIL IS DRIVEN

REACHES TIGHT SPACES



80% SMALLER NOSE THAN CURRENT BOSTITCH NAILERS

REDUCES WORK SURFACE DAMAGE



NO NEED TO PUSH AGAINST WORK TO ACTUATE TOOL

SMART POINT™ 16 GA STRAIGHT FINISH NAILER FN1664SP-A

- Smart Point[™] Technology: Easy nail placement due to smaller nose and no need to compress the contact tip to actuate tool
- Tool-free Dial-A-Depth® control for precise countersinking of nails
- Oil-free operation reduces risk of oil stains on work surface

16 _{GA} STRAIGHT NAIL	Fastener Length	25mm - 64mm
	Magazine Capacity	100
	Tool Weight (Tool only)	1.8kg



\$199

ROOFING & SIDING

SMART POINT™ 15 GA "DA" STYLE ANGLED FINISH NAILER DA1564SP-A

- Smart Point™ Technology: Easy nail placement due to smaller nose and no need to compress the contact tip to actuate tool
- Tool-free Dial-A-Depth® control for precise countersinking
 of pails.
- Oil-free operation reduces risk of oil stains on work surface

	Fastener Length	32mm - 64mm
15 ga	Magazine Capacity	129
ANGLED NAIL	Tool Weight (Tool only)	2.1kg



\$**279**

SMART POINT™ 18 GA BRAD NAILER BT1855SP-A

- Smart Point[™] Technology: Easy nail placement due to smaller nose and no need to compress the contact tip to actuate tool
- Tool-free selectable trigger system converts from sequential to contact operation
- Tool-free jam release mechanism for easy nail removal
- Oil-free operation reduces risk of oil stains on work surface
- Tool-free Dial-A-Depth® control for precise countersinking of nails
- Adjustable belt hook for left or right attachment

	Fastener Length	15mm - 50mm
18 _{ga}	Magazine Capacity	100
BRAD NAIL	Tool Weight (Tool only)	1.4kg



\$199

23 GA PIN NAILER HP118K

- Low profile nosepiece tapers down to contact point for clear line of sight
- Adjustable belt hook for left or right attachment
- Adjustable high/low power control sets pin depth without changing compressor settings
- Side-load magazine for fast loading and easy fastener changeover

	Fastener Length	12mm - 25mm
23 _{GA}	Magazine Capacity	200
PIN NAIL	Tool Weight (Tool only)	0.98kg



\$199

STAPLERS

18 GA FINISH STAPLER SX1838K

- Low staple lockout prevents dry firing
- Tool-free selectable trigger system converts from sequential to contact operation
- Oil-free operation reduces risk of oil stains on work surface
- Tool-free Dial-A-Depth® control for precise countersinking of staples





18 GA CAP STAPLER SL1838BC

- Designed to be the preferred method of securing felt, house wrap, and thin foam
- Tool-free Dial-A-Depth® control for precise depth
- Tool-free selectable trigger system converts from sequential to contact operation
- · Includes internal air filter for maximum reliability

	BOSTITCH
TONS	BAD
	¥

40		
18 _{GA}		
	4	

Staple Length	19mm - 38mm
Crown Width	8mm
Staple Magazine Capacity	100
Cap Magazine Capacity	100
Tool Weight (Tool only)	1.77kg

SPECIALTY

HARDWOOD FLOORING STAPLER MIIIFS

- Multiple Handle Options: Long reach for comfort, short reach for speed
- Extra-wide, composite base with rollers protects finish, adds stability, and increases productivity
- High-speed, mallet actuated pneumatic operation increases productivity over manual methods
- Precisely drives 15.5 GA, 12.5mm crown flooring staples at proper depth and angle
- Includes: MIIIFS Flooring Stapler, Graphite Mallet, Pre-Finished Flooring Adaptor Foot, Long Handle, and Interchangeable Base Plates



Fastener Length	38mm - 50mm
Magazine Capacity	92
Tool Weight (Tool only)	5.1kg



MINI IMPACT NAILER PN50

- Rubber grip designed to insulate and reduce vibration
- Drives most common bulk finish, framing, and timber nails
- 360° swivel fitting for maximum accessibility
- Front exhaust directs air away from user's palm

	Fastener Type	Bulk Finish Nails Bulk Framing Nail Bulk Timber Nails
COMMON BULK NAIL	Tool Weight (Tool only)	0.55kg



8

9

VIA REDEMPTION*

WHEN YOU PURCHASE A SELECTED BOSTITCH $^{ ext{@}}$ AIR TOOL FROM A PARTICIPATING RETAILER

and view full terms and conditions at BOSTITCHREDEMPTIONS.COM.AU

FREE BOSTITCH HOODIE VIA REDEMPTION*
WHEN YOU PURCHASE A SELECTED BOSTITCH® AIR TOOL FROM A PARTICIPATING RETAILER.



ALCOHOLD STATE OF STA

ROOFING & SIDING

SKU	SIZE	SHANK	FINISH	QTY	RRP
AC32R210-QZ	2.1	Ring	Bright	17500	\$122.00
AC38R250-0Z	2.5	Ring	Bright	13860	\$98.00
AC45P250-GAL-QZ	2.5	Smooth	Gal	5940	\$87.00
AC45R210-QZ	2.1	Ring	Bright	17500	\$164.00
AC45R250-GAL-OZ	2.5	Ring	Gal	5940	\$84.00
AC45R250-QZ	2.5	Ring	Bright	5940	\$83.00
AC50R250-GAL-QZ	2.5	Ring	Gal	5940	\$115.00
AC50S250-0Z	2.5	Screw	Bright	5940	\$94.00
AC57S287	2.87	Screw	Bright	6000	\$153.00
AC64R287	2.87	Ring	Bright	6000	\$164.00
AC64R287-GAL	2.87	Ring	Gal	6000	\$219.00
AC64S287	2.87	Screw	Bright	6000	\$164.00
AC64S287-GAL	2.87	Screw	Gal	6000	\$298.00
AC75P287	2.87	Smooth	Bright	6000	\$175.00
AC75P306	3.06	Smooth	Bright	5400	\$185.00
AC75P306-LC-QZ	3.06	Smooth	Bright	4500	\$157.00
AC75R306	3.06	Ring	Bright	5400	\$196.00
AC75S287	2.87	Screw	Bright	6000	\$185.00
AC90P306-QZ	3.06	Smooth	Bright	4050	\$116.00
AC90P333-LC-3M	3.33	Smooth	Bright	3000	\$133.00
AC90P333-0Z	3.33	Smooth	Bright	4050	\$121.00

FRAMING NAILS

SKU	SIZE	SHANK	FINISH	QTY	RRP
SP75X306-3M	75	SM00TH	BRIGHT	3,000	\$49.00
SP75X306-3MHDG	75	SM00TH	HDG	3,000	\$116.00
SP90X333-3M	90	SMOOTH	BRIGHT	3,000	\$88.00
S65P306	65	SMOOTH	BRIGHT	2,000	\$57.00
S65R306	65	RING	BRIGHT	2,000	\$62.00
S75P306P-3M	75	SM00TH	BRIGHT	3,000	\$50.00
S90P333	90	SM00TH	BRIGHT	2,000	\$72.00
S75P306	75	SMOOTH	BRIGHT	2,000	\$55.00
S75R306	75	RING	BRIGHT	2,000	\$65.00

FINISH/BRAD NAILS

SKU	SIZE	GAUGE	FINISH	QTY	RRP
DA1525	25	15	GALV	4,000	\$32.00
DA1532	32	15	GALV	4,000	\$39.00
DA1538	38	15	GALV	4,000	\$47.00
DA1545	45	15	GALV	4,000	\$57.00
DA1550	50	15	GALV	4,000	\$59.00
DA1564	64	15	GALV	4,000	\$67.00
C25	25	16	BRIGHT	2,500	\$13.00
C32	32	16	BRIGHT	2,500	\$14.00
C45	45	16	BRIGHT	2,500	\$18.00
C50	50	16	BRIGHT	2,500	\$21.00
BT1315GA	15	18	GALV	5,000	\$8.00
BT1320GA	20	18	GALV	5,000	\$10.00
BT1325GA	25	18	GALV	5,000	\$13.00
BT1330GA	30	18	GALV	5,000	\$15.00
BT1335GA	35	18	GALV	5,000	\$15.00
BT1340GA	40	18	GALV	5,000	\$16.00
BT1345GA	45	18	GALV	5,000	\$18.00
BT1350GA	50	18	GALV	5,000	\$20.00



*Conditions apply. View full terms and conditions at WWW.BOSTITCHREDEMPTIONS.COM.AU

BOSTITCH® Level 2, 810 Whitehorse Road, Box Hill, VIC, Australia, 3128 Telephone: 1800 338 002 Fax: 1800 080 898 BOSTITCH® reserves the right to change any deal, price and / or specification at any time without notice.

All products quoted are inclusive of GST. Price includes GST unless otherwise stated.

Pro Nailer promotion runs from 01/10/2020 until 31/01/2021.

Deals available while stocks last and only at participating stores.