

Product catalogue

2020

# OUR PRODUCTS ARE DISTRIBUTED TO MORE THAN 100 COUNTRIES ALL OVER THE WORLD



#### **CONTENTS**

PISTOLS 6



RIMFIRE RIFLES **36** 



CENTERFIRE RIFLES **50** 

SEMIAUTOMATIC **76** 



ACCESSORIES 82



#### Dear customers, business partners and fans of the CZ brand,

After a year, I once again greet you all from the heart of Europe, the place where some of the best small arms in the world have been produced since 1936.

It is no coincidence that CZ products rank among the absolute top in the world. Our company always puts the customer, his needs and requirements first. We know that buying a firearm is a highly responsible choice and expression of enormous trust. Knowing that thousands of CZ firearms are sold every day around the world permanently encourages all workers of Česká zbrojovka to give their best performance and improve continuously.

CZ firearms are born using state-of-the-art research and development procedures, they are manufactured in perfectly equipped production plants and undergo extremely demanding all-round testing before reaching shop counters. But all this can be said about some other major arms factories. What is the secret to the extraordinary quality and inventiveness of the CZ brand?

Our biggest asset is our personnel. These people literally live for guns and shooting and connect their passion to their daily work. They are basically the same enthusiasts as our customers, who get exactly what they want and need from every CZ firearm. And not only that! With its unique knowhow, Česká zbrojovka keeps trying to explore new design and technological paths and anticipates and sets trends in all branches of shooting and arms production.

That is why CZ firearms have great reputation all over the world and why their fans are so excited about every novelty.

Thank you for your continued favour. I wish you good luck when choosing your new CZ firearm. I am honoured to welcome you to the club of enthusiastic customers of our brand.

Best regards, Ladislav Britaňák CEO and Chairman of the Board Česká zbrojovka a.s.





# CZ P-10 SERIES





This comprehensive series of cutting-edge pistols includes a subcompact (CZ P-10 S), compact (CZ P-10 C), semicompact (CZ P-10 SC) as well as a full-size model (CZ P-10 F). In addition, there are OR variants with the slide modified for a fast and strong attachment of a red dot sight.




















enhanced by the unique checkering and grip accomplished by using the new ergonomics technique DiFEND.


The very first model, the CZ P-10 C compact

extreme longevity and refined shooting. The superb user friendliness is further

The very first model, the CZ P-10 C compact, was awarded the title Pistol of the Year 2017 by the Guns & Ammo magazine.









SUBCOMPACT

CZ **P-10 S** 

#### 9×19 | 12 (14)

The CZ P-10 S is another variant of the successful series of pistols with a linear striker. Its subcompact dimensions are ideal for concealed carry, making it a perfect model for personal defence or a back-up gun for armed forces personnel. Despite the smaller size, this pistol offers the same shooting comfort and user-friendliness as its full size version. The basic version of this pistol features a 12-round 9x19 cal. magazine, a superior capacity for its category.



SEMI-COMPACT

*CZ* **P-10 SC** 

#### 9×19 | 15 (17)

A perfect model for users who would like to carry their pistol as covertly as possible and as comfortably as possible, but who also want to maximise the potential of the 9×19 cartridge as well as the advantages of a long barrel and slide. This semicompact duly combines the standard size barrel and slide with a compact polymer frame.



COMPACT

CZ **P-10 C** 

9×19 | 15 (17) 9×21 | 15 (17) .380 AUTO | 15 (17)

Thanks to its dimensions, innovative design and large firing capacity, this highly advanced and compact striker fired pistol is suitable for armed forces as well as concealed carry for personal defence. There is a new feature in the form of a reversible magazine release.



9×19 | 19 9×21 | 19

There are situations when a pistol user appreciates a good grip, a large magazine capacity or a long sight line. These are the main benefits of this new member of the exceptionally successful CZ P-10 family: a standard size striker fired model.



COMPACT

CZ P-10 C OR

#### 9×19 | 15

A model with the slide modified for the easy attachment of a collimator sight. The company's original solution is characterized by robustness, strength and durability of assembly, low mounting height, easy sighting of a collimator sight even at long distances, and the option to use extended iron sights in the event of the optics failing.



#### TECHNICAL DATA

MODEL	HEIGHT/WIDTH/ LENGHT	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SIGHTS	TRIGGER	FRAME	SAFETY FEATURES
CZ P-10 S	116×32×170 mm	90 mm	0,71 kg	9×19	12 (14)	Luminescent, Tritium	SFDA	Highly durable polymer	Striker block; Drop safety, Trigger bar safety
CZ P-10 C	132×32×187 mm	102 mm	0,74 kg	9×19, 9×21, .380 AUTO	15 (17)	Luminescent, Tritium	SFDA	Highly durable polymer	Trigger safety; drop safety, Trigger bar safety, Firing pin block (drop s
CZ P-10 C OR	132×32×187 mm	102 mm	0,74 kg	9×19	15	Luminescent, Tritium	SFDA	Highly durable polymer	Trigger safety; Drop safety, Trigger bar safety, Firing pin block (drop
CZ P-10 SC	132×32×203 mm	114 mm	0,78 kg	9×19	15 (17)	Luminescent, Tritium	SFDA	Highly durable polymer	Trigger bar safety, Firing pin block (drop safety)
CZ P-10 F	150×32×203 mm	114 mm	0,80 kg	9×19, 9×21	19	Luminescent, Tritium	SFDA	Highly durable polymer	Trigger safety; Drop safety, Trigger bar safety, Firing pin block (drop

p safety) op safety) op safety)



# CZ P-07/09







The superior parameters of the OMEGA trigger mechanism, which in its radically simplified concept uses the unbeatable principle of the timeless CZ 75 model, have paved the way for the creation of a completely new generation of large-capacity SA/DA pistols with an external hammer and polymer frame for defence, service and sport.

They significantly surpass rival models particularly due to the exceptionally smooth trigger travel and low trigger pull weight in both single and double action modes. In combination with the superb ergonomics and high-quality cold hammer forged barrels, they achieve excellent accuracy. A unique bonus is the option for the user to easily convert the safety configuration to decocking and vice versa, while the controls remain ambidextrous.

The CZ P-07 and CZ P-09 pistols have a durable polymer frame extremely resistant to mechanical damage and changes in temperature, with a standardized mounting rail and larger trigger guard for shooting while wearing gloves. The size of the pistol grip can be easily adjusted with three interchangeable backstraps, in line with the needs and preferences of each user. The surface finish on the metal parts has superior resistance against abrasion, mechanical damage and corrosion. Other strong points of this model series include complete safety of user, absolute reliability in all weather conditions, very easy sight alignment of the iron sights and high capacity of the magazine for all calibres, which can be further increased with a baseplate.





**INTERCHANGEABLE BACKSTRAPS** TWO PAIRS OF COCKING GROOVES SLIDE SLANTED AT THE FRONT FOR EASY HOLSTERING STANDARDIZED RAIL FOR THE ATTACHMENT OF ACCESSORIES TRIGGER ADAPTED FOR EASY REACH IN DA MODE













*CZ P***-07** 

9×19 | 15 (17) .380 AUTO | 15

A compact SA/DA pistol with an external hammer and a highly durable polymer frame. This extremely popular model is remarkably accurate and reliable in all climatic conditions. It is chiefly intended for the armed forces and for concealed carry.



**FULL-SIZE** 

*CZ* **P-09** 

9×19 | 19

Large-capacity traditional SA/DA concept service pistols with an external hammer and a modern frame made of high-strength polymer. The advantages of this model include high accuracy and perfect reliability even in the most adverse climatic conditions.



FULL-SIZE

**CZ P-09 FDE** 

9×19 | 19

In keeping with modern trends, the standard CZ P-09 model has also received a new variant, this time with tritium sights and the frame in a popular Flat Dark Earth colour. Regardless of the colour, the grips have interchangeable backstraps that enable the user to effortlessly change the ergonomics according to their own preferences.



MODEL	HEIGHT/WIDTH/ LENGHT	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SIGHTS	TRIGGER	FRAME
CZ P-09	148×37×208 mm	115 mm	0,89 kg	9×19	19	Luminescent	SA/DA	Highly durable polyme
CZ P-09 FDE	148×37×208 mm	115 mm	0,89 kg	9×19	19	Tritium	SA/DA	Highly durable polyme
CZ P-07	137×37×185 mm	95 mm	0,80 kg	9×19, .380 AUTO	15 (17), 15	Luminescent	SA/DA	Highly durable polyme




# CZ SHADOW 2

SERIES

# The new queen of the IPSC Production Division and the most accurate and fastest pistol of its category in the world

The CZ SHADOW 2 family represents a new level of first-rate large-capacity all-steel pistols for modern dynamic sport shooting disciplines. These models enable good shooters to give excellent performance and the best to triumph at the most prestigious IPSC competitions. Moreover, they also make good weapons for personal defence.







. IEE

HIGH ACCURACY



Prominent checkering on the grip for the most reliable grip











With their design, these elegant and absolutely reliable pistols follow in the footsteps of the CZ 75 SP-01 SHADOW which ruled the IPSC Production Division for a decade and which the CZ SHADOW 2 series has surpassed in all the key parameters.

The challenging mission of creating such outstanding models has been accomplished thanks to close collaboration with the elite CZ Shooting team members and the use of latest advanced

manufacturing processes and technologies. The slide and frame of the CZ SHADOW 2 pistols have been radically modernized which, together with the extended barrel, enables faster and more accurate shooting. The trigger mechanism has been finely tuned to achieve smoother trigger travel and shortened reset. The shape of the frame and pistol grip has been designed to enable as comfortable and secure a grip as possible, while the prominent checkering provides an absolutely reliable contact of the shooting hand with the pistol in all circumstances.


N B894394

The exclusive quality and exceptional accuracy of the CZ SHADOW 2 series is further enhanced by precision manufacturing on robotic machining centres without any manual involvement. The surface finish of these pistols inspired by the service models guarantees extreme resistance to corrosion, adverse weather and mechanical damage.









#### CZ SHADOW 2

9×19 | 19/10 9×21 | 19/10

A new level of a first-rate all-steel pistol for modern dynamic shooting events. A model which enables good shooters to give excellent performance and the best ones to triumph at the most prestigious IPSC competitions.



**FULL-SIZE** 

#### CZ **SHADOW 2**

URBAN GREY

9×19 | 19/10 9×21 | 19

Traditional black is not the only colour that suits sport and tactical shooting. Our portfolio therefore includes a model whose frame is coated with a highly durable surface finish in a trendy and popular Urban Grey colour which beautifully contrasts with the black aluminium grip panels.



**FULL-SIZE** 

#### CZ SHADOW 2 SA

9×19 | 19

A specialized competition pistol intended especially for fans of target shooting with large-caliber pistols.



**FULL-SIZE** 

#### CZ SHADOW 2

**ORANGE** 

9×19 | 19/10 9×21 | 19/10

A perfect gun that ranks your shooting experience and results at an absolute top. The superb design base of this model has been improved by precisely targeted gunsmithing modifications and the use of top-quality sport parts.



FULL-SIZE

#### CZ SHADOW 2 OR

9×19 | 19/10 9×21 | 19/10

The CZ SHADOW 2 pistol is extremely fast, yet at some shooting stages, it can be even faster. How is that possible? By using modern compact collimator sights. The Optics Ready variant allows for their easy, exceptionally low and at the same time firm attachment.



MODEL	HEIGHT/WIDTH/ LENGHT	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SIGHTS	TRIGGER	FRAME	GRIPS	SAFETY FEATURES
CZ SHADOW 2	157×34×217 mm	120 mm	1,33 kg	9×19, 9×21	19/10	Fibre optic front sight Height adjustable visor	SA/DA	Steel	Aluminium	Safety notch, Manual safety
CZ SHADOW 2 SA	157×34×217 mm	120/125 mm	1,33 kg	9×19	19	Fibre optic front sight Height adjustable visor	SA	Steel	Aluminium	Safety notch, Manual safety
CZ SHADOW 2 OR	157×34×217 mm	120 mm	1,33 kg	9×19, 9×21	19/10	Fibre optic front sight Height adjustable visor	SA/DA	Steel	Aluminium	Safety notch, Manual safety
CZ SHADOW 2 URBAN GREY	157×34×217 mm	120 mm	1,33 kg	9×19, 9×21	19/10; 19	Fibre optic front sight Height adjustable visor	SA/DA	Steel	Aluminium	Safety notch, Manual safety
CZ SHADOW 2 ORANGE	157×34×217 mm	120 mm	1,33 kg	9×19, 9×21	19/10	Fibre optic front sight Height adjustable visor	SA/DA	Steel	Aluminium	Safety notch, Manual safety



# CZ SHADOW 1



perfection. While retaining all the user-friendly features, a considerable improvement in accuracy and a major

increase of lifetime have been achieved.

FULL-SIZE

#### CZ **75 SP-01** SHADOW

9×19 | 19 9×21 | 10

A modern-day legend. The IPSC Production Division world champions have been involved in the development of this all-steel SA/DA largecalibre pistol with an external hammer. Thanks to its exceptional properties, this model has also become the handgun of choice in several foreign armed forces.



9×19 | 19 9×21 | 19

Even though the CZ 75 SP-01 SHADOW ORANGE is a fully mass-produced gun, this process is complemented by procedures that increase the utility properties of the firearm (for example by manual alignment of the barrel and lateral delimitation of slide clearances or tuned trigger mechanism). The gun has a polished barrel and thin and long aluminium grips in orange colour.



MODEL	LENGHT	LENGTH	WEIGHT	CALIBER	CAPACITY	SIGHTS	TRIGGER	FRAME	GRIPS	SAFETY FEATURES
CZ 75 SP-01 SHADOW	150×42×209 mm	114/120 mm	1,18 kg	9×19, 9×21	19, 10	Fibre optic front sight Fixed rear sight	SA/DA	Steel	Rubber	Safety notch, Manual safety
CZ 75 SP-01 SHADOW ORANGE	147×37×207 mm	114/120 mm	1,18 kg	9×19, 9×21	19	Fixed visor, Safety notch	SA/DA	Steel	Aluminium	Safety notch, Manual safety















Weapons of masters and the best pistols in the world for the Standard and Open divisions of IPSC

Although the primary focus of Česká zbrojovka a.s. is on factory production, the company also makes special models for its phenomenal Shooting Team. These pistols are specially modified to be as accurate and reliable as possible.

The CZ 75 TACTICAL SPORTS (TS) model series has been created with the aim of offering this championship quality to a wider circle of customers. These pistols are chiefly intended for the Standard and Open divisions of IPSC, they are made in small volumes and are finely tuned in the factory to offer top results straight from the box.

FULL-SIZE

#### CZ 75 TS ORANGE

9×19 | 20 .40 S&W | 17

A top of the range sport special for the Standard Division in IPSC. The hand fitted barrel has a significantly longer lifetime, there is distinctive checkering on the pistol grip which, together with an undercut trigger guard and deep beavertail, improves the overall ergonomics and control. New features include a modified safety set (a wide left safety and a flat right one), enlarged aluminium magazine release and an aluminium trigger.



9×19 | 20 9 MM MAJOR | 20

A sport special inspired by individually finetuned guns of the elite shooters in the IPSC Open Division. All the parts are masterfully fitted together, run in and tested. Each pistol is supplied with an extensive set of accessories, including a C-more side mount for a collimator sight. Thus, each pistol is ready to perform at its best upon delivery.



#### TECHNICAL DATA

MODEL	LENGHT	LENGTH	WEIGHT	CALIBER	CAPACITY	SIGHTS	TRIGGER	FRAME	GRIPS	SAFETY FEATURES
CZ 75 TS ORANGE	150×45×225 mm	130 mm	1,27 kg	9×19, .40 S&W	20,17	Fibre optic front sight Height adjustable visor	SA	Steel	Aluminium	Safety notch, Manual safety
CZ 75 TS CZECHMATE	140×62×266 mm	130 mm	1,36 kg	9×19, 9 mm MAJOR	20, 20	Collimator, Fixed	SA	Steel	Aluminium	Safety notch, Manual safety













Prominent checkering on the grip for the most reliable grip



**FULL-SIZE** 

CZ **75 B** 

#### 9×19 | 16 (15)

A modern version of one of the most famous pistols of all time. This all-steel large-calibre SA/DA pistol with an external hammer still captivates users with its superb ergonomics and low trigger pull weight. The letter B stands for the automatic striker block which improves drop safety.



COMPACT

CZ 75 P-01  $\Omega$ 

#### 9×19 | 14 (15)

A popular compact with a frame made of aluminium alloy, equipped with the OMEGA trigger mechanism with easily exchangeable manual safety/decocking controls on both sides. The pistol also has a modernized trigger, hammer and steel sights with luminescent dots.



MODEL	HEIGHT/WIDTH/ LENGHT	BARREL LENGTH	WEIGHT	CALIBER	CAPACITY	SIGHTS	TRIGGER	FRAME	GRIPS	SAFETY FEATURES
CZ 75 B Ω	138×35×206 mm	120 mm	1,00 kg	9×19	16	Luminescent	SA/DA	Steel	Rubber	Firing pin block, Decocking/manual safety, Safety notch
CZ 75 B	138×35×206 mm	120 mm	1,00 kg	9×19	16 (15)	Luminescent	SA/DA	Steel	Polymer	Firing pin block, Safety notch, Manual safety
CZ 75 P-01 Ω	128×38×184 mm	98,5 mm	0,80 kg	9×19	14 (15)	Luminescent	SA/DA	Aluminium alloy	Rubber	Firing pin block, Decocking/manual safety, Safety notch













#### **ADAPTER**

**ADAPTER** 

or a gunsmith.

#### CZ P-07 KADET

#### .22 LR | 10

A complete conversion kit for the easy and fast conversion of large-calibre CZ P-09 models to .22 LR calibre. Included in the standard accessories is a set of recoil springs ensuring reliable function for all kinds of ammunition, and an original 10-round magazine.



**CZ 75 SP-01 KADET** 

A conversion kit for the conversion of pistols from the CZ 75 (including the CZ 75 B  $\Omega$  and the compact

models), CZ 85 and CZ SP-01 series to .22 LR calibre. The adapter is equipped with its own height and side adjustable sights. We recommend the

conversion be carried out by a specialized workshop

CZ P-09

Training of shooting has never been more fun, not to mention lower operating costs. With this conversion rimfire version with the exact same controls.



**ADAPTER** 

**ADAPTER** 

.22 LR | 10

magazine.

CZ P-09 KADET

A complete conversion kit for the easy and fast conversion of large-calibre CZ P-09 models to .22

LR calibre. Included in the standard accessories is a set of recoil springs ensuring reliable function for

all kinds of ammunition, and an original 10-round

#### CZ SHADOW 2 KADET

kit, a user can easily and quickly convert the large-calibre CZ SHADOW 2 model to a highly precise and reliable



	HEIGHT/WIDTH/	BARREL			MAGAZINE
MODEL	LENGHT	LENGTH	WEIGHT	CALIBER	CAPACITY
ADAPTER CZ P-07 KADET	40×27×170 mm	103 mm	0,27 kg	.22 LR	10
ADAPTER CZ P-09 KADET	41×27×186 mm	120 mm	0,30 kg	.22 LR	10
ADAPTER CZ SP-01 KADET	41×24×185 mm	120 mm	0,28 kg	.22 LR	10
ADAPTER CZ SHADOW 2 KADET	41×27×190 mm	120 mm	0,30 kg	.22 LR	10



# CZ KADET SERIES



COMPACT

#### CZ P-07 KADET

22 LR | 10

CZ P-07 KADET is an adapter for CZ P-07. In the slide of the adapter, there is a 95 mm cold-forged rimfire barrel in the .22LR calibre with a 16 inch right hand lead. The trigger mechanism allows the user to change between hammer decocking and a manual safety:

The gun can be secured by a safety or by decocking. Depending on the version, one or both controls can be included.

**FULL-SIZE** 

#### CZ P-09 KADET

22 LR | 10

This rimfire version of the standard size SA/DA hammer model is extremely reliable. This is partly due to a set of recoil springs, included in the standard accessories, which allow the user to finetune the function in accordance with the particular type of .22 LR cartridges used.



**FULL-SIZE** 

#### CZ P-09 KADET

URBAN GREY

.22 LR | 10

This rimfire version of the standard-sized SA/DA hammer model features high reliability. It is partly due to the set of recoil springs which are part of the basic accessories and enable adjusting the pistol function to specifically used .22 LR cartridges.





COMPACT

#### CZ P-07 KADET

URBAN GREY

.22 LR | 10

CZ P-07 KADET is an adapter for CZ P-07. In the slide of the adapter, there is a 95 mm cold-forged rimfire barrel in the .22LR calibre with a 16 inch right hand lead. The trigger mechanism allows the user to change between hammer decocking and a manual safety:

The gun can be secured by a safety or by decocking. Depending on the version, one or both controls can be included



#### TECHNICAL DATA

MODEL	HEIGHT/WIDTH/ LENGHT	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SIGHTS	TRIGGER
CZ P-07 KADET	137×37,5×191 mm	103 mm	0,56 kg	.22 LR	10	Height adjustable visor	SA/DA
CZ P-07 KADET URBAN GREY	137×37,5×191 mm	103 mm	0,56 kg	.22 LR	10	Height adjustable visor	SA/DA
CZ P-09 KADET	147×37×208 mm	120 mm	0,64 kg	.22 LR	10	Height adjustable visor	SA/DA
CZ P-09 KADET URBAN GREY	147×37,5×208 mm	120 mm	0,64 kg	.22 LR	10	Height adjustable visor	SA/DA

FRAME
SAFETY FEATURES

Highly durable polymer
Decocking/manual safety, Safety notch

#### **PISTOLS**

MODEL	HEIGHT/WIDTH/ LENGHT	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SIGHTS	TRIGGER	FRAME	GRIPS	SAFETY FEATURES
CZ P-10 SERIES		_	_				· <del></del>		-	
CZ P-10 S	116×32×170 mm	90 mm	0,71 kg	9×19	12 (14)	Luminescent, Tritium	SFDA	Highly durable polymer	-	Striker block; Drop safety, Trigger bar safety
CZ P-10 C	132×32×187 mm	102 mm	0,74 kg	9×19, 9×21, .380 AUTO	15 (17)	Luminescent, Tritium	SFDA	Highly durable polymer	-	Trigger safety; drop safety, Trigger bar safety, Firing pin block (drop safety)
CZ P-10 C OR	132×32×187 mm	102 mm	0,74 kg	9×19	15	Luminescent, Tritium	SFDA	Highly durable polymer	-	Trigger safety; Drop safety, Trigger bar safety, Firing pin block (drop safety)
CZ P-10 SC	132×32×203 mm	114 mm	0,78 kg	9×19	15 (17)	Luminescent, Tritium	SFDA	Highly durable polymer	-	Trigger bar safety, Firing pin block (drop safety)
<b>CZ P-07/09</b> SERIES										
CZ P-09	148×37×208 mm	115 mm	0,89 kg	9×19	19	Luminescent	SA/DA	Highly durable polymer	-	Firing pin block, Decocking/manual safety, Safety notch
CZ P-09 FDE	148×37×208 mm	115 mm	0,89 kg	9×19	19	Tritium	SA/DA	Highly durable polymer	-	Firing pin block, Decocking/manual safety, Safety notch
CZ P-07	137×37×185 mm	95 mm	0,80 kg	9×19, .380 AUTO	15 (17), 15	Luminescent	SA/DA	Highly durable polymer	-	Firing pin block, Decocking/manual safety, Safety notch
CZ SHADOW 2 SERIES										
CZ SHADOW 2	157×34×217 mm	120 mm	1,33 kg	9×19, 9×21	19/10	Fibre optic front sight Height adjustable visor	SA/DA	Steel	Aluminium	Safety notch, Manual safety
CZ SHADOW 2 SA	157×34×217 mm	120/125 mm	1,33 kg	9×19	19	Fibre optic front sight Height adjustable visor	SA	Steel	Aluminium	Safety notch, Manual safety
CZ SHADOW 2 OR	157×34×217 mm	120 mm	1,33 kg	9×19, 9×21	19/10	Fibre optic front sight Height adjustable visor	SA/DA	Steel	Aluminium	Safety notch, Manual safety
CZ SHADOW 2 URBAN GREY	157×34×217 mm	120 mm	1,33 kg	9×19, 9×21	19/10; 19	Fibre optic front sight Height adjustable visor	SA/DA	Steel	Aluminium	Safety notch, Manual safety
CZ SHADOW 2 ORANGE	157×34×217 mm	120 mm	1,33 kg	9×19, 9×21	19/10	Fibre optic front sight Height adjustable visor	SA/DA	Steel	Aluminium	Safety notch, Manual safety
CZ SHADOW 1 SERIES										
CZ 75 SP-01 SHADOW	150×42×209 mm	114/120 mm	1,18 kg	9×19, 9×21	19, 10	Fibre optic front sight Fixed rear sight	SA/DA	Steel	Rubber	Safety notch, Manual safety
CZ 75 SP-01 SHADOW ORANGE	147×37×207 mm	114/120 mm	1,18 kg	9×19, 9×21	19	Fixed visor, Safety notch	SA/DA	Steel	Aluminium	Safety notch, Manual safety
CZ 75 TS SERIES										
CZ 75 TS ORANGE	150×45×225 mm	130 mm	1,27 kg	9×19, .40 S&W	20,17	Fibre optic front sight Height adjustable visor	SA	Steel	Aluminium	Safety notch, Manual safety
CZ 75 TS CZECHMATE	140×62×266 mm	130 mm	1,36 kg	9×19, 9 mm MAJOR	20, 20	Collimator, Fixed	SA	Steel	Aluminium	Safety notch, Manual safety
CZ 75 SERIES										
CZ 75 B Ω	138×35×206 mm	120 mm	1,00 kg	9×19	16	Luminescent	SA/DA	Steel	Rubber	Firing pin block, Decocking/manual safety, Safety notch
CZ 75 B	138×35×206 mm	120 mm	1,00 kg	9×19	16 (15)	Luminescent	SA/DA	Steel	Polymer	Firing pin block, Safety notch, Manual safety
CZ 75 P-01 Ω	128×38×184 mm	98,5 mm	0,80 kg	9×19	14 (15)	Luminescent	SA/DA	Aluminium alloy	Rubber	Firing pin block, Decocking/manual safety, Safety notch
CZ KADET SERIES										
CZ P-07 KADET	137×37,5×191 mm	103 mm	0,56 kg	.22 LR	10	Height adjustable visor	SA/DA	Highly durable polymer	-	Decocking/manual safety, Safety notch
CZ P-07 KADET URBAN GREY	137×37,5×191 mm	103 mm	0,56 kg	.22 LR	10	Height adjustable visor	SA/DA	Highly durable polymer	-	Decocking/manual safety, Safety notch
CZ P-09 KADET	147×37×208 mm	120 mm	0,64 kg	.22 LR	10	Height adjustable visor	SA/DA	Highly durable polymer	-	Decocking/manual safety, Safety notch
CZ P-09 KADET URBAN GREY	147×37,5×208 mm	120 mm	0,64 kg	.22 LR	10	Height adjustable visor	SA/DA	Highly durable polymer	-	Decocking/manual safety, Safety notch
ADAPTER CZ P-07 KADET	40×27×170 mm	103 mm	0,27 kg	.22 LR	10					
ADAPTER CZ P-09 KADET	41×27×186 mm	120 mm	0,30 kg	.22 LR	10					
ADAPTER CZ SP-01 KADET	41×24×185 mm	120 mm	0,28 kg	.22 LR	10					
ADAPTER CZ SHADOW 2 KADET	41×27×190 mm	120 mm	0,30 kg	.22 LR	10					









#### A new standard of a modern rimfire rifle

For over 70 years, our company has been the world leader in the development and manufacture of long guns using rimfire cartridges. Each and every one of our model series was the best on the market at the time, however, none brought such an enormous leap in the improvements of all the key user parameters as the CZ 457 family has.













#### CZ 457 PREMIUM

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 .22 WMR (1:16) | 5

A model that will impress all lovers of hunting rifles of a classic shape. The stock with a cheekpiece and a tip with decorative material is made from premium walnut. The 630 mm thin-walled barrel has a 1/2x20 muzzle thread for the attachment of a silencer, a tangent rear sight and a fibre optic front sight.





CZ **457 MTR** 

.22 LR (1:16) | 5

A highly precise model with a special stock made from premium walnut. The thick-walled, cold hammer forged match-grade barrel in .22 LR calibre features a match style chamber. Thanks to this and all other improvements of the new CZ 457 series, this model guarantees just 15 mm groups at a distance of 50 m.



#### CZ 457 ROYAL

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 .22 WMR (1:16) | 5

With this original model, Česká zbrojovka a.s. is returning to the roots of the creation of rimfire rifles. The premium walnut stock has a cheekpiece, the tip is from a fine material.

CZ 457 JAGUAR XII

.22 LR (1:16) | 10

MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIEC	E L.O.P.	sтоск	STOCK SURFACE	BARREL	THREAD	COMPENSATOR
CZ 457 PREMIUM	1084 mm	630 mm (25")	2,9 kg	.17 HMR (1:9), .22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	Tangent	Adjustable	Yes	360 mm	Walnut	Oil	Forged	1/2×20 UNF	No
CZ 457 MTR	854 mm 967 mm	412,5 mm (17") 525 mm (21")	3,9 kg	.22 LR (1:16)	5	Detachable magazine	No	Adjustable	No	350 mm	Walnut	Oil	Forged	No	No
CZ 457 JAGUAR XII	1182 mm	726 mm (26")	2,9 kg	.22 LR (1:16)	10	Detachable magazine	Tangent	Adjustable	Yes	360 mm	Beech	Paint	Forged	1/2×20 UNF	No
CZ 457 ROYAL	865 mm 977 mm	412,5 mm (16") 525 mm (21")	2,9 kg	.17 HMR (1:9), .22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	No	Adjustable	Yes	360 mm	Walnut	Oil	Forged	1/2×20 UNF	No

#### CZ 457 AMERICAN

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 .22 WMR (1:16) | 5

A rimfire rifle embodying an example of classic American sport and hunting guns. The varnished American style stock is made from high quality walnut and the checkering on the grip surfaces incorporates a fleur-de-lis motif. The thin-walled, cold hammer forged barrel is 630 mm long and has no iron sights.



A rimfire rifle in a classic design of a European hunting rifle. The varnished stock made of premium Turkish walnut has a cheekpiece and laser etched checkering on the grip surfaces. It provides comfortable and precise shooting with the help of iron sights placed on a 630 mm long thin-walled barrel.

### CZ 457 VARMINT

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 .22 WMR (1:16) | 5

The new CZ 457 model series could not be complete without the popular model with a varnished American style stock and a heavy 525 mm long barrel. It is an ideal rifle for precise sport shooting as well as hunting at medium and longer distances. There is a 11mm groove on the top of the receiver for the attachment of a riflescope.

#### CZ 457 TRAINING RIFLE

.22 LR (1:16) | 5

The latest of CZ Training Rifle models which are perfect for novice shooters of all ages. In this case, it is all the more true thanks to the benefits of the CZ 457 series that significantly increase user safety, accuracy and lifetime.

MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIEC	E L.O.P.	sтоск	STOCK SURFACE	BARREL	THREAD	COMPENSATOR
CZ 457 AMERICAN	1086 mm	630 mm (25")	2,8 kg	.17 HMR (1:9), .22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	No	Adjustable	No	360 mm	Walnut	Paint	Forged	1/2×20 UNF	No
CZ 457 VARMINT	981 mm	525 mm (21")	3,2 kg	.17 HMR (1:9), .22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	No	Adjustable	No	360 mm	Walnut	Paint	Forged	1/2×20 UNF	No
CZ 457 LUX	1086 mm	630 mm (25")	2,9 kg	.17 HMR (1:9), .22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	Tangent	Adjustable	Yes	360 mm	Walnut	Paint	Forged	1/2×20 UNF	No
CZ 457 TRAINING RIFLE	1085 mm	630 mm (25")	2,9 kg	.22 LR (1:16)	5	Detachable magazine	Tangent	Adjustable	No	360 mm	Beech	Paint	Forged	1/2×20 UNF	No



## Shooting with rimfire rifles has never been so comfortable and fast!

Take seven decades of experience with the development and manufacture of long guns for rimfire cartridges, mix it with the unique know-how concerning the challenging design and production of automatic firearms, season with the most advanced manufacturing technologies and you get the best semi-automatic rimfire rifles on the market.



#### CZ 512 TACTICAL

.22 LR (1:16) | 25 .22 WMR (1:16) | 10

A popular semi-automatic rimfire rifle in an attractive tactical design. This model has an ergonomic pistol grip, a plastic stock adjustable in length, a forend made from aluminium alloy and a 530 mm long Picatinny rail for the attachment of accessories. In the .22 LR calibre, a 25-round magazine is supplied as standard.



CZ **512** 

.22 LR (1:16) | 5 .22 WMR (1:16) | 5

A modern semi-automatic rimfire rifle which is characterized by exceptional reliability, accuracy and easy control. Thanks to the excellent design, it is suitable both for sport shooting and hunting, as demonstrated by the selection of calibres on offer. In addition to the basic 5-round magazine, 10-round magazines are available as a further purchase. For the .22 LR calibre, a 25-round magazine is also available.















MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIECI	E L.O.P.	STOCK	STOCK SURFACE	BARREL	THREAD	COMPENSATOR
CZ 512 TACTICAL	839/920 mm	419 mm (16")	2,8 kg	.22 LR (1:16), .22 WMR (1:16)	25, 10	Detachable magazine	No	Adjustable	Yes	305–390 mm	Polymer	-	Forged	1/2×28	No
CZ 512	1000 mm	525 mm (21")	2,7 kg	.22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	Adjustable	Adjustable	No	350 mm	Beech	Paint	Forged	No	No

#### RIMFIRE RIFLES

MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIECE	L.O.P.	sтоск	STOCK SURFACE	BARREL	THREAD	COMPENSATOR
CZ 457 SERIES															
CZ 457 PREMIUM	1084 mm	630 mm (25")	2,9 kg	.17 HMR (1:9), .22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	Tangent	Adjustable	Yes	360 mm	Walnut	Oil	Forged	1/2×20 UNF	No
CZ 457 MTR	854 mm 967 mm	412,5 mm (17") 525 mm (21")	3,9 kg	.22 LR (1:16)	5	Detachable magazine	No	Adjustable	No	350 mm	Walnut	Oil	Forged	No	No
CZ 457 JAGUAR XII	1182 mm	726 mm (26")	2,9 kg	.22 LR (1:16)	10	Detachable magazine	Tangent	Adjustable	Yes	360 mm	Beech	Paint	Forged	1/2×20 UNF	No
CZ 457 ROYAL	865 mm 977 mm	412,5 mm (16") 525 mm (21")	2,9 kg	.17 HMR (1:9), .22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	No	Adjustable	Yes	360 mm	Walnut	Oil	Forged	1/2×20 UNF	No
CZ 457 AMERICAN	1086 mm	630 mm (25")	2,8 kg	.17 HMR (1:9), .22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	No	Adjustable	No	360 mm	Walnut	Paint	Forged	1/2×20 UNF	No
CZ 457 VARMINT	981 mm	525 mm (21")	3,2 kg	.17 HMR (1:9), .22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	No	Adjustable	No	360 mm	Walnut	Paint	Forged	1/2×20 UNF	No
CZ 457 LUX	1086 mm	630 mm (25")	2,9 kg	.17 HMR (1:9), .22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	Tangent	Adjustable	Yes	360 mm	Walnut	Paint	Forged	1/2×20 UNF	No
CZ 457 TRAINING RIFLE	1085 mm	630 mm (25")	2,9 kg	.22 LR (1:16)	5	Detachable magazine	Tangent	Adjustable	No	360 mm	Beech	Paint	Forged	1/2×20 UNF	No
CZ 512 SERIES															
CZ 512 TACTICAL	839/920 mm	419 mm (16")	2,8 kg	.22 LR (1:16), .22 WMR (1:16)	25, 10	Detachable magazine	No	Adjustable	Yes	305–390 mr	m Polymer	-	Forged	1/2×28	No
CZ 512	1000 mm	525 mm (21")	2,7 kg	.22 LR (1:16), .22 WMR (1:16)	5	Detachable magazine	Adjustable	Adjustable	No	350 mm	Beech	Paint	Forged	No	No



# CZ **527**

SERIES



# The global number one in the category of light rifles for hunting and sport shooting

The CZ 527 model series has been in production for three decades and still belongs amongst the best on the global market. This success is due not only to the perfect design base of these exceptionally accurate and reliable firearms, but also to the fact that we do not rest on our laurels.









#### CZ **527 CARBINE**

.223 Rem. | 5 7,62×39 | 5

High power in a compact size. This all-time favourite variant of the CZ 527 rifle boasts a 470 mm long barrel with iron sights (a side-adjustable rear sight and a height-adjustable front sight accentuated by red fibre optics) and has an oiled walnut stock.



**CZ 527 CARBINE** 

SYNTHETIC

.223 Rem. | 5 7,62×39 | 5

Our designers and product managers take an active part in hunting and are very well aware of which gun is suitable for the wilderness. Thanks to this expertise, a new model was born, combining the advantages of the CZ 527 CARBINE compact light rifle and the benefits of a soft-touch surface treatment.

MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIE	CE L.O.P.	STOCK	STOCK SURFACE	BARREL	THREA	D COMPENSATOR
CZ 527 CARBINE	950 mm	470 mm (19")	2,7 kg	.223 Rem. (1:9), 7,62×39 (1:9,4)	5	Detachable magazine	Yes	SST	No	355 mm	Walnut	Oil	Forged	No	No
CZ 527 CARBINE SYNTHETIC	950 mm	470 mm (19")	2,7 kg	.223 Rem. (1:9), 7,62×39 (1:9,4)	5	Detachable magazine	Yes	SST	No	355 mm	Polymer	Soft-touch	Forged	No	No
CZ 527 LUX	1077 mm	600 mm (24")	2,8 kg	.22 Hornet (1:16), .223 Rem. (1:9)	5	Detachable magazine	Yes	SST	Yes	360 mm	Walnut	Oil	Forged	No	No

#### CZ **527 AMERICAN**

.22 Hornet | 5 .223 Rem. | 5 6,5 Grendel | 5 7,62×39 | 5

A popular model with a walnut stock in a classic American style and a cold hammer forged barrel without iron sights. A single set trigger is fitted as standard, and the barrel features a recessed target crown.



#### **CZ 527 VARMINT**

#### MTR

.223 Rem. | 5 6,5 Grendel | 5

A model that offers everything a shooter may require of a highly precise and efficient modern rifle from the Lite category. The trigger has an adjustable trigger pull weight and trigger travel. The thick-walled cold hammer forged barrel is 650 mm long and has a M18×1 thread on a target pattern muzzle for the attachment of accessories.

MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIE	CE L.O.P.	STOCK	STOCK SURFACE	BARREL	THREA	D COMPENSATOR
CZ 527 AMERICAN	1025 mm	555 mm (22")	2,7 kg	.22 Hornet (1:16), .223 Rem. (1:9), 6,5 Grendel (1:8), 7,62×39 (1:9,4)	5	Detachable magazine	No	SST	No	355 mm	Walnut	Paint	Forged	No	No
CZ 527 VARMINT MTR	1130 mm	650 mm (26")	4 kg	.223 Rem. (1:9), 6,5 Grendel (1:8)	5	Detachable magazine	No	Adjustable	No	355 mm	Walnut	Oil	Forged	No	No
CZ 527 VARMINT	1085 mm	650 mm (26")	3,3 kg	.223 Rem. (1:9)	5	Detachable magazine	No	SST	No	355 mm	Walnut	Paint	Forged	M15×1	No

#### CZ **527 VARMINT**

#### LAMINATED

.223 Rem. | 5

This model in a popular calibre has a modern American style stock made of grey, laminated varnished wood. The thick-walled cold hammer forged barrel without iron sights is 610 mm long and has a M15×1 muzzle thread.





MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIE	CE L.O.P.	STOCK	STOCK SURFACE	BARREL	THREA	D COMPENSATOR
CZ 527 VARMINT LAMINAT	ED 1062 mm	610 mm (24")	3,6 kg	.223 Rem. (1:9)	5	Detachable magazine	No	SST	No	355 mm	Laminated wood	Paint	Forged	M15×1	No
CZ 527 NIGHT SKY EDITIOI	N 1025 mm	555 mm (22")	2,6 kg	.223 Rem. (1:9)	3	Detachable magazine	No	SST	No	355 mm	Polymer	Soft-touch	Forged	M14×1	Yes
CZ 527 THUMBHOLE	1062 mm	610 mm (24")	3,6 kg	.17 Hornet (1:9), .223 Rem. (1:9)	5	Detachable magazine	No	SST	No	355 mm	Laminated wood	Paint	Forged	M15×1	No



# CZ **557**









DURABILITY



# Perfect bolt-action rifles for hunting and sport shooting in the 21st century

Česká zbrojovka a.s. has been producing long centrefire guns using ball cartridges since the 1960's and their products have always been amongst the best on the market. This applies even more so to the latest CZ 557 model series that combines the best of our long tradition with the most advanced design and manufacture processes.

At the heart of these firearms lies the modernized mini Mauser barrelled action with a short extractor and spring loaded ejector. The first-rate accuracy of all versions is guaranteed by the cold hammer forged barrels, strictly automated production with minimal tolerances, perfect ergonomics and a fully adjustable trigger mechanism. Additional benefits of this model series include a silent and easy to reach manual safety and absolute reliability for all calibres.



Our comprehensive and continuously extended portfolio of CZ 557 rifles will appeal to all target groups of customers whose requirements and needs we are always prepared to meet. See for yourself!











NEW

#### CZ **557 LUX**

7×64 | 5 .30-06 Sprg. | 5 6,5×55 | 5 8×57 IS | 5

The flagship of the Medium category. This model is made in four of the most popular calibres, its cold hammer forged barrel with iron sights is 520 mm long. The luxurious stock made of high-quality oiled walnut has a cheekpiece and an ergonomic pistol grip.



CZ **557 LUX II.** 

7×64 | 5 .30-06 Sprg. | 5 .308 Win. | 4 8×57 IS | 5

This variant of the superb CZ 557 LUX rifle is a perfect choice for customers who prefer the more traditional hunting rifles in European style. Their needs have been taken into account when designing the barrel, trigger and the

#### CZ **557 LUX SA**

.308 Win. | 4

The SA in this model with a box magazine stands for Short Action. It is the obvious choice for all shooters who apart from accuracy and reliability also seek fast reloading. Thanks to the shorter receiver and bolt, the speed of reloading in this variant really is fast.



MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIEC	E L.O.P.	STOCK	STOCK SURFACE	BARREL	THREA	D COMPENSATOR
CZ 557 LUX	1070 mm	520 mm (21")	3,3 kg	7×64 (1:8,6), .30-06 Sprg. (1:10), 6,5×55 (1:8,6), 8×57 IS (1:9,4)	5	Fixed magazine	Yes	Adjustable	Yes	370 mm	Walnut	Oil	Forged	No	No
CZ 557 LUX II.	1160 mm	610 mm (24")	3,4 kg	.30-06 Sprg. (1:10), 7×64 (1:8,6), 8×57 IS (1:9,4), .308 Win. (1:10)	5, 5 5, 4	Fixed magazine Detachable magazine	Yes	SST	Yes	370 mm	Walnut	Oil	Forged	No	No
CZ 557 LUX LH	1040, 1070 mm	520 mm (21")	3,3 kg	.30-06 Sprg. (1:10), .308 Win. (1:10), 8×57 IS (1:9,4)	5, 4 5	Fixed magazine Detachable magazine	Yes	Adjustable	Yes	370 mm	Walnut	Oil	Forged	No	No
CZ 557 LUX SA	1040 mm	520 mm (21")	3,1 kg	.308 Win. (1:10)	4	Detachable magazine	Yes	Adjustable	Yes	370 mm	Walnut	Oil	Forged	No	No

#### CZ 557 RANGE RIFLE

.308 Win. | 10

A universal large capacity compact powerful rifle, intended chiefly for everyday use by professional hunters. This rifle is characterized by a two stage trigger, and in addition to iron sights, there is also a Weaver rail at the top of



.30-06 Sprg. | 5 .308 Win. | 5

We think of everybody. We know that some shooters only wish to spend the minimum amount of money but still require quality and accuracy. For such purposes, we have therefore expanded our portfolio by this "starter" CZ 557 model.

A mirror version of the popular CZ 557 AMERICAN model without iron sights for users with a dominant left hand. They will undoubtedly welcome the fact that the oiled walnut stock with a typical straight forend has a cheekpiece on the right side of the buttstock for comfortable aiming.



MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIEC	E L.O.P.	sтоск	STOCK SURFACE	BARREL	THREAL	COMPENSATOR
CZ 557 RANGE RIFLE	1030 mm	520 mm (21")	3,3 kg	.308 Win. (1:10)	10	Detachable magazine	Yes	Adjustable	No	360 mm	Beech	Paint	Forged	No	No
CZ 557 ECLIPSE	1042 mm	520 mm (21")	3,1 kg	.30-06 Sprg. (1:10), .308 Win. (1:10)	5	Fixed magazine	Yes/No	Adjustable	No	360 mm	Polymer	-	Forged	M14×1	No
CZ 557 AMERICAN	1155 mm	610 mm (24")	3,3 kg	6,5 Creedmore, 7mm-08 Rem	4	Detachable magazine	No	Adjustable	Yes	355 mm	Walnut	Oil	Forged	M14×1	Yes
CZ 557 AMERICAN LH	1116 mm	610 mm (24")	3,3 kg	.30-06 Sprg. (1:10) 308 Win. (1:10)	4 5	Fixed magazine Detachable magazine	No	Adjustable	Yes	355 mm	Walnut	Oil	Forged	No	No

#### CZ 557 VARMINT

.308 Win. | 10

This effective and highly accurate rifle with a 650 mm long heavy barrel is suitable for target shooting and hunting, thanks to the ergonomic stock made of premium walnut. The Weaver rail at the top of the receiver allows for easy attachment of a riflescope.



.308 Win. | 10, 4

Highly accurate .308 Win. calibre centrefire rifle with an ergonomic stock made of grey-brown laminated wood. This aesthetically attractive composite material stands out for its strength and weather resistance.

#### CZ **557 VARMINT**

#### SYNTHETIC

.308 Win. | 10

A multi-purpose, large capacity and highly precise rifle with a heavy varmint style barrel and an interface system for the quick attachment of a riflescope. The reinforced symmetrical polymer stock in soft-touch finish is equipped with an adjustable cheekpiece.

MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIEC	CE L.O.P.	STOCK	STOCK SURFACE	BARREL	THREA	D COMPENSATOR
CZ 557 VARMINT	1170 mm	650 mm (26")	5 kg	.308 Win. (1:10)	10	Detachable magazine	No	Adjustable	No	370 mm	Walnut	Oil	Forged	No	No
CZ 557 VARMINT SYNTHETIC	1030 mm	520 mm (21")	4 kg	.308 Win. (1:10)	10	Detachable magazine	No	Adjustable	Yes	360 mm	Polymer	Soft-touch	Forged	M18×1	No
CZ 557 VARMINT LAMINATED	1130 mm	610mm (24")	5 kg	.308 Win. (1:10)	10, 4	Detachable magazine	No	Adjustable	Yes	360 mm	Laminated wood	Paint	Forged	M18×1	No

#### CZ 557 PREDATOR

.30-06 Sprg. | 5 .308 Win. | 4 6,5×55 | 5

In line with modern hunting trends, the polymer stock of this model has a soft-touch finish for comfortable and reliable grip in a forest camouflage pattern. The shooting comfort is further enhanced by an adjustable cheekpiece and a compensator is fitted on the M14×1 muzzle thread.



CZ 557 SUNSET VALLEY

.30-06 Sprg. | 5 .308 Win. | 5

A small-lot production of finely tuned rifles, the CZ 557 Valley with laminated Thumbhole style stocks. These models are available in .308 Winchester and .30-06 Springfield calibres.



#### TECHNICAL DATA

MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIEC	E L.O.P.	STOCK	STOCK SURFACE	BARREL	THREAD COMPENSATOR
CZ 557 PREDATOR	1042 mm	520 mm (21")	3,2 kg	.30-06 Sprg. (1:10), 6,5×55 (1:8,6) .308 Win. (1:10)	5, 5 4	Fixed magazine	No	Adjustable	Yes	360 mm	Polymer	Soft-touch	Forged	M14×1 Yes
CZ 557 SUNSET VALLEY	1042 mm	520 mm (21")	3,2 kg	.30-06 Sprg. (1:10), .308 Win. (1:10)	5	Fixed magazine	No	Adjustable	Yes	360 mm	Laminated wood	Oil	Forged	M14×1 Yes
CZ 557 GREEN VALLEY	1042 mm	406 mm (16")	3,2 kg	.30-06 Sprg. (1:10), .308 Win. (1:10)	5	Fixed magazine	No	Adjustable	Yes	360 mm	Laminated wood	Oil	Forged	M14×1 Yes
CZ 557 GREY VALLEY	1042 mm	520 mm (21")	3,2 kg	.30-06 Sprg. (1:10), .308 Win. (1:10)	5	Fixed magazine	No	Adjustable	Yes	360 mm	Laminated wood	Oil	Forged	M14×1 Yes



.30-06 Sprg. | 5 .308 Win. | 5

A small-lot production of finely tuned rifles, the CZ 557 Valley with laminated Thumbhole style stocks. These models are available in .308 Winchester and .30-06 Springfield calibres.



#### CZ 557 GREY VALLEY

.30-06 Sprg. | 5 .308 Win. | 5

A small-lot production of finely tuned rifles, the CZ 557 Valley with laminated Thumbhole style stocks. These models are available in .308 Winchester and .30-06 Springfield calibres.



#### **Characteristic properties:**

Duralumin baseplate and ball end Improved bolt release button for easier control Jewelled bolt for smoother operation M14×1 muzzle thread with a compensator fitted Two lengths of barrel available (406 mm - Grey Valley, 520 mm - Green Valley and Sunset Valley)

CZ **TSR** 

.308 WIN. | 10

A sniper and sport special optimized for highly accurate longdistance shooting. In the development of this cutting-edge repeating rifle, CZ worked closely with elite police and military professionals



# The ultimate sniper and sport special for highly accurate long distance shooting

The CZ TSR model in powerful .308 Win. calibre is the latest answer to an extremely accurate gun for shooting at a distance of 500 to 800 metres. Its design is attuned to a single purpose – to reliably hit a target under all circumstances.



TECHNICAL DATA

OVERALL LENGTH WITH FOLDED/ WIDTH WITH UNFOLDED/FOLDED UNFOLDED-EXTENDED STOCK STOCK MAGAZINE CAPACITY WEIGHT WITHOUT MODEL BARREL LENGTH CALIBER MAGA7INF HEIGHT THREAD COMPENSATOR Aluminium alloy 192 ± 5 mm CZ TSR 931/1188 ± 10 mm 660mm ± 1 (26") .308 Win. (1:11) Muzzle brake 70/95 ± 5 mm













#### **CENTERFIRE** RIFLES

#### TECHNICAL DATA

MODEL	LENGTH	BARREL LENGTH	WEIGHT	CALIBER	MAGAZINE CAPACITY	SUPPLY TYPE	SIGHTS	TRIGGER	CHEEKPIECE	L.O.P.	sтоск	STOCK SURFACE	BARREL	THREAD	COMPENSATOR
CZ 527 SERIES															
CZ 527 CARBINE	950 mm	470 mm (19")	2,7 kg	.223 Rem. (1:9), 7,62×39 (1:9,4)	5	Detachable magazine	Yes	SST	No	355 mm	Walnut	Oil	Forged	No	No
CZ 527 CARBINE SYNTHETIC	950 mm	470 mm (19")	2,7 kg	.223 Rem. (1:9), 7,62×39 (1:9,4)	5	Detachable magazine	Yes	SST	No	355 mm	Polymer	Soft-touch	Forged	No	No
CZ 527 LUX	1077 mm	600 mm (24")	2,8 kg	.22 Hornet (1:16), .223 Rem. (1:9)	5	Detachable magazine	Yes	SST	Yes	360 mm	Walnut	Oil	Forged	No	No
CZ 527 AMERICAN	1025 mm	555 mm (22")	2,7 kg	.22 Hornet (1:16), .223 Rem. (1:9), 6,5 Grendel (1:8), 7,62×39 (1:9,4)	5	Detachable magazine	No	SST	No	355 mm	Walnut	Paint	Forged	No	No
CZ 527 VARMINT MTR	1130 mm	650 mm (26")	4 kg	.223 Rem. (1:9), 6,5 Grendel (1:8)	5	Detachable magazine	No	Adjustable	No	355 mm	Walnut	Oil	Forged	No	No
CZ 527 VARMINT	1085 mm	650 mm (26")	3,3 kg	.223 Rem. (1:9)	5	Detachable magazine	No	SST	No	355 mm	Walnut	Paint	Forged	M15×1	No
CZ 527 VARMINT LAMINATED	1062 mm	610 mm (24")	3,6 kg	.223 Rem. (1:9)	5	Detachable magazine	No	SST	No	355 mm	Laminated wood	Paint	Forged	M15×1	No
CZ 527 NIGHT SKY EDITION	1025 mm	555 mm (22")	2,6 kg	.223 Rem. (1:9)	3	Detachable magazine	No	SST	No	355 mm	Polymer	Soft-touch	Forged	M14×1	Yes
CZ 527 THUMBHOLE	1062 mm	610 mm (24")	3,6 kg	.17 Hornet (1:9), .223 Rem. (1:9)	5	Detachable magazine	No	SST	No	355 mm	Laminated wood	Paint	Forged	M15×1	No
CZ 527 SERIES															
CZ 557 LUX	1070 mm	520 mm (21")	3,3 kg	7×64 (1:8,6), .30-06 Sprg. (1:10), 6,5×55 (1:8,6), 8×57 IS (1:9,4)	5	Fixed magazine	Yes	Adjustable	Yes	370 mm	Walnut	Oil	Forged	No	No
CZ 557 LUX II.	1160 mm	610 mm (24")	3,4 kg	.30-06 Sprg. (1:10), 7×64 (1:8,6), 8×57 IS (1:9,4), .308 Win. (1:10)	5, 5 5, 4	Fixed magazine Detachable magazine	Yes	SST	Yes	370 mm	Walnut	Oil	Forged	No	No
CZ 557 LUX LH	1040, 1070 mm	520 mm (21")	3,3 kg	.30-06 Sprg. (1:10), .308 Win. (1:10), 8×57 IS (1:9,4)	5, 4 5	Fixed magazine Detachable magazine	Yes	Adjustable	Yes	370 mm	Walnut	Oil	Forged	No	No
CZ 557 LUX SA	1040 mm	520 mm (21")	3,1 kg	.308 Win. (1:10)	4	Detachable magazine	Yes	Adjustable	Yes	370 mm	Walnut	Oil	Forged	No	No
CZ 557 RANGE RIFLE	1030 mm	520 mm (21")	3,3 kg	.308 Win. (1:10)	10	Detachable magazine	Yes	Adjustable	No	360 mm	Beech	Paint	Forged	No	No
CZ 557 ECLIPSE	1042 mm	520 mm (21")	3,1 kg	.30-06 Sprg. (1:10), .308 Win. (1:10)	5	Fixed magazine	Yes/No	Adjustable	No	360 mm	Polymer	-	Forged	M14×1	No
CZ 557 AMERICAN	1155 mm	610 mm (24")	3,3 kg	6,5 Creedmore, 7mm-08 Rem	4	Detachable magazine	No	Adjustable	Yes	355 mm	Walnut	Oil	Forged	M14×1	Yes
CZ 557 AMERICAN LH	1116 mm	610 mm (24")	3,3 kg	.30-06 Sprg. (1:10) 308 Win. (1:10)	4 5	Fixed magazine Detachable magazine	No	Adjustable	Yes	355 mm	Walnut	Oil	Forged	No	No
CZ 557 VARMINT	1170 mm	650 mm (26")	5 kg	.308 Win. (1:10)	10	Detachable magazine	No	Adjustable	No	370 mm	Walnut	Oil	Forged	No	No
CZ 557 VARMINT SYNTHETIC	1030 mm	520 mm (21")	4 kg	.308 Win. (1:10)	10	Detachable magazine	No	Adjustable	Yes	360 mm	Polymer	Soft-touch	Forged	M18×1	No
CZ 557 VARMINT LAMINATED	1130 mm	610mm (24")	5 kg	.308 Win. (1:10)	10, 4	Detachable magazine	No	Adjustable	Yes	360 mm	Laminated wood	Paint	Forged	M18×1	No
CZ 557 PREDATOR	1042 mm	520 mm (21")	3,2 kg	.30-06 Sprg. (1:10), 6,5×55 (1:8,6) .308 Win. (1:10)	5, 5 4	Fixed magazine	No	Adjustable	Yes	360 mm	Polymer	Soft-touch	Forged	M14×1	Yes
CZ 557 SUNSET VALLEY	1042 mm	520 mm (21")	3,2 kg	.30-06 Sprg. (1:10), .308 Win. (1:10)	5	Fixed magazine	No	Adjustable	Yes	360 mm	Laminated wood	Oil	Forged	M14×1	Yes
CZ 557 GREEN VALLEY	1042 mm	406 mm (16")	3,2 kg	.30-06 Sprg. (1:10), .308 Win. (1:10)	5	Fixed magazine	No	Adjustable	Yes	360 mm	Laminated wood	Oil	Forged	M14×1	Yes
CZ 557 GREY VALLEY	1042 mm	520 mm (21")	3,2 kg	.30-06 Sprg. (1:10), .308 Win. (1:10)	5	Fixed magazine	No	Adjustable	Yes	360 mm	Laminated wood	Oil	Forged	M14×1	Yes

MODEL	BARREL LENGTH	CALIBER	MAGAZINE CAPACITY	WEIGHT WITHOUT MAGAZINE	FRAME	HEIGHT	THREAD	COMPENSATOR	OVERALL LENGTH WITH FOLDED, UNFOLDED-EXTENDED STOCK	/ WIDTH WITH UNFOLDED/FOLDED STOCK
CZ TSR	660mm ± 1 (26")	.308 Win. (1:11)	10	6,3 kg	Aluminium alloy 7075 T6	192 ± 5 mm	M18×1	Muzzle brake	931/1188 ± 10 mm	70/95 ± 5 mm





# CZ SCORPION EVO 3 S1



# Top semi-automatic carbines not only for modern shooting sports

The CZ SCORPION EVO 3 firearm in a truly original design offers users lots of benefits. To highlight just a few – low weight, perfect ergonomics, high accuracy, smooth handling, by far the easiest stripping, extreme reliability and exceptionally fast reloading.



LONG LIFE



DURABILITY

#### CZ SCORPION

EVO 3 S1 CARBINE

9 mm Luger | 10, 20

Highly accurate semi-automatic carbine in 9x19 calibre. Thanks to its low weight, excellent ergonomics, supreme reliability in all conditions and exceptionally fast reloading, it is an ideal gun for modern sport shooting and hobby shooting. However, due to its parameters and performance, it also meets the highly demanding requirements of the Armed Forces.



#### CZ SCORPION

EVO 3 S1

9 mm Luger | 10, 20

This is the strictly semi-automatic variant of the modern submachine gun legend, the CZ SCORPION EVO 3 Al. This easy to control gun in simple design is exceptionally reliable, light and accurate, making it an ideal gun for security forces as well as for sport shooting.





MIL-STD-1913 RAILS FOR THE ATTACHMENT OF ACCESSORIES
AMBIDEXTROUS SAFETY CATCH

MAGAZINE MOUTH DESIGNED FOR FAST RELOADING

EXCEPTIONALLY SIMPLE DESIGN WITH DYNAMIC SLIDE WITH A REMOVABLE TRIGGER HOUSING

#### TECHNICAL DATA

MODEL	BARREL LENGTH	CALIBER	MAGAZINE CAPACITY	BARREL	WEIGHT WITHOUT MAGAZINE	HEIGHT	OVERALL LENGTH WITH UNFOLDED - EXTENDED STO
CZ SCORPION EVO 3 ST CARBINE	412 ± 1 mm (16")	9 mm Luger	10, 20	Cold hammer forged	2,87 ± 0,05 kg	215 ± 5 mm	875-915 ± 10 mm
CZ SCORPION EVO 3 SI	196 ± 1 mm (8")	9 mm Luger	10, 20	Cold hammer forged	2,55 ± 0,05 kg	215 ± 5 mm	615-665 ± 10 mm

UNFOLDED - EXTENDED STOCK WIDTH WITH UNFOLDED STOCK

875-915 ± 10 mm 60/85 ± 5 mm 615-665 ± 10 mm 60/82 ± 5 mm















### CZ BREN 2



# Cutting-edge semi-automatic rifles with unrivalled parameters and performance The CZ BREN 2 weapons system is one of the most sophisticated on the global market. Its advantages include simple design, extreme reliability, high accuracy. low weight excellent

extreme reliability, high accuracy, low weight, excellent ergonomics and ambidextrous or easy to swap controls.



**LONG LIFE** 



**DURABILITY** 

#### CZ BREN 2 Ms

.223 REM. | 30

This is the strictly semi-automatic variant of the CZ BREN 2 assault rifle, which is a collaboration with other world markets who required civilian versions of our popular assault rifle.



#### CZ BREN 2 Ms

7,62×39 | 30

In this semi-automatic rifle, the superb design properties of the CZ BREN 2 system are combined with the impressive ballistic performance of the 7.62x39 calibre. The result is a powerful, accurate and reliable rifle that has no equal rival.





ORIGINAL 30-ROUND CZ MAGAZINES MADE OF HIGHLY DURABLE POLYMER WITH WITNESS **HOLES ON THE REAR WALL** 

**LONG MIL-STD-1913 MOUNTING RAIL** 

#### TECHNICAL DATA

MODEL	BARREL LENGTH	CALIBER	MAGAZINE CAPACITY	BARREL	WEIGHT WITHOUT MAGAZINE	FRAME
CZ BREN 2 Ms	280 +-1 mm (11")	.223 Rem.	30	Cold hammer forged	2,97 ± 0,05 kg	Aluminium alloy
CZ BREN 2 Ms	280 +-1 mm (11")	7,62×39 mm	30	Cold hammer forged	2,87 ± 0,05 kg	Aluminium alloy

OVERALL LENGTH
WITH FOLDED/UNFOLDEDEXTENDED STOCK

WIDTH WITH UNFOLDED/FOLDED STOCK

577/762 - 807 ± 10 mm 80 ± 5/104 ± 5 mm 577/762 - 807 ± 10 mm 80 ± 5/104 ± 5 mm















A0105-0001

FRONT SUPPORT FOR CZ EVO 3



A0103-0001

TACTICAL TORCH INFORCE WML, 400 LM



A0203-0001

TACTICAL TORCH INFORCE WMLX, 800 LM



A0101-0010

COLLIMATOR TRIJICON MRO (39 MM, ŠROUB)



A0201-0001

COLLIMATOR AIMPOINT COMPM4, MOM. ŠROUB



A0201-0004

MAGNIFYING MODULE AIMPONT 3XMAG



D3660-0080

SINGLE MAGAZINE POUCH 30 CZ EVO, BLACK



3662-0800-0715ND

MAGAZINE CZ MAG 9MM, 10 ROUND



3662-0770-0725ND

MAGAZINE CZ MAG 9MM, 20 ROUND



3662-0780-0735 ND

MAGAZINE CZ MAG 9MM, 30 ROUND



D3660-0081

DOUBLE MAGAZINE POUCH 30 CZ EVO, BLACK



D3800-0600

TACTICAL BAG FOR EVO SUBMACHINE GUN, FDE




3722-3500-6501 ND

MAGAZINE CZ MAG 5,56×45, 30 ROUND



MAGAZINE CZ MAG 7,62×39, 30 ROUND







TACTICAL BAG FOR BREN ASSAULT RIFLE, BLACK

D3900-0600 TACTICAL BAG FOR BREN ASSAULT RIFLE, FDE



5133-1000-01ND

MAGAZINE CZ 455/CZ 457 .22 LR METAL 5 ROUND



5133-1000-02ND

MAGAZINE CZ 455/CZ 457/CZ 512 .22 LR POLYMER 5 ROUND



5073-1000-8802ND

MAGAZINE CZ 455/CZ 457/CZ 512 WMR/HMR POLYMER 5 ROUND



5273-1051-6409ND

MAGAZINE CZ 527 .223 REM. 5 ROUND

5273-1051-0209ND MAGAZINE CZ 527 .17/.22 HORNET 5 ROUND

273-1051-3909ND MAGAZINE CZ 527 .204 RUGER 5 ROUND

5273-1051-4009ND MAGAZINE CZ 527 .222 REM. 5 ROUND

**5273-1052-43ND** MAGAZINE CZ 527 7,62×39 5 ROUND



5572-2000-5303ND

MAGAZINE CZ 557 .243 WIN. 4 ROUND



5572-2000-5302ND

MAGAZINE CZ 557 .243 WIN. /.308 WIN. 10 ROUND



5133-1200-01ND

MAGAZINE CZ 455/CZ 457 .22 LR METAL 10 ROUND



5073-1200-8802ND

MAGAZINE CZ 455/CZ 457/CZ 512 WMR/HMR POLYMER 10 ROUND



5133-1200-02ND

MAGAZINE CZ 455/CZ 457/CZ 512 .22 LR POLYMER 10 ROUND



#### 5083-0096-8591ND

MINISET LONG RANGE PRECISION



5273-1054-6415ND

MAGAZINE CZ 527 .223 REM.

5083-0190-83ND MINISET LUX

#### 5083-0090-8991ND

MINISET VARMINT



#### 5083-0090-8594ND

MINISET VARMINT MATCH





#### 5083-0090-8982ND

MINISET AMERICAN



#### 5131-1001-02ND

SINGLE ROUND INSERT CZ 455/CZ 457 .22LR





5120-0110-05







5120-0101 CZ RIFLE CASE, 118 CM - GREEN

1081-7383 SLING SWIVEL TRIGATTI



5812-1293-04ND

SWIVEL CZ 455/CZ 457



5120-0200

CZ RIFLE TOOL



5500-2990-01ND

TRIGATTI SWIVEL



1002-4100-05

ATI SLING LOOP



6793-1000-01ND

MOUNT 1-PIECE CZ 557 DIA. 1"

6793-5000-01ND

MOUNT 1-PIECE CZ 557 DIA. 30MM



5120-0330-01

1080-7010

WEAVER RAIL CZ 557 LONG ACTION

RUBBER RIFLE BOLT KNOP COVER



#### 6593-3000-01ND

MOUNT 2-PIECE CZ 457 DIA. 1" BORDSON

**6593-7000-01ND** MOUNT 2-PIECE CZ 457 DIA. 30 MM

6593-2000-01ND

MOUNT 2-PIECE CZ 527 DIA. 1" BORDSON

6593-6000-01ND MOUNT 2-PIECE CZ 527 DIA. 30 MM BORDSON

6593-1000-01ND MOUNT 2-PIECE CZ 557 DIA. 1"

BORDSON

6593-5000-01ND MOUNT 2-PIECE CZ 557 DIA. 30 MM



#### 1070-9010

MOUNT 1-PIECE BRNO COMBO/ EXPRESS DIA. 1"

1070-9011 MOUNT 1-PIECE BRNO COMBO/



#### 5073-1900-01ND

REAR SIGHT FOR CZ 455/ CZ 457 CAMP RIFLE



#### 1070-9059

CZ 457 REDUCTION FOR DIOPTER



#### 1070-9058

WEAVER RAIL CZ 457, ANGLED 25MOA



WEAVER RAIL CZ 457



1070-9040

WEAVER RAIL CZ 527

WEAVER RAIL BRNO COMBO/



#### 1002-5103-01

BIPOD NA WEAVER - BLACK

1002-5103-02 BIPOD NA WEAVER - FDE

1002-5103-03 BIPOD NA WEAVER - GREEN




COMPENSATOR M14×1

465507007011

COMPENSATOR FOR THREAD 1/2×20 UNF (AMERICAN)

465507007021

COMPENSATOR FOR THREAD 1/2×20 UNF (VARMINT)



1002-5101-03 CZ 457 TRIGGER GUARD ALUMINIUM

1002-5101-04 CZ 457 TRIGGER GUARD ALUMINIUM

1002-5101-05 CZ 457 TRIGGER GUARD ALUMINIUM ALLOY - BLUE

ALLOY - GREEN

ALLOY - RED

#### 1002-5102-03

545130060481

MUZZLE BRAKE M18×1

CZ 457 FRONT SIGHT TUNNEL CARRIER



#### 1002-5102-02

CZ 457 FRONT SIGHT TUNNEL CARRIER WITH BIATHLON SHUTTER



CZ 457 FRONT SIGHT TUNNEL





0721-0700-03ND

STEEL TRITIUM SIGHT SET V.2 (5,50 MM)

0721-0700-02ND STEEL TRITIUM SIGHT SET V.2 (5.50 MM)

0721-0700-04ND STEEL TRITIUM SIGHT SET V.4 (6,00 MM)

0561-0700-02

SIGHT P-10 TRIT 5,5 MM SET2

0561-0700-03 SIGHT P-10 TRIT 5,75 MM SET3



1091-1250-01

FRONT SIGHT WITH DOT V1 5.25 MM

1091-1250-02

FRONT SIGHT WITH DOT V2 5,50 MM

1091-1250-03 FRONT SIGHT WITH DOT V2 5,75 MM

1091-1250-04

FRONT SIGHT WITH DOT V2 6,00 MM

1091-1250-05 FRONT SIGHT WITH DOT V2 6,25 MM

1091-1250-06

FRONT SIGHT WITH DOT V2 6,50 MM

1091-1250-07 FRONT SIGHT WITH DOT V2 6,75 MM

1091-1250-08

FRONT SIGHT WITH DOT V2 7,00 MM

1091-1250-09 FRONT SIGHT WITH DOT V2 7,50 MM

1091-1250-10

FRONT SIGHT WITH DOT V2 8,00 MM

1091-1250-11 FRONT SIGHT WITH DOT V2 8,50 MM

1091-1251-02

FRONT SIGHT WITHOUT DOT

1091-1251-03

FRONT SIGHT WITHOUT DOT V2 5.75 MM

FRONT SIGHT WITHOUT DOT

V2 6,00 MM

1091-1251-05

FRONT SIGHT WITHOUT DOT V2 6,50 MM

FRONT SIGHT WITHOUT DOT

1091-1251-08

1091-1251-09

FRONT SIGHT WITHOUT DOT

1091-1251-10

•

FRONT SIGHT WITHOUT DOT V2 8,00 MM

1091-1251-01

FRONT SIGHT WITHOUT DOT

V2 5,50 MM

1091-1251-04

FRONT SIGHT WITHOUT DOT V2 6,25 MM

1091-1251-06

1091-1251-07

V2 6,75 MM

FRONT SIGHT WITHOUT DOT V2 7,00 MM

1091-1251-11 FRONT SIGHT WITHOUT DOT V2 8,50 MM

1091-1252-01

1091-1252-02

FIBRE OPTIC SIGHT V1 1×5.25 MM

FIBRE OPTIC SIGHT V2 1×5,50 MM

1091-1252-03

FIBRE OPTIC SIGHT V2 1×5,75 MM

1091-1252-04 FIBRE OPTIC SIGHT V2 1×6,00 MM

1091-1252-05 FIBRE OPTIC SIGHT V2 1×6,25 MM

1091-1252-06 FIBRE OPTIC SIGHT V2 1×6,50 MM

1091-1252-07

FIBRE OPTIC SIGHT V2 1×6,75 MM 1091-1252-08

FIBRE OPTIC SIGHT V2 1×7,00 MM

1091-1252-09 FIBRE OPTIC SIGHT V2 1×7,50 MM

FIBRE OPTIC SIGHT V2 1×8,00 MM

FIBRE OPTIC SIGHT V2 1×8,50 MM

1091-1253-01

FIBRE OPTIC SIGHT V1 1.5×5.25 MM

1091-1253-02

1091-1253-03

FIBRE OPTIC SIGHT V2 1,5×5,75 MM

1091-1253-05

FIBRE OPTIC SIGHT V2 1,5×6,25 MM

1091-1253-08

1091-1253-09

FIBRE OPTIC SIGHT V2 1,5×7,50 MM



FIBRE OPTIC SIGHT V2 1,5×5,50 MM

1091-1253-04

FIBRE OPTIC SIGHT V2 1,5×6,00 MM

1091-1253-06 FIBRE OPTIC SIGHT V2 1,5×6,50 MM

1091-1253-07

FIBRE OPTIC SIGHT V2 1,5×6,75 MM

FIBRE OPTIC SIGHT V2 1,5×7,00 MM

FIBRE OPTIC SIGHT V2 1,5×8,00 MM FIBRE OPTIC SIGHT V2 1,5×8,50 MM



1091-1269

TARGET REAR SIGHT WITHOUT DOT 7,3 MM

TARGET REAR SIGHT WITHOUT DOT 10 MM

CZ 75/85/SP-01

CZ 75 SP-01 SHADOW

1091-1270 TARGET REAR SIGHT WITHOUT DOT 8,3 MM

8.3 mm

10 mm

FIBRE OPTIC REAR SIGHT 8,3 MM

1091-1264

1091-1265



1081-0105

ADJUSTABLE REAR SIGHT FOR TS ORANGE



ADJUSTABLE REAR SIGHT FOR

SHADOW 2/SP-01 SHADOW

1091-1260

DEFENDER REAR SIGHT WITH DOT 7,3 MM

DEFENDER REAR SIGHT WITH DOT 8,3 MM

1091-1262

DEFENDER REAR SIGHT WITH DOT 10 MM



1091-1263

DEFENDER REAR SIGHT WITHOUT DOT 7,3 MM

DEFENDER REAR SIGHT WITHOUT DOT 8,3 MM 1091-1265

DEFENDER REAR SIGHT WITHOUT DOT 10 MM



1091-1274



1091-1273

FIBRE OPTIC REAR SIGHT 7,3 MM

FIBRE OPTIC REAR SIGHT 10 MM





1091-1261

1091-1262



1091-1270

1091-1271

1091-1267

1091-1268



1091-1273

1091-1274

1091-1266

1091-1268

TARGET REAR SIGHT

TARGET REAR SIGHT

TARGET REAR SIGHT

WITH DOT 10 MM

WITH DOT 8,3 MM

WITH DOT 7,3 MM

	HEIGHT OF SIGHTS	FIBRE OPTIC SIGHTS 1 M	FIBRE OPTIC SIGHTS 1.5 M	TRITIUM SIGHTS
CZ P-07 / CZ P-09	5,5 mm	1091-1282-02	1091-1283-02	0721-0700-02ND
CZ P-07 / CZ P-09	5,75 mm	1091-1282-03	1091-1283-03	0721-0700-03ND
CZ P-07 / CZ P-09	6 mm	1091-1282-04	1091-1283-04	0721-0700-04ND



\* CZ P-07, CZ P-09, CZ 75 COMPACT,

CZ 75 TS CZECHMATE

CZ 75 D COMPACT, CZ 75, CZ 75 B Ω, CZ 85, CZ 97, CZ SP-01, CZ 75 SP-01 TACTICAL. CZ 75 SP-01 FACTICAL, CZ 75 SP-01 SHADOW, CZ 75 SP-01 PHANTOM, CZ 75 TS, CZ 75 TS CZECHMATE \*\* CZ 75 COMPACT, CZ 75 D COMPACT, CZ 75, CZ 75 B Ω, CZ 85, CZ 97, CZ 75 SP-01 TACTICAL. CZ 75 SP-01 SHADOW, CZ 75 SP-01 PHANTOM, CZ 75 TS.













1010-1309

MAGAZINE CZ P-07 KADET

1010-1310

MAGAZINE CZ P-09 KADET

1010-1313

MAGAZINE CZ SP-01/SHADOW 2 KADET

0422-0710-16ND

MAGAZINE 19 ROUND CZ 75/SP-01/ SHADOW 2; NICKEL





0422-0710-15ND

MAGAZINE 19 ROUND CZ SP-01/ SHADOW 2; AFC



MAGAZINE P-10 C 9×19 17 ROUND

0552-0030-06ND







0552-0030-10ND

MAGAZINE P-10 C 9×19 15 ROUND

0552-0030-04ND MAGAZINE P-10 C 9×19 10 ROUND



KYDEX HOLSTER P-09 (R)

KYDEX HOLSTER P-09 (L)

5125-1042

KYDEX HOLSTER P-07 (R)

5125-1043

KYDEX HOLSTER P-07 (L)

5125-1044

KYDEX HOLSTER CZ 75 D COMPACT (R)

5125-1045

KYDEX HOLSTER CZ 75 D COMPACT

5125-1063

KYDEX HOLSTER CZ 2075 RAMI

5125-1099

KYDEX HOLSTER CZ-10 C (R)

5125-1098

KYDEX HOLSTER CZ-10 C (L)

5125-1190-02 KYDEX. POUZDRO P-10 F (L)

5125-1190-01

KYDEX. POUZDRO P-10 F (P)

5125-1046

5125-1048

MAGAZINE POUCH P-07/

MAGAZINE POUCH CZ 75

5125-1191-02

KYDEX. POUZDRO P-10 S (L)

**5125-1191-01** KYDEX. POUZDRO P-10 S (P)

5125-1062

5125-1060 KYDEX HOLSTER CZ 75 (R)

KYDEX HOLSTER SP-01 (R)



5125-1096

KYDEX HOLSTER CZ P-10 (L) + INFORCE APL

5125-1097 KYDEX HOLSTER CZ P-10 (R) + INFORCE APL

5125-1094 KYDEX HOLSTER CZ P-10 (L) + INFORCE APLC

5125-1095

KYDEX HOLSTER CZ P-10 (R) + INFORCE APLC

5125-1190-02 KYDEX HOLSTER CZ P-10 F (L)

5125-1190-01 KYDEX HOLSTER CZ P-10 F (R) CS



0722-0030-10ND

0422-0710-14ND

0422-0710-17ND

MAGAZINE 17 ROUND CZ SP-01/ SHADOW 2; NICKEL

10 ROUND MAGAZINE FOR CZ 75 SP-01 SHADOW / SHADOW2 / CZ 75

MAGAZINE P-09/10F 9×19 19 ROUND

0722-0030-05ND 10 ROUND MAGAZINE FOR CZ P-09 / CZ P-10F



0472-3710-0706ND

MAGAZINE CZ TS 20/9×19



0472-3710-1617ND

MAGAZINE CZ TS 17/.40 S&W



#### 3660-0022

WEAPON LIGHT INFORCE APLC



#### 5125-1047

MAGAZINE POUCH P-07/ P-09/P-10 DOUBLE

5125-1049 MAGAZINE POUCH CZ 75 DOUBLE



1091-1345-11

ALUMINIUM MAGAZINE BASEPLATE FOR USE WITH FUNNEL CZ SHADOW 2



1091-1345-12

ALUMINIUM MAGAZINE BASEPLATE FOR USE WITH FUNNEL CZ SHADOW 2



ALUMINIUM MAGAZINE BASEPLATE

FOR USE WITH FUNNEL CZ SHADOW 2

ALUMINIUM MAGAZINE BASEPLATE FOR USE WITH FUNNEL CZ SHADOW 2 PURPLE



1091-1345-05



1091-1340-01

ALUMINIUM MAGAZINE BASEPLATE CZ 75 BLACK



ALUMINIUM MAGAZINE BASEPLATE

1091-1340-04

1091-1345-14

BLUE

ALUMINIUM MAGAZINE BASEPLATE

1091-1340-03

ALUMINIUM MAGAZINE BASEPLATE



1091-1341-01

ALUMINIUM MAGAZINE BASEPLATE SP-01 BLACK



1091-1341-02

1091-1340-02

ALUMINIUM MAGAZINE BASEPLATE SP-01 SILVER



1091-1341-04

ALUMINIUM MAGAZINE BASEPLATE SP-01 BLUE



1091-1341-03

ALUMINIUM MAGAZINE BASEPLATE SP-01 RED



1091-1342-01

ALUMINIUM MAGAZINE BASEPLATE TS BLACK



1091-1342-02

ALUMINIUM MAGAZINE BASEPLATE



1091-1342-04

ALUMINIUM MAGAZINE BASEPLATE



1091-1342-03

ALUMINIUM MAGAZINE BASEPLATE TS RED



1091-1343-01

ALUMINIUM MAGAZINE BASEPLATE CZ 75 +2 BLACK



1091-1343-02

ALUMINIUM MAGAZINE BASEPLATE CZ 75 +2 SILVER



1091-1343-04

ALUMINIUM MAGAZINE BASEPLATE CZ 75 +2 BLUE



1091-1343-03

ALUMINIUM MAGAZINE BASEPLATE CZ 75 +2 RED



1091-1360

ALUMINIUM MAGAZINE BASEPLATE CZ P-10 ENLARGED



1091-2280-01

MAGAZINE FUNNEL CZ SHADOW 2 BLACK



1091-2280-12

MAGAZINE FUNNEL CZ SHADOW 2 SILVER



1091-2280-14

MAGAZINE FUNNEL CZ SHADOW 2 BLUE



95

1091-2280-05

MAGAZINE FUNNEL CZ SHADOW 2 PURPLE



1091-2180-11

GRIP PANELS CZ SHADOW 2 BLACK (HARD ELOX)



1091-2180-12

GRIP PANELS CZ SHADOW 2 SILVER (HARD ELOX)



1091-2180-14

GRIP PANELS CZ SHADOW 2 BLUE (HARD ELOX)



1091-2180-05

GRIP PANELS CZ SHADOW 2 PURPLE



1091-2180-21

GRIP PANELS CZ SHADOW 2 SHORT BLACK (HARD ELOX)



1091-2180-22

GRIP PANELS CZ SHADOW 2 SHORT SILVER (HARD ELOX)



1091-2180-24

GRIP PANELS CZ SHADOW 2 SHORT BLUE (HARD ELOX)



1091-2180-25

GRIP PANELS CZ SHADOW 2 SHORT PURPLE



0471-0081-1606ND

FLAT SLIDE STOP (ND) SHADOW 2/TS



0423-2500-02ND

EXTENDED SAFETY SHADOW 2 (R)



1091-1337

EXTENDED SAFETY SHADOW 2 (L)



1091-1224

AMBIDEXTROUS FLAT SAFETY SP-01



1091-1320

HAMMER SA/DA

1091-1321

HAMMER SA



1091-1380-01

TRIGGER P-10 AL ELOX BLACK



1091-1380-02

TRIGGER P-10 AL ELOX RED



1091-1380-03

TRIGGER P-10 AL ELOX BLUE



1091-1380-04

TRIGGER P-10 AL ELOX GREEN



1091-1410-06

OPTICS READY PLATE CZ P-10 SHIELD RMS



1091-1410-01

OPTICS READY PLATE CZ P-10 - TRIJICON RMR



1091-1410-03

OR PLATE CZ P-10 - DOCTER/VENOM



1091-1420-01

OPTICS READY PLATE SHADOW 2 - TRIJICON RMR



1091-1420-06

OPTICS READY PLATE SHADOW 2 - SHIELD RMS



1091-1420-04

OR PLATE SHADOW 2 - VENOM/ DOCTER



1091-1370

COLLIMATOR SHIELD RMS



3700-7700

COLLIMATOR TRIJICON RMR (+PLATE)



#### 081-0170

SOUND SUPPRESSOR HQH GIS PSR 9/5 (COMPACT) CZ P-10



#### 81-0171

SOUND SUPPRESSOR HQH GIS PSR 9/7 (STANDARD) CZ P-10

# VISIT OUR NEW WEBSITE



**WWW.CZUB.CZ** 























