

LCD PROJECTOR

Panasonic



PT-LB303
PNS-PT-LB303



PT-LB353
PNS-PT-LB353



PT-LB383
PNS-PT-LB383

Projector Type	LCD Projector	LCD Projector	LCD Projector
Resolution	1024x768 (XGA)	1024x768 (XGA)	1024x768 (XGA)
Brightness	3100 ANSI Lumens	3300 ANSI Lumens	3800 ANSI Lumens
Contrast	16,000 : 1	16,000 : 1	16,000 : 1
Lamp	300 W UHM	300 W UHM	300 W UHM
Lamp life (Normal/Eco)	5000/6000/10000	5000/6000/10000	5000/6000/10000
Features	Day light View	Day light View Wireless Option	Day light View Wireless Option
Port	HDMI VGA inx2,VGA outx1, USB-B Serial inx1, Audio in, Audio out	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out
Dimension (mm)	335 x 96 x 252 mm	335 x 96 x 252 mm	335 x 96 x 252 mm
Weight	2.9 Kg	2.9 Kg	2.9 Kg
Warranty	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.
SRP(inc.VAT)	20,900.-	24,900.-	29,900.-



PT-LW333
PNS-PT-LW333



PT-LB423
PNS-PT-LB423

Projector Type	LCD Projector	LCD Projector
Resolution	1280x800 (WXGA)	1024x768 (XGA)
Brightness	3100 ANSI Lumens	4100 ANSI Lumens
Contrast	16,000 : 1	16,000 : 1
Lamp	300 W UHM	300 W UHM
Lamp life (Normal/Eco)	5000/6000/10000	5000/6000/10000
Features	Day light View Wireless Option	Day light View Wireless Option
Port	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out	HDMI,RJ-45(Lan)x1 VGA inx2,VGA outx1, USB-A, USB-B Serial inx1, Audio in, Audio out
Dimension (mm)	335 x 96 x 252 mm	335 x 96 x 252 mm
Weight	2.9 Kg	2.9 Kg
Warranty	Body 2 Year, Lamp 1 year/ 1,000 Hrs.	Body 2 Year, Lamp 1 year/ 1,000 Hrs.
SRP(inc.VAT)	39,000.-	37,900.-



PT-VW350
PNS-PT-VW350



PT-VW355N
PNS-PT-VW355



PT-VX600A
PNS-PT-VX600A

Projector Type	LCD Projector	LCD Projector (Wireless)	LCD Projector
Resolution	1280 x 800 (WXGA)	1280 x 800 (WXGA)	1024x768 (XGA)
Brightness	4000 ANSI Lumens	4000 ANSI Lumens	5500 ANSI Lumens
Contrast	12,000 : 1	12,000 : 1	10,000:1
Lamp	240 W UHM	240 W UHM	270 W UHM
Lamp life (Normal/Eco)	5,000/7,000 hours	5,000/7,000 hours	7,000 hours
Features	Day light View, USB Display Quiet Operation	Day light View Quiet Operation	Daylight View Basic
Port	HDMI,RJ-45(Lan)x1 S-VDO inx1,VGA inx1,VGA outx1, Serial inx1, Audio inx3,Audio outx1	HDMI,RJ-45(Lan)x1,USB-Ax1,USB-Bx1, S-VDO inx1,VGA inx1,VGA outx1, Serial inx1, Audio inx3,Audio outx1	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
Dimension (mm)	352 x 98 x 279.4 mm	352 x 98 x 279.4 mm	389 x 125 x 332 mm
Weight	3.4 Kg	3.4 Kg	4.9 Kg
Warranty	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
SRP(inc.VAT)	62,060.-	77,040.-	107,000.-

LCD PROJECTOR

Panasonic



PT-VW535NA
PNS-PT-VW535NA



PT-VW530A
PNS-PT-VW530A



PT-VZ575NA
PNS-PT-VZ575NA

Projector Type	LCD Projector	LCD Projector	LCD Projector
Resolution	1280x800 (WXGA)	1280x800 (WXGA)	1920x1200 (WUXGA)
Brightness	5000 ANSI Lumens	5000 ANSI Lumens	4500 ANSI Lumens
Contrast	10,000:1	10,000:1	270 W UHM
Lamp	270 W UHM	270 W UHM	10,000:1
Lamp life (Normal/Eco)	7,000 hours	7,000 hours	7,000 hours
Features	Wireless Ready : Miracast, Wireless Manager, iOS, Android	Daylight View Basic	Wireless Ready : Miracast, Wireless Manager, iOS, Android
Port	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN), USB-A (VZ575NA, VW535NA, VX605)	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN), USB-A (VZ575NA, VW535NA, VX605)	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
Dimension (mm)	389 x 125 x 332 mm	389 x 125 x 332 mm	389 x 125 x 332 mm
Weight	4.9 Kg	4.9 Kg	4.9 Kg
Warranty	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
SRP(inc.VAT)	124,120.-	117,700.-	155,150.-



PT-VZ570A
PNS-PT-VZ570A



PT-EZ580E
PNS-PT-EZ580E



PT-EW640E
PNS-PT-EW640E

Projector Type	LCD Projector	LCD Projector	LCD Projector
Resolution	1920x1200 (WUXGA)	1920x120 (WUXGA)	1280x800 (WXGA)
Brightness	4500 ANSI Lumens	5400 ANSI Lumens	5800 ANSI Lumens
Contrast	270 W UHM	5,000:1	5,000:1
Lamp	10,000:1	335 W UHM	335 W UHM
Lamp life (Normal/Eco)	7,000 hours	4500 hours	4500 hours
Features	Daylight View Basic	Daylight View Basic, P-in-P / Side-by-Side	Daylight View Basic, P-in-P / Side-by-Side
Port	HDMIx2 ,VGA IN,VGA OUT, VDO IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN x2, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN x2, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
Dimension (mm)	389 x 125 x 332 mm	530 x 177 x 445 mm	530 x 177 x 445 mm
Weight	4.9 Kg	9.8 Kg	9.8 Kg
Warranty	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
SRP(inc.VAT)	144,450.-	321,000.-	214,000.-

PT-DZ21KE
PNS-PT-DZ21KE



PT-DZ13KE
PNS-PT-DZ13KE

Projector Type	DLP 3chip	DLP 3chip
Resolution	1920x120 (WUXGA)	1920x120 (WUXGA)
Brightness	20000 ANSI Lumens	12000 ANSI Lumens
Contrast	10,000:1	10,000:1
Lamp	380 W UHM x2	380 W UHM x2
Lamp life (Normal/Eco)		
Features	System Daylight View 2, Detail clarity Processor3	System Daylight View 2, Detail clarity Processor3
Port	HDMI,DVI-D IN, VGA IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)	HDMI,DVI-D IN, VGA IN, Audio IN, Audio OUT, Serial IN, RJ45(LAN)
Dimension (mm)	620 x 291 x 800mm	530 x 200 x 548.5 mm
Weight	43 Kg	24 Kg
Warranty	2 Years (Lamp 1 year/ 1,000 Hr)	2 Years (Lamp 1 year/ 1,000 Hr)
SRP(inc.VAT)	3,745,000.-	2,033,000.-

Acer : PROJECTOR



X1123H
ACR-MRJPQ11007



X1223H
ACR-MRPR11007



X137WH
ACR-MRJP411006

Free	Screen 70"×70	Screen 70"×70	Screen 70"×70
Projector Type	DLP, Native SVGA (800 x 600)	DLP, Native XGA (1,024 x 768)	DLP®, Native WXGA (1,280 x 800)
Brightness	3,600 ANSI Lumens (Standard)	3,600 ANSI Lumens (Standard)	3,700 ANSI (Standard), 2,960 ANSI (ECO)
Contrast	20,000:1	20,000:1	20,000:1
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors	
Lamp Life	5,000 Hours (Standard), 10,000 Hours (ECO), 15,000 Hours (ExtremeECO)	5,000 Hours (Standard), 10,000 Hours (ECO), 15,000 Hours (ExtremeECO)	5,000 Hrs(Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)
Keystone Correction	+/-40 Degrees (Vertical), Manual	+/-40 Degrees (Vertical), Manual	+/-40 Degrees (Vertical), Manual
Input Interface	VGA x 1, RCAx1, HDMI x 1, PC Audio (Stereo mini jack) x 1	VGA x 1+, RCAx1, HDMI x 1, PC Audio (Stereo mini jack) x 1	Analog RGB / Component vdo (D-Sub)X 1HDMI X1,PCAudio(Stereo mini jack)x 1
Output Interface	VGA x 1, PC Audio (Stereo mini jack) x 1	VGA x 1, PC Audio (Stereo mini jack) x 1	N/A
SRP(inc.VAT)	12,900.-	15,900.-	19,900.-



X1226H (3D)
ACR-MRJP411006



X1326WH (3D)
ACR-MRJP911006

Free	Screen 70"×70	Screen 70"×70
Projector Type	DLP, Native XGA (1,024 x 768)	DLP, Native WXGA (1,280 x 800)
Brightness	4,000 ANSI (Standard), 3,200 ANSI(ECO)	4,000 ANSI (Standard), 3,200 ANSI (ECO)
Contrast	20,000:1	20,000:1
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	4,500 Hrs (Standard), 10,000 Hrs (ECO), 15,000 Hrs (ExtremeEco)	4,500 Hrs(Standard), 10,000 Hrs (ECO), 15,000 Hrs (ExtremeEco)
Keystone Correction	+/-40 Degrees (Vertical), Manual	+/-40 Degrees (Vertical), Manual&Auto
Input Interface	D-sub, Composite Video, S-Video, HDMI(MHL), HDMI, PC Audio x2	D-sub x2, Composite Video x1,S-Video x1,HDMIx1,HDMI/MHL x1,PC Audio x2
Output Interface	D-Sub x1, PC Audio x1, DC Out x1	D-Sub x1, PC Audio x1, DC Out x1
SRP(inc.VAT)	29,900.-	33,900.-



X1385WH(3D)
ACR-MRJL511006



P1150
ACR-MRJPK11006

Free	Screen 70"×70	Screen 70"×70
Projector Type	DLP, Native WXGA (1,280 x 800)	DLP, Native SVGA (800 x 600)
Brightness	3,200 ANSI (Standard), 2,560 ANSI (ECO)	3,600 ANSI Lumens (Standard)
Contrast	20,000:1	20,000:1
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	4,000 Hrs(Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)	5,000 Hrs (Standard), 10,000Hrs(ECO), 15,000Hrs(ExtremeECO)
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical), Manual & Auto
Input Interface	Analog RGB / (D-Sub)X2, (RCA) X 1, S-vdoX1,HDMI/MHL X 1,PC AudioX 2	D-Subx2,Composite, HDMI/MHL, PC Audio
Output Interface	Analog RGB X 1, PC Audio x 1, DC Out x 1	D-Sub, PC Audio x1, DC Out x1.
SRP(inc.VAT)	24,900.-	13,900.-

Acer : PROJECTOR



ကနဦး X1286



P1250
ACR-MRJK11006



Acer P1285B(3D)
ACR-MRJM011006



Free	Screen 70"***70	Screen 70"***70
Projector Type	DLP®, Native XGA (1,024 x 768)	DLP, Native XGA (1,024 x 768)
Brightness	Brightness:3,600 ANSI Lumens (Standard)	3,200 ANSI Lumens (Standard)
Contrast	20,000:1	17000:1
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	5,000 Hrs (Standard), 10,000Hrs(ECO), 15,000Hrs(ExtremeECO)	4,000 Hours (Standard), 6,000 Hours (ECO), 10,000 Hours (ExEco)
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical), Manual & Auto
Input Interface	D-Subx2,Composite, HDMI/MHL, PC Audio	D-sub x 2, Composite Video, S-Video , HDMI/MHL, PC Audio x 2
Output Interface	D-Sub, PC Audio x1, DC Out x1.	D-Sub, PC Audio, DC Out; DLP 3D
SRP(inc.VAT)	16,900.-	21,900.-



Acer P1385WB WiFi (3D)
ACR-MRQL11006



Acer A1500
ACR-MRJN011006

Free	Screen 70"***70	Screen 70"***70"
Projector Type	DLP, Native WXGA (1,280 x 800)	3,100 ANSI Lumens (Standard)
Brightness	3,200 ANSI Lumens (Standard)	
Contrast	20000:1	20,000:1
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	4,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeEco)	5,000 Hrs (Standard), 6,000 Hrs (ECO), 10,000 Hrs (ExtremeECO)
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical), Manual
Input Interface	D-subx2,Composite Video, S-Vdo, HDMI/MHLx2, PC Audiox2	D-subx2, Composite Vdo, S-Vdo,HDMI, (MHL),PC Audiox2D-subx1,PC Audio,DC OutOut
Output Interface	D-Sub, PC Audio, DC Out; DLP 3D	(5V/1A, USB Mini-B, Internal Port)
SRP(inc.VAT)	24,900.-	28,700.-



Acer K135i (LED)
ACR-MRJKW11004



Acer K137i (LED)
ACR-MRJKX11004

Free	USB wireless dongle	USB wireless dongle
Projector Type	DLP, Native WXGA (1,280 x 800)	DLP, Native WXGA (1,280 x 800)
Brightness	600 ANSI Lumens (Standard)	700 ANSI Lumens (Standard)
Contrast	10,000:1	10,000:1
Displayable Colors	1.07 Billion Colors	1.07 Billion Colors
Lamp Life	LED 20,000 Hours (Standard), 30,000 Hours (ECO),	LED 20,000 Hours (Standard), 30,000 Hours (ECO),
Keystone Correction	+/-40 Degrees (Vertical), Manual & Auto	+/-40 Degrees (Vertical), Manual & Auto
Input Interface		
Output Interface		
SRP(inc.VAT)	18,900.-	20,900.-

RICOH : PROJECTOR

RICOH

รับประกัน 3 ปีซ่อมถึงสถานที่



New



New



New

Model	PJ S2440	PJ X2440	PJ WX2440
Projector Type	Single-chip DLP	Single-chip DLP	Single-chip DLP
Resolution	800 x 600 (SVGA)	1024 x 768 (XGA)	1280 x 800 (XGA)
Brightness	3,000 lumens	3,000 lumens	3,000 lumens
Native /High Contrast	2,200:1, 10,000:1	2,200:1, 10,000:1	2,200:1, 10,000:1
Lamp life	4,500 hrs Eco mode 1: 6,000 hrs	4,500 hrs Eco1: 6,000 hrs	Standard: 4,500 hrs Eco mode 1: 6,000 hrs
Port	Mini D-SUB15pin x 1, RCA x 2, HDMI x 1, Mini D-SUB 15pin x1, 3.5mm diameter mini jack x 2	Mini D-SUB15pin x 2, RCA x 1, HDMI x 1, HDMI (MHL) Type A x 1, 3.5mm diameter mini jack x 2	Mini D-SUB15pin x 2, RCA x 1, HDMI x 1, S-Video x 1, HDMI (MHL) Type A x 1, 3.5mm diameter mini jack x 2
Network		RJ-45 x 1, LAN IEEE 802.11a/b/g/n	RJ-45 x 1, LAN IEEE 802.11a/b/g/n
Projection screen size	30"-300"	30"-300"	30"-300"
Dimension	112.5 x 50.5 x 105 mm	297 x 235 x 100 mm	297 x 235 x 100 mm
Weight	0.45kg	3.1 kg	3.1 kg
Warranty	3 Years Onsite Service	3 Years Onsite Service	3 Years Onsite Service
SRP(inc.VAT)	12,000.-	16,000.-	21,000.-



Model	PJ X3351N	PJ WX3351N	PJ WXC1110
Projector Type	DLP	DLP	0.45" WXGA DMD Chip
Resolution	1024 x 768 (XGA)	1280 x 800 (WXGA)	1280 x 800 (WXGA)
Brightness	3,500 Lumens	3,600 Lumens	600 lumens
Native /High Contrast	13,000 : 1	13,000 : 1	40,000:1
Lamp life	3,500 Hr	3,500 Hr	20,000 hrs 30,000 hrs(Eco)
Port	Mini D-SUB15pin x 1 (Com IN),(Monitor OUT), RCA 1pinx1(Vdo), MiniJack x1 (Audio1 IN/OUT) USB-TYPE-minB x1,HDMI(1.4)x1,USB TYPE-A	Mini D-SUB15pin x 1 (Com IN),(Monitor OUT), RCA 1pinx1(Vdo), MiniJack x1 (Audio1 IN/OUT) USB-TYPE-minB x1,HDMI(1.4)x1,USB TYPE-A	D-sub 15PIN via adapter cable, HDMI x 1 Available with HDMI Wi-Fi (3rd Party)
Network		RJ-45 x 1 ,Compatible with IEEE 802.11a/b/g/n	
Projection screen size	30"-400"	40"-400"	25"-200"
Dimension	297 x 235 x 100 mm	297 x 235 x 100 mm	112.5 x 50.5 x 105 mm
Weight	3.1 kg	3.1 kg	0.45kg
Warranty	Onsite 3 Years	Onsite 3 Years	3 Years Onsite Service
SRP(inc.VAT)	47,204.-	46,973.-	31,720.-



New



Model	PJ WX5460	PJ WX5461	PJ HD5450
Projector Type	DLP	Single chip DLP	DLP
Resolution	1280 x 800 (WXGA)	1280 x 800 (WXGA)	1920 x 1080 (Full HD)
Brightness	4,100 Lumens	4,100 lumens	3,500 Lumens
Native /High Contrast	2,200:1 / 10,000 : 1	2,200:1, 8,000:1	2,100:1 / 10,000 : 1
Lamp life	3,000 Hr	Std: 3,000 hrs Eco 1: 6,000 hrs	3,000 Hr
Port	D-Sub15pin x 2,D-Sub15pin x1,RCA pin x 1 ,Mini DIN4pin x1,HDMI x1,Mini_Jack x 2(in), Mini_Jack x 1(out),no usb	Mini D-SUB15pin x 1, HDMI x 2 (1MHL), S Vdo x 1, Composite (Video) x 1,D-sub15 (Monitor out) x1,Mini Jack x 3,Mini USB x 1	D-Sub15pin x 1,D-Sub15pin x1,RCA pin x 1, Mini DIN4pin x1,HDMI x2,Mini_Jack x 1(in), Mini_Jack x 1(out),no usb
Network	RJ 45 x 1 (Lan)	RJ45 (for control)	RJ 45 x 1 (Lan)
Projection screen size	30" - 300	40"-300"	38"-300"
Dimension	314.2 x 223.5 x 101.7 mm	314.2x223.5x91.8	314.2 x 223.5 x 101.7 mm
Weight	3.2 kg	3.2 kg	3.2 kg
Warranty	Onsite 3 Years	3 Years Onsite Service	Onsite 3 Years
SRP(inc.VAT)	48,150.-	48,390.-	56,603.-

PROJECTORS

RICOH : PROJECTOR

RICOH

รับประกัน 3 ปีซ่อมถึงสถานที่



Model	PJ HD5451	PJ X5580
Projector Type	DLP	DLP
Resolution	1920 x 1080 (HD)	1024 x 768 (XGA)
Brightness	3,800 lumens	6,000 lumens
Native /High Contrast	2,200:1, 8,000:1	9,000:1
Lamp life	Standard: 3,000 hours Eco mode 1: 6,000 hours	3,000 hrs 4,000 hrs (ECO)
Port	Mini D-SUB15pin x 1, HDMI x 2 (1MHL), S-Video x 1, Composite (Video) x 1 ,D-sub15 (Monitor out) x 1 ,Mini Jack (Input) x 1 Mini Jack (Out) x 1 ,Mini USB x 1	HDMI x 2, VGAI n x 2, RCA x 1, S-VDO mini, DIN 4-pin x 1, Display x 1 VGAout x 1, Audio inx2,RCA x1,Audio out x1USB minB x1
Network	RJ45 (for control)	RJ-45 x 1, LAN IEEE 802.11b/g/n (Option)
Projection screen size	40"-300"	30" to 300"
Dimension	314.2x223.5x91.8	424 x 356 x 150 mm
Weight	3.2 kg	6.35 kg
Warranty	3 Years Onsite Service	3 Years Onsite Service
SRP(inc.VAT)	56,880.-	102,150.-



Model	PJ WU5570	PJ X6181N
Projector Type	DLP	LCD
Resolution	1920 x 1080 (WUXGA)	1024 x 768 (XGA)
Brightness	5,500 lumens	7,200 lumens (for Standard Lens)
Native /High Contrast	9,000:1	6,000:1
Lamp life	3,000 hrs 4,000 hrs (ECO)	Standard : 3,000 hours Eco : 4,000 hours
Port	HDMI x 2, VGAI n x 2, RCA x 1, S-VIDEO mini, DIN 4-pin x 1, Display port x 1 VGAout x 1, Audio in x 2, RCA x 1, Audio out x 1 USB minB x1	HDMI x2, HDMI(1.4) x 1, D-SUB15 x 1.5BNC x 1, VIDEO: BNC R Share, SVIDEO:BNC G/B Share, HDMI x 2,Display port x 1, Repeater, Mini Jack x 2, Stereo mini jack x 1, USB type A x 2"
Network	RJ45 x 1, Optional IEEE802.11b/g/n compliant (Option)	RJ-45 x 1, LAN IEEE 802.11b/g/n (Option)
Projection screen size	30" to 300"	Please see in Optional Lens Sheet
Dimension	424 x 356 x 150 mm	499 x 359 x 142 mm
Weight	6.35 kg	8.4 kg
Warranty	3 Years Onsite Service	3 Years Onsite Service
SRP(inc.VAT)	138,710.-	317,100.-



Model	PJ WUL6280
Projector Type	Single chip DLP
Resolution	1920 x 1080 (WUXGA)
Brightness	6,000 Lumens
Native /High Contrast	1,200:1 (10,000:1)
Lamp life	Laser diodes : 20,000 hours
Port	D-Sub 15-pin x 2, DVI-D x 1(only support digital only) Component video (Y/Pb/Pr) x 1, HDMI x 1, wired-in(3.5mm phone jack)x1, wired out(3.5mm phone jack)x1, USB type A x 1,Mini USB-B x 1(for FW update)
Network	RJ45 x 1, LAN IEEE 802.11b/g/n compliant (Option)
Projection screen size	Please see in Optional Lens Sheet
Dimension	484 x 509 x 186 mm
Weight	less than 18.0 kg
Warranty	3 Years Onsite Service
SRP(inc.VAT)	588,710.-

PROJECTORS