



FAITHFUL SERVANT - GENERAL DESCRIPTION

THE FAITHFUL SERVANT IS THE FORMER SEMI-SUBMERSIBLE BARGE LUCKY ANGEL. THE DOCK WAS ORIGINALLY BUILT IN 1979 AND CLASSED BY THE CHINESE CLASSIFICATION SOCIETY (CCS). THE DOCK UNDERWENT EXTENSIVE MID-LIFE UPGRADE AND REFURBISHMENT IN 2002/2003 UNDER THE SAME CCS CLASS STANDARDS AND WAS MAINTAINED UNDER CLASS UNTIL 2007. WHILE ITS ORIGINAL NON-LIFT TRANSFER OPERATIONS ALLOWED A MAXIMUM LIFT/TRANSFER WEIGHT OF 20,000 L.TONS, DEDICATED SERVICE AS A DRYDOCK NECESSITATES A GREATLY REDUCED LIFT CAPACITY TYPICALLY 6,500 TO 8,500 DEPENDING ON WEIGHT AND CENTER OF GRAVITY PROPERTIES OF THE VESSEL BEING DOCKED. *TO BE SOLD SUBJECT TO LENDERS APPROVAL

PRINCIPAL DIMENSIONS

LENGTH (OVERALL): 492.0 FT LENGTH (WATERLINE): 483.5 FT BREADTH-MAIN HULL (MOULDED, EXCLUDING AFT TOWERS): 131.2 FT BREADTH (L0A INCLUDING AFT TOWER TANKS) 148.2 FT DEPTH TO PONTOON DECK (MOULDED): 27.88 FT DEPTH OVERALL (TOTAL HULL AND SUPERSTRUCTURE): 67.26 FT DOCK FRAME SPACING: 8.2 FT KEEL BLOCK HEIGHT (STANDARD INCLUDING 4" CRUSHERS) 3.83 FT.KEEL BLOCK HEIGHT (MAXIMUM INCLUDING 4" CRUSHERS) 6.33 FT



AFDL 45 - GENERAL DESCRIPTION

CONCRETE FLOATING DOCK. BUILT IN 1945, 3200 LT LIFT CAPACITY, 389' LENGTH 84' BEAM, LENGTH OVER KEEL BLOCKS 345 FT. CLEAR WIDTH 53.2 FT. MAXIMUM DRAFT OVER KEEL BLOCKS 19 FT. HAS SERVICE CONNECTIONS FOR ELECTRICITY–800 AMPS AT 480 VAC 60 HZ 3 PHASE, POTABLE WATER, SEWAGE COLLECTION RISERS, SALTWATER COOLING WATER SYSTEM, 75 GPM AT 90 PSI *TO BE SOLD SUBJECT TO LENDERS APPROVAL



1944 WELLMAN ENGINEERING - GENERAL DESCRIPTION

PEDESTAL MOUNTED LATTICE BOOM BARGE CRANE, 62-TON GROSS CAPACITY, 26'X120' BARGE, 360 DEGREE ROTATION *TO BE SOLD SUBJECT TO LENDERS APPROVAL

FAIRHAVEN SHIPYARD - AUG 13 - BELLINGHAM, WA



SMOOTH, CUSHION TIRES, HOUR METER READS: 1,085, S/N: K005D05890Y

2016 HYSTER H80FT 7,750 LB PROPANE FORKLIFT, SIDE SHIFT, 2-STAGE MAST, POWER FORKS, MONOTROL, CUSHION TIRES, HOUR METER READS: 1,383, S/N: U005V03951P

2004 HYSTER H50XM 4,750 LB PROPANE FORKLIFT, SIDE SHIFT, 3-STAGE MAST, CUSHION TIRES, HOUR METER READS: 8,441, S/N: H177B48723B

BOBCAT 453 SKIDSTEER W/SOLID RUBBER TIRES & FRONT BUCKET, HOUR METER READS: 2,050, S/N: 515011155 1996 E&E 60 KW S/A GENERATOR, JOHN DEERE 404STF150 DIESEL ENGINE, MECC ALTA SPA ECN 31-3L/4 1,800 RPM, HOUR METER READS: 13,991, S/N: 763122/732348

KOHLER 400R0ZD81 SYNCHRONOUS 440 KW BACK UP GENERATOR, DETROIT DIESEL, FUEL TANK, TRANSFER SWITCH & ELECTRICS, HOUR METER READS:UNKNOWN

1978 KENWORTH C/O TRUCK TRACTOR

1979 FRUEHAUF T/A STEP DECK VAN TRAILER W/WELDERS, CABINETS, GRINDERS, WORKSHOP & ASSORTED SUPPORT TOOLS, S/N:WAV127301

1989 FORD 8000 C/O 24' FLATBED TRUCK, DIESEL, MANUAL TRANS., ODOMETER READS: 282,807 2006 GMC SIERRA CREW CAB 4X4 PICKUP, V8, LEATHER, P/W, SHORT BED, PIPE RACK

2003 FORD F250 EXTENDED CAB PICKUP, 6.0 LTR DIESEL, LIFT GATE, LONG BED, ODOMETER READS: 39,352

2001 TOYOTA TUNDRA EXTENDED CAB PICKUP, P/W, P/L, CRUISE, ODOMETER READS: 266,161

1994 CHEVROLET CHEYENNE 12' FLATBED TRUCK, V8, GAS, 5 SPEED MANUAL TRANSMISSION, DRW, ODOMETER READS: 105,522

(3) EZ-GO 2 DOOR ELECTRIC CARTS W/6' BEDS, HOUR METERS READS: 2,124, 1,646 & 9,323 (3) TAYLOR-DUNN ELECTRIC CARTS W/6' BEDS, HOUR METERS READS: 3,638, 2,063 & 1,654

(2) LEGEND ELECTRIC CARTS W/6' BEDS

YOKAHAMA MOORING BUOYS






PREVIEW: 8AM TO 4PM - MONDAY, AUGUST 12



CINCINNATI 300H 300 TON, 14' HYDRAULIC PRESS BREAK, FOOT CONTROLS, 12" STROKE, 12' BETWEEN CENTERS, 440V, 3-PHASE, S/N: 39442 CINCINNATI 6S10 10' SHEAR, 3/4" MILD STEEL CAP., FOOT CONTROL, BACK GAUGE, 460V, 3-PHASE, S/N: 42538 UNI-HYDRO 66-24 66 TON HYDRAULIC IRON WORKER W/TOOLING, S/N: 3P66482 SCOTCHMAN 6509 65 TON IRONWORKER, 5 HP, 460V, 3-PHASE, S/N: 3275M888 SCOTCHMAN FI85 85 TON IRONWORKER, 5 HP, 230V, 3-PHASE (NEEDS REPAIR) METAL MUNCHER MM-70 70 TON IRONWORKER W/FOOT CONTROLS, S/N: 03410696 LONGEM 1550 16"X64" LATHE, 2" THRU SPINDLE, 8" 3-JAW CHUCK, TOOL POST DALIAN #2 26"X120" SWING LATHE, 4-JAW CHUCK, TOOL POST, STEADY REST (NEEDS REPAIR) BRIDGEPORT SERIES 1 2 HP VERTICAL MILLING MACHINE, 9"X48" POWER T-SLOT TABLE, VARIABLE SPINDLE SPEED, MITUTOYO DIGITAL READOUT, S/N: 226553 BRIDGEPORT SERIES 2 2 HP VERTICAL MILLING MACHINE, 9"X42" T-SLOT TABLE, VARIABLE SPINDLE SPEED, MITUTOYO DIGITAL READOUT, S/N: 209610 MARVEL HORIZONTAL METAL CUTTING BANDSAW, 18" THROAT, 30" T-SLOT TABLE W/HYDRAULIC HOLD DOWN & 20' ROLLCASE 2014 ROGERS ONW-V-200-H 200 HP VSD SKID MOUNTED ROTARY SCREW AIR COMPRESSOR, ZEKS 1000HSFA400 DRYER, RECEIVER TANK, BUILDING, HOUR METER READS: 29,382, S/N: 1406519164 2010 ROGERS ONW-G-1523-F 350 HP SKID MOUNTED ROTARY SCREW AIR COMPRESSOR, HOUR METER READS: 3,783, S/N: 1006515892 2010 ROGERS ONW-G-1523-F 350 HP ROTARY SCREW AIR COMPRESSOR, 480V, 3/60 HZ, RUN HOUR METER READS: 3,389.2, LOAD HOUR METER READS: 2658.3, S/N: 1006515893 INGERSOLL RAND SSR-EPE200-2S 200 HP, 990 CFM SKID MOUNTED AIR COMPRESSOR W/INGERSOLL RAND TM1000 AIR DRYER, HOUR METER READS:72,382, S/N: FF1835U99307 QUINCY 360BZ 75 HP ROTARY SCREW AIR COMPRESSOR, HOUR METER READS: 67,301, S/N: 870652 PARKER HYDRAULIC HOSE FITTING PRESS W/DIES (4) LINCOLN FOUR PACK WELDING UNITS W/(4) LINCOLN FLEXTEC 450 CC/CV DC WELDERS MILLER TRAILBLAZER 280 NT CC/CV, AC/DC, 8,000 WATT GENERATOR WELDER MILLER TRAILBLAZER 302 CC/CV, AC/DC, DIESEL GENERATOR WELDER MILLER DIMENSION 652 CC/CV, DC WELDING POWER SOURCE MILLER TRAILBLAZER 280 NT CC/CV, AC/DC, 8,000 WATT GENERATOR WELDER (3) MILLER XMT 304 CC/CV, DC INVERTER ARC WELDER MILLER BIG 50 DIESEL CC, DC WELDING POWER GENERATOR **MILLER XMT 304 DC INVERTER ARC WELDER** MILLER XMT 456 CC/CV, DC INVERTER ARC WELDER (2) LINCOLN LN-25 WIRE FEEDER MILLER XMT 304 CC/CV, DC INVERTER ARC WELDER (3) MILLER DIMENSION 652 CC/CV DC WELDING POWER SOURCES MILLER SYNCROWAVE 300 AC/DC TUNGSTEN ARC OR SHIELDED METAL ARC POWER SOURCE W/TWECO **TC900 WATER COOLER**

FAIRHAVEN SHIPYARD - AUG 13 - BELLINGHAM, WA



PREVIEW: 8AM TO 4PM - MONDAY, AUGUST 12













SHOP BUILT PRESSURE TEST STATION & ENERPAC HYDRAULIC PRESS CYLINDER **PALLET JACK** JET 8" DUAL WHEEL BENCH GRINDER END WRENCH INVENTORY ASSORTED TOOLS 1,000 LB GANTRY CRANE W/CHAIN HOIST & TROLLEY **END MILLS INSPECTION EQUIPMENT FLAMMABLE CABINET** (4) ROD OVENS PORTABLE ROD OVENS **DUAL WHEEL BENCH GRINDER 16" PEDESTAL GRINDER** 4'X20'X1/2" STEEL LAYOUT TABLE W/VISE 4'X7'X2" STEEL TABLE 5'X5'X2" STEEL TABLE WELDING TABLE 7'X9' WELDING TABLE 4'X9'X1" STEEL LAYOUT TABLE 8'X20'X1" STEEL LAYOUT TABLE W/6" VISE (2) 4'X6'X1" STEEL TABLES 4'X8' STEEL TABLE W/VISE ASSORTED OXYGEN/ACETYLENE HOSES WELDING WIRE INVENTORY (4) MILWAUKEE MAG DRILLS (2) MAG DRILLS **SLUGGER MAG DRILL** LISTA TOOL CABINET W/ASSORTED WELDING SUPPLIES WELDING ROD INVENTORY ASSORTED WELDING LEAD **CHAIN RIGGING & PLATE CLAMPS** SHOP BUILT VERTICAL HYDRAULIC PRESS W/ENERPAC **HYDRAULIC CYLINDER & POWER TEAM HYDRAULIC** PUMP **DOALL 36" VERTICAL BANDSAW** WELDING CURTAINS GRIZZLY G-1201 VARIABLE SPEED DRILL PRESS

KOIKE ARONSON 108 TRACK BURNER





SYSTEM ONE PARTS CLEANER **FLYING FORKS** (10) LOCKABLE GANG BOXES ASSORTED PIPE FITTING INVENTORY (2) FLAMMABLE CABINETS PIPE INVENTORY YAMAHA 6 HP, 4 STROKE OUTBOARD ASSORTED TOOL CABINETS (2) 3' TORQUE WRENCHES STANLEY VIDMAR TOOL CABINET MACHINE SKATES (3) BENCH GRINDERS **NUT & BOLT INVENTORY 48" SHOP FAN AIR HOSE ELECTRICAL WIRE** ASSORTED TRICYCLES LADDERS **GRIZZLY 2-BAG DUST COLLECTOR DEWALT RADIAL ARM SAW DELTA SANDER DELTA MITER SAW BANDING CART** STIHL MS391 CHAIN SAW (10) STEEL & ALUMINUM GANGWAYS (10) PORTABLE STAIRCASES (2) ALUMINUM GANGWAYS ASSORTED DUNNAGE FORKLIFT JIB ASSORTED SCAFFOLDING PARTS 19' FIBERGLASS WORK SKIFF, NO MOTOR, NO SHAFT STEEL INVENTORY STEEL PIPE INVENTORY (4) STEEL PLATFORMS W/STAIRCASES ASSORTED STEEL CONTAINMENT TUBS ASSORTED STEEL SAWHORSES ASSORTED STEEL CHAIN (7) 20' SHIPPING CONTAINERS (6) 40' SHIPPING CONTAINERS

FAIRHAVEN SHIPYARD - AUG 13 - BELLINGHAM, WA

















BOBCAT SWEEPER ATTACHMENT TORO SWEEPER ATTACHMENT BLAST HOSE (20+) DUMP HOPPERS **CBG TECHNOLOGIES RECYCLING SYSTEM** 4,000 GALLON FUEL TANK PAINT RACK ON CASTERS UNUSED SANDBLASTING SUPPLIES 42" 15 HP VERTICAL BANDSAW (135) CONCRETE & STEEL KEEL BLOCKS FOSDICK 4'x13" RADIAL ARM DRILL (2) DRYCO CDH-RL2-138 6,000 CFM DEHUMIDIFIERS CABLE TV ROOM W/APPROX. (54) PICO MACOM PCM55SAW MODULATORS, (30) DIRECTV RECEIVERS BLAZER INDUSTRIES 65'x15' 3 DOOR MOBILE OFFICE TRAILER W/4 OFFICES & 1 RESTROOM **BLAZER INDUSTRIES 65'x15' 4 DOOR MOBILE OFFICE** TRAILER W/6 OFFICES & 1 RESTROOM 7'x4' SINGLE DOOR METAL DISPATCH/SECURITY SHACK (2) EVERGREEN MOBILE 32'x10' MOBILE MEN & WOMENS RESTROOMS BLAZER INDUSTRIES 32'x10' 2 DOOR MOBILE OFFICE BUILDING STEEL STRUCTURES INC 40'x10' MOBILE MEN & WOMENS RESTROOM **EVERGREEN MOBILE 32'x12' 2 DOOR MOBILE OFFICE** W/RESTROOM EVERGREEN MOBILE 60'x14' 2 DOOR MOBILE OFFICE BUILDING (2) EVERGREEN MOBILE 60'x14' SINGLE DOOR MOBILE **OFFICE BUILDINGS** 1980 FRUEHAUF T/A 40' FLATBED TRAILER SHOP BUILT T/A 40' FLATBED TRAILER SHOP BUILT 16'x7' T/A TRAILER FRAME LIFE JACKETS FALL PROTECTION RADIOS BIDDING SPILL CONTAINMENT BOOMS AVAILABLE

TERMS AND CONDITIONS

10% BUYERS PREMIUM ON ALL ITEMS 15% BUYERS PREMIUM ON ALL ONLINE PURCHASES

Due to insurance and safety reasons, children under 12 cannot be admitted

PAYMENT: Full payment must be made by the close of business auction day. CASH, CASHIERS CHECK, WIRE TRANSFER, MASTERCARD OR VISA ONLY. Checks are accepted ONLY with Bank Letter of Guarantee.

REMOVAL: Customers are responsible for removing their items from the auction site. No purchases may be removed during the auction unless announced by the auctioneer. No purchases may be removed until all purchases are paid for. ALL ITEMS MUST BE REMOVED BY 4 PM, THURSDAY, AUGUST 22ND. Removal Hours: One hour after the auction or 8:00 am – 4:00 pm. NO WEEKEND REMOVAL.

WARRANTY DISCLAIMER: ALL SALES ARE FINAL. All items are being sold "As Is, Where Is," With All Faults and without any warranties as to merchantability of fitness for a particular purpose. The principal, the auctioneer, the advertising coordinator, and any of their agents make no express or implied warranties of any type.

Failure to award bid: Online bidders will not have any claim against the James G. Murphy Co. for failure to submit bids to the auctioneer or any error on the bidding platform. In some instances the bidding platform may show an item awarded to a Online customer however we reserve the right to withdraw a bid awarded in error.

Complete terms and conditions of sale will be available at the time of sale. All information was obtained from sources deemed reliable. Although every precaution has been taken to ensure accuracy, the principal, the James G. Murphy Co., the advertising coordinator, and all of their agents shall not be responsible for any errors or omissions therein. It is for this reason that we recommend that all items be thoroughly inspected prior to the point of sale. Announcements made by the auctioneer at the time of sale take precedence over printed matter. Auctioneer reserves the right to sell accessories, parts or attachments on a separate and/or aggregate basis

ABSENTEE BIDS: Absentee bids will be accepted with 25% Deposit. Absentee bids under \$100.00 are not accepted. For complete rules regarding absentee bids call our office or inquire at the auction site.

