

PRICELIST

Consumer UMRP





Table of CONTENTS

Consumer UMRP Price List Effective Q4 2019

This price list supersedes all previous price lists.
Prices listed herein do not include applicable state or local taxes.

REFRIGERATION
Freedom® Collection 1-1
Fresh Food Columns1-2
Freezer Columns 1-4
Freezer Columns with External Ice and Water Dispenser 1-6
Bottom Freezers1-7
Wine Preservation Columns 1-9
Handles1-11
Freedom® Accessories 1-12
Quick Reference Guide1-15
Preassembled Collection1-16
Bottom Freezer Refrigerators 1-16
Accessories 1-17
Under-Counter Collection1-18
Refrigeration Units 1-18
Accessories 1-18
Refrigeration-Freezer Drawer Units
Glass Door Wine Reserve Units 1-19
Accessories 1-19
BUILT-IN COFFEE MACHINE Built-In Coffee Machine
Accessories2-1
BUILT-IN OVENS
Ovens Lineup
Masterpiece® Series
Masterpiece® Series
Masterpiece® Series3-230" Masterpiece® Ovens3-2Accessories3-6
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7 Warming Drawers 3-9
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7 Warming Drawers 3-9 COOKTOPS
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7 Warming Drawers 3-9 COOKTOPS Gas Cooktops 4-1
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7 Warming Drawers 3-9 COOKTOPS 4-1 Glass Cooktops 4-1 Glass Ceramic Electric Cooktops 4-4
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7 Warming Drawers 3-9 COOKTOPS 4-1 Glass Cooktops 4-4 Glass Ceramic Electric Cooktops 4-4 Glass Ceramic Induction Cooktops 4-5
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7 Warming Drawers 3-9 COOKTOPS 4-1 Glass Cooktops 4-1 Glass Ceramic Electric Cooktops 4-4
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7 Warming Drawers 3-9 COOKTOPS 4-1 Glass Cooktops 4-1 Glass Ceramic Electric Cooktops 4-4 Glass Ceramic Induction Cooktops 4-5 Electric and Induction Accessories 4-8 PROFESSIONAL SERIES
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7 Warming Drawers 3-9 COOKTOPS 4-1 Glass Cooktops 4-1 Glass Ceramic Electric Cooktops 4-4 Glass Ceramic Induction Cooktops 4-5 Electric and Induction Accessories 4-8
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7 Warming Drawers 3-9 COOKTOPS 4-1 Glass Cooktops 4-4 Glass Ceramic Electric Cooktops 4-5 Electric and Induction Accessories 4-8 PROFESSIONAL SERIES Ovens Lineup 5-1 Built-In Ovens 5-2
Masterpiece Series 3-2 30" Masterpiece Ovens 3-2 Accessories 3-6 Microwave Ovens 3-7 Warming Drawers 3-9 COOKTOPS 4-1 Glass Cooktops 4-4 Glass Ceramic Electric Cooktops 4-5 Electric and Induction Accessories 4-8 PROFESSIONAL SERIES Ovens Lineup 5-1

Rangetops	5-8
Accessories	
Pro Grand [®] Series	5-12
Dual-Fuel Ranges	5-12
Steam Ranges	
All-Gas Ranges	5-19
Accessories	
Pro Harmony® Series	5-25
Dual-Fuel Ranges	5-25
All-Gas Ranges	
Accessories	5-31
/ENTILATION	
Wall Hoods	6-1
Professional Series	
Professional and Masterpiece® Accessories	
Masterpeice® Series	
Chimney Wall Hoods	
Professional Series	
Masterpiece [®] Series	
Accessories	
Island Hoods	
Professional Series	
Masterpiece® Series	
Accessories	
Custom Inserts	
Professional Series	6-14
Accessories	6-15
Downdraft	6-16
Masterpiece® Series	6-16
Components	6-17
Accessories	6-20
DISHWASHERS	
Built-In Dishwashers	7 1
Accessories	
	/ -3
NDEX	

CONDITIONS OF SALE

Returned Goods

No merchandise may be returned without prior approval. Please contact your sales representative for return authorization.

All products are sold F.O.B. BSH Home Appliances, New Bern, North Carolina. For special freight and billing terms, refer to current program in effect.


F.O.B. Origin

Number Description UMRP MSRP

Refrigeration FREEDOM® COLLECTION

Thermador's ingenious Freedom Collection lets you take your kitchen designs beyond anything you've ever imagined. Featuring unique modular construction, built-in fresh food, freezer, bottom freezer and wine preservation columns are available in multiple widths ranging from 18" to 36".

To order, please follow this 3-step process:





Step 2
Select a Stainless Steel Panel
or Use a Custom Panel



Step 3

Select a Stainless Steel Handle or Use a Custom Handle

To enhance the Freedom Collection, please see our accessories section on page 1-12.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Fresh Food Columns

All 23.5"/24"/30"/36" Fresh Food Columns include the following features:

- Fully Flush
- Freedom[®] hinge
- · All-LED sidewall filtered theater lighting
- · Cold Air System
- ThermaFresh system
- · Carbon air filter

- · SuperCool function
- Gallon & Half gallon door bins
- Full-extension SoftClose[®] drawers
- SoftClose® delicate produce bins
- TFT Control
- · Full-length cantilever racks

- Sabbath/Economy/Vacation modes
- · Door open alarm
- ENERGY STAR® certified
- · Extremely quiet
- · Reversible door swing
- · Open door assist

Step 1: Fresh Food Columns

T23IR900SP 23.5" Fresh Food Column

5,799

9 6,399



T23IR900SP

T24IR900SP

24" Fresh Food Column

5,999

6,599



T24IR900SP

Energy 2

T30IR900SP

30" Fresh Food Column

6,599

7,299



Number Description UMRP MSRP

Fresh Food Columns

T30IR901SP 30" Fresh Food Column with Home Connect™ 6,599 7,299





<u>T36IR900SP</u> 36" Fresh Food Column 7,299 8,049



Step 2: Panels

All Thermador® Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL23IR900	23.5" Stainless Steel Panel	580	649
TFL24IR800	24" Stainless Steel Panel	525	599
TFL30IR800	30" Stainless Steel Panel	580	649
TFL36IR900	36" Stainless Steel Panel	1,050	1,199

Flat Stainless Steel Door Panels with No Holes

TFL23IR905	23" Single Door No Hole Flat Panel	525	599
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel*	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Handles

For stainless steel handle options, please see page 1-11.

^{*} Units compatible with 30" columns, but should be installed to units with SoftClose® Doors.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Freezer Columns

All 18"/24"/30"/36" Freezer Columns Include the Following Features:

- · Fully Flush
- Freedom® hinge
- All-LED sidewall filtered theater lighting
- · Soft closing full-extension drawers
- SuperFreeze® function
- · Height-adjustable glass shelves
- TFT Control
- Full-length cantilever racks
- Filtered internal diamond ice maker
- · Ice drawer with ice bin
- Sabbath/Economy/Vacation modes
- · Door open alarm

- · Open door assist
- ENERGY STAR® certified
- · Extremely quiet
- · Reversible door swing
- · Side-by-side kit included

Step 1: Freezer Columns

T18IF900SP 18" Freezer Column (Internal Ice Maker)

5,499 6,049



T18IF900SP



T18IF901SP 18" Freezer Column (Internal Ice Maker)

with Home Connect™

5,499 6,049



T18IF901SP



T24IF900SP

24" Freezer Column (Internal Ice Maker)

5,999 6,599



T24IF900SP



			INLL	DOW COLLECTION
	Il previous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	UMRP	MSRP	
				Freezer Columns
T30IF900SP	30" Freezer Column (Internal Ice Maker)	6,599	7,299	-







T36IF900SP	36" Freezer Column (Internal Ice Maker)	7,299 8,049
------------	---	-------------





Step 2: Panels

All Thermador® Freezer Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

Flat Stainless Steel Door Panels with No Holes			
TFL36IR900	36" Stainless Steel Panel	1,050	1,199
TFL30IR800	30" Stainless Steel Panel	580	649
TFL24IR800	24" Stainless Steel Panel	525	599
<u>TFL18IR800</u>	18" Stainless Steel Panel	475	529

TFL18IR905	18" Single Door No Hole Flat Panel*	475	529
TFL24IR905	24" Single Door No Hole Flat Panel	525	599
TFL30IR905	30" Single Door No Hole Flat Panel	580	649
TFL36IR905	36" Single Door No Hole Flat Panel	1,050	1,199

Step 3: Handles

For stainless steel handle options, please see page 1-11.

^{*} Units compatible with 18" columns, but should be installed to units with SoftClose Doors.

Number Description UMRP MSRP

Freezer Columns with External Ice and Water Dispenser

All 18"/24" Freezer Columns with Dispenser Include the Following Features:

- · Fully Flush
- External Filtered Ice and Water Dispenser
- Freedom hinge
- · All-LED filtered sidewall theater lighting
- FreeFlow diamond ice system
- Full-extension SoftClose[®] drawers

- SuperFreeze function
- · Height-adjustable shelves
- · Full-length cantilever racks
- Proximity censor on dispenser
- · Capacitive touch control dispenser
- Sabbath/Economy/Vacation modes
- · Door open alarm

- ENERGY STAR® certified
- TFT Control
- · Open door Assist
- · Extremely quiet
- Available in right-hand or left-hand door swing (not reversible)
- Side-by-side kit included

Step 1: Freezer Columns with External Ice and Water Dispenser

T18ID900LP	18" Freezer Column	5,999	6,599
------------	--------------------	-------	-------

(External Dispenser, Left Hinge)

<u>T18ID900RP</u> 18" Freezer Column 5,999 6,599

(External Dispenser, Right Hinge)



T18ID900LP



T24ID900LP	24" Freezer Column	6.599	7.299
TE HEOGOLI	2 i i i oozoi oolaliiii	0,000	.,

(External Dispenser, Left Hinge)

T24ID900RP 24" Freezer Column 6,599 7,299

(External Dispenser, Right Hinge)



T24ID900LP



Step 2: Panels

All Thermador® Freezer Columns with External Ice and Water Dispenser are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL18ID800	18" Stainless Steel Panel for External Dispenser	475	529
TFL24ID800	24" Stainless Steel Panel for External Dispenser	525	599

Flat Stainless Steel Door Panels with No Holes

TFL18ID905	18" Single Door No Hole Flat Panel	475	529
TFL24ID905	24" External Water Dispenser No Hole Flat Panel	525	599
TFL24IR905	24" Single Door No Hole Flat Panel	525	599

Step 3: Handles

For stainless steel handle options, please see page 1-11.

Number Description UMRP MSRP

Bottom Freezers

All 30"/36" Bottom Freezer and 36" French Door Bottom Freezer Columns Include the Following Features:

- Fully Flush
- Freedom[®] hinge
- TFT control
- SoftClose® delicate produce bins
- · All-LED sidewall filtered theater lighting
- Full-extension SoftClose® drawers
- Full-length cantilever racks
- · Full-width multi use drawer

- · Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze® function
- Gallon & Half gallon door bins
- · Carbon air filter
- Sabbath/Economy/Vacation modes
- · Door open alarm
- ENERGY STAR® certified

- · Extremely quiet
- Refrigerator door swing reversible (T30IB900SP and T36IB900SP)
- · Two evaporators
- · Two compressors
- · Open door assist
- · Filtered internal diamond ice maker

Step 1: Bottom Freezers

T30IB900SP 30" Bottom Freezer 7,199 7,949



T30IB900SP



<u>T36IB900SP</u> 36" Bottom Freezer 7,699 8,499



T36IB900SP



<u>T36IT900NP</u> 36" French Door Bottom Freezer 7,999 8,799



13011900INF

Number Description UMRP MSRP

Bottom Freezers

T36IT901NP 36" French Door Bottom Freezer with Home Connect™ 7,999 8,799





Step 2: Panels

All Thermador® Bottom Freezers are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL30IB800	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB800	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
<u>TFL36IT800</u>	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949

Flat Stainless Steel Door Panels with No Holes

<u>TFL30IB905</u>	30" Stainless Steel Panel Set (Bottom Freezer)	580	649
TFL36IB905	36" Stainless Steel Panel Set (Bottom Freezer)	840	949
TFL36IT905	36" Stainless Steel Panel Set (French Door Bottom Freezer)	840	949

Step 3: Handles

For stainless steel handle options, please see page 1-11.

Number Description UMRP MSRP

Wine Preservation Columns

All 18"/24" Wine Preservation Columns Include the Following Features:

- Fully Flush
- Portable aluminum and wenge wood wine presenter
- Full-extension completely enclosed exotic wood shelves
- Fully adjustable temperature zones:
 18" column-two; 24"-three
- · Independent humidity control
- TFT control
- Freedom[®] hinge
- · Adjustable LED lighting
- Diamond shaped dowels for vibration control
- · Glass door with UV protection
- Sabbath/Economy/Vacation modes
- · Door open alarm
- Bottle capacity: 18" column–52 bottles; 24" column–92 bottles (750 ml)
- · Open door assist

T18IW900SP

18" Wine Preservation Column

2 - Zone Temperature Control

5.599 6.199



T24IW900SP

24" Wine Preservation Column3 - Zone Temperature Control

5,999 6,599



T24IW901SP

24" Wine Preservation Column with Home Connect™

3 - Zone Temperature Control

T24IW800SP

6,599

5,999



T24IW801SP





Number Description

UMRP MSRP

Wine Preservation Columns

Step 2: Panels

All Thermador® Wine Preservation Columns are panel ready. Apply custom panels or choose one of the following stainless steel panel options:

Flat Stainless Steel Door Panels for Flush Installations

TFL18IW800	18" Stainless Steel Panel	475	529
TFL24IW800	24" Stainless Steel Panel	525	599

Flat Stainless Steel Door Panels with No Holes

TFL18IW905	18" Wine No Hole Flat Panel	475	529
TFL24IW905	24" Wine No Hole Flat Panel*	525	599

Step 3: Handles

For stainless steel handle options, please see page 1-11.

^{*} Units compatible with 30" columns, but should be installed to units with SoftClose® Doors.

Number Description UMRP MSRP

Handles

Step 3: Stainless Steel Handles

When selecting Thermador stainless steel handles for the Freedom Collection, please order the following:

- One 36" handle for each column
- One 30" handle and one 36" handle for 30" Bottom Freezers
- Two 36" handles for each 36" Bottom Freezer
- Three 36" handles for each 36" French Door Bottom Freezer

To ensure consistency, always select the same style.

Masterpiece®

•				
MS30HNDL20	30" Masterpiece® Handle	160	179	
MS36HNDL20	36" Masterpiece® Handle	160	179	
				la la
				MS30HNDL20 Masterpiece
Professional				ľ
PR30HNDL20	30" Professional Handle	160	179	
PR36HNDL20	36" Professional Handle	160	179	
				PR30HNDL20 Professional

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

	Number	Description	UMRP	MSRP									
Freedom [®] A	Accessories				T23IR900SP	T24IR900SP	T30IR900SP	T30IR901SP	T36IR900SP	T30IB900SP	T36IB900SP	T36IT900NP	T36IT901NP
	Installation Acces HEATRKIT20	Freedom Heater Kit (Use when columns are less than 6" apart but not side by side, or for nontraditional side-by-side combinations, without freezer column)	599	699	•	•	•	•	•	•	•		
	FRAMEKIT10	Freedom Frame Kit (use for a framed installation)	105	119	•	•	•	•	•	•	•	•	•
	Interior Accessor	ies for Refrigerators Small Produce Bin	265	299	•	•	•	•	•	•	•	•	•
	LPRODBIN10	Large Produce Bin	295	329	•	•	•	•	•	•	•	•	•
	24PRODRAIL	24" Produce Railing	105	119	•	•							
	30PRODRAIL	30" Produce Railing	115	129			•	•		•			
	36PRODRAIL	36" Produce Railing	135	149					•		•	•	
	3DPRODRAIL	3-Door Produce Railing	85	99									•
	24HFGALBIN	24" Half-Gallon Bin	170	189	•	•							
7	30HFGALBIN	30" Half-Gallon Bin	180	199			•	•		•			
	36HFGALBIN	36" Half-Gallon Bin	190	209					•		•	•	
	3DHFGALBIN	Three Door Half-Gallon Bin	160	179									•

This price list superse	edes all previous price lists. Model	Prices listed herein do not include applicable state or local taxes.					
	Number	Description	UMRP	MSRP			
F	Accessories					1	
Freedom	Accessories				٦	Эć	Э'n
					T18IW900SP	3006	9018
					8 	24IW900	4IW90
					Ē	T2,	T2,
	Interior Accesso	ries for Wine Columns					
Miles.	T18WINERK1	18" Wine Shelf ¹ providing a	229	259	•		
- 19		62 bottle capacity					
	T24WINERK1	24" Wine Shelf ² providing a	299	329			
	121001100	99 bottle capacity	200	020		•	•
4							

Freedom [®] A	Accessories				T18IF900SP	T18IF901SP	T24IF900SP	1900E	F900SP	118ID900LP/RP	T3/IBO/OCP/RP	T36IB900SP	T36IT900NP	T36IT901NP
	Interior Accessor	les for Freezers Large Ice Bucket	85	99	•	•	•	•	•	•	•	•	•	•
	Filter Accessories REPLFLTR10	Freedom [®] Replacement Water Filter	75	89	•	•	•	•	•	•		•	•	•
	SCRNFLTR10	Freedom® Screen Filter (Filter bypass when no filter necessary)	55	69	•	•	•	•	•	•		•	•	•

¹ Presenter shelf can not be used with the accessory

² Presenter shelf can not be used with the accessory

Suggested Combinations



Column

Column

T18ID900LP/T23IR900SP

For

Predetermined Spaces /



18" 24" Freezer Fresh Food

Column




Column

For

Predetermined Spaces /

Replacement Installation



18" Freezer Column

30" Fresh Food

Column

T18IF900SP/T30IR900SP

Freezer Fresh Food

Column

Column




24" Freezer Column

Fresh Food Column









T18ID900LP/T24IR900SP


Please make sure to order HEATRKIT20 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column.

A HEATRKIT20 is recommended for use with any installation in areas that are subject to extreme humidity.





^{*}IWD = Ice and Water Dispenser



Step 1: Colum	ns and	Bottom Freezers	Step 2: Panels			Step 3: Handles	
Freedom Column Type	Width	Door Swing Type	Custom Panel	Flat Stainless Steel Panel	Handleless Stainless Steel Panel	Masterpiece [®]	Professional
FRESH FOOD C	OLUMNS			•			
T23IR900SP	23.5"	Reversible	Panel Ready	TFL23IR900	TFL23IR905		
T24IR900SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	Order one 36" handle	Order one 36" handle
T30IR900SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	per column Masterpiece	per column Professional
T30IR901SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	MS36HNDL20	PR36HNDL20
T36IR900SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER COLU	JMNS						
T18IF900SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905		
T18IF901SP	18"	Reversible	Panel Ready	TFL18IR800	TFL18IR905	Order one 36" handle	Order one 36" handle
T24IF900SP	24"	Reversible	Panel Ready	TFL24IR800	TFL24IR905	per column Masterpiece	per column Professional
T30IF900SP	30"	Reversible	Panel Ready	TFL30IR800	TFL30IR905	MS36HNDL20	PR36HNDL20
T36IF900SP	36"	Reversible	Panel Ready	TFL36IR900	TFL36IR905		
FREEZER WITH	IWD1 CC	LUMNS					
T18ID900LP	18"	Left	Panel Ready	TFL18ID800	TFL18ID905		
T18ID900RP	18"	Right	Panel Ready	TFL18ID800	TFL18ID905	Order one 36" handle per column	Order one 36" handle per column
T24ID900LP	24"	Left	Panel Ready	TFL24ID800	TFL24ID905	Masterpiece	Professional
T24ID900RP	24"	Right	Panel Ready	TFL24ID800	TFL24IR905	MS36HNDL20	PR36HNDL20
BOTTOM EDEE	ZEDS/EDI	ENCH DOOR BOTTO		1	1		
BOTTOW FREE	ZENS/FNI	ENCH DOOR BOTTO	W FREEZERS			Order one 30" handle	Order one 30" handle
T30IB900SP ²	30"	Reversible	Panel Ready	TFL30IB800	TFL30IR905	and one 36" handle per column ²	and one 36" handle per column ²
T36IB900SP ³	36"	Reversible	Panel Ready	TFL36IB800	TFL36IB905	Order two 36" handles per column ³	Order two 36" handles per column ³
T36IT900NP ⁴	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" handles per column ⁴	Order three 36" handles per column ⁴
T36IT901NP ⁴	36"	n/a	Panel Ready	TFL36IT800	TFL36IT905	Order three 36" handles per column ⁴	Order three 36" handles per column ⁴
WINE PRESERV	ATION C	OLUMNS					
T18IW900SP	18"	Reversible	Panel Ready	TFL18IW800	TFL18IW905	Order one 36" handle	Order one 36" handle
T24IW900SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	per column Masterpiece	per column Professional
T24IW901SP	24"	Reversible	Panel Ready	TFL24IW800	TFL24IW905	MS36HNDL20	PR36HNDL20

NOTE: Handleless panels should not be installed on units without the SoftClose® capability. If you are uncertain if you have a refrigeration unit with SoftClose capability, please contact our customer team by calling 1-800-735-4328.

- IWD = Ice and Water Dispenser
- Masterpiece: (1) MS30HNDL20, (1) MS36HNDL20. Professional: (1) PR30HNDL20, (1) PR36HNDL20 Masterpiece: (2) MS36HNDL20. Professional: (2) PR36HNDL20
- Masterpiece: (3) MS36HNDL20. Professional: (3) PR36HNDL20

Number Description UMRP MSRP

Refrigeration PREASSEMBELED COLLECTION

For faster installation, all units have been preassembled with stainless steel panels and Professional or Masterpiece® Handles.

All 30"/36" Bottom Freezer and French Door Bottom Freezers Include the Following Features:

- Fully Flush
- TFT Control
- · Installs framed or flush
- Freedom[®] hinge
- · All-LED filtered sidewall theater lighting
- · Soft closing full-extension drawers
- · Delicate produce bins
- · Full-length cantilever racks

- · Open door assist
- · ThermaFresh system
- Internal filtered diamond ice maker
- SuperCool function
- SuperFreeze® function
- · Gallon door bins
- Carbon air filter
- Sabbath/Economy/Vacation modes

- Door open alarm
- ENERGY STAR® certified
- · Extremely quiet
- Refrigerator door swing reversible (T30BB and T36BB)
- Two evaporators
- Two compressors

Bottom Freezers

Preassembled Package: Flat Panels • Professional Handles

T30BB920SS	30" Bottom Freezer	8,499	9,349
T36BB920SS	36" Bottom Freezer	8,799	9,699

Preassembled Package: Flat Panels • Masterpiece® Handles

T30BB910SS	30" Bottom Freezer	8,499	9,349
T36BB910SS	36" Bottom Freezer	8,799	9,699







French Door Bottom Freezers

Preassembled Package: Flat Panels • Professional Handles

T36BT920NS	36" French Door Bottom Freezer	9,299 10,249
------------	--------------------------------	--------------

Preassembled Package: Flat Panels • Masterpiece® Handles

T36BT910NS 36" French Door Bottom Freezer 9,299 10,249



T36BT920NS



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP MSRP Accessories** T36BB920SS T30BB910SS T36BB910SS T36BT920NS T36BT910NS T30BB920SS Interior Accessories for Refrigerators SPRODBIN10 Small Produce Bin 265 299 LPRODBIN10 Large Produce Bin 295 329 24PRODRAIL 24" Produce Railing 105 119 30" Produce Railing 115 129 30PRODRAIL 36PRODRAIL 36" Produce Railing 135 149 **3DPRODRAIL** 3-Door Produce Railing 85 99 24" Half-Gallon Bin 24HFGALBIN 170 189 30" Half-Gallon Bin 180 **30HFGALBIN** 199 36" Half-Gallon Bin 190 209 36HFGALBIN Three Door Half-Gallon Bin **3DHFGALBIN** 160 179 **Interior Accessories for Freezers ICEBUCKETL** 85 99 Large Ice Bucket **Filter Accessories** REPLFLTR10 Freedom® Replacement Water Filter 75 89 Freedom® Screen Filter SCRNFLTR10 55 69 (Filter bypass when no filter necessary)

All Under-Counter Refrigeration Drawer Units Include the Following Features:

- · Built-in flush design
- SoftClose[®] drawers
- · LED lighting
- · Drawer open alarm

- Electronic touch controls for precise temperature management
- · Venting grille for full integration
- Fully flush at 24" depth

- Professional Handle, Masterpiece Handle or custom panel options
- · Star K Certified
- ENERGY STAR® certified

Refrigeration Units

Drawer Refrigeration Units

- 5 cu. ft.
- · Customizable shelving and drawer dividers
- Customizable cooling modes: Fridge, Pantry and Bar
- · Quick Chill

· Removable drawer mat for easy cleaning



T24UR920DS



Drawer Refrigeration Units

T24UR920DS	24", Professional Handle	3,299	3,649
T24UR910DS	24", Masterpiece Handle	3,299	3,649
T24UR900DP	24", Custom Panel	2,949	3,249

Under-Counter Glass Door Refrigeration Units

• 5 cu. ft.	Customizable shelving	 Customizable cooling mode Fridge, Pantry and Bar 		
T24UR920LS	24", Professional Handle, Left Swing	2,649 2,949		
T24UR920RS	24", Professional Handle, Right Swing	2,649 2,949		
T24UR910LS	24", Masterpiece Handle, Left Swing	2,649 2,949		
T24UR910RS	24", Masterpiece Handle, Right Swing	2,649 2,949		



T24UR920L5

T24UR900LP	24", Custom Panel, Left Swing	2,299	2,549
T24UR900RP	24", Custom Panel, Right Swing	2,299	2,549

Accessorie	es				T24UR920DS	T24UR910DS	T24UR900DP	T24UR920LS/RS	T24UR910LS/RS	T24UR900LP/RP
	MS20HNDL20	20" Under-Counter Masterpiece Handle	150	169	•	•	•			
	MS22HNDL20	22" Under-Counter Masterpiece Handle	150	169				•	•	•
	PR20HNDL20	20" Under-Counter Professional Handle	150	169	•	•	•			
	PR22HNDL20	22" Under-Counter Professional Handle	150	169				•	•	•
	UCTRFLTR10	Under-Counter Filter	75	89	•	•	•	•	•	•

24", Professional Handle

24", Masterpiece Handle

24", Custom Panel

Number Description **UMRP MSRP**

Refrigeration-Freezer Drawer Units

Drawer Refrigeration-Freezer Units

• 5 cu. ft. · Customizable drawer dividers and shelving

T24UC920DS T24UC910DS

T24UC900DP

• Customizable cooling modes: Fridge, Pantry and Bar

· Quick Chill

· Automatic ice maker 3,599 3,999 3,599 3,999

· Removable drawer mat for

easy cleaning

3,799

3,449

Glass Door Wine Reserve Units

Under-Counter Wine Preservation Units

· 42-bottle capacity Full-extension wenge wood diamond wine racks

· UV-resistant tempered glass door

· Tempered glass door tinted to match Thermador-family appliances



diamond wine racks		арраооо			
<u>T24UW920LS</u>	24", Professional Handle, Left Swing		3,399	3,749	
<u>T24UW920RS</u>	24", Professional Handle, Right Swing		3,399	3,749	
<u>T24UW910LS</u>	24", Masterpiece Handle, Left Swing		3,399	3,749	
<u>T24UW910RS</u>	24", Masterpiece Handle, Right Swing		3,399	3,749	
T24UW900LP	24", Custom Panel, Left Swing		3,049	3,399	
T24UW900RP	24", Custom Panel, Right Swing		3,049	3,399	
	-				_

Accessorie	es				T24UC920DS	T24UC910DS	T24UC900DP	T24UW920LS/RS	T24UW910LS/RS	T24UW900LP/RS
-	MS20HNDL20	20" Under-Counter Masterpiece Handle	150	169	•	•	•			
=	MS22HNDL20	22" Under-Counter Masterpiece Handle	150	169				•	•	•
-	PR20HNDL20	20" Under-Counter Professional Handle	150	169	•	•	•			
-	PR22HNDL20	22" Under-Counter Professional Handle	150	169				•	•	•
	UCTRFLTR10	Under-Counter Filter	75	89	•	•	•	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Built-In Coffee Machines Include the Following Features:

- Perfect for frequent selections, coffee customization settings store up to 8 personalized beverages with names so family members and house guests can program their favorite drinks from single shot espresso, to tea, to extra-large cappuccinos
- Equipped with the Thermador Connected Experience by Home Connect™
- Easy to read color TFT display illustrates beverage selection, including size and temperature control

- · Store up to 8 different beverages
- 1 lb. Bean container
- Height-adjustable dispenser with dual spouts for brewing 2 cups at a time
- Beverages can be adjusted in small increments
- One Touch Function for coffee and milk/froth
- · Fully automatic rinse program
- 2-disk grinding units made of high performance ceramic disks

- Adjustable grinding settings for very fine to coarse
- · Powder drawer
- · Built-In water filter
- Sensor alerts when coffee beans and water level is low
- · 10-cup water container
- · Removable stainless steel milk container
- 120 Volts. (V)

Built-In Coffee Machine

 Includes direct plumb for water and drain connection with AquaStop[®] plus protection

TCM24PS Thermador Built-In Coffee Machine

Plumbed with Home Connect™

3,999 4,399



TCM24PS



TCM24TS

Thermador Built-In Coffee Machine

with Home Connect™

3,699 4,099



TCM24TS

ноте

Accessories				TCM24PS	TCM24TS
TCMTK30RS	30" Stainless Steel Trim Kit	399	439	•	•

For coffee accessories, please see the Cleaners & Accessories Price List in the Sales SharePoint.

Thermador

WALL OVENS

DELUXE

Rotisserie Max Broil 3 Telescopic Racks



Professional: POD301W POD301LW* POD301RW*



DOUBLE 30"

Professional: POD302W POD302LW* POD302RW*



COMBO 30"

With Steam and Convection Oven: Professional: PODS302W*

Masterpiece: MEDS302WS



TRIPLE 30"

With Speed Oven:

Professional: PODMCW31W* Masterpiece: MEDMCW31WS



Masterpiece: MED301WS MED301LWS* MED301RWS*



Masterpiece: MED302WS MED302LWS* MED302RWS*



Speed Oven:: Professional:

With

PODMC301W* Masterpiece: MEDMC301WS

SELECT

1 Telescopic Rack



Professional:

Masterpiece: ME301WS

PO301W



PO302W



Professional:



Masterpiece:

ME302WS



With Microwave: Professional:







Steam and Convection Oven:

Professional: PODS301W



Masterpiece: MEDS301WS



Speed Oven::

Professional: MC30WP



Masterpiece: MC30WS



Masterpiece: MEM301WS

^{*} Not pictured.

Number Description **UMRP MSRP**

All Masterpiece® Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- TFT Touch control display
- Silver glass on stainless steel
- SoftClose[®] doors
- 4.5 cu. ft. overall oven capacity
- 13 Cooking modes: True Convection, Speed Convection, Bake, Broil, Roast, Convection Bake. Convection Broil. Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- · Two-hour self clean
- Fast preheat for seven different cooking modes
- · Meat probe

- · Sabbath Mode
- · Two halogen lights
- · Star-K certified
- 208–240 V

Microwave/Speed Ovens

- · 1.6 cu. ft. overall capacity
- · 10 power levels
- · Sensor cooking
- · Sensor reheat

4,949

5,299

5,299

4,299

30" Masterpiece® Ovens

30" Masterpiece Single Oven-Deluxe

· Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil

MED301WS

- Commercial-style rotisserie with 12-pound capacity
- Three Full Access® telescopic racks

4,469

4,799

4,799

Multi-point meat probe



MED301WS


30" Single Oven, 3 Telescopic Racks, MED301LWS

Left Side Opening Door,

30" Single Oven, 3 Telescopic Racks

30" Single Oven, 3 Telescopic Racks, MED301RWS

Right Side Opening Door





30" Masterpiece Single Oven—Select

• One Full Access® telescopic · Meat probe rack and two standard racks

ME301WS 30" Single Oven, 1 Telescopic Rack 3,899



ME301WS







Number Description UMRP MSRP

30" Masterpiece® Ovens

30" Masterpiece Double Oven-Deluxe

 Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil (U) Three Full Access[®] telescopic racks (U); One Full Access[®] telescopic rack and two standard racks (L) Multi-point meat probe (U); Meat probe (L)

7,499

8,249

 Commercial-style rotisserie with 12-pound capacity (U)

MED302WS	30" Double Oven, 4 Telescopic Racks	6,999	7,699
MED302LWS	30" Double Oven, Left Side Opening Door,	7,499	8,249
	4 Telesconic Racks		

MED302RWS 30" Double Oven, Right Side Opening Door,

4 Telescopic Racks



MED302WS



MED302LWS

6,499



30" Masterpiece Double Oven-Select

• Meat probe (U/L)

ME302WS 30" Double Oven, 2 Telescopic Racks 5,899



ME302WS



Number Description UMRP MSRP

30" Masterpiece® Ovens

30" Masterpiece Combination Oven with Microwave

 One Full Access® telescopic rack and two standard racks (L) Microwave features:

- Touch control display
- Meat probe (L)
 1.6 cu. ft. overall capacity
 - 13" turntable
 - 950 W microwave power

MEM301WS 30" C

30" Combination Oven with Microwave, 1 Telescopic Rack

5,299 5,849



MEM301WS



30" Masterpiece Combination Oven with Speed Oven

 Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil

MEDMC301WS

- Three Full Access[®] telescopic racks
- Multi-point meat probe (L)
- Commercial-style rotisserie with 12-pound capacity

30" Combination Oven with Speed Oven,

3 Telescopic Racks

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1000 W microwave power

6,599 7,299



MEDMC301WS



Number Description UMRP MSRP

30" Masterpiece® Ovens

30" Masterpiece Triple Combination Oven with Speed Oven and Warming Drawer

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Commercial-style rotisserie with 12-pound capacity
- Three Full Access[®] telescopic racks (L)
- Multi-point meat probe (L)

- Speed Oven features:
- 36 Cook Smart™ Programs
- 12 ½" turntable
- 1000 W microwave power
- Warming Drawer features:
- 2.5 cu. ft. overall capacity
- · Touch control
- SoftClose[®] drawer
- · 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

8,499 9,349



MEDMCW31WS



MEDMCW31WS

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

Number Description UMRP MSRP

All Masterpiece® Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- Large steam cavity 2.8 cu. ft.
- · TFT Touch control display
- · Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Easy Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- LED lights
- · Sabbath Mode
- · Star-K certified
- 208-240 volts

Masterpiece® Steam and Convection Ovens

30" Masterpiece Steam and Convection Oven

MEDS301WS

30" Steam and Convection Oven with 3 Telescopic Racks

4,899 5,399



MEDS301WS







30" Masterpiece Steam and Convection Oven-Deluxe

- Lower oven: Thermador Connected Experience with Home Connect™
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection

MEDS302WS

Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast

• Two-hour self clean

30" Deluxe, Steam and Convection

- Fast preheat for seven different cooking modes
- Three Full Access[®] telescopic racks
- · Multi-point meat probe
- Three halogen lights
- Sabbath Mode
- · Star-K certified
- 208–240 V

7,999 8,799



MEDS302WS



Double Oven with 6 Telescopic Racks

Accessories	30" Masterpiece Series	30" Masterpiece Series Built-In Steam and Convection
For the telescopic rack, please see the Cleaners & Accessories Price List in the Sales SharePoint.	•	•

30" Masterpiece Microwave,

30" Professional Microwave,

Stainless Steel, 120 V

Stainless Steel, 120 V

Number Description **UMRP MSRP**

All Masterpiece® Series Built-in Microwave and Speed Ovens Include the Following Features:

· Silver glass on stainless steel

• 10 power levels

· Sensor reheat

· 1.6 cu. ft. overall capacity

· Sensor cooking

Microwave Ovens

Built-In Microwaves

MB30WS

MB30WP

· Touch Control Display • 141/8" ceramic turntable

· 950 W Microwave power

• Plugs into 120 V, 60 Hz/, AC

3-prong grounded outlet

1,499 1,649

1,699 1,899





Built-In Speed Ovens

• Full color TFT display

• 1,000 W Microwave power

• 123/4" ceramic turntable

36 Cook Smart™ Programs

Convection Bake

MC30WS 30" Masterpiece Speed Oven,

Stainless Steel, 208-240 V

MC30WP 30" Professional Speed Oven,

Stainless Steel, 208-240 V

Broil

• 208 or 240V, 4 wire fixed connection

2.299 2.549

2,499 2,749



MC30WS



MC30WP



Number Description UMRP MSRP

Built-In MicroDrawer® Microwave

- Blue digital display with scrolling text
- 1.2 cu. ft. cavity
- Fits a 7" mug or 20 oz. cup
- 950 W microwave power
- Auto-Cooking modes (including Melt, Soften, Keep Warm)
- · Sensor cooking
- Hidden vent
- · Touch open and close
- · Perfect flush installation

1,699

1,799

1,899

1,999



MD24WS



MD30WS

MD24WS 24" Microwave Drawer

MD30WS 30" Microwave Drawer

Over-the-Range Microwave Hood

Over-the Range Microwave Hood

- Design match for use in combination with 30" Pro Harmony® 5-burner gas range
- Exclusive stainless steel handle
- · LCD display

MU30WSU

- · 2.1 cu. ft. cavity
- 14 3/16" glass turntable
- 1,100 W microwave power
- Triple microwave distribution system
- · 10 cooking modes
- · Sensor cooking
- Plugs into standard 120 V, 3-prong outlet
- Four-speed vent with up to 385 CFM



Over-the-Range Microwave Hood, Stainless Steel

899 999

Number Description **UMRP MSRP**

Warming Drawers

Standard Warming Drawers

- · Our warming drawer is the perfect combination of uncompromising performance, unique convenience features and elegant design
- SoftClose® door (WD30W only)
- · 2.2 cu. ft. overall capacity
- · Touch Control Display
- · Four heating modes: Low, Medium, High, Proof
- 450 W heating element
- Timer
- Plugs into a standard 120 volt, 3-prong outlet



WD30W	30" Warming Drawer, Custom Panel Ready	1,799	1,999
WD30WC	30" Warming Drawer, Push to Open	1,599	1,799

Storage Drawers

• Our storage drawers are the perfect combination of uncompromising performance, unique convenience features and elegant design

 2.4 or 0.8 cu. ft. overall capacity



SD30WC

SDS30WC

WD30WC



30" Storage Drawer (2.4 cu. ft.) SD30WC 949 1,049 SDS30WC 749

30" Storage Drawer, Short Height (0.8 cu. ft.) 649

(Install Under Steam Oven)

Number Description UMRP MSRP

All Masterpiece® Series Star® Burner Gas Cooktops Include the Following Features:

- Patented Star® Burner provides superior flame coverage for faster and more even pan heating
- 16K BTU max
- · Blue indicator burner ON light
- · Chiseled stainless steel design
- Stainless steel control panel offers a sleek, modern design
- · High-quality, robust, metal knobs
- LP gas conversion kit not included; order separately
- · Sabbath compliant
- Two-year warranty

Masterpiece® Series

LR: BTU 12,000 high/1,750 low	C: BTU	RR: BTU 9,100 high/1,750 low
LF: BTU 9,100 high/1,750 low	16,000 high/1,900 low	RF: BTU 12,000 high/1,750 low



SGS365TS

36" Star® Burner, Stainless Steel, Five Burners

1,699 1,899

 ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

LR: BTU 12,000 high/1,750 low	
LF: BTU	
204 XLO/9.100 high	

	RR: BTU
C: BTU	9,100 high/1,750 low
6,000 high/583 XLO	RF: BTU
	12,000 high/1,750 low



SGSX365TS

SGS365TS

SGSX365TS

36" Star® Burner, Stainless Steel, Five Burners, ExtraLow® Select

1,999 2,199

ExtraLow Selec

LR: BTU 10,000 high/1,750 low		
LF: BTU		
8 000 high/1 750 low		

C: BTU 16,000 high/1,900 low

RR: BTU	
8,000 high/1,750 low	
RF: BTU	
10,000 high/1,750 low	



SGS305TS

30" Star® Burner, Stainless Steel, Five Burners

1,499 1,649

SGS305TS

 ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles

	LR: BTU
10,0	000 high/1,750 low
LF: BTU	
8.0	000 high/204 XLO

C: BTU 16,000 high/583 XLO RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSX305TS

SGSX305TS

30" Star® Burner, Stainless Steel, Five Burners,

1,799 1,999

ExtraLow® Select

Number Description UMRP MSRP

All Masterpiece® Series Pedestal Star® Burner Gas Cooktops Include the Following Features:

- Raised Pedestal Star® Burner provides superior flame coverage and allows for easier cleanup under each burner
- 18K BTU max

- QuickClean Base[®] contains liquid spills
- · Sleek glass control panel
- · High-quality, robust, metal knobs
- L.P. conversion kit not included; order separately
- · Sabbath compliant
- · Two-year warranty

Masterpiece® Series

 Blue indicator light for each burner

	LR: BTU 12,000 high/1,750 low	
LF: BTU 9,100 high/1,750 low		

C: BTU 18,000 high/1,900 low RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSP365TS


SGSP365TS

36" Pedestal Star® Burner, Stainless Steel,

1,999 2,199

Five Burners

- Progressive Illuminated light ring around each knob
- ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO

RR: BTU 9,100 high/1,750 low RF: BTU 12,000 high/1,750 low



SGSXP365TS

SGSXP365TS

36" Pedestal Star® Burner, Stainless Steel,


2,399 2,649

Five Burners, ExtraLow® Select

 Blue indicator light for each burner

	LR: BTU	
10	,000 high/1,750 low	
LF: BTU		
Ω	000 high/1 750 low	

C: BTU 18,000 high/1,900 low RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSP305TS

SGSP305TS


SGSXP305TS

30" Pedestal Star® Burner, Stainless Steel, Five Burners

1,799 1,999

2,349

- Progressive Illuminated light ring around each knob
- ExtraLow[®] Select feature, which provides 204 BTU low simmering capability with five precise setting cycles



C: BTU 18,000 high/583 XLO RR: BTU 8,000 high/1,750 low RF: BTU 10,000 high/1,750 low



SGSXP305TS

30" Pedestal Star® Burner, Stainless Steel,

Burner, Stainless Steel, 2,099

Five Burners, ExtraLow® Select

Model Number

Description

UMRP MSRP

Accessorie	es					
					Star [®] Burner	Pedestal Star®
W	SLPKITW	LP Gas Conversion Kit for Star [®] Burner Series Cooktops	99	109	•	
	SNPKITPEDW	LP Gas Conversion Kit for Pedestal Star® Burner Series Cooktops	99	109		•
0	SWOKRINGW Wok Ring Optimized for operation on Star® Burner and Pedestal Star® Burner Series gas cooktops • Fits over the large burner on all cooktop sizes, allowing the user to cook with up to a 16" wok • Cast iron construction is durable and dishwasher safe			•	•	
SGRIDDLEW Griddle Fits 30" and 36" 5-burner Star® and Pedestal Star® Burner Series models • Locks into the center grate • Cast aluminum design allows for even heat distribution and fast preheating • Non-stick coating for easy cleanup and cooking			•	•		
• •		W Blue Knob Kit, Pedestal Star [®] Burner Cooktops edestal Star [®] Burners Series models • Set of five I	109 knobs • Blue me	119 etallic finish • Easy to		•

Number Description UMRP MSRP

All Masterpiece® Series Glass Ceramic Electric Cooktops Include the Following Features:

· Triple element

• Maximum wattage: 4,000 W

Masterpiece® Series

Touch Control/Bridge

- With the help of CookSmart[®] the temperature is reached and maintained automatically without boilover
- · Bridge element with dual element
- · Touch controls with blue illumination are easy to use and offer a sleek, modern design
- PowerBoost[®]
- Child Lock

- · Shut-Off Timer for every element
- Kitchen timer
- · Number of cooking zones: 10
- Power/Amps: 208-240 V, 60 Hz//40/50 A

1,200 W/2,100 W

1.899 2.099



CET366TB

36" Stainless Steel Frame

Touch Control

- With the help of CookSmart[®] the temperature is reached and maintained automatically without boilover
- Touch controls with blue illumination are easy to use and
- offer a sleek, modern design
- Keep Warm
- · Child Lock
- · Shut-Off Timer for every element
- Kitchen timer
- Number of cooking zones: Eight
- Power/Amps: 208-240 V, 60 Hz//30 A



CFT305TB

CET366TB

LR: 5"/7" @	RR: 6"/8"/11" @
700 W (1,700 W)	1,050 W/2,200 W/3,080 W
LF: 6" @	RF: 6" @
1,700 W (4,000 W Bridge)	1,200 W

CET305TB

30" Frameless Design

1.899 1.699

Manual Controls/Stainless Steel Knobs/Bridge

- Dual zone bridge element accommodates oblong cookware
- I R: 5"/7" @ 700 W,1,700 W LF: 7" @ 1,700 W (4,000 W Bridge)
- · High quality, robust, die-cast metal knobs
- Variable 9-stage power settings

C: 6"/8"/11" @ 1,050 W,2,200 W/3,080 W

- · Number of cooking zones: 10
- Power/Amps: 208-240 V, 60 Hz//40/50 A





CEM366TB

CEM366TB

36" Stainless Steel Frame

1,599 1,799

Manual Controls/Stainless Steel Knobs

- Dual zone bridge element accommodates oblong cookware
- · High quality, robust, die-cast metal knobs
- Variable 9-stage power settings
- Power/Amps: 208-240 V, 60 Hz//30 A

· Number of cooking zones: 10



CEM305TB

RR: 6"/8"/11" @ I R: 5"/7" @ 1,050 W,2,200 W/3,080 W 700 W,1,700 W LF: 7" @ RF: 6" 1,700 W (4,000 W Bridge) 1,200 W

CEM305TB 30" Frameless Design 1,399 1,549

Number Description UMRP MSRP

All Masterpiece[®] Series Freedom[®] and Liberty™ Induction Cooktops Include the Following Features:

• PowerBoost®

• 17 power levels

Freedom® Induction - 13"×21" Cooking Position with 5,500 W

- Entire surface of the cooktop can be used as one large cooking area
- Up to 6 pots or pans are automatically recognized in any position and controlled using a full color touch screen
- Wi-Fi connectivity allows the cooktop and matching hood to communicate with one another to synchronize turning on task light and ventilation fan
- MyZone[™] mode allows changing a preset power level simply by moving a pot or pan on the cooktop
- Cooking Sensor Mode ready (wireless cooking sensor sold separately)
- Sapphire Glow[™] LED embedded surface lights along sides of cooktop provide visual feedback when a pot is moved or whether a pot is heated or not (36" models only)
- TeppanyakiPro™ mode divides a teppanyaki griddle into on heated or one nonheated area
- PanBoost™
- · 17 power levels
- · Residual heat indicators
- Panel Lock
- Cooking Timer, Kitchen Timer and Stopwatch Timer
- Power/Amps: 208/240 V, 60 Hz, 30 A



Masterpiece® Series

CIT36XWB






CIT36XWBB





CIT30XWBB





3,500 W/5,500 W (PowerBoost)

21T36XWB

36" Dark Gray Glass, Stainless Steel Frame

CIT36XWB36" Dark Gray Glass, Stainless Steel Frame5,2995,849CIT36XWBB36" Dark Gray Glass, Frameless Design5,2995,849CIT30XWBB30" Dark Gray Glass, Frameless Design4,7995,299

Number Description UMRP MSRP

Masterpiece® Series

Liberty™ Induction—with Home Connect™

- Three extra-large Liberty[™] cooking surfaces allow for tailored cooking zones
- Number of cooking zones:
 Five
- Home Connect[™] (Wi-Fi Enabled)
- · Cooktop-Hood Sync
- Automatic pan recognition
- HeatShift[™] has three preset heat zones
- MoveMode[™] allows easy transfer settings
- · Illuminated touch controls
- 17 power levels
- · Control panel lock
- · Automatic switch off
- · Timer for all zones
- Maximum wattage: 10,800 W
- Power/Amps: 208–240 V, 60 Hz//50 A



CIT367XG





CI	7	3	6	7	'	(G	٤

Left Full Zone	LR: 7½"×9" @				
15"×9" @	2,200 W/3,600 ₈ W				
3 300 W/3 700 W	(PowerBoost)				
3,300 W/3,700 ₈ W (PowerBoost)	LF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)				

CIT367XG

CIT367XMS

Center Full Zone 11¼"×9½" @ 3,300 W/3,600₈W (PowerBoost)

36" Titanium Gray Glass, Frameless

36" Silver Mirrored Glass,

Stainless Steel Frame

RR: 7½"×9" @ 2,200 W/3,600 W (PowerBoost) RF: 7½"×9" @ 2,200 W/3,600 W (PowerBoost)

Right Full Zone 15"×9" @ 3,300 W/3,700 W (PowerBoost)

3,799

4,299

Home

4,199

4,749

CIT367XGS	36" Titanium Gray Glass, Stainless Steel Frame	3,799	4,199
CIT367XM	36" Silver Mirrored Glass, Frameless	4,299	4,749



CIT367XM





CIT367XMS





This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Masterpiece® Series Glass Ceramic Induction Cooktops Include the Following Features:

- · Pan Recognition
- Touch control panel with blue light illumination offers 17 power settings
- · Speed Heating-induction cooktops heat

50% faster than traditional gas cooktops

- PowerBoost[®]
- · Anti-Overflow System
- · Two-Level Heat Indicator

- · Child safety lock
- · Element Shut Off Timer and kitchen timer
- Power/Amps: 240 V, 60 Hz//50 A

Masterpiece® Series

13" Element with 5,500 W

- Large 13" round heating element
- Industry-exclusive triple zone—accommodates multiple-size pans with three diameter sizes
- The most powerful (5,500 W) in its class



CI

LR: 7" @ 1,800 W/3,100 W (PowerBoost [®])	
LF: 7" @ 1,800 W/3,100 W (PowerBoost [®])	

C: 9"/11"/13" @ 2,200 W/3,700 W (PowerBoost) 2,600 W/4,400 W (PowerBoost) 3,300 W/5,500 W (PowerBoost)

RF: 9" @ 2,200 W/3,700 W (PowerBoost)

RR: 6" @

1,400 W/2,200 W (PowerBoost)

<u>CIT365TB</u> 36" Frameless Design

3,199 3,549

11" Element with 3,700 W

 Large and powerful 11" element with 3,700 W

LR: 9" @ 2,200 W/3,700 W (PowerBoost [®])	RR: 11" @ 2,400 W/3,700 W (PowerBoost)
LF: 6" @	RF: 6" @
1,400 W/2,200 W (PowerBoost)	1,400 W/2,200 W (PowerBoost)



CIT304TB

CIT304TB

30" Frameless Design

2,699 2,999

11" Element with 3,700 W—Silver Mirrored Finish

 Large and powerful 11" element with 3,700 W

LR: 9" @ 2,200 W/3,700 W (PowerBoost)	RR: 11" @					
LF: 6" @	RF: 6" @					
1.400 W/2.200 W (PowerBoost)	1.400 W/2.200 W (PowerBoost)					



CIT304TM

CIT304TM 30" Silver Mirrored Finish

3,199 3,549

			LLLCTRIC		INDUCI				<u> </u>	<u></u>
his price list superse	edes all previous price lists. P Model Number	Prices listed herein do not include applicable state or Description	local taxes.	UMRP	MSRP					
Accessorie	es	·					"	LC		
						Gas Cooktops	Electric Cooktops	Freedom Induction	Liberty Induction	Indiretion
	Tonnanyold						Ш	ш		
	ded accessory for nduction Cooktop	Silvinox surface treatment prevents discoloration7-Ply material	Additional cop aluminum ma for fast and even	terials us						
 Works with electric and 	induction,	• 18/10 stainless steel	• 10-year guara		3					
	TEPPAN1321	13"×21" Recommended accessory for Freedom® Induction Cooktop		499	549			•		
	TEPPAN1314	13"×14" Recommended accessory for Freedom® Induction Cooktop		399	439			•		
	TEPPAN1013	10"×13" Recommended accessory for Liberty™ and Freedom® Induction	n Cooktops	299	329			•	•	
	TEPPAN1016	10"×16" Recommended accessory for Liberty™ and Freedom [®] Induction	n Cooktops	399	439			•	•	
	rel Chef's Pan or cooking with	Stainless steel with aluminum core	 Encapsulated Three layers	aluminu	m base					
 Works with and gas 	induction, electric	 Non-stick Teflon® Platinum material (CHEFSPAN08) 	,							
9	CHEFSPAN08	10" Chef's Pan for 8" and 9" Elen	nents	199	219	•	•	•	•	•
	CHEFSPAN13	16" Chef's Pan for 13" Element		399	439	•	•	•	•	•
• Perfect for s	el Roasting Pan searing, braising, at, poultry and	 Ideally suited for Liberty™ induction cooking zones Made of 18/10 stainless steel 	 Dishwasher s Oven-safe up (350° with lid) 	to 500° I	F					
	TROASTERT	10"×16" Roasting Pan with Glass	s Lid	199	219				•	
Wireless Cod	king Temperature	Sensor								
 Allows you to way to prep you wish. Tl 	to select the best are every food as he cooking sensor ne temperature	of the pot continuously. This allows the power to be maintained with greater precision to provide exceptional cooking	results. The s to use the Fre Cooking Sens	edom [®] in	duction					
C.D.	TCOOKSENSW	Wireless Cooking Sensor		199	219			•		

$Thermador^{\circ}$

WALL OVENS

DELUXE

Rotisserie Max Broil 3 Telescopic Racks



Professional:

POD301W POD301LW* POD301RW*





Professional:



COMBO 30"



With Steam and Convection Oven:

Professional: PODS302W* Masterpiece: MEDS302WS



TRIPLE 30"

With Speed Oven::

Professional: PODMC301W* Masterpiece: MEDMC301WS

With Speed Oven:

Professional: PODMCW31W* Masterpiece: MEDMCW31WS



Masterpiece: MED301WS MED301LWS* MED301RWS*



Masterpiece: MED302WS MED302LWS* MED302RWS*



Professional: PO302W



With Microwave:

Professional: POM301W



Masterpiece: ME301WS

Professional:

PO301W



Masterpiece: ME302WS



Masterpiece: MEM301WS

SPECIALTY

SELECT

1 Telescopic

Rack



Steam and Convection Oven:

Professional: PODS301W



Masterpiece: MEDS301WS



Speed Oven::



Professional: MC30WP



Masterpiece: MC30WS

* Not pictured.

The information contained in this document is BSH Home Appliances Corporation's proprietary and confidential information. The release or disclosure of this information without the prior written obtained the inf

Number Description **UMRP** MSRP

All Professional Series Built-In Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- · Restaurant-style stainless steel knobs
- · TFT Touch control display
- · Silver glass on stainless steel
- SoftClose[®] doors
- · 4.5 cu. ft. overall oven capacity
- · 13 Cooking modes: True Convection,
- Speed Convection, Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast
- Two-hour self clean
- Fast preheat for seven different cooking modes
- · Two halogen lights

- · Sabbath Mode
- Star-K certified
- 208-240 V

Microwave/Speed Ovens

- · 1.6 cu. ft. overall capacity
- 10 power levels
- Sensor cooking
- · Sensor reheat

30" Professional Series Ovens

30" Professional Single Oven-Deluxe

- · Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- · Commercial-style rotisserie with 12-pound capacity
- Three Full Access® telescopic racks

· Multi-point meat probe



POD301W

POD301W 30" Single Oven, 3 Telescopic Racks 4,999 5,499 30" Single Oven, Left Side Opening Door, POD301LW 5,099 5,649

3 Telescopic Racks

3 Telescopic Racks





POD301LW

4,299

4,749



POD301RW 30" Single Oven, Right Side Opening Door, 5.099 5.649

30" Professional Single Oven-Select • One Full Access® telescopic · Meat probe

rack and two standard racks

PO301W 30" Single Oven, 1 Telescopic Rack

Number Description UMRP MSRP

30" Professional Series Ovens

30" Professional Double Oven-Deluxe

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil (U)
- Three Full Access[®] telescopic racks (U)
- One Full Access® telescopic rack and two standard racks (L)
- Multi-point meat probe(U)

8,099

8,949

• Meat probe (L)

POD302W	30" Double Oven, 4 Telescopic Racks	7,499	8,249
POD302LW	30" Double Oven, 4 Telescopic Racks,	8,099	8,949

Left Side Opening Door

POD302RW 30" Double Oven, 4 Telescopic Racks,

Right Side Opening Door



POD302W



POD302LW



30" Professional Double Oven-Select

One Full Access® telescopic rack and two standard racks

PO302W 30" Double Oven, 2 Telescopic Rack 6,499 7,149



PO302W



Number Description UMRP MSRP

30" Professional Series Ovens

30" Professional Combination Oven with Microwave

One Full Access® telescopic

rook and two standard rooks.

Microwave features:

rack and two standard racks (L) • Touch control display

· Meat probe (L)

• 13" turntable

POM301W 30" Combination Oven with Microwave,

1 Telescopic Rack

• 950 W microwave power

5,799



POM301W



30" Professional Combination Oven with Speed Oven

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access[®] telescopic racks
- Multi-point meat probe

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1,000 W microwave power

PODMC301W 30" Combination Oven with Speed Oven,

3 Telescopic Racks

7,099 7,849



PODMC301W



Number Description UMRP MSRP

30" Professional Series Ovens

30" Professional Triple Combination Oven with Speed Oven and Warming Drawer

- Additional Cooking modes: Rotisserie, Max Broil, Max Convection Broil
- Three Full Access[®] telescopic racks
- · Multi-point meat probe

Speed Oven features:

- 36 Cook Smart™ Programs
- 12 1/2" turntable
- 1,000 W microwave power

Warming Drawer features:

- SoftClose[®] drawer
- Touch control
- 2.5 cu. ft. overall capacity
- · 450 W heater
- Four heating modes: Low, Medium, High, Proof
- Timer

9,099 10,049



PODMCW31W



PODMCW31W

30" Triple Combo Oven with Speed Oven, 3 Telescopic Racks

Number Description UMRP MSRP

All Professional Series Built-in Steam and Convection Ovens Include the Following Features:

- Thermador Connected Experience with Home Connect™
- Large steam cavity 2.8 cu. ft.
- · TFT Touch control display
- · Restaurant-style stainless steel knobs
- · Silver glass on stainless steel
- SoftClose[®] doors
- 41 EasyCook® programs
- Features 17 cooking modes: True Convection, Convection Bake, Bake, Convection Roast, Roast, Convection Broil, Broil, Pizza, Speed Convection, Slow Roast, Dehydrate, Proof, Warm, Steam, Steam Convection, Reheat, Defrost
- Steam Clean program
- Fast preheat for five different cooking modes

- Three Full Access® telescopic rails
- Multi-point meat probe
- 1.4 qt. water tank
- · LED lights
- · Sabbath Mode
- Star-K certified
- 208-240 V

30" Professional Series Built-In Steam and Convection Oven

Professional Series Steam and Convection Oven

PODS301W 30" Steam and Convection Oven with

3 Telescopic Racks

4,899 5,399



PODS301W



Professional Combination Oven with Steam and Convection Oven—Deluxe

- Lower oven: Thermador Connected Experience with Home Connect™
- 4.5 cu. ft. overall oven capacity
- 16 Cooking modes: True Convection, Speed Convection, Rotisserie, Max Broil, Bake, Broil, Roast, Convection

PODS302W

Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, Dehydrate, Slow Roast

· Two-hour self clean

30" Deluxe, Steam and Convection

Double Oven with 6 Telescopic Racks

- Fast preheat for seven different cooking modes
- Three Full Access[®] telescopic racks
- Multi-point meat probe
- · Three halogen lights
- Sabbath Mode
- · Star-K certified
- 208–240 V

8,499 9,349



PODS302W



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number UMRP Description MSRP 30" Professional Series Built-In Steam and Convection 30" Professional Series **Accessories** Self-Clean Standard Rack, 30" 199 SDCLNRCK30 219 For the telescopic rack, please see the Cleaners & Accessories Price List in the Sales SharePoint. NEW WKNOBKT3W Blue Metal Knob Kit 49 59

for Professional Oven (2 pc.)

Number Description UMRP MSRP

All Professional Series Rangetops Include the Following Features:

- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Each burner has electronic ignition/ re-ignition;
- Metal knobs (also available in Metallic Blue, PKNOBLUWR, sold separately. See page 5-11)
- LED downlighting illuminates the control panel.
- Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners
- Two-year warranty
- · Star-K certified
- 15 Amps

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador® vent hood. (see Thermador® Professional Hoods, page 6-1)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately (PALPKITHW for all units; PALPKITHW5 for five Pedestal Star® Burner units). No High Altitude conversion kit needed for Rangetops.

30" Professional Gas Rangetop

- Five Pedestal Star® Burners (Two with ExtraLow®). overall output of 59,000 BTU.
- Suitable for use with Thermador OTR (see page 3-8)

LR: BTU 8,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately (PALPKITHW5 for five Pedestal Star® Burner units). No High Altitude conversion kit needed for Rangetops.

15 Amps

15.000 high'



PCG305W 30" Stainless Steel with Porcelain Surface 3,199 3,549

36" Professional Gas Rangetop

- Four Pedestal Star[®] Burners (Two with ExtraLow[®])
- Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW.

• 20 Amps



LR: BTU 15,000 high*/375 XLO LF: BTU 18,000 high*/375 XLO

Electric Griddle 1,630 W 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low

RR: BTU

PCG364WD

PCG364WD

36" Stainless Steel with Porcelain Surface and Griddle 4,099 4,549

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 8,000} BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description **UMRP** MSRP

36" Professional Gas Rangetop

 Four Pedestal Star® Burners (Two with ExtraLow®)

 Fusion non-stick surface Indoor Pro Electric Grill with ceramic briquettes, convertible to

Griddle with optional accessory PAGRIDDLEW.

• 20 Amps RR: BTU

I R: BTU 15,000 high*/375 XLO LF: BTU

18,000 high*/375 XLO

Pro Indoor Electric Grill 1,630 W (6-pass 2x)

15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low

PCG364WL

36" Stainless Steel with Porcelain Surface and Pro Grill

4.099 4,549

Six Pedestal Star® Burners (Two with ExtraLow®).

• 15 Amps

LR: BTU CR: BTU RR: BTU 15,000 high*/375 XLO 15,000 high*/3,000 low 15,000 high*/3,000 low CF: BTU LF: BTU RF: BTU 18,000 high*/375 XLO 18,000 high*/3,000 low 18,000 high*/3,000 low

PCG366W

PCG366W 36" Stainless Steel with

Porcelain Surface

3,799 4,199

5,199

48" Professional Gas Rangetop

Six Pedestal Star® Burners (Two with ExtraLow®)

Six Pedestal Star® Burners

(Two with ExtraLow®)

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW. 20 Amps



CR: BTU LR: BTU 15,000 high*/375 XLO 15,000 high*/3,000 low LF: BTU CF: BTU 18,000 high*/375 XLO 18,000 high*/3,000 low

Electric Griddle 1,630 W

RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG486WD

48" Stainless Steel with

Porcelain Surface and Griddle

· Fusion non-stick surface Indoor Pro Electric Grill with ceramic

briquettes, convertible to

Griddle with optional accessory PAGRIDDLEW.

4,699

20 Amps



Pro Indoor Electric Grill 1 630 W (6-pass 2x)

RR: BTU 15,000 high*/3,000 low RF: BTU 18,000 high*/3,000 low



PCG486WL

48" Stainless Steel with

4,699 5,199

Porcelain Surface and Pro Grill

* 8,000 BTU NG burners convert to 6,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description

UMRP MSRP

Accessorie	es				30"		36"		4	8"
					PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
	PA12GRILLW Non-stick (non-fus clean and durable	12" Grill Plate Accessory w/ Tray (for Griddle Modules) sion) surface coating ("high-release") is easy to over time.	319	359		•			•	
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Modules)	319	359			•			•
	PAGRIDLFW	12" Griddle Plate Accessory w/ Tray (for Grill Modules)	319	359						
	(Fusion coating) F to the "high-releas	Fusion coated accessories offered as an alternative se" accessories.					•			•
	PA12GRILFW	12" Grill Plate Accessory w/ Tray (for Griddle Modules)	319	359						
	(Fusion coating) F to the "high-releas	Fusion coated accessories offered as an alternative e" accessories.				•			•	
	PABRICKBKW	Flat Ceramic Briquettes with Basket	199	219			•			•
	PABRICKW	Flat Ceramic Briquettes (no Basket)	99	109			•			•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•
	PAGRIDDLE	Griddle sits on top of Grates over two Burners, high-release surface coating	199	219	•	•	•	•	•	•
	PA12LCVRW	12" Professional Griddle Cover	209	229		•			•	
	PA12LCVRN	12" Professional Indoor Grill Cover	299	329			•			•

UMRP

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description

Accessorie	es				30"		36"		48	3"
					PCG305W	PCG364WD	PCG364WL	PCG366W	PCG486WD	PCG486WL
	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•
*/	PALPKITHW	LP Conversion Kit Pro Harmony Dual Fuel Ranges & Rangetops (4 & 6 Burner)	139	159		•	•	•	•	•
**/	PALPKITHW5	LP Conversion Kit Pro Dual Fuel Ranges & Rangetops (5 Burner)	139	159	•					
	PAKNOBLUWR	Metallic Blue Pro Rangetop Knob Kit	239	269	•	•	•	•	•	•
	PA30WLBC	10" Low Backguard for 30" Rangetop	209	229	•					
	PA36WLBC	10" Low Backguard for 36" Rangetop	269	299		•	•	•		
	PA48WLBC	10" Low Backguard for 48" Rangetop	319	359					•	•

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

All Pro Grand® Series Dual Fuel Ranges Include the Following Features:

- · Commercial-Depth (27")
- Patented Pedestal Star[®] Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- Continuous porcelain, easy-to-clean cooking surface
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-23)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- L.P. kit ordered separately for converting burners for L.P. gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified

All Ovens

- SoftClose[®] hydraulic hinges for ultrasmooth closing
- Three Full Access[®] telescopic racks with integrated easy-grip handles
- Fast Preheat

Main Oven

- Largest convection oven features a 5.7 cu. ft. overall volume* accommodates commercial size full sheet pan.
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- 9 modes including two rapid, self-clean cycles: 3 hr heavy-soil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion, and preheat status with audible alert
- · Hidden bake element
- Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador® Professional Hoods, page 6-1)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

Induction Models

- Thermador 3,600 W Liberty Induction with two zones
- Features 9 power levels, XHI
 PowerBoost, Bridge, HeatShift, Timer and a safety shutoff

Indoor Pro Electric Grill

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating
- · Fusion non-stick surface

Griddle:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

48" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean, Third Element Convection (1,960 W) and temperature probe for Roast
- 2,600 W 6-pass broil elements
- Oven features a 2.5 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

60" Range Full-featured Secondary Oven

- 9 modes including 2-hour self clean
- Third Element Convection (2,750 W)
- Temperature probe for Roast
- · 4,000 W 6-pass broil elements
- Oven features a 4.9 cu. ft. overall volume*
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

Number Description **UMRP MSRP**

36" Dual-Fuel Ranges

 Four Pedestal Star® Burners (Four with ExtraLow®) with Liberty Induction

· Teppan-yaki accessory TEPPAN1016 sold separately

LR: BTU	RR: BTU				
15,000 high*/375 XLO	15,000 high*/375 XLO				
LF: BTU	RF: BTU				
22 000 XHI*/375 XI O	18 000 high*/375 XLO				

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

Induction 3.600 W 230 V 3,300 W 208 V



PRD364WIGU



 Six Pedestal Star® Burners (Four with ExtraLow®)

PRD364WIGU

PRD366WGU

LR: BTU	CR: BTU	RR: BTU				
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO				
LF: BTU	CF: BTU	RF: BTU				
22.000 XHI*/375 XLO	18,000 high*/3,000 low	18.000 high*/375 XLO				

9,699 10,699 36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks



 Four Pedestal Star® Burners (Four with ExtraLow®) and fusion non-stick surface Indoor Pro Electric Grill.

LR: BTU

15,000 high*/375 XLO

I F: RTII

22,000 XHI*/375 XLO

· Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

> RR: BTU Electric Grill 15,000 high*/375 XLO 1.630 W RF: BTU (6-pass 2x) 18,000 high*/375 XLO

PRD364WLGU

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 10,199 11,249

10,599 11,699



 Four Pedestal Star® Burners (Four with ExtraLow®) and

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high*/375 XLO	Electric Griddle 1,630 W (6-pass)	RR: BTU 15,000 high*/375 XLO
LF: BTU 22,000 XHI*/375 XLO		RF: BTU 18,000 high*/375 XLO



PRD364WDGU 36" Stainless Steel with 10,199 11,249

Porcelain Surface and All Telescopic Oven Racks PRD364WDGU

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG305xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

48" Dual-Fuel Ranges

 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) with Liberty Induction Teppan-yaki accessory TEPPAN1016 sold separately

LR: BTU	CR: BTU	RR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low	15,000 high*/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI*/375 XLO	18,000 high*3,000 low	18,000 high*/375 XLO

Induction 3,600 W 230 V 3,300 W 208 V

PRD486WIGU 48" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks 13,899 15,299



HOME CONNECT K

 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Electric Griddle Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRD486WDGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 13,349 14,699



 Six Pedestal Star® Burner Cooktop (Four with ExtraLow®) and fusion non-stick surface Indoor Pro Electric Grill Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Grill 1,630 W (6-pass 2x)

RR: BTU	
15,000 high*/375 XLO	
RF: BTU	
18,000 high*/375 XLO	



PRD486WLGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 13,349 14,699

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model Number Description UMRP MSRP

48" Dual-Fuel Ranges

 Four Pedestal Star[®] Cooktop (Four with ExtraLow®) with fusion non-stick surface Indoor Pro Electric Grill, and Griddle

 Indoor Pro Electric Grill. convertible to Griddle with optional accessory **PAGRIDDLEW**

,000 high*/375 XLO
CF: BTU ,000 high*/375 XLO

Electric Grill 1,630 W (6-pass 2x)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

> Electric Griddle 1,630 W (6-pass)

> > 13,649 15,049





PRD484WCGU

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

60" Dual-Fuel Ranges

The Ultimate Entertainer's Center™

 Six Pedestal Star Burners (Four with ExtraLow) with 24" Dual Zone Griddle

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



24" Electric Griddle 1,630 W (Left & Right) (3,260 W total)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRD606WEG

60" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

17.449 19.199

The Ultimate Entertainer's Center™

 Six Pedestal Star® Burners (Four with ExtraLow®) with Indoor Pro Electric Grill and 12" Griddle

LR: BTU

12,500 high*/375 XLO

LF: BTU

22,000 XHI*/375 XLO

 Indoor Pro Electric Grill. convertible to Griddle with optional accessory **PAGRIDDLEW**

Electric Grill 12,500 high*/3,000 low 1,630 W (6-pass 2x) 18,000 high*/3,000 low

· Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

Electric Griddle 1,630 W (6-pass)

RR: RTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO





PRD606WCG 60" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

CR: BTU

CF: BTU

17,449 19,199

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18 000 RTILLP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

MSRP

UMRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description

All Pro Grand® Series Dual Fuel Steam Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Pedestal Star[®] Burners with QuickClean Base[™] (Four with ExtraLow[®] Simmer)
- · Steam and convection oven
- · Warming drawer
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-23)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with Four ExtraLow® Simmer burners (two far-left pair and two far-right pair)
- Two Zone Liberty Induction (48" models)
- Induction Models (48" dual-fuel models): featuring the Thermador 3,600 W Liberty surface with two zones—Features 9 power levels, XHI PowerBoost, Bridge, HeatShift, Timer and a safety shutoff
- Electric Griddle (convertible to grill with grill accessory)
- 24" Two Zone Electric Griddle (60" models)
- Griddle model: 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Indoor Pro Electric Grill (convertible to griddle with griddle accessory),

- L.P. conversion kit ordered separately for converting burners for L.P. gas
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified
- · CSA certified
- Indoor Pro Electric Grill Model: 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, non-stick surface coating

Oven features:

- SoftClose[®] hinges for ultra-smooth closing
- Large oven includes three Full Access[®] telescopic racks with integrated easy-grip handles
- Largest convection oven features 4.9 cu. ft. (48" models)
- 5.7 cu. ft. (60" models) overall volume*
- · Fast Preheat
- 4,000 W 8-pass broil and 2,000 W bake elements
- Third Element Convection (2,750 W) for multi-rack cooking
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean
- Electronic oven display interfaces to Fast Preheat, Sabbath mode, cook timer, temperature probe, convection conversion and preheat status with audible alert

 Thermador Connected Experience with Home Connect™ enables oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices, like Amazon 'Alexa'

Steam Oven features:

- 27 Easy Cook[®] programs
- 9 advanced conventional cooking modes: Steam, steam convection, reheat, defrost, slow cook, keep warm, proof, true convection, and steam programs
- 2,750 W convection element
- 1.6 cu. ft. steam cavity easily accommodates a 14 lb. turkey
- Non-plumbed
- Steam Clean function

Warming drawer features:

- Open sides for convenient accessibility
- Holds up to ten 11" dinner plates
- Exclusive smooth surface warming drawer
- Three heat settings

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-1)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

Model Number Description **UMRP** MSRP

48" Dual-Fuel Steam Range

The Ultimate Culinary Center™

 Six Pedestal Star® Burners (Four with ExtraLow®))

LR: BTU

15,000 high*/375 XLO

I F: BTU

22,000 XHI*/375 XLO

· Liberty Induction.

RR: BTU 15,000 high*/375 XLO RF: BTU

18,000 high*/375 XLO

Teppan-yaki accessory TEPPAN1016 sold separately

16,399 18,049

15,449 16,999

Induction 3,600 W 230 V 3,300 W 208 V

PRD48WISGU



PRD48WISGU

PRD48WDSGU

48" Stainless Steel with Porcelain Surface and

CR: BTU

15,000 high*/3,000 low

CF: BTU

18,000 high*/3,000 low

All Telescopic Oven Racks (main oven)

The Ultimate Culinary Center™

 Six Pedestal Star® Burners (Four with ExtraLow®)

· Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU	CF: BTU
22,000 XHI*/375 XLO	18,000 high*/3,000 low

Electric Griddle 1 630 W (6-pass)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

48" Stainless Steel with

All Telescopic Oven Racks (main oven)

Porcelain Surface and



PRD48WDSGU



The Ultimate Culinary Center™

 Six Pedestal Star[®] Burners (Four with ExtraLow®)

· Indoor Pro Electric Grill, convertible to Griddle with optional accessory **PAGRIDDLEW**

LR: BTU	CR: BTU
15,000 high*/375 XLO	15,000 high*/3,000 low
LF: BTU 22.000 XHI*/375 XLO	CF: BTU 18.000 high*/3.000 low

Electric Grill 1,630 W (6-pass 2x)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO

15,449 16,999



PRD48WLSGU



PRD48WLSGU 48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

* 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description **UMRP** MSRP

48" Dual-Fuel Steam Range

The Ultimate Culinary Center™

- Four Pedestal Star® Burners (Four with ExtraLow®)
- · Indoor Pro Electric Grill and Griddle

LR: BTU	CR: BTU	Electric Grill
15,000 high*/375 XLO	15,000 high*/375 XLO	1.630 W
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/375 XLO	(6-pass 2x)

PRD48WCSGU 48" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

· 24" stainless steel cover PA24CVRW for Grill/Griddle sold separately

> Electric Griddle 1,630 W (6-pass)



16,099 17,749

PRD48WCSGU



60" Dual-Fuel Steam Range

The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- 24" Dual Zone Griddle

LR: BTU

12,500 high*/375 XLO

LF: BTU

22,000 XHI*/375 XLO

• 5.7 cu. ft. main oven cavity accommodates commercial size full sheet pan •

24" Electric Griddle 12,500 high*/3,000 low 1,630 W (Left & Right) (3,260 W total)

RR: BTU 15,000 high*/375 XLO RF: BTU

· 24" stainless steel cover

accessory PA24CVRR for

24" Griddle sold separately

18,000 high*/375 XLO

PRD606WESG

PRD606WESG

60" Stainless Steel with Porcelain Surface and

CR: BTU

CF: BTU

18,000 high*/3,000 low

CR: BTU

12,500 high*/3,000 low

CF: BTU

18,000 high*/3,000 low

All Telescopic Oven Racks (main oven)

The Ultimate Entertainer's Center™

- Six Pedestal Star® Burners (Four with ExtraLow®)
- Indoor Pro Electric Grill and 12" Griddle

LR: BTU


12,500 high*/375 XLO

LF: BTU

22,000 XHI*/375 XLO

- 5.7 cu. ft. main oven cavity accommodates commercial
- size full sheet pan

· 24" stainless steel cover



PA24CVRW for Grill/Griddle sold separately



PRD606WCSG



PRD606WCSG 60" Stainless Steel with Porcelain Surface and

All Telescopic Oven Racks (main oven)

19,949 21,949

19,949 21,949

* 12,500 BTU NG burners convert to 11,000 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD305xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

MSRP

UMRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description

All Pro Grand® Series All Gas Ranges Include the Following Features:

- Commercial-depth (27")
- Featuring Patented Pedestal Star[®] Burner with QuickClean Base[™] (Four with ExtraLow[®] Simmer),
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star[®] Burner with QuickClean Base[™]
- Metal knobs (also available in Metallic Blue, PAKNOBLUWG, sold separately. See page 5-23)
- Powerful burners with electronic ignition/ re-ignition plus one XHI power burner (left-front) 22,000 BTU (NG) (XHI 18,000 BTU L.P.)
- Precision simmering capabilities as low as 375 BTU with four ExtraLow® Simmer burners (two far-left pair and two far-right pair)

Griddle model:

- 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum
- Electric Griddle (convertible to grill with grill accessory),

Indoor Pro Electric Grill model:

 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating

- Indoor Pro Electric Grill (convertible to griddle with griddle accessory)
- NEW Gas ranges are now field convertible from natural gas to liquid propane—kits sold separately
- · Island trim is included
- · Panel lighting illuminates knob controls
- Two-year warranty
- · Star-K certified

Oven features:

- SoftClose® hydraulic hinges for ultrasmooth closing
- Each oven includes three Full Access[®] telescopic racks with integrated easy-grip handles

Large oven:

- 5.7 cu. ft. overall volume* accommodates commercial full-size sheet pan
- 17,500 BTU high-intensity infrared broil burner (NG/L.P.)
- Multi-Point temperature probe for Bake and Roast modes captures temperatures at multiple points for more accurate results
- · 6 conventional cooking modes
- Two rapid, self-clean cycles: 3 hr heavysoil clean and 1½ hr light-soil clean

- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert
- Connected Experience with Home
 Connect™ enables oven control and
 monitoring as well as access to guided
 Thermador recipes, services and exclusive content; plus compatibility with other
 smart devices, like Amazon 'Alexa'

Full-featured Secondary Oven features:

- 2.5 cu. ft. overall volume*
- Six modes including convection, 2-hour self clean, and temperature probe for Roast
- 15,000 BTU Bake and 7,000 BTU infrared broil burners (NG/L.P.)
- Electronic oven display interfaces to Sabbath mode, cook timer, temperature probe and preheat status with audible alert

Note

- It is strongly recommended that this appliance be installed in conjunction with a Thermador vent hood. (see Thermador[®] Professional Hoods, page 6-1)
- For Liquid Propane models: Natural to L.P. Gas Field Conversion Kit must be ordered separately. For altitudes above 5,400 ft, see High Altitude Kits.

36" All-Gas Range

 Six Pedestal Star Burners (Four with ExtraLow)

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/375 XLO
LF: BTU	CF: BTU	RF: BTU
22,000 XHI**/375 XLO	18,000 high**/3,000 low	18,000 high**/375 XLO

PRG366WG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

8,099 8,949



PRG366WG



**15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*}According to AHAM Standards

Number Description UMRP MSRP

36" All-Gas Range

 Four Pedestal Star Burners (Four with ExtraLow)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU 15,000 high*/375 XLO	
LF: BTU 22 000 XHI*/375 XLO	

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRG364WDG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 8,749 9,649



 Four Pedestal Star Burners (Four with ExtraLow) Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional PAGRIDDLEW

LR: BTU 15,000 high*/375 XLO LF: BTU 22,000 XHI*/375 XLO Electric Grill 1,630 W (6-pass 2x)

RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO



PRG364WLG

HOME CONNECT K

PRG364WLG

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 8,749 9,649

 Six Pedestal Star Burners (Four with ExtraLow)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

LR: BTU
15,000 high*/375 XLO

LF: BTU
22,000 XHI*/375 XLO

CR: BTU
15,000 high*/3,000 low

CF: BTU
18,000 high*/3,000 low

Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high*/375 XLO RF: BTU 18,000 high*/375 XLO





PRG486WDG

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks 11,549 12,749

PRG486WDG



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

PRO GRAND® SERIES—ALL-GAS RANGES AND ACCESSORIES

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

48" Stainless Steel with Porcelain

Surface and All Telescopic Oven Racks

Number Description UMRP MSRP

48" All-Gas Range

 Six Pedestal Star[®] Burners (Four with ExtraLow[®])

PRG486WLG

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional PAGRIDDLEW

LR: BTU	CR: BTU	Elec
15,000 high*/375 XLO	15,000 high*/3,000 low	1.
LF: BTU 22,000 XHI*/375 XLO	CF: BTU 18,000 high*/3,000 low	(6-r

RR: BTU
15,000 high*/375 XLO
1,630 W
6-pass 2x)

RF: BTU
18,000 high*/375 XLO

11,549 12,749

PRG486WLG



																							—		
Accessorie	es							D	ual	Fu	el				Steam						All Gas				
					36" 48"				60)"	48"				60"			36'		48"					
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WI G
		12" Grill Plate Accessory w/ Tray usion) surface coating / to clean and durable		359 e.				•		•		•	•	•		•		•	•	•		•		•	
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Mo	319 odules)	359			•				•	•		•			•	•		•			•		•
		12" Griddle Plate Accessory w/ Tray (for Grill Modules)) Fusion coated access to the "high-release" a					•				•	•		•			•	•		•			•		•
	PA12GRILFW (Fusion coating)	12" Grill Plate Accessory w/ Tray) Fusion coated access to the "high-release" a	319 sories of	359 fered				•		•		•	•	•		•		•	•	•		•		•	
	TEPPAN1016	Teppan-yaki pan for Induction models	399	439	•				•						•										

^{* 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Accessorie	Accessories			Dual Fuel								Steam						All Ga			-				
						30		_		Ι_	8"	_	60)"		48		_	60			36"		48	3"
	Model				PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	Number	Description	UMRP	MSRP	В	PA	PP	PP	P	PA	PA	PA	PP	PH	PR	Щ	ВВ	PP	H.	PP	PB	PP	PP	РР	Н
	PABRICKBKW	Flat Ceramic Briquettes with Baske	199 t	219			•				•	•		•			•						•		•
	PABRICKW	Flat Ceramic Briquettes (no Basket	99	109			•				•	•		•			•	•		•			•		•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PAGRIDDLE	Griddle sits on top of Grates of two Burners, high-rele coating		219 face	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•		•		•		•		•		•		•	
	PA12LCVRN	12" Cover Professional Indoor G	299 irill	329			•				•	•		•			•	•		•			•		•
B 0/	PA24CVRR	24" Cover for Griddle	299	329									•						•						
0 0	PA24CVRW	24" Cover for Grill/Griddle Comb Models	259 oination	289								•		•				•		•					
	PWOKRINGHC	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Accessorie	es				Dual Fuel					Steam						All Ga									
						30	3"			48	3"		60	"		48	3"		60)"		36"		48	ያ"
					PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	D606WCG	PRD48WISGU	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	G366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	Model Number	Description	UMRP N	MSRP	PR	PR	PR	PR	PR	PR	PR	PR	PR	PB	PR	H	PR	PR	PR	PR	PR	PR	PR	PR	PR
1 =	PAALTKITGW	High Altitude Kit, NG Pro Grand Range 10.2K ft	89 es, 5.4K t	99 ft to	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	_	ude kit, please see the (e List in the Sales Shar		&	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
*/	PALPKITDGW	LP Conversion Kit Pro Grand Dual Fuel	199 Ranges	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
*/	PALPKITGGW	LP Conversion Kit Pro Grand Gas Rang	199 es	219																	•	•	•	•	•
THE STATE OF THE S	PAKNOBLUWG	Metallic Blue Pro Grand Knob Kit	259	289	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	<u>CS1XLPH</u>	Cooking Pan Perforated, half size,	199 1%" dee	219 p											•	•	•	•	•	•					
	CS1XLH	Cooking Pan half size, 1%" deep	199	219											•	•	•	•	•	•					
	CS2XLPH	Cooking Pan Perforated, full size,	199 1%" deep	219											•	•	•	•	•	•					
	CS2LH	Baking Pan full size, 1½" deep	199	219											•	•	•	•	•	•					
	CS2XLH	Cooking Pan full size, 1 %" deep	199	219											•	•	•	•	•	•					
	CSRACKH	Wire Rack	199	219											•	•	•	•	•	•					
	PA36WTKG	Toe Kick for 36" Pro Grand [®] Ra	109 ange	119	•	•	•	•													•	•	•		

Accessorie	es				Dual Fuel					Steam						All Ga								
				36" 48"			8"		60'	48"			60)"		36"		48	3"					
	Model Number	Description	UMRP	MSRP	PRD364WIGU	PRD366WGU	PRD364WLGU	PRD364WDGU	PRD486WIGU	PRD486WDGU	PRD486WLGU	PRD484WCGU	PRD606WEG	PRD606WCG	PRD48WDSGU	PRD48WLSGU	PRD48WCSGU	PRD606WESG	PRD606WCSG	PRG366WG	PRG364WDG	PRG364WLG	PRG486WDG	PRG486WLG
	PA48WTKG	Toe Kick for 48" Pro Grand [®] R	109 ange	119					•	•	•	•		•	•	•	•						•	•
	PA60WTKG	Toe Kick for 60" Pro Grand [®] R	139 ange	159									•					•	•					
	PA36WLBG	7" Low Backguard for 36" Gas/Dual-Fue Ranges	479 I Pro G	529 irand [®]	•	•	•	•												•	•	•		
, <u></u>	PA48WLBG	7" Low Back, for 48" Pro Grand [®] G	509 as Ran	599 ges					•	•	•	•											•	•
	PA48WLBSG	7" Low Back, for 48" Pro Grand [®] D Ranges	509 ual-fuel	599										•	•	•	•							
	PA60WLBG	7" Low Backguard for 60" for Pro Grand	559 ® Rang	649 e									•	·				•	•					

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP **MSRP**

All Pro Harmony® Series Dual Fuel Ranges Include the Following Features:

- Cabinet-Depth (24")
- · Four pedestal burner range: each front burner has output of 18,000 BTU (NG)
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- · Metal knobs (also available in Metallic Blue, PAKNOBLUWH, sold separately. See page 5-32)
- All burners with electronic ignition/ re-ignition
- · Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners

Griddle model:

· 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

Indoor Pro Electric Grill model:

- 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- · For L.P.: Natural to L.P. Gas Field Conversion Kit must be ordered separately.
- Island trim included
- Two-year warranty
- · Star-K certified

Main oven features:

- Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- Hidden Thermal Bake (2,000 W), Broil (4,000 W),
- Third element rear 2,750 W convection
- Convection Broil and two rapid, self-clean cycles: 3 hr heavy-soil clean (36" & 48" Ranges only) and 11/2 hr light-soil clean

• Thermador Connected Experience with Home Connect™ enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content: plus compatibility with other smart devices, like Amazon 'Alexa'

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements.
- 2.4 cu. ft. overall volume*

Note

· Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

30" Dual-Fuel Range

 Five Pedestal Star Burners (Two with ExtraLow"); overall output of 59,000 BTU and suitable for use with the Thermador OTR (see page 3-8)

LR: BTU	
8,000 high**/375 XLO	
LF: BTU	
18,000 high**/375 XLO	

Four Pedestal Star Burners

(Two with ExtraLow)

30" range features 4.4 cu. ft. overall volume*





PRD305WHU

PRD305WHU

PRD304WHU

30" Stainless Steel with

30" Stainless Steel with

Porcelain Surface and One Telescopic Oven Rack

overall volume*

• 30" range features 4.4 cu. ft.

,	
LR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low
LF: BTU	RF: BTU
18.000 high**/375 XLO	18.000 high**/3.000 low

6.749

7,449

6.199 6.849



PRD304WHU



*According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Porcelain Surface and One Telescopic Oven Rack

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

36" Dual-Fuel Range

•	Six Pedestal Star®	Burners
	(Two with ExtraLor	w [®])

- Oven features 4.9 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect™

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



9,249

PRD366WHU

0,<u>2</u>.0

9.849

PRD366WHU 36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks



 Oven features 4.9 cu. ft. overall volume*

(Two with ExtraLow)

LR: BTU 15,000 high**/375 XLO LF: BTU

18,000 high**/375 XLO

 Thermador Connected Experience with Home Connect™

> Electric Griddle 1,630 W (6-pass)

 Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

8.949

8,399

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low 00 0 = 0000

PRD364WDHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks



 Four Pedestal Star Burners (Two with ExtraLow)

LR: BTU

15,000 high**/375 XLO

18,000 high**/375 XLO

 Oven features 4.9 cu. ft. overall volume*

PRD364WDHU

 Thermador Connected Experience with Home Connect™

Electric Grill

1,630 W

(6-pass 2x)

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRD364WLHU

PRD364WLHU

36" Stainless Steel with

Porcelain Surface and All Telescopic Oven Racks

8,949 9,849



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description UMRP MSRP

48" Dual-Fuel Range

 Six Pedestal Star® Burners (Two with ExtraLow®)

LR: BTU

15,000 high**/375 XLO

LF: BTU

18,000 high**/375 XLO

- Main oven features 4.4 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect™

•	Non-stick surface Electric
	Griddle, convertible to Grill
	with optional accessory
	PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low



PRD486WDHU

PRD486WDHU

48" Stainless Steel with

CR: BTU

15,000 high**/3,000 low

CF: BTU

18,000 high**/3,000 low

Porcelain Surface and All Telescopic Oven Racks

Electric Griddle 1,630 W (6-pass)

12,199 13,449

12,199 13,449



- Six Pedestal Star Burners (Two with ExtraLow)
- Main oven features 4.4 cu. ft. overall volume*

LR: BTU

15,000 high**/375 XLO

LF: BTU

18,000 high**/375 XLO

- Thermador Connected Experience with Home Connect™
- CR: BTU

 15,000 high**/3,000 low

 CF: BTU

 CR: BTU

 Electric Grill

 1,630 W

 (6-pass 2x)

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low



PRD486WLHU



PRD486WLHU

48" Stainless Steel with

18,000 high**/3,000 low

Porcelain Surface and All Telescopic Oven Racks

- Four Pedestal Star[®] Burners (Two with ExtraLow[®])
- Main oven features 4.4 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect™
- Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

 Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



PRD484WCHU



LR: BTU CR: BTU 15,000 high**/375 XLO 15,000 high**/3,000 low

LF: BTU CF: BTU 18,000 high**/3,75 XLO 18,000 high**/3,000 low

Electric Grill 1,630 W (6-pass 2x)

Griddle 1,630 W (6-pass)

PRD484WCHU

48" Stainless Steel with

12,599 13,899

Porcelain Surface and All Telescopic Oven Racks

* According to AHAM Standards

** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP **MSRP**

All Pro Harmony® Series All Gas Ranges Include the Following Features:

- Cabinet-Depth (24")
- · Four pedestal burner; range: each front burner has output of 18,000 BTU (NG)
- All burners with electronic ignition/ re-ignition
- Continuous porcelain, easy-to-clean cooking surface
- Patented Pedestal Star® Burner with QuickClean Base™
- Metal knobs (also available in Metallic Blue, PAKNOBLUWH, sold separately. See page 5-32)
- · Precision simmering capabilities as low as 375 BTU with two ExtraLow® simmer burners

Griddle model:

 1,630 W electric element, thermostatically controlled, non-stick surface coating, cast-aluminum

· Griddle is interchangeable with grill accessory for convenient indoor grilling

Indoor Pro Electric Grill model:

- · 1,630 W electric element, 2-zone thermostatically controlled, ceramic briquettes, fusion non-stick surface coating
- NEW Gas ranges are now field convertible from natural gas to liquid propane—Conversion Kit must be ordered separately
- · Island trim included
- Two-year warranty
- · Star-K certified

Ovens feature:

- · All large ovens feature
- · 17,500 BTU high-intensity infrared broiler
- Full Access® telescopic racks with integrated easy-grip handle (36" and 48" ovens: 3; 30" oven: 1)
- · Gas convection oven

- 20,500 BTU bake burner
- · Convection Bake, Thermal Bake (20,500 BTU)
- Thermador Connected Experience with Home Connect™ enables 36" and 48" main oven control and monitoring as well as access to guided Thermador recipes, services and exclusive content; plus compatibility with other smart devices. like Amazon 'Alexa'

Secondary oven features:

- 18" auxiliary oven on 48" range only
- Hidden Thermal Bake, Broil, Warming, Proofing, and 2-hour self-clean
- 2,600 W broil and 1,400 W bake elements,
- 2.4 cu. ft. overall volume*


Note

Professional-style ventilation is HIGHLY RECOMMENDED (see Thermador® Professional hoods)

30" All-Gas Range

 Five Pedestal Star Burners (Two with ExtraLow); overall output of 59,000 BTU and suitable for use with the Thermador OTR (see page 3-8.

• 30" range features 4.6 cu. ft. overall volume*



LR: BTU

8,000 high**/375 XLO I F: BTU 18,000 high**/375 XLO

Center: BTU 10,000 high*3 15,000 high**

PRG305WH

30" Stainless Steel with Porcelain Surface

5,499 6,049





Four Pedestal Star Burners (Two with ExtraLow) each

LR: BTU

15,000 high**/375 XLO

LF: BTU

18,000 high**/375 XLO

front burner has output of 18,000 BTU (NG)

RR: BTU 15,000 high**/3,000 low

RF: BTU

18,000 high**/3,000 low

• 30" range features 4.6 cu. ft. overall volume*



PRG304WH

30" Stainless Steel with Porcelain Surface

4,849 5,349

* According to AHAM Standards

** 8,000 BTU NG burners convert to 6,000 BTU LP; 10,000 BTU NG burners convert to 9,100 BTU LP; 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models; when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Model
Number Description UMRP MSRP

36" All-Gas Range

- Six Pedestal Star[®] Burners (Two with ExtraLow[®])
- 36" range features 5.1 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect™

LR: BTU	CR: BTU	RR: BTU
15,000 high**/375 XLO	15,000 high**/3,000 low	15,000 high**/3,000 low
LF: BTU	CF: BTU	RF: BTU
18,000 high**/375 XLO	18,000 high**/3,000 low	18,000 high**/3,000 low



PRG366WH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

6,299 6,949





- Four Pedestal Star Burners (Two with ExtraLow) each front burner has output of 18,000 BTU (NG)
- 36" range features 5.1 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect™
- Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW



LR: BTU 15,000 high**/375 XLO

LF: BTU 18,000 high**/375 XLO Electric Griddle 1,630 W (6-pass) RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

_ . . . _ _ . . .




36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks





- Four Pedestal Star® Burners (Two with ExtraLow®) each front burner has output of 18,000 BTU (NG)
- 36" range features 5.1 cu. ft. overall volume*
- Thermador Connected Experience with Home Connect™

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW



Electric Grill 1,630 W (6-pass 2x)

15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low

RR: BTU



PRG364WLH

PRG364WLH

36" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

7,149 7,899



NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

^{*} According to AHAM Standards

^{** 15,000} BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

Number Description **UMRP MSRP**

48" All-Gas Range

- Six Pedestal Star Burners (Two with ExtraLow) and
- Main oven features 4.6 cu. ft. overall volume*
- · Thermador Connected Experience with Home Connect™

LR: BTU 15,000 high**/375 XLO	CR: BTU 15,000 high**/3,000 low	Electric Griddle
LF: BTU	CF: BTU	1,630 W
18,000 high**/375 XLO	18,000 high**/3,000 low	(6-pass)

Non-stick surface Electric Griddle, convertible to Grill with optional accessory PA12GRILLW or PA12GRILFW

RR: BTU 15,000 high**/3,000 low
RF: BTU 18,000 high**/3,000 low



PRG486WDH



PRG486WDH

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

Six Pedestal Star Burners (Two with ExtraLow) and

Main oven features 4.6 cu. ft. overall volume*

 Thermador Connected Experience with Home Connect™

LR: BTU CR: BTU 15,000 high**/375 XLO 15,000 high**/3,000 low LF: BTU CF: BTU 18,000 high**/375 XLO 18,000 high**/3,000 low

Electric Grill 1,630 W

(6-pass 2x)

 Fusion non-stick surface Indoor Pro Electric Grill, convertible to Griddle with optional accessory PAGRIDDLEW

10,399 11,449

RR: BTU 15,000 high**/3,000 low RF: BTU 18,000 high**/3,000 low



PRG486WLH



PRG486WLH

48" Stainless Steel with Porcelain Surface and All Telescopic Oven Racks

10,399 11,449



** 15,000 BTU NG burners convert to 12,000 BTU LP; 18,000 BTU NG convert to 15,000 BTU LP; 22,000 BTU NG convert to 18,000 BTU LP

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA

^{*} According to AHAM Standards

Accessorie	es						D	ual	Fu	_									
								36"			48"	_	3			36"		48	3"
		Model			PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	D486WLHU	D484WCHU	PRG305WH	PRG304WH	PRG366WH	G364WDH	PRG364WLH	PRG486WDH	PRG486WLH
	Number	Description	UMRP	MSRP	H	H	H	H	PB	H.	H	H	H	H.	PB	Н	#	Ш	PH
	PA12GRILLW Non-stick (non-fus clean and durable	12" Grill Plate Accessory w/ Tray (for Griddle Modules) ion) surface coating ("high-release") over time.	319 is easy to	359				•		•		•				•		•	
	PAGRIDDLEW	12" Griddle Plate Accessory (for Briquette Grill Modules)	319	359					•		•	•					•		•
	PAGRIDLFW	12" Griddle Plate Accessory	319	359															
	(Fusion Coating) F to the "high-releas	w/ Tray (for Grill Modules) Fusion coated accessories offered as e" accessories.	an alterna	tive					•			•					•		•
	PA12GRILFW (Fusion coating) F to the "high-releas	12" Grill Plate Accessory w/ Tray (for Griddle Modules) usion coated accessories offered as e" accessories.	319 an alternat	359 tive				•		•		•				•		•	
	PABRICKBKW	Flat Ceramic Briquettes with Basket	199	219					•		•	•					•		•
	PABRICKW	Flat Ceramic Briquettes (no Basket)	99	109					•		•	•					•		•
	PA12CHPBLK	12" Maple Chopping Board	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	PAGRIDDLE	Griddle sits on top of Grates over two Bu high-release surface coating	199 rners,	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
~	PA12LCVRW	12" Professional Griddle Cover	209	229				•		•		•				•		•	
~	PA12LCVRN	12" Cover Professional Indoor Grill	299	329					•		•	•					•		•
0 0	PA24CVRW	24" Cover for Grill/Griddle Combination Models	259	289								•							
	<u>PWOKRINGHC</u>	Wok Ring Accessory	199	219	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Accessorie	Dual Fuel Dual Fuel							_												
	30							36"		48")"	36"			48"		
	Number	Model Description	UMRP	MSRP	PRD305WHU	PRD304WHU	PRD366WHU	PRD364WDHU	PRD364WLHU	PRD486WDHU	PRD486WLHU	PRD484WCHU	PRG305WH	PRG304WH	PRG366WH	PRG364WDH	PRG364WLH	PRG486WDH	PRG486WLH	
1 6	PAALTKITHW	High Altitude Kit, NG Pro Harmony Ranges, 5.4K	89 ft to 10.2K	99 ft	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	For the high altitude in the Sales Sharel	e kit, please see the Cleaners & Acc Point.	cessories Pri	ice List	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
*/	<u>PALPKITHW</u>	LP Conversion Kit Pro Harmony Dual Fuel Ranges (4 & 6 Burner)	139 & Rangeto	159 ps		•	•	•	•	•	•	•								
· /	PALPKITHW5	LP Conversion Kit Pro Harmony Dual Fuel Ranges (5 Burner)	139 & Rangeto	159 ps	•															
*/	PALPKITGW	LP Conversion Kit Pro Harmony Gas Ranges (4 & 6 Burner)	199	219										•	•	•	•	•	•	
~/	PALPKITGW5	LP Conversion Kit Pro Gas Ranges (5 Burner)	199	219									•							
	PAKNOBLUWH	Metallic Blue Knob Kit for Pro Harmony Ranges	259	289	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	PA30WLBH	7" Low Back 30" Gas/Dual Fuel Pro Harmony	419 / Range	469	•	•							•	•						
	PA36WLBH	7" Low Back 36" Gas/Dual Fuel Pro Harmony	479 / Range	529			•	•	•						•	•	•			
	PA48WLBH	7" Low Back 48" Gas/Dual Fuel Pro Harmony	509 / Range	599						•	•	•						•	•	

NOTE: Models PCG305xx, PRD305xx, PRD606xx, PRG305xx, PRG304xx and PRD304xx are suitable for 0" rear clearance to combustible surfaces. All other models: when using the included Island Trim a minimum 6" (152 mm) rear clearance is required to a combustible surface. When installing against a combustible surface, a Thermador® Low Backguard is required for a 0" rear clearance to the combustible surface. A Thermador Low Backguard must be purchased separately. A rear clearance to a surface covered in a noncombustible material (metal, ceramic tile, brick, marble, or stone) is 0" when using the included Island Trim. Clearances of less than 6" (152 mm) should be approved by the local codes and/or by the local authority having jurisdiction. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA.

Number Description UMRP MSRP

All Wall Hoods Include the Following Features:

- Beautiful illumination with multi-level, LED lights
- Dishwasher-safe commercial-style stainless steel baffle filters
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation

Accessory options available

 Built-in remote control panel, sold separate (see page 6-3)

All Professional Wall Hoods Include these Additional Features:

- Add distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Vertical or horizontal ducting discharge possible
- 6" tall and 20"-54" tall telescopic duct cover accessory options available, sold separate (see page 6-3)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-2).

Integral
VTN630W¹
VTN1090R
Inline
VTI610W¹
VTI1010W

Remote VTR630W¹ VTR1030W VTR1330W

- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included

Accessory options available

- Duct cover accessory options (see page 6-3)
- Remote blower roof plates (see page 6-4)
- 25-ft remote & inline blower extension cable (see page 6-4)

Professional Series

Pro Grand[®] Wall Hood

- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- Crafted to complete the ultimate cooking system with Pro Grand[®] Professional Ranges
- Pro-style 27" depth, 18" tall
- Equipped with the Thermador Connected Experience by Home Connect™
- Two infrared,175 W, Keep-Hot lamps (included)



PH36GWS



PH36GWS	36" Pro Grand® Wall Hood, Optional Blower	2,299	2,549
PH42GWS	42" Pro Grand® Wall Hood, Optional Blower	2,399	2,649
PH48GWS	48" Pro Grand® Wall Hood, Optional Blower	2,699	2,999
PH54GWS	54" Pro Grand [®] Wall Hood, Optional Blower	2,899	3,199
PH60GWS	60" Pro Grand [®] Wall Hood, Optional Blower ¹	3,649	4,049

Pro Harmony® Wall Hood

- Adds distinct flair to your kitchen with bold, stainless steel wall hoods with design that echoes the thoughtful details of your Thermador kitchen
- A perfect companion to Pro Harmony Professional Ranges
- Pro-style 24" depth, 18" tall
- Commercial-style stainless steel baffle filters



PH36HWS

PH30HWS	30" Pro Harmony® Wall Hood, Optional Blower	1,999	2,199
PH36HWS	36" Pro Harmony® Wall Hood, Optional Blower	2,099	2,349
PH48HWS	48" Pro Harmony® Wall Hood, Optional Blower	2,299	2,549

1 The 600 CFM blower options are not available with the 60" hood

Professional Series Blowe	rs			Professional			Mas	terpi	ece	
				Wall	Chimney Wall	Island	Custom Insert	Custom Insert	#037000	Downal
Number	Model Description	UMRP	MSRP	PHxxxWS	HPCNxxWS	HPINxxWS	VCINxxGWS	VCI2xxDS	UCVMxxRS	UCVP36xS

Integral Blowers

Integrated into ventilation hood at the time of installation

VTN630W	600 CFM Integral Blower	609	699	•	•	•	•		
<u>VTN1090R</u>	1,000 CFM Blower	799	899	•	•	•	•		

Inline Blowers

- May be used as integral solution for VCI2xxDS Series custom hood inserts. See website for additional details
- Blower can be mounted along the duct line between the kitchen and the exterior wall
- 25 ft. cable (EXTNCB25W) available for inline blower applications—sold separately (see page 6-20)
- For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36xS Series hoods

VTI610W	600 CFM Inline Blower, 6" duct size	609	699	•	•	•	•	•	•	•
 <u>VTI1010W</u>	1,000 CFM Inline Blower, 10" duct size	799	899	•	•	•	•	•	•	•

Remote Blowers

- For external roof or wall mount
- Roof mounting plate (RFPLTxxP) required for roof mount applications—sold separately (see page 6-20)
- 25 ft. cable (EXTNCB25W) available for remote blower applications—sold separately (see page 6-20)
- For use with Thermador PHxxxWS, HPCNxxWS, HPINxxWS, VCINxxGWS, VCI2xxDS, UCVMxxRS, and UCVP36xS Series hoods

	1 0 /										
	<u>VTR630W</u>	600 CFM Remote Blower, 6" duct size	729	849	•	•	•	•	•	•	•
	<u>VTR1030W</u>	1,000 CFM Remote Blower, 10" duct size	769	849	•	•	•	•	•	•	•
99	<u>VTR1330W</u>	1,300 CFM Blower, 10" duct size	979	1,099	•	•	•	•	•	•	•

Professional and Masterpiece® Accessories			Pro Grand	Pro Harmony	Mas	sterpiece
			Wall	Wall	Drawer	Low Profile
Model Number Description	UMRP	MSRP	PH36GWS PH42GWS PH48GWS PH54GWS PH64GWS	PH30HWS PH36HWS	HMDW30WS	HMWB36WS HMWB36WS HMWB361WS HMWB481WS

Optional Stainless Steel Duct Cover

- Available in 6" and 20"–54" telescoping heights
- Can be used with PHxxxWS Pro Grand[®] and Pro Harmony[®] Series Wall Hoods

Heights		and i to riamony 30	Siles vvali i i	0003													
1	DC306W	6" Tall Duct Cover for Pro Wall Hoods, 30" Wide	469	519					•			•		•			
1	<u>DC366W</u>	6" Tall Duct Cover for Pro Wall Hoods, 36" Wide	489	539	•					•			•		•	•	
	DC426W	6" Tall Duct Cover for Pro Wall Hoods, 42" Wide	499	549		•											
	<u>DC486W</u>	6" Tall Duct Cover for Pro Wall Hoods, 48" Wide	499	549			•				•						
	DC36TW	20"×54" Tall Duct Cover for Pro Wall Hoods, 36" Wide	659	749	•				•				•		•	•	
	DC48TW	20"×54" Tall Duct Cover for Pro Wall Hoods, 48" Wide	719	799			•				•						

Built-In Remote Control

- Ability to vertically install on cabinetry or wall to control hood in a convenient location
- Built-in sleek, smooth remote touch control panel
- Compatible with PHxxxWS, HMWBxxWS, HMWBxx1WS, HPCNxxWS, HMCBxxWS, HDDBxxWS, HPINxxWS, HMIBxxWS, VCINxxGWS, and HMDWxxWS Series hoods
- · Wired to hood
- · Cable length: 30 ft.

Francisco I	<u>REMCPW</u>	Built-In Remote Control	319	359							
,,		Accessory									

Recirculation Accessories

- For non-ducted operation of Thermador[®]
 Wall Hoods
- Available for HMWB3xWS (30" and 36")
 Wall Hoods with 600 CFM blowers only



Number Description UMRP MSRP

Blower and Duct Accessories

ı	Pro	Gr	and	ŀ		Pro rmony					
	١	Nal	I		,	Wal	I				
PH36GWS	PH42GWS	PH48GWS	PH54GWS	PH60GWS	PH30HWS	PH36HWS	PH48HWS				

Remote & Inline Blower Extension Cable

- 25-ft. extension cable for use between hood and inline or remote blower
- Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxxS, UCVP36xS and VCINxxGWS series hoods
- Cannot join two cables together for longer length.
- Does not support these models: UCVM30xS, UCVM36xS, UCVP36xS
- For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W



EXTNCB25W

25-ft Remote & Inline Blower Extension Cable

119 139

• | • | • | • | • | • |

Roof Plates

NOTE: Roof plate required for roof-mount application of remote blowers.

RFPLT600P	Roof mounting plate for VTR630W and VTR630W	129	149	•	•	•	•	•	•	•	•
RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W, VTR1030W, VTR1330W	159	179	•	•	•	•	•	•	•	•

Number Description **UMRP MSRP**

All Masterpiece® Wall Hoods Include these Additional Features:

- A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- · Brushed stainless steel
- Noise Control Technology™
- Equipped with the Thermador Connected Experience by Home Connect™
- Cooktop Hood-Sync Enabled
- · Vertical ducting direction

- Integral blower included
- Convertible to recirculation, accessory sold separate (see page 6-6)

Masterpeice® Series

Drawer Under Cabinet Wall Hood

- · A masterful blend of luxury and performance with a slide-out canopy design
- When the slide-out canopy is pushed back, it sits flush
- against surrounding cabinetry, and when pulled forward increases capture area
- · Fan can be activated in the closed or open position
- 600 CFM integral blower included
- · Transition to 8" round and

backdraft damper included



HMDW36WS

HMDW30WS 30" Masterpeice®, Under Cabinet

Drawer Wall Hood, 600 CFM

36" Masterpeice®, Under Cabinet HMDW36WS

Drawer Wall Hood, 600 CFM

1,899 2,099

> 1,999 2,199

Low-Profile Wall Hood

- Chiseled design that is 24" depth, 11" tall
- · Approved for use with Professional Series Ranges and Rangetops
- 16" tall and 28"-65" tall telescopic duct cover accessory options available, sold separate (see page 6-6)
- · Transition to 10" round and backdraft damper included



HMWB30WS

HMWB30WS	30" Low-Profile Wall Hood, 600 CFM	1,799	1,999
HMWB36WS	36" Low-Profile Wall Hood, 600 CFM	1,899	2,099
HMWB361WS	36" Low-Profile Wall Hood, 1000 CFM	1,999	2,199
HMWB481WS	48" Low-Profile Wall Hood, 1000 CFM	2,099	2,349

Number

Description

UMRP MSRP

	Mas	terp	oiec	е				
Dra	wer	Lo	w F	w Profile				
HMDW30WS	SW3EWDMH	HMWB30WS	SW9EBWMH	HMWB361WS	HMWB481WS			

Recirculation Accessories

- When ducting is not feasible, kit brings filtered air back into kitchen
- Replace charcoal filter every 3-6 months depending on usage
- Charcoal filter replacement accessory available (see below)
- Installation Note: RECHMWB30 and RECHMWB36 are brushed stainless steel, and adds 4"

height to the appliance.
Approved for use with
HMWB30WS and
HMWB36WS Low-Profile
Series Wall Hoods with 600
CFM blowers only

		Stairliess steet, and adds 4								
	RECHMWB30	Recirculation Kit for HMWB30WS Low-Profile Wall Hood, 30" Wide	699	799			•			
	RECHMWB36	Recirculation Kit for HMWB36WS Low-Profile Wall Hood, 36" Wide	749	849				•		
	RECHMDW30	Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	129	149	•					
	RECHMDW36	Recirculation Kit for Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	129	149		•				
	CHFHMDW30	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 30" Wide	99	109	•					
	CHFHMDW36	Replacement Charcoal Filters For Masterpiece® HMDW Under Cabinet Drawer Hood, 36" Wide	99	109		•				
9	CHFILT3036	Replacement charcoal filters for recirculating wall hoods	109	119	•		•	•	•	•

Optional Stainless Steel Duct Cover

•	Available in 16" and 20"-54"	
	telescoping heights	

 Can be used with Low-Profile HMWBxxWS Series Wall Hoods

<u>DCT3016W</u>	16" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	649	749		•			
<u>DCT3616W</u>	16" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	659	749			•	•	
DCT4816W	16" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	679	749					•
DC30MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 30" Wide	749	849		•			
DC36MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 36" Wide	759	849			•	•	
DC48MTW	28"×65" Tall Duct Cover for Low-Profile Wall Hood, 48" Wide	779	899					•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Chimney Wall Hoods include the following features:

- Beautiful illumination with multi-level, LED lights
- · Dishwasher-safe filters
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Vertical ducting direction
- Built-in remote control panel accessory available,

All Professional Chimney Wall Hoods include these Additional features:

- Designed to match the bold, stainless steel aesthetic of Thermador Professional Series ranges and range tops
- · Sculpted brushed stainless steel
- Creates a focal point in the room with a more contemporary-style feel
- Make-up air damper relay switch (120 V max)
- Transition to 10" round and backdraft damper included
- Duct cover accessory options available, sold separate (see page 6-9)
- Pro-style 24" depth, 18" tall

- Completes a comprehensive cooking system with Thermador Professional Ranges and Rangetops
- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- 6" tall, 18"– 35" tall telescopic, and 42"– 59" tall telescopic duct cover accessory options available, sold separate (see page 6-9)
- Built-in remote control panel accessory available, sold separate (see page 6-4)
- Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-2).

Accessory options available

- Remote blower roof plates (see page 6-4)
- 25-ft remote & inline blower extension cable (see page 6-4)

Professional Series

Pro Grand[®] Chimney Wall Hood

HPCN36WS	36" Professional® Chimney Wall Hood, Optional Blower	2,699	2,999	
HPCN48WS	48" Professional® Chimney Wall Hood, Optional BlowerPro	3,199	3,549	HPCN36WS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

All Masterpiece® Chimney Wall Hoods include these Additional features:

- A perfect complement to the sleek Thermador Masterpiece® Series cooktops
- · Brushed stainless steel
- Serves as the focal point of the room and can add a modern feel
- Equipped with the Thermador Connected Experience by Home Connect™
- Cooktop Hood-Sync Enabled

- 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Built-in remote control panel accessory available, sold separate (see below)
- Transition to 8" round and backdraft damper included
- Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings available, sold separate (see page 6-10)
- Convertible to recirculation, accessory sold separate (see page 6-10)
- Hybrid mesh filters with stainless steel frame.
- · Vertical ducting direction
- Built-in remote control panel accessory available, sold separate (see page 6-4)

Masterpiece® Series

Drawer Chimney Wall Hood

- A masterful blend of luxury and performance with unique slideout canopy design that can be pushed back for increased head room or pulled forward for increased capture area
- Can be activated whether in the open or closed position
- Noise Control Deluxe™



HDDB30WS

ноте

HDDB30WS	30" Masterpiece® Drawer Chimney Wall Hood,	2,499	2,749
----------	--	-------	-------

600 CFM

<u>HDDB36WS</u> 36" Masterpiece® Drawer Chimney Wall Hood, 2,699 2,999

600 CFM

Pyramid Chimney Wall Hood

 Streamlined, contemporary, low-profile design with 5" pyramid canopy height Noise Control Technology™



HMCB30WS	30" Masterpiece Pyramid Chimney Wall	Hood, 2,099	2,349	HMCB30WS

600 CFM

HMCB36WS 36" Masterpiece® Pyramid Chimney Wall Hood, 2,199 2,449

600 CFM

ноте

エーエー

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Accessories	P	Pro	M	1aste	rpiec	e :
	W	Vall	Dra	wer	W	all
	PCN36WS	PCN48WS	DDB30WS	DDB36WS	MCB30WS	MCB36WS

Remote & Inline Blower Extension Cable

- 25-ft. extension cable for use between hood and inline or remote blower
- Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxxS, UCVP36xS and VCINxxGWS series hoods
- Cannot join two cables together for longer length.
- Does not support these models: UCVM30xS, UCVM36xS, UCVP36xS
- For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W



EXTNCB25W

25-ft Remote & Inline Blower Extension Cable

119

139

•

Duct Cover

- Available in 6" tall, 18"–35" tall telescopic, and 42"–59" tall telescopic heights
- Can be used with HPCNxxWS Professional Series Chimney Wall Hoods

	CHMHP366W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 36" Wide	499	549	•			
4	CHMHP486W	6" Tall Duct Cover for Professional® Chimney Wall Hood, 48" Wide	509	599		•		
	СНМНРЗ6ТШ	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	649	749	•			
	CHMHP48TW	18"×35" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	659	749		•		
V	CHMHP36XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 36" Wide	719	799	•			
V	CHMHP48XTW	42"×59" Tall Telescoping Duct Cover for Professional® Chimney Wall Hood, 48" Wide	739	849		•		

^{*} Installation Note: This product ships with two brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the movable canopy.

Number Description UMRP MSRP

Accessories

P	ro	N	Masterpiece					
V	all	Dra	wer	V	all			
HPCN36WS	HPCN48WS	HDDB30WS	HDDB36WS	HMCB30WS	HMCB36WS			

Chimney Wall Hood Extension Kits

 Stainless steel telescopic chimney extension for 9-ft to 12-ft tall ceilings

	CHXTHDDW	9'-12' Ceilings Chimney Extension Kit for HDDBxxWS Masterpiece® Chimney Drawer Hood	579	649		•	•		
(335) (302) (302) (303) (303) (303) (303) (303) (303) (303) (303)	<u>CHXTHMCB</u>	9'–12' Ceilings Chimney Extension Kit for HMCBxxWS Masterpiece® Pyramid Chimney Hood	579	649				•	•

Chimney Wall Hood Recirculation Accessories

- When ducting is not feasible, kit brings filtered air back into kitchen
- Replace charcoal filter every 3–6 months depending on usage
- Charcoal filter replacement accessory available (see below)

RECHDDB	Recirculation Kit for Masterpiece® HDDBxxWS Drawer Chimney Wall Hood	159	179		•	•		
RECHMCB	Recirculation Kit for Masterpiece® HMCBxxWS Chimney Wall Hood	159	179				•	•
CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119		•	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP

All Island Hoods include the following features:

- Equipped with the Thermador Connected Experience by Home Connect™
- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Vertical ducting direction

MSRP

 Built-in remote control panel accessory available, sold separate (see page 6-3)

Professional Series

Box Island Hoods

- A stunning, meticulously crafted piece that could be a conversation starter while entertaining in the kitchen
- Designed and engineered to match in design and performance with Thermador Professional Series ranges and range tops
- Sculpted brushed stainless steel
- Unique angled box canopy island hood design
- Dishwasher-safe commercialstyle stainless steel baffle filters
- Make-up air damper relay switch (120 V max)

- Powerfully Quiet® optional blower system accepts integral, inline, and remote blowers
- Transition to 10" round and backdraft damper included
- For ceiling applications of 8' to 9' height
- May require fabrication for custom height

 Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-2).

Integral VTN630W, VTN1090R Inline VTI610W

VTI1010W

Remote VTR630W VTR1030W VTR1330W



- Remote blower roof plates (see page 6-4)
- 25-ft remote & inline blower extension cable (see page 6-4)



HPIN42WS



<u>HPIN42WS</u> 42" Professional® Island Hood,

Optional Blower

HPIN54WS 54" Professional® Island Hood,

Optional Blower

3,399 3,749

3,999 4,399

Number Description UMRP MSRP

Masterpiece® Series

Low-Profile Island Hood

- Sleek and slim, these meticulously sculpted, floating stainless steel island hoods catch the eye without obstructing views
- A perfect complement to Thermador Masterpiece[®] Series cooktops
- Brushed stainless steel

- Cooktop Hood-Sync Enabled
- Noise Control Deluxe™
- 600 CFM integral blower
- Adjustable telescopic chimney heights to fit up to 9-ft tall ceilings
- Transition to 8" round and backdraft damper included

 Convertible to recirculation, accessory sold separate (see page 6-13)

Accessory options available

 Duct cover extension kit accessory for 9-ft to 12-ft tall ceilings (see page 6-13)



HMIB36WS



HMIB36WS	36" Masterpiece® Box Island Hood,	2,999	3,299
HMIB36WS	36" Masterpiece® Box Island Hood,	2,999	3,2

600 CFM

HMIB42WS

42" Masterpiece® Box Island Hood,

600 CFM

3,099 3,449

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Accessories	Pro		Maste	erpiece
	Во	ЭX	Low F	Profile
	HPIN42WS	HPIN54WS	HMIB36WS	HMIB42WS

Remote & Inline Blower Extension Cable

- 25-ft. extension cable for use between hood and inline or remote blower
- Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxxS, UCVP36xS and VCINxxGWS series hoods
- Cannot join two cables together for longer length.
- Does not support these models: UCVM30xS, UCVM36xS, UCVP36xS
- For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W



EXTNCB25W

25-ft Remote & Inline Blower Extension Cable

119 139

•

Low-Profile Island Hood Extension Kit

- Stainless steel telescopic chimney extension for 9-ft to 12-ft tall ceilings
- Compatible with HMIBxxWS Masterpiece[®] Island Hood

	<u>CHXTHMIB</u>	9'–12' Ceilings Chimney Extension Kit for HMIBxxWS Masterpiece [®] Island Hood	699	799		•	•
Low-Profile I	sland Hood Recirc	culation Accessories					
	ng is not feasible, ters air back into	 Compatible with HMIBxxWS Masterpiece[®] Island Hood 					
kitchen		 Charcoal filter replacement 				•	•
•	arcoal filter every	accessory available (see					
usage	depending on	below)					
	I						
	RECHMIB	Recirculation Kit for Masterpiece®	159	179		•	•
		HMIBxxWS Island Hood					
	CHFHMCD	Replacement Charcoal Filters For Masterpiece® HMCB, HDDB, HMIB Recirculation Kit	109	119		•	•
	CHFILISL	Charcoal filter for Island Hoods	99	109			

Number Description UMRP MSRP

All Custom Inserts include the following features:

· Vertical ducting

 Blower options sold separate and required to complete install. Works with the following blowers, sold separately (see page 6-2). Integral VTN630W VTN1090R Inline VTI610W¹, VTI1010W Remote VTR630W VTR1030W VTR1330W

Custom Insert Hoods

- Revel in creative freedom with custom inserts, whether you choose to blend them in with your surrounding cabinetry or create a statement piece with bold materials
- Crafted to complete the ultimate cooking system with Thermador Professional ranges and rangetops
- · Brushed stainless steel
- Equipped with the Thermador Connected Experience by Home Connect™
- Dishwasher-safe commercialstyle stainless steel baffle filters

- Beautiful illumination with multi-level, LED lights
- Recessed sleek, smooth touch control panel that provides precise performance selection with 4-speed levels
- Automatic mode detects temperatures to adjust fan speed automatically
- 10-min delay shut off whisk away lingering odors
- Check filter reminder light illuminates after 40 hours of operation
- Make-up air damper relay switch (120 V max)

- Powerfully Quiet[®] optional blower system accepts integral, inline, and remote blowers
- Includes custom hood trim to complete custom insert installation
- Transition to 10" round and backdraft damper included
- Built-in remote control panel accessory available, sold separate (see page 6-15

Accessory options available

- Remote blower roof plates (see page 6-4)
- 25-ft remote & inline blower extension cable (see page 6-4)

Professional Series





VCIN36GWS	36" Professional® Custom Insert, Optional Blower	1,799	1,999
VCIN42GWS	42" Professional® Custom Insert, Optional Blower	1,899	2,099
VCIN48GWS	48" Professional® Custom Insert, Optional Blower	1,999	2,199
VCIN54GWS	54" Professional® Custom Insert, Optional Blower	2,099	2,349
VCIN60GWS	60" Professional® Custom Insert, Optional Blower¹	2,199	2,449

Masterpiece® Series

• **** •

VCI230DS

30" Custom Insert

VCI230DS

VCI236DS

VCI248DS

- Approved for use with Professional Series Ranges and Rangetops
- Optional baffle filters for professional performance
- · Halogen lights
- · Electronic controls
- · Delayed shut off
- Filter change light

(see page 6-15)

1,099 1,249

1,199 1,349

· Wired remote control optional

Protect cabinetry with Liner

accessory2, sold separately

1,299

1,449

(VCI2REMFS, see page 6-15)

1 The 600 CFM blower options are not available with the 60" hood

30" Custom Insert

36" Custom Insert

48" Custom Insert

2 Cabinet cutouts and dimensions must be prepared based on the Liner Accessory and Insert Hood (as opposed to only the Insert Hood) when using a Liner in combination with an Insert Hood.

This price list supers Model	edes all previous price lists. I	Prices listed herein do not include applicable state or l	local taxes.									
Number	Description	n	UMRP	MSRP								_
Accessorie	es						Pro			Mas	terp	iece
					VCIN36GWS	VCIN42GWS	VCIN48GWS	VCIN54GWS	VCIN60GWS	VCI230DS	VCI236DS	VCI248DS
Remote & In	line Blower Extens	sion Cable										
	sion cable for use ood and inline or wer	 Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxxS, UCVP36xS and VCINxxGWS series hoods Cannot join two cables together for longer length. 	 Does not support these models: UCVM30xS, UCVP36x For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W VTR1330W 	S								
10	EXTNCB25W	25-ft Remote & Inline Blower Extension Cable	119	139	•	•	•	•	•			
Remote Con	trol											
	design remote Masterpiece [®] Series erts	 Can be installed on wall, cabinet, or worktop 	 Wired to hood Cable length: 13 ft.									
66666 how	VCI2REMFS	Remote Control Accessory for VCI2xxDS series	299	329						•	•	•
Baffle FiltersStainless stLow profile	eel finish	Dishwasher safe	Use only with Masterpion Series Custom Inserts	ece®								
	BAFFLT30	30" Baffle Filter for VCI230DS	199	219								
A	BAFFLT36	36" Baffle Filter for VCI236DS	249	279						•	•	•
1	BAFFLT48	48" Baffle Filter for VCI248DS	299	329								
stainless st	tom cabinetry with eel liners ith Masterpiece [®] tom Inserts*	 Installation Note: Cabinet cut- outs and dimensions must be prepared based on the Liner Accessory and Insert Hood (as opposed to only the Insert 	Hood) when using a Lincombination with an Instead.									
	LINER30	Liner for 30" VCI230DS	299	329								
	LINER36	Liner for 36" VCI236DS	299	329						•	•	•
	LINER48	Liner for 48" VCI248DS	299	329								
					_							

All Downdrafts include the following features:

- Designed for installation with all Thermador® cooktops except Professional Series
- All models feature six possible discharge connections including front, side, down, and rear as well as recirculation
- · Stainless steel
- Sleek, removable front filter panel design that act as a splatter shield
- · Dishwasher safe mesh filters
- · Three speeds
- Convenient 10-minute time-delay shut-off feature

- · Filter maintenance reminder light
- · Automatic mode
- Recirculation possible with electric and induction cooktops, Accessory Sold Separately (UCVRECIRC see page 6-17)

Required To Complete The Installation:

 Blower Options, Sold Separately. Works with the following blowers, sold separately (see page 6-2).

Integral
VTD600P
see page 6-18
Inline
VTI610W

VTI1010W

Remote VTR630W VTR1030W VTR1330W Downdraft transitions may be required to complete the installation depending on exhaust direction & blower chosen: [see

page 6-19]

1,599

1,799

2.099

1,799

1,999

2,349

MSRP

CVTSIDE6 CVTRECT2
CVTSIDE8 CVTFRONT6
CVTSIDE10 CVTFRONT8
CVDUCT2 CVTFRONT10

Accessory options available

- Gas cooktop seal kit sold separately, required for installation with gas cooktops (UCV30ST, UCV36ST [see page 6-17)
- 5' electrical panel extension cable (used to relocate electrical box) for front downward discharge installations, sold separately (EXTNCE5 [see page 6-20])
- 25-ft remote & inline blower extension cable, sold separately (EXTNCB25W see page 6-20)

Masterpiece® Series

Downdraft Ventilation System

raft

15" Snorkel, Optional Blower

NEW UCVM30XS 30" Masterpiece® Downdraft

15" Snorkel, Optional Blower

<u>UCVM36RS</u>² 36" Masterpiece® Downdraft

15" Snorkel, Optional Blower

NEW UCVM36XS 36" Masterpiece® Downdraft

15" Snorkel, Optional Blower

<u>UCVP36RS</u>³ 36" Masterpiece® Downdraft, Deluxe

18" Snorkel, Optional Blower

LED Task Bar Lights

NEW UCVP36XS 36" Masterpiece® Downdraft, Deluxe

18" Snorkel, Optional Blower

LED Task Bar Lights

NOTE: Transition required and sold separately for all remote and inline blower installations.



UCVM30XS



UCVM36XS



UCVP36XS

- 1 Transitions to new model UCVM30XS Q4
- 2 Transitions to new model UCVM36XS Q4
- 3 Transitions to new model UCVP36XS Q4

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Components				UCVM30xS	UCVM36xS	UCVP36xS
Downdraft Recirculation Kit						
 For use with 30" UCVM30xS, 36" UCVM36xS, and 36" UCVP36xS downdraft models only Works in wall or island 	 To be used only with Thermador downdrafts and integrated blower VTD600P. Do not use this recirculation kit with Gas Cooktops 	 Fits in toe-kick/socket he of 4" or taller Module and grill vent placan be placed so air doe hit feet 	te			
applicationsWhen ducting is not feasible, kit brings filtered air back into	 Module ships with one heavy duty charcoal filter and two metal grill vent plates 	 Blower and downdraft so separately Replacement charcoal fi 				
kitchen after passing through a charcoal filter	 Mounts to cabinet base, recesses into toe kick/socket area 	available, sold separatel				
UCVRECIRC	Recirculation kit for downdraft UCVM30xS, UCVM36xS, UCVP3 downdrafts only. VTD600P Blowe required, sold separately. Replace every 3-6 months depending on u	r e filters	699	•	•	•
UCVFILTER	Charcoal filter replacement For use with UCVRECIRC recircu	109 ulation kit (above)	119	•	•	•
 Gas Cooktop Seal Kit For use with 30" UCVM30xS, 36" UCVM36xS, 36" UCVP36xS downdraft models only 	• For use with 30" UCVM30xS, 36" UCVP36xS • Required for installation with gas cooktops • Includes trim bracket, seal, and 2 metal grills					
UCV30ST	30" gas cooktop seal kit For UCVM30xS, UCVM36xS, UCVP36xS downdrafts	129	149	•	•	•
UCV36ST	36" gas cooktop seal kit For UCVM30xS, UCVM36xS, UCVP36xS downdrafts	129	149	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description **UMRP MSRP** Components JCVM30xS **JCVM36xS** JCVP36xS **Integrated Blower** VTD600P 600 CFM, 8" duct size 699 799 flexible integrated blower Use with UCVM30xS, UCVM36xS, UCVP36xS downdrafts only **Inline Blowers** · May be used as integral • 25 ft. cable (EXTNCB25W) · For use with Thermador solution for VCI2xxDS Series available for inline blower PHxxxWS, HPCNxxWS, custom hood inserts. See applications—sold separately HPINxxWS, VCINxxGWS, website for additional details VCI2xxDS, UCVMxxRS, and (see page 6-20) UCVP36xS Series ventilation Blower can be mounted along hoods the duct line between the kitchen and the exterior wall **VTI610W** 600 CFM Inline Blower, 6" duct size 609 699 VTI1010W 1,000 CFM Inline Blower, 10" duct size 799 899 **Remote Blowers** · For external roof or wall mount • 25 ft. cable (EXTNCB25W) · For use with Thermador PHxxxWS, HPCNxxWS, available for remote blower · Roof mounting plate HPINxxWS, VCINxxGWS, applications—sold separately (RFPLTxxP) required for roof VCI2xxDS, UCVMxxRS, and (see page 6-20) mount applications-sold UCVP36xS Series hoods

separately (see page 6-20)

	<u>VTR630W</u>	600 CFM Remote Blower, 6" duct size	729	849	•	•	•
6	<u>VTR1030W</u>	1,000 CFM Remote Blower, 10" duct size	769	849	•	•	•
18	<u>VTR1330W</u>	1,300 CFM Blower, 10" duct size	979	1,099	•	•	•

Model Number Description UMRP MSRP

Components	JCVM30xS	JCVM36xS	JCVP36xS	
	\supset	\supset		

Downdraft Transitions

Transition(s) may be required to complete the installation of 30" UCVM30xS, 36" UCVM36xS, 36" UCVP36xS downdrafts depending on the discharge connection chosen in combination with the downdraft blower selected (see installation manual) • For use with inline and remote blowers

	CVTSIDE6	6" side/rear transition Rectangular 1 %"×19" transition to 6" round for side and rear exhaust applications	199	219	•	•	•
	CVTSIDE8	8" side/rear transition Rectangular 1 1/2 "×19" transition to 8" round for side and rear exhaust applications	199	219	•	•	•
6	CVTSIDE10	10" side/rear transition Rectangular 1 1/2 "×19" transition to 10" round for side and rear exhaust applications	199	219	•	•	•
0	CVTFRONT6	6" round front plate Front rough-in plate for front downward exhaust appli	99 cations	109	•	•	•
0	CVTFRONT8	8" round front plate Front rough-in plate for front downward exhaust appli	99 cations	109	•	•	•
	CVTFRONT10	10" round front plate Front rough-in plate for front downward exhaust appli	99 cations	109	•	•	•
	CVDUCT2	2' rectangular duct Rectangular duct that is 2' long×1 %" deep×19" wide (CVDUCT2) required to CVTRECT2 to downdraft housing. Ability to use as ar exhaust through a cabinet or wall. To modify length, of cut. CVTSIDE6, CVTSIDE8, or CVTSIDE10 may be a nect CVTRECT2 to round ductwork	n extens duct may	sion to y be	•	•	•
	CVTRECT2	Transition for rectangular duct Required to attach CVDUCT2 2' rectangular duct to downdraft housing	99	109	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description UMRP MSRP

Accessories	Remote Blowers		I)owndraft		aft
	VTR630W	VTR1030W	UCVM30xS	UCVM36xS	UCVP36xS

Remote & Inline Blower Extension Cable

- 25-ft. extension cable for use between hood and inline or remote blower
- Supports PHxxxWS, HPCNxxWS, HPINxxWS, UCVMxxxS, UCVP36xS and VCINxxGWS series hoods
- Cannot join two cables together for longer length.
- Does not support these models: UCVM30xS, UCVM36xS, UCVP36xS
- For use with blowers VTI610W, VTI1010W, VTR630W, VTR1030W, VTR1330W



EXTNCB25W

25-ft Remote & Inline Blower Extension Cable

119 139

. . .

Electrical Panel Extension Cable

- For use with 30" UCVM30xS, 36" UCVM36xS, 36" UCVP36xS downdraft models only
- Cable connects a remotely located electrical panel to the downdraft during remote and inline blower motor installation applications
- Cable provides ability to connect electrical panel to the downdraft from a remote location with 5-feet during installation applications with downward duct discharge so the electrical panel is out of the way
- Extends electrical panel cable an additional 5'
- Ability to connect two cables together to make a 10' cable
- Not to be used to connect the downdraft with inline and remote blowers



EXTNCE5

5' Electrical Panel Extension Cable for Downdraft. For UCVM30xS, UCVM36xS, UCVP36xS downdrafts 199 219

...

Roof Plates

NOTE: Roof plate required for roof-mount application of remote blowers.

RFPLT600P	Roof mounting plate for VTR630W	129	149	•			
RFPLT1000P	Roof mounting plate for VTR1030W, VTR1330W	159	179		•	•	

All Dishwashers include the following features:

- Superior washing and drying performance guaranteed
- · Concealed controls
- Black-shimmer racks with 3-Step adjust-
- A highly flexible racking system
- 18/10 Stainless steel TallTub
- ENERGY STAR® certified

- Powerfully Quiet® operation
- Sens-a-Wash[®]
- Advanced Triple Filtration System
- Hidden Heating Element
- · Leak Sensor and Auto Shut off
- Connected Experience
- **TFT Capacitive Touch Controls**

Wash Cycles:

- Normal, Auto,
- Rinse

Options:

- PowerBoost[®]
- · 24-hour Delay Start,
- · Half Load,
- Remote Start (Connected)

Emerald Series

- 48 dBA
- Chef's Tool Drawer™ (third rack)
- 16 place settings

DWHD650WFP

- · Extra-Tall-Item Sprinkler
- Blue PowerBeam® "on" indicator
- New Capacitive touch control panel
- Additional Wash Cycles:
- Pots and Pans
- Quick (30 minute Wash)
- · Handwash,

Additional Options:

Extra Dry

1,399 1,549

1,399

1,399

1,549

1,549

DWHD650WFF



DWHD650WFR

24" Masterpiece® Stainless Steel Emerald® DWHD650WFM

24" Professional Stainless Steel Emerald®

24" Custom Panel Emerald® **DWHD650WPR**

(Requires Custom Panel)

44 dBA

- Premium Smooth Glide Racks Chef's Tool Drawer™ (third rack)
- 16 place settings

DWHD660WFP

DWHD660WFM

DWHD660WPR

- Extra-Tall-Item Sprinkler
- · Stainless steel control panel
- Time remaining PowerBeam® indicator
- Crystal Protect[®] System
- · Water softener

24" Professional Stainless Steel Topaz®

24" Masterpiece® Stainless Steel Topaz®

24" Custom Panel Topaz®

(Requires Custom Panel)

Additional Wash Cycles:

- Pots and Pans
- Hand Wash
- Quick

Additional Options:

- Extra Dry
- Sanitize

1,799

1,799 1,999

1,799 1,999

1,999



Topaz[®] Series

DWHD660WFP



DWHD660WFM



DWHD660WFR

Model
Number Description UMRP MSRP

Sapphire® Series

•	42	4B	Δ
•	4/	uE	_

- Adjustable Chef's Tool Drawer™ (third rack)
- 16 place settings
- · Flexible folding tines
- · Extra-Tall-Item Sprinkler
- Stainless steel control panel
- Time remaining PowerBeam[®]

- indicator
- Sapphire Glow™ Interior Light
- Crystal Protect[®] System
- · Water Softener
- · Push to Open

Additional Wash Cycles:

24" Professional Stainless Steel Sapphire®

- · Pots and Pans
- · Hand Wash

- Quick
- 1 hour

Additional Options:

- Sanitize
- · Save Time
- StarDry[™] with Zeolite [™], an exclusive Thermador drying solution

2,299	2,549
2,299	2,549

2,299

2,549

DWHD770WFM

DWHD770WFP



DWHD770WFR

DWHD770WFM

DWHD770WFP

24" Masterpiece® Stainless Steel Sapphire®

<u>DWHD770WPR</u> 24" Custom Panel Sapphire® (Requires Custom Panel)

Star Sapphire® Series

- 44 dBA
- · Premium Smooth Glide Racks
- Entertainer's Drawer (third rack)
- 16 place settings
- · Flexible folding tines
- Extra-Tall-Item Sprinkler
- Time remaining PowerBeam[®] indicator
- All new StarGlowTM interior light with the option of a rainbow of colors through the Connected Experience
- Crystal Protect[®] System
- · 18 wine glass capacity
- Push to Open

Additional Wash Cycles:

- Pots and Pans
- · Hand Wash

- StarSpeed[®]—20 min. hot water wash
- Glass
- Star 60 (1 hour wash)

Additional Options:

- Sanitize
- Save Time
- StarDry[™] with Zeolite [™], an exclusive Thermador drying solution



DWHD870WFP



DWHD870WFM



DWHD870WFR

DWHD870WFP	24" Professional Stainless Steel Star Sapphire®	2,799	3,099
DWHD870WFM	24" Masterpiece® Stainless Steel Star Sapphire®	2,799	3,099

<u>DWHD870WPR</u> 24" Custom Panel Star Sapphire®

(Requires Custom Panel)

Glass Care Center

- 44 dBA
- All new bottom rack—4 wave tines for customization of glassware and the ultimate in capacity, and all new bottom mat providing the ultimate in glassware security
- Premium Smooth Glide Racks
- · Two efficient cutlery baskets
- · 8 place settings
- Glassware inserts
- · Flexible folding tines (upper)
- Sapphire Glow[™] Interior Light
- Push to Open

Additional Wash Cycles:

Quick

StarSpeed[®]—20 min. hot water wash

2,799

3,099

- Glass
- Star 60 (1 hour wash)

Additional Options:

- Sanitize
- Extra Dry
- Extra shine



DWHD771WFM



DWHD771WFR

<u>DWHD771WFP</u> 24" Professional Stainless Steel Glass Care Center 2,399 2,649

<u>DWHD771WFM</u> 24" Masterpiece® Stainless Steel Glass Care Center 2,399 2,649

DWHD771WFM 24" Masterpiece® Stainless Steel Glass Care Center 2,399 2,649

DWHD771WPR 24" Custom Panel Glass Care Center 2,399 2,649

(Requires Custom Panel)

Model Number Description UMRP MSRP

Accessorie	es			Emerald Series	Topaz® Series	Sapphire® Series	Star Sapphire® Series	Glass Care Center
	SMZPC002UC	Dishwasher 3-prong Power Cord (rear connection)	See Bosch Price List*	•	•	•	•	•
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	See Bosch Price List*	•	•	•	•	•
	SMZSH002UC	Dishwasher Water Supply Hose	See Bosch Price List*					
	SGZ1010UC	Dishwasher Drain Hose Extension	See Bosch Price List*	•	•	•	•	•
	<u>SGZ9091UC</u>	Dishwasher Salt for dishwashers (4.4 lbs. pack)	See Bosch Price List*			•		
	SMZ5000	Dishwasher Accessory Kit with Extra-Tall-Item™ Sprinkler, Vase/Bottle Holder, Three Plastic Item Clips and Small Item Basket.	See Bosch Price List*	•	•	•	•	
	SMZ5400	MyWay™ Rack Large Silverware Insert Accessory DWHD870* models only	See Bosch Price List*			•		
	SMZ5002UC	Fine Silverware Carafe with Clip for Emerald dishwashers (clips onto lower rac	See Bosch Price List* sk)	•				

NOTE: Above accessories can be used in all dishwasher models unless otherwise noted.

^{*} Pricing for the Thermador® dishwasher accessories listed on this page can be found on the Bosch Price List, listed under the same SKU numbers.

3DHFGALBIN1-12, 1-17	CVTFRONT106-19	HMWB361WS6-5	PA36WTKG5-23
3DPRODRAIL1-12, 1-17	CVTRECT26-19	HMWB481WS6-5	PA48WLBC 5-11
24HFGALBIN1-12, 1-17	CVTSIDE66-19	HPCN36WS6-7	PA48WLBG5-24
24PRODRAIL1-12, 1-17	CVTSIDE86-19	HPCN48WS6-7	PA48WLBH5-32
30HFGALBIN1-12, 1-17	CVTSIDE106-19	HPIN42WS 6-11	PA48WLBSG5-24
30PRODRAIL1-12, 1-17	ъ	HPIN54WS6-11	PA48WTKG5-24
36HFGALBIN1-12, 1-17	D		PA60WLBG5-24
36PRODRAIL1-12, 1-17	DC30MTW6-6	I	PA60WTKG5-24
Б	DC36MTW6-6	ICEBUCKETL1-13, 1-17	PAALTKITGW5-23
В	DC36TW6-3	L	PAALTKITHW5-32
BAFFLT306-15	DC48MTW6-6	LINER306-15	PABRICKBKW 5-10, 5-22, 5-31
BAFFLT366-15	DC48TW6-3	LINER366-15	PABRICKW 5-10, 5-22, 5-31
BAFFLT486-15	DC306W6-3	LINER366-15	PAGRIDDLE 5-10, 5-22, 5-31
С	DC366W6-3		PAGRIDDLEW 5-10, 5-21, 5-31
CEM305TB4-4	DC426W6-3	LPRODBIN101-12, 1-17	PAGRIDLFW 5-10, 5-21, 5-31
	DC486W6-3	М	PAKNOBLUWG5-23
CEM366TB4-4	DCT3016W6-6	MB30WP3-7	PAKNOBLUWH5-32
CET305TB4-4	DCT3616W6-6	MB30WS3-7	PAKNOBLUWR5-11
CET366TB4-4	DCT4816W6-6	MC30WP3-7	PALPKITDGW5-23
CHEFSPAN084-8	DWHD650WFM7-1	MC30WS3-7	PALPKITGGW5-23
CHEFSPAN134-8	DWHD650WFP7-1	MD24WS3-8	PALPKITGW5-32
CHFHMCD 6-10, 6-13	DWHD650WPR7-1	MD30WS3-8	PALPKITGW55-32
CHFHMDW306-6	DWHD660WFM7-1	ME301WS3-2	PALPKITHW5-11, 5-32
CHFHMDW366-6	DWHD660WFP7-1	ME302WS3-3	PALPKITHW55-11, 5-32
CHFILISL6-13	DWHD660WPR7-1		PCG305W5-8
CHFILT3036 6-3, 6-6	DWHD770WFM7-2	MED301LWS3-2	PCG364WD5-8
CHMHP36TW6-9	DWHD770WFP7-2	MED301RWS3-2	PCG364WL5-9
CHMHP36XTW6-9	DWHD770WPR7-2	MED301WS3-2	PCG366W5-9
CHMHP48TW6-9	DWHD771WFM7-2	MED302LWS3-3	PCG486WD5-9
CHMHP48XTW6-9	DWHD771WFP7-2	MED302RWS3-3	PCG486WL5-9
CHMHP366W6-9	DWHD771WPR7-2	MED302WS3-3	PH30HWS6-1
CHMHP486W6-9	DWHD870WFM7-2	MEDMC301WS3-4	PH36GWS6-1
CHXTHDDW6-10	DWHD870WFP7-2	MEDMCW31WS3-5	PH36HWS6-1
CHXTHMCB6-10	DWHD870WPR7-2	MEDS301WS3-6	PH42GWS6-1
CHXTHMIB6-13	_	MEDS302WS3-6	PH48GWS6-1
CIT30XWBB4-5	E	MEM301WS3-4	PH48HWS6-1
CIT36XWB4-5	EXTNCB25W 6-4, 6-9, 6-13, 6-15,	MS20HNDL20 1-18, 1-19	PH54GWS6-1
CIT36XWBB4-5	6-20	MS22HNDL20 1-18, 1-19	PH60GWS6-1
CIT304TB4-7	EXTNCE56-20	MS30HNDL20 1-11	PO301W5-2
CIT304TM4-7	F	MS36HNDL20 1-11	PO302W5-3
CIT365TB4-7	FRAMEKIT101-12	MU30WSU3-8	POD301LW5-2
CIT367XG4-6	T HANIERIT TO1-12	Р	POD301RW5-2
CIT367XGS4-6	Н	PA12CHPBLK 5-10, 5-22, 5-31	POD301W5-2
CIT367XM4-6	HDDB30WS6-8	PA12GRILFW 5-10, 5-21, 5-31	POD302LW5-3
CIT367XMS4-6	HDDB36WS6-8	PA12GRILLW 5-10, 5-21, 5-31	POD302RW5-3
CS1XLH5-23	HEATRKIT201-12	PA12LCVRN 5-10, 5-22, 5-31	POD302W5-3
CS1XLPH5-23	HMCB30WS6-8	PA12LCVRW 5-10, 5-22, 5-31	PODMC301W5-4
CS2LH5-23	HMCB36WS6-8	PA12LCVRW 5-10, 5-22, 5-31 PA24CVRR5-22	PODMCW31W5-5
CS2XLH5-23	HMDW30WS6-5	PA24CVRW5-22, 5-31	PODS301W5-6
CS2XLPH5-23	HMDW36WS6-5		PODS302W5-6
CSRACKH5-23	HMIB36WS6-12	PA30WLBC 5-11 PA30WLBH5-32	POM301W5-4
CVDUCT26-19	HMIB42WS6-12	PA30WLBH5-32 PA36WLBC5-11	PR20HNDL20 1-18, 1-19
CVTFRONT66-19	HMWB30WS6-5		PR22HNDL20 1-18, 1-19
CVTFRONT86-19	HMWB36WS6-5	PA36WLBG5-24	PR30HNDL201-11
	1 11V1 V DOO V V O0-5	PA36WLBH5-32	30

PR36HNDL20 1-11	SD30WC3-9	T24UW910LS1-19	U
PRD48WCSGU5-18	SDCLNRCK305-7	T24UW910RS1-19	UCTRFLTR10 1-18, 1-19
PRD48WDSGU5-17	SDS30WC3-9	T24UW920LS1-19	UCV30ST6-17
PRD48WISGU5-17	SGRIDDLEW4-3	T24UW920RS1-19	UCV36ST6-17
PRD48WLSGU5-17	SGS305TS 4-1	T24WINERK11-13	UCVFILTER6-17
PRD304WHU5-25	SGS365TS 4-1	T30BB910SS1-16	UCVM30RS6-16
PRD305WHU5-25	SGSP305TS4-2	T30BB920SS1-16	UCVM30XS6-16
PRD364WDGU5-13	SGSP365TS4-2	T30IB900SP1-7	UCVM36RS6-16
PRD364WDHU5-26	SGSX305TS4-1	T30IF900SP1-5	UCVM36XS6-16
PRD364WIGU5-13	SGSX365TS4-1	T30IR900SP1-2	UCVP36RS6-16
PRD364WLGU5-13	SGSXP305TS4-2	T30IR901SP1-3	UCVP36XS6-16
PRD364WLHU5-26	SGSXP365TS4-2	T36BB910SS1-16	UCVRECIRC6-17
PRD366WGU5-13	SGZ1010UC7-3	T36BB920SS1-16	
PRD366WHU5-26	SGZ9091UC7-3	T36BT910NS1-16	V
PRD484WCGU5-15	SKNOBLUW4-3	T36BT920NS1-16	VCI2REMFS6-15
PRD484WCHU5-27	SLPKITW4-3	T36IB900SP1-7	VCI230DS6-14
PRD486WDGU5-14	SMZ50007-3	T36IF900SP1-5	VCI236DS6-14
PRD486WDHU5-27	SMZ5002UC7-3	T36IR900SP1-3	VCI248DS6-14
PRD486WIGU5-14	SMZ54007-3	T36IT900NP1-7	VCIN36GWS6-14
PRD486WLGU5-14	SMZPC002UC7-3	T36IT901NP1-8	VCIN42GWS6-14
PRD486WLHU5-27	SMZPCJB1UC7-3	TCM24PS2-1	VCIN48GWS6-14
PRD606WCG5-15	SMZSH002UC7-3	TCM24TS2-1	VCIN54GWS6-14
PRD606WCSG5-18	SNPKITPEDW4-3	TCMTK30RS2-1	VCIN60GWS6-14
PRD606WEG5-15	SPRODBIN101-12, 1-17	TCOOKSENSW4-8	VTD600P6-18
PRD606WESG5-18	SWOKRINGW4-3	TEPPAN10134-8	VTI610W 6-2, 6-18
PRG304WH5-28	3WORI III/GW4-3	TEPPAN10164-8, 5-21	VTI1010W
PRG305WH5-28	Т	TEPPAN13144-8	VTN630W6-2
PRG364WDG5-20	T18ID900LP1-6	TEPPAN13214-8	VTN1090R6-2
PRG364WDH5-29	T18ID900RP1-6	TFL18ID8001-6	VTR630W
PRG364WLG5-29	T18IF900SP1-4	TFL18ID9051-6	VTR1030W 6-2, 6-18
PRG364WLH5-29	T18IF901SP1-4	TFL18IR8001-5	VTR1330W6-2, 6-18
PRG366WG5-19	T18IW900SP1-9	TFL18IR9051-5	V 1 1 1 3 3 0 W 0 - 2 , 0 - 1 6
PRG366WH5-19	T18WINERK11-13, 1-17	TFL18IW8001-10	W
	T23IR900SP1-2		WD30W3-9
PRG486WDG5-20	T24ID900LP1-6	TFL18IW9051-10	WD30WC3-9
PRG486WDH5-30	T24ID900RP1-6	TFL23IR9001-3	WKNOBKT3W5-7
PRG486WLG5-21	T24IF900SP1-4	TFL23IR9051-3	WKINOBICTOW5-7
PRG486WLH5-30		TFL24ID8001-6	
PWOKRINGHC 5-11, 5-22, 5-31	T24IR900SP1-2	TFL24ID9051-6	
В	T24IW900SP1-9	TFL24IR8001-3, 1-5	
R	T24IW901SP1-9	TFL24IR9051-3, 1-5, 1-6	
RECHDDB6-10	T24UC900DP1-19	TFL24IW8001-10	
RECHMCB6-10	T24UC910DS1-19	TFL24IW9051-10	
RECHMDW306-6	T24UC920DS1-19	TFL30IB8001-8	
RECHMDW366-6	T24UR900DP1-18	TFL30IB9051-8	
RECHMIB6-13	T24UR900LP1-18	TFL30IR8001-3, 1-5	
RECHMWB306-6	T24UR900RP1-18	TFL30IR9051-3, 1-5	
RECHMWB366-6	T24UR910DS1-18	TFL36IB8001-8	
REMCPW6-3	T24UR910LS1-18	TFL36IB9051-8	
REPLFLTR101-13, 1-17	T24UR910RS1-18	TFL36IR9001-3, 1-5	
RFPLT600P 6-4, 6-20	T24UR920DS1-18	TFL36IR9051-3, 1-5	
RFPLT1000P 6-4, 6-20	T24UR920LS1-18	TFL36IT8001-8	
	T24UR920RS1-18	TFL36IT9051-8	
S	T24UW900LP1-19	TROASTERT4-8	
SCRNFLTR101-13, 1-17	T24UW900RP1-19		



BSH Home Appliances Corporation

1901 Main Street, Suite 600, Irvine, CA 92614

Phone: (949) 440-7100

(800) 735-4328 Sales and Service

Thermador.com

18-BSH-0617.1 09/09/2019

©2019 BSH Home Appliances Corporation. All rights reserved.