


Statistics and Probability

Quarter 4 – Module 8: Solving Problems Involving Test of Hypothesis on Population Mean



Statistics and Probability – Grade 11
Alternative Delivery Mode
Quarter 4 – Module 8: Solving Problems Involving Test of Hypothesis on
Population Mean

First Edition, 2020

Republic Act 8293, Section 176 states that: No copyright shall subsist in any work of the Government of the Philippines. However, prior approval of the government agency or office wherein the work is created shall be necessary for exploitation of such work for profit. Such agency or office may, among other things, impose as a condition the payment of royalties.

Borrowed materials (i.e., songs, stories, poems, pictures, photos, brand names, trademarks, etc.) included in this module are owned by their respective copyright holders. Every effort has been exerted to locate and seek permission to use these materials from their respective copyright owners. The publisher and authors do not represent nor claim ownership over them.

Published by the Department of Education
Secretary: Leonor Magtolis Briones
Undersecretary: Diosdado M. San Antonio

Development Team of the Module

Writer: Nelda L. Oabel

Editors: Jerome A. Chavez, Gilberto M. Delfina, Laarni Q. Lachica, and Pelagia L. Manalang

Reviewers: Josephine V. Cabulong, and Nenita N. De Leon

Illustrator: Jeewel C. Cabriga

Layout Artist: Edna E. Eclavea

Management Team: Wilfredo E. Cabral, Regional Director

Job S. Zape Jr., CLMD Chief

Elaine T. Balaogan, Regional ADM Coordinator

Fe M. Ong-ongowan, Regional Librarian

Aniano M. Ogayon, Schools Division Superintendent

Maylani L. Galicia, Assistant Schools Division Superintendent

Randy D. Punzalan, Assistant Schools Division Superintendent

Imelda C. Raymundo, CID Chief

Generosa F. Zubieta, EPS In-charge of LRMS

Pelagia L. Manalang, EPS

Printed in the Philippines by _____

Department of Education – Region IV-A CALABARZON

Office Address: Gate 2 Karangalan Village, Barangay San Isidro
Cainta, Rizal 1800

Telefax: 02-8682-5773/8684-4914/8647-7487

E-mail Address: region4a@deped.gov.ph

**Statistics and
Probability**
Quarter 4 – Module 8:
**Solving Problems Involving Test
of Hypothesis on Population
Mean**

Introductory Message

For the facilitator:

Welcome to the Statistics and Probability for Senior High School Alternative Delivery Mode (ADM) Module on Solving Problems Involving Test of Hypothesis on Population Mean

This module was collaboratively designed, developed, and reviewed by educators both from public and private institutions to assist you, the teacher or the facilitator, in helping the learners meet the standards set by the K to 12 Curriculum while overcoming their personal, social, and economic constraints in schooling.

This learning resource hopes to engage the learners into guided and independent learning activities at their own pace and time. Furthermore, this also aims to help learners acquire the needed 21st century skills while taking into consideration their needs and circumstances.

In addition to the material in the main text, you will also see this box in the body of the module:



Notes to the Teacher

This contains helpful tips or strategies that will help you in guiding the learners.

As a facilitator, you are expected to orient the learners on how to use this module. You also need to keep track of the learners' progress while allowing them to manage their own learning. Furthermore, you are expected to encourage and assist the learners as they do the tasks included in the module.

For the learner:

Welcome to the Statistics and Probability for Senior High School Alternative Delivery Mode (ADM) Module on Solving Problems Involving Test of Hypothesis on Population Mean!

The hand is one of the most symbolical parts of the human body. It is often used to depict skill, action, and purpose. Through our hands, we may learn, create, and accomplish. Hence, the hand in this learning resource signifies that as a learner, you are capable and empowered to successfully achieve the relevant competencies and skills at your own pace and time. Your academic success lies in your own hands!

This module was designed to provide you with fun and meaningful opportunities for guided and independent learning at your own pace and time. You will be enabled to process the contents of the learning resource while being an active learner.

This module has the following parts and corresponding icons:



What I Need to Know

This will give you an idea on the skills or competencies you are expected to learn in the module.



What I Know

This part includes an activity that aims to check what you already know about the lesson to take. If you get all the answers correct (100%), you may decide to skip this module.



What's In

This is a brief drill or review to help you link the current lesson with the previous one.



What's New

In this portion, the new lesson will be introduced to you in various ways such as a story, a song, a poem, a problem opener, an activity, or a situation.



What Is It

This section provides a brief discussion of the lesson. This aims to help you discover and understand new concepts and skills.



What's More

This comprises activities for independent practice to solidify your understanding and skills of the topic. You may check the answers to the exercises using the



What I Have Learned

Answer Key at the end of the module.

This includes questions or blank sentences/paragraphs to be filled in to process what you learned from the lesson.



What I Can Do

This section provides an activity which will help you transfer your new knowledge or skill into real life situations or concerns.



Assessment

This is a task which aims to evaluate your level of mastery in achieving the learning competency.



Additional Activities

In this portion, another activity will be given to you to enrich your knowledge or skill of the lesson learned. This also aims for retention of learned concepts.



Answer Key

This contains answers to all activities in the module.

At the end of this module, you will also find:

References

This is a list of all sources used in developing this module.

The following are some reminders in using this module:

1. Use the module with care. Do not put unnecessary mark/s on any part of the module. Use a separate sheet of paper in answering the exercises.
2. Don't forget to answer *What I Know* before moving on to the other activities included in the module.
3. Read the instruction carefully before doing each task.
4. Observe honesty and integrity in doing the tasks and checking your answers.
5. Finish the task at hand before proceeding to the next.
6. Return this module to your teacher/facilitator once you are through with it.

If you encounter any difficulty in answering the tasks in this module, do not hesitate to consult your teacher or facilitator. Always bear in mind that you are not alone.

We hope that through this material, you will experience meaningful learning and gain deep understanding of the relevant competencies. You can do it!



What I Need to Know

In the previous module, you studied about constructing hypotheses based on assumptions made. You've learned how to determine the appropriate test statistic to be used and solve its value in a given situation as well as how to identify the critical value and draw the critical region.

In this module, you will apply your knowledge and skills on solving problems in hypothesis testing. Eventually, you will decide whether you will reject the null hypothesis or not.

After going through this module, you are expected to:

1. identify the steps in hypothesis testing; and
2. solve problems involving test of hypothesis on the population mean.

Before you proceed to the lesson, make sure to answer first the questions on the next page (What I Know).



What I Know

Directions: Choose the best answer to the given questions or statements. Write the letter of your choice on a separate sheet of paper.

1. Which of the following will produce a correct decision?
 - A. rejecting a false hypothesis
 - B. rejecting a true null hypothesis
 - C. failure to reject a false hypothesis
 - D. failure to reject a true null hypothesis
2. If a result is said to be significant at 5% level, what does it mean?
 - A. The null hypothesis is 5% true.
 - B. The null hypothesis is 5% incorrect.
 - C. We fail to reject the false null hypothesis 5% of the time.
 - D. There is a 5% probability that a true null hypothesis is rejected.
3. Which value separates the critical region from the non-critical region in a normal curve when testing a hypothesis?
 - A. t-value
 - B. z-value
 - C. critical value
 - D. computed value

4. What should be the decision if the computed z-value lies in the critical region?
 - A. Reject the null hypothesis.
 - B. Reject the alternative hypothesis.
 - C. Do not reject the null hypothesis.
 - D. Do not reject the alternative hypothesis.

5. The mean height of women is greater than 64" (inches). Which of the following represents the null and alternative hypotheses?

| | |
|--|---|
| <ol style="list-style-type: none"> A. $H_0: \mu \geq 64''$ $H_a: \mu \neq 64''$ B. $H_0: \mu > 64''$ $H_a: \mu \neq 64''$ | <ol style="list-style-type: none"> C. $H_0: \mu \leq 64''$ $H_a: \mu > 64''$ D. $H_0: \mu = 64''$ $H_a: \mu > 64''$ |
|--|---|

6. What is the last step in the hypothesis testing procedure?
 - A. Draw conclusion.
 - B. Choose the level of significance.
 - C. State the null and alternative hypotheses.
 - D. Determine the test statistic and compute it.

7. A one sample t-test is conducted on $H_0: \mu = 81.6$. The sample has a sample mean = 84.1, $s = 3.1$, $n = 25$, and $\alpha = .01$. State your null and alternative hypotheses.

| | |
|--|---|
| <ol style="list-style-type: none"> A. $H_0: \mu = 81.6$ $H_a: \mu \neq 81.6$ B. $H_0: \mu = 81.6$ $H_a: \mu < 81.6$ | <ol style="list-style-type: none"> C. $H_0: \mu \leq 81.6$ $H_a: \mu > 81.6$ D. $H_0: \mu = 64''$ $H_a: \mu > 81.6$ |
|--|---|

8. Perform a hypothesis test on the null hypothesis where $\mu = 6.9$. A random sample of 25 items is selected. The sample mean is 7.1 and the sample standard deviation is 2.4. It can be assumed that the population is normally distributed at $\alpha = .01$.
 - A. There is enough evidence to reject the claim.
 - B. There is enough evidence to support the claim.
 - C. There is not enough evidence to reject the claim.
 - D. There is not enough evidence to support the claim.

9. In a right-tailed test, what will you do if the critical value is greater than the computed value?
 - A. Reject the null hypothesis.
 - B. Reject the alternative hypothesis.
 - C. Do not reject the null hypothesis.
 - D. Fail to reject the alternative hypothesis.

10. When the null hypothesis is rejected, which of the following statements is true?
 - A. The null hypothesis is incorrect.
 - B. The alternative hypothesis is true.
 - C. There is enough evidence against the null hypothesis.
 - D. There is a very small probability that the given null hypothesis is true.
11. What does it mean when we failed to reject the null hypothesis?
 - A. The conclusion is not significant.
 - B. The null hypothesis is definitely correct.
 - C. There is enough evidence to back up the null hypothesis.
 - D. There is insufficient evidence to disagree with the null hypothesis.
12. If the t-computed value is 1.093 and the critical value is 1.699, what will be the decision?
 - A. Reject the null hypothesis.
 - B. Support the null hypothesis.
 - C. Do not reject the null hypothesis.
 - D. Support the alternative hypothesis.
13. What is the first step in the hypothesis testing procedure?
 - A. Draw conclusion.
 - B. Choose the level of significance.
 - C. State the null and alternative hypotheses.
 - D. Determine the test statistic and compute it.
14. What will you do if the computed value is greater than the critical value?
 - A. Reject the null hypothesis.
 - B. Support the null hypothesis.
 - C. Do not reject the null hypothesis.
 - D. Support the alternative hypothesis.
15. If the computed z-value is 1.130 and the critical value is 1.96, what conclusion can be drawn?
 - A. Fail to reject the null hypothesis.
 - B. Reject both the null and alternative hypotheses.
 - C. Reject the null hypothesis in favor of the alternative hypothesis.
 - D. Fail to reject both the null hypothesis and alternative hypothesis.

How did you find this pre-test? Did you encounter both familiar and unfamiliar terms? Kindly compare your answer in the Answer Key on the last part of this module.

If you got a perfect score or 100%, skip this module and proceed to the next one. But if you missed even a single point, please continue with this module as it will enrich your knowledge in hypothesis testing.

Solving Problems Involving Test of Hypothesis on the Population Mean

Hypothesis testing is a method of testing a claim or hypothesis about a parameter in a population using data measured in a sample. In this method, we test some hypotheses by determining the likelihood that a sample statistic could have been selected and if the hypothesis regarding the population parameter was true.

In this module, you will apply your knowledge in solving problems on hypothesis testing. To do that, recall the different terms related to hypothesis testing by answering the activity below.



What's In

Find the Word... That's the Word!

Directions: Find the words related to hypothesis testing. The letters consisting the word may be arranged horizontally, vertically, or diagonally. Make sure to identify each of them.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | H | Y | P | O | T | H | E | S | I | S | N | A | V | Q | N | T |
| L | C | W | A | A | O | A | N | S | A | I | D | Q | A | U | O | Y |
| T | A | N | R | D | N | S | U | Z | D | R | E | A | R | K | I | P |
| E | R | T | A | G | U | V | P | T | T | H | I | R | I | G | R | E |
| R | S | A | M | P | L | E | M | E | A | N | S | S | A | T | Y | I |
| N | I | R | E | Q | L | U | S | S | I | O | N | E | N | I | N | E |
| A | G | T | T | E | S | T | I | T | L | S | W | A | C | T | W | R |
| T | N | S | E | P | A | J | K | K | W | L | E | T | E | K | A | R |
| I | I | O | R | L | S | K | L | O | Y | O | R | O | Q | S | F | O |
| V | F | O | N | E | T | A | I | L | E | D | T | E | S | T | G | R |
| E | I | R | C | E | I | L | F | Y | G | Q | U | A | X | P | H | S |
| N | C | C | R | I | T | I | C | A | L | R | E | G | I | O | N | T |
| S | A | M | P | L | E | S | I | Z | E | I | L | I | Z | L | U | Y |
| I | N | A | U | D | L | R | W | O | E | L | P | Q | P | S | E | U |
| L | C | P | O | P | U | L | A | T | I | O | N | M | E | A | N | D |
| W | E | L | E | V | E | L | C | S | E | N | E | R | X | Y | L | J |

Since you already know the different terms related to hypothesis testing, you are now ready to solve problems.

In decision making, what are the factors that you need to consider? Do you think of the consequences of your actions?

Statistics can help us in making decisions. Included in the process is forming reliable conclusions and the decision making starts with the testing of the hypothesis. Let us enhance your decision-making skills by answering the next activity.



What's New

Would You Rather!

Directions: Choose only one, then justify your choice.

| | | |
|---|---|---|
| <i>Would you rather ... be a girl or a boy?</i> | <i>Would you rather ... have more siblings or be the only child?</i> | <i>Would you rather ... go to college or get a job?</i> |
| <i>Would you rather ... come to school or hang out with your friends?</i> | <i>Would you rather ... go without Facebook or junk food for the rest of your life?</i> | <i>Would you rather ... have many good friends or one very best friend?</i> |

Every day, we are faced with all sorts of decisions. Sometimes the decisions are small, like what to wear or what to eat. But sometimes the decisions are bigger, like what course you are going to take up or which university you are going to enrol in college. The test of hypothesis will aid you in the decision-making process so you can make the right choices for better results.



What Is It

In testing hypothesis on the population means, follow the steps below:

1. State the null hypothesis H_0 and the alternative hypothesis H_a .
2. Determine the test statistic that will be used to conduct the hypothesis test. Then, calculate its value.
3. Find the critical value for the test and draw the critical region.
4. Decide and draw a conclusion based on the comparison of the calculated value of the test statistic and the critical value of the test.

In general, if the absolute value of the computed value is greater than the absolute value of the critical value, we reject the null hypothesis and support the alternative hypothesis. But if the absolute value of the computed value is less than the absolute value of the critical value, we fail to reject the null hypothesis and the alternative hypothesis is not supported.

In a **right-tailed test**, if the computed value is **greater than** the critical value, **we reject the null hypothesis and support the alternative hypothesis**. But if the computed value is **less than** the critical value, **we fail to reject the null hypothesis and the alternative hypothesis is not supported**.

In a **left-tailed test**, if the computed value is **less than the critical value**, we **reject the null hypothesis and support the alternative hypothesis**. But if the computed value is **greater than** the critical value, **we fail to reject the null hypothesis and the alternative hypothesis is not supported**.

Study the given examples below.

Example 1: According to a study conducted by the Grade 12 students, ₱155 is the average monthly expense for cell phone loads of high school students in their province. A Statistics student claims that this amount has increased since January of this year. Do you think his claim is acceptable if a random sample of 50 students has an average monthly expense of ₱165 for cell phone loads? Using 5% level of significance, assume that a population standard deviation is ₱52.

Solution:

Given: $\bar{x} = 165$ $\mu = 155$ $\sigma = 52$ $n = 50$ $\alpha = 0.05$

Step 1: State the null and alternative hypotheses.

$$H_0: \mu = 155$$

$$H_a: \mu > 155$$

Step 2: Determine the test statistic, then compute its value.

Since the population mean is being tested, the population standard deviation σ is known, and $n > 30$, the appropriate test statistic is the z-test.

$$z = \frac{\bar{x} - \mu}{\frac{\sigma}{\sqrt{n}}}$$


$$z = \frac{165 - 155}{\frac{52}{\sqrt{50}}}$$

$$z = \frac{10}{7.35}$$

$$z = \mathbf{1.361}$$

Step 3: Find the critical value and draw the critical region. Use the z-critical value table.

The alternative hypothesis is directional. Hence, the one-tailed test (right-tailed test) shall be used. From the z-value table at 0.05 level of significance, the critical value is 1.645.



Step 4: Draw a conclusion.

The z-computed value is 1.361 and it lies within the non-rejection region, so we fail to reject the null hypothesis. Therefore, there is no enough evidence to support the claim that the average monthly expense for cell phone loads is more than ₱155. This result is significant at $\alpha = 0.05$ level.

Example 2: Blood glucose levels for obese teenagers have a mean of 120. A researcher thinks that a diet high in raw cornstarch will have a positive or negative effect on blood glucose levels. A sample of 25 patients who have tried the raw cornstarch diet has a mean glucose level of 135 with a standard deviation of 38. Test the hypothesis at $\alpha = 0.10$ that the raw cornstarch had an effect.

Solution:

Given: $\bar{x} = 135$ $\mu = 120$ $s = 38$ $n = 25$ $\alpha = 0.10$ $df = 24$

Step 1: State the null and alternative hypotheses.

$$H_0: \mu = 120 \qquad H_a: \mu \neq 120$$

Step 2: Determine the test statistic, then compute its value.

Since it is the population mean being tested, the population standard deviation is unknown, and $n < 30$, the appropriate test statistic is the t-test.

$$t = \frac{\bar{x} - \mu}{\frac{s}{\sqrt{n}}}$$


$$t = \frac{135 - 120}{\frac{38}{\sqrt{25}}}$$

$$t = \frac{15}{7.6}$$

$$t = 1.974$$

Step 3: Find the critical value and draw the critical region.

The alternative hypothesis is non-directional. Hence, the two-tailed test shall be used. From the t-value table at 0.10 level of significance, the critical value is ± 1.711 .



Step 4: Draw a conclusion.

Since the t-computed value is 1.974 which is greater than the critical value of 1.711, we reject the null hypothesis and support the alternative hypothesis. We can conclude that there is enough evidence to support the claim that the raw cornstarch had an effect on blood glucose levels.

Example 3: The average IQ of Senior High School students is 99 with a standard deviation of 15. A researcher believes that the average IQ of Senior High School students is lower. A random sample of 40 students was tested and got an average of 95. Is there enough evidence to suggest that the average IQ is lower? Test the hypothesis at 0.05 level of significance.

Solution:

Given: $\bar{x} = 95$ $\mu = 99$ $\sigma = 15$ $n = 40$ $\alpha = 0.05$

Step 1: State the null and alternative hypotheses.


$$H_0: \mu = 99 \qquad H_a: \mu < 99$$

Step 2: Determine the test statistic, then compute its value.

Since the population mean is being tested, the population standard deviation σ is known, and $n > 30$, the appropriate test statistic is the z-test.

$$\begin{aligned} z &= \frac{\bar{x} - \mu}{\frac{\sigma}{\sqrt{n}}} \\ z &= \frac{95 - 99}{\frac{15}{\sqrt{40}}} \\ z &= \frac{-4}{2.37} \\ z &= -1.688 \end{aligned}$$

Step 3: Find the critical value and draw the critical region. Use the z-critical value table. The alternative hypothesis is directional. Hence, the one-tailed test (left-tailed test) shall be used. From the z-value table at 0.05 level of significance, the critical value is -1.645.



Step 4: Draw a conclusion.

The z-computed value is -1.688 and it lies within the rejection region, so we reject the null hypothesis. Therefore, there is enough evidence to support the claim that the IQ level of Senior High School students is lower than 99. This result is significant at $\alpha = 0.05$ level.



What's More

Activity 1: Complete Me!

Direction: Fill in the blanks/boxes.

A researcher reports that the average IQ level of students in Philippine Science High School (PSHS) is 110. A sample of 20 students has a mean IQ level of 106 with a standard deviation of 9. At 5% level of significance, test the claim that the IQ level of students in PSHS is 110.

Solution:

Given: $\bar{x} = \underline{\hspace{1cm}}$ $\mu = 110$ $s = \underline{\hspace{1cm}}$ $n = \underline{\hspace{1cm}}$ $\alpha = \underline{\hspace{1cm}}$ $df = \underline{\hspace{1cm}}$

Step 1: _____

$$H_0: \mu = 110$$

$$H_a: \mu \neq 110$$

Step 2: Determine the test statistic, then compute its value.

Since $n < 30$, we will use _____.

$$t = \frac{\bar{x} - \mu}{\frac{s}{\sqrt{n}}}$$


$$t = \frac{\underline{\hspace{1cm}}}{\frac{9}{\sqrt{20}}}$$

$$t = -$$

$$t = \underline{\hspace{2cm}}$$

Step 3: _____

From the t-value table at 0.05 level of significance, the critical value is _____.



Step 4: Draw a conclusion.

Since it is a left-tailed test and the t-computed value is _____, which is _____ than the critical value of _____, we _____ the null hypothesis. We therefore conclude that _____.

Activity 2: Follow Me!

Directions: Follow the steps in testing hypothesis to answer the following problems.

1. Mapalad Integrated High School determined students' Body Mass Index (BMI) at the opening of classes. It has been recorded that the average height of female students is 154.2 centimeters with a standard deviation of 9 centimeters. The researcher conducted her own study and she randomly selected 40 female students. In her study, she got an average of 156.7 centimeters. Is there a reason to believe the claims of the school? Use 5% level of significance in testing the hypothesis.
2. The manager of a certain TV station claimed that the average rating of people watching their noontime teleserye in Manila is 62.5. A researcher randomly selected 25 people and asked them their favorite noontime teleserye. He computed the mean and obtained 67.8 with standard deviation of 15.9. Is there a reason to believe that the manager is correct? Use 0.01 as the level of significance.
3. According to the report of National Economic Development Authority (NEDA) last year, a Filipino household spends an average of ₱333 a day. You took a random sample of 20 households and determined the amount of their allotted budget each day revealing a mean of ₱420 and standard deviation of ₱120. Using 0.01 level of significance, can it be concluded

that the average amount spent per day by a Filipino household has increased? Assume normality over the population.

4. One of the psychological tests conducted by the guidance counselors in a public school is the Survey of Study Habits and Attitudes (SSHA) that measures student's attitudes toward studying. The mean score of Senior High students is 135 with standard deviation of 35. Makisig suspects that older students have better attitudes toward school. He randomly selects 50 Grade 12 students who are at least 18 years old and gives them SSHA. The test result has a mean score of 144.8 points. Is there a reason to believe that the claim of the guidance counselors is correct? Assume that the population mean score is normally distributed. Carry out a significance test at 5% level.
5. According to the World Health Organization's statistics published in 2018, the lifespan of a person in the Philippines is 67 years old. A random sample of 25 obituary notices in the Philippine Daily Inquirer has an average mean of 60 years old with a standard deviation of 19 years. If the life span in the Philippines is normally distributed, does this information indicate that the population mean life span of Filipinos is less than 67 years old? Use 5% level of significance.



What I Have Learned

Directions: Answer the following.

1. What are the steps in testing hypothesis for the population mean?
2. In a right-tailed test, what will you do if the computed value is greater than the critical value?
3. In a left-tailed test, what will you do if the computed value is less than the critical value?
4. What does it mean if you reject the null hypothesis?
5. What do you mean if you fail to reject the null hypothesis?



What I Can Do

In a long bond paper, create an infographic chart about solving problems in hypothesis testing. Be creative!

Grading Rubric for Infographic Chart

| Indicator | Excellent (5 points) | Good (4 points) | Fair (3 points) | Needs Improvement (2 points) |
|----------------------------------|---|---|---|---|
| <i>Content</i> | All information are detailed, accurate, relevant, and properly cited. | Information are detailed, accurate, relevant, and properly cited. | Most information are detailed, accurate, relevant, and properly cited | Few information are detailed, accurate, relevant, and properly cited. |
| <i>Infographic Design</i> | Layout is aesthetically pleasing. | Layout is clear. | Layout is generally clear. | Layout maybe somewhat unclear. |
| <i>Creativity</i> | Additional elements such as pictures are incorporated to enhance the infographic. | Additional elements are used but do not enhance the infographic. | No additional elements are used. | Additional elements are used but there is no relevance to the content of the infographic. |



Assessment

Directions: Choose the best answer to the given questions or statements. Write the letter of your choice on a separate sheet of paper.

1. The null hypothesis is rejected. What does it mean?
 - A. The null hypothesis is incorrect.
 - B. The alternative hypothesis is true.
 - C. There is enough evidence against the null hypothesis.
 - D. There is a very small probability that the null hypothesis is true.

2. If the t-computed value is 2.430 and the critical value is 2.011, what will be the decision?
 - A. Reject the null hypothesis.
 - B. Support the null hypothesis.
 - C. Reject the alternative hypothesis.
 - D. Do not reject the null hypothesis.

3. What is the third step in the hypothesis testing procedure?
 - A. Draw conclusion.
 - B. State the null and alternative hypotheses.
 - C. Determine the test statistic and compute it.
 - D. Find the critical value for the test; then draw the critical region.

4. In a left-tailed test, what will you do if the critical value is less than the computed value?
 - A. Reject the null hypothesis.
 - B. Do not reject the null hypothesis.
 - C. Reject the alternative hypothesis.
 - D. Do not reject the alternative hypothesis.

5. The t-computed value is 1.875 and the critical value is 2.080. What conclusion can be drawn?
 - A. Reject the null hypothesis.
 - B. Fail to reject the null hypothesis.
 - C. Reject the alternative hypothesis.
 - D. Fail to reject the alternative hypothesis.

6. What does it mean if a result is said to be significant at 1% level?
 - A. The null hypothesis is 99% true.
 - B. The null hypothesis is 99% wrong.
 - C. We fail to reject the false null hypothesis 1% of the time.
 - D. There is a 1% probability that a true null hypothesis is rejected.

7. It is a value that separates the acceptance region from the rejection region in a normal curve when testing the hypothesis?

| | |
|------------|-------------------|
| A. t-value | C. critical value |
| B. z-value | D. computed value |

8. What should you do if the computed z-value lies in the critical region?
 - A. Reject the null hypothesis.
 - B. Reject the alternative hypothesis.
 - C. Do not reject the null hypothesis.
 - D. Do not reject the alternative hypothesis.

9. The mean height of women is less than 64" (inches). Which of the following represents the null and alternative hypotheses?

| | |
|------------------------|------------------------|
| A. $H_0: \mu \geq 64"$ | C. $H_0: \mu \leq 64"$ |
| $H_a: \mu < 64"$ | $H_a: \mu \neq 64"$ |

B. $H_0: \mu = 64$ "
 $H_a: \mu \neq 64$ "

D. $H_0: p = 64$ "
 $H_a: p > 64$ "

10. In the hypothesis testing procedure, drawing conclusion should always be the _____ step.
- A. first B. second C. third D. last
11. A one sample t-test is conducted on $H_0: \mu = 81.6$. The sample has a mean of 84.1, $s = 3.1$, $n = 25$, and $\alpha = .01$. What conclusion can be drawn?
- A. Reject H_0 . C. Fail to reject H_0 .
B. Reject H_a . D. Fail to reject H_a .
12. Perform a hypothesis test where the null hypothesis is that the $\mu = 6.9$. A random sample of 16 items is selected. The sample mean is 7.1 and the sample standard deviation is 2.4. It can be assumed that the population is normally distributed at $\alpha = 0.05$.
- A. There is enough evidence to reject the claim.
B. There is enough evidence to support the claim.
C. There is not enough evidence to reject the claim.
D. There is not enough evidence to support the claim.
13. If the computed t-value is 2.130 while the critical value is 2.086, what conclusion can be drawn?
- A. Reject both the null and alternative hypotheses.
B. Fail to reject the null and alternative hypotheses.
C. Reject the null hypothesis in favor of the alternative hypothesis.
D. Fail to reject the null and the alternative hypothesis is not supported.
14. After formulating the hypotheses, what is the next step in the hypothesis testing procedure?
- A. Draw conclusion.
B. Choose the level of significance.
C. Determine the test statistic and compute it.
D. Find the critical value and draw the critical region.
15. Find the critical value(s) for a two-tailed test with $\alpha = 0.05$.
- A. $z = -1.65$ B. $z = \pm 0.06$ C. $z = 1.65$ D. $z = \pm 1.96$



Additional Activities

In this activity, complete the 1-4-3 chart by writing down what are being asked.

| 1 - 4 - 3 LIST |
|---|
| <i>One (1) thing I really love about this topic:</i> |
| 1. |
| <i>Four (4) important reasons why I love this topic:</i> |
| 1. |
| 2. |
| 3. |
| 4. |
| <i>Three (3) things I still need to understand about this topic:</i> |
| 1. |
| 2. |
| 3. |



Answer Key

What I Know

| | |
|------|-------|
| 1. D | 9. C |
| 2. D | 10. C |
| 3. C | 11. D |
| 4. A | 12. C |
| 5. C | 13. C |
| 6. A | 14. A |
| 7. A | 15. A |
| 8. C | |

What's In

1. Hypothesis
2. Two-tailed
3. Parameter
4. Significance level
5. Z test
6. Variance
7. T test
14. Critical region
13. One-tailed test
12. Sample size
11. Alternative
10. Type I error
9. Population mean
8. Sample mean

any order).
 There are 14 words related to hypothesis testing. Students may answer only 10 words (in any order).
 Note: Tell the students to identify the terms they found.

What's More (Complete Me)

Given: $\bar{x} = 106$ $\mu = 110$ $s = 9$ $n = 20$ $\alpha = 0.05$ $df = 19$

Step 1: State the null and alternative hypotheses. $H_0: \mu = 110$ $H_a: \mu \neq 110$

Step 2: Determine the test statistic, then compute it. Since $n < 30$, we will use *t*-test.

$$t = \frac{\bar{x} - \mu}{\frac{s}{\sqrt{n}}}$$

$$t = \frac{106 - 110}{\frac{9}{\sqrt{20}}}$$

$$t = \frac{-4}{2.01}$$

$$t = -1.990$$

Step 3: Find the critical value. From the t-value table at 0.05 level of significance and $df = 19$, the critical value is 2.093 or -2.093 .

Step 4: Draw conclusion.

Since it is a left-tailed test and the t-computed value is -1.990 which is greater than the critical value of -2.093 , we fail to reject the null hypothesis. We therefore conclude that there is not enough evidence to reject the claim that the IQ level of the students in PSHS is 110.

What's More (Follow Me)

1. *Given:* $\bar{x} = 156.7$ $\mu = 154.2$ $\sigma = 9$ $n = 40$ $\alpha = 0.05$

Step 1: State the null and alternative hypotheses.

$$H_0: \mu = 154.2 \quad H_a: \mu \neq 154.2$$

Step 2: Compute for the test statistic. $z_{com} = 1.761$

Step 3: Find the critical value for the test. $z_{crit} = 1.96$

Step 4: Draw conclusion.

Since the z-computed value is less than the z-critical value, then we fail to reject the null hypothesis and the alternative hypothesis is not supported. Therefore, we conclude that there is not enough evidence to reject the claim that the average height of female students is equal to 154.2 centimeters.

2. *Given:* $\bar{x} = 67.8$ $\mu = 62.5$ $s = 15.9$ $n = 25$ $\alpha = 0.01$ $df = 24$

Step 1: State the null and alternative hypotheses.

$$H_0: \mu = 62.5 \quad H_a: \mu \neq 62.5$$

Step 2: Compute for the test statistic. $t_{com} = 1.667$

Step 3: Find the critical value for the test. $t = 2.797$

Step 4: Draw conclusion.

Since the t-computed value is less than the t-critical value, then we fail to reject the null hypothesis and the alternative hypothesis is not supported. Therefore, we conclude that there is not enough evidence to reject the claim of the manager that the average rating of people watching their noon time teleserye in Manila is 62.5.

What's More (Follow Me)

3. **Given:** $\bar{x} = 420$ $\mu = 333$ $s = 120$ $n = 20$ $\alpha = 0.01$ $df = 19$

Step 1: State the null and alternative hypotheses.

$$H_0: \mu = 333 \qquad H_a: \mu > 333$$

Step 2: Compute for the test statistic. $t_{com} = 3.243$

Step 3: Find the critical value for the test. $t = 2.539$

Step 4: Draw conclusion.

Since the t-computed value is greater than the t-critical value, then we reject the null hypothesis in favor of the alternative hypothesis. Therefore, we conclude that there is enough evidence to support the claim that the average amount spent per day by a Filipino household has increased.

4. **Given:** $\bar{x} = 144.8$ $\mu = 135$ $\sigma = 35$ $n = 50$ $\alpha = 0.05$

Step 1: State the null and alternative hypotheses.

$$H_0: \mu = 135 \qquad H_a: \mu > 135$$

Step 2: Compute for the test statistic. $z_{com} = 1.980$

Step 3: Find the critical value for the test. $z = 1.645$

Step 4: Draw conclusion.

Since the z-computed value is greater than the z-critical value, then we reject the null hypothesis and support the alternative hypothesis. Therefore, we conclude that there is enough evidence to reject the claim of the guidance counselors that the average of Senior High students in the SSHA is 135.

Since it is a left-tailed test and the t-computed value is less than the t-critical value, then we reject the null hypothesis and support the alternative hypothesis. Therefore, we conclude that there is enough evidence to support the claim that the lifespan of Filipinos is less than 67 years old.

Step 4: Draw conclusion.

Step 3: Find the critical value for the test. $t = -1.711$

Step 2: Compute for the test statistic. $t^{com} = -1.842$

$$H_0: \mu = 67 \qquad H_a: \mu < 67$$

Step 1: State the null and alternative hypotheses.

5. **Given:** $\bar{x} = 60$ $\mu = 67$ $s = 19$ $n = 25$ $\alpha = 0.05$ $df = 24$

What's More (Follow Me)

- | | |
|------|-------|
| 1. C | 9. A |
| 2. A | 10. D |
| 3. D | 11. A |
| 4. B | 12. C |
| 5. B | 13. C |
| 6. D | 14. C |
| 7. C | 15. D |
| 8. A | |

Assessment

References

Textbooks

- Albacea, Zita VJ., Mark John V. Ayaay, Isidoro P. David, and Imelda E. De Mesa. *Teaching Guide for Senior High School: Statistics and Probability*. Quezon City: Commission on Higher Education, 2016.
- Caraan, Avelino Jr S. *Introduction to Statistics & Probability: Modular Approach*. Mandaluyong City: Jose Rizal University Press, 2011.
- Chan Shio, Christian Paul, and Maria Angeli Reyes. *Statistics and Probability for Senior High School*. Quezon City: C & E Publishing Inc., 2017.
- De Guzman, Danilo. *Statistics and Probability*. Quezon City: C & E Publishing Inc., 2017.
- Jaggia, Sanjiv, and Alison Kelly. *Business Statistics: Communicating with Numbers*. 2nd ed. New York: McGraw-Hill Education, 2016.
- Sirug, Winston S. *Statistics and Probability for Senior High School CORE Subject A Comprehensive Approach K to 12 Curriculum Compliant*. Manila: Mindshapers Co., Inc., 2017.

Online Resources

- Encourage Play. "A Simple and Fun Game in Making Decisions." Accessed May 22, 2020 <https://www.encourageplay.com/blog/a-simple-and-fun-game-to-practice-making-decisions>
- HackMath.net. "Calculators." Accessed May 22, 2020 <https://www.hackmath.net/en/calculator/normaldistribution?mean=0&sd=1&area=above&above=1.645&below=&ll=&ul=&outsideLL=&outsideUL=&draw=Calculate>
- Lenhart, Kira. "Country Infographic Rubric." Accessed June 17, 2020 <https://i.pinimg.com/originals/0b/04/12/0b041201f9fcc8c8ef4decc428765529.png>

For inquiries or feedback, please write or call:

Department of Education - Bureau of Learning Resources (DepEd-BLR)

Ground Floor, Bonifacio Bldg., DepEd Complex
Meralco Avenue, Pasig City, Philippines 1600

Telefax: (632) 8634-1072; 8634-1054; 8631-4985

Email Address: blr.lrqad@deped.gov.ph * blr.lrpd@deped.gov.ph