

RELATIONAL DATA MODEL

EGCO321 DATABASE SYSTEMS




KANAT POOLSAWASD
DEPARTMENT OF COMPUTER ENGINEERING
MAHIDOL UNIVERSITY

RELATIONAL DATA STRUCTURE (1)

- Relation: A relation is a table with columns and rows.
- Attribute: An attribute is a named column of a relation.
- Domain: A domain is the set of allowable values for one or more attributes.
- Tuple: A tuple is a row of a relation.
- Cardinality: The cardinality of a relation is the number of tuples it contains.
- Relational Database: A collection of normalized relations with distinct relation names.

RELATIONAL DATA STRUCTURE (2)



RELATIONAL DATA STRUCTURE (3)

Attribute	Domain Name	Meaning	Domain Definition
branchNo	BranchNumbers	The set of all possible branch numbers	character: size 4, range B001–B999
street	StreetNames	The set of all street names in Britain	character: size 25
city	CityNames	The set of all city names in Britain	character: size 15
postcode	Postcodes	The set of all postcodes in Britain	character: size 8
sex	Sex	The sex of a person	character: size 1, value M or F
DOB	DatesOfBirth	Possible values of staff birth dates	date, range from 1-Jan-20, format dd-mmm-yy
salary	Salaries	Possible values of staff salaries	monetary: 7 digits, range 6000.00–40000.00

ALTERNATIVE TERMINOLOGY

Formal terms	Alternative 1	Alternative 2
Relation	Table	File
Tuple	Row	Record
Attribute	Column	Field


DATABASE RELATIONS

- Relation Schema: A named relation defined by a set of attribute and domain name pairs. schema
- Relational Database Schema: A set of relation schemas, each with a distinct name.

PROPERTIES OF RELATIONS (1)

- The relation has a name that is distinct from all other relation names in the relational schema.
- Each cell of the relation contains exactly one atomic (single) value; n each attribute has a distinct name.
- The values of an attribute are all from the same domain.
- Each tuple is distinct; there are no duplicate tuples.
- The order of attributes has no significance.
- The order of tuples has no significance, theoretically. (However, in practice, the order may affect the efficiency of accessing tuples.)

PROPERTIES OF RELATIONS (2)



RELATIONAL KEYS

- **Super Key:** a column or combination of columns containing unique value for each row.
- **Candidate Key:** a minimal super key. A super key is minimal if removing any column makes it no longer unique.
- **Null Value:** a special value that represents the absence of an actual value. A null value can mean that the actual value is unknown or does not apply to the given row.
- **Primary Key:** a specially designated candidate key. The primary key for a table cannot contain null value.
- **Foreign Key:** a column or combination of columns in which the values must match those of a candidate key. A foreign key must have the same data type as its associated candidate key

INTEGRITY RULES (1)

- **Entity Integrity** means that each table must have a column or combination of columns with unique values. Unique means that no two rows of a table have the same value.
- **Referential Integrity** means that the column values in one table must match column values in a related table.

INTEGRITY RULES (2)

- **Entity Integrity Rule:** No two rows of a table can contain the same value for the primary key. In addition, no row can contain a null value for any column of a primary key.
- **Referential Integrity Rule:** Only two kinds of values can be stored in a foreign key:
 - A value matching a candidate key value in some row of the table containing the associated candidate key.
 - A null value.


RELATIONSHIP

- **Self-Referencing Relationship** is a relationship in which a foreign key refers to the same table. Self-referencing relationships represent associations among members of the same set.
- **1-M Relationship** is a connection between two table in which one row of a parent table can be referenced by many rows of a child table. 1-M relationships are the most common kind of relationship.
- **M-N Relationship** is a connection between two table in which rows of each table can be related to many rows of the other table. M-N relationships cannot be directly represented in the Relationship Model. Two 1-M relationships and a linking or associative table represent an M-N relationship.


RELATIONAL ALGEBRA (1)



(a) Selection




(b) Projection




(c) Cartesian product


RELATIONAL ALGEBRA (2)



(d) Union



(e) Intersection



(f) Set difference

RELATIONAL ALGEBRA (3)

T

A	B
a	1
b	2

U

B	C
1	x
1	y
3	z

$T \bowtie U$

A	B	C
a	1	x
a	1	y

$T \triangleright_B U$

A	B
a	1

$T \bowtie_C U$


A	B	C
a	1	x
a	1	y
b	2	

(g) Natural join

(h) Semijoin

(i) Left Outer join

RELATIONAL ALGEBRA (4)



(j) Division (shaded area)

Example of division

SAMPLE DATA (1)

Staff

staffNo	fName	lName	position	sex	DOB	salary	branchNo
SL21	John	White	Manager	M	1-Oct-45	30000	B005
SG37	Ann	Beech	Assistant	F	10-Nov-60	12000	B003
SG14	David	Ford	Supervisor	M	24-Mar-58	18000	B003
SA9	Mary	Howe	Assistant	F	19-Feb-70	9000	B007
SG5	Susan	Brand	Manager	F	3-Jun-40	24000	B003
SL41	Julie	Lee	Assistant	F	13-Jun-65	9000	B005

PropertyForRent

propertyNo	street	city	postcode	type	rooms	rent	ownerNo	staffNo	branchNo
PA14	16 Holhead	Aberdeen	AB7 5SU	House	6	650	CO46	SA9	B007
PL94	6 Argyll St	London	NW2	Flat	4	400	CO87	SL41	B005
PG4	6 Lawrence St	Glasgow	G11 9QX	Flat	3	350	CO40		B003
PG36	2 Manor Rd	Glasgow	G32 4QX	Flat	3	375	CO93	SG37	B003
PG21	18 Dale Rd	Glasgow	G12	House	5	600	CO87	SG37	B003
PG16	5 Novar Dr	Glasgow	G12 9AX	Flat	4	450	CO93	SG14	B003

SAMPLE DATA (2)

Client

clientNo	fName	IName	telNo	prefType	maxRent
CR76	John	Kay	0207-774-5632	Flat	425
CR56	Aline	Stewart	0141-848-1825	Flat	350
CR74	Mike	Ritchie	01475-392178	House	750
CR62	Mary	Tregear	01224-196720	Flat	600

PrivateOwner

ownerNo	fName	IName	address	telNo
CO46	Joe	Keogh	2 Fergus Dr, Aberdeen AB2 7SX	01224-861212
CO87	Carol	Farrel	6 Achray St, Glasgow G32 9DX	0141-357-7419
CO40	Tina	Murphy	63 Well St, Glasgow G42	0141-943-1728
CO93	Tony	Shaw	12 Park Pl, Glasgow G4 0QR	0141-225-7025

Viewing

clientNo	propertyNo	viewDate	comment
CR56	PA14	24-May-04	too small
CR76	PG4	20-Apr-04	too remote
CR56	PG4	26-May-04	
CR62	PA14	14-May-04	no dining room
CR56	PG36	28-Apr-04	

Registration

clientNo	branchNo	staffNo	dateJoined
CR76	B005	SL41	2-Jan-04
CR56	B003	SG37	11-Apr-03
CR74	B003	SG37	16-Nov-02
CR62	B007	SA9	7-Mar-03

EXAMPLE 1 (SELECTION)

- List all staff with a salary greater than 10,000

Staff

staffNo	fName	lName	position	sex	DOB	salary	branchNo
SL21	John	White	Manager	M	1-Oct-45	30000	B005
SG37	Ann	Beech	Assistant	F	10-Nov-60	12000	B003
SG14	David	Ford	Supervisor	M	24-Mar-58	18000	B003
SA9	Mary	Howe	Assistant	F	19-Feb-70	9000	B007
SG5	Susan	Brand	Manager	F	3-Jun-40	24000	B003
SL41	Julie	Lee	Assistant	F	13-Jun-65	9000	B005

staffNo	fName	lName	position	sex	DOB	salary	branchNo
SL21	John	White	Manager	M	1-Oct-45	30000	B005
SG37	Ann	Beech	Assistant	F	10-Nov-60	12000	B003
SG14	David	Ford	Supervisor	M	24-Mar-58	18000	B003
SG5	Susan	Brand	Manager	F	3-Jun-40	24000	B003

EXAMPLE 2 (PROJECTION)


- Produce a list of salary for all staff, showing only the staffNo, fName, lName, and salary detail.

Staff

staffNo	fName	lName	position	sex	DOB	salary	branchNo
SL21	John	White	Manager	M	1-Oct-45	30000	B005
SG37	Ann	Beech	Assistant	F	10-Nov-60	12000	B003
SG14	David	Ford	Supervisor	M	24-Mar-58	18000	B003
SA9	Mary	Howe	Assistant	F	19-Feb-70	9000	B007
SG5	Susan	Brand	Manager	F	3-Jun-40	24000	B003
SL41	Julie	Lee	Assistant	F	13-Jun-65	9000	B005

staffNo	fName	lName	salary
SL21	John	White	30000
SG37	Ann	Beech	12000
SG14	David	Ford	18000
SA9	Mary	Howe	9000
SG5	Susan	Brand	24000
SL41	Julie	Lee	9000

EXAMPLE 3 (PRODUCT) (1)



EXAMPLE 3 (PRODUCT) (2)

StdSSN	StdLastName	StdMajor	StdClass
123-45-6789	WELLS	IS	FR
124-56-7890	NORBERT	FIN	JR
234-56-7890	KENDALL	ACCT	JR

OfferNo	StdSSN	EnrGrade
1234	123-45-6789	3.3
1234	234-56-7890	3.5
4321	124-56-7890	3.2

Student PRODUCT Enrollment

Student.StdSSN	StdLastName	StdMajor	StdClass	OfferNo	Enrollment.StdSSN	EnrGrade
123-45-6789	WELLS	IS	FR	1234	123-45-6789	3.3
123-45-6789	WELLS	IS	FR	1234	234-56-7890	3.5
123-45-6789	WELLS	IS	FR	4321	124-56-7890	3.2
124-56-7890	NORBERT	FIN	JR	1234	123-45-6789	3.3
124-56-7890	NORBERT	FIN	JR	1234	234-56-7890	3.5
124-56-7890	NORBERT	FIN	JR	4321	124-56-7890	3.2
234-56-7890	KENDALL	ACCT	JR	1234	123-45-6789	3.3
234-56-7890	KENDALL	ACCT	JR	1234	234-56-7890	3.5
234-56-7890	KENDALL	ACCT	JR	4321	124-56-7890	3.2

JOIN OPERATIONS

- Typically, we want only combinations of the Cartesian product that satisfy certain conditions and so we would normally use a Join operation instead of the Cartesian product operation.
- Type of join operations
 - Theta join
 - Equijoin (a particular type of theta join)
 - Natural join
 - Outer join
 - Semi join

EXAMPLE 4 (JOIN)

- List the names and comments of all clients who have viewed a property for rent.

Client

clientNo	fName	lName	telNo	prefType	maxRent
CR76	John	Kay	0207-774-5632	Flat	425
CR56	Aline	Stewart	0141-848-1825	Flat	350
CR74	Mike	Ritchie	01475-392178	House	750
CR62	Mary	Tregear	01224-196720	Flat	600

Viewing

clientNo	propertyNo	viewDate	comment
CR56	PA14	24-May-04	too small
CR76	PG4	20-Apr-04	too remote
CR56	PG4	26-May-04	
CR62	PA14	14-May-04	no dining room
CR56	PG36	28-Apr-04	

clientNo	fName	lName	propertyNo	comment
CR76	John	Kay	PG4	too remote
CR56	Aline	Stewart	PA14	too small
CR56	Aline	Stewart	PG4	
CR56	Aline	Stewart	PG36	
CR62	Mary	Tregear	PA14	no dining room

EXAMPLE 5 (OUTER JOIN)

- Produce a status report on property viewings.

PropertyForRent

propertyNo	street	city	postcode	type	rooms	rent	ownerNo	staffNo	branchNo
PA14	16 Holhead	Aberdeen	AB7 5SU	House	6	650	CO46	SA9	B007
PL94	6 Argyll St	London	NW2	Flat	4	400	CO87	SL41	B005
PG4	6 Lawrence St	Glasgow	G11 9QX	Flat	3	350	CO40		B003
PG36	2 Manor Rd	Glasgow	G32 4QX	Flat	3	375	CO93	SG37	B003
PG21	18 Dale Rd	Glasgow	G12	House	5	600	CO87	SG37	B003
PG16	5 Novar Dr	Glasgow	G12 9AX	Flat	4	450	CO93	SG14	B003

Viewing

clientNo	propertyNo	viewDate	comment
CR56	PA14	24-May-04	too small
CR76	PG4	20-Apr-04	too remote
CR56	PG4	26-May-04	
CR62	PA14	14-May-04	no dining room
CR56	PG36	28-Apr-04	

propertyNo	street	city	clientNo	viewDate	comment
PA14	16 Holhead	Aberdeen	CR56	24-May-04	too small
PA14	16 Holhead	Aberdeen	CR62	14-May-04	no dining room
PL94	6 Argyll St	London	null	null	null
PG4	6 Lawrence St	Glasgow	CR76	20-Apr-04	too remote
PG4	6 Lawrence St	Glasgow	CR56	26-May-04	
PG36	2 Manor Rd	Glasgow	CR56	28-Apr-04	
PG21	18 Dale Rd	Glasgow	null	null	null
PG16	5 Novar Dr	Glasgow	null	null	null

EXAMPLE 6 (SEMI JOIN)

- List complete details of all staff who at the branch in Glasgow.

PropertyForRent

propertyNo	street	city	postcode	type	rooms	rent	ownerNo	staffNo	branchNo
PA14	16 Holhead	Aberdeen	AB7 5SU	House	6	650	CO46	SA9	B007
PL94	6 Argyll St	London	NW2	Flat	4	400	CO87	SL41	B005
PG4	6 Lawrence St	Glasgow	G11 9QX	Flat	3	350	CO40		B003
PG36	2 Manor Rd	Glasgow	G32 4QX	Flat	3	375	CO93	SG37	B003
PG21	18 Dale Rd	Glasgow	G12	House	5	600	CO87	SG37	B003
PG16	5 Novar Dr	Glasgow	G12 9AX	Flat	4	450	CO93	SG14	B003

Staff

staffNo	fName	lName	position	sex	DOB	salary	branchNo
SL21	John	White	Manager	M	1-Oct-45	30000	B005
SG37	Ann	Beech	Assistant	F	10-Nov-60	12000	B003
SG14	David	Ford	Supervisor	M	24-Mar-58	18000	B003
SA9	Mary	Howe	Assistant	F	19-Feb-70	9000	B007
SG5	Susan	Brand	Manager	F	3-Jun-40	24000	B003
SL41	Julie	Lee	Assistant	F	13-Jun-65	9000	B005

staffNo	fName	lName	position	sex	DOB	salary	branchNo
SG37	Ann	Beech	Assistant	F	10-Nov-60	12000	B003
SG14	David	Ford	Supervisor	M	24-Mar-58	18000	B003
SG5	Susan	Brand	Manager	F	3-Jun-40	24000	B003

AGGREGATION AND GROUPING OPERATIONS

- As well as simply retrieving certain tuples and attributes of one or more relations, we often want to perform some form of **summation** or **aggregation** of data, similar to the totals at the bottom of a report, or some form of **grouping** of data, similar to subtotals in a report.
- The main aggregation functions are:
 - COUNT
 - SUM
 - AVG
 - MIN
 - MAX

EXAMPLE 7 (AGGREGATION)

- How many properties cost more than £350 per month to rent?
- Find the minimum, maximum, and average staff salary.

PropertyForRent

propertyNo	street	city	postcode	type	rooms	rent	ownerNo	staffNo	branchNo
PA14	16 Holhead	Aberdeen	AB7 5SU	House	6	650	CO46	SA9	B007
PL94	6 Argyll St	London	NW2	Flat	4	400	CO87	SL41	B005
PG4	6 Lawrence St	Glasgow	G11 9QX	Flat	3	350	CO40		B003
PG36	2 Manor Rd	Glasgow	G32 4QX	Flat	3	375	CO93	SG37	B003
PG21	18 Dale Rd	Glasgow	G12	House	5	600	CO87	SG37	B003
PG16	5 Novar Dr	Glasgow	G12 9AX	Flat	4	450	CO93	SG14	B003

Staff

staffNo	fName	lName	position	sex	DOB	salary	branchNo
SL21	John	White	Manager	M	1-Oct-45	30000	B005
SG37	Ann	Beech	Assistant	F	10-Nov-60	12000	B003
SG14	David	Ford	Supervisor	M	24-Mar-58	18000	B003
SA9	Mary	Howe	Assistant	F	19-Feb-70	9000	B007
SG5	Susan	Brand	Manager	F	3-Jun-40	24000	B003
SL41	Julie	Lee	Assistant	F	13-Jun-65	9000	B005

myCount	myMin	myMax	myAverage
5	9000	30000	17000
(a)	(b)		

EXAMPLE 8 (GROUPING)

- Find the number of staff working in each branch and the sum of their salaries.

Staff

staffNo	fName	lName	position	sex	DOB	salary	branchNo
SL21	John	White	Manager	M	1-Oct-45	30000	B005
SG37	Ann	Beech	Assistant	F	10-Nov-60	12000	B003
SG14	David	Ford	Supervisor	M	24-Mar-58	18000	B003
SA9	Mary	Howe	Assistant	F	19-Feb-70	9000	B007
SG5	Susan	Brand	Manager	F	3-Jun-40	24000	B003
SL41	Julie	Lee	Assistant	F	13-Jun-65	9000	B005

branchNo	myCount	mySum
B003	3	54000
B005	2	39000
B007	1	9000

TUPLE RELATIONAL CALCULUS

- In the tuple relational calculus we are interested in finding tuples for which a predicate is true.
- The calculus is based on the use of tuple variables.
- A tuple variable is a variable that 'ranges over' a named relation: that is, a variable whose only permitted values are tuples of the relation.
- For example:
 - List the names of all managers who earn more than £25,000.
 - List the staff who manage properties for rent in Glasgow.

ASSIGNMENT 1 (1)

- Use the database show in this figure to answer problem.

Table name: EMPLOYEE Database name: CH2_STORE_CO

	EMP_CODE	EMP_TITLE	EMP_LNAME	EMP_FNAME	EMP_INITIAL	EMP_DOB	STORE_CODE
▶	1	Mr.	vWilliamson	John	W	21-May-64	3
+	2	Ms.	Ratula	Nancy		09-Feb-69	2
+	3	Ms.	Greenboro	Lottie	R	02-Oct-61	4
+	4	Mrs.	Rumpersfro	Jennie	S	01-Jun-71	5
+	5	Mr.	Smith	Robert	L	23-Nov-59	3
+	6	Mr.	Renselaer	Cary	A	25-Dec-65	1
+	7	Mr.	Ogallo	Roberto	S	31-Jul-62	3
+	8	Ms.	Johnsson	Elizabeth	I	10-Sep-68	1
+	9	Mr.	Eindsmar	Jack	W	19-Apr-55	2
+	10	Mrs.	Jones	Rose	R	06-Mar-66	4
+	11	Mr.	Broderick	Tom		21-Oct-72	3
+	12	Mr.	vWashington	Alan	Y	08-Sep-74	2
+	13	Mr.	Smith	Peter	N	25-Aug-64	3
+	14	Ms.	Smith	Sherry	H	25-May-66	4
+	15	Mr.	Olenko	Howard	U	24-May-64	5
+	16	Mr.	Archialo	Barry	V	03-Sep-60	5
+	17	Ms.	Grimaldo	Jeanine	K	12-Nov-70	4
+	18	Mr.	Rosenberg	Andrew	D	24-Jan-71	4
+	19	Mr.	Rosten	Peter	F	03-Oct-68	4
+	20	Mr.	Mckee	Robert	S	06-Mar-70	1
+	21	Ms.	Baumann	Jennifer	A	11-Dec-74	3

Table name: STORE

	STORE_CODE	STORE_NAME	STORE_YTD_SALES	REGION_CODE	EMP_CODE
▶	1	Access Junction	\$1,003,455.76	2	8
+	2	Database Corner	\$1,421,987.39	2	12
+	3	Tuple Charge	\$986,783.22	1	7
+	4	Attribute Alley	\$944,568.56	2	3
+	5	Primary Key Point	\$2,930,098.45	1	15

Table name: REGION

	REGION_CODE	REGION_DESCRIPT
▶	1	East
+	2	vWest

ASSIGNMENT 1 (2)

- For each table, identify the primary key and the foreign key(s). If a table does not have a foreign key, write "None" in the assigned space.

TABLE	PRIMARY KEY	FOREIGN KEY(S)
EMPLOYEE		
STORE		
REGION		

ASSIGNMENT 1 (3)

- Do the tables exhibit entity integrity? Answer "Yes" or "No", the explain your answer.

TABLE	ENTITY INTEGRITY?	EXPLANATION
EMPLOYEE		
STORE		
REGION		

ASSIGNMENT 1 (4)

- Do the tables exhibit referential integrity? Answer "Yes" or "No", then explain your answer. Write "N/A" (Not Applicable) if the table does not have a foreign key.

TABLE	REFERENTIAL INTEGRITY?	EXPLANATION
EMPLOYEE		
STORE		
REGION		