

January 2020

RETAIL PRICING

UK Retail Prices including VAT

Supplied in the UK and Ireland by Renaissance



Made in the USA



Renaissance

NORDOST
MAKING THE CONNECTION

INDEX

Power cords	page 4
Power products Analogue.....	page 8
Interconnects Subwoofer.....	page 16
Cables/iKables	page 21
Headphone Cables	page 23
Ethernet/HDMI/4K/USB.....	page 28
Digital interconnects	page 35
Tonearm cables	page 40
Speaker cables	page 44
Sort Systems/Accessories/Bulk cables/etc....	page 53

Warranty Information

Nordost cables have a limited lifetime warranty to the original purchaser (with the exception of our headphone cables, which carry a limited 24 month warranty). This limited warranty covers any defects in material or workmanship under normal use of the product. However, due to the intricate yet durable makeup of our cables, all merchandise sent in will undergo an evaluation process at the factory and will be handled at the discretion of the Nordost staff. Damage or abuse is not covered under the warranty.

To return any defective items, an RA number must be obtained. To do so, please log in to the retailer area on the Renaissance website and go to the Warranty page.

Ordering Information

Email: info@renaissanceaudio.co.uk
 Phone: +44(0)131 555 3922
 Address: 94 Commercial Street, Edinburgh EH6 6LX,
 UK



Made in the USA

NORDOST
 MAKING THE CONNECTION

HOW TO MAKE A MODEL NUMBER

A: Cable Model Codes

WL	= White Lightning (SG only)
PF	= Purple Flare (SG only)
LSBH	= Leif Series Blue Heaven (SG only)
LSRD	= Leif Series Red Dawn (SG only)
BLSLW	= BassLine Shielded Sub-
2FR	Woofers = Frey 2 (SG only)
2HE	= Heimdall 2 (SG only)
2TY	= Tyr 2 (SG only)
2OD	= ODIN 2
2ODPWR	= ODIN 2 Power
2ODD	= ODIN 2 Digital
OD	= ODIN
ODPWR	= ODIN Power
iK2HE	= Heimdall 2 iKable
2VH	= Valhalla 2
2VHD	= Valhalla 2 Digital
2VHPWR	= Valhalla 2 Power
HEPWR	= Heimdall
FRPWR	Power = Frey
BHPWR	Power = Blue Heaven Power
PPWR	= Purple Flare Power
BHUSB	= Blue Heaven USB
BHDMI	2.0 = Blue Heaven HDMI

B: Cable Length

0.6M	= 2 ft.
1M	= 3.3 ft.
1.5M	= 5 ft.
2M	= 6.6 ft.
2.5M	= 8 ft.
3M	= 10 ft.
3.5M	= 11.5 ft.
4M	= 13.3 ft.
5M	= 15 ft.
5.5M	= 18 ft.
6M	= 20 ft.

C: Connectors

B	= Banana Z-plugs (BFA)
BNC	= BNC
R	= RCA
S	= Spade
AA	= A to A (USB)
AB	= A to B (USB)
XLR	= XLR (Balanced)
TA/90	= Right Angle Tone Arm DIN (see chart to right)
TA	= Straight Tone Arm DIN
TAR	= RCA to RCA Tone arm
3.5	= 3.5 mini stereo plug
DIN	= 5 pin DIN connector

D: Power Cord Configuration

US	= United States
UK	= United Kingdom
EUR	= Europe
AUS	= Australia

E: Power Cord Amp Selection

15	= 15 Amp (Default)
20	= 20 Amp

F: Speaker Cable Configuration

SG	= Shotgun - 2 connections at Amp & 2 connections at Speaker
BW	= Biwire - 2 connections at Amp & 4 connections at Speaker
BA	= BiAmp - 4 connections at Amp & 4 connections at speaker

Pin Orientation of 90° (Right Angle) Tonearm Connectors

VIEW FACING CONTACTS (MATING VIEW)

90A Horizontal Configuration



90B Vertical Configuration



90C 180° Horizontal Configuration



90D Vertical Configuration



Examples

Speaker Cables

2TY4MSB/SG: 4 meter pair of Tyr 2 Speaker Cables with 2 spades on the amp end and 2 bananas on the speaker end of each cable.

Interconnects

LSBH1MR: 1 meter pair of Blue Heaven Analog Interconnects with RCA connections at both ends.

Power Cord

HEPWR2M/US-15: 2 meter Heimdall power cord, 15 Amp, configured for the United States.

Notes:

All speaker cables and analogue interconnects are sold in pairs. To order a single cable, please use .5 for the quantity.

If you would like the same connectors on both ends, only one connector code is necessary. If you require one type of connector at the Amp/Source end and a different connector at the Speaker/Receiving end, list BOTH connector codes in the order of AMP/SOURCE to SPEAKER/RECEIVING.

Purple Flare Power Cord

Leif Series



Model	Length	Retail
PPFWR -1M	1m	£150
PPFWR -1.5M	1.5m	£180
PPFWR -2M	2m	£210
PPFWR -2.5M	2.5m	£240
PPFWR -3M	3m	£270
PPFWR -3.5M	3.5m	£300
PPFWR -4M	4m	£330

- Fully manufactured and terminated in the USA
- Micro Mono-Filament construction
- Dedicated two conductor design for figure 8 application only
- 2 x 16 AWG 65 strand 99.9999% OFC conductors
- FEP insulation
- UL® approved
- 10.0pF/ft Capacitance
- 0.155µH/ft Inductance

Add £50.00 retail for 90 degree wall plug
Add 30.00 retail per additional 1/2 meter.

Blue Heaven Power Cord

Leif Series



Model	Length	Retail
BHPWR -1M	1m	£200
BHPWR -1.5M	1.5m	£250
BHPWR -2M	2m	£300
BHPWR -2.5M	2.5m	£350
BHPWR -3M	3m	£400
BHPWR -3.5M	3.5m	£450
BHPWR -4M	4m	£500

- Fully manufactured and terminated in the USA
- Micro Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC
- 3 x 16 AWG 65 strand 99.9999% OFC conductors
- FEP insulation/UL® approved
- 10.0pF/ft capacitance
- 0.155µH/ft Inductance

Add £50.00 retail for 90 degree wall plug
Add £50.00 retail for Low Profile IEC (straight or 90°)
Add £50.00 retail for 90 degree IEC
Add £60.00 retail for Powercon Connector

Add £50.00 retail per additional 1/2 meter.

Red Dawn Power Cord

Leif Series



Model	Length	Retail
RDPWR -1M	1m	£350
RDPWR -1.5M	1.5m	£425
RDPWR -2M	2m	£500
RDPWR -2.5M	2.5m	£575
RDPWR -3M	3m	£650
RDPWR -3.5M	3.5m	£725
RDPWR -4M	4m	£800

Available in **20 amp (US) / 16 amp (EU, UK, AUS)**

- Fully manufactured and terminated in the USA
- Micro-Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC standard
- 3 x 14 AWG 65 strand 99.9999% OFC conductors
- FEP insulation/UL® approved

Add £50.00 retail for 16 amp (EU, UK, AUS)

Add £50.00 retail for 90 degree wall plug

Add £50.00 retail for Low Profile IEC (straight or 90°) Add £40.00 retail for 90 degree IEC

Add £60.00 retail for Figure 8

Add £60.00 retail for Powercon Connector

Add £75.00 retail per additional 1/2 meter.

Heimdall 2 Power Cord

Norse 2



Model	Length	Retail
HEPWR -1M	1m	£620
HEPWR -2M	2m	£820
HEPWR -3M	3m	£1020
HEPWR -4M	4m	£1220
HEPWR -5M	5m	£1420
HEPWR -6M	6m	£1620
HEPWR -7M	7m	£1820

- Fully manufactured and terminated in the USA
- Micro-Mono Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS)
- IEC 3 x 16 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation
- 10pF/ft capacitance
- 4.0 Ohms per 1,000ft/304m DC Resistance
- Fitted as standard with Furutech UK mains plug

Add £50.00 retail for 90 degree wall plug

Add £50.00 retail for Low Profile IEC (straight or 90°) Add £50.00 retail for 90 degree IEC

Add £60.00 retail for Figure 8

Add £60.00 retail for Powercon Connector

Add £200.00 retail per additional 1 meter.

Frey 2 Power Cord

Norse 2



Model	Length	Retail
FRPWR -1M	1m	£1630
FRPWR -2M	2m	£1940
FRPWR -3M	3m	£2250
FRPWR -4M	4m	£2560
FRPWR -5M	5m	£2870
FRPWR -6M	6m	£3180
FRPWR -7M	7m	£3490

Available in **20 amp (US) / 16 amp (EU, UK, AUS)**

- Fully manufactured and terminated in the USA
- Micro-Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS)
- IEC standard

- 5 x 16 AWG silver plated 99.99999% OFC solid core conductors
- 8.8pF/ft capacitance
- 2.0 Ohms per 1,000ft/304m DC Resistance
- Fitted as standard with Furutech UK mains plug

Add £50.00 retail for 90 degree wall plug
 Add £50.00 retail for Low Profile IEC (straight or 90°)
 Add £50.00 retail for 90 degree IEC
 Add £50.00 retail for 16 amp (EU, UK, AUS)
 Add £60.00 retail for Furutech Figure 8
 Add £60.00 retail for Powercon Connector

Add £310.00 retail per additional 1 meter.

Tyr 2 Power Cord

Norse 2



Model	Length	Retail
*TYPWR1M	1m	£2710
*TYPWR2M	2m	£3290
*TYPWR3M	3m	£3870
*TYPWR4M	4m	£4450
*TYPWR5M	5m	£5030
*TYPWR6M	6m	£ 5610
*TYPWR7M	7m	£6190

Available in **20 amp (US) / 16 amp (EU, UK, AUS)**

- Fully manufactured and terminated in the USA
- Dual Mono-Filament technology
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC standard

- Mechanically Tuned Lengths
- Low dielectric FEP insulation
- 7 x 16 AWG solid core, silver-plated 99.99999% OFC conductors
- Cable Power Rating: 20 Amps

- 8pF/ft Capacitance
- 1.3 Ohms per 1,000ft/304m
- Fitted as standard with Furutech UK mains plug

Add £50.00 retail for 16 amp (EU, UK, AUS)
 Add £50.00 retail for 90 degree wall plug
 Add £50.00 retail for Low Profile IEC (straight or 90°)
 Add £50.00 retail for 90 degree IEC
 Add £60.00 retail for Furutech Figure 8
 Add £60.00 retail for Powercon Connector

Add £580.00 retail per additional 1 meter.

Valhalla 2 Power Cord

Reference Series



Model	Length	Retail
2VHPWR1M _{1m}		£4850
2VHPWR2M _{2m}		£5820
2VHPWR3M _{3m}		£6790
2VHPWR4M _{4m}		£7760
2VHPWR5M _{5m}		£8730
2VHPWR6M _{6m}		£9700

Available in **20 amp (US) / 16 amp (EU, UK, AUS)**

- Fully manufactured and terminated in the USA
- Dual Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC standard
- 7 x 16 AWG silver plated 99.999999% OFC solid core conductors
- FEP insulation
- 8pF/ft Capacitance
- 1.3 Ohms per 1,000ft/304m
- US, EU, UK, AUS connectors available

Add £80.00 retail for 16 amp (EU, UK, AUS)

Add £50.00 retail for 90 degree wall plug

Add £320.00 retail for Low Profile HOLO:PLUG® IEC-

C15 Add £50.00 retail for 90 degree IEC

Add £60.00 retail for Furutech Figure 8

Add £60.00 retail for Powercon Connector

Add £970.00 retail per additional 1 meter.

Odin 2 Power Cord

Supreme Reference



Model	Length	Retail
2ODPWR 1.25M	1.25m	£16500
2ODPWR 2.5M	2.5m	£21350
2ODPWR 5M	5m	£31050

UK AUS LOW PROFILE



Available in **20 amp (US) / 16 amp (EU, UK, AUS)**

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene P (FEP) insulation/propylene
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC standard
- Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC design
- 7 x 14 AWG silver-plated 99.999999% OFC solid core conductors
- 0.014 μ H/ft Inductance
- 1.33 Ohms per 1000ft DC Resistance
- 20 Amp Cable Power Rating
- 100% Individually shielded total coverage
- Velocity of Propagation: 88% Speed of Light
- Odin 2 HOLO:PLUG® gold-plated US (Nema), EU (Schuko), AUS or UK to Odin 2 HOLO:PLUG® IEC-C15 or IEC-C19 termination
- Add £480.00 retail for UK or AUS HOLO:PLUG®
- Add £480.00 retail for Low Profile HOLO:PLUG® IEC-C15
- Add £480.00 retail for HOLO:PLUG® 20 amp (IEC-C19)
- Add £4850.00 retail per additional 1 meter.

QRT QPoint



Model	Retail
QPoint	£690

- Fully manufactured in the USA
- Targets specific components to eliminate electrical noise
- Synchronizes electromechanical resonances
- Enhances coherency, timing, articulation, and musical structure
- Lowers the noise floor




QRT QSource



Model	Retail
QSource	£2300

- Fully manufactured in the USA
- Linear Power Supply designed specifically for hi-fi audio applications
- Provides a stable, clean output of DC power at select voltages while maintaining extremely low noise levels.
- Top-of-the-line transformer with unique circuit design.
- Internal QRT module smooths out DC output and removes electrical anomalies and noise artifacts from the line.

QSOURCE DC CABLE




Termination Options	Model	Length	Retail
LEMO  LEMO	QSDC1ML	1m	£240
	QSDC1.5ML	1.5m	£290
	QSDC2ML	2m	£340
LEMO  5mm x 2.1mm	QSDC1M2.1	1m	£240
	QSDC1.5M2.1	1.5m	£290
	QSDC2M2.1	2m	£340
LEMO  5mm x 2.5mm	QSDC1M2.5	1m	£240
	QSDC1.5M2.5	1.5m	£290
	QSDC2M2.5	2m	£340

- Fully manufactured in the USA
- Designed for use with the QSOURCE Linear Power Supply
- 2 x 22 AWG Solid Core, Silver-plated, OFC Conductors
- Shielded, Twisted Pair
- Micro Mono-Filament Design
- FEP Insulation

Termination options: LEMO to LEMO, LEMO to 5mm x 2.1mm DC connector, or LEMO to 5mm x 2.5mm DC connector.

Add £50 retail per additional ½ meter (up to 5 meters)

QSOURCE DC CABLE – PREMIUM

Termination Options	Model	Length	Retail
LEMO  LEMO	QSDCP1ML	1m	£280
	QSDCP1.5ML	1.5m	£335
	QSDCP2ML	2m	£390
LEMO  5mm x 2.1mm	QSDCP1M2.1	1m	£280
	QSDCP1.5M2.1	1.5m	£335
	QSDCP2M2.1	2m	£390
LEMO  5mm x 2.5mm	QSDCP1M2.5	1m	£280
	QSDCP1.5M2.5	1.5m	£335
	QSDCP2M2.5	2m	£390

- Fully manufactured in the USA
- Designed for use with the QSOURCE Linear Power Supply
- 2 x 18 AWG Solid Core, Silver-plated, OFC Conductors
- Shielded, Twisted Pair
- Micro Mono-Filament Design
- FEP Insulation
- Braided shield

Termination options: LEMO to LEMO, LEMO to 5mm x 2.1mm DC connector, or LEMO to 5mm x 2.5mm DC connector

Add £55 retail per additional ½ meter (up to 5 meters)

QRT QK1



Model	Retail
QK1	£230

- Fully manufactured in the USA
- AC Load Resonating Coil
- Allows for greater musicality and improves tonal balance
- Increases clarity of imaging, including sharpness, depth and focus
- Lowers the noise floor
- Load resonating coil using patented Micro Mono-Filament technology
- Mechanically tuned carbon-fiber body
- Gold plated Schuko connector
- Supplied with UK adaptor

QRT Qv2




Model	Retail
QV2	£320

- Fully manufactured in the USA
- AC Line harmonizer
- Introduces carefully calculated range of harmonic frequencies to the AC line, clocked from the AC line itself
- Improves sound and picture quality
- Lowers background noise
- Increases depth of soundstage
- Supplied with UK adaptor

QRT QB4 MARK II



Model	Retail
QB4II/EUR	£880



Use with **15 amp IEC**


- Fully manufactured in the USA
- 4 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- External ground post for connection to separate clean ground
- Dedicated Fuse
- Available in US, EU, and AUS configurations
- Comes with one replacement fuse

Add £20.00 retail for additional replacement fuse


QRT QB6 MARK II



Model	Retail
QB6II UK -13	£1480
QB6II UK -16	£1750



Use with **13 amp IEC**



OR... Use with **16 amp IEC**

- Fully manufactured in the USA
- 6 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- External ground post for connection to separate clean ground
- Dedicated Fuse
- Available in UK configuration only
- Comes with one replacement fuse

Add £20.00 retail for additional replacement fuse

QRT QB8 MARK II



Model	Retail
QB8II/EUR	£1480



Use with **15 amp IEC**


- Fully manufactured and terminated in the USA
- 8 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- External ground post for connection to separate clean ground
- Dedicated Fuse
- Available in US, EU, and AUS configurations
- Comes with one replacement fuse

Add £20.00 retail for additional replacement fuse

QRT QB8 MARK II: 20 Amp (US) / 16 Amp (EU, AUS)



Model	Retail
QB8II/EUR-16	£1750



Use with **20 amp IEC (US) / 16 amp (EU, AUS)**

- Fully manufactured and terminated in the USA
- 8 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- External ground post for connection to separate clean ground
- Dedicated Fuse
- Heavy gauge internal wiring
- Comes with one replacement fuse

Add £20.00 retail for additional replacement fuse

QRT QLINE Ground Wire



Model	Length	Retail
QLINE2MS	2M	£290

- Fully manufactured and terminated in the USA
 - Fluorinated Ethylene Propylene (FEP) insulation
 - Micro Mono-Filament technology
 - 10 AWG plated 99.9999% OFC 231 strand conductor
 - Termination: Large Spade (8.5mm) to Crimped Ferrule (18mm x 3.8mm) is standard.
Additional terminations available
- Add £100.00 retail per additional 1 meter.

QRT QKORE1



Model	Retail
QKORE-1	£2310

- Fully manufactured in the USA
- Comprehensive parallel grounding device.
- Lowers noise floor, increases harmonic accuracy and clarity, and elevates overall musicality in system performance.
- Furnished with one “QBASE Ground” binding post to ground your distribution block.
- Offers an effective ground on the primary side of the power supply.
- Provided with a 2M Banana to Banana QKORE Wire.

QRT QKORE3



Model	Retail
QKORE-3	£3230

- Fully manufactured in the USA
- Comprehensive parallel grounding device.
- Lowers noise floor, increases harmonic accuracy and clarity, and elevates overall musicality in system performance.
- Furnished with three multi-use binding posts to ground your audio circuitry.
- Grounds system components on the secondary side of the power supply, where the audio circuit is.
- Provided with a 2M RCA to Banana QKORE Wire.

QRT QKORE6












Model	Retail
QKORE-6	£4620

- Fully manufactured in the USA
- Comprehensive parallel grounding device.
- Lowers noise floor, increases harmonic accuracy and clarity, and elevates overall musicality in system performance.
- Furnished with three multi-use binding posts for audio circuitry, two binding posts for left and right monoblocks, and one “QBASE Ground” binding post to ground your distribution block.
- Offers an effective ground on the primary side of the power supply, for a distribution block, as well as on the secondary side of the power supply, for system components, including those with separate left and right chassis.
- Provided with a 2M Banana to Banana QKORE wire and a 2M RCA to Banana QKORE Wire.

QRT QKORE WIRE



Termination Options	Model	Length	Retail
Banana 	QKW2MB	2M	£330
Spade 	QKW2MS	2M	£330
RCA 	QKW2MR	2M	£330
XLR (Male) 	QKW2MXLR(M)	2M	£330
XLR (Female) 	QKW2MXLR(F)	2M	£330
BNC 	QKW2MBNC	2M	£330
USB A 	QKW2MUSB-A	2M	£370
USB B 	QKW2MUSB-B	2M	£370
RJ45 (CAT/ETHERNET) 	QKW2MRJ45	2M	£370

- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- Micro Mono-Filament technology
- 16 AWG Conductor
- Silver-plated 99.9999% solid core OFC

Add £140.00 retail per additional 1 meter

TO
→

Banana
(Default)



Spade



QRT Qx2



Model	Retail
Qx2 UK	£1660
Qx2 EUR	£1660

- Fully manufactured in the USA
- Field based power purifier with two field generators
- Parallel operation ensures no compromise to the peak current capabilities of the power supply nor grounding integrity
- Limits RFI and timing errors
- Lower noise floor and greater dynamic range
- One outlet design makes matching the QB distribution bar to it a great combination

QRT Qx4



Model	Retail
Qx4 UK	£2490
Qx4 EUR	£2490

- Fully manufactured in the USA
- Field based power purifier with four field generators
- Parallel operation ensures no compromise to the peak current capabilities of the power supply nor grounding integrity
- Limits RFI and timing errors
- Lower noise floor and greater dynamic range
- One outlet design makes matching the QB distribution bar to it a great combination

White Lightning Interconnect

Leif Series



Model	Length	Retail
WL0.6MR	0.6m	£175
WL1MR	1m	£190
WL1.5MR	1.5m	£215
WL2MR	2m	£240
WL2.5MR	2.5m	£265
WL3MR	3m	£290
WL3.5MR	3.5m	£315

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 95% braid
- 4 x26 AWG silver plated 99.9999 OFC solid conductors
- FEP Insulation
- 43.0pF/ft capacitance
- 0.046μH/ft inductance
- RCA or XLR termination

Mono lengths at half cost +10%

Add £25.00 retail per additional 1/2 meter.

Purple Flare Interconnect

Leif Series



Model	Length	Retail
PF0.6MR	0.6m	£225
PF1MR	1m	£260
PF1.5MR	1.5m	£315
PF2MR	2m	£370
PF2.5MR	2.5m	£425
PF3MR	3m	£480
PF3.5MR	3.5m	£535

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 95% braid
- 6 x26 AWG silver plated 99.9999 OFC solid conductors
- FEP Insulation
- 55.0pF/ft capacitance
- 0.037μH/ft inductance
- RCA or XLR termination

Mono lengths at half cost +10%

Add £55.00 retail per additional 1/2 meter.

Blue Heaven Interconnect

Leif Series



Model	Length	Retail
LSBH0.6MR	0.6m	£335
LSBH1MR	1m	£360
LSBH1.5MR	1.5m	£430
LSBH2MR	2m	£500
LSBH2.5MR	2.5m	£570
LSBH3MR	3m	£640
LSBH3.5MR	3.5m	£710

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 95% braid
- 4 x24 AWG silver plated 99.9999 OFC solid conductors
- FEP Insulation
- 45.0pF/ft capacitance
- 0.046μH/ft inductance
- RCA or XLR termination

Add £30.00 retail per 5-pin or 4-pin Din connector

Mono lengths at half cost +10%

Add £70.00 retail per additional 1/2 meter.

Red Dawn Interconnect

Leif Series



Model	Length	Retail
LSRD0.6MR	0.6m	£480
LSRD1MR	1m	£520
LSRD1.5MR	1.5m	£625
LSRD2MR	2m	£730
LSRD2.5MR	2.5m	£835
LSRD3MR	3m	£940
LSRD3.5MR	3.5m	£1045

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 95% braid
- 6 x24 AWG silver plated 99.9999 OFC solid conductors
- FEP Insulation
- 60.0pF/ft capacitance
- 0.035μH/ft inductance
- RCA or XLR termination

Mono lengths at half cost +10%

Add £105.00 retail per additional 1/2 meter.

Heimdall 2 Interconnect

Norse 2



Model	Length	Retail
2HE0.6MR	0.6m	£710
2HE1MR	1m	£910
2HE1.5MR	1.5m	£1110
2HE2MR	2m	£1310
2HE2.5MR	2.5m	£1510
2HE3MR	3m	£1710
2HE3.5MR	3.5m	£1910

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 97% braid
- 4 x24 AWG silver plated 99.99999 OFC solid core conductors
- Dual Mono-Filament design
- 25.0pF/ft capacitance
- 0.06µH/ft inductance
- Nordost MoonGlo RCA or Neutrik XLR termination

Add £30.00 retail per 5-pin or 4-pin Din connector

Mono lengths at half cost +10%

Add £200.00 retail per additional 1/2 meter.

Frey 2 Interconnect

Norse 2



Model	Length	Retail
2FR0.6MR	0.6m	£1120
2FR1MR	1m	£1415
2FR1.5MR	1.5m	£1720
2FR2MR	2m	£2025
2FR2.5MR	2.5m	£2330
2FR3MR	3m	£2635
2FR3.5MR	3.5m	£2940

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 97% braid
- 5 x24 AWG silver plated 99.99999 OFC solid core conductors
- Dual Mono-Filament design
- 28.0pF/ft capacitance
- 0.055µH/ft inductance
- Nordost MoonGlo RCA or Neutrik XLR termination

Mono lengths at half cost +10%

Add £305.00 retail per additional 1/2 meter.

Tyr 2 Interconnect

Norse 2



Model	Length	Retail
2TY0.6MR	0.6m	£2040
2TY1MR	1m	£2430
2TY1.5MR	1.5m	£2835
2TY2MR	2m	£3240
2TY2.5MR	2.5m	£3645
2TY3MR	3m	£4050
2TY3.5MR	3.5m	£4455

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 97% braid
- 7 x24 AWG silver plated 99.99999 OFC solid core conductors
- Dual Mono-Filament design
- 33.0pF/ft capacitance
- 0.045µH/ft inductance
- Nordost MoonGlo RCA or Neutrik XLR termination

Add £30.00 retail per 5-pin or 4-pin Din connector

Mono lengths at half cost +10%

Add £405.00 retail per additional 1/2 meter.

Valhalla 2 Interconnect

Reference Series



Model	Length	Retail
2VH0.6MR	0.6m	£6300
2VH1MR	1m	£7370
2VH1.5MR	1.5m	£8440
2VH2MR	2m	£9510
2VH2.5MR	2.5m	£10580
2VH3MR	3m	£11650
2VH3.5MR	3.5m	£12720
2VH4MR	4m	£13790
2VH4.5MR	4.5m	£14860
2VH5MR	5m	£15930

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Dual shielded silver braid analog interconnect 10 x24 AWG silver plated 99.999999% OFC solid core conductors
- Dual Mono-Filament design
- 17.0pF/ft capacitance
- HOLO:PLUG® RCA or HOLO:PLUG® XLR termination (note: retermination unavailable)

Add £30.00 retail per 5-pin or 4-pin Din connector

Mono lengths at half cost +10%

Add £1070.00 retail per additional 1/2 meter.

Odin 2 Interconnect

Supreme Reference



Model	Length	Retail
*2OD0.6MR	0.6m	£19390
*2OD1MR	1m	£21810
*2OD1.5MR	1.5m	£24230
*2OD2MR	2m	£26650
*2OD2.5MR	2.5m	£29070
*2OD3MR	3m	£31490
*2OD3.5MR	3.5m	£33910
*2OD4MR	4m	£36330
*2OD4.5MR	4.5m	£38750
*2OD5MR	5m	£41170
*2OD5.5MR	5.5m	£43590

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay, length and Dual Mono-Filament construction, TSC design
- 10 x 23 AWG silver-plated 99.999999% solid core OFC conductors
- 18.5pF/ft Capacitance
- 0.05µH/ft Inductance
- 100% Individually shielded total coverage
- Velocity of Propagation: 90% Speed of Light
- HOLO:PLUG® gold-plated RCA or HOLO:PLUG® gold-plated XLR termination (note: retermination unavailable)

Add £2420.00 retail per additional 1/2 meter.

Blue Heaven Subwoofer Cable - Straight

Leif Series



Model	Length	Retail
*BHSW -2MR	2m	£340
*BHSW -3MR	3m	£410
*BHSW -4MR	4m	£480
*BHSW -5MR	5m	£550
*BHSW -6MR	6m	£620

Blue Heaven Subwoofer Cable - Y

Leif Series



Model	Length	Retail
*BHSWY -2MR	2m	£360
*BHSWY -3MR	3m	£430
*BHSWY -4MR	4m	£500
*BHSWY -5MR	5m	£570
*BHSWY -6MR	6m	£640

Blue Heaven Subwoofer Cable - Stereo Y to Y

Leif Series



Model	Length	Retail
*BHSWY-Y -2MR	2m	£390
*BHSWY-Y -3MR	3m	£460
*BHSWY-Y -4MR	4m	£530
*BHSWY-Y -5MR	5m	£600
*BHSWY-Y -6MR	6m	£670

- Fully manufactured and hand terminated in the USA
- Straight configuration

- 4 x 22 AWG, silver-plated, 99.9999% OFC, solid core conductors
- Fluorinated Ethylene Propylene (FEP) insulation
- Flat, Parallel construction
- Braided Shield
- Capacitance: 60.5 pF/ft (198 pF/m)
- Inductance: 0.03 μ H/ft (0.10 μ H/m)

- Velocity of Propagation: 74%
- RCA or XLR termination
- Fully manufactured and hand terminated in the USA
- Split, Y configuration

Add £70.00 retail per additional 1 meter.

- 4 x 22 AWG, silver-plated, 99.9999% OFC, solid core conductors
- Fluorinated Ethylene Propylene (FEP) insulation
- Flat, Parallel construction
- Braided Shield
- Capacitance: 31 pF/ft (102 pF/m)
- Inductance: 0.06 μ H/ft (0.20 μ H/m)
- Velocity of Propagation: 74%

- RCA or XLR termination

Add £70.00 retail per additional 1 meter.

- Fully manufactured and hand terminated in the USA

- Split, Y configuration on both ends
- 4 x 22 AWG, silver-plated, 99.9999% OFC, solid core conductors
- Fluorinated Ethylene Propylene (FEP) insulation
- Flat, Parallel construction
- Braided Shield
- Capacitance: 31 pF/ft (102 pF/m)
- Inductance: 0.06 μ H/ft (0.20 μ H/m)
- Velocity of Propagation: 74%
- RCA or XLR termination

Add £70.00 retail per additional 1 meter.

Blue Heaven iKable

Leif Series



Model	Length	Retail
*iKBH0.6M	0.6m	£180
*iKBH1M	1m	£210
*iKBH2M	2m	£275
*iKBH3M	3m	£340
*iKBH4M	4m	£405
*iKBH5M	5m	£470
*iKBH6M	6m	£535

- Fully manufactured and terminated in the USA
- 4 x 24 AWG stranded silver-plated 99.9999% OFC conductors
- Fully shielded braid
- High performance, low dielectric FEP insulation
- Gold plated, full metal jacket shell connectors available in:
 - 3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik)
 - 3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik)
 - 3.5mm stereo mini (Neutrik) to (2x) RCA (Neutrik)

Add £65.00 retail per additional 1 meter.

Heimdall 2 iKable

Norse 2



Model	Length	Retail
*iK2HE0.6M	0.6m	£350
*iK2HE1M	1m	£450
*iK2HE2M	2m	£640
*iK2HE3M	3m	£830
*iK2HE4M	4m	£1020
*iK2HE5M	5m	£1210
*iK2HE6M	6m	£1400

- Fully manufactured and terminated in the USA
- 4 x 24 AWG stranded silver-plated 99.99999% OFC conductors
- Dual Mono-Filament technology
- High performance, low dielectric FEP insulation
- Mechanically tuned lengths
- Gold plated, full metal jacket shell connectors available in:
 - 3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik)
 - 3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik)
 - 3.5mm stereo mini (Neutrik) to (2x) RCA (Nordost MoonGlo)

Add £190.00 retail per additional 1 meter.

Blue Heaven Headphone Cable

Leif Series













Model	Length	Retail
BHHP1.25M-...	1.25m	£370
BHHP2M-...	2m	£460

- Fully manufactured and terminated in the USA
- 34 AWG 7/42 Litz Wire Construction
- Micro Mono-Filament technology
- Low dielectric FEP insulation
- Gold plated contact points

All cables come terminated with a 3.5mm Stereo Mini Connector and are supplied with a screw-on 1/4" (6.3mm) Stereo Phono Adaptor

SEE NEXT PAGE FOR AVAILABLE
TERMINATION
OPTIONS ON THE HEADPHONE END

Blue Heaven Headphone Cable: Termination Options	Model	Upcharge	Compatible Headphones*
3.5mm stereo mini with 1/4" Stereo Phono Adapter 	BHHP1.25M -1 (1.25 METER) BHHP2M -1 (2 METER)	+ £50 Retail	SENNHEISER: HD 800 Headphones ENIGMA ACOUSTICS: Dharma Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter 	BHHP1.25M -2 (1.25 METER) BHHP2M -2 (2 METER)	No Upcharge	AUDEZE: LCD-3, LCD-2, and LCD-XC Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter 	BHHP1.25M -3 (1.25 METER) BHHP2M -3 (2 METER)	No Upcharge	SENNHEISER: HD 650 and HD 600 Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter 	BHHP1.25M -5 (1.25 METER) BHHP2M -5 (2 METER)	+ £50 Retail	MrSPEAKER™: Alpha Dog, ETHER, and ETHER-C Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter 	BHHP1.25M -6 (1.25 METER) BHHP2M -6 (2 METER)	No Upcharge	OPPO Headphones HIFIMAN: HE1000, HE560, and HE400i Headphones SENNHEISER: HD 700 Headphones AUDIOQUEST®: Nighthawk Headphones ULTRASONIC: HFI and PRO Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter 	BHHP1.25M -8 (1.25 METER) BHHP2M -8 (2 METER)	No Upcharge	HEADPHONES MASTER & DYNAMIC: MH40 Headphones FOCAL®: Spirit Classic Headphones B&O: BeoPlay H6 Headphones AËDLE: VK-1 Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter 	BHHP1.25M -10 (1.25 METER) BHHP2M -10 (2 METER)	+ £50 Retail	AUDEZE: EL-8 Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter 	BHHP1.25M -11 (1.25 METER) BHHP2M -11 (2 METER)	+ £50 Retail	SONY: MDR-Z7 and MDR- Z1R Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter 	BHHP1.25M -12 (1.25 METER) BHHP2M -12 (2 METER)	No Upcharge	MCINTOSH: MHP1000 Headphones FOCAL®: Elear Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter 	BHHP1.25M -14 (1.25 METER) BHHP2M -14 (2 METER)	+ £50 Retail	AKG: K812 Headphones

- Fully manufactured and terminated in the USA
- 34 AWG 7/42 Litz Wire Construction
- Micro Mono-Filament technology
- Low dielectric FEP insulation
- Gold plated contact points

All cables come terminated with a 3.5mm Stereo Mini Connector and are supplied with a screw-on 1/4" (6.3mm) Stereo Phono Adaptor

*compatible headphones subject to change

Heimdall 2 Headphone Cable

Norse 2

















Model	Length	Retail
2HEHP...	2m	£740

- Fully manufactured and terminated in the USA
- 32 AWG 7/40 Litz Wire Construction
- Micro Mono-Filament technology
- Low dielectric FEP insulation
- Mechanically tuned lengths
- Gold plated contact points

SEE NEXT TWO PAGES FOR MORE INFORMATION

ON:

- Available Termination Options
- Adaptors
- Extension Cables

Heimdall 2 Headphone Cable: Termination Options	Model	Compatible Headphones*
4 pin XLR (male) (2x) push-pull 	2HEHP-1	SENNHEISER: HD 800 Headphones
4 pin XLR (male) (2x) 4 pin mini XLR 	2HEHP-2	AUDEZE: LCD-3, LCD-2, LCD-XC, and LCD-X Headphones
4 pin XLR (male) (2x) 2 pin 	2HEHP-3	SENNHEISER: HD 650 and HD 600 Headphones
4 pin XLR (male) (2x) SMC 	2HEHP-4	HIFIMAN: HE400 and HE6 Headphones
4 pin XLR (male) (2x) 4 pin HIROSE push-pull 	2HEHP-5	MrSPEAKERS™: Alpha Dog, ETHER, and ETHER-C Headphones
4 pin XLR (male) (2x) 2.5mm mono mini 	2HEHP-6	OPPO Headphones HIFIMAN: HE1000 Headphones SENNHEISER: HD 700 Headphones
4 pin XLR (male) (1x) 3 pin mini XLR 	2HEHP-7	AKG: K712 Headphones
4 pin XLR (male) (1x) 3.5mm stereo mini 	2HEHP-8	ULTRASONE: HFI and PRO Headphones
4 pin XLR (male) (2x) MMCX 	2HEHP-9	ULTRASONE: EDITION 5 Headphones SHURE®: SRH1840 and SRH1540 Headphones and SE846 Earphones
4 pin XLR (male) (2x) 8 Contact 	2HEHP-10	AUDEZE: EL-8 Headphones
4 pin XLR (male) (2x) 3.5mm stereo mini 	2HEHP-11	SONY: MDR-Z7 and MDR-Z1R Headphones
4 pin XLR (male) (2x) 3.5mm mono mini 	2HEHP-12	MCINTOSH: MHP1000 Headphones FOCAL®: Elear Headphones
4 pin XLR (male) (2x) LEMO Push-Pull 	2HEHP-13	FOCAL®: UTOPIA Headphones
4 pin XLR (male) (1x) 3 pin LEMO Push-Pull 	2HEHP-14	AKG: K812 Headphones

- Fully manufactured and terminated in the USA
- 32 AWG 7/40 Litz Wire Construction
- Micro Mono-Filament technology
- Low dielectric FEP insulation
- Mechanically tuned lengths
- Gold plated contact points



SEE NEXT PAGE FOR MORE INFORMATION

ON:

- Adaptors
- Extension Cables

*compatible headphones subject to change

Heimdall 2 Headphone Cable: Adaptors and Extension Cables

Adaptors Included With All Headphone Cables	Model	Length	
1/4in (6.3mm) stereo phono to 4 pin XLR (female) adaptor 	2HEHP6.3	0.25m	Included with all Headphone Cables
3.5mm stereo mini to 4 pin XLR (female) adaptor 	2HEHP3.5	0.25m	Included with all Headphone Cables
Additional Adaptors Sold Separately	Model	Length	Retail
(2x) 3 pin XLR (male) to 4 pin XLR (female) adaptor 	2HEHP2XLR	0.25m	£180
(2x) 3 pin XLR (female) to 4 pin XLR (female) adaptor 	2HEHP2XLRF	0.25m	£180
2.5mm 4-pole to 4 pin XLR (female) adaptor 	2HEHP2.5	0.25m	£180
4.4mm 5-pole to 4 pin XLR (female) adaptor 	2HEHP4.4	0.25m	£230
(2x) 3.5mm mini to 4 pin XLR (female) adaptor 	2HEHPPONO	0.25m	£180
Special 2M Extension Cables Sold Separately:	Model	Length	Retail
3.5mm stereo mini 4 pin XLR (female) 	2HEHP3.5EXT	2m	£550
1/4in (6.3mm) stereo phono 4 pin XLR (female) 	2HEHP6.3EXT	2m	£550
4 pin XLR (male) 4 pin XLR (female) 	2HEHPXLREXT	2m	£550

All Adaptors and Extension Cables are terminated with a female 4 pin XLR that attaches to the male 4 pin XLR on the Heimdall 2 Headphone Cable.

All Adaptors and Extension Cables are made with the same cable as the base Heimdall 2 Headphone Cable.

- Fully manufactured and terminated in the USA
- 32 AWG 7/40 Litz Wire Construction
- Micro Mono-Filament technology
- Low dielectric FEP insulation
- Mechanically tuned lengths
- Gold plated contact points

Blue Heaven Ethernet Cable

Leif Series



Model	Length	Retail
BHNET1M	1m	£370
BHNET2M	2m	£460
BHNET3M	3m	£550
BHNET4M	4m	£640
BHNET5M	5m	£730
BHNET6M	6m	£820
BHNET7M	7m	£910
BHNET8M	8m	£1000

- Fully manufactured and terminated in the USA
- 24 AWG solid core copper conductors
- Screened Foiled Twisted Pair Design (s/ftp)
- Fully Shielded Dual Braid
- High-Density Polymer Insulation
- Cable speed up to 600 MHz
- Terminated with shielded 8p8c/RJ45 connectors

Add £90 retail per additional 1 meter

Heimdall 2 Ethernet Cable


Norse 2



Model	Length	Retail
2HENET1M	1m	£650
2HENET2M	2m	£790
2HENET3M	3m	£930
2HENET4M	4m	£1070
2HENET5M	5m	£1210
2HENET6M	6m	£1350
2HENET7M	7m	£1490
2HENET8M	8m	£1630

- Fully manufactured and terminated in the USA
- 23 AWG solid core copper conductors
- Screened Foiled Twisted Pair Design (s/ftp)
- Fully Shielded Dual Braid
- High-Density Polymer Insulation
- Mechanically tuned lengths
- Cable speed up to 1000 MHz
- Terminated with ruggedized, shielded 8p8c/RJ45 connectors

Add £70 retail per Right Angle connector. Choose:



Add £140 retail per additional 1 meter

Blue Heaven HDMI

Leif Series



Model	Retail	Length	
BHHDMI -1M	1m	£320	
BHHDMI -2M	2m	£410	
BHHDMI -3M	3m	£500	
BHHDMI -5M	5m	£680	
BHHDMI -7M	7m	£860	
BHHDMI -9M	9m	£1040	
BHHDMI -12M	12m	£1310	

FIRST AND ONLY HDMI CABLES MADE IN THE USA!

Fully manufactured and hand terminated in the USA



- DPL Labs certified for lengths up to 5m
- Micro Mono-Filament construction
- High speed with ethernet and audio return
- 19 x 26AWG silver plated 99.9999% OFC conductors
- High performance air-spaced FEP insulation
- Fully shielded
- Terminated with high quality gold plated HDMI connectors

Add £90.00 retail per additional 1 meter.

Heimdall 2 4K UHD Cable

Norse 2



Model	Length	Retail
2HEUHD1M	1m	£550
2HEUHD2M	2m	£735
2HEUHD3M	3m	£920
2HEUHD5M	5m	£1290
2HEUHD7M	7m	£1660
2HEUHD8M	8m	£1845

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay and Micro Mono-Filament construction, twin-axial shielded pair design
- 19 x 25 AWG silver-plated 99.99999% solid core OFC conductors
- 100% Total shield coverage
- Velocity of Propagation: 86% Speed of Light
- Terminated with gold-plated, shielded, 19 pin, type A, High Definition connectors
- **Approvals: DPL 4K Certification**

Add £185.00 retail per additional 1 meter.

Valhalla 2 4K UHD Cable

Reference Series



Model	Length	Retail
2VHUHD1M	1m	£2770
2VHUHD2M	2m	£3690
2VHUHD3M	3m	£4610
2VHUHD5M	5m	£6450
2VHUHD7M	7m	£8290
2VHUHD8M	8m	£9210

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay and Micro Mono-Filament construction, twin-axial shielded pair design
- 19 x 24 AWG silver-plated 99.999999% solid core OFC conductors
- 100% Total shield coverage
- Velocity of Propagation: 86% Speed of Light
- Terminated with gold-plated, shielded, 19 pin, type A, High Definition connectors
- **Approvals: DPL 4K Certification**

Add £920.00 retail per additional 1 meter.

FIRST AND ONLY 4K CABLES MADE IN THE USA!



Purple Flare USB 2.0

Leif Series



Model	Length	Retail
PFUSB0.3M	0.3m	£150
PFUSB0.6M	0.6m	£170
PFUSB1M	1m	£190
PFUSB2M	2m	£230
PFUSB3M	3m	£270

- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay, twisted shielded pair design
- 4 x 28 AWG silver-plated 99.9999% OFC stranded conductors
- 2.0 standard
- 100% Total shield coverage
- Velocity of Propagation: 70%
- Available with Standard Class A USB 2.0 to Standard A 2.0, Standard B 2.0, Micro B 2.0, or Mini B 2.0

Add £40.00 retail for On-The-Go (OTG) Configuration

Add £40.00 retail per additional 1 meter.

Blue Heaven USB 2.0

Leif Series



Model	Length	Retail
BHUSB -1M	1m	£230
BHUSB -2M	2m	£320
BHUSB -3M	3m	£410
BHUSB -5M	5m	£590
BHUSB -7M	7m	£770

- Fully manufactured and terminated in the USA
- Micro Mono-Filament technology
- 2.0 standard
- Available with class A or Class B connectors (standard is A to B)
- 4x20 AWG Silver plated 99.9999% OFC stranded conductors

Add £90.00 retail per additional 1 meter.

Red Dawn USB

Leif Series




Model	Length	Retail
RDUSB0.3M	0.3m	£250
RDUSB0.6M	0.6m	£300
RDUSB1M	1m	£350
RDUSB1.5M	1.5m	£395
RDUSB2M	2m	£440

- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- Micro Mono-Filament technology
- Silver-plated 99.9999% OFC stranded conductors
- Dual layer of braid and foil shielding
- **Specially designed for USB C connectors** (standard is C to B)

Add £40.00 retail for On-The-Go (OTG) Configuration
 Add £45.00 retail per additional 1/2 meter.

Termination Options



Heimdall 2 USB 2.0

Norse 2



Model	Length	Retail
HEUSB1M	1m	£460
HEUSB2M	2m	£550
HEUSB3M	3m	£640
HEUSB5M	5m	£820
HEUSB7M	7m	£1000

- Fully manufactured and terminated in the USA
- Newly optimized Dual Mono-Filament construction
- 2.0 standard
- 4x20 AWG Silver plated 99.99999% OFC stranded conductors
- Optimized cable geometry and length
- Available with class A or Class B connectors (standard is A to B)

Add £90.00 retail per additional 1 meter.

Frey 2 USB


Norse 2



Model	Length	Retail
FRUSB0.6M	0.6m	£550
FRUSB1M	1m	£690
FRUSB1.5M	1.5m	£830
FRUSB2M	2m	£970

- Fully manufactured and terminated in the USA
 - Fluorinated Ethylene Propylene (FEP) insulation
 - Micro Mono-Filament technology
 - Silver-plated 99.99999% OFC solid core conductors
 - Mechanically tuned lengths
 - Dual layer of silver braid and foil shielding
 - **Specially designed for USB C connectors** (standard is C to B)
- Add £140.00 retail per additional 1/2 meter.

Termination Options



Tyr 2 USB 2.0

Norse 2



Model	Length	Retail
*TYUSB1M	1m	£1200
*TYUSB2M	2m	£1475
*TYUSB3M	3m	£1750
*TYUSB5M	5m	£2300
*TYUSB7M	7m	£2850

- Fully manufactured and terminated in the USA
- Dual Mono-Filament construction
- 2.0 standard
- 4x20 AWG Silver plated 99.99999 OFC solid core conductors
- Twisted pair, double helix geometry
- Mechanically tuned lengths
- Dual silver foil jacket and silver braided shielding
- Available with class A or Class B connectors (standard is A to B)

Add £275.00 retail per additional 1 meter.

Valhalla 2 USB 2.0

Reference Series



Model	Length	Retail
*2VHUSB1M	1m	£3230
*2VHUSB2M	2m	£4340
*2VHUSB3M	3m	£5450
*2VHUSB4M	4m	£6560
*2VHUSB5M	5m	£7670
*2VHUSB6M	6m	£8780

- Fully manufactured and terminated in the USA
- Dual Mono-Filament construction
- 2.0 standard
- 4x19 AWG solid core, silver-plated 99.999999% OFC conductors
- Flat, Twin-axial design
- Mechanically tuned lengths
- Individually shielded power and signal conductors
- Gold plated HOLO:PLUG® class A and class B Connectors (standard is A to B)

Add £1110.00 retail per additional 1 meter.

Frey 2 USB C Adaptor

Norse 2



Model	Length	Retail
FRUSBC-AF	0.17m	£250

- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- Micro Mono-Filament technology
- Silver-plated 99.999999% OFC solid core conductors
- Mechanically tuned length: 6.7 inches (17 cm)
- Dual layer of silver braid and foil shielding
- 2.0 and 3.0 compatible
- USB C to Standard A (Female)

Blue Heaven Digital Cable 75 Ohm

Leif Series



Model	Length	Retail
BHD1MBNC	1m	£190
BHD1.5MBNC	1.5m	£215
BHD2MBNC	2m	£240
BHD2.5MBNC	2.5m	£265
BHD3MBNC	3m	£290
BHD3.5MBNC	3.5m	£315
BHD4MBNC	4m	£340

- Fully manufactured and terminated in the USA
- Micro Mono-Filament technology
- 75 Ohm S/PDIF digital cable
- Gold-plated BNC to BNC standard
- Gold-plated 3.5mm stereo mini available
- Gold-plated BNC to RCA adapters included
- 24 AWG silver plated 99.9999% OFC solid core conductor
- Coaxial design

Add £25.00 retail per additional 1/2 meter.

Heimdall 2 Digital Cable 75 Ohm

Norse 2



Model	Length	Retail
HED1MBNC	1m	£710
HED1.5MBNC	1.5m	£860
HED2MBNC	2m	£1010
HED2.5MBNC	2.5m	£1160
HED3MBNC	3m	£1310
HED3.5MBNC	3.5m	£1460
HED4MBNC	4m	£1610

- Fully manufactured and terminated in the USA
- Micro Mono-Filament technology
- 75 Ohm S/PDIF digital cable terminated with BNC
- BNC to RCA adapters are included
- 20 AWG silver plated 99.99999% OFC solid core conductor
- Coaxial design

Add £150.00 retail per additional 1/2 meter.

Heimdall 2 Digital Cable 110 Ohm

Norse 2



Model	Length	Retail
HED1MXLR	1m	£710
HED1.5MXLR	1.5m	£860
HED2MXLR	2m	£1010
HED2.5MXLR	2.5m	£1160
HED3MXLR	3m	£1310
HED3.5MXLR	3.5m	£1460
HED4MXLR	4m	£1610

- Fully manufactured and terminated in the USA
- Micro Mono-Filament technology
- 110 Ohm AES/EBU digital cable terminated with Neutrik
- XLR Two 20 AWG silver plated 99.99999% OFC solid core conductors
- Balanced design

Add £150.00 retail per additional 1/2 meter.

Tyr 2 Digital Cable 75 Ohm

Norse 2



Model	Length	Retail
*2TYD1MBNC	1m	£1450
*2TYD1.5MBNC	1.5m	£1740
*2TYD2MBNC	2m	£2030
*2TYD2.5MBNC	2.5m	£2320
*2TYD3MBNC	3m	£2610
*2TYD3.5MBNC	3.5m	£2900
*2TYD4MBNC	4m	£3190

- Fully manufactured and terminated in the USA
- Dual Mono-Filament technology
- 75 Ohm S/PDIF digital cable terminated with BNC
- BNC to RCA adapters are included
- 18 AWG silver plated 99.99999% OFC solid core conductor
- Coaxial design

Add £290.00 retail per additional 1/2 meter.

Tyr 2 Digital Cable 110 Ohm

Norse 2



Model	Length	Retail
*2TYD1MXLR	1m	£1450
*2TYD1.5MXLR	1.5m	£1740
*2TYD2MXLR	2m	£2030
*2TYD2.5MXLR	2.5m	£2320
*2TYD3MXLR	3m	£2610
*2TYD3.5MXLR	3.5m	£2900
*2TYD4MXLR	4m	£3190

- Fully manufactured and terminated in the USA
- Dual Mono-Filament technology
- 110 Ohm AES/EBU digital cable terminated Neutrik
- XLR Two 19 AWG silver plated 99.99999% OFC solid core conductors
- Balanced design

Add £290.00 retail per additional 1/2 meter.

Valhalla 2 Digital Cable 75 Ohm

Reference Series



Model	Length	Retail
2VHD1.25MBNC	1.25m	£3200
2VHD2MBNC	2m	£4070
2VHD3MBNC	3m	£5230
2VHD4MBNC	4m	£6390
2VHD5MBNC	5m	£7550
2VHD6MBNC	6m	£8710

- Fully manufactured and terminated in the USA
- Dual Mono-Filament technology
- 75 Ohm S/PDIF digital cable terminated with HOLO:PLUG® BNC and supplied with gold plated RCA adaptors
- 16 AWG silver plated 99.999999% OFC solid core conductor
- Coaxial design
- 15.3pF/ft capacitance
- Propagation delay: 89% speed of light

Add £1160.00 retail per additional 1 meter.

Valhalla 2 Digital Cable 110 Ohm

Reference Series



Model	Length	Retail
2VHD1.25MXLR	1.25m	£3200
2VHD2MXLR	2m	£4070
2VHD3MXLR	3m	£5230
2VHD4MXLR	4m	£6390
2VHD5MXLR	5m	£7550
2VHD6MXLR	6m	£8710

- Fully manufactured and terminated in the USA
- Dual Mono-Filament technology
- 110 Ohm AES/EBU digital cable terminated with HOLO:PLUG® XLR Two 18 AWG silver plated 99.999999% OFC solid core conductors
- Balanced design
- 10.5pF/ft capacitance
- Propagation delay: 89% speed of light

Add £1160.00 retail per additional 1 meter.

Odin 2 Digital Cable 75 Ohm

Supreme Reference



Model	Length	Retail
*2ODD1.25MBNC	1.25m	£10660
*2ODD2.5MBNC	2.5m	£13570
*2ODD5MBNC	5m	£19390

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC and Co-axial design
- 1 x 14 AWG Silver-plated 99.999999% solid core OFC conductor
- 15.3pF/ft Capacitance
- 75 Ohm Impedance
- 100% Total shield coverage
- Velocity of Propagation: 90% Speed of Light
- 75 Ohm S/PDIF digital cable terminated with HOLO:PLUG® gold-plated BNCs. Gold-plated BNC to RCA adaptors included

Odin 2 Digital Cable 110 Ohm

Supreme Reference



Model	Length	Retail
*2ODD1.25MXLR	1.25m	£10660
*2ODD2.5MXLR	2.5m	£13570
*2ODD5MXLR	5m	£19390

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC and Twin-axial design
- 2 x 18 AWG Silver-plated 99.999999% solid core OFC conductors
- 10.5pF/ft Capacitance
- 110 Ohm Impedance
- 100% Total shield coverage
- Velocity of Propagation: 90% Speed of Light
- 110 Ohm AES/EBU digital cable terminated with HOLO:PLUG® gold-plated XLRs

Blue Heaven Tonearm Cable

Leif Series



Model	Length	Retail
BH1.25MTA	1.25m	£370
BH1.75MTA	1.75m	£440
BH2.25MTA	2.25m	£510
BH2.75MTA	2.75m	£580
BH3.25MTA	3.25m	£650
BH3.75MTA	3.75m	£720
BH4.25MTA	4.25m	£790


- Fully manufactured and terminated in the USA
- 4 x 24 AWG silver plated 99.9999 OFC solid core conductors
- 26 AWG drain wire
- 45.0pF/ft capacitance
- 0.046µH/ft inductance
- 98% shield braid
- Tonearm cables are available with straight din, RCA, or XLR connectors. Standard model numbers reflect a straight din to RCA.

Add £50.00 retail for 90 degree din connector –
Must specify pin orientation (A,B,C, or D). See chart on page 3.

Add £70.00 retail per additional 1/2 meter.

Blue Heaven Tonearm Cable +

Leif Series



Model	Length	Retail
BHTA1.25M	1.25m	£550
BHTA1.75M	1.75m	£630
BHTA2.25M	2.25m	£710
BHTA2.75M	2.75m	£790
BHTA3.25M	3.25m	£870
BHTA3.75M	3.75m	£950
BHTA4.25M	4.25m	£1030


- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- 4 x 28 AWG Silver plated 99.9999% OFC Solid Core Conductors – 2 Twisted pairs individually shielded
- 24 AWG silver-plated, stranded OFC bond wire w/ Micro Mono-Filament design
- 24 AWG silver-plated, stranded OFC removable ground whips w/ Micro Mono-Filament design
- Tonearm cables are available with straight MoonGlo® din, RCA, or XLR connectors. Standard model numbers reflect a straight MoonGlo® din to RCA.

Add £45.00 retail for 90° MoonGlo® din connector – Must specify pin orientation (A,B,C, or D). See chart on page 4.

Add £80.00 retail for additional ½ meter

Heimdall 2 Tonearm Cable +

Norse 2



Model	Length	Retail
2HETA1.25M	1.25m	£740
2HETA1.75M	1.75m	£840
2HETA2.25M	2.25m	£940
2HETA2.75M	2.75m	£1040
2HETA3.25M	3.25m	£1140
2HETA3.75M	3.75m	£1240
2HETA4.25M	4.25m	£1340

- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay and lengths
- 4 x 28 AWG Silver plated 99.99999% OFC Solid Core Conductors – 2 Twisted pairs individually shielded – Micro Mono-Filament design
- 24 AWG silver-plated, stranded OFC bond wire w/ Micro Mono-Filament design
- 24 AWG silver-plated, stranded OFC removable ground whips w/ Micro Mono-Filament design
- Tonearm cables are available with straight MoonGlo® din, RCA, or XLR connectors. Standard model numbers reflect a straight MoonGlo® din to RCA.

Add £45.00 retail for 90° MoonGlo® din connector – Must specify pin orientation (A,B,C, or D). See chart on page 4.

Add £100.00 retail for additional ½ meter

Frey 2 Tonearm Cable +

Norse 2



Model	Length	Retail
2FRTA1.25M	1.25m	£1290
2FRTA1.75M	1.75m	£1430
2FRTA2.25M	2.25m	£1570
2FRTA2.75M	2.75m	£1710
2FRTA3.25M	3.25m	£1850
2FRTA3.75M	3.75m	£1990
2FRTA4.25M	4.25m	£2130


- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay and lengths
- 4 x 26 AWG Silver plated 99.99999% OFC Solid Core Conductors
 - 2 Twisted pairs individually shielded
 - Dual Mono-Filament design
- 24 AWG silver-plated, stranded OFC bond wire w/ Micro Mono-Filament design
- 24 AWG silver-plated, stranded OFC removable ground whips w/ Micro Mono-Filament design
- Tonearm cables are available with straight MoonGlo® din, RCA, or XLR connectors. Standard model numbers reflect a straight MoonGlo® din to RCA.

Add £45.00 retail for 90° MoonGlo®din connector – Must specify pin orientation (A,B,C, or D). See chart on page 4.

Add £140.00 retail for additional ½ meter

Tyr 2 Tonearm Cable +

Norse 2



Model	Length	Retail
2TYTA1.25M	1.25m	£2540
2TYTA1.75M	1.75m	£2820
2TYTA2.25M	2.25m	£3100
2TYTA2.75M	2.75m	£3380
2TYTA3.25M	3.25m	£3660
2TYTA3.75M	3.75m	£3940
2TYTA4.25M	4.25m	£4220

- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay and lengths
- 4 x 25 AWG Silver plated 99.99999% OFC Solid Core Conductors
 - 2 Twisted pairs individually shielded
 - Dual Mono-Filament design
- 24 AWG silver-plated, stranded OFC bond wire w/ Micro Mono-Filament design
- 24 AWG silver-plated, stranded OFC removable ground whips w/ Micro Mono-Filament design
- Tonearm cables are available with straight MoonGlo® din, RCA, or XLR connectors. Standard model numbers reflect a straight MoonGlo® din to RCA.

Add £45.00 retail for 90° MoonGlo®din connector – Must specify pin orientation (A,B,C, or D). See chart on page 4.

Add £280.00 retail for additional ½ meter

Valhalla 2 Tonearm Cable +

Reference Series



Model	Length	Retail
2VHTA1.25M	1.25m	£4470
2VHTA1.75M	1.75m	£5045
2VHTA2.25M	2.25m	£5620
2VHTA2.75M	2.75m	£6195
2VHTA3.25M	3.25m	£6770

- Fully manufactured and terminated in the USA
- High purity 1.11 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay and lengths
- 4 x 24 AWG Silver plated 99.99999% OFC Solid Core Conductors – 2 Twisted pairs individually shielded. – Dual Mono-Filament design.
- 24 AWG silver-plated, stranded OFC bond wire w/ Micro Mono-Filament design
- 24 AWG silver-plated, stranded OFC removable ground whips w/ Micro Mono-Filament design
- Velocity of Propagation: 87%
- Tonearm cables are available with straight HOLO:PLUG® din, HOLO:PLUG® RCA, or HOLO:PLUG® XLR connectors. Standard model numbers reflect a straight HOLO:PLUG® din to HOLO:PLUG® RCA.

Add £90.00 retail for 90° HOLO:PLUG® din connector
– Must specify pin orientation (A,B,C, or D). See chart on page 4.

Add £575.00 retail for additional ½ meter

Odin 2 Tonearm Cable

Supreme Reference



Model	Length	Retail
*2OD1.25MTA	1.25m	£11080
*2OD2MTA	2m	£13850
*2OD3MTA	3m	£17540

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay, length and Dual Mono-Filament construction, TSC design
- 4 x 23 AWG silver-plated 99.99999% solid core OFC conductors
- Secondary 22 AWG silver-plated ground wire w/ spade on din end
- 9.75pF/ft (RCA) or 23.5pF/ft (XLR) Capacitance
- 0.11µH/ft (RCA) or 0.0611µH/ft (XLR) Inductance
- 100% Individually shielded total coverage
- Velocity of Propagation: 90% Speed of Light
- Available with straight HOLO:PLUG® din, HOLO:PLUG® RCA, or HOLO:PLUG® XLR connectors. Model numbers reflect a straight HOLO:PLUG® din to HOLO:PLUG® RCA.

Add £100.00 retail for 90° HOLO:PLUG® din connector
– Must specify pin orientation (A,B,C, or D). See chart on page 4.

Add £3690.00 retail per additional 1 meter

2 Flat Speaker Cable

Leifstyle



Model	Length	Retail
2FL2MB	2m	£170
2FL2.5MB	2.5m	£190
2FL3MB	3m	£210
2FL4MB	4m	£250
2FL5MB	5m	£290

- Made in the USA
- Extruded FEP Insulation
- 2 x 18 AWG Flat Rectangular Conductors
- 99.9999% OFC
- 7.0pF/ft capacitance
- 0.17μH/ft inductance
- Propagation Delay: 90% speed of light
- Banana or Spade termination

Add £10.00 retail ea. for Large Spades (8.5mm)

Add £10.00 retail ea. for Small Spades (5mm)

Add £40.00 retail per additional 1 meter.

4 Flat Speaker Cable

Leifstyle



Model	Length	Retail
4FL2MB/SG	2m	£240
4FL2.5MB/SG	2.5m	£275
4FL3MB/SG	3m	£310
4FL4MB/SG	4m	£380
4FL5MB/SG	5m	£450

- Made in the USA
- Extruded FEP Insulation
- 4 x 18 AWG Flat Rectangular Conductors, 15 AWG in shotgun (SG)
- 99.9999% OFC
- 8.0pF/ft capacitance
- 0.14μH/ft inductance
- Propagation Delay: 90% speed of light
- Banana or Spade termination

Add £72.00 retail for Bi-Wire (BW)

Add £144.00 retail for Bi-Amp (BA)

Add £10.00 retail ea. for Large Spades (8.5mm)

Add £10.00 retail ea. for Small Spades (5mm)

Add £70.00 retail per additional 1 meter pair.

SuperFlatline Speaker Cable

Leifstyle



Model	Length	Retail
SFL2MB/SG	2m	£290
SFL2.5MB/SG	2.5m	£340
SFL3MB/SG	3m	£390
SFL4MB/SG	4m	£490
SFL5MB/SG	5m	£590

- Made in the USA
- Extruded FEP Insulation
- 16 x 23 AWG Flat Rectangular Conductors, 14 AWG in shotgun (SG)
- 99.9999% OFC
- Propagation Delay: 91% speed of light
- Banana or Spade termination

Add £72.00 retail for Bi-Wire (BW)

Add £144.00 retail for Bi-Amp (BA)

Add £10.00 retail ea. for Large Spades (8.5mm)

Add £10.00 retail ea. for Small Spades (5mm)

Add £100.00 retail per additional 1 meter.

White Lightning Speaker Cable

Leif Series



Model	Length	Retail
WL1MB	1m	£310
WL2MB	2m	£360
WL2.5MB	2.5m	£385
WL3MB	3m	£410
WL4MB	4m	£460
WL5MB	5m	£510
WL6MB	6m	£560
WL7MB	7m	£610

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 10 silver plated 99.9999% OFC solid core 26 gauge conductors
- FEP Insulation
- 8.7pF/ft capacitance
- 0.18µH/ft inductance
- Banana or spade termination

Add £10.00 retail ea. for Large Spades (8.5mm)

Add £10.00 retail ea. for Small Spades (5mm)

Add £50.00 retail per additional 1 meter.

Purple Flare Speaker Cable

Leif Series



Model	Length	Retail
PF1MB	1m	£430
PF2MB	2m	£505
PF2.5MB	2.5m	£543
PF3MB	3m	£580
PF4MB	4m	£655
PF5MB	5m	£730
PF6MB	6m	£805
PF7MB	7m	£880

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 14 silver plated 99.9999% OFC solid core 26 gauge conductors
- FEP Insulation
- 9.25pF/ft capacitance
- 0.17µH/ft inductance
- Banana or spade termination

Add £10.00 retail ea. for Large Spades (8.5mm)

Add £10.00 retail ea. for Small Spades (5mm)

Add £75.00 retail per additional 1 meter.

Blue Heaven Speaker Cable

Leif Series



Model	Length	Retail
LSBH1MB	1m	£510
LSBH2MB	2m	£710
LSBH2.5MB	2.5m	£810
LSBH3MB	3m	£910
LSBH4MB	4m	£1110
LSBH5MB	5m	£1310
LSBH6MB	6m	£1510
LSBH7MB	7m	£1710

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 16 silver plated 99.9999% OFC solid core 26 gauge conductors
- FEP Insulation
- 9.6pF/ft capacitance
- 0.16µH/ft inductance
- Banana or spade termination

Add £10.00 retail ea. for Large Spades (8.5mm)
Add £10.00 retail ea. for Small Spades (5mm)

Add £200.00 retail per additional 1 meter.

Red Dawn Speaker Cable

Leif Series



Model	Length	Retail
LSRD1MB	1m	£760
LSRD2MB	2m	£1010
LSRD2.5MB	2.5m	£1135
LSRD3MB	3m	£1260
LSRD4MB	4m	£1510
LSRD5MB	5m	£1760
LSRD6MB	6m	£2010
LSRD7MB	7m	£2260

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 20 silver plated 99.9999% OFC solid core 26 gauge conductors
- FEP Insulation
- 10.0pF/ft capacitance
- 0.155µH/ft inductance
- Banana or spade termination

Add £10.00 retail ea. for Large Spades (8.5mm)
Add £10.00 retail ea. for Small Spades (5mm)

Add £250.00 retail per additional 1 meter.

Heimdall 2 Speaker Cable

Norse 2



Model	Length	Retail
2HE1MB	1m	£1410
2HE2MB	2m	£1820
2HE2.5MB	2.5m	£2025
2HE3MB	3m	£2230
2HE4MB	4m	£2640
2HE5MB	5m	£3050
2HE6MB	6m	£3460
2HE7MB	7m	£3870

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 18 x 22 AWG silver plated 99.99999% OFC solid core conductors
- Mono-Filament design
- 9.8pF/ft capacitance
- 0.14μH/ft inductance
- Banana or spade termination

Add £10.00 retail ea. for Large Spades (8.5mm)

Add £10.00 retail ea. for Small Spades (5mm)

Add £410.00 retail per additional 1 meter.

Frey 2 Speaker Cable

Norse 2



Model	Length	Retail
2FR1MB	1m	£2330
2FR2MB	2m	£2840
2FR2.5MB	2.5m	£3095
2FR3MB	3m	£3350
2FR4MB	4m	£3860
2FR5MB	5m	£4370
2FR6MB	6m	£4880
2FR7MB	7m	£5390

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 22 x 22 AWG silver plated 99.99999% OFC solid core conductors
- Mono-Filament design
- 10.3pF/ft capacitance
- 0.135μH/ft inductance
- Banana or spade termination

Add £10.00 retail ea. for Large Spades (8.5mm)

Add £10.00 retail ea. for Small Spades (5mm)

Add £510.00 retail per additional 1 meter.

Tyr 2 Speaker Cable

Norse 2



Model	Length	Retail
2TY1MB	1m	£4650
2TY2MB	2m	£6060
2TY2.5MB	2.5m	£6765
2TY3MB	3m	£7470
2TY4MB	4m	£8880
2TY5MB	5m	£10290
2TY6MB	6m	£11700
2TY7MB	7m	£13110

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 26 x 22 AWG silver plated 99.99999% OFC solid core conductors
- Mono-Filament design
- 10.7pF/ft capacitance
- 0.13μH/ft inductance
- Banana or spade termination

Add £10.00 retail ea. for Large Spades (8.5mm)

Add £1410.00 retail per additional 1 meter.

Valhalla 2 Speaker Cable

Reference Series



Model	Length	Retail
2VH1.25MS	1.25m	£9320
2VH2MS	2m	£11490
2VH2.5MS	2.5m	£12950
2VH3MS	3m	£14410
2VH3.5MS	3.5m	£15870
2VH4MS	4m	£17330

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 28 x 22 AWG silver plated 99.999999% OFC solid core conductors
- Dual Mono-Filament design
- 10.9pF/ft capacitance
- 0.125μH/ft inductance
- HOLO:PLUG® spade or Nordost Z-type banana termination

Add £1460.00 retail per additional 1/2 meter.

Odin 2 Speaker Cable

Supreme Reference



Model	Length	Retail
*2OD1MS	1m	£29080
*2OD1.5MS	1.5m	£32960
*2OD2MS	2m	£36840
*2OD2.5MS	2.5m	£40720
*2OD3MS	3m	£44600
*2OD3.5MS	3.5m	£48480
*2OD4MS	4m	£52360

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC design
- 26 x 20 AWG silver-plated 99.999999% solid core OFC conductors
- 8.0pF/ft Capacitance
- 0.125µH/ft Inductance
- Velocity of Propagation: 98% Speed of Light
- HOLO:PLUG® gold-plated Spade or HOLO:PLUG® gold-plated low-mass Z-plug Banana termination

Add £3880.00 retail per additional 1/2 meter.

Norse Bi-wire Jumpers

Norse 2



Model	Length	Retail
BW7JUMP/SB	7"	£160
BW14JUMP/SB	14"	£310
BW21JUMP/SB	21"	£470

- Fully manufactured and terminated in the USA
- Set of 4 Jumpers
- Micro-Monofilament technology
- Standard configuration is spade to banana but banana to banana and spade to spade is available
- Dramatically improves speaker performance when replacing the metal strips provided by most speaker companies.

Add £10.00 retail ea. for Large Spades (8.5mm)

Reference Bi-wire Jumpers

Reference Series



Model	Length	Retail
REF7JUMP/SB	7"	\$580
REF14JUMP/SB	14"	£1160
REF21JUMP/SB	21"	£1750

- Fully manufactured and terminated in the USA
- Set of 4 Jumpers
- Dual Mono-Filament technology
- TSC shielded conductor
- Standard configuration is spade to banana but banana to banana and spade to spade is available
- Dramatically improves speaker performance when replacing the metal strips provided by most speaker companies.

Add £10.00 retail ea. for Large Spades (8.5mm)

Valhalla 2 Bi-wire Jumpers

Reference Series



Model	Length	Retail
V2J1SS	13.5"	£2420
V2J2SS	27"	£4850

- Fully manufactured and terminated in the USA
- Set of 4 Jumpers
- 14 x 22AWG silver plated 99.999999% OFC solid core conductors
- Dual Mono-Filament design
- 10.9pF/ft capacitance
- 0.125µH/ft inductance
- HOLO:PLUG® spade or Nordost Z-type banana termination

Odin Bi-wire Jumpers

Supreme Reference



Model	Length	Retail
ODJMP20INB	20"	£9690

- Fully manufactured and terminated in the USA
- Set of 4 Jumpers
- 12 x 20AWG silver plated 99.999999 OFC solid core conductors
- Dual Mono-Filament design
- 9.2pF/ft capacitance
- 0.15µH/ft inductance
- Rhodium plated beryllium copper Banana or rhodium plated Furutech spade termination

Odin 2 Bi-wire Jumpers

Supreme Reference



Model	Length	Retail
O2J1SS	13.5"	£6790
O2J2SS	27"	£13570

- Fully manufactured and terminated in the USA
- Set of 4 Jumpers
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- 13 x 20AWG silver-plated 99.999999% solid core OFC conductors
- Mechanically tuned spacing, length and Dual Mono-Filament
- 8.0pF/ft capacitance
- 0.125μH/ft inductance
- HOLO:PLUG® gold-plated Spade or HOLO:PLUG® gold-plated low-mass Z-plug Banana termination

Sort Füt

Sort Systems



Model	Retail
SF1	£320
SF1-4PK Premium Package	£1390
SK1-4PK Sort Kup Floor Protectors	£280
SL1 - 4PK Sort Lock	£170

- Manufactured in the USA
- Replaces the feet and spikes provided with loudspeakers and equipment racks
- Provides a direct mechanical ground path for unwanted energy
- Aluminum and Bronze hybrid construction
- Finial dome to minimize vibration
- 3 Ceramic balls (ZrO2) to minimize contact surface area while providing physical stability to components

The Premium Package Includes:

- 4 Sort Füt units
- Adjustment tool to customize your Sort system to your components
- Laser Leveling System for precise installation
- 8mm, 6mm, and 1/4-20 threaded adaptors

Individual Units Include 8mm, 6mm, and 1/4-20 threaded adaptors.

Sort Kup protects sensitive floors from scratches and dents.
Sort Lock prevents the Sort Füt from loosening over time.

Sort Kones

Sort Systems



Model	Retail
SK/AS	£70
SK/AC	£80
SK/BC	£150
SK/TC	£360

- Fully manufactured in the USA
- Resonance control devices
- Sold in single units

AS – Aluminum construction with a steel ball bearing
 AC – Aluminum construction with a ceramic ball bearing
 BC – Bronze construction with a ceramic ball bearing
 TC – Titanium construction with a ceramic ball bearing

Sort Füt Threaded Adaptors

Sort Systems



Thread Size	Model	Color Code	Retail
1/4-20 (SAE)	2013004-04	Black	£10
6mm x 1 (Metric)	2013004-03	Blue	£10
8mm x 1.25 (Metric)	2013004-02	Red	£10
6-32 (SAE)	2013004-12	-	£10
8-32 (SAE)	2013004-13	Orange	£10
10-32 (SAE)	2013004-07	Brown	£10
5/16-18 (SAE)	2013004-10	-	£10
3/8-16 (SAE)	2013004-05	Yellow	£10
3/8-24 (SAE)	2013004-08	-	£10
1/2-13 (SAE)	2013004-06	-	£10
5mm x 0.8 (Metric)	2013004-14	-	£10
10mm x 1.5 (Metric)	2013004-01	Green	£10
12mm x 1.5 (Metric)	2013004-09	-	£10
12mm x 1.25 (Metric)	2013004-17	-	£10
14mm x 2 (Metric)	2013004-11	-	£10
14mm x 1.5 (Metric)	2013004-15	-	£10
24mm x 1.5 (Metric)	2013004-16	-	£20

Available sizes for Sort Füt threaded adaptors
(used to attach the Sort Füt units to speakers and racks)

1/4-20 (Imperial), 6mmx1 (Metric), and 8mmx1.25 (Metric) threaded adaptors come included with each Sort Füt.

The Sort Füt is adjustable up to 9/16in (14mm).

If more height is required, we offer replacement threaded adjusting studs for £10.00 retail.

Sort Lift

Sort Systems




Model	Retail
SLIFT-2PK	£550

- Comes in packs of 2
- Manufactured in the USA
- Raises cables off the ground using minimal points of contact with the cable
- Proprietary Floating Spring System uses titanium ally and FEP coating
- Anodized aluminum base
- Reduces boundary effects and electrical interference
- Inhibits transference of electrical charge and rids the dielectric of static build-up
- Elevates sound stage, improves dynamic range, and increases detail in low frequency reproductions

2 Flat Bulk Speaker Cable

Leifstyle




Model	Retail
2FL	£20 /Meter

- Made in the USA
- Extruded FEP Insulation
- 2 x 18 AWG Flat Rectangular Conductors
- 99.9999% OFC
- 7.0pF/ft capacitance
- 0.17µH/ft inductance
- Propagation Delay: 90% speed of light

4 Flat Bulk Speaker Cable

Leifstyle



Model	Retail
4FL	£40/Meter

- Made in the USA
- Extruded FEP Insulation
- 4 x 18 AWG Flat Rectangular Conductors, 15 AWG in shotgun (SG)
- 99.9999% OFC
- 8.0pF/ft capacitance
- 0.14µH/ft inductance
- Propagation Delay: 90% speed of light
- Bi-Wire/Bi-Amp compatible

14-2 Bulk Speaker Cable

Leifstyle



Model	Retail
14/2	£10 /Meter

- Made in the USA
- Extruded Premium PVC Insulation
- 41 Strand 2 x14 AWG
- 99.9999% OFC
- Propagation Delay: 85% speed of light
- RoHS Compliant
- UL CL3 certified

SuperFlatline Bulk Speaker Cable

Leifstyle



Model	Retail
SFL	£50/Meter

- Made in the USA
- Extruded FEP Insulation
- 16 x 23 AWG Flat Rectangular Conductors, 14 AWG in shotgun (SG)
- 99.9999% OFC
- Propagation Delay: 91% speed of light
- Bi-Wire/Bi-Amp compatible
- RoHS Compliant

Set-up and Tuning CD



Model	Retail
MIS-TESTCD	£40

- All the tracks necessary to set your system for maximum performance
- Works in conjunction with a downloadable PDF from www.nordost.com
- Contains LEDR (listening environment diagnostic recordings) tracks for ideal speaker placement
- Contains channel checks, phase checks, system degaussing, test tones, frequency sweeps, and even system burn in tracks.

Eco 3x



Model	Retail
Eco3X	£40

- Anti-static spray and static inhibitor
- 4 oz (120 ml) spray bottle
- Removes the static charge from cable dielectrics and helps reduce future build-up
- Static charge build up on cables can interfere with the signal and create background noise in your system.
- Glass bottle with retail packaging

Nordost Shirts



Description	Sizes	Retail
Nordost Polo Short Sleeve (Black)	S,M,L,XL,XXL	£50
Nordost Button-Down Long Sleeve (Grey)	S,M,L,XL	£60
V2 T-Shirt Short Sleeve (Black)	S,M,L,XL,XXL	£20
V2 Pull-Over Long Sleeve (Black)	S,M,L,XL,XXL	£60

While Supplies Last

NORDOST
 MAKING THE CONNECTION

 **NORDOST**
MAKING THE CONNECTION
