

Provided By:

New Central Office Direct Replacement Fans



TAG INC.

Telecom Assistance Group, Inc.
856-753-8585
www.tagcords.com


ALCATEL FANS (1000, 7300, ECS1, 1603 & 1631)



EDGELINK FANS



DMS FANS & SENSORS



5ESS FANS



DDM-2000 FANS




DMS-100 BLOWERS (SQUIRREL CAGE & DUAL-SCROLL)




**ADTRAN, ADC, BIGBAND, CISCO, DEX600E, EWSD, GTD-5, GALAXY 595LTB,
LUCENT FANS (DACS III/ IV, CBX500, FT-2000, METROPOLIS DMX),
NORTEL / GENBAND, NEC, JDSU PATHTRAK, KENTROX, LORAIN / MARCONI,
STROMBERG CARLSON DCO, WAVESTAR, WIDEBAND 3190 FANS & MORE !!**


856-753-8585



Part #	Description	PG #
5ESS FANS		
TF-5ESS-01P	KS22501L3 Equiv. 5ESS Fan w/ 3 Leads & AMP Connector (w/ power prongs)	1
TF-5ESS-01F	KS22501L3 Equiv. 5ESS Fan w/ 3 Leads & Faston Connectors (w/ power prongs)	1
TF-5ESS-02P	KS23912L1A Equiv. 5ESS Fan w/ 5 Leads & AMP Connector w/ Internal Thermal Speed Control Sensor	1
TF-5ESS-02F	KS23912L1A Equiv. 5ESS Fan w/ 5 Leads & Faston Connectors w/ Internal Thermal Speed Control Sensor	1
TF-5ESS-03P	KS23912L2 Equiv. 5ESS Fan w/ 4 Leads & AMP Connector	1
TF-5ESS-04P	KS22501L3A Equiv. 5ESS Fan w/ 5 Leads & AMP Connector	1
TF-5ESS-04F	KS22501L3A Equiv. 5ESS Fan w/ 5 Leads & Faston Connectors	1
TF-5ESS-10P	KS23398L2 Equiv. 5ESS ISLU (Square Fan) w/ 5 Leads & AMP Connector	1
ADTRAN FANS		
TF-TA3000-01	Adtran TA3000 , 48V Fan w/ 3 Wire Plug (Equiv. to 109P0848H401) (use in HECl: M3PQ0AV, 1181006L1)	2
TF-TA5K-01	Adtran TA5000 , 48V Fan w/ 4 Wire Plug	2
TF-TA5K-02	Adtran TA5000 , 48V Fan w/ 3 Wire Plug	2
ALCATEL FANS		
TF-ALC-01	Alcatel 1000/7300 , 48V Fan w/ Tach (use in 3EC 15478 (XXXX) & 3EC 37933 (XXXX) fan trays)	3
TF-AL7300-02	Alcatel 7300 , 48V Fan w/ Internal Sensor & Tach output (use in 3EC 16697 (XXXX) fan trays)	3
TF-DSCECS1-01	DSC / Alcatel ECS1 , 48V Fan w/ 3 Wire Plug	3
TF-ALC1603-01	Alcatel 1603 , 48V Fan w/ 3 Wire Plug (use in Low-Volume Fan Tray # 625052-000-0XX)	3
TF-ALC1631-01	Alcatel 1631 , 48V Fan (Square) w/ Power Prongs (use in Blower Assembly # 695-3363-302)	4
TF-ALC1631-02	Alcatel 1631 , 48V Fan (Round) w/ Power Prongs & Unterminated Tach (use in # 3AL45446AA)	4
TF-ALC1631-03	Alcatel 1631 , 48V Fan (Square) w/ Power Prongs & Tach Lead (use in APS Blower # 695-8489-001)	4
BIGBAND / ADC FANS		
TF-BIGBND-01	BigBand , 12V Fan w/ 3 Wire Open End & Speed Control	5
TF-BIGBND-03SR	BigBand Shelf / Door Repair	5
TF-BIGBPS-01	12V Fan (40mm) w/ 3 Wire Plug for BigBand (FTTP bays) & ADC RF Worx Power Supplies	5
CIENA FANS		
TF-CN1600-01	Ciena 1600 DWDM , 48V Fan w/ 4 Wire Plug (fan only, mtg bracket is not included)	6
TF-DN7100-01	Ciena DN7100 , 12V Fan w/ 3 Wire Plug (TA225DC Equiv.)	6
TF-DN7100-02	Ciena DN7100 , 12V Fan w/ 3 Wire Plug (TA300DC Equiv.)	6
DSC DEX600E FANS		
TF-DEXLAP-01	DEX600E MSP Bay Fan (LAP Fan) (155-2936-055 Equiv., LAP Fans)	7
TF-DEXDSI-01	DEX600E DSI Bay Fan (500-0000-294 Equiv., for DSI (FAIC) type cards)	7
TF-DEXDTI-01	DEX600E DTI Bay Fan (400-0063-900 Equiv., for DTI (AMM) type cards)	7
TF-DEXCS3-01	DEX600E CS3, 48V Fan	7
CISCO 15454 FANS		
TF-C15454-01	Cisco ONS 15454 , 48V Fan w/ 3 Wire Right Angle Conn. (use in # 800-21448-02, HECl: WMMYAFEGAA)	8
GTD-5 FANS		
TF-GTD5-01	GTD-5 , 48V Fan w/ 5 Wire Plug	8
KENTROX FANS		
TF-AI-180	Kentrox AISwitch Series 180 , 48V Cooling Fan w/ 3 Wire Right Angle Connector	8
DATAKIT / GALAXY / FUJITSU FANS		
TF-DATAKIT-01	24V Fan for Datakit System w/ 3 Wire, 4 Pin Connector	9
TF-GLX595LTB-01	48V Fan for Galaxy 595LTB Rectifier w/ 4 Wire Plug (Equiv. to # D1338E48BYAP-18)	9
TF-FW4500-01	48V Fan for Flashwave 4500 Fan Unit w/ 4 Wire Plug (use in # FC9580FAN1, HECl: SNPQUG5AB)	9



Part #	Description	PG #
LORAIN / MARCONI RECTIFIER FANS		
TFT-MRECT	New Fan Tray Assembly for Vortex Rectifier (Lorain / Marconi 104545) (use in Vortex V200D50)	10
TF-MREC-02	Vortex Rectifier (Lorain / Marconi), 24V Fan (threaded) & 3 Wire Plug (use in V200E50)	10
TF-RHM400-01	RHM-400/800 Rectifier Unit (Lorain / Marconi), 220VAC Fan	11
TF-LRA50B50-01	Lorain Rectifier (A50B50), 48V Fan w/ 2 Wire Plug	11
LUCENT FANS (CBX500, DDM-2000, METROPOLIS, FT-2000, DACS III / IV)		
TF-DDM201	Lucent DDM-2000, 24V Fan	12
TF-DDM201-KIT1	Lucent DDM-2000, 24V Fan Kit w/ Mounting Plate	12
TF-DDM202	Lucent DDM-2000, 48V Fan (use in Nidec T35078-LUC 440233, Comcode: 408741205) (fan only)	12
TF-CBX500-01	Lucent CBX500 OCD, 12V Cooling Fan w/ 3 Wire Pins	13
TF-DMXMET-01	Lucent Metropolis DMX, 48V Fan (use in Comcode: 408769172)	13
TF-FT201	Lucent Fiber Terminal 2000 (FT-2000), 48V Fan	13
TF-DACS3/4-01	Lucent DACS III / IV, 48V Fan w/ 4 Wire Plug (KS23913L1), Use in DACS III (ED-2C816-30, G1 or ED-2C906-30) DACS IV (WP92310L4)	14
TF-DACS3/4-02	Lucent DACS III / IV, 48V Fan w/ 5 Wire Plug (KS23913L1), Used in Lucent Fan Assemblies: DACS III / IV (WP91473-L3B)	14
NEC FANS		
TF-NEC-01	NEC, 48V Fan (fan only) (FD-31201A / FD-32401A)	15
TF-NEC01-KIT1	NEC, 48V Fan Kit w/ Mtg Plate & Guard Grill (FD-31201A / FD-32401A)	15
TF-NEC-02	NEC, 48V Fan (fan only) (ITS-2400)	15
TF-NEC02-KIT1	NEC, 48V Fan Kit w/ Mounting Plate & Guard Grill (ITS-2400)	15
TF-NEC-03	NEC, 48V Fan (fan only) (ITS-2400V FL)	15
OMNISTAR FANS		
TF-OMNISTAR-01	OmniStar, 12V Fan (60mm) w/ 2 Wire Plug	16
TF-GX2BTY-01	OmniStar GX2 (RPR), 5V Fan (25mm) w/ 2 Wire Plug	16
TF-GX2BTY-02	OmniStar GX2 (Laser), 5V Fan (25mm) w/ 2 Wire Plug	16
WAVESTAR FANS		
TF-WSTR-01	WaveStar TDM 10G, 48V Fan w/ 3 Wire Plug	17
WIDEBAND 3190 FANS		
TF-WB3190	Wideband 3190, 48V Fan w/ 3 Wire Plug	17
TELCO SYSTEMS FANS (EDGELINK 100, M560)		
TF-EL100	Edgelink 100 Fan (40mm)	18
TF-EL100DET	Edgelink 100 Detector PC Board (CCA591G1 Equiv.)	18
TF-EL100-KIT2	Edgelink 100 Fan Kit (40mm)	18
TF-EL100-02	Edgelink 100 Fan (35mm)	18
TF-EL330-01	Edgelink AXX330G1, Fan (80mm) w/ 3 Wire Plug (Equiv. to PUDC48H4P-076)	18
TF-TEL560-01	Telco Systems M560 Fiber Optic Terminal, 48V Fan	CALL
STP RING NODE FANS		
TF-STPRN-01	STP Ring Node Frame/Cabinet, 48V Fan w/ 5 Wire Plug	19
PATHTRAK (JDSU) FANS		
TF-HCU1500-01	JDSU PathTrak HCU 1500, 24V Fan w/ 2 Wire Plug	19



Part #	Description	PG #
TELLABS FANS		
TF-TL6500-01	Tellabs 6500, 12V Fan w/ 4 Wire Plug (equiv. to Galaxy DC # GL12ROHX)	19
TF-UMC1000-01	48V Fan (120mm) for Tellabs UMC1000 Tray w/ 3 Wire Plug (use in AFC Tray with 6 fans)	20
TFC-UMC1000-06	Alarm Control Board for Tellabs UMC1000 Tray (use in AFC tray with 6 fans)	20
TF-UMC1000-02	48V Fan (80mm) for Tellabs UMC1000 Tray w/ 3 Wire Plug (use in AFC Tray with 10 fans)	20
TF-UMC1000-03	48V Fan (120mm) for Tellabs UMC1000 Tray w/ 4 Wire Plug (use in AFC Tray with 8 fans)	20
SIEMENS EWSD FANS		
TF-EWSD-01	Siemens EWSD, Square 48V Fan w/ Power Prongs (fan only, use with existing guard grill)	21
TF-EWSD-02	Siemens EWSD, Round 48V Fan w/ Power Prongs (fan only, use with existing guard grill)	21
STROMBERG CARLSON DCO FANS		
TF-DCOCMF-01	48V Fan for Stromberg Carlson DCO CMF Bay w/ 3 Leads & Fastons	22
TF-DCONHD-01	48V Fan for Stromberg Carlson DCO Non High Density CMF Bay w/ 2 Wire Open End (for splicing) (Black -48V, Red +48 Return) Includes Guard Grill & (1) Butt Splice	22
TF-DCOMEF-01	48V Fan for Stromberg Carlson DCO MEF Bay (80mm x 45mm) w/ 3 Wire Plug & Guard Grill	22
TF-DCO-02	48V Fan for Stromberg Carlson DCO CMF / DTF Bay w/ 3 Leads & Faston Connectors (fan only, use with existing grill) (Equiv. to ebm W2G130-AA05-20)	22
NORTEL FANS (DMS, Carrier VoIP, DPCC SuperNode "Squirrel Cage" Blowers)		
TF-DMS01	DMS-100, 48V Fan w/ Power Prongs (use in NT3X90AC / NTB63AA fan trays)	23
TF-DMS01-100	DMS-100, 48V Fan w/ Power Prongs (use in NT3X90AC / NTB63AA fan trays) (PKG OF 100)	23
TF-DMS02	DMS-1U, 48V Fan w/ Power Prongs (unthreaded mounting) (use in NT3X90AC / NTB63AA fan trays)	23
TF-DMS01S	DMS-100, Fan Sensor (use in NT3X90AC / NTB63AA fan trays)	23
TF-DMS01S-50	DMS-100, Fan Sensor (use in NT3X90AC / NTB63AA fan trays) (PKG OF 50)	23
TLMP-DMFA-10	DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 10)	24
TLMP-DMFA-25	DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 25)	24
TLMP-DMSA-10	DMS Aisle Alarm Repl. Lamp (QTY of 10)	24
TF-DMS03	DMS-100, 48V Fan w/ TTL Tach & 3 Wire Plug	25
TFC-3X90AF-01	DMS-100, Fan Alarm Board for the NT3X90AF Cooling Fan Unit	25
TFR-3X90AF-01	TAG Refurbishing - DMS-100 NT3X90AF Fan Tray	CALL
TF-DMS04AC	DMS-100, 24VAC Fan w/ Power Prongs	25
TF-RX50FF-01	DMS SDM, 12V Fan w/ 3 Wire Plug & Speed Control (use in Nortel shelf # NTRX50FF)	25
TF-DMS-NTRX91	DMS-100, 48V Fan w/ 3 Wire Plug (NTRX91AA / NT0X91AA (MVIE & CSDM bays), CLEI: ENMYACM)	26
TF-DMS10-01	DMS-10, 48V Fan w/ Power Prongs	26
TF-DMS10S	DMS-10, Fan Sensor	26
TF-DMS-FOS	Nortel IW SPM-IP, 48V Fan for NTLX56AA Fan Assemblies (used in Nortel IW SPM-IP NTLX55AA cooling units) (fan only, arm assembly is not included)	27
TF-MG9K-01	Nortel / GENBAND Media Gateway 9000, 48V Fan w/ 3 Wire Plug (use in NTNY18AA)	27
TFT-DMS48KIT4	Nortel DMS-100 (NT3X90AA / NT3X90AB), 24VAC to 48VDC Fan Tray Conversion Kit 4 (NEW Kit - includes (5) 48V Fans & Fan Control Board w/ built in Sensors (no paddles needed))	28
TFT-3X90AC-01	Paddleless Alarm Conversion Upgrade Kit for DMS-100 NT3X90AC Fan Trays (NT3X90AC to NT3X90AF Conversion) (includes: (5) TF-DMS03, DMS-100 48V Fans w/ TTL Tach & 3 Wire plug (1) TFC-3X90ACAF-01, Fan Alarm Control Board (includes mounting bracket) & (1) Wiring Harness)	29
TF-DMSLGN6-01	DMS-500/250 DPCC (225mm) Impeller Fan for XA-Core Blower Drawer w/ 4 Wire Plug (fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)	30
TF-DMSLGN5	DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement w/ Internal Sensor (use in NT9X01XX DPCC, (replaces A0345301))	31
TF-DMSLGN5A	DMS-100 DPCC XA-Core SuperNode Blower "Squirrel Cage" Replacement w/ 4 Wire Square Plug Adapter Cable (# TFCS-DMSLGN5F2S) (use in NT9X01BC DPCC w/ Power Distribution Alarm Board (replaces A0345301))	31
TF-DMSMCL-02	DMS-100 Dual-Scroll Blower Replacement Unit w/ (1) 4 pin plug & (1) 3 pin plug includes (1) 3 pin adapter cable (# TFCS-DMSMCL3) (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714)) (commonly found in DPCC / LIM / ENET bays)	32
TFC-DMSAPW-3	Alarm Control Board Replacement for DMS LIM/ENET Blower	32

Don't see the fan you are looking for? Send us a sample & we will find a match!

PLEASE CALL: 856-753-8585 or EMAIL: custsvcs@tagcords.com

5ESS Replacement Fans

- ▶ All TAG Fans are **NEW** (No Refurbs)
- ▶ Exact Drop-in Replacements
- ▶ 48V $\overline{\text{DC}}$ 0.40A

DON'T SEE THE FAN YOU NEED?
 Send us a Sample
 & we will Find a Match!



KS2250L3 Models:

PN # TF-5ESS-01F
 5ESS Replacement Fan
 w/ 3 Leads &
 Faston Connectors
(fan w/ power prongs)



PN # TF-5ESS-01P
 5ESS Replacement Fan
 w/ 3 Leads &
 AMP Connector
(fan w/ power prongs)



DC Fan Power Cords are available for KS2250L3 type fans
 (order TAG MODEL # TF-DCPWR-01)



(connect to power prongs on KS2250L3 type fans)

KS23912L2 Model:

PN # TF-5ESS-03P
 5ESS Replacement Fan
 w/ 4 Leads & AMP Connector



KS2250L3A Models:

PN # TF-5ESS-04F
 5ESS Replacement Fan
 w/ 5 Leads & Faston Connectors



PN # TF-5ESS-04P
 5ESS Replacement Fan
 w/ 5 Leads & AMP Connector



KS23912L1A Models:

PN # TF-5ESS-02F
 5ESS Replacement Fan
 w/ 5 Leads & Faston Connectors
 w/ Internal Thermal Speed Control Sensor



PN # TF-5ESS-02P
 5ESS Replacement Fan
 w/ 5 Leads & AMP Connector
 w/ Internal Thermal Speed Control Sensor



KS23398L2 Model:

PN # TF-5ESS-10P
 ISLU (Square Fan)
 48V $\overline{\text{DC}}$ 0.13A
 w/ 5 Leads &
 AMP Connector



150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

Adtran TA3000 / TA5000 Replacement Fans

"TA3000"



(use in TA3000 Module
HECI: M3PQ0AV,
PN: 1181006L1)

PN # TF-TA3000-01

48 Volt Replacement Fan for
Adtran TA3000, Total Access Fan Module
w/ 3 Wire Plug
(Equiv. to 109P0848H401)



3 WIRE
PLUG

"TA5000"



PN # TF-TA5K-01
48 Volt Replacement Fan for
Adtran TA5000
w/ 4 Wire Plug



4 WIRE
PLUG

"TA5000"



PN # TF-TA5K-02
48 Volt Replacement Fan for
Adtran TA5000
w/ 3 Wire Plug



3 WIRE
PLUG

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Alcatel (1000 / 7300 / DSC ECS1 / 1603)* Replacement Fans

"Alcatel 1000 / 7300"

PN # TF-ALC-01

48V Replacement Fan for
Alcatel 1000 / 7300 Fan Tray
w/ Tach Output & 3 Wire Plug

(use in **3EC 15478** (XXXX) &
3EC 37933 (XXXX) Fan Trays)



"Alcatel 7300"

PN # TF-AL7300-02

48V Replacement Fan for
Alcatel 7300 Fan Tray
w/ Internal Sensor, Tach Output
& 3 Wire Plug

(use in **3EC 16697** (XXXX) Fan Trays)

"DSC / Alcatel ECS1"

PN # TF-DSCECS1-01

48V Replacement Fan for
DSC / Alcatel ECS1 Fan Tray
w/ 3 Wire Plug



"Alcatel 1603"

PN # TF-ALC1603-01

48V Replacement Fan for
Alcatel 1603 Low-Volume Fan Tray
w/ 3 Wire Plug



625052-000-0XX (w/ 4 EXISTING FANS)
(fan tray is not included)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

Alcatel 1631* Replacement Fans

PN # TF-ALC1631-01
 48V Replacement Fan for
Alcatel 1631 Blower Assembly
 w/ Power Prongs
(fan is equiv. to MD48B2)



"Alcatel 1631"



*(fan only -
 use with
 existing
 guard grill)*

← **# 695-3363-302 (w/ 3 EXISTING FANS)**
(blower assembly is not included)

"Alcatel 1631"

*(fan only -
 use with
 existing
 guard grill)*



PN # TF-ALC1631-02
 48V Replacement Fan for
Alcatel 1631 Blower Assembly
 w/ Power Prongs,
 Unterminated Tach Lead & (1) Butt Splice
(fan is equiv. to PQ48S4HNDNX)



3AL45446AA (w/ 3 EXISTING FANS)
(blower assembly is not included)

PN # TF-ALC1631-03
 48V Replacement Fan for
Alcatel 1631 APS Blower Assembly
 w/ Power Prongs & Unterminated Tach Lead
(fan is equiv. to MD48B2NDNX)



"Alcatel 1631"



*(fan only -
 use with existing
 guard grill)*



← **# 695-8489-001 (w/ 3 EXISTING FANS)**
(blower assembly is not included)

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

BigBand / ADC Replacement Fans

"BigBand SDV Mux"



PN # TF-BIGBND-01
BigBand 12 Volt
 3 Wire Open End Replacement Fan
 w/ Speed Control
(fan only, use existing guard grill & hardware)
*(use in **BigBand SDV Mux**)*

PN # TF-BIGBND-03SR *
BigBand Shelf / Door Repair
 TAG repair service includes:
 (3) PN # TF-BIGBND-01 Fans

*** Customer supplied shelf -**
For more information,
Please call: 856-753-8585
or email: custsvcs@tagcords.com



BIGBAND FAN SHELF →


PN # TF-BIGBPS-01 **

12 Volt Replacement Fan (40mm)
 w/ 3 Wire Plug for
BigBand & ADC RF Worx Power Supplies


"BigBand FTTP & ADC RF Worx"



**POWER SUPPLY
 (FRONT VIEW)**



**POWER SUPPLY
 (BACK VIEW) w/ EXISTING FANS**



40mm

3 Wire Plug

**** fan only - use with existing mounting bracket / guard grill**

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

Ciena Replacement Fans

"1600 DWDM"



PN # TF-CN1600-01*

Ciena 1600 DWDM

48 Volt Replacement Fan

(includes instruction sheet & (8) new plastic rivets)

** Fan only -
this fan is used with the
existing mounting bracket*

**INSTALL THE
NEW TAG FAN
INTO THE EXISTING
MOUNTING BRACKET**



"DN7100"

PN # TF-DN7100-01

Ciena DN7100 12 Volt Replacement Fan

*w/ 3 Wire Plug
(Small Fan,
Equiv. to TA225DC)
(QTY of 1)*



(2) SMALL FANS (TA225DC)
(ORDER (2) of # TF-DN7100-01)

PN # TF-DN7100-02

Ciena DN7100 12 Volt Replacement Fan

*w/ 3 Wire Plug
(Medium Fan,
Equiv. to TA300DC)
(QTY of 1)*



(3) MEDIUM FANS (TA300DC)
(ORDER (3) of # TF-DN7100-02)

**CIENA DN7100
FAN ASSEMBLY
(w/ EXISTING FANS)
(TOP VIEW)**



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

DEX600E Replacement Fans



**PN # TF-DEXDSI-01
DEX600E DSI**

48 Volt Replacement Fan
w/ 5 Wire, 6 Pin Plug
(Fan Assembly w/ Mounting)

*(Replaces Alcatel-Lucent
PN # 500-0000-294 fans
for DSI (FAIC) type cards)*

"DEX600E DSI"



(overhead view)



**PN # TF-DEXDTI-01
DEX600E DTI**

48 Volt Replacement Fan
w/ 4 Wire, 5 Pin Plug
(Fan Assembly w/ Mounting)

*(Replaces Alcatel-Lucent
PN # 400-0063-900 fans
for DTI (AMM) type cards)*

"DEX600E DTI"



**PN # TF-DEXLAP-01
DEX600E MSP**

48 Volt Replacement Fan
w/ 3 Wire Plug

*(Replaces Alcatel-Lucent
PN # 155-2936-055 - LAP Fans)*

"DEX600E MSP"



**PN # TF-DEXCS3-01
DEX600E CS3**

48 Volt Replacement Fan
w/ 4 Wire, 5 Pin Plug

"DEX600E CS3"



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

Replacement Fans (Cisco ONS 15454 / GTD-5 / Kentrox)

PN # TF-C15454-01

Cisco ONS 15454, 48 Volt Replacement Fan
w/ 3 Wire Right Angle Connector
(use in Fan Unit # 800-21448-02, HECI: WMMYAFEGAA)



CISCO ONS 15454 FAN UNIT w/ (6) EXISTING FANS
(fan tray unit is not included)

"ONS 15454"



"GTD-5"




PN # TF-GTD5-01
GTD-5, 48 Volt Replacement Fan
w/ 5 Wire Plug

GTD-5 FAN UNIT



PN # TF-AI-180

Kentrox AISwitch Series 180,
48 Volt Replacement Cooling Fan
w/ 3 Wire Right Angle Connector



AICOOL-48 FAN UNIT (8 FANS)
(fan tray unit is not included)

"AISwitch 180"




150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax: (856) 768-7645

Telecom Assistance Group

Replacement Fans (Datakit / Galaxy 595LTB / Fujitsu 4500)



"Datakit System"

PN # TF-DATAKIT-01
 24 Volt Replacement Fan for
Datakit System
 w/ 3 Wire, 4 Pin Connector



"Galaxy 595LTB"

PN # TF-GLX595LTB-01
 48 Volt Replacement Fan for
Galaxy 595LTB Rectifier
 w/ 4 Wire Plug
 (Equiv. to # D1338E48BYAP-18)



(use in Fan Unit # FC9580FAN1,
 HECI: SNPQCUG5AB)

"Flashwave 4500"

PN # TF-FW4500-01
 48 Volt Replacement Fan for
Fujitsu Flashwave 4500 Fan Unit
 w/ 4 Wire Plug



150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

(Lorain / Marconi) Replacement Trays & Fans

Vortex V200D50

REPLACE LORAIN / MARCONI
104545 FAN TRAYS

NEW FAN TRY INCLUDES
(3) NEW FANS w/ WIRING HARNESS & CONNECTOR



Ordering Information:

TFT-MRECT TAG Fan Tray Replacement -

Call for Pricing

New TAG Fan Tray Assembly for Vortex Rectifier (Lorain / Marconi 104545)

Includes: (1) NEW Fan Tray & (3) NEW 24 Volt Replacement Fans w/ Wiring Harness & Connector


(Used in Vortex V200D50 Power Conversion Unit, HECI: PBP1FT0DAA, replaces Nidec Model # T34874-MAR)

Vortex V200E50



(fan only - use with existing tray / metal housing)

(top view w/ 2 of the 3 fans removed)



VORTEX RECTIFIER FAN UNIT
w/ EXISTING FANS
(V200E50 type w/ (3) separate trays)

Ordering Information:

TF-MREC-02 Vortex Rectifier (Lorain / Marconi) 24 Volt Replacement Fan
w/ 4 threaded mounting locations & 3 Wire Plug

Call for Pricing

(Used in Vortex V200E50 Power Conversion Unit, HECI: PBPUG0V2AA

(fan only - use with existing tray / metal housing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax: (856) 768-7645

Telecom Assistance Group

(Lorain / Marconi) Rectifier Unit Replacement Fans

220VAC



"RHM-400/800 Rectifier"



POWER
PRONGS

Ordering Information:

TF-RHM400-01 **RHM-400/800 Rectifier Unit (Lorain / Marconi),** **Call for Pricing**
220VAC Replacement Fan w/ Power Prongs
(use in RHM400D50 & RHM800E50 Rectifier Units)

48VDC



"A50B50 Rectifier"



2 WIRE PLUG

Ordering Information:

TF-LRA50B50-01 **A50B50 Rectifier Unit (Lorain / Marconi),** **Call for Pricing**
48 Volt Replacement Fan w/ 2 Wire Plug

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Lucent DDM-2000 Replacement Fans

"DDM-2000 (24V)"



PN # TF-DDM201-KIT1 *
24 Volt Replacement Fan Kit for
Lucent DDM-2000

Kit includes:

- (1) 24V Replacement Fan
- &
- (1) Mounting Plate



** fans can also be ordered
without the mounting plate,
(order # TF-DDM201)*

"DDM-2000 (48V)"

PN # TF-DDM202 **
48 Volt Replacement Fan for
Lucent DDM-2000

*(for use in Nidec T35078-LUC 440233,
Lucent Comcode: 408741205)*

*** fan only - this fan is used with the
existing mounting bracket*



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax: (856) 768-7645

Telecom Assistance Group

Lucent Replacement Fans

PN # TF-CBX500-01

CBX 500 OCD,
12 Volt Replacement Cooling Fan
w/ 3 Wire Pins



CBX 500 TRAY w/ (6) EXISTING FANS
(fan tray is not included)

"CBX500 OCD"



"Metropolis DMX" *



PN # TF-DMXMET-01

Metropolis DMX, 48 Volt Replacement Fan
w/ 4 Wire Plug

(Use in Metropolis DMX Fan Shelf - LUCENT COMCODE NO. 408769172)



METROPOLIS DMX FAN SHELF (HAS (6) FANS)
(fan shelf is not included)

"FT-2000" **

PN # TF-FT201

Lucent FT-2000, 48 Volt Replacement Fan
w/ 3 Wire Plug



LUCENT FIBER TERMINAL 2000 (FT-2000) TRAY
(fan tray is not included)



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group


Lucent DACS III / IV* Replacement Fans



PN # TF-DACS3/4-01
Lucent DACS III / IV
 48 Volt Replacement Fan
 w/ 4 Wire Plug

Equiv. to KS23913L1,

Used in Lucent Fan Assemblies:
 DACS III (ED-2C816-30, G1 or ED-2C906-30)
 DACS IV (WP92310L4)




PN # TF-DACS3/4-02
Lucent DACS III / IV
 48 Volt Replacement Fan
 w/ 5 Wire Plug

Equiv. to KS23913L1,
Used in Lucent Fan Assemblies:
 DACS III / IV (WP91473-L3B)



↑
5 WIRE PLUG



← **RED PLUG ON OLD FAN**

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax: (856) 768-7645

Telecom Assistance Group

NEC Replacement Fans



← **PN # TF-NEC-01 ***

** Fan only -
For KIT, see ordering
information below*

NEC →
FD-31201A / FD-32401A
LINE TERMINATING
MULTIPLEXER UNIT



Ordering Information:

TF-NEC-01 NEC 48 Volt Replacement Fan (*fan only*)

Call for Pricing

TF-NEC01-KIT1 NEC 48 Volt Replacement Fan Kit w/ Mounting Plate & Guard Grill (*not shown*)



← **PN # TF-NEC-02 ****

*** Fan only -
For KIT, see ordering
information below*

NEC →
ITS-2400
INTELLIGENT
TRANSPORTER



Ordering Information:

TF-NEC-02 NEC 48 Volt Replacement Fan (*fan only*)

Call for Pricing

TF-NEC02-KIT1 NEC 48 Volt Replacement Fan Kit w/ Mounting Plate & Guard Grill (*not shown*)



← **PN # TF-NEC-03 *****

**** Fan only -
this fan is used with
existing hardware*

NEC →
ITS-2400V FL
INTELLIGENT
TRANSPORTER



Ordering Information:

TF-NEC-03 NEC 48 Volt Replacement Fan (*fan only*)

Call for Pricing

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645

OmniStar (60mm) Replacement Fans

"OmniStar"

PN # TF-OMNISTAR-01

**OmniStar (60mm)
12 Volt Replacement Fan**

w/ 2 Wire Plug

(fan only - use with existing guard grill)



60mm



OMNISTAR CHASSIS w/ (4) EXISTING FANS

*(use in GI / Motorola OmniStar
Chassis shelf w/ DC PS,
AM-Omni-CH CM1 DC48)*

OmniStar GX2 (25mm) Replacement Fans

25mm



PIN 2, Red



PIN 1, Black

"OmniStar GX2 (RPR)"


PN # TF-GX2BTY-01
OmniStar GX2 (RPR), (25mm)
5 Volt Replacement Fan

w/ 2 Wire Plug

25mm



PIN 2, Black



PIN 1, Red

"OmniStar GX2 (Laser)"

PN # TF-GX2BTY-02
OmniStar GX2 (Laser), (25mm)
5 Volt Replacement Fan

w/ 2 Wire Plug

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Telecom Assistance Group

Replacement Fans (WaveStar TDM 10G / Wideband 3190)

"WaveStar TDM 10G"



PN # TF-WSTR-01
 48 Volt Replacement Fan for
WaveStar TDM 10G* Fan Tray
 w/ 3 Wire Plug



**REPLACES ANY OF THE (6) FANS
 IN A WAVESTAR TDM 10G FAN TRAY**
(fan tray is not included)



"Wideband 3190"



PN # TF-WB3190
 48 Volt Replacement Fan for
Wideband 3190 Fan Tray
 w/ 3 Wire Plug



**REPLACES ANY OF THE (3) FANS
 IN A WIDEBAND 3190 FAN TRAY**
(fan tray is not included)

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

Edgelink Replacement Fans (40mm, 35mm & 80mm)

40mm



PN # TF-EL100-KIT2 *
Edgelink 100 Replacement Fan Kit (40mm)

** Contents of this kit can be ordered separately, see ordering information below.*

Kit includes:

- (1) TF-EL100, Edgelink 100 Replacement Fan (40mm) &
- (1) TF-EL100DET, Edgelink 100 Replacement Detector PC Board (Equiv. to CCA591G1)



35mm



PN # TF-EL100-02
Edgelink 100 Replacement Fan (35mm)



(Equiv. to PUDC48H4P-076)

80mm

PN # TF-EL330-01
Edgelink AXX330G1 Replacement Fan (80mm)



Ordering Information:

TF-EL100-KIT2	Edgelink 100 Replacement Fan Kit includes: (1) TF-EL100, Edgelink 100 Fan (40mm) (1) TF-EL100DET, Detector PC Board	Call for Pricing
TF-EL100	Edgelink 100 Replacement Fan (40mm)	
TF-EL100DET	Edgelink 100 Replacement Detector PC Board (Equiv. to CCA591G1)	
TF-EL100-02	Edgelink 100 Replacement Fan (35mm)	
TF-EL330-01	Edgelink AXX330G1 Replacement Fan (80mm) w/ 3 Wire Plug (Equiv. to PUDC48H4P-076)	

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

Replacement Fans (STP Ring Node / JDSU PathTrak / Tellabs 6500)

"STP Ring Node"

PN # TF-STPRN-01

STP Ring Node Frame/Cabinet
48 Volt Replacement Fan w/ 5 Wire Plug

(fan only, use with existing guard grill)

*(use in Lucent J3F011AE fan unit,
HECI E5DYAAC)*

(fan equiv. to PD48B3S4A)



"JDSU PathTrak HCU 1500"


PN # TF-HCU1500-01

JDSU PathTrak HCU 1500
24 Volt Replacement Fan w/ 2 Wire Plug



(fan includes (4) spacers)

**JDSU HCU 1500 PATHTRAK
MODULAR CONTROLLER**
(2) FANS, (1) ON EACH SIDE



"Tellabs 6500"

PN # TF-TL6500-01

Tellabs 6500,
12 Volt Replacement Fan w/ 4 Wire Plug



*(equiv. to Galaxy DC
GL12ROHX)*



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Tellabs UMC1000 Replacement Fans & Alarm Control Boards

"UMC1000"

(120mm)



NEW Alarm Control Boards are also available, order # **TFC-UMC1000-06**

PN # TF-UMC1000-01

48V Fan (120mm) for Tellabs UMC1000 Fan Tray w/ 3 Wire Plug

(Use in AFC Tray # 0310-1716 or 8650-0414, Fan is Equiv. to KDE4812PTB1-6A)



used in trays with 6 fans
(fan tray is not included)

PN # TF-UMC1000-02

48V Fan (80mm) for Tellabs UMC1000 Fan Tray w/ 3 Wire Plug



used in trays with 10 fans
(fan tray is not included)



(80mm)

(Use in AFC Fan Tray F10 # 0310-1716, Fan is Equiv. to NFD4881255B-2F)

PN # TF-UMC1000-03

48V Fan (120mm) for Tellabs UMC1000 Fan Tray w/ 4 Wire Plug

(120mm)



(Use in Tellabs Tray # 4125013, 4195091, 4515090, Fan is Equiv. to AD1248HB-F9BGP)



used in trays with 8 fans
(fan tray is not included)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Siemens EWSD* Replacement Fans

"Siemens EWSD"

PN # TF-EWSD-01

48 Volt Replacement Fan for
Siemens EWSD Fan Tray

Square Fan w/ Power Prongs

(fan only, use with existing guard grill)



SIEMENS EWSD FAN TRAY (10 SQUARE FANS)
(S30050-B5681, fan tray is not included)



(connector view)



"Siemens EWSD"

PN # TF-EWSD-02

48 Volt Replacement Fan for
Siemens EWSD Fan Tray

Round Fan w/ Power Prongs

(fan only, use with existing guard grill)



SIEMENS EWSD FAN TRAY (6 ROUND FANS)
(S30050-B5877, fan tray is not included)



(connector view)



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Stromberg Carlson DCO Replacement Fans



PN # TF-DCONHD-01
 48 Volt Replacement Fan for
DCO Non High Density CMF Bay
 w/ 2 Wire Open End (for splicing)
 (Black -48V, Red +48 Return)
Includes: Guard Grill & (1) Butt Splice



PN # TF-DCOMEF-01
 48 Volt Replacement Fan
 for **DCO MEF Bay**
 w/ 3 Wire Plug



(Equiv. to ebm W2G130-AA05-20)

PN # TF-DCO-02
 48 Volt Replacement Fan for
DCO CMF / DTF Bay
 w/ 3 Leads & Faston Connectors
(fan only - use with existing guard grill)



(Equiv. to ebm W2G107-AB06-85)

PN # TF-DCOCMF-01
 48 Volt Replacement Fan for
DCO CMF Bay
 w/ 3 Leads & Faston Connectors



150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645


Telecom Assistance Group

DMS-100 Replacement Fans & Sensors

Use in NT3X90AC / NTB63AA fan trays

PN # TF-DMS01
DMS-100 48 Volt Replacement Fan
w/ Power Prongs

PN # TF-DMS01S
DMS-100 Replacement Fan Sensor



* also available unthreaded - see ordering information below

EXISTING NT3X90AC FAN TRAY w/ NEW FANS & SENSORS



Ordering Information: (use in NT3X90AC / NTB63AA fan trays)

TF-DMS01	DMS-100 48 Volt Replacement Fan	Call for Pricing
TF-DMS01-100	DMS-100 48 Volt Replacement Fan (QTY of 100)	

TF-DMS01S	DMS-100 Fan Sensor Replacement	
TF-DMS01S-50	DMS-100 Fan Sensor Replacement (QTY of 50)	

TF-DMS02	DMS-1U 48 Volt Replacement Fan w/ 4 clear, unthreaded mounting holes (not shown)	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group


DMS Fan Alarm Replacement Lamp



TLMP-DMFA-10
DMS Fan Alarm Replacement Lamp
 ("Fan Fail" / "Frame Fail")
 (QTY of 10)

TLMP-DMFA-25
DMS Fan Alarm Replacement Lamp
 ("Fan Fail" / "Frame Fail")
 (QTY of 25)

DMS Aisle Alarm Replacement Lamp



TLMP-DMSA-10
DMS Aisle Alarm Replacement Lamp
 (QTY of 10)




150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 Replacement Fans & Alarm Control Boards




(use in Nortel NT3X90AF fan trays)

PN # TF-DMS03
48V Replacement Fan for **DMS-100**
w/ TTL Tach & 3 Wire Plug

NEW Alarm Control Boards are also available, order # TFC-3X90AF-01



NORTEL NT3X90AF, DMS-100 SWITCH BAY (DC POWERED) w/ EXISTING FANS (5 FANS PER TRAY)



NORTEL NT3X90AA / NT3X90AB, DMS-100 SWITCH BAY (AC POWERED) w/ EXISTING FANS (5 FANS PER TRAY)



PN # TF-DMS04AC
24 VAC Replacement Fan for **DMS-100**
w/ Power Prongs
(use in Nortel NT3X90AA & NT3X90AB fan trays)


Sensor Paddles are also available, order # TF-DMS05S



PN # TF-RX50FF-01*
12V Replacement Fan for **Nortel DMS SDM**
w/ 3 Wire Plug & Speed Control
* (call for pricing)

2 FAN TRAYS (3 FANS PER TRAY)

(use in Nortel DMS SDM shelf # NTRX50FF)



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 / DMS-10 Replacement Fans

"DMS-100"



← 3 Wire Plug

PN # TF-DMS-NTRX91

DMS-100, 48 Volt Replacement Fan
w/ 3 Wire Plug

*(use in DMS-100
NTRX91AA / NT0X91AA fan units
(MVIE and CSDM bays),
CLEI: ENMYACM)*



DMS-100 NTRX91AA FAN UNIT w/ EXISTING FANS

"DMS-10"

Power Prongs



*Replacement Fan Sensors
are also Available,
order # TF-DMS10S*

PN # TF-DMS10-01

DMS-10, 48 Volt Replacement Fan
w/ Power Prongs
(fan only, use with existing mounting)



**FAN SHOWN w/ EXISTING
DMS-10 MOUNTING BRACKET ***
**(mounting bracket is not included)*


150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Carrier VoIP Replacement Fans



"Nortel IW SPM-IP"

PN # TF-DMS-FOS

Nortel IW SPM-IP

48 Volt Replacement Fan
for **NTLX56AA** fan assemblies*

used in **Nortel IW SPM-IP NTLX55AA** cooling units

* fan only, arm assembly is not included



← PN # TF-DMS-FOS



FRONT VIEW OF →
NTLX56AA FAN ASSEMBLY
(NOT SUPPLIED)

"Media Gateway 9000"

PN # TF-MG9K-01

Nortel / GENBAND Media Gateway 9000

48 Volt Replacement Fan

w/ 3 Wire Plug

(for use in **NTNY18AA** Cooling Unit)



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

Convert from 24VAC to 48VDC AND Eliminate the need for ALL DMS Paddle Sensors w/ TAG's New Kit

Not having 5 working fans will present **HEAT CONCERNS** & have the potential for **MAJOR EQUIPMENT FAILURES**

Convert your Existing **24VAC** Fan Trays to **48VDC** using the Tools Supplied in this Kit



OLD 24VAC INVERTER



ELIMINATE THE NEED FOR PADDLES



CONVERTED NORTEL DMS-100 NT3X90AA FAN UNIT * WITH (5) BRAND NEW 48VDC TAG FANS

**(FAN UNIT IS NOT INCLUDED)*



5 NEW FANS

(5) # TF-DMS05P DMS 48VDC Fans w/ 2 Wire Plug



BUILT IN SENSOR CONTROL (NO PADDLES)

Fan Control Board w/ built in Sensors (no paddles needed)

Ordering Information:

TFT-DMS48KIT4

Nortel DMS-100 (NT3X90AA & NT3X90AB) 24VAC to 48VDC Fan Tray Conversion Kit 4

Call for Pricing

Includes: (5) TF-DMS05P, DMS-100 48VDC Fans w/ 2 Wire Plug,

(1) Fan Control Board w/ built in Sensors (no paddles needed) (includes cabling, mounting & jumpers), Control Board Schematic Label, Frame Block Wiring Labels & Conversion Installation Guide

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645

Paddleless Alarm Conversion Upgrade Kit for DMS-100 NT3X90AC Fan Trays

OLDER NT3X90AC FAN TRAYS HAVE PADDLES THAT BEND & BREAK

CONVERT your existing NT3X90AC fan tray into the more modern NT3X90AF type tray - ELIMINATING THE NEED FOR PADDLES!



CONVERTED NORTEL DMS-100 NT3X90AC FAN TRAY * WITH (5) NEW 48V FANS & NEW ALARM CONTROL BOARD

**(FAN TRAY IS NOT INCLUDED)*

5 NEW FANS



(5) # TF-DMS03 DMS-100 48V Fans w/ TTL Tach & 3 Wire Plug

NEW FAN ALARM CONTROL (NO PADDLES)



(1) # TFC-3X90ACAF-01 Fan Alarm Control Board w/ Mounting Bracket

Ordering Information:

TFT-3X90AC-01

Paddleless Alarm Conversion Upgrade Kit for DMS-100 NT3X90AC Fan Trays

Call for Pricing

- Includes: (5) TF-DMS03, DMS-100 48V Fans w/ TTL Tach & 3 Wire Plug,
- (1) TFC-3X90ACAF-01, Fan Alarm Control Board (no paddles needed) (includes mounting bracket),
- (1) Wiring Harness & (1) Upgrade Installation Guide

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585

Fax: (856) 768-7645

DMS-500/250 DPCC XA-Core Blower Drawer Impeller Replacement

"Impeller Fan for DMS Blower Drawer"

PN # TF-DMSLGN6-01


**(225mm) Replacement Impeller Fan for
DMS-500/250 DPCC XA-Core
Blower Drawer
w/ 4 Wire Plug**

*(fan only, use in existing
tray # NTLX10AA,
drawer # NTLX11AA)*




(fan is equiv. to # R1G225-AF11-18)

NT9X01JF DPCC



Existing 225mm Impeller Fan



**(3) BLOWER DRAWERS
LOCATED AT THE
BOTTOM OF THE BAY**

(tray # NTLX10AA, drawer # NTLX11AA)

Ordering Information:

TF-DMSLGN6-01

**(225mm) Replacement Impeller Fan for
DMS-500/250 DPCC XA-Core Blower Drawer
w/ 4 Wire Plug**

Call for Pricing

*(fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)
(fan is equiv. to # R1G225-AF11-18)*

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement

► **NEW Drop-in Replacement**

**DMS DPCC SUPERNODE
"SQUIRREL CAGE"
REPLACEMENT BLOWERS**
(use in **NT9X01XX DPCC**,
(replaces **A0345301**))




**CONTROL BOX
w/ INTERNAL SENSOR,
WIRING HARNESS & PLUG**

NT9X01XX DPCC



**"SQUIRREL CAGE"
w/ INTEGRAL MOTOR**



**NT9X01XX DPCC HAS
(4) BLOWER UNITS PER BAY**

Ordering Information:

TF-DMSLGN5	DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement w/ Internal Sensor (use in NT9X01XX DPCC , (replaces A0345301))	Call for Pricing
TF-DMSLGN5A	DMS-100 DPCC XA-Core SuperNode Blower "Squirrel Cage" Replacement w/ 4 Wire Square Plug Adapter Cable (# TFCS-DMSLGN5F2S) - (not shown) (use in NT9X01BC DPCC w/ Power Distribution Alarm Board (replaces A0345301))	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 Dual-Scroll Blower Replacement Unit



► **NEW Drop-in Replacement**

DMS-100 DUAL-SCROLL REPLACEMENT BLOWERS



(used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714))

(Commonly found in DPCC / LIM / ENET bays)

w/ (2) CONNECTORS:

- (1) 4 PIN PLUG
- &
- (1) 3 PIN PLUG*

*(includes adapter cable, # TFCS-DMSMCL3)



NT9X950 HAS (3) BLOWER UNITS PER BAY

Ordering Information:

TF-DMSMCL-02	DMS-100 Dual-Scroll Blower Replacement Unit	Call for Pricing
	w/ (1) 4 pin plug & (1) 3 pin plug	
	includes (1) 3 pin adapter cable (# TFCS-DMSMCL3) (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714)) (commonly found in DPCC / LIM / ENET bays)	
TFC-DMSAPW-3	Alarm Board for DMS LIM/ENET Blower - (not shown)	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group