Adams Parts

Replacement Packing for Dozens of Elevator Models

THE BEST "PRESSURE-BALANCED" PACKING

All packing featured on the following pages is top-grade "Pressure-Balanced" packing. Adams packing works well in all elevators... and you'll notice the greatest improvement in elevators with rough start-up.

Adams packing can reduce break-away

friction up to 35%. Adams packing also reduces running friction and seal-related noises in all elevators, increasing the life of the seal.

BEARING RINGS AND PACKING KITS

Starting on the next page, you'll find general-purpose packing and Packing Kits. The description for each kit gives the following helpful information:

- Original manufacturer's name and model numbers
- List of kit contents
- Easy-reference ordering table
- Piston diameter
- Schematic diagram

Bearing rings are not always necessary. But when they are, you'll find bearing rings listed in each manufacturer's section. This information is provided for each type:


- Easy-to-use ordering table
- Bearing ring dimensions
- Piston diameter
- Schematic diagram

DIAGRAMS SHOW EACH COMPONENT

Helpful drawings of each OEM packing stack and bearing ring eliminate guesswork when ordering a replacement.

Dimensions are given for each component. This section has been designed to help you

an orc rig	ve time Id labor by dering the ht part e first time.
------------------	--



DIAMETER TAPE MEASURE A560D. Measures diameter in centimeters and inches. "Must have" for every toolbox.

GLOSSARY OF PACKING TERMS

Seal — A rubber and/or fibrous washer-like ring used to keep hydraulic oil from escaping out of the cylinder head as the piston moves up and down. Seals are generally used in combination with other packing elements (described below). Seals are also known by the names "glands" and "gland rings."

Wiper — The top-most element in a packing set. The wiper keeps dirt from entering the closed system of hydro fluid by "wiping" the piston clean as it moves up and down through the packing box at the top of the cylinder.

Lantern ring – Used between two seals to collect excess hydraulic oil and allow it to be forced out of the cylinder head. This oil run-off can then be fed by hose or pipe directly back into the oil tank or into a pit can for recycling later.

Bearing ring—Heavy-duty packing element (usually at the top or bottom of the packing box) that keeps the piston centered in the box opening.



Adams Parts

Packing Kits and Components Fit 17 Jack Diameters

Seals (gland rings) are "Pressure-Balanced" type. They form a tight seal even without firm compression. These seals are recommended for applications from 0-1500 psi. All seals are $\frac{5}{8}$ " thick.

One or two seals form a positive seal under all conditions. Check the application for the number of seals required. When using two seals, sandwich an oil-return lantern ring between the seals. Additional lantern rings can be ordered separately.

Use Adams economical general purpose packing any time you can match the packing jack diameter to the hydro being serviced, and when the height of the packing stack completely fills the packing box (or if you plan to fill any gaps with another packing material).

Refer to the ordering table below to find part numbers for the diameters of the jack and packing box you are servicing. Remember, don't get caught short; if you're not sure what part is causing the leak, order the entire kit...*you'll be glad you did!*

NOTE: Packing is available for jack diameters as narrow as 3" and as wide as $17^{7}/8^{"}$. Standard sizes are listed in the table below; some are shown in photo at right.

Ea	ch Adams packing set contai	ns:
0		0
one (1) laterning	one (1) wiper and clips	gland seals

and a later of a set of a second a later



Packing components are available from stock for jack diameters from 4" up to $10^{5/8}$ "

PACKING KITS & COMPONENTS					
			P/N's for	P/N's for Separate Components	
Jack diameter	Packing box diameter	Complete packing set	Seal Wiper ring (gland ring) (& clips) Lantern		Lantern ring
4"	5"	GP4000	GP4000G	GP4000W	GP4000L
4 ³ /8"	5 ³ /8"	GP4375	GP4375G	GP4375W	GP4375L
4 ¹ / ₂ "	51/2"	GP4500	GP4500G	GP4500W	GP4500L
5"	6"	GP5000	GP5000G	GP5000W	GP5000L
5 ¹ /4"	6 ¹ /4"	GP5250	GP5250G	GP5250W	GP5250L
5 ³ /8"	63/8"	GP5375	GP5375G	GP5375W	GP5375L
57/16"	6 ⁷ /16"	GP5437	GP5437G	GP5437W	GP5437L
5 ¹ /2"	61/2"	GP5500	GP5500G	GP5500W	GP5500L
5 ³ /4"	6 ³ /4"	GP5750	GP5750G	GP5750W	GP5750L
6"	7"	GP6000	GP6000G	GP6000W	GP6000L
61/2"	71/2"	GP6500	GP6500G	GP6500W	GP6500L
7"	8"	GP7000	GP7000G	GP7000W	GP7000L
71/2"	8 ¹ /2"	GP7500	GP7500G	GP7500W	GP7500L
8"	9"	GP8000	GP8000G	GP8000W	GP8000L
8 ¹ / ₂ "	9 ¹ / ₂ "	GP8500	GP8500G	GP8500W	GP8500L
9 ¹ / ₂ "	101/2"	GP9500	GP9500G	GP9500W	GP9500L
105/8"	115/8"	GP10625	GP10625G	GP10625W	GP10625L



GP100. Set of two pulling tools to help simplify the tough job of removing and replacing worn hydraulic packing elements.

Screwdriver-type handles, flexible stems, and threaded ends for reaching and grabbing in tight places at almost any angle.


Adams Parts

AMCO/WHITE EVANS Hydraulic Packing Kits

Each hydraulic packing kit for AMCO/White Evans consists of:

- Two (2) seals
- One (1) wiper

AMCO	AMCO/WHITE EVANS				
Adams part no.	Piston Description	Bearing No.			
GK03500WE	31/2"	GB03500B6			
GK04000WE	4"	GB04000B6			
GK04375WE	4 ³ /8 ¹¹	GB04375B6			
GK04500WE	4 ¹ /2"	GB04500B6			
GK05000WE	5"	GB05000B6			
GK05375WE	5 ³ /8"	GB05375B6			
GK05437WE	57/16"	GB05437B6			
GK05500WE	5 ¹ /2"	GB05500B6			
GK06000WE	6"	GB06000B6			
GK06500WE	61/2"	GB06500B6			
GK07500WE	71/2"	GB07500B6			
GK08500WE	8 ¹ /2"	GB08500B6			
GK09500WE	9 ¹ /2"	GB09500B6			
GK10625WE	105/8"	GB10625B6			
GK12625WE	125/8"	GB12625B6			



*Bearing rings are not included with these kits; they must be ordered separately. The B6-series rings are combination lantern/bearing rings; see Bearing Rings in "Other Manufacturers" section of this catalog.

CANTON		
Adams part no.	Piston diameter	
TX-904-N4	31/2"	
TX-904-P3	7"	
G0-904-M7	71/2"	
TX-904-R2	101/2"	
TX-904-X3	3 ¹ /2" x 5 ¹ /2"	
17-204-73	372 X 372	

Bore-Max Hydraulic Packing Kits


Each hydraulic packing kit for Bore-Max consists of:

• Two (2) seals

• One (1) wiper

BORE-MAX		
Adams part no.	Piston diameter	Bearing no.*
GK04375B	4 ³ /8"	GB04375B25
GK05000B	5"	GB05000B25
GK05500B	5 ¹ /2"	GB05500B25
GK06000B	6"	GB06000B25
GK06500B	6 ¹ /2"	GB06500B25
GK07000B	7"	GB07000B25
GK07500B	7 ¹ /2"	GB07500B25
GK08500B	8 ¹ /2"	GB08500B25

*Bearing rings are not included with these kits; they must be ordered separately. See Bearing rings, in "Other Manufacturers" section of this catalog.



Armor Hydraulic Packing Kits


GK06562A


Each hydraulic packing kit

ARMOR for Armor Adams Piston Adams Piston diameter part no. diameter part no. consists of: GK04000A 4" GK07562A 7%/16" • One (1) seal GK04250A **8**⁹/16" 4¹/₄" GK08562A GK04437A 47/16" GK09562A **9**⁹/₁₆" • One (1) wiper 5" GK10687A **10**¹¹/₁₆" GK05000A • One (1) O-ring 5¹/2" GK05500A GK12687A 1211/16"

6⁹/16"

• One (1) O-n





CEMCO		
Adams part no.	Piston diameter	Bearing no.*
GK03500C	3 ¹ / ₂ "	GB03500B8
GK03750C	3 ³ /4"	GB03750B8
GK04000C	4"	GB04000B8
GK04375C	4 ³ /8"	GB04375B8
GK04437C	4 ⁷ /16"	GB04437B8
GK04500C	4 ¹ /2"	GB04500B8
GK05000C	5"	GB05000B8
GK05437C	5 ⁷ /16"	GB05437B8
GK05500C	5 ¹ /2"	GB05500B8
GK06000C	6"	GB06000B8
GK06500C	6 ¹ /2"	GB06500B8
GK07000C	7"	GB07000B8
GK07500C	71/2"	GB07500B8
GK08000C	8"	GB08000B8
GK08500C	8 ¹ /2"	GB08500B8
GK09000C	9"	GB09000B8
GK09500C	9 ¹ /2"	GB09500B8
GK10000C	10"	GB10000B8
GK10500C	10 ¹ /2"	GB10500B8
GK10625C	105/8"	GB10625B8
GK12500C	12 ¹ /2"	GB12500B8
GK12625C	125/8"	GB12625B8

*Bearing rings are not included with these kits; they must be ordered separately. See Bearing rings, in "Other Manufacturers" section of this catalog.

CEMCO (Corbett) Hydraulic Packing Kits

Each hydraulic packing kit for

CEMCO consists of:

- Two (2) seals
- One (1) wiper

Dovern Hydraulic Packing Kirs Dovern Imat no. Dovern Imat no. Dovern 3-S Stack Packing for IVO Inverted Bach hydraulic packing Kir or Dover consists of: • One (1) saal • One (1) lantern ring Imat no. I
Each hydraulic packing kit for Dover consists of: part no. diameter GK04375D diameter 4% • One (1) seal • One (1) wiper • One (1) wiper • One (1) lantern ring • One (1) lantern ring • GK0500D 9%* • One (1) lantern ring • Were GK03875D • One (1) wiper • One (1) lantern ring • Were GK03875D • One (1) wiper • One (1) lantern ring • Were GK03875D • One (1) wiper • One (1) lantern rings (gaskets) • One (1) wiper • One (1) wiper
Each hydraulic packing kit for Dover consists of: • One (1) seal • One (1) wiper • One (1) lantern ring Image: Constraint of the seal of th
kit for Dover consists of: GK05437D 5% fs • One (1) seal GK05630D 6% fs • One (1) wiper GK06500D 8% fs • One (1) lantern ring GK0625D 10% fs • GK12625D 10% fs • One (1) wiper • One (1) lantern ring GK06437D 3% fs • One (1) lantern ring GK06437D 3% fs • One (1) lantern ring GK08500D 8% fs • One (1) lantern ring GK08500D 3% fs • Wree weeke for delivey: • Wiper • Unified • Seal • One (1) wiper • Seal </th
 One (1) seal One (1) wiper One (1) lantern ring ^{CKK07500D}/(<u>GK05500D</u>/<u>9'/2"</u>/<u>GK05500D</u>/<u>9'/2"</u>/<u>GK05500D</u>/<u>9'/2"</u>/<u>GK05500D</u>/<u>9'/2"</u>/<u>GK05500D</u>/<u>9'/2"</u>/<u>GK0550D</u>/<u>9'/2"</u>/<u>GK0550D</u>/<u>9'/2"</u>/<u>GK0550D</u>/<u>9'/2"</u>/<u>GK0550D</u>/<u>9'/2"</u>/<u>GK0550D</u>/<u>9'/2"</u>/<u>GK0550D</u>/<u>9'/2"</u>/<u>GK0557DS</u>/<u>3'/6"</u> ^{Three} (3) seals, split One (1) wiper Three (3) lantern rings (gaskets) DOVER 3-S STACK <u>Plston</u> diameter <u>GK05750DF</u>/<u>3'/6"</u> DOVER 3-S STACK <u>PACKING</u> <u>Adams</u> <u>Piston</u> diameter <u>GK05875DSP</u>/<u>3'/6"</u> DOVER 3S*, 4S, 5S, & 6S <u>HYDRAULIC PACKING KITS</u> <u>Dover 3S, 4S, 5S, & 6S</u> consists of: Orver 3S, 4S, 5S, & 6S consists of: Orver 3S, 4S, 5S, & 6S consists of:
 One (1) wiper One (1) lantern ring ^{GK08500D}/_{GK16225D} 10⁵/₁/₁/_(K1225D⁺)/_{GK08575DS} 3⁷/₈^{1/} Three (3) seals, split One (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Three (3) lantern rings (gaskets) ^{One} (1) wiper Dover 3S, 4S, 5S, & 6S consists of: One (1) wiper (1) wiper One (1) wiper One (1) wiper (1) wiper (1) wiper One (1) wiper (1) wiper (1) wiper (1) wiper One (1) wiper (1) wiper (1) wiper (1) wiper (1)
 • One (1) ranient mig • Three (3) seals, split • One (1) wiper • Three (3) lantern rings (gaskets) • One (1) wiper • Three (3) lantern rings (gaskets) • Three (3) lantern rings (gaskets) • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Three (3) lantern rings (gaskets) • Other (1) wiper • Other (1) wiper<
 <u>GK12625D* g7/6*</u> <u>37/6*</u> <u>Avalatic on special order only: please allow three weeks for delivey.</u> One (1) wiper Three (3) lantern rings (gaskets) <u>DOVER 3-S STACK PACKING</u> <u>Adams Piston diameter</u> <u>CK03875DSP 37/6*</u> <u>DOVER 3S*, 4S, 5S, 8, 6S</u> <u>HODVER 3S*, 4S, 5S, 8, 6S</u> <u>Chore R 3S*, 4S*, 5S*, 86S</u> <u>Chore R 3S*, 4S*, 5S*, 86S</u>
Available on special order only: please allow three weeks for delivery. Piston diameter Seal Lantern Cover 3.5, 45, 55, & 65 Hydraulic packing kit for Dover 35, 45, 55, & 65 consists of: One (1) seal (Potoscal)™
rings (gaskets)
diameter 0. Wear 0. Sear 0. Lanterr
Adams Piston mart no. Riston GK03875DSP 37/8" Dover 3S, 4S, 5S, & 6S Adams kit for Dover 3S, 4S, 5S, & 6S consists of: One (1) seel (Botoseel)TM
Image: state of the state
Dover 3S*, 4S, 5S, & 6S Hydraulic packing kit for Dover 3S, 4S, 5S, & 6S consists of: • One (1) seal (Botoseal)TM
Dover 3S*, 4S, 5S, & 6S Hydraulic Packing Kits Each hydraulic packing kit for Dover 3S, 4S, 5S, & 6S consists of: • One (1) seal (Botoseal) TM
HYDRAULIC PACKING KITS Each hydraulic packing kit for Dover 3S, 4S, 5S, & 6S consists of: • One (1) seal (Botoseal)TM
Each hydraulic packing kit for Dover 3S, 4S, 5S, & 6S consists of: • One (1) seal (Botoseal)TM
Each hydraulic packing kit for Dover 3S, 4S, 5S, & 6S consists of: • One (1) seal (Botoseal)TM
• One (1) seal (Rotoseal) [™]
DP3000
• One (1) wiper
DOVER 3-S SOLID SEAL
Our hydraulic packing kit for Dover 3-S Solid
Seal consists of:
One (1) seal DOVER 3-S SOLID SEAL
torsbut you'll notice the greatest im-
part no. diameter provement in elevators with rough start-up.
GK03875DS 37/8" This packing can reduce break-away
friction up to 35%. It also minimizes run-
ning friction and seal-related noises in all elevators, increasing the life of the seal.
Piston O Wiper UVER 35, 45, 55, & 05
© Seal Adams Piston part no. diameter Dat no. Type diameter part no. Type diameter part no.
GK04375DR 4 ³ /8" DP2000 Soci 21/4" 0787230 28722
GK05437DR 57/16" DP3000 Seal 372 9787239, 20723

part no.	Type	ulameter	part nos.
DP3000	Seal	3 ¹ / ₂ "	9787239, 28723
DP3100	Wiper	3 ¹ /2"	9730349, 77034
DP4000	Seal	4 ³ /8"	9787240, JB-221-1
DP4100	Wiper	4 ³ /8"	9705272, JB-219-3
DP5000	Seal	5 ⁷ /16"	9787252, JC-221-1
DP5100	Wiper	5 ⁷ /16"	9705442, JC-219-3
DP6000	Seal	6 ¹ /2"	9787264, JD221-1
DP6100	Wiper	6 ¹ /2"	9705612, JD219-3

www.adamselevator.com • Int'l (+1) 847-965-0700 • Canada: 800-268-5392

Rotoseal-Reg TM Dover Elevator Company


(2)

EECO (LJ/FJ) Hydraulic Packing Kits

Each hydraulic packing kit for EECO consists of:

- Two (2) seals
- One (1) wiper
- One (1) lantern ring

EECO		
Adams	Piston	
part no.	diameter	
GK03437EE	3 ⁷ /16"	
GK03875EE	3 ⁷ /8"	
GK04000EE	4"	
GK04375EE	4 ³ /8"	
GK05000EE	5"	
GK05437EE	5 ⁷ / ₁₆ "	
GK06000EE	6"	
GK06500EE	6 ¹ /2"	
GK07500EE	7 ¹ /2"	
GK08500EE	81/2"	
GK10625EE	10 ⁵ /8"	
GK12625EE	125/8"	




ESCO P-3/P-5/P-7 Hydraulic Packing Kits

Each hydraulic packing kit for

- ESCO P-3/P-5/P-7 consists of:
- Two (2) seals
- One (1) wiper
- One (1) lantern ring

ESC0 P-3/P-5/P-7		
Adams	Piston	
part no.	diameter	
GK04000EP	4"	
GK04500EP	41/2"	
GK05000EP	5"	
GK05500EP	5½"	
GK06000EP	6"	
GK07000EP	7"	
GK08000EP	8"	
GK09000EP	9"	
GK10625EP	105/8"	
GK12625EP	125/8"	
GK13875EP	13 ⁷ /8	



*For model P-4, invert seals.


ESCO P-6 VICTAULIC HYDRAULIC

PACKING KITS Each hydraulic packing kit for ESCO P-6

- Victaulic consists of:
- One (1) seal
- One (1) wiper

ESCO P-6 VICTAULIC		
Adams	Piston	Bearing
part no.	diameter	no.*
GK04000EPV	4"	GB04000B5
GK04500EPV	4 ¹ /2"	GB04500B5
GK05000EPV	5"	GB05000B5
GK05500EPV	5½"	GB05500B5
GK06000EPV	6"	GB06000B5
GK06500EPV	6 ¹ /2"	GB06500B5
GK07000EPV	7"	GB07000B5

*Bearing rings are not included with these kits; they must be ordered separately. See Bearing rings, in "Other Manufacturers" section of this catalog.



General (Florida) Hydraulic Packing Kits

Each hydraulic packing kit for

- General (Florida) consists of:
- One (1) seal
- One (1) wiper
- One (1) bearing

NOTE: Bearing rings are included with these kits.

GENERAL (FLORIDA)

Piston

diameter

37/16"

315/16"

47/16"

41/2"

57/16"

51/2"

67/16"

61/2"

71/2"

8¹/2" 9¹/2"

Adams

part no.

GK03437G

GK03937G

GK04437G

GK04500G

GK05437G

GK05500G


GK06437G

GK06500G

GK07500G

GK08500G

GK09500G




General "G" Head Hydraulic Packing Kits

Each hydraulic packing kit for General (Florida) "G" Head consists of:

- One (1) seal
- One (1) wiper

GENERAL "G" HEAD		
Adams	Piston	Bearing
part no.	diameter	no.*
GK03500GG	31/2"	GB03500B21
GK04000GG	4"	GB04000B21
GK04437GG	47/16"	GB04437B21
GK04500GG	4 ¹ /2"	GB04500B21
GK05000GG	5"	GB05000B21
GK05437GG	5 ⁷ /16"	GB05437B21
GK05500GG	5 ¹ /2"	GB05500B21
GK06437GG	6 ⁷ /16"	GB06437B21
GK06500GG	6 ¹ /2"	GB06500B21
GK07500GG	7 ¹ /2"	GB07500B21


*Bearing rings are not included with these kits; they must be ordered separately. See Bearing rings, in "Other Manufacturers" section of this catalog.




Montgomery Hydraulic Packing Kits

Each hydraulic packing kit for Montgomery consists of:

- Two (2) seals
- One (1) wiper
- One (1) lantern ring






NORTHERN ELEVATOR HYDRAULIC PACKING KITS Each hydraulic packing kit

for Northern Elevator consists of:

- One (1) seal
- One (1) wiper

NORTHERN ELEVATOR		
Adams part no.	Piston diameter	
GK03000N GK03500N	3" 3 ¹ /2"	
GK04000N	4"	
GK04500N GK05000N	4 ¹ /2" 5"	
GK05500N	5 ¹ /2"	
GK06000N	6"	
GK06500N	61/2"	

*Includes one seal, one lantern, one wiper.




Otis/Cast Iron Hydraulic Packing Kits

Each hydraulic packing kit for Otis/Cast Iron consists of:

- Two (2) seals
- One (1) wiper
- One (1) lantern ring

OTIS/CAST IRON		
Adams part no.	Piston diameter	Bearing no.*
GK03875OC	37/8"	GB03875B1
GK04375OC	4 ³ /8"	GB04375B1
GK05437OC	5 ⁷ /16"	GB05437B1
GK06500OC	6 ¹ /2"	GB06500B1
GK07500OC	7 ¹ /2"	GB07500B1
GK08500OC	8 ¹ /2"	GB08500B1
GK09500OC	9 ¹ /2"	GB09500B1
GK10625OC	10 ⁵ /8"	GB10625B1
GK12625OC	125/8"	GB12625B1

*Bearing rings are not included with these kits; they must be ordered separately. See Bearing rings, in "OTIS" section of this catalog.




OTIS/HIGH PRESSURE HYDRAULIC PACKING KIT

Our hydraulic packing kit for Otis/High Pressure

- consists of:
- One (1) seal
- One (1) wiper

OTIS/HIGH PRESSURE		
Adams part no.	Piston diameter	Bearing no.*
GK02750OHP	2 ³ /4"	GB02750B4

*Bearing rings are not included with these kits; they must be ordered separately. See Bearing rings, in "OTIS" section of this catalog.




OTIS/TELESCOPIC Hydraulic PACKING KITS

OTIS/TELESCOPIC	
Adams part no.	Otis series no.
GK1500OT	1500
GK2000OT	2000
GK2500OT	2500
GK4000OT	4000

Each hydraulic packing kit for Otis/Telescopic consists of:

- Three (3) seals, graduated sizes
- Two (2) wipers, graduated sizes




OTIS/WELDED HEAD HYDRAULIC PACKING KITS

Each hydraulic packing kit for Otis/Welded Head consists of:

- Two (2) seals
- **OTIS/WELDED HEAD** • One (1) wiper Piston diameter Adams Bearing • One (1) lantern part no. Actual Otis desig. no.* ring GK04375OW 43/8" 4¹/2" GB04375B4 GK04875OW GB04875B4 47/8" 5" GK05437OW 57/16 5¹/2" GB05437B4 **GK06500OW** 6¹/2" GB06500B4 6¹/2"

*Bearing rings are not included with these kits; they must be ordered separately. See Bearing rings, in "OTIS" section of this catalog.



SOUTHEASTERN (SH-4/5, SF-5, SE-6) Hydraulic Packing Kits


Each hydraulic	
packing kit	
for Southeastern	
consists of:	
 One (1) seal 	

• One (1) wiper

	JUUTILAJILIIN		
Adams	Replaces	Piston	Bearing
part no.	Southeastern	diameter	no.*
GK04375OW	4 ³ /8"	4 ¹ /2"	GB04375B4
GK04875OW	4 ⁷ /8"	5"	GB04875B4
GK05437OW	5 ⁷ / ₁₆ "	5 ¹ /2"	GB05437B4
GK06500OW	6 ¹ / ₂ "	6 ¹ /2"	GB06500B4

SOUTHFASTERN

*Bearing rings are not included with these kits; they must be ordered separately on page 398.




Southeastern (SE-7/8/9/12, SH-10) Hydraulic Packing Kits

Each hydraulic packing kit for Southeastern consists of:

- Two (2) seals
- One (1) wiper

 One (1) lantern ring 	• Oi	ne (1)	lantern	ring
--	------	--------	---------	------


SOUTHEASTERN		
Adams part no.	Replaces Southeastern	Piston diameter
GK07500S	SE-7	7 ¹ /2"
GK08500S	SE-8	8 ¹ /2"
GK09500S	SE-9	9 ¹ /2"
GK10625S	SH-10	105/8"
GK12625S	SE-12	125/8"



U.S. Elevator/MT Head Hydraulic Packing Kits

Each hydraulic packing kit for U.S. Elevator consists of:

- Two (2) seals
- One (1) wiper




U.S./MT HEAD		
Adams	U.S. Elevator	Piston
part no.	part no.	diameter
GK04000UMT	MT 4	4"
GK04500UMT	MT 4 ¹ /2	4 ¹ /2
GK05000UMT	MT 5	5
GK05500UMT	MT 5 ¹ / ₂	5 ¹ /2"
GK06000UMT	MT 6	6"
GK06500UMT	MT 6 ¹ / ₂	6 ¹ /2"
GK07000UMT	MT 7	7"
GK08000UMT	MT 8	8"

U.S. ELEVATOR/SPLIT SEAL STACK PACKING HYDRAULIC PACKING KITS Each hydraulic packing kit for U.S. Elevator consists of:

- Three (3) seals, split
- One (1) wiper
- One (1) lantern ring, split

U.S./SPLIT SEAL		
Adams	Piston	
part no.	diameter	
GK04000USP	4"	
GK04500USP	4 ¹ /2"	
GK05000USP	5"	
GK05000SP	5	
GK05500USP	5 ¹ /2"	
GK06000USP	6"	
GK06500USP	61/2"	
GK07000USP	7"	
GK07500USP	7 ¹ /2"	
GK08000USP	8"	
GK09000USP	9"	
GK10625USP	10⁵⁄8"	
GK12625USP	12⁵⁄8"	



Westinghouse Hydraulic Packing Kits

	WESTINGHOUSE	
	Adams part no.	Piston diameter
	GK03500W	31/2"
	GK03750W	3 ³ /4"
£	GK04000W	4"
for	GK04500W	4 ¹ /2"
	GK05500W	5½"
	GK06000W	6"
	GK06500W	61/2"
	GK07000W	7"
	GK08000W	8"

- Each hydraulic packing kit for Westinghouse consists of:
- Two (2) seals

