REPORT DOC	Form Approved OMB No. 0704-0188		
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.			
1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE	3. DATES COVERED (From – To)	

19 September 2013	Conference Proceedings		29 August 2012 – 12 September 2013	
4. TITLE AND SUBTITLE		5a. CO	5a. CONTRACT NUMBER	
Neural Coding: Information Beyond Shannon			55-12-1-2006	
		5b. GR	ANT NUMBER	
		CSP 1	2-2006	
		5c. PR	OGRAM ELEMENT NUMBER	
		61102	F	
6. AUTHOR(S)		5d. PR	OJECT NUMBER	
		5d. TA	SK NUMBER	
		5e. WC	ORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S		<u>.</u>	8. PERFORMING ORGANIZATION REPORT NUMBER	
FYZIOLOGICKY USTAV AV VIDENSKA 1083	CR, V.V.I.		REPORT NUMBER	
PRAHA 4, 14220 Czech Repo	ublic		N/A	
			IVA	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)	
EOARD Unit 4515			AFRL/AFOSR/IOE (EOARD)	
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
APO AE 09421-4515			, ,	
			AFRL-AFOSR-UK-PC-2013-0017	

12. DISTRIBUTION/AVAILABILITY STATEMENT

Distribution A: Approved for public release; distribution is unlimited.

13. SUPPLEMENTARY NOTES

14. ABSTRACT

One of the primary, and still largely unresolved, goals of computational neuroscience is 12 to understand how neurons process and convey information. Since the early studies, the challenges of understanding the principles of neuronal coding have attracted increasing number of scientists from different fields. Among the main themes of the workshop is:

- # What can information theory tell us about information processing in neurons?
- # Influence of environmental statistics on information coding in sensory neurons.
- Display Noise and its role in neuronal coding.


The main impact of the workshop lies in the distribution of ideas and approaches that, although applied to different systems, share the common language of information theory. In particular, we believe that the computational neuroscience community has not yet fully benefited from the richness and generality of information theory as originally proposed by Shannon himself. Consequentially, workshops of this kind have the potential to change the perception of certain topics and perhaps, hopefully, provide solutions to some of the long-lasting questions in neuronal information processing.

15. SUBJECT TERMS

EOARD, Cyber Operations, Network Security

16. SECURITY CLASSIFICATION OF:		17. LIMITATION OF ABSTRACT	18, NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON James H. Lawton	
a. REPORT UNCLAS	b. ABSTRACT UNCLAS	c. THIS PAGE UNCLAS	SAR	31	19b. TELEPHONE NUMBER (Include area code) +44 (0)1895 616187

Neural Coding: Information beyond Shannon



Programme and Abstracts

Prague, Czech Republic, July 3–4, 2013



We wish to thank the following for their contribution to the success of this conference:

European Office of Aerospace Research and Development, Air Force Office of Scientific Research, United States Air Force Research Laboratory



Grant No.: FA8655-12-1-2006

Local Organising Agency:

CONFORG, Ltd.

http://www.conforg.cz



Celebrating the 60th anniversary of its foundation



Contents

Foreword (Petr Lansky) A Random Walk through Computational Neuroscience	
and Sixty Years of the Institute of Physiology, Prague	1
Workshop Information	3
Programme	4
Abstracts (ordered by the name of the first author)	7
Computing Surprise Alberto Apostolico	7
Mathematical and Neuroscientific Arguments for Generalized Inverse Gaussian ISI Durations of Cortical Neurons Toby Berger	8
On the Functional and Structural Characterization of Hubs in Protein-protein Inter- action Networks Concettina Guerra	9
A Simple Model That Can Accurately Predict Spike Timings Generated by Various Kinds of Neurons Ryota Kobayashi	10
Adaptation Improves Information Transfer in Hodgkin-Huxley Neurons Lubomir Kostal and Ryota Kobayashi	11
The Effect of Interspike Interval Statistics on the Information Gain under the Rate Coding Hypothesis Shinsuke Koyama	12
Stochastic Neuronal Models and Information Transfer in Neurons Petr Lansky	13
The t-Transform and Its Inverse in Modeling Neural Encoding and Decoding Aurel A. Lazar	14
Information Filtering by Spiking Neurons as a Simple Form of Information Processing Benjamin Lindner	15

Maximizing Information Divergence from Exponential Families Frantisek Matus	10
On the Calculation of Fisher Information and Entropy by Pen Estimation Ondrej Pokora	alized ML Density 1'
Information from Molecules: a Pluridisciplinary Approach to the Jean-Pierre Rospars	e Sense of Smell 18
Non-parametric Estimation of Mutual Information of d-dimension Laura Sacerdote, Roberta Sirovich and Maria T. Giraudo	onal Vectors 19
(Topic to be specified later) Daniel Suta	20
Beyond Shannon Information in Quantum Communication Vladyslav Usenko	2
List of Participants	23

Foreword

A Random Walk through Computational Neuroscience and Sixty Years of the Institute of Physiology, Prague

"A neuron is an electrically excitable cell that processes and transmits information ..." is the opening of the Wikipedia article if inquiring about neuron. This fact automatically implies an everlasting close relationship between neuroscience and information theory. Because of the celebration of the sixtieth anniversary of the Institute of Physiology we wish to remind the participants of this workshop that our Institute has always been active in this close interdisciplinary interaction, only the labels have changed over the decades. Of course, without claiming completeness and precedences, we wish to mention some names close to us and their roles in the history of the Institute and in the history of the field in general.

The concept of randomness is crucial to information theory, and its application came later, after the famous formalizations made in neuroscience by McCulloch-Pitts and Hodgkin-Huxley. George Gerstein published a paper called "Mathematical models for all-or-none activity of some neurons" in the journal *IRA* (now *IEEE*) *Transactions on Information Theory*. Simultaneously many other papers aiming to find how information is coded by neurons opened the golden era in this direction of research. Personally, the sixties were great in so many respects so why should not theoretical neuroscience also be included. In this decade, papers on the topic of stochastic neuronal activity started to appear in large numbers being published in the most prestigious journals.

Two immensely important meetings were organized during that period. Eduardo Caianiello attracted prominent researchers to Ravello to attend a *School on Neural Networks* in June, 1967. The beauty of the Amalfi coast surely stimulated the participants and the contributions of Luigi Ricciardi, Peter Johanesma or Michael Arbib's. Some ideas on information processing in the cerebellum, should be mentioned. In the following year, January, 1968, and at the almost as beautiful location as Ravello, in San Diego, the workshop on *Neural Coding* was organized by Donald Perkel and Theodore Bullock. Such a long time after the event, it is difficult to speculate why no Europeans, except Donald McKay from UK, who also attended the Ravello meeting, were invited to San Diego. Among the participants were – Jack Cowan, George Gerstein, Vernon Mountcastle, Wilfried Rall, Jose (Pepe) Segundo, Richard Stein and others, several of whom also attended the meeting in Ravello. No one from Prague participated in these meetings, nevertheless, what was going on here was at least part of the general trend.

George Gerstein spent his sabbatical here at the Institute and it was a few years after publication of his seminal article, coauthored by Benoit Mandelbrot, on Random walk models for spike activity of a single neuron. At the same time two young researchers Jan Bures and Tomas Radil arranged that a LINC-8 was purchased and used in recording and analyzing the spiking activity of neurons. (The LINC-8 was built as a laboratory computer. It was small enough to fit in a laboratory environment and included hardware capabilities necessary to monitor and control experiments.) Even younger fellows Ivan Krekule, Jan Skvaril and Josef Syka did both experimental and theoretical research in that direction. The end of the sixties was so turbulent in Prague that this so promising effort did not last very long. At least, the paper

in *Kybernetika* (that time computational neuroscience was usually labeled as Cybernetics) on Spontanous discharge patterns of mesencephalic neurons was published in 1971.

After this period, history started to move much faster, as I personally recall. However, the hope in cracking the neural code decreased. In the seventies, we had several visitors. George Moore came to visit Ivan Krekule and gave a seminar at the Institute. Renato Capocelli, a student of Luigi Ricciardi brought us a new book by his teacher on stochastic diffusion processes. Later on, Henry Tuckwell shortly visited Jan Bures, the former one being the spreading depression modeler, the latter an expert on its experimental studies. The time changed into the eighties and at this point the third meeting has to be mentioned. Luigi Ricciardi organized it in May of 1987. The opening was held in Palazzo Cassano in Napoli and the meeting at hotel Caesar Augustus on the island of Capri. The beauty of the location probably surmounted the previous meetings and the impulse for future research was at least equally important. Among many participants were Sun-ichi Amari, Arun Holden and John Rinzel together with others who had already attended Ravello twenty years earlier. At the same time, the label "computational" became fashionable. Actually, the honour of first using this term is claimed by Eric Schwartz who, at the invitation of Charles Smith and Carl York, organized a meeting and later edited a book called Computational Neuroscience. However, simultaneously Neuroinformatics as a field which stands at the intersection of neuroscience and information science was established. So, we have several labels suitable for this workshop but the labels are not as important as the content.

The end of the eighties brought enormous changes in our personal lives. Suddenly we became a real part of events. This period is so recent that it is hard to recall it in a proper perspective. In the autumn of 1995 we organized the Neural Coding workshop and from that time every second year the event has moved all around the world coming back to Prague a year ago. Pepe Segundo is always with us and it ensures the continuity with the workshop organized in San Diego fifty-five years ago. Pepe is a permanent attender but the other legendary figures, at least occasionally, join these workshops. George Gerstein was with us in Tainan, John Rinzel in Plymouth, Luigi Ricciardi in Prague and Versailles, a session remembering the work of Donald Perkel was organized in Montevideo, Sun-ichi Amari and Henry Tuckwell come more frequently. Many, many other old and new friends attend but to mention all of them would make the list too long for this short Foreword. However, those who extended their contacts into a long lasting cooperation deserve to be acknowledged – Jean-Pierre Rospars, Susanne Ditlevsen, Laura Sacerdote, Roger Rodrigues, Charlie Smith, Henry Tuckwell, Cindy Greenwood and recently two young colleagues – Ryota Kobayashi and Massimilliano Tamborrino.

Now we meet on a new occasion and we hope that the location and the interaction among the participants will again remain in your hearts and minds for a long time.

Petr Lansky

Workshop Information

Main Topics

One of the primary, and still largely unresolved, goals of computational neuroscience is to understand *how neurons process and convey information*. Since the early studies, the challenges of understanding the principles of *neuronal coding* have attracted increasing number of scientists from different fields. Among the main themes of the workshop is:

- What can information theory tell us about information processing in neurons?
- Influence of environmental statistics on information coding in sensory neurons.
- Noise and its role in neuronal coding.

The main impact of the workshop lies in the distribution of ideas and approaches that, although applied to different systems, share the common language of information theory. In particular, we believe that the computational neuroscience community has not yet fully benefited from the richness and generality of information theory as originally proposed by Shannon himself. Consequentially, workshops of this kind have the potential to change the perception of certain topics and perhaps, hopefully, provide solutions to some of the long-lasting questions in neuronal information processing.

Conference Venue and Organizers

Venue

Villa Voyta K Novemu Dvoru 124/54 Praha 4, Lhotka 142 00 Czech Republic

Organizers

Lubomir Kostal, Petr Lansky Institute of Physiology Academy of Sciences of the Czech Republic Videnska 1083 142 20 Prague 4 Czech Republic kostal@biomed.cas.cz lansky@biomed.cas.cz

Programme

Wednesday, July 3			
Opening			
9:00- 9:20	Welcoming by the Director of the Institute of Physiology AS CR <i>Lucie Kubinova</i>		
9:20- 9:30	Break		
Session I			
9:30- 9:55	Stochastic Neuronal Models and Information Transfer in Neurons Petr Lansky	p. 13	
9:55–10:20	Non-parametric Estimation of Mutual Information of <i>d</i> -dimensional Vectors <i>Laura Sacerdote</i>	p. 19	
10:20–11:00	Coffee Break		
Keynote Lec	ture		
11:00–12:00	Mathematical and Neuroscientific Arguments for Generalized Inverse Gaussian ISI Durations of Cortical Neurons <i>Toby Berger</i>	p.8	
Session II			
12:00–12:25	On the Functional and Structural Characterization of Hubs in Protein-protein Interaction Networks Concettina Guerra	p.9	
12:25–14:30	Lunch		
Session III			
14:30–14:55	(Topic to be specified later) Daniel Suta	p. 20	
14:55–15:20	A Simple Model That Can Accurately Predict Spike Timings Generated by Various Kinds of Neurons Ruota Kohayashi	p. 10	

15:20–15:55	Adaptation Improves Information Transfer in Hodgkin-Huxley Neurons <i>Lubomir Kostal</i>	p.11
15:55–16:30	Coffee Break	
Session IV		
16:30–16:55	Computing Surprise Alberto Apostolico	p.7
16:55–17:20	Information Filtering by Spiking Neurons as a Simple Form of Information Processing Benjamin Lindner	p. 15
17:20–17:55	The t-Transform and Its Inverse in Modeling Neural Encoding and Decoding <i>Aurel Lazar</i>	p. 14
18:30–19:00	Registration	
19:00–22:00	Dinner	
	Thursday, July 4	
Session V		
9:00- 9:25	On the Calculation of Fisher Information and Entropy by	p. 17

Penalized ML Density Estimation Ondrej Pokora 9:25- 9:50 Beyond Shannon Information in Quantum Communication p. 21 Vladyslav Usenko 9:50-10:15 Maximizing Information Divergence from Exponential Families p. 16 Frantisek Matus Coffee Break 10:15–11:15 **Session VI** 11:15-11:40 The Effect of Interspike Interval Statistics on the Information p. 12 Gain under the Rate Coding Hypothesis Shinsuke Koyama Information from Molecules: a Pluridisciplinary Approach 11:40-12:05 p. 18 to the Sense of Smell Jean-Pierre Rospars Discussion 12:10-12:50

13:00-14:30

Lunch

Computing Surprise

Alberto Apostolico
College of Computing, Georgia Institute of Technology,
801 Atlantic Drive, Atlanta, GA 30332-0280, USA
axa@cc.gatech.edu

Classical information theory equates information to surprise. This talk examines the algorithmic aspects of finding surprising regularities in sequences of biological and other diverse nature. The germane challenges of computing sequence similarity and classification, based on some implicit notion of mutual compressibility, will be also briefly discussed.

Mathematical and Neuroscientific Arguments for Generalized Inverse Gaussian ISI Durations of Cortical Neurons

Toby Berger

Department of Electrical and Computer Engineering,
University of Virginia, Charlottesville, VA 22903, USA
tb6n@virginia.edu

The Generalized Inverse Gaussian (GIG) family of neuron models subsumes the Schrodinger/Gerstein-Mandelbrot IG model and the gamma models studied by Berger-Levy and by others. We analyze doubly matched (i.e., joint source-channel encoded) GIG neurons that maximize the Shannon average mutual information between the afferent excitation and the efferent spike train per Joule of expected energy expenditure. Mathematical and neuro-scientific arguments in support of adopting GIG models for primary cortical neurons also are presented.

On the Functional and Structural Characterization of Hubs in Protein-protein Interaction Networks

Concettina Guerra
College of Computing, Georgia Institute of Technology,
801 Atlantic Drive, Atlanta, GA 30332-0280, USA
guerra@cc.gatech.edu

A number of interesting issues have been addressed on biological networks about their global and local properties. The connection between the topological properties of proteins in Protein-Protein Interaction (PPI) networks and their biological relevance has been investigated focusing on hubs, i.e. proteins with a large number of interacting partners. In this talk, I will address the following questions: Do hub proteins have special biological properties? Do they tend to be more essential than non-hub proteins? Are they more evolutionarily conserved? Do they play a central role in modular organization of the protein interaction network? Are there structural properties that characterize hub proteins?

A Simple Model That Can Accurately Predict Spike Timings Generated by Various Kinds of Neurons

Ryota Kobayashi
National Institute of Informatics,
2-1-2 Hitotsubashi, Chiyoda-ku, Tokyo 101-8430, Japan
r-koba@nii.ac.jp

Information is transmitted in the brain through various kinds of neurons that respond differently to the same input signal. Hodgkin-Huxley model has been revised by including diverse ionic currents to account for the response properties of neurons. However, the revised models require the high computational cost, which hinders systematic analyses on information processing in a neuron. Here, we develop a simple neuron model that is capable of accurately predicting spike responses recorded from electrophysiological experiments (Kobayashi, Tsubo & Shinomoto, *Frontiers in Computational Neuroscience*, 2009). The key features of the proposed model are a non-resetting leaky integrator and an adaptive threshold equipped with fast (10 ms) and slow (200 ms) time constants. This model can easily be tailored to a variety of neurons, i.e., regular spiking, intrinsic bursting, and fast spiking neurons, by adjusting three parameters only. Both the high flexibility and the low computational cost would help to model the brain faithfully and to study computational properties in single neurons.

Adaptation Improves Information Transfer in Hodgkin-Huxley Neurons

Lubomir Kostal

Institute of Physiology, Academy of Sciences of the Czech Republic
Videnska 1083, 14220 Prague, Czech Republic
kostal@biomed.cas.cz

Ryota Kobayashi National Institute of Informatics, 2-1-2 Hitotsubashi, Chiyoda-ku, Tokyo 101-8430, Japan r-koba@nii.ac.jp

The problem of information processing and transfer in single neurons, and neuronal networks, is an intensively studied topic in computational neuroscience.

In this contribution we employ the extended Hodgkin-Huxley neuronal model, and we address the effect of adaptation on different aspects of information transmission. We analyze both the asymptotic limits on reliable information transfer (information capacity) and the bounds on non-asymptotic performance. Metabolic cost of neuronal activity and complexity of decoding operations are taken into account, thus influencing the optimal "balance" between information, cost and possible complexity of neuronal information transmission.

The Effect of Interspike Interval Statistics on the Information Gain under the Rate Coding Hypothesis

Shinsuke Koyama

Department of Statistical Modeling, The Institute of Statistical Mathematics
10-3 Midori-cho, Tachikawa, Tokyo 190-8562, Japan
skoyama@ism.ac.jp

The question, how much information can be theoretically gained from variable neuronal firing rate with respect to constant average firing rate is investigated. We employ the statistical concept of information based on the Kullback-Leibler divergence. We show that if the firing rate variation is sufficiently small and slow (with respect to the mean interspike interval), the information gain can be expressed by the Fisher information. Furthermore, under certain assumptions, the smallest possible information gain is provided by gamma-distributed interspike intervals. The methodology is illustrated and discussed on several different statistical models of neuronal activity.

Stochastic Neuronal Models and Information Transfer in Neurons

Petr Lansky
Institute of Physiology, Academy of Sciences of the Czech Republic
Videnska 1083, 14220 Prague, Czech Republic
lansky@biomed.cas.cz

Neural spike trains present a challenge for researchers for more than a half century. Experimental techniques are supported by modelling aiming to answer questions like – what is the code, what is the role of randomness in the neuronal firing and others. The basic types of spiking models will be mentioned and a few examples of their applications will be given. Opinions whether the models can help in cracking the neural code will be appreciated.

The t-Transform and Its Inverse in Modeling Neural Encoding and Decoding

Aurel A. Lazar

Department of Electrical Engineering,
Columbia University, New York, NY 10027, USA

aurel@ee.columbia.edu

The t-transform is a key tool for characterizing the encoding of stimuli with spiking neural circuits. Formally, the t-transform maps an analog signal into a time sequence. For single-input multi-output neural circuits consisting of a set of receptive fields and a population of integrate-and-fire, threshold-and-fire and/or Hodgkin-Huxley neurons, the analysis of the inverse t-transform has revealed some deep connections between faithful decoding and the bandwidth of the encoded stimuli [1]. In the noiseless case, a Nyquist-type rate condition guarantees invertibility with perfect stimulus recovery [2]. In the noisy case, a standard regularization framework provides optimum stimulus recovery [3]. In addition, the decoding algorithms are tractable for stimuli encoded with massively parallel neural circuits [6]. More recently, we generalized these circuits to encode 3D color visual information for models of stereoscopic vision, to integrate sensory information of different modalities and dimensions, and to handle nonlinear dendritic signal processing [5]. These results set the stage for the first rigorous results in spike processing [4].

Acknowledgements:

This work was supported in part by AFOSR under grant #FA9550-12-1-0232 and in part by NIH under the grant #R01 DC008701-05.

Bibliography

- [1] A. A. Lazar. Population encoding with Hodgkin-Huxley neurons. *IEEE Transactions on Information Theory*, 56(2):821–837, Feb. 2010.
- [2] A. A. Lazar and E. A. Pnevmatikakis. Video time encoding machines. *IEEE Transactions on Neural Networks*, 22(3):461–473, March 2011.
- [3] A. A. Lazar, E. A. Pnevmatikakis, and Y. Zhou. Encoding natural scenes with neural circuits with random thresholds. *Vision Research*, 50(22):2200–2212, October 2010. Special Issue on Mathematical Models of Visual Coding.
- [4] A. A. Lazar, E. A. Pnevmatikakis, and Y. Zhou. The power of connetivity: Identity preserving transformations for visual streams in the spike domain. *Neural Networks*, 44:22–35, 2013.
- [5] A. A. Lazar and Y. B. Slutskiy. Identification of nonlinear-nonlinear neuron models and stimulus decoding. In *CNS*2013*, Paris, France, July 2013.
- [6] A. A. Lazar and Y. Zhou. Massively parallel neural encoding and decoding of visual stimuli. *Neural Networks*, 32:303–312, August 2012.

Information Filtering by Spiking Neurons as a Simple Form of Information Processing

Benjamin Lindner
Physics Department of the Humboldt University Berlin,
Newtonstr. 15, 12489 Berlin, Germany
benjamin.lindner@physik.hu-berlin.de

Neural systems do not only transmit but also process sensory stimuli. A simple form of such processing, observed also experimentally, is that information about certain frequency bands of a time-dependent stimulus is discarded. In my talk I review mechanisms at the cellular and at the network level that lead to such a frequency-dependent reduction of information.

Maximizing Information Divergence from Exponential Families

Frantisek Matus
Institute of Information Theory and Automation,
Academy of Sciences of the Czech Republic,
Pod Vodarenskou vezi 4, 182 08 Prague 8, Czech Republic
matus@utia.cas.cz

Motivated by Linsker infomax priciple, N. Ay formulated the problem of maximization of the information divergence from exponential families. This mathematical problem exposes a mechanism for implementation of the infomax in neural networks and elsewhere. Recent results and connections to statistics and cryptography will be reviewed.

On the Calculation of Fisher Information and Entropy by Penalized ML Density Estimation

Ondrej Pokora

Dept. of Mathematics and Statistics, Faculty of Science, Masaryk University
Kotlarska 2, 61137 Brno, Czech Republic
pokora@math.muni.cz

The idea of the penalized ML estimation of the density (Good, 1980, and later) and its application for the estimation of the Fisher information and the differential entropy from a sample data set will be presented. Recent experience, the benefits and the drawbacks will be discussed.

Information from Molecules: a Pluridisciplinary Approach to the Sense of Smell

Jean-Pierre Rospars

NRA-UPMC UMR 1272 "Physiologie de l'Insecte Signalisation et Communication", Route de Saint Cyr, 78026 Versailles Cedex, France jean-pierre.rospars@versailles.inra.fr

In animals the sense of smell is the most ancient and most essential of senses because it is involved in behaviours indispensable for survival such as finding and identifying food and mate. Nonetheless it has been for long the most neglected in scientific studies. Being the most primitive of senses, it was considered less interesting than the "noble" ones, hearing and seeing, on which conscious human communications are based. The situation changed in 1991 when Linda Buck and Richard Axel, who received the Nobel prize for that, discovered "a new gene family" whose function is to code for olfactory receptors. Whereas only a few tens of different receptor proteins were expected, they found a thousand ones, so 3% of genes serve to code for olfactory receptors only, a quite large proportion for a sense deemed of secondary importance. This discovery turned an obscure field of science into a promising one, attracting a host of researchers from various disciplines.

In this talk I will present the current status of our understanding of olfaction, the nature of odorants and the long chain of events involved in their perception. The molecular mechanisms by which volatile molecules are detected at extremely low concentrations, as well as the cerebral neural networks converting the raw signals into meaningful messages, will be described. The richness of information that can be retrieved from odour plumes and the principles by which olfactory information is coded and processed in the brain will be presented. Examples taken from both invertebrates and vertebrates will illustrate how qualitative, intensitive and temporal aspects of odour signals are discriminated, and actually utilized by animals in various behaviours. The psychological, evolutionary and technological significance of these advances will also be outlined to offer a concise but comprehensive introduction to information processing in olfactory systems.

Non-parametric Estimation of Mutual Information of *d*-dimensional Vectors

Laura Sacerdote, Roberta Sirovich and Maria Teresa Giraudo
Department of Mathematics 'G.Peano', University of Torino
Via Carlo Alberto 10, Torino, Italy
laura.sacerdote@unito.it

We demonstrate that the estimation of the mutual information is equivalent to the estimation of the entropy of a suitable random vector and this result is used to propose a non-parametric estimator for the mutual information of a *d*-dimensional random vector.

The equivalence result is obtained by demonstrating an equation which links the mutual information with the entropy of a suitable random vector with uniform marginal distributions. When d=2, our result coincides with the findings by Jenison and Reale [1] on the connection between the mutual information and the entropy of the copula associated to the original random vector. In addition, the multivariate case requests the introduction of the so called "Linkage Functions" proposed by Li, Shaked and Scarsini [2] in a different context.

Furthermore, we present a set of examples to compare the properties of the new estimator compared with those previously described. The lack of influence of the dimensions of the considered vectors on the complexity of the system, represent, with its simplicity, the main advantages of the proposed estimator.

Bibliography

- [1] Jenison R.L., Reale R.A. (2004) The shape of neural dependence, *Neural Comput.*, **16**, 665–303
- [2] Li H., Scarsini M., Shaked M. (1996) Linkages: a tool for the construction of multivariate distributions with given nonoverlapping multivariate marginals, *J. Multivariate Anal.*, **56**, 20–41

(Topic to be specified later)

Daniel Suta

Institute of Experimental Medicine, Academy of Sciences of the Czech Republic Videnska 1083, 14220 Prague, Czech Republic suta@biomed.cas.cz


Beyond Shannon Information in Quantum Communication

Vladyslav Usenko
Department of Optics, Faculty of Science, Palacky University,
17. listopadu 12, 77146 Olomouc, Czech Republic
usenko@optics.upol.cz

We consider the task of secure quantum communication, where a substitution of Shannon information by a more general quantum Holevo information is necessary to access security. Holevo information is considered as principal upper bound on information leakage from the quantum communication channel, which can be used by an eavesdropper. We show that by properly choosing the encoding alphabet and using the quantum nature of the signal states we can effectively eliminate the information leakage. Releasing our assumptions on the power of an eavesdropper and returning to the Shannon information description, we are able to access nontrivial types of classical correlations between the communicating parties and eavesdropper. The result demonstrates an inspiring influence of quantum approach on the classical information theory.

List of Participants

Family name	First name	Country	e-mail
Apostolico	Alberto	USA	axa@cc.gatech.edu
Berger	Toby	USA	tb6n@virginia.edu
Guerra	Concettina	USA	guerra@cc.gatech.edu
Hebelka	Tomas	Czech Republic	139863@mail.muni.cz
Hobza	Tomas	Czech Republic	tomas.hobza@fjfi.cvut.cz
Kobayashi	Ryota	Japan	r-koba@nii.ac.jp
Kostal	Lubomir	Czech Republic	kostal@biomed.cas.cz
Koyama	Shinsuke	Japan	skoyama@ism.ac.jp
Lansky	Petr	Czech Republic	lansky@biomed.cas.cz
Lazar	Aurel	USA	aurel@ee.columbia.edu
Lindner	Benjamin	Germany	benjamin.lindner@physik.hu-berlin.de
Matus	Frantisek	Czech Republic	matus@utia.cas.cz
Pilarski	Stevan	Czech Republic	pilarski@biomed.cas.cz
Pokora	Ondrej	Czech Republic	pokora@math.muni.cz
Rospars	Jean-Pierre	France	rospars@versailles.inra.fr
Sacerdote	Laura	Italy	laura.sacerdote@unito.it
Suta	Daniel	Czech Republic	suta@biomed.cas.cz
Usenko	Vladyslav	Czech Republic	usenko@optics.upol.cz



Distribution A: Approved for public release; distribution is unlimited.