



**JANUARY 2022**

**RESIDENTIAL  
LIVING  
FURNITURE**

Washington State Correctional Industries takes pride in our high quality products and the process by which we produce our Residential Living furniture. Our furniture not only looks good, but is comprised of separate components designed to work together and create the right space for each individual room — giving you more choices than ever!

### PRODUCT OVERVIEW

For a residential look with rugged construction, Correctional Industries builds a composite product that includes: laminate tops for a solid, cleanable, mar-resistant writing surface; solid wood drawer fronts for impact-resistance, warmth and style; and exterior doors, sides and backs constructed from multi-layer plywood that is resistant to cracking, shrinking and warping.

### ENVIRONMENTALLY CONSCIOUS

Correctional Industries makes every attempt to source all wood products regionally and strives to use recycled materials whenever possible. Correctional Industries designs product for optimal yield. Fall-off is always used in the manufacturing of other product when allowed.

The plywood we purchase meets all NAUF (No Added Urea Formaldehyde) and Ultra Low Emitting Formaldehyde standards. The particleboard is made with 100% recycled wood with NAUF. We only use lacquer that meets all current Environmental Protection Agency regulations for VOC (Volatile Organic Chemicals) emissions for wood finishing. Our aqueous stains meet the federal Hazardous Air Pollutants rule for wood finishes, meet all existing VOC regulations and are free of lead and chromate hazards.

### COMPONENT REPAIRABILITY

All of our furniture is designed for easy component repairability, utilizing a 32mm construction system with steel-to-steel fasteners allowing replacement of a top, side panel or back panel quickly, easily and cost-effectively.

### ADDED VALUE

Correctional Industries is not a "traditional" manufacturer in any sense of the term. Many Washington offenders gain work experience and training as they produce quality, competitively priced products, which translates into enormous benefits for taxpayers, the offenders who work and learn in a correctional industries program, and our customers. We strive to provide our customers with long-lasting, safe, effective and efficient products utilizing current technology and the best practices available.

### CI MISSION STATEMENT

As a business, Correctional Industries is committed to maintain and expand offender work training programs which develop marketable job skills, instill and promote positive work ethics, and reduce the tax burden of corrections.



4	<b>ROOM SOLUTIONS</b>
6	<b>BEDS</b> Bed Decks Accessories Mattresses
11	<b>DESKS</b> Desk Hutches
13	<b>PEDESTALS</b>
14	<b>DESK CHAIRS</b>
17	<b>LOUNGE SEATING</b>
18	<b>WARDROBES</b>
20	<b>DRESSERS</b> Stacking Drawers
21	<b>BOOKCASES</b>
22	<b>NIGHTSTANDS</b>
23	<b>BARRIER-FREE</b>
29	<b>COLOR SELECTIONS</b> Stain choices Laminate choices

### BARRIER-FREE FURNITURE

We manufacture furniture in the spirit of ADA legislation for barrier-free disabled access. We add higher toe kicks on our dressers and wardrobes, set the legs back on our desks and make the drawer pedestal moveable. We add drawer pulls to our drawer fronts (in addition to integral pulls), and reposition the pulls, mirrors and other options to be accessible from a sitting or standing position. Plus, all of our barrier-free furniture is designed to be easily converted to a standard room application as necessary.



**Room Solution #1**


Model#	Description	Page
RLBD3674M	Standard bed	6
RLDK13674	Bed deck	6
DBB3674	Dual foam mattress	10
RLDS42FM	Pedestal desk with optional keyboard	11

Model#	Description	Page
RLHU42M	Desk hutch	12
RS-CAMCUM	Crown top desk chair with upholstered seat	16
RLWD36ST2M	Wardrobe with two stack drawers	19
RLDR3M	3 Drawer dresser	20

**Room Solution #2**


Model#	Description	Page
RLBDT3674M	Tool-free bed (x2)	7
RLDK13674	Bed deck	7
RLSRT74M	Tool-free safety rail (x2)	9
DBWS3674	Innerspring mattress	10

Model#	Description	Page
RLDS42FM	Pedestal desk with optional keyboard	11
RLHU42M	Desk hutch	12
RS-DELS2UM	Upholstered two-position chair	15
RLWD42SD4M	Split wardrobe with four drawers	19
RLDR1M	Stacking drawers (x3)	20

## Room Solution #3



Model#	Description	Page
RLBD3674M	Standard bed	6
RLDK336	Bed deck	6
DBB3674	Dual foam mattress	10
RLDS42M	Desk shell with optional keyboard	12

Model#	Description	Page
RLPRFM	Mobile pedestal	13
RS-DELSAO	Sled base desk chair with angled back	14
RLBC3615M	Bookcase	17
RLDR1M	Stacking drawer (x4)	20
RLNS2DM	Two drawer nightstand	21

## Room Solution #4



Model#	Description	Page
RLBDTS3680M	Tool-free spring deck bed (x2)	8
RLSRT80M	Tool-free safety rail (x2)	9
RLLTM	Tool-free ladder	9
DBWS3680	Innerspring mattress (x2)	10

Model#	Description	Page
RLDS42FM	Pedestal desk with optional keyboard (x2)	11
RLHU42M	Desk hutch (x2)	12
RS-CAMFM	Flat top desk chair (x2)	16
RLBC3615M	Bookcase	17
RLDR5M	Five drawer dresser	20

## Standard Beds



Bed shown with bed deck. Bed decks sold separately.

### Standard Features

- 38" high ladder style head and footboard
- 1-3/4" x 2-1/2" bed posts are constructed of solid hardwood
- Drilled holes in the top of each headboard leg and bottom of each footboard leg for lofting and bunking
- Solid hardwood side and end rails
- All edges are hand-sanded to 3/16" radius
- Choice of natural, medium or dark stain

### Options

- Barrier-free available

Model#	Description	Wood Type	Overall Dimensions
RLBD36740	Standard bed, uses 36" x 74" mattress	Oak	39.5"W x 77.5"L
RLBD36780	Standard bed, uses 36" x 78" mattress	Oak	39.5"W x 81.5"L
RLBD36800	Standard bed, uses 36" x 80" mattress	Oak	39.5"W x 83.5"L
RLBD38740	Standard bed, uses 38" x 74" mattress	Oak	41.5"W x 77.5"L
RLBD38800	Standard bed, uses 38" x 80" mattress	Oak	41.5"W x 83.5"L
RLBD3674M	Standard bed, uses 36" x 74" mattress	Maple	39.5"W x 77.5"L
RLBD3678M	Standard bed, uses 36" x 78" mattress	Maple	39.5"W x 81.5"L
RLBD3680M	Standard bed, uses 36" x 80" mattress	Maple	39.5"W x 83.5"L
RLBD3874M	Standard bed, uses 38" x 74" mattress	Maple	41.5"W x 77.5"L
RLBD3880M	Standard bed, uses 38" x 80" mattress	Maple	41.5"W x 83.5"L



Standard beds shown bunked. Bed decks and safety rails sold separately.

### Standard Features for Plywood Decks

- Constructed of 3/4" plywood
- Twelve 4-3/8" diameter holes for ventilation
- All exposed edges are hand-sanded to 1/8" radius

Model#	Description	Overall Dimensions
RLDK3674	Bed deck, for 36" x 74" mattress	36.25"W x 73.25"L
RLDK3678	Bed deck, for 36" x 78" mattress	36.25"W x 77.25"L
RLDK3680	Bed deck, for 36" x 80" mattresses	36.25"W x 79.25"L
RLDK3874	Bed deck, for 38" x 74" mattress	38.25"W x 73.25"L
RLDK3880	Bed deck, for 38" x 78"/80" mattresses	38.25"W x 79.25"L



Standard bed shown lofted. Bed deck and safety rails sold separately.

## Tool-Free Beds

### Standard Features

- 38" high ladder style head and footboard
- 2-1/2" x 2-1/2" bed posts are constructed of solid hardwood
- All edges are hand-sanded to 3/16" radius
- 1-piece, cold rolled steel U-channel, with integrated pins captured in each bed post providing various bed heights requiring no tools for adjustment
- 1-piece side rails constructed of 1/8" steel with 2" sides and 1-1/2" bottom plate for wood decks
- Side rail edges are deburred and finished with powder coating
- Choice of natural, medium or dark stain

### Options

- Barrier-free available



Model#	Description	Wood Type	Overall Dimensions
RLBDT36740	Tool-free bed, uses 36" x 74" mattress	Oak	39.75"W x 79.5"L
RLBDT36780	Tool-free bed, uses 36" x 78" mattress	Oak	39.75"W x 83.5"L
RLBDT36800	Tool-free bed, uses 36" x 80" mattress	Oak	39.75"W x 85.5"L
RLBDT38740	Tool-free bed, uses 38" x 74" mattress	Oak	41.75"W x 79.5"L
RLBDT38800	Tool-free bed, uses 38" x 80" mattress	Oak	41.75"W x 85.5"L
RLBDT3674M	Tool-free bed, uses 36" x 74" mattress	Maple	39.75"W x 79.5"L
RLBDT3678M	Tool-free bed, uses 36" x 78" mattress	Maple	39.75"W x 83.5"L
RLBDT3680M	Tool-free bed, uses 36" x 80" mattress	Maple	39.75"W x 85.5"L
RLBDT3874M	Tool-free bed, uses 38" x 74" mattress	Maple	41.75"W x 79.5"L
RLBDT3880M	Tool-free bed, uses 38" x 80" mattress	Maple	41.75"W x 85.5"L



### Standard Features for Plywood Decks

- Constructed of 3/4" plywood
- Twelve 4-3/8" diameter holes for ventilation
- All exposed edges are hand-sanded to 1/8" radius

Model#	Description	Overall Dimensions
RLDK3674	Bed deck, for 36" x 74" mattress	36.5"W x 73.25"L
RLDK3678	Bed deck, for 36" x 78" mattresses	36.5"W x 77.25"L
RLDK3680	Bed deck, for 36" x 80" mattresses	36.5"W x 79.25"L
RLDK3874	Bed deck, for 38" x 74" mattress	38.5"W x 73.25"L
RLDK3880	Bed deck, for 38" x 78"/80" mattresses	38.5"W x 79.25"L



Tool-Free Spring Deck Beds



▼  
Tool-free spring deck bed.

Standard Features

- 38" high ladder style head and footboard
- 2-1/2" x 2-1/2" bed posts are constructed of solid hardwood
- All edges are hand-sanded to 3/16" radius
- 1-piece, cold rolled steel U-channel, with integrated pins captured in each bed post providing various bed heights requiring no tools for adjustment
- Spring deck included
- Choice of natural, medium or dark stain

Options

- Barrier-free available

Standard Features for Spring Deck

- Constructed from 2" x 1-1/2" angle down steel
- 9-gauge sinuous wire springs
- Recessed end rails
- Reinforced corners to increase stability
- Powder coat finish in black

Model#	Description	Wood Type	Overall Dimensions
RLBDTS36760	Spring deck bed, uses 36" x 76" mattress	Oak	39.75"W x 81.5"L
RLBDTS36800	Spring deck bed, uses 36" x 80" mattress	Oak	39.75"W x 85.5"L
RLBDTS38800	Spring deck bed, uses 38" x 80" mattress	Oak	41.75"W x 85.5"L
RLBDTS3676M	Spring deck bed, uses 36" x 76" mattress	Maple	39.75"W x 81.5"L
RLBDTS3680M	Spring deck bed, uses 36" x 80" mattress	Maple	39.75"W x 85.5"L
RLBDTS3880M	Spring deck bed, uses 38" x 80" mattress	Maple	41.75"W x 85.5"L



▲  
Tool-free spring deck beds shown bunked. Safety rails sold separately.

## Safety Rails



Standard bolt-on and tool-free versions both shown.

### Standard Features

- Constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Bolts to bed posts
- Choice of natural, medium or dark stain

### Options

- Tool-free available for rapid assembly

Model#	Description	Wood Type*	Dimensions
RLSR74O	74" Safety rail	Oak	74"L x 9"H
RLSR78O	78" Safety rail	Oak	78"L x 9"H
RLSR80O	80" Safety rail	Oak	80"L x 9"H
RLSR74M	74" Safety rail	Maple	74"L x 9"H
RLSR78M	78" Safety rail	Maple	78"L x 9"H
RLSR80M	80" Safety rail	Maple	80"L x 9"H

\*ApplePly available upon request.

## Ladders



Tool-free ladder shown.

### Standard Features

- Constructed of solid wood
- Bottom of wood rails are radiused to conform to any imperfections in floor
- Clips attach ladder to side rails
- Choice of natural, medium or dark stain

### Options

- Bed type determines which ladder clip is used

Model#	Description	Wood Type	Dimensions
RLLDO	Ladder	Oak	17"W x 66.75"H
RLLDM	Ladder	Maple	17"W x 66.75"H

## Dual Foam Mattresses



▲ Dual foam mattress.

### Standard Features

- Dual comfort foam core; IDL rating of 38 on one side (firm) and IDL rating of 22 on the opposite side (soft)
- Covered with 210 Denier, Nylon fabric with modacrylic/polyester flame barrier laminate backing
- Mattress in compliance with RCW 70.76; does not contain Polybrominated Diphenyl Ethers
- Mattress exceeds current fire standard 1633 of the Code of Federal Regulations

Model#	Description	Overall Dimensions
DBB3674	36" x 74" Dual foam mattress	36"W x 74"L x 6"H
DBB3676	36" x 76" Dual foam mattress	36"W x 76"L x 6"H
DBB3678	36" x 78" Dual foam mattress	36"W x 78"L x 6"H
DBB3680	36" x 80" Dual foam mattress	36"W x 80"L x 6"H
DBB3874	38" x 74" Dual foam mattress	38"W x 74"L x 6"H
DBB3878	38" x 78" Dual foam mattress	38"W x 78"L x 6"H
DBB3880	38" x 80" Dual foam mattress	38"W x 80"L x 6"H

## Innerspring Mattresses



▲ Innerspring mattress.

### Standard Features

- Bonnell innerspring unit
- Top and bottom covered with a bonded polyester insulator padding 3/8" thick
- Innerspring unit is wrapped with 1" thick polyurethane foam topper, IDL rating of 38
- Covered with 210 Denier, Nylon fabric with modacrylic/polyester flame barrier laminate backing
- Mattress in compliance with RCW 70.76; does not contain Polybrominated Diphenyl Ethers
- Mattress exceeds current fire standard 1633 of the Code of Federal Regulations

Model#	Description	Overall Dimensions
DBWS3674	36" x 74" Innerspring mattress	36"W x 74"L x 7"H
DBWS3678	36" x 78" Innerspring mattress	36"W x 78"L x 7"H
DBWS3680	36" x 80" Innerspring mattress	36"W x 80"L x 7"H
DBWS3874	38" x 74" Innerspring mattress	38"W x 74"L x 7"H
DBWS3880	38" x 80" Innerspring mattress	38"W x 80"L x 7"H

## Replacement Mattress Covers



▲ Mattress cover.

### Standard Features

- Constructed of 210 Denier, Nylon fabric, navy color
- Modacrylic/polyester flame barrier laminate backing
- Smooth top, envelope style construction with interior side, end, and vertical corner seams
- Heavy duty zipper covered with a sewn flap
- Antimicrobial, bacteria resistant and anti-fungal
- Choice of 6" or 7" height\*

Model#	Description	Dimensions*
MC3674	36" x 74" Mattress cover	36"W x 74"L
MC3676	36" x 76" Mattress cover	36"W x 76"L
MC3678	36" x 78" Mattress cover	36"W x 78"L
MC3680	36" x 80" Mattress cover	36"W x 80"L
MC3874	38" x 74" Mattress cover	38"W x 74"L
MC3880	38" x 80" Mattress cover	38"W x 80"L

## Pedestal Desks



▲ Pedestal desk (box/box/file) shown with optional keyboard tray.

### Standard Features

- Open leg design made of solid hardwood
- Top constructed of 1" particleboard with high pressure laminate
- 3-Drawer pedestal exterior sides and back constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Standard laminate choices apply
- Choice of natural, medium or dark stain

### Options

- Keyboard tray (KT42 or KT48)

Model#	Description	Wood Type*	Overall Dimensions
RLDS42BO	42" Pedestal desk, box/box/box	Oak	42"W x 24"D x 30"H
RLDS48BO	48" Pedestal desk, box/box/box	Oak	48"W x 24"D x 30"H
RLDS42FO	42" Pedestal desk, box/box/file	Oak	42"W x 24"D x 30"H
RLDS48FO	48" Pedestal desk, box/box/file	Oak	48"W x 24"D x 30"H
RLDS42BM	42" Pedestal desk, box/box/box	Maple	42"W x 24"D x 30"H
RLDS48BM	48" Pedestal desk, box/box/box	Maple	48"W x 24"D x 30"H
RLDS42FM	42" Pedestal desk, box/box/file	Maple	42"W x 24"D x 30"H
RLDS48FM	48" Pedestal desk, box/box/file	Maple	48"W x 24"D x 30"H

\*ApplePly available upon request.

## Desk Shells



▲ Desk shell shown with optional keyboard tray.

## Standard Features

- Open leg design made of solid hardwood
- Top constructed of 1" particleboard with high pressure laminate
- Exterior back constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Standard laminate choices apply
- Choice of natural, medium or dark stain

## Options

- Keyboard tray (KT42 or KT48)
- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLDS420	42" Desk shell	Oak	42"W x 24"D x 30"H
RLDS480	48" Desk shell	Oak	48"W x 24"D x 30"H
RLDS42M	42" Desk shell	Maple	42"W x 24"D x 30"H
RLDS48M	48" Desk shell	Maple	48"W x 24"D x 30"H

\*ApplePly available upon request.

## Desk Hutch



▲ Desk hutch.

## Standard Features

- Exterior sides, back, top, valance and shelves constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Attaches to desk
- Choice of natural, medium or dark stain

## Options

- Fabric covered tack board (TB42 or TB48); Standard panel fabrics apply
- Hutch light (LT36)

Model#	Description	Wood Type*	Overall Dimensions
RLHU420	42" Desk hutch	Oak	42"W x 10"D x 24"H
RLHU480	48" Desk hutch	Oak	48"W x 10"D x 24"H
RLHU42M	42" Desk hutch	Maple	42"W x 10"D x 24"H
RLHU48M	48" Desk hutch	Maple	48"W x 10"D x 24"H

\*ApplePly available upon request.

## Pedestals



▲ Pedestal with two box drawers and one file drawer.

### Standard Features

- Exterior sides, back and top constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Choice of natural, medium or dark stain

### Options

- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLPDBO	Pedestal, box/box/box	Oak	15.75"W x 22.25"D x 28.75"H
RLPDFO	Pedestal, box/box/file	Oak	15.75"W x 22.25"D x 28.75"H
RLPDBM	Pedestal, box/box/box	Maple	15.75"W x 22.25"D x 28.75"H
RLPDFM	Pedestal, box/box/file	Maple	15.75"W x 22.25"D x 28.75"H

\*ApplePly available upon request.

## Mobile Pedestals



▲ Mobile pedestal with two box drawers and one file drawer.

### Standard Features

- Exterior sides, back and top constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Four twin wheel hooded casters (75 lb. load), two locking
- Choice of natural, medium or dark stain

### Options

- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLPRBO	Mobile pedestal, box/box/box	Oak	15.75"W x 22.25"D x 28.75"H
RLPRFO	Mobile pedestal, box/box/file	Oak	15.75"W x 22.25"D x 28.75"H
RLPRBM	Mobile pedestal, box/box/box	Maple	15.75"W x 22.25"D x 28.75"H
RLPRFM	Mobile pedestal, box/box/file	Maple	15.75"W x 22.25"D x 28.75"H

\*ApplePly available upon request.

## Delta Two-Position Chair



▲  
Two-position chair.



▲  
Two-position chair with upholstered seat and back.

## Standard Features

- Constructed from solid Oak or hardwood Maple
- Steam bent parts
- Padded and upholstered seat and back (RS-DELS2UO, RS-DELS2UM only)
- Seat is 16-1/2" deep and 17-1/2" high
- Solid wood corner blocks
- Bolt and slug reinforcement
- Two-position sled base is a dual-function chair for sitting upright or leaning back
- Choice of natural, medium or dark stain
- Ultra-durable fabric choices available (RS-DELS2UO, RS-DELS2UM only)

Model#	Description	Wood Type	Overall Dimensions
RS-DELS2O	Two-position chair	Oak	18.75"W x 18.75"D x 31.75"H
RS-DELS2M	Two-position chair	Maple	18.75"W x 18.75"D x 31.75"H

Model#	Description	Wood Type	Overall Dimensions
RS-DELS2UO	Upholstered two-position chair	Oak	18.75"W x 18.75"D x 31.75"H
RS-DELS2UM	Upholstered two-position chair	Maple	18.75"W x 18.75"D x 31.75"H

## Cambridge Chair



▲ Crown top desk chair.



▲ Crown top desk chair with upholstered seat.

### Standard Features

- Constructed from solid Oak or hardwood Maple
- Steam bent parts
- Padded and upholstered seat (RS-CAMCUO, RS-CAMFUO, RS-CAMCUM, RS-CAMFUM only)
- Seat is 15" deep and 17-1/2" high
- Double-doweled joints and solid wood corner supporting braces
- Rubber cushion chrome plated glides with nylon top cap
- Choice of natural, medium or dark stain
- Ultra-durable fabric choices available (RS-CAMCUO, RS-CAMFUO, RS-CAMCUM, RS-CAMFUM only)

Model#	Description	Wood Type	Overall Dimensions
RS-CAMCO	Crown top	Oak	18"W x 22"D x 35"H
RS-CAMFO	Flat top	Oak	18"W x 22"D x 35"H
RS-CAMCM	Crown top	Maple	18"W x 22"D x 35"H
RS-CAMFM	Flat top	Maple	18"W x 22"D x 35"H

Model#	Description	Wood Type	Overall Dimensions
RS-CAMCUO	Crown top with upholstered seat	Oak	18"W x 22"D x 35"H
RS-CAMFUO	Flat top with upholstered seat	Oak	18"W x 22"D x 35"H
RS-CAMCUM	Crown top with upholstered seat	Maple	18"W x 22"D x 35"H
RS-CAMFUM	Flat top with upholstered seat	Maple	18"W x 22"D x 35"H

## Pinnacle Lounge Seating



▲ Lounge chair with exposed wood armcaps.



▲ Settee



▲ Sofa

### Standard Features

- Fully upholstered with curved arm design
- Durable hardwood and plywood construction
- Firm spring-supported seat
- Inner-spring back cushions
- High density foam provides firm comfortable support
- Seat cushions secured with cords that disengage for ease of maintenance
- Seat is 25-1/2" deep and 18" high
- Field replaceable components
- Exposed wood armcaps (without armcaps: LS-PIN)
- Solid wood feet
- Choice of natural, medium or dark stain
- Ultra-durable fabric choices available

Model#	Description	Wood Type	Overall Dimensions
LS-PINW10	Lounge chair with wood armcaps	Oak	34"W x 34"D x 34"H
LS-PINW20	Lounge settee with wood armcaps	Oak	57"W x 34"D x 34"H
LS-PINW30	Lounge sofa with wood armcaps	Oak	80"W x 34"D x 34"H
LS-PINW1M	Lounge chair with wood armcaps	Maple	34"W x 34"D x 34"H
LS-PINW2M	Lounge settee with wood arm caps	Maple	57"W x 34"D x 34"H
LS-PINW3M	Lounge sofa with wood armcaps	Maple	80"W x 34"D x 34"H



▲ Lounge chair.

Model#	Description	Wood Type	Overall Dimensions
LS-PIN1	Lounge chair	Oak	34"W x 34"D x 34"H
LS-PIN2	Lounge settee	Oak	57"W x 34"D x 34"H
LS-PIN3	Lounge sofa	Oak	80"W x 34"D x 34"H

## Full Wardrobes



▲ Full wardrobe with two drawers shown with optional mirror.



▲ Full wardrobe with one drawer.

### Standard Features

- Doors, exterior sides, back, top, and adjustable shelf constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Door hinges are institutional five-knuckle hinges with heavy duty 50 lb. magnetic catches to secure doors
- Fixed coat rod made from 1-5/16" solid hemlock
- Metal coat hook mounted inside door
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Two levelers ensure proper balance
- Choice of natural, medium or dark stain

### Options

- Mirror (MR)
- Towel bar (TB)
- Hasp for locking (HS)
- Lock strike plate (SP)
- Drawer divider (DV)

Model#	Description	Wood Type*	Overall Dimensions
RLWD24O	24" Wardrobe (single door)	Oak	24"W x 25"D x 72"H
RLWD24D1O	24" Wardrobe, 1 drawer (single door)	Oak	24"W x 25"D x 72"H
RLWD24D2O	24" Wardrobe, 2 drawer (single door)	Oak	24"W x 25"D x 72"H
RLWD30O	30" Wardrobe	Oak	30"W x 25"D x 72"H
RLWD30D1O	30" Wardrobe, 1 drawer	Oak	30"W x 25"D x 72"H
RLWD30D2O	30" Wardrobe, 2 drawer	Oak	30"W x 25"D x 72"H
RLWD36O	36" Wardrobe	Oak	36"W x 25"D x 72"H
RLWD36D1O	36" Wardrobe, 1 drawer	Oak	36"W x 25"D x 72"H
RLWD36D2O	36" Wardrobe, 2 drawer	Oak	36"W x 25"D x 72"H
RLWD24M	24" Wardrobe (single door)	Maple	24"W x 25"D x 72"H
RLWD24D1M	24" Wardrobe, 1 drawer (single door)	Maple	24"W x 25"D x 72"H
RLWD24D2M	24" Wardrobe, 2 drawer (single door)	Maple	24"W x 25"D x 72"H
RLWD30M	30" Wardrobe	Maple	30"W x 25"D x 72"H
RLWD30D1M	30" Wardrobe, 1 drawer	Maple	30"W x 25"D x 72"H
RLWD30D2M	30" Wardrobe, 2 drawer	Maple	30"W x 25"D x 72"H
RLWD36M	36" Wardrobe	Maple	36"W x 25"D x 72"H
RLWD36D1M	36" Wardrobe, 1 drawer	Maple	36"W x 25"D x 72"H
RLWD36D2M	36" Wardrobe, 2 drawer	Maple	36"W x 25"D x 72"H

\*ApplePly available upon request.

## Split Wardrobes



▲ Split wardrobe with four drawers shown with optional mirror.



▲ Split wardrobe with two stack drawers shown with optional hasp for locking.

### Standard Features

- Doors, exterior sides, back, top, adjustable shelves and partition constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Door hinges are institutional five-knuckle hinges with heavy duty 50 lb. magnetic catches to secure doors
- Hanger bars made from 1-5/16" solid hemlock
- Metal coat hook mounted inside door
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Two levelers ensure proper balance
- Choice of natural, medium or dark stain

### Options

- Mirror (MR)
- Hasp for locking (HS)
- Drawer divider (DV)
- Towel bar (TB)
- Lock strike plate (SP)
- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLWD36ST20	36" Wardrobe, 2 stack drawers	Oak	36"W x 25"D x 72"H
RLWD420	42" Wardrobe	Oak	42"W x 25"D x 72"H
RLWD42ST20	42" Wardrobe, 2 stack drawers	Oak	42"W x 25"D x 72"H
RLWD42SD20	42" Wardrobe, split, 2 drawer	Oak	42"W x 25"D x 72"H
RLWD42SD40	42" Wardrobe, split, 4 drawer	Oak	42"W x 25"D x 72"H
RLWD48ST20	48" Wardrobe, 2 stack drawers	Oak	48"W x 25"D x 72"H
RLWD48SD20	48" Wardrobe, split, 2 drawer	Oak	48"W x 25"D x 72"H
RLWD48SD40	48" Wardrobe, split, 4 drawer	Oak	48"W x 25"D x 72"H
RLWD36ST2M	36" Wardrobe, 2 stack drawers	Maple	36"W x 25"D x 72"H
RLWD42M	42" Wardrobe	Maple	42"W x 25"D x 72"H
RLWD42SD2M	42" Wardrobe, split, 2 drawer	Maple	42"W x 25"D x 72"H
RLWD42ST2M	42" Wardrobe, 2 stack drawers	Maple	42"W x 25"D x 72"H
RLWD42SD4M	42" Wardrobe, split, 4 drawer	Maple	42"W x 25"D x 72"H
RLWD48SD2M	48" Wardrobe, split, 2 drawer	Maple	48"W x 25"D x 72"H
RLWD48ST2M	48" Wardrobe, 2 stack drawers	Maple	48"W x 25"D x 72"H
RLWD48SD4M	48" Wardrobe, split, 4 drawer	Maple	48"W x 25"D x 72"H

\*ApplePly available upon request.

## Dressers



▲ Five drawer dresser.

### Standard Features

- Exterior sides and back constructed from 3/4" 9-layer plywood
- Top constructed of 1" particleboard with high pressure laminate
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Standard laminate choices apply
- Choice of natural, medium or dark stain

### Options

- Drawer divider (DV)
- Barrier-free available\*\*

Model#	Description	Wood Type*	Overall Dimensions
RLDR3O	Dresser, 3 drawer**	Oak	30"W x 24"D x 30.0"H
RLDR4O	Dresser, 4 drawer	Oak	30"W x 24"D x 38.5"H
RLDR5O	Dresser, 5 drawer	Oak	30"W x 24"D x 47.0"H
PLDR6O	Dresser, 6 drawer	Oak	30"W x 24"D x 55.5"H
RLDR3M	Dresser, 3 drawer**	Maple	30"W x 24"D x 30.0"H
RLDR4M	Dresser, 4 drawer	Maple	30"W x 24"D x 38.5"H
RLDR5M	Dresser, 5 drawer	Maple	30"W x 24"D x 47.0"H
RLDR6M	Dresser, 6 drawer	Maple	30"W x 24"D x 55.5"H

\*ApplePly available upon request.

## Stacking Drawers



▲ Stacking drawer.

### Standard Features

- Exterior sides constructed from 3/4" solid wood panels with cut-out handles
- Top constructed of 3/4" 9-layer plywood
- Top has a cove cut-out finger pull on inside to assist with movement
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer front constructed with 3/4" solid wood panel with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Choice of natural, medium or dark stain

### Options

- Drawer divider (DV)
- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLDR1O	Stacking drawer	Oak	26"W x 24"D x 10"H
RLDR1M	Stacking drawer	Maple	26"W x 24"D x 10"H

\*ApplePly available upon request.

## Bookcases



▲  
Two shelf bookcase.

## Standard Features

- Exterior sides, back and fixed shelves constructed from 3/4" 9-layer plywood
- Top constructed of 1" particleboard with high pressure laminate
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- One fixed shelf with access space
- Includes holes for cord access in back
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Overall Dimensions
RLBC24120	24" Bookcase	Oak	24"W x 12"D x 30"H
RLBC30120	30" Bookcase	Oak	30"W x 12"D x 30"H
RLBC30150	30" Bookcase, extra deep	Oak	30"W x 15"D x 30"H
RLBC36120	36" Bookcase	Oak	36"W x 12"D x 30"H
RLBC36150	36" Bookcase, extra deep	Oak	36"W x 15"D x 30"H
RLBC2412M	24" Bookcase	Maple	24"W x 12"D x 30"H
RLBC3012M	30" Bookcase	Maple	30"W x 12"D x 30"H
RLBC3015M	30" Bookcase, extra deep	Maple	30"W x 15"D x 30"H
RLBC3612M	36" Bookcase	Maple	36"W x 12"D x 30"H
RLBC3615M	36" Bookcase, extra deep	Maple	36"W x 15"D x 30"H

\*ApplePly available upon request.

## Nightstands



▲  
One drawer nightstand with adjustable shelf.

## Standard Features

- Exterior sides, back and adjustable shelf constructed from 3/4" 9-layer plywood
- Top constructed of 1" particleboard with high pressure laminate
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer front constructed with 3/4" solid hardwood with integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Standard laminate choices apply
- Choice of natural, medium or dark stain

## Options

- Barrier-free available

Model#	Description	Wood Type*	Overall Dimensions
RLNS1DO	Nightstand, 1 drawer	Oak	19"W x 20"D x 24"H
RLNS1DSO	Nightstand, 1 drawer, 1 adjustable shelf	Oak	19"W x 20"D x 24"H
RLNS2DO	Nightstand, 2 drawer	Oak	19"W x 20"D x 24"H
RLNS3DO	Nightstand, 3 drawer	Oak	19"W x 20"D x 24"H
RLNS1DM	Nightstand, 1 drawer	Maple	19"W x 20"D x 24"H
RLNS1DSM	Nightstand, 1 drawer, 1 adjustable shelf	Maple	19"W x 20"D x 24"H
RLNS2DM	Nightstand, 2 drawer	Maple	19"W x 20"D x 24"H
RLNS3DM	Nightstand, 3 drawer	Maple	19"W x 20"D x 24"H

\*ApplePly available upon request.

## Standard Barrier-Free Beds

### Standard Features

- 38" high ladder style head and footboard
- 1-3/4" x 2-1/2" bed posts are constructed of solid hardwood
- Drilled holes in the top of each headboard leg and bottom of each footboard leg for lofting and bunking
- Solid hardwood side and end rails
- All edges are hand-sanded to 3/16" radius
- Choice of natural, medium or dark stain



Model#	Description	Wood Type	Overall Dimensions
RLBD3674O-B	Standard bed, uses 36" x 74" mattress	Oak	39.75"W x 77.5"L
RLBD3678O-B	Standard bed, uses 36" x 78" mattress	Oak	39.75"W x 81.5"L
RLBD3680O-B	Standard bed, uses 36" x 80" mattress	Oak	39.75"W x 83.5"L
RLBD3874O-B	Standard bed, uses 38" x 74" mattress	Oak	41.75"W x 77.5"L
RLBD3880O-B	Standard bed, uses 38" x 80" mattress	Oak	41.75"W x 83.5"L
RLBD3674M-B	Standard bed, uses 36" x 74" mattress	Maple	39.75"W x 77.5"L
RLBD3678M-B	Standard bed, uses 36" x 78" mattress	Maple	39.75"W x 81.5"L
RLBD3680M-B	Standard bed, uses 36" x 80" mattress	Maple	39.75"W x 83.5"L
RLBD3874M-B	Standard bed, uses 38" x 74" mattress	Maple	41.75"W x 77.5"L
RLBD3880M-B	Standard bed, uses 38" x 80" mattress	Maple	41.75"W x 83.5"L

### Standard Features for Plywood Decks

- Constructed of 3/4" plywood
- Twelve cut holes for ventilation
- All exposed edges are hand-sanded to 1/8" radius

Model#	Description	Overall Dimensions
RLDK13674	1-piece bed deck, for 36" x 74" mattress	36"W x 74"L
RLDK13680	1-piece bed deck, for 36" x 78"/80" mattresses	36"W x 80"L
RLDK13874	1-piece bed deck, for 38" x 74" mattress	38"W x 74"L
RLDK13880	1-piece bed deck, for 38" x 78"/80" mattresses	38"W x 80"L

Barrier-Free Desk Shells



▲  
Barrier-free desk shell.

Standard Features

- Recessed open leg design made of solid hardwood
- Elevated top constructed of 1" particleboard with high pressure laminate
- Exterior back constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Overall Dimensions
RLDSA42O	42" Barrier-free desk shell	Oak	42"W x 24"D x 32"H
RLDSA48O	48" Barrier-free desk shell	Oak	48"W x 24"D x 32"H
RLDSA42M	42" Barrier-free desk shell	Maple	42"W x 24"D x 32"H
RLDSA48M	48" Barrier-free desk shell	Maple	48"W x 24"D x 32"H

\*ApplePly available upon request.

## Barrier-Free Pedestals



▲ Barrier-free pedestal with two box drawers and one file drawer.

### Standard Features

- Exterior sides, back and top constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with both hand and integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Overall Dimensions
RLPDABO	Barrier-free pedestal, box/box/box	Oak	15.75"W x 22.25"D x 28.75"H
RLPDAFO	Barrier-free pedestal, box/box/file	Oak	15.75"W x 22.25"D x 28.75"H
RLPDABM	Barrier-free pedestal, box/box/box	Maple	15.75"W x 22.25"D x 28.75"H
RLPDAFM	Barrier-free pedestal, box/box/file	Maple	15.75"W x 22.25"D x 28.75"H

\*ApplePly available upon request.

## Barrier-Free Mobile Pedestals



▲ Barrier-free mobile pedestal with two box drawers and one file drawer.

### Standard Features

- Exterior sides, back and top constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with both hand and integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Four twin wheel hooded casters (75 lb. load), two locking
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Overall Dimensions
RLPRABO	Barrier-free mobile pedestal, box/box/box	Oak	15.75"W x 22.25"D x 28.75"H
RLPRAFO	Barrier-free mobile pedestal, box/box/file	Oak	15.75"W x 22.25"D x 28.75"H
RLPRABM	Barrier-free mobile pedestal, box/box/box	Maple	15.75"W x 22.25"D x 28.75"H
RLPRAFM	Barrier-free mobile pedestal, box/box/file	Maple	15.75"W x 22.25"D x 28.75"H

\*ApplePly available upon request.

Barrier-Free Split Wardrobe



Barrier-free wardrobe with three stack drawers shown with optional hasp for locking.

Standard Features

- Doors, exterior sides, back, top, adjustable shelf and partition constructed from 3/4" 9-layer plywood
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Door hinges are institutional five-knuckle hinges with heavy duty 50 lb. magnetic catches to secure doors
- Hanger bars made from 1-5/16" solid hemlock
- Metal coat hook mounted inside door
- Drawer fronts constructed with 3/4" solid hardwood with both hand and integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Two levelers ensure proper balance
- Choice of natural, medium or dark stain

Options

- Mirror (MR)
- Hasp for locking (HS)
- Drawer divider (DV)
- Towel bar (TB)
- Lock strike plate (SP)

Model#	Description	Wood Type*	Overall Dimensions
RLWDA36ST3O	Barrier-free wardrobe	Oak	36"W x 25"D x 72"H
RLWDA36ST3M	Barrier-free wardrobe	Maple	36"W x 25"D x 72"H

\*ApplePly available upon request.

## Barrier-Free Dresser



Three drawer barrier-free dresser.

### Standard Features

- Exterior sides and back constructed from 3/4" 9-layer plywood
- Top constructed of 1" particleboard with high pressure laminate
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with both hand and integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Standard laminate choices apply
- Choice of natural, medium or dark stain

### Options

- Drawer divider (DV)

Model#	Description	Wood Type*	Overall Dimensions
RLDRA3O	Barrier-free dresser	Oak	30"W x 24"D x 30.0"H
RLDRA3M	Barrier-free dresser	Maple	30"W x 24"D x 30.0"H

\*ApplePly available upon request.

## Barrier-Free Stacking Drawer



Barrier-free stacking drawer.

### Standard Features

- Exterior sides constructed from 3/4" solid wood panels with cut-out handles
- Top constructed of 3/4" 9-layer plywood
- Top has a cove cut-out finger pull on inside to assist with movement
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer front constructed with 3/4" solid wood panel with both hand and integral pull
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Choice of natural, medium or dark stain

### Options

- Drawer divider (DV)

Model#	Description	Wood Type*	Overall Dimensions
RLDRA1O	Barrier-free stacking drawer	Oak	26"W x 24"D x 10"H
RLDRA1M	Barrier-free stacking drawer	Maple	26"W x 24"D x 10"H

\*ApplePly available upon request.

Barrier-Free Nightstands



▲ One drawer barrier-free dresser with adjustable shelf.

Standard Features

- Exterior sides, back and shelf (when included) constructed from 3/4" 9-layer plywood
- Top constructed of 1" particleboard with high pressure laminate
- Hardwood edgebanding, hand-sanded with a 1/8" radius on all exposed edges
- Drawer fronts constructed with 3/4" solid hardwood with both hand and integral pulls
- Drawer box made of 1/2" hardwood plywood
- Drawer bottoms constructed of MDF with almond melamine
- Bottom-mounted epoxy-coated drawer glides of 100 lb. minimum static test load capacity/75 lb. minimum dynamic test load capacity
- Toe kick is raised 1/4" from floor to provide ease of movement
- Standard laminate choices apply
- Choice of natural, medium or dark stain

Model#	Description	Wood Type*	Overall Dimensions
RLNSA1DO	Barrier-free nightstand, 1 drawer	Oak	19"W x 20"D x 24"H
RLNSA1DSO	Barrier-free nightstand, 1 drawer, 1 shelf	Oak	19"W x 20"D x 24"H
RLNSA2DO	Barrier-free nightstand, 2 drawer	Oak	19"W x 20"D x 24"H
RLNSA3DO	Barrier-free nightstand, 3 drawer	Oak	19"W x 20"D x 24"H
RLNSA1DM	Barrier-free nightstand, 1 drawer	Maple	19"W x 20"D x 24"H
RLNSA1DSM	Barrier-free nightstand, 1 drawer, 1 shelf	Maple	19"W x 20"D x 24"H
RLNSA2DM	Barrier-free nightstand, 2 drawer	Maple	19"W x 20"D x 24"H
RLNSA3DM	Barrier-free nightstand, 3 drawer	Maple	19"W x 20"D x 24"H

\*ApplePly available upon request.

All images and colors shown are reproduced as faithfully as possible within the limitations of the printing process. Please contact your CI Account Executive to obtain samples.

### Stain Choices



NATURAL  
(OAK)

MEDIUM  
(OAK)

DARK  
(OAK)



NATURAL  
(MAPLE)

MEDIUM  
(MAPLE)

DARK  
(MAPLE)

### Standard Laminate Choices



HARDROCK MAPLE\*



WISCONSIN OAK\*



GUNSTOCK WALNUT\*

\* Recommended as "best match" for natural, medium and dark stains.



CONGO SPRUCE



SOLAR OAK



PEARWOOD



WITCHCRAFT



JUNE MAHOGANY



WILD CHERRY




SEATTLE CHERRY



GRAPHITE NEBULA



GREY NEBULA



WHITE




ALMOND



FOG GRAY



CHARCOAL/SLATE



BLACK



WASHINGTON STATE  
CORRECTIONAL INDUSTRIES

Department of Corrections  
PO Box 41115  
Olympia, Washington 98504

700-CA004 (R 1/2022)

