



## **Table of Contents**


### Information

- 3 Architectural Series
  Custom metal-framed skylights
- 4 Large Span Skylight
  SkyMax curb-mount model GSM
- 5 Self-Flashed Skylights
  Deck-mount models EF, EV, EVMS
- 6 Curb-Mount Skylights Models FCM, VCM, VCS
- 7 Options & Accessories

VELUX designs skylights for all types of buildings and applications. Review the information below in regard to ordering and see the complete selection of VELUX skylights and accessories.

### Plan for delivery time

The VELUX continental USA delivery guidelines will assist in planning projects. *Please note: large orders may be subject to additional lead times*.



Delivery Code | Continental USA Delivery Guidelines

S	In-stock at regional warehouses Allow 2 - 4 business days for shipment.	Α	Sparks, NV region ships 2 - 3 days, all other areas must call for availability.
Т	Trans-shipped from central warehouse Allow 7 - 10 business days for shipment.	В	Sparks, NV and Broomfield, CO, regions ship in 2 - 3 business days, for other areas allow 15 business days
R	Not stocked; Manufactured on demand Allow approximately 15 business days for shipment.	C	Ronkonkoma, NY, Greenwood, SC, Aurora, IL, and Windsor, CT regions ship in 2 - 3 business days, for other areas allow 7 - 10 days
D	Not stocked; Manufactured on demand Allow approximately 21 business days for shipment.	Е	Greenwood, SC and Windsor, CT regions ship in 2 - 3 business days, for all other areas allow 7 - 10 days.
N	Not stocked; Manufactured on demand Allow approximately 32 business days for shipment.	F	Greenwood, SC and Sparks, NV regions ship in 2 - 3 business days, for all other areas allow 7 - 10 days.

### Ordering your product



### **Online**

### www.dealerextranet3.veluxusa.com

### Hours of Operation: 24 hours per day, 7 days per week

The Dealer Extranet allows a dealer to order products and perform routine inquiries 24/7 using real-time pricing and inventory availability by connecting to our system through the internet.



#### Fax

1-864-943-2631

### Hours of Operation: 24 hours per day, 7 days per week

If you would like, you can fax in your order any time.



#### Call

1-800-888-3589

Hours of Operation: Monday - Friday

7:30 a.m. - 8:00 p.m. (ET)

Saturday

9:00 a.m. - 5:00 p.m. (ET)

If you have questions or would like to place an order on the phone, call our toll-free Customer Service Hotline.

## **Architectural Series**













# **Custom Skylight Designs with Endless Possibilities**


### Extensive line of configurations, finish colors, and glazing options.

The Architectural Series offers metal framed structural skylight systems for a dramatic look. Choose from our versatile configurations with a full range of glazing options including hurricane resistant glass. Available with a wide range of finish color options.

- Extensive line of configurations, finish colors, and glazing options.
- Fully customizable up to 40' wide at unlimited lengths.\*
- Glazing options include hurricane rated, electrochromic, photovoltaic, and insulated glass, or cellular polycarbonate with or without aerogel fill.
- On-site engineering assistance and daylight analysis available.

# OCTAGONAL PYRAMID **PYRAMID** LOW PROFILE DOUBLE PITCH STRUCTURAL RIDGE SINGLE PITCH EXTENDED PYRAMID Please call for more information. 1-800-888-3589

### **Finish Colors**



<sup>\*</sup>Approximate span widths depending on configuration and load. Contact your local sales representative for more information.

# Large Span Single Light Skylight



# **SkyMax Skylight**

### Curb-Mounted Skylight - Model GSM

The dramatic SkyMax doubles the square footage of standard size flat glass unit skylights – without loss of thermal efficiency – at a fraction of the cost of structural skylights. SkyMax's one piece extruded vinyl curb incorporates a condensation channel, eliminating the need for weep holes. This, combined with high-end glazing options, maximizes its thermal performance.

- Single light up to 32 square feet TEN FEET at longest dimension.
- Sizes are based upon the outside dimension of the curb (ODC).
- For use with site-built curb and flashing.
- The vinyl frame is structurally reinforced with aluminum.
- The elimination of weep holes increases thermal performance.
- Quaker Bronze paint finish is standard. Custom finish colors and copper cladding available (see page 7).
- For sizes up to 27 sq ft, consider custom model FCM (see page 7).

#### **Model GSM Custom sizes:**

- Up to 32 sq ft, up to 10' at longest dimension!
- Minimum ODC: 17½" W or H
- Maximum ODC: 120" W or H
- Delivery: D



Please call for pricing. 1-800-888-3589

# **Self-Flashed Skylights**

# No Leak Warrantv

no flashing required

# **E-Class Skylights**

### Deck-Mounted Skylights - Models EF, EV, EVMS


- For use with thin roofing materials such as composition, slate, wood shingles and shakes up to 34" thick.
- Sizes are based on the rough opening in the roof (RO).
- No assembly, step-flashing, mastic, or sealants needed.
- Custom sizes and finish paint colors are available (see page 7).
- Manual blinds available for standard sizes. Blinds and telescopic pole sold separately.
- Model EV: Price includes screen, white crank handle and pole eye adapter. Model EVMS: Units include screen, factory installed solar rechargeable battery powered motor with rain sensor, and remote control that can control multiple units.




Sample ordering code: without custom color

EV -	2222	- EML
Model	Size	Product


Model EF Custom sizes and finish colors available: Please see page 7.



Model EV Custom sizes and finish colors available: Please see page 7.



Model EVMS Custom sizes and finish colors available: Please see page 7.



For rectangular units, specify dimension parallel to roof ridge first (for example, model EF3046 can be EF4630). For venting units, dimensions cannot be inverted for 2254 or 3054 due to weight limitations of chain drive operator.


# **Curb-Mounted Skylights**

### No Leak Warrantv . noleakskylight.com VELUX flashing required

# Fixed & "Fresh Air" Skylights

### Curb-Mounted Skylights - Models FCM, VCM, VCS

- Maintenance free frame
- White laminated glass available for applications where diffused lighting is required
- Model FCM: No designated top, bottom or sides can be installed in any direction.
- Model VCM: Package includes operator hook and insect screen
- Model VCS: Fitted with a rain sensor and features a solar panel that recharges a battery-powered operator and control system.
- Factory-installed blinds available
- The No Leak Skylight carries the 10-year installation warranty



Sample ordering code: without blinds

FCM - 1430 - 0004 Product Model Size

### Model FCM Custom sizes available: Please see page 7.




71	Dilnus available			5											
Laminated LowE3	Yes	0004	\$226 <b>T</b> *	\$248 <b>T</b> *	\$182	\$212	\$226	\$239	\$400*	\$257	\$342	\$319	\$359	\$375	S
Impact	<b>T</b> Only	0006	Call	Call	\$297 <b>T</b>	Call	Call	\$354 <b>T</b>	Call	Call	Call	Call	Call	\$588 <b>T</b>	N
White Laminated	Yes	8000	Call	Call	\$215 <b>B</b>	Call	\$259*	\$272 <b>B</b>	\$433 <b>B</b> *	\$297*	\$382*	\$367 <b>B</b>	Call	\$442 <b>B</b> *	N
Triple pane Laminated	No	0029	Call	Call	\$272	Call	Call	\$329	N/A	Call	Call	Call	Call	\$470	F
Tempered LowE3	Yes	0005	\$143*	\$165*	\$143	\$173	\$187	\$200	\$361*	\$214	\$299	\$270	N/A	\$331	S

### Model VCM



#### Model VCS




<sup>\*</sup>Factory-installed blinds not available \*\*For more information visit: veluxusa.com/taxcredits

# **Options & Accessories**

### Custom Sizes – Models EF, EV, EVMS

We require exact rough opening (RO) dimensions for width and height.



Ouake

#### Model FF


Up to 23 sq ft Mini RO: 141/2" W or H Max RO: 72" W or H

### Model EV. EVMS

Up to 15 sq ft Min RO: 221/4" W or H Max RO: 48" W or 54" H

#### Custom Sizes – Model FCM

We require maximum skylight clearance (make size) dimensions in 1/4" increments (0, 1/4, 1/2, 3/4) for width and height.




#### Model FCM

Sizes up to 27 sq ft Min make size: 18¾" W or H Max make size: 50¾" W or 76½" H

Please call for pricing and availability. 1-800-888-3589 Note: Custom size flashing kits and custom size blinds are not available. Some specialty glass options require longer lead times.

### Custom Finish Colors - Models EF, EV, EVMS, GSM



Up to 20 business days

#### Add custom paint color for \$138

Add copper cladding for sizes: 1430-2238 \$253 | 2246-3030 \$271 | 3046-4646 \$323

#### Sample ordering code:

EF - 2246 - EML


Order Code

### Flashing Systems – Models FCM, VCM, VCS VELUX flashing required for No Leak Warranty


Description	Roofing Material	Roof Pitch	Product	2222	2234	2246	3030	3046	3434	4622	4646	Delivery
Step flashing with adhesive underlayment	Asphalt shingles, wood shakes and flat tile (under 3/4 inch thickness)	10°-60°	ECL 0000C	\$90	\$90	\$90	\$102	\$102	\$103	\$106	\$106	S
High profile flashing with adhesive underlayment	Tile (over 3/4 inch thickness)	14°-60°	ECW 0000C	\$172	\$172	\$172	\$202	\$202	\$215	\$232	\$232	S

### Factory-Installed Solar-powered Blinds – Models FCM, VCM, VCS

For solar-powered and manual blind options and pricing, please refer to the full Residential Skylights Price List: FCM p. 21, VCM p.17, VCS p.11



Up to 13 business days 2 to 4 business days



1446

\$170

\$170

\$236

Add solar-powered blinds to VCM and VCS models for \$385

Add solar-powered blinds to FCM model for \$425

FCM - 2222 - 0005

2254

\$251

\$357

Order

4646

\$333

\$482

### Sample ordering code:

Code

#### Manual Blinds – Models EF, EV, EVMS



Room darkening \$236

ZCT 200

Light filtering

1430

\$163

Sample ordering code:

2246

\$209

\$297

2238

\$203

\$278

2230

\$176

\$319 SLW

3030

\$215

2246

3054

\$316

\$449

3046

\$264

\$375

Order Code

### Manual Operation (for out-of-reach applications)

3' Extension ZCT 200 \$15 Delivery S "7 hook" 3'-6' Rod for Manual Blinds

Delivery S

6'-10' Rod for Manual Skylights ZCT 300 \$42 Delivery S

### Installation Accessories - Models EF, EV, EVMS



Mull Kit 2108200 \$55

Delivery S



\$32

Sizes	Code	Price	Delivery
2222 – 2254	EMR22	\$70	S
3030 - 3054	EMR30	\$77	S
4646	EMR46	\$77	S

**VELUX America LLC** 450 Old Brickvard Road P0 Box 5001 Greenwood, SC 29648-5001 Tel 1-800-888-3589 Fax 1-864-943-2631 veluxusa.com whyskylights.com

Sales representative estimates:

Domes & Sun Tunnels: Commercial Inside Sales Team

insidesales@velux.com

VMS: VMS Inside Sales Team commercial.sales@velux.com

Architectural Series and SkyMax: Estimating Team

estimating@wascoproducts.com

Bringing light to life

### Non-dealer disclaimer

List prices shown do not include shipping and handling cost, delivery cost by your local VELUX Dealer or applicable sales tax. Final unit pricing can be 10-15%+ higher depending on your location, services provided and final delivery of the skylight to the job site. Many of the skylights do not include flashings or blinds. These can be purchased separately.

All VELUX skylights, roof windows, Sun Tunnel Skylights, flashing kits and blinds must be purchased through a qualified VELUX dealer. Please see the "Where To Buy" section of veluxusa.com website for a list of VELUX dealers near you.

NOTICE: ALL GLASS MAY BE SUBJECT TO UNEXPECTED AND SPONTANEOUS BREAKAGE in rare circumstances due to imperfections in the glass that are undetectable during the manufacturing and inspection process by the manufacturer of the glass and VELUX

VELUX offers the choice of laminated or tempered glass skylights. Impact glass and comfortplus glass are all types of laminated glass. Comfort glass is a type of tempered glass. Laminated glass is a combination of two or more glass sheets with one or more interlayers of plastic (PVB) or resin. In case of breakage, the interlayer is designed to hold the fragments together. Tempered glass does not contain an interlayer to hold the fragments together. Instead, tempered glass is designed to break into small, pebble-like pieces. When tempered glass breaks, pieces of glass come loose and may strike an individual.

CONSULT LOCAL REGULATIONS AND/OR BUILDING MATERIAL CONSULTANTS TO DETERMINE WHICH TYPE OF GLASS IS RIGHT FOR YOU OR IF LAMINATED GLASS IS REQUIRED IN YOUR APPLICATION.



