


Ricoh Aficio MP 301SPF



Affordable, productive multitasking at your convenience

Raise your expectations — and improve your productivity. The RICOH® Aficio® MP 301SPF offers advanced capabilities to streamline workflow and reduce total cost of ownership. Use it to produce fast, black-and-white output, share electronic documents, protect sensitive information and optimize IT resources cost-effectively. With its unique combination of powerful, reliable performance and intuitive management in a compact design, it offers incredible value as the primary multifunction device in an office or as part of an integrated Ricoh Managed Document Services (MDS) strategy throughout the enterprise. Expect the MP 301SPF to exceed your low-volume, desktop multifunctional product demands without compromising space or the budget.

Choose your own efficiency

Loaded with customizable features in a sleek, desktop design, the MP 301SPF makes everyday tasks more accessible. The tiltable, 4.3" color touch-panel display and an optional external keyboard enable users to deftly manage every job with ease. Four frequently used functions are available directly from the Home Screen, so users can select specific workflows quickly to save steps and help maximize productivity. In addition, users can return to the Home Screen at any time with simple, one-touch operation.

Perform any task, anywhere

Move mobile users forward, while improving workflow, with innovative electronic media capabilities. Users can insert a USB memory or SD card into a slot on the MFP control panel to preview and print output remotely, without a PC. Users can also work from a mobile device, such as a smart phone or tablet, to locate the MFP quickly and print output without the use of utilities, software or drivers.

Discover the power of versatility

The MP 301SPF enables users to handle a wide range of demanding tasks with ease. It generates up to 31 pages per minute for outstanding throughput. Storage capacity can be expanded to 1,350 paper sheets to support longer, uninterrupted runs. Its 8" x 14" platen is perfect for copying, scanning and faxing oversized documents, including booklets, catalogs and other media. In addition, when the optional hard drive is installed the Document Server offers convenient access for up to 3,000 frequently-used documents.









A sleek, compact MFP streamlined for the desktop—and your workflow

Sustainable savings and productivity

Backed by Ricoh's long-standing commitment to energy- and environmentally-friendly solutions, the MP 301SPF offers a host of innovative features to reduce total cost of ownership. With the Eco-Friendly Indicator, users can check usage status for individual employees and foster more environmental awareness and responsible paper consumption. With its class leading energy efficiency, based on the low Typical Energy Consumption (TEC) value of only 1.5 kWh/week, combined with a short recovery time of less than 10 seconds from Sleep Mode, high speed duplexing and enhanced first copy out time, the system provides a quicker availability and saves more energy.



Sophisticated scanning and faxing

Capture black-and-white or full-color originals quickly and distribute them electronically for faster, more affordable communications. Users can retrieve numbers and addresses from LDAP-registered directories and eliminate costly delivery charges by sending documents instantly via Scan-to-Email/Folder/SD/USB. One-sided and two-sided originals can be scanned in a single job using Enhanced Batch Scan to boost productivity. Plus, a powerful Super G3 fax modem, IP (T.38) and Internet (T.37) faxing minimize bottlenecks while eliminating transmission costs.



Complex management tasks simplified

With exceptional compatibility and easy-to-use utilities, the MFP automates processes and optimizes workflow. Users can take advantage of Ricoh's services-led platform to integrate customized applications and software solutions to boost productivity and help reduce operating costs. Shortcuts, system and application settings and more can be exported to an SD card for installation on another MP 301. Workflows can be customized from the desktop and accessed within moments for fast walk-up operations on the most comprehensive jobs.

lcons can be edited and an image ca	n be inserted on the	Home scree
►Edit Icons		
Move Icon	Delete Icon	
Add Icon	" Restore Default Icon Disp	
▶ Insert Image		
Insert Image on Home Screen		

Ricoh Aficio MP 301SPF

SYSTEM SPECIFICATIONS

Configuration	Desktop Multifunctional Product (MFP)
Scanning Element	Flatbed with CCD array image-sensing element
Printing Process	Laser beam scanning/marking & electro- photographic printing
System Memory	1GB. (RAM) standard
Output Speed	Up to 31 ppm (Letter)
(Copy/Print)	6 seconds or less
First Copy Time Recovery Time to	Less than 23 seconds (from main power
Product Ready Mode	switch on)
FIGURE Ready Mode	Less than 10 seconds (from sleep mode)
Copy Resolution	600 x 600 dpi (platen), 600 x 300 (ARDF)
Grayscale	256 levels
Exposure Adjustment	Manual and automatic
Multiple Copies	Up to 99
Document Feeder	Automatic Reversing Document Feeder
(Standard)	(ARDF)
Original Capacity	50 sheets (ARDF)
Paper Sizes	Standard Tray: 5.5" x 8.5" to 8.5" x 11"
	(A4/ LT/A5/HLT)
	Optional Trays: 8.5" x 11" to 8.5" x 14"
	(A4/LT/ LG/Folio)
	Bypass Tray: 5.5" x 8.5" to 8.5" x 14"
	(A6/A5/A4/LT/LG)
	Duplex Unit: 8.5" x 11" to 8.5" x 14"
	(A4/LT/LG)
Paper Weights	Standard/Optional Trays: 16 – 24 lb. Bond
	(60 – 90 g/m²)
	Bypass Tray: 16 – 42 lb. Bond (60 – 157 g/m ²)
	Duplex Unit: 20 – 24 lb. Bond (60 – 90 g/m ²)
Exposure Glass	Up to 8.5" x 14"
Input Capacity	Standard: 250 sheets + 100-Sheet
	Bypass Tray
	Optional: 500 sheets x 1 or 2 Trays
Output Capacity	250 sheets (internal tray)
Paper Types	Plain, Recycled, Colored, Letterhead,
	Preprinted, Bond, Card Stock, Prepunched,
	Special, Thick*, OHP (Transparency)*
	Envelopes*, Label Stock*
Auto Duplex	Standard
Zoom	25% to 400% in 1% increments
Preset Reduction and	65%, 78%, 93%, 129%, 155%
Enlargement Ratios	
Dimensions (WxDxH)	19.0" x 17.7" x 18.1" (476 mm x 450 mm
	x 451 mm) – includes ARDF
Weight	57.3 lbs./ 26 kg.
Power Requirements	120V, 60Hz, 8A
Power Consumption	Less than 1,1 kW (max.)
	Sleep Mode, 2.8 W (MP 301SPF)
TEC	MP 301SPF - 1.507 kWh/week***
Standard Features	Document Server**, Image Rotation, Auto
	Off Timer, Combine Copy, Electronic Sort,
	Energy Saver Timer, Photo Mode, Series
	Copy, Job Programs (25), User Codes
	(8 digits, 1,000 Personal Codes)
*Bypass Tray only.	
*Bypass Tray only. **HDD option required.	
	n by ENERGY STAR program

Printer CPU

Languages

Fonts for PS3

Systems

Utilities

Scanner

Scan Area

Scan Mode

RM7035C - 533 MHz Memory Capacity Standard: 1 GB RAM Hard Disk Drive Optional: 128 GB HDD Standard: PCL5e/6, Genuine Adobe® Page Description PostScript®3 Maximum Print Resolution 600 x 600 dpi Ethernet (RJ-45 network port : 10Base-T/ Standard Interfaces 100Base-TX), USB2.0 Type A and B Optional Interfaces IEEE1284, Wireless LAN (IEEE802.11a/b/g), Giga Ethernet (1000BASE-T), Bluetooth Network Protocols TCP/IP (IPv4, IPv6), IPX/SPX (available with Netware option) Fonts for PCL 5e/6 45 Roman fonts 136 Roman fonts Windows XP/Server 2003/Vista/Server 2008/7; Novell Netware 6.5; UNIX Filters Network Operating for Sun Solaris 2.6/7/8/9/10; HP-UX 10.x/11.x/11iv2/11iv3; Red Hat Linux Enterprise V4, V5, V6; SCO OpenServer 5.0.6/5.0.7/6.0; IBM AIX Version 5.3, 6.1, 7.1; SAP R/3, 3.x or later, mySAP, ERP2004 or later; Mac OSX 10.2 or later, Citrix Metaframe XP/ Presentation Server 4, 5/XenApp 5.0, 6.0 SmartDeviceMonitor for Admin and Client, Web SmartDeviceMonitor, Web Image Monitor Other Printer Features Media Direct Print (Print from USB/SD)'. Mobile Driver, Bonjour Support, Classification Code, Mail to Print', PDF Direct Print, Sample/Hold/Stored/Locked Print', Store and Print', Windows Active Directory Support, DDNS Support, WSPrinter, PCL resident font adoption. Tray-Parameter Change from WebImageMonitor, XPS Support HDD option required Scanning Speed 31 ipm @ 300 dpi B/W (LT) 21 ipm @ 300 dpi Full-Color (LT) 100 to 600 dpi Main: 8.5" (216 mm) Sub: 14.02" (356 mm) Scanning Resolution Compression Method B/W: MH (default), MR, MMR, JBIG2 Full-Color: JPEG B/W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full-Color: Text/Photo, Glossy Photo, Grayscale Standard Interfaces Ethernet 10BASE-T/100BASE-TX Wireless LAN (IEEE 802.11a/b/g), Gigabit Optional Interfaces Ethernet (1000BASE-T) File Formats: Single/Multi Page TIFF, Single/Multi Page PDF, Single/Multi Page High Compression PDF and Single/Multi

Page PDF/A; Single Page JPEG Scan-to-USB/SD, Scan-to-Email (POP, Scan Modes Supported SMTP, TCP/IP)'; Scan-to-Folder (SMB/ FTP/NCP)2: Network TWAIN Scanning;

Standard Features

HDD option required. Netware option required

Fax

Type Circuit Resolution Modem Speed Compression Method Scan Speed Transmission Speed Memory Memory Backup Quick/Speed Dials Group Dials

User Function Key Standard Features

PDF Encryption, Preview Before Transmission (TX Preview)', Drop Out Color Send, Simultaneous Fax and Scan, Scan-to-Email/SMB/FTP/URL1/NCP2, LDAP Support, TWAIN Scanning

ITU-T (CCITT) G3 PSTN, PBX
200 x 100 dpi, 200 x 200 dpi
33.6K - 2,400 bps with Auto Fallback
MH, MR, MMR, JBIG
2.4 seconds (Letter)
Approx. 2 seconds/page (JBIG)
4 MB (approx. 320 pages)
12 hours
200 (2,000 with HDD Option)
10 groups (max. 100 numbers per group
with HDD option)
3 keys
Detection of Misplaced Documents,
Double Check Destination Address, Direct
SMTP, Simultaneous Fax and Scan, Fax
Forward to Email/Folder, Internet Fax
(T.37)', IP Fax (T.38)', LAN Fax, Paperless
Fax', LDAP Support

HDD option required.

Paper Feed Unit PB1040 (Option)

Paper Size	8.5" x 11" SEF, 8.5" x 14" SEF (A4/LT/LG
Paper Weight	16 – 24 lb. Bond (60 – 90 g/m²)
Paper Capacity	500 sheets x 1 or 2 Trays

Additional Options

HDD Option Type 301 (includes HDD overwrite and encryption), Cabinet, Type FAC57, Cabinet, Type FAC58, IEEE1284 Interface Board Type A, IEEE802.11a/g Interface Unit Type J, Gigabit Ethernet Board Type A, Bluetooth Interface Unit Type D, VM Card Type U, File Format Converter Type E, Browser Unit Type G, SD Card for NetWare Printing Type I, Unicode Font Package for SAP (1/10/100 License Packs available), Handset Type C5502, Optional Counter Interface Unit Type A, Copy Data Security Unit Type F, ACK3400-U Key Board

Security

Quota Setting/Account Limit; SMTP over SSL; Hard Disk Data Overwrite Security'; Authentication (Windows/LDAP/Kerberos/Basic/ User Code/802.1.x Wired); Encryption (Address Book/Authentication Password/SSL Communication/S/MIME/IPsec/Locked Print Password/HDD'); Network Protocol (Port) On/Off; IP Filtering; Copy Data Security Unit; RAM Based Security when HDD is not installed Only required with HDD option.

Some features may require additional options.



MP 301SPF and FAC 57 Cabinet



WSDScanner for Vista

MP 301SPF with Optional PB1040 Paper Tray and FAC 58 Cabinet



MP 301SPF with Two Optional PB1040 Paper Trays and FAC 58 Cabinet





www.ricoh-usa.com

Ricoh Americas Corporation, Five Dedrick Place, West Caldwell, NJ 07006, 1-800-63-RICOH Ricoh² and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. The content of this document, and the appearance, feasures and specifications of Ricoh products and services are subject to change from time without notice. Products are shown with optional features. While card has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them. **25204**

Digital B&W Multifunction Printer

RICOH MP 2555SP MP 3055SP MP 3555SP





Turn the everyday into an easy day

Use the RICOH[®] MP 2555SP/ MP 3055SP/ MP 3555SP to simplify everyday office tasks and move information to the people who need it most, in the format they prefer. Scan full-color images, brochures and other documents and distribute them instantly. With the same pinch-and-flick and scrolling gestures you use on your smartphone or tablet, you can access critical information, set shortcuts and distribute information from the advanced 10.1" Smart Operation Panel. Alternatively, you can use smart mobile devices to connect remotely and work on the go. Take advantage of advanced security controls to help protect your data.

- Print up to 35 prints/copies per minute for productive black-and-white output
- Use intuitive touchscreen controls to copy, print, scan and fax quickly
- Create your own workflows with shortcuts to simplify tasks
- Access, print and distribute information from your personal mobile device
- Minimize energy costs via a wide range of innovative eco-friendly features
- Produce professional-looking saddle-stitched and punched booklets, presentations and proposals
- Simplify sorting and stapling tasks with compact internal and high-output external finishers
- Toggle between stapled or stapleless finishing automatically with an external hybrid 1,000-sheet finisher



Value added in all ways

Make complex the easy way

Printing black-and-white notes, reports and presentations is effortless with speed up to 35 pages per minute (ppm). Scan with Single Pass Document Feeder (SPDF) for full-color originals at 220-Sheet per minute and distribute them digitally in an instant. Addition optional paper trays allows total paper capacity expand to 4,700 sheets to minimize interruptions.

Access anywhere and anytime

Simply download the RICOH Smart Device Connector app on your Android[®] or iOS[®] devices to copy, scan, fax and print. Sharing & retrieving information directly from cloud storage applications, such as Google Drive[™], Box[™] or Dropbox[™] and print it. Simple connection via either Bluetooth or Near Field Communication (NFC) tag. Printing from AirPrint and Mopria are available too.

Compel with quality

To impress audiences with sharp images and precise text at up to 1,200 x 1,200 dpi resolution. These new devices now include standard PostScript to help improve productivity. With the 1.46 GHz Intel[®] based controller, you can handle your most complex printing and scanning tasks. Print on a wide range of paper types, you can even create an easy-to-see poster from one of your current documents.

Reduce costs and environmental impact

The MP 2555SP/ MP 3055SP/ MP 3555SP with a wide range of sustainable, eco-friendly features. It is ENERGY STAR[®] certified to help reduce your environmental footprint. You can also schedule the MFP to power down when the office is empty and reduce paper costs with default duplex printing.







Speed up your workflow

Use shortcuts to move ahead quickly

Customize your own personal workflows on the Smart Operation Panel and reduce repetitive manual steps that can impede the flow of information. Download easy-to-use workflow apps from the RICOH Application Site to add specific features or single-function capabilities to simplify how you perform everyday tasks. For example, Conference Concierge app will guide you step-by-step instructions on how to create supporting materials in the right format for your next big event.

Integrate with fast, easy workflows

Simplify even the most complex tasks by integrating Ricoh workflow software. Automate document management workflows, improve printer security controls, track costs, issue chargebacks and more. Use RICOH GlobalScan[™] NX to reduce manual touch points, so you can convert them into digital files and route them around the globe in moments. RICOH Streamline NX® device management software, for centralized one-source control to expedite document management tasks for your entire fleet.

Get in touch with productivity

Designed with RICOH Workstyle Innovation Technology, the customizable 10.1" Smart Operation Panel uses your familiarity with today's touchscreen devices to provide a more intuitive user experience. Customize the user interface with specific icons for important settings and features with a single touch. The MFP includes a web browser, print web pages, images and documents that found online as PDFs.

Keep tabs on your best people and ideas

Protect information with a wide range of security controls. The hard disk drive offers powerful encryption protection. The builtin DataOverwriteSecurity System (DOSS) overwrites latent images remaining on the hard drive. With user authentication, users have to enter a passcode, billing code or swipe an ID card with the optional card readers to gain access to the MFP. RICOH Device Manager NX Accounting, optional accounting software, allows to issue chargebacks.













Make big productivity gains in small offices



RICOH MP 2555SP / MP 3055SP / MP 3555SP

MAIN SPECIFICATIONS

Warm-up time:	20 seconds		
First output speed:	4.6/4.6/4.3 seconds		
Continuous output speed:	25/30/35 pages per minutes		
Memory:	Standard: 2 GB		
HDD:	320 GB		
Dimensions (W x D x H):	587 x 684 x 788 mm (MF only)		
Weight:	62.5 kg (MF only)		
Power source:	220-240 V, 50/60 Hz		
COPIER			
Copying process:	Single laser beam & electro-photographic printing		
Multiple copying:	Up to 999 copies		
Resolution:	600 x 600 dpi		
Zoom:	From 25% to 400% in 1% steps		
PRINTER			
Printer language:	Standard: PCL5e, PCL6, PDF Direct, PS3 (Emulation)		
	Option: Adobe PostScript3, Adobe PDF		
Print resolution:	Maximum 1,200 x 1,200 dpi		
Interface:	Standard: USB Host I/F, Ethernet 10 base-T/100 base-TX/1000 base-T		
	Option: Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth USB Server for Second Network Interface, Bidirectiona IEEE 1284/ECP, USB 2.0		
Network protocol:	TCP/IP(IP v4,IP v6)		
Supported operating systems:	Windows Vista/7/8/8.1/10, Windows Server/2003, 2008/2008 R2/2012/2012 R2		
Mac OS environments:	Mac OS X v.10.7 or later		
UNIX environments:	Sun Solaris, HP-UX, SCO OpenServer, Red Hat Linux, IBM AIX, IBM iSeries/AS/400-using OS/400 Host Print Transform		
SAP [®] R/3 [®] environments:	SAP® R/3®		
FAX (OPTION)			
Circuit:	PSTN, PBX		
Compatibility:	ITU-T (CCITT) G3		
Resolution:	8 x 3.85 line/mm, 200 x 100 dpi (standard)		
	8 x 7.7 line/mm, 200 x 200 dpi (standard)		
	8 x 15.4 line/mm, 16 x 15.4 line/mm, 400 x 400 dpi (with optional SAF memory)		
Transmission speed:	G3: 2 seconds (200 x 100 dpi, JBIG) G3: 3 seconds (200 x 100 dpi, MMR)		
	us. s seconds (200 x 100 upi, iviivity)		

Scanning speed: Full colour (max): 110 ipm (Simplex) / 180 ipm (Duplex) B&W (max): 110 ipm (Simplex) / 180 ipm (Duplex) Standard: 100 dpi, 200 dpi, 300 dpi, 400 dpi, 600 dpi Resolution: Default: 200 dpi Original size: A3, A4, A5, B4, B5, B6 File format: TIFF, JPEG, PDF, High Compression PDF, PDF-A Bundled drivers: Network TWAIN Driver SMTP (Mail Server) Gateway and TCP/IP, POP, IMAP4 Scan to email: Scan to folder: SMB, FTP

PAPER HANDLING

Recommended paper size:	A3, A4, A5, A6, B4, B5, B6		
Paper input capacity:	Standard: 1,200 sheets		
	Maximum: 4,700 sheets		
Paper weight:	52 - 300 g/m²		
ECOLOGY			
Power consumption:	Maximum: 1,600 W		
	Ready mode: 58.3 W		
	Sleep mode: 0.84 W		

TEC (typical electricity consumption): 0.9/ 1.1/ 1.4 kWh

OPTIONS

PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, 1 Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 NA, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP(R) 1 License, Unicode Font Package for SAP(R) 10 License, Unicode Font Package for SAP(R) 100 License, IEEE 802.11a/g/ n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket TypeM19

For availability of models, optional apparatus and software, please consult your local Ricoh supplier.



www.ricoh-ap.com

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467 Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2016 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.



Optiona

Adobe[®] PostScript[®] 3[®]

*Optional

*Genuine Adobe[®] PostScript[®]3 and PDF Direct from Adobe[®] are available as options.

mopria

RICOH @Remote

🚯 Bluetooth*

Multifunction Color

RICOH MP C307 MP C407





Turn limited space into an advantage

Improve your workgroup's productivity and economics by keeping more jobs in-house with the RICOH[®] MP C307/MP C407 color laser multifunction printers (MFPs). With all-in-one print, copy, scan, fax, local storage and cloud capabilities, the MP C307/MP C407 become your workgroup's Information Management Hubs—where print and digital documents come together as unified workflows to help streamline collaboration and more. Larger workgroups that generate higher volumes of output may prefer the faster MP C407 with "workhorse" performance, speedily powering through large, graphics-intensive files.

- MP C307: 31 ppm (Color), 31 ppm (B&W)
- MP C407: 36 ppm (Color), 42 ppm (B&W)
- Print, copy, fax and scan (up to 80 images per minute)
- Support sheet sizes up to 8.5" x 14"
- Safeguard proprietary information from unauthorized access and erase or encrypt information on the local hard drive

Efficient workgroups

Get more work done in less time—even when space is limited

Increase your productivity

While the MP C307 /MP C407 MFPs may not take up much space, they pack in many robust features to help you increase productivity with fast print and copy speeds. Save valuable time waiting for warm-up and jobs to start thanks to fast first-print times for both color and black-and-white output. Ultimately, speed means little if your MFP isn't backed up by enough processing power to avoid user frustration. The MP C307/ MP C407 come with a standard Intel 1.46 GHz processor and 2 GB RAM to easily handle large files and process multiple jobs at once.

Digitize documents at the speed of business

Scan two-sided documents with the MP C307/MP C407's standard singlepass document feeders at speeds up to 80 ipm and 600 dpi resolution, freeing you to digitize large volumes of documents. Standard on both MFPs, RICOH[®] PageKeeper* helps to keep scanning jobs running smoothly as it detects—and stops—your MFP from feeding multiple sheets. Types of scanning include: Scan-to-Email (SMTP/POP3), Scan-to-Folder (SMB/ FTP), Scan-to-Media (USB/SD card), plus Network TWAIN scanning. Now, you can efficiently store and share print documents as easily as digital information-in PDF, TIFF, JPEG and other common formats. Never lose a document again with optional OCR scanning, allowing you to create searchable PDFs.

*PageKeeper models only.

Bring color documents to life

Create professional-looking documents with print-shop quality color in-house when you need them. Standard PostScript helps to transform your documents with colors that appear more brilliant and text that reads crisper and clearer. Impress your customers with proposals, presentations and other vital documents in 1200 x 1200 dpi resolution.

Streamline everyday tasks

Save time and automate repetitive tasks with the RICOH Smart Operation Panel (SOP)—standard on the MP C307/MP C407. The SOP's large 10.1" color touch screen offers intuitive, tablet-like functionality, even allowing you to customize shortcuts and prioritize apps that help to make your work life more efficient. Speed through jobs with one-touch convenience, and watch how-to videos for guick self-help.













Efficient workplaces

Embrace mobile innovation

Thrive in the "everywhere workplace" as you connect your mobile devices to the MP C307/MP C407. When your mobile devices are connected to the same network as the MP C307/MP C407, use AirPrint[®] to connect iOS devices or Mopria[™] for Android devices. With the RICOH Smart Device Connector App, connect to the MP C307/MP C407 and initiate print, scan, copy and fax jobs right from your smart device. Also print files on your device(s) or cloud storage, and scan directly to cloud storage. Users can connect via NFC or QR code to the MP C307/MP C407 without needing to go onto the corporate network.



Support diverse media and large workloads

Maximize the value of your investment as you take on a wide array of print jobs and easily scale for increased output with the MP C307/MP C407. Instead of interrupting workflows to refill paper trays, simply add two optional 500-Sheet paper feed units, expanding the standard 350-Sheet capacity up to 1,350 sheets. Support thick media up to 120 lbs. index and large-format media up to 23.6" via the bypass tray. Also print on letterhead, transparencies and labels.



Safeguard sensitive information

Be proactive about avoiding data breaches that could hurt you and your customers. As your workgroup's information management hub, the MP C307/MP C407 provides crucial safeguards to help protect sensitive information from unauthorized access, data leakage and network security threats. SSL/TLS and IP address filtering help to create secure connections and authenticate users. Also manage user access with an NFC card reader plus ensure critical documents are secure by using Locked Print, which requires a user to enter a passcode before the job is printed. Secure local storage includes standard data encryption and Data Overwrite Security System (DOSS), which overwrites latent data on the hard disk drive.



Efficient workplaces

Simplify device management

Manage the MP C307/MP C407 from almost anywhere via utilities from Ricoh such as Web Image Monitor and @Remote. With Web Image Monitor, your IT team can remotely configure the MFPs and painlessly change security settings through guided pop-up dialog boxes. In the event of a power outage, you can get back to business quickly with Remote Power-On. Also manage user access and set user permissions. Maximize uptime and efficiency with auto-notifications when supplies like paper need to be replenished.



More workflow enhancements

Take your efficiency to another level with unique features on the MP C307/MP C407 to help you eliminate waste and finish jobs faster. Store up to 3,000 documents—from forwarded faxes to frequently used forms and documents—on the standard document server. Now, print on-demand rather than pile up wasteful pre-printed forms. Also, search and view locally stored documents from your desktop. The ID Card Copy feature makes it easy to copy the front and back of identification and insurance cards onto a single sheet of paper.



Low environmental impact


Committed to reducing your environmental impact, the MP C307/MP C407 are EPEAT® Gold rated* and ENERGY STAR® certified, and offer a low Typical Electricity Consumption (TEC) of just 1.2 KWh/week (1.8 KWh/week for the MP C407). And with an 8-second recovery from Sleep Mode, the MP C307/MP C407 help your office save on energy costs without slowing down. Reduce costs further by using less paper with standard two-sided printing. Recycle toner cartridges through Ricoh's Cartridge Return Program to help maintain a low environmental impact.



*EPEAT rating is applicable only in the USA.



Own your workstyle



Just because you move among different workgroups or offices, it doesn't mean you can't bring your workstyle with you. Enjoy a consistent experience anywhere you work on an MP C307/MP C407 or another Ricoh device with the

Make your MFP work for you: The Smart Operation Panel is your portal to productivity. On the 10.1" touch screen, find information quickly and accelerate workflows with shortcuts—including personalizing three persistent shortcuts at the top left of the panel. Simplify document creation with convenient previews in which you can configure detailed layout options. Additionally, change the look and layout of your SOP's user interface per your preferences.

2 Simplified Quick Screens: Quick User Interface screens provide access to basic features on one screen to help simplify print, copy, scan and fax jobs. Large icons provide a user-friendly interface for novice or one-time users as well as the ability to preview your job prior to transmission for accuracy. RICOH Smart Operation Panel — and benefit from the same apps and enterprise solutions for smarter automation, information security and more.

- 3 **Application Site:** Select easy-to-use apps from the convenient RICOH Application Site to automate many of your most time-consuming tasks. Place them on the home screen as easily identifiable one-touch shortcuts. With a single tap, you can add specific features to copy, print, scan and fax with less hassle and fewer delays.
- How-to-videos: Access an extensive library of selfhelp videos directly from the Smart Operation Panel. The easy-to-follow tutorials guide you through basic MFP operations, troubleshooting, customizing controls and more to help you boost productivity and standardize the user experience.
- 5 Web browser: Access websites directly from your MFP as though you were using a personal smart device. Convert a web page into a hardcopy document in seconds.

Workstyle innovation for workgroups



Explore the key features of the MP C307/MP C407 that help to meet the requirements of your workgroup's changing workstyle — from affordable in-house high-resolution

- Smart Operation Panel (SOP): Run solutionsfocused smart apps on the Android-based 10.1" Smart Operation Panel (SOP) with a user interface that's as easy to use as a personal smart device. The SOP also features a USB and SD card slots for scanning to and printing from portable media.
- 2 Single Pass Document Feeder (SPDF) : Get highresolution scanning with speeds up to 80 ipm by simultaneously scanning both sides of documents up to 8.5" x 11".
- 3 NFC user authentication: Embedded software for Near Field Communication (NFC) user authentication is standard. With the optional NFC card reader, you can quickly authenticate via NFC-enabled proximity cards.
- Paper-feeding capacity: Expand the standard 350-sheet capacity to 1,350 sheets from four independent paper supply sources with the addition of two optional 500-Sheet Paper Feed Units. Bypass tray holds up to 100 sheets, supporting thick media up to 120 lbs. index and large-format media up to 23.6".
- 5 **Paper output capacity:** Standard output capacity of 100 sheets, expandable to 200 sheets with the addition of the optional 100-sheet One Bin Tray.

color printing to mobile printing and high-speed document scanning for cloud services.

The One Bin Tray offers the added advantage of separating print and copy or copy and fax output for faster, easier document retrieval.

- **PageKeeper:** A multi-feed detection sensor that automatically stops a scanning job when more than one sheet is fed through the single pass document feeder. Avoid delays and errors with a more reliable scanning workflow.
- 7 Mobile printing: It's easy to connect your mobile device to the MP C307/MP C407 and stay productive while on the move. Connect your NFC-enabled device by simply placing it near the attached NFC tag. For added functionality download the RICOH Smart Device Connector app and connect quickly to the MFP using a QR code no need to access the network. You'll be able to initiate print, copy, scan and fax jobs right from your mobile device. And when network access is available, use AirPrint[®] to connect iPhones and iPads and Mopria[™] for Android-based smartphones and tablets.

Powerful Controller and local storage: Ricoh's next generation architecture controller equipped with a powerful Intel 1.46 GHz processor and 2 GB standard RAM process complex files quickly and keep pace with your busy work day. Standard 320 GB HDD provides a Document Server to store inbound faxes and frequently used forms.

RICOH MP C307/MP C407

SYSTEM SPECIFICATIONS

enera	I	Spec	ifica	tion	s
		opee			

Ge

General Specificat	
Configuration	MP C307; 417839
	MP C407; 417847
	MP C307 with PageKeeper; 418044
	MP C407 with PageKeeper; 418045
Scanning Element	One-dimensional solid scanning through
Deintin - Des sass	CCD; CIS sensor scans backside of SPDF
Printing Process	Dry electrostatic transfer system with dual
System Memory	component development; 4-drum method 2 GB (RAM)
	MP C307: B&W – 31 ppm; Full Color –
output speed (EI)	31 ppm
	MP C407: B&W – 42 ppm; Full Color –
	36 ppm
First-Print Time (LT)	MP C307: B&W – less than 7.2 seconds; Full-
	Color – less than 11 seconds
	MP C407: B&W – less than 6.2 seconds; Full
	Color – less than 10.5 seconds
Recovery Time from	MP C307: 8.2 seconds
Sleep Mode	MP C407: 8 seconds
Copy Resolution Exposure Adjustment	600 x 600 dpi (Print: 1,200 x 1,200 dpi) Manual and automatic
Multiple Copies	Up to 999
Document Feeder	Single Pass Document Feeder (SPDF)
	(Standard)
Original Capacity	50 sheets (SPDF)
Paper Sizes	Standard Tray: 5.5" x 8.5" to 8.5" x 11"
	Optional Trays: 5.5" x 8.5" to 8.5" x 14"
	Bypass Tray: 3.0" x 5.4" to 8.5" x 23.6"
Demon Mainhe	Duplex Unit: 5.5" x 8.5" to 8.5" x 14"
Paper Weights	Standard Trays: 16 – 43 lb. Bond (60 – 163 g/m ²)
	Optional Trays: 16 – 43 lb. Bond
	(60 – 163 g/m ²)
	Bypass Tray: 16 – 58 lb. Bond
	(60 – 220 g/m ²)
	Duplex Unit: 16 – 43 lb. Bond
	(60 – 163 g/m²)
Exposure Glass	Up to 8.5" x 14"
Input Capacity	Standard: 250 sheets + 100-Sheet Bypass
	Tray Optional: 500 sheets x 1 or 2 Trays
	Maximum: 1,350 sheets
Output Capacity	Standard: 100 sheets
	Optional: 200 sheets (total) with
	One Bin Tray
	Plain, Recycled, Colored, Letterhead,
	Preprinted, Bond, Card Stock, Special,
	Coated, Waterproof, Back Copied, Thick*,
	OHP (Transparency)*, Envelopes*, Label Stock*
Auto Duplex	Stock " Standard
Zoom	25% to 400% in 1% increments
Preset Reduction and	65%, 78%, 93%, 100%, 129%, 155%
Enlargement Ratios	
Dimensions (WxDxH)	19.6" x 23.0" x 20.1" (498mm x 585mm x
	510mm)
Weight	Less than 101.4 lbs (46 kg)
Power Requirements	120~127V, 60Hz,10A
Power Consumption	Less than 1.3 KW (max.); 0.81 W (sleep mode)
TEC**	MP C307: 1.2 kWh/week
	MP C407: 1.8 kWh/week
Standard Features	Document Server, Java™, Poster Copy,
	ID Card Copy, Auto Tray Switch, Auto
	Start, Auto Off Timer, Energy Saver
	Timer, Color Balance Adjustment, Color
	Balance Program, Auto Color Calibration,
	Combine Copy, Electronic Sort, Photo
	Mode, Series Copy, Job Programs, User Codes (1,000) Simplified Display, Login/
	Codes (1,000), Simplified Display, Login/ Logout Button, Eco-friendly Indicator

Hard Disk Drive 320 GB Standard: PCL5c/6, PostScript 3, Page Description Languages PDF Direct Optional: Adobe[®] PostScript[®]3[™], PDF Direct, XPS Direct Print Maximum Print 1200 x 1200 dpi Resolution Standard Interfaces Ethernet (10BASE-T/100BASE-TX/1000BASE-T), USB 2.0 (Type A), SD Card Slot **Optional Interfaces** Wireless LAN IEEE 802.11a/b/g/n and IEEE 1284/ECP, USB 2.0 Type B Network Protocols TCP/IP (IPv4, IPv6) Windows Vista/7/8/8.1/10/Server Network Operating Windows Systems 2008/Server 2008R2/Server 2012/Server 2012R2; UNIX Filters for Sun Solaris 9/10; HP-LIX 11 x/11iv2/11iv3· Red Hat@ Linux Enterprise V4, V5, V6; SCO OpenServer 5.0.7/6.0; IBM AIX Version 5L, 5.3, 6.1 7.1; SAP R/3, device type: barcode and OCR package; Mac OSX 10.8 or later, Citrix® XenApp 6, 5+, Xen Desktop 7.0+; IBM iSeries/AS/400 — using OS/400 host print transform Utilities @Remote, Device Manager NX, Web Image Monitor Other Printer Features Media Direct Print (Print-from USB/SD), Sample/Locked/Hold/Scheduled/Stored Print, Banner Page Print, Poster Print, Unauthorized Copy Control, User ID, User Code, Classification Code, Layout (N-up), Watermark, Collate, CLP Simulation, Bonjour Support, PDF Direct Print, Windows Active Directory Support, DDNS Support, PCL Resident Font Adoption, Universal Driver, WS Printer, 1200 dpi Support, XPS Support, Auto Job Promotion, Mail-to-Print **Scanner Specifications** 80ipm @ 300dpi full color and B&W Scanning Speed Duplex 100, 200, 300, 400, 600 dpi Main: 8.5" (216 mm) Sub: 14.0" (356 mm) Scanning Resolution Scan Area Compression Method B&W: TIFF (MH, MR, MMR, JBIG2), Grayscale Full-Color: JPEG Scan Mode B&W: Text, Text/Line Art, Text/Photo, Photo, Grayscale Full-Color: Text/Photo, Glossy Photo, Standard Auto Color Select Ethernet 10BASE-T/100BASE-TX/1000BASE-T, Standard Interfaces USB Type A and SD Card via Smart Operation Panel Optional Interfaces Wireless LAN (IEEE 802.11a/b/g/n) Single/Multi Page TIFF, Single/Multi Page File Formats PDF, Single/Multi Page High Compression PDF, Single/Multi Page PDF/A and Single Page JPEG Scan-to-Email (POP, SMTP, TCP/IP); Scan-to-Folder (SMB/FTP); Network Scan Modes Supported TWAIN Scanning; Scan-to-Media (USB/SD) Standard Features WS-Scanner, Scan to Email/SMB/ FTP/ URL, Scanned File Naming, Scan File Type Selection, LDAP Support, Preview Before Transmission, PDF Encryption, Drop Out Color Send, TWAIN Scan, Universal Send, PDF/Digitally Signed PDF/PDF/A, Distributed Scan Management, PageKeeper

Printer Specifications

Memory Capacity

1.46 GHz Intel

2 GB

CPU

Fax Specifications

Type Circuit

Resolu

Mode

Compi

Scan S Transn

Memo

Memo

Ouick Group

Standa

-	ITU-T CCITT G3
	PSTN, PBX
tion	200 x 100 dpi, 200 x 200 dpi
n Speed	33.6K – 2,400 bps with Auto Shift Down
ression Method	MH, MR, MMR, JBIG
peed	30 pages per minute
nission Speed	Approx. 2 seconds/page (200 x 100 dpi, JBIG)
ry	4 MB (approx. 320 pages)
ry Backup	1 hour
Dial	2,000 numbers
Dials	100 groups (max. 500 numbers per group)
ard Features	Detection of Misplaced Documents, Double Check Destination Address, Direct SMTP, Serial Broadcasting, Fax Forward to Email/ Folder, Internet Fax (T.37), IP Fax (T.38), LAN Fax, Remote Fax (optional), Paperless Fax, LDAP Support, Universal Send
ware Option	5
Feed Unit PB1080	
Size	5.5" x 8.5" SEF, 8.5" x 14" SEF
Weight	16 - 43 lb Bond (60 - 163 a/m ²)

Hard Paper F

Paper Size	5.5" x 8.5" SEF, 8.5" x 14" SEF
Paper Weight	16 – 43 lb. Bond (60 – 163 g/m2)
Paper Capacity	500 sheets x 1 or 2 trays
Dimension (WxDxH)	19.6" x 21.7" x 5.9"
	(498 mm x 552 mm x 150 mm)
Weight	23 lbs./10.4 kg.
1 Bin Tray BN1030	

1 Bin Tray BN1030	
Paper Size	5.5" x 8.5" SEF to 8.5" x 14" SEF
Paper Weight	16 – 43 lb. Bond (60 – 163 g/m2)
Paper Capacity	200 sheets (total output with standard tray)

Additional Options

Low Cabinet, Medium Cabinet, High Cabinet, Fax Connection Unit Type M28, XPS Direct Print Option Type M28, IEEE 1284 Interface Board Type M19, IEEEB02.11 IEEE 802.11a/g/n Interface Unit Type M19, File Format Converter Type M19, NFC Card Reader Type M13, OCR Unit Type M13, Embedded HotSpot Type S, PostScript Unit Type M28, 1-Bin Tray BN1030, Extended USB Board Type M19, ESP XG-PCS-15D Power Filter, ESP S1 Power Filter

Security

Network User Authentication, IP Address Filtering, HDD Data Overwrite, HDD Encryption, Copy Guard Security, Secure Print, Encrypted Secure Print, Encrypted PDF Mode, Digitally Signed PDF, IP Sec, SSL/TLS, SNMPv3, SMTP over SSL, Security for IEEE 802.11i/w, IPv6, Transport Layer Security

Specifications are subject to change without notice. Some features may require additional options

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.

*Bypass Tray only.

*Typical Electricity Consumption by ENERGY STAR® Program.




www.ricoh-usa.com

Ricoh USA, Inc., 70 Valley Stream Parkway, Malvern, PA 19355, 1-800-63-RICOH Ricoh 'and the Ricoh logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners © 2017. Ricoh USA, Inc. All rights reserved. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no regresentation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will avay depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products and services are as set forth in the express warranty statements accompanying them. R88



RICOH MP 4055SP MP 5055SP MP 6055SP





Put productivity on display

You face difficult choices every day. Fortunately, they're a lot easier to make when you have the right information. Choose the RICOH[®] MP 4055SP/ MP 5055SP/ MP 6055SP to print, copy, scan and fax important notes, brochures, invoices, contracts and other documents quickly and economically. With the advanced 10.1" Smart Operation Panel, you can pinch, swipe and scroll like you do on your smartphone or tablet to check and adjust settings, automate tasks and distribute information with speed and precision. Select from multiple finishing options to add a professional touch to documents while eliminating outsourced printing costs. Set shortcuts to expedite everyday jobs. Print and distribute files while on the move using your personal mobile device. Valuable ideas are safe with user authentication and other security capabilities. Nevertheless, the versatile all-in-one MFP is designed specifically to use less energy, which helps reduce costs.

- Print up to 60 black-and-white prints/copies per minute
- Use the Smart Operation Panel to copy, print, scan and fax quickly
- Create automated workflows and shortcuts to simplify everyday tasks
- Expedite sorting, stapling, folding and hole punching via a wide range of finishing options
- Share information from your smartphone or tablet using the MFP



Create an easier way to work

Deliver on good information

Print up to 60 black-and-white pages per minute (ppm) to get the word out quickly. Use the Single Pass Document Feeder to transform one-or two-sided originals into digital files and distribute them via Scan-to options, store up to 3,000 frequently used forms on the embedded Document Server to keep the latest versions readily accessible. Fax and Optical Character Recognition (OCR) are available as Options.

Connect with mobility

Create workplace freedom without compromising productivity. Simply download the RICOH Smart Device Connector app on your Android[®] or iOS[®] devices to copy, scan, fax and print. Sharing & retrieving information directly from cloud storage applications, such as Google Drive[™], Box[™] or Dropbox[™] and print it. Simple connection via either Bluetooth or Near Field Communication (NFC) tag. Printing from AirPrint and Mopria are available too.

Discover more ways to impress

Producing crisp images with smooth gradations and precise text at up to 1,200 dpi resolution on a wide range of document types. Choose between the icon-driven drivers to easily make subtle image changes prior to printing. These new devices now include standard emulation PostScript and 1.46 GHz Intel[®] controller to help improve productivity and perform multiple task quickly and simultaneously. You may expand paper capacity up to 4,700 sheets.

Help reduce environmental impact

The MP 4055SP/ MP 5055SP/ MP 6055SP is easy on your workload as well as budget. Take advantage of its many eco-friendly features. The MFP is ENERGY STAR[®] certified with multiple enery-saving options available. For instance, you can schedule the MFP to power down when the office is empty and keep duplex printing as the default to reduce paper costs.







Press ahead with customized convenience

Expand capability with Apps

Customize your own personal workflows on the Smart Operation Panel and reduce repetitive manual steps that can impede the flow of information. Download easy-to-use workflow apps from the RICOH Application Site to add specific features or single-function capabilities to simplify how you perform everyday tasks. For example, Conference Concierge app will guide you step-by-step instructions on how to create supporting materials in the right format for your next big event.

Improve workflow with software solution

There's always an easier way. Add Ricoh and third-party solutions to simplify complex workflows and automate many of your repetitive everyday tasks. With RICOH GlobalScan™ NX solution, you can digitize hardcopy originals and distribute them anywhere almost instantly with minimal effort. Use RICOH Streamline NX® solution for document creation, storage, retrieval, distribution, card authentication and more. Also RICOH Device Manager NX Accounting and issue chargebacks for individuals and workgroups with incredible speed and accuracy.

Tap into critical information

Use the 10.1" intuitive Smart Operation Panel to toggle between jobs and tasks quickly and conveniently like smart mobile devices. Designed with RICOH Workstyle Innovation Technology, the touchscreen offers multiple user interfaces that display critical information in a grid-like layout. Simply tap on any icon to access data, change settings, and perform tasks easily. You can print web pages, images and documents as PDFs from web browser at any time.

Be secure with your information

Reduce risks with a wide range of security controls. Track users and their activity with User Authentication. Have every person enter a passcode or swipe an ID card by the optional NFC or HID card readers to access the device. Set print quotas for individuals or workgroups to minimize unnecessary printing. With Locked Print, jobs are held until the authorized user releases them, so sensitive information isn't left unattended for passersby. The hard disk drive includes powerful encryption protection, which allows users to share information with confidence, and a DataOverwriteSecurity System (DOSS) overwrites latent images on the hard drive.













Make big productivity gains in small offices



RICOH MP 4055SP / MP 5055SP / MP 6055SP

MAIN SPECIFICATIONS

GENERAL

GENERAL			
Warm-up time:	20 seconds		
First output speed:	4.0/2.9/2.9 seconds 40/50/60 pages per minutes Standard: 2 GB 320 GB 587 x 684 x 788 mm (MF only)		
Continuous output speed:			
Memory:			
HDD:			
Dimensions (W x D x H):			
Weight:	62.5 kg (MF only)		
Power source:	220-240 V, 50/60 Hz		
COPIER			
Copying process:	Twin laser beams &Electro-photographic printing		
Multiple copying:	Up to 999 copies		
Resolution:	600 x 600 dpi		
Zoom:	From 25% to 400% in 1% steps		
PRINTER			
Printer language:	Standard: PCL5e, PCL6, PDF Direct, PS3 (Emulation)		
	Option: Adobe PostScript3, Adobe PDF		
Print resolution:	Maximum 1,200 x 1,200 dpi		
Interface:	Standard: USB Host I/F, Ethernet 10 base-T/100		
	base-TX/1000 base-T		
	Option: Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth		
	USB Server for Second Network Interface, Bidirectiona IEEE 1284/ECP, USB 2.0		
Network protocol:	TCP/IP (IP v4, IP v6)		
	Windows Vista/7/8/8.1/10, Windows Server/2003		
supported operating systems.	2008/2008 R2/2012/2012 R2		
Mac OS environments:	Mac OS X v.10.7 or later		
UNIX environments:	Sun Solaris, HP-UX, SCO OpenServer, Red Hat Linux, IBM AIX, IBM iSeries/AS/400-using OS/400 Host Print		
	Transform		
SAP [®] R/3 [®] environments:	SAP® R/3®		
FAX (OPTION)			
Circuit:	PSTN, PBX		
Compatibility:	ITU-T (CCITT) G3		
Resolution:	8 x 3.85 line/mm, 200 x 100 dpi (standard)		
	8 x 7.7 line/mm, 200 x 200 dpi (standard)		
	8 x 15.4 line/mm, 16 x 15.4 line/mm, 400 x 400 dpi (with		
	optional SAF memory)		
Transmission speed:	G3: 2 seconds (200 x 100 dpi, JBIG)		
Ma dana an a di	G3: 3 seconds (200 x 100 dpi, MMR)		
Modem speed:	Maximum: 33.6 Kbps		
SCANNER			
Scanning speed:	Full colour (max): 110 ipm (Simplex) / 180 ipm (Duplex) B&W (max): 110 ipm (Simplex) / 180 ipm (Duplex)		
Resolution:	Standard: 100 dpi, 200 dpi, 300 dpi, 400 dpi, 600 dpi		
	Default: 200 dpi		
Original size:	A3, A4, A5, B4, B5, B6		
File format:	TIFF, JPEG, PDF, High Compression PDF, PDF-A		
Bundled drivers:	Network TWAIN Driver		
Scan to email:	SMTP (Mail Server) Gateway and TCP/IP, POP, IMAP4		
	CAD ETD		

PAPER HANDLING

Recommended paper size:	A3, A4, A5, A6, B4, B5, B6
Paper input capacity:	Standard: 1,200 sheets
	Maximum: 4,700 sheets
Paper weight:	52 - 300 g/m²
ECOLOGY	
Power consumption:	Maximum: 1,780 W
	Ready mode: 48.8 W
	Sleep mode: 0.82 W
TEC (Typical Electricity Consumption):	1.7/ 2.3/ 2.8 kWh

OPTIONS

Internal Multi-Fold Unit FD3000, PostScript3 Unit Type M29, ARDF DF3090, SPDF DF3100, Platen Cover PN2000, Marker Type 30, Paper Feed Unit PB3220, Paper Feed Unit PB3250, LCIT PB3260, LCIT RT3030, Caster Table Type M3, I Bin Tray BN3110, Internal Shift Tray SH3070, Side Tray Type M3, Bridge Unit BU3070, Finisher SR3210, Booklet Finisher SR3220, Punch Unit PU3050 NA, Punch Unit PU3050 EU, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3050 SC, Finisher SR3230, Booklet Finisher SR3240, Punch Unit PU3060 EU, Punch Unit PU3060 SC, Internal Finisher SR3130, Punch Unit PU3040 NA, Punch Unit PU3040 EU, Punch Unit PU3040 SC, Internal Finisher SR3180, ADF Handle TypeC, USB Device Server Option Type M19, Unicode Font Package for SAP(R) 10 License, Unicode Font Package for SAP(R) 10 License, IEEE 802.11a/g/n Interface Unit Type M19, Extended USB Board Type M19, IEEE 1284 Interface Board Type M19, File Format Converter Type M19, FAX Memory Unit Type M19 64MB, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Key Counter Bracket Type M3, External Keyboard Bracket TypeM19

For availability of models, optional apparatus and software, please consult your local Ricoh supplier.



Scan to folder:

www.ricoh-ap.com

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467 Phone: +65 6830 5888, Fax: +65 6830 5830

SMB, FTP

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2016 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.



Adobe: PDI



RICOH @Remote

*Genuine Adobe[®] PostScript[®]3 and PDF Direct from Adobe[®] are available as options.



Digital Full Colour Multi Function Printers

RICOH MP C3004 MP C3504 MP C4504 MP C6004 SERIES

🗹 Copier 🗹 Printer 🗹 Facsimile 🗹 Scanner



2÷ 🖾

101.76

MP C3504SP Black & white Full colour



We're reinventing office life with Workstyle Innovation Technology.

RICOH MP C3004/C3504/C4504/C6004 series

- 10.1 inch Smart Operation Panel
- 2 1,000 sheet hybrid finisher
- 3 Built-in duplex unit
- 4 Human Detection Sensor
- 5 Intel processor inside

Innovating your workplace.

We want to create real functionality and a seamless user experience. And thanks to a range of helpful features – including the ability to securely print from mobile devices – our main innovation is perhaps the sheer variety of apps and customisable solutions that will really make a difference to your day.

A whole new world of Apps.

If you're looking to customise your Smart Operation Panel, you can download and install additional apps from our Application Site – as well as update apps, firmware or uninstall apps. And you can do all this without accessing our main site, so work doesn't get interrupted.

Seamless processing.


The new Intel-based controller greatly enhances printing and scanning of complex documents and reduces overall processing time. And when it comes to print and image quality, RICOH MFPs achieve vibrant results with the precision of 1200 x 1200 dpi and print speeds from 30-60 ppm. For more demanding graphic environments, a Fiery controller option is available to meet precise colour matching and design requirements.



3

a- 55

5





Ricoh delivers a better way of working. All you need is one of our new MFPs.

As our world keeps on changing, every office is evolving its own working style. To keep pace with new needs which constantly emerging, our MFPs have evolved even further.

The new MFPs offer intuitive controls, and a user interface that streamlines your workflow. A wide range of apps to suit many different working styles. And support for new ways to leverage your business data, even when you're away from the office.

Advanced features enhance usability and make your working life easier. Designed with tomorrow's workplace in mind, these new models deliver a better way of working. Packed with all the highly-evolved functionality needed for today's business, they're ready to transform your office.

User-friendly Power at your fingertips



The user interface is simple and intuitive. From the wide range of apps provided, choose the ones that suit your way of working. As soon as you touch the screen, you'll find yourself working smarter.

Support the way you work today Freedom to work remotely



Using cloud connectivity, you can view documents remotely on your smart device, and share information effectively through RICOH MFPs. Today's new, location-independent working styles, empowered.

Comfortable design An enhanced working environment



Equipped with Human Detection Sensor, RICOH MFPs are ready to work instantly at the moment when you approach. With Ricoh's unique noise-reduction technology, they make your office a smoother, better place to work.

RICOH MP C3004SP / MP C3504SP / MP C4504SP / MP C6004SP

MAIN SPECIFICATIONS

GENERAL		FAX (OPTION)			Tariactionetti
Warm-up time:	25/25/24/24 seconds	Circuit:	PSTN, PBX	energy	
First output speed:	Full colour: 7.1/7.1/5.7/4.5 seconds	Compatibility:	ITU-T (CCITT) G3	ENERGY STAR	WindowyT
	B/W: 4.6/4.6/4.0/3.1 seconds	Resolution:	Standard: 8 x 3.85 line/mm, 200 x 100 dpi, 8 x 7.7 line/		
Continuous output speed:	30/35/45/60 pages per minute		mm, 200 x 200 dpi Option: 8 x 15.4 line/mm, 400 x 400		
Vemory:	Standard: 2 GB		dpi, 16 x 15.4 line/mm, 400 x 400 dpi	-	
	Maximum: 4 GB	Compression method:	MH, MR, MMR, JBIG		
HDD:	250/250/320/320 GB	Transmission speed:	G3: 2 second(s) (200 x 100 dpi, JBIG), 3 second(s) (200 x	Windows B	Windows 10 Compatible
Dimensions (W x D x H):	With ARDF: 587 x 685 x 913 mm		100 dpi, MMR)		
	With SPDF: 587 x 685 x 963 mm	Modem speed:	Maximum: 33.6 Kbps		
Weight:	101.3/101.3/103.4/103.4 kg				K
Power source:	220 - 240 V, 50/60 Hz	PAPER HANDLING		PictBridge	Adobe PostScript 3
		Recommended paper size:			
PRINTER		Paper input capacity:	Standard: 1,200 sheets	Adobe: PDF	
Printer language:	Standard: PCL5c, PCL6(XL), PDF		(550 x 2 trays 100 x 1 bypass tray)	Adoper Dr	Embedded Software Architecture
	Option: XPS, Adobe® PostScript®3™, IPDS, PictBridge		Maximum: 4,700 sheets	0	Lindeated Jorrane Architecture
Print resolution:	Maximum: 1,200 x 1,200 dpi/2bit	Paper output capacity:	Maximum: 1,625/1,625/3,625/3,625 sheets	O Divete eth	
nterface:	Standard: SD slot, USB Host I/F, Ethernet 10 base-T/100 base-TX/1000 base-T	Paper weight:	52 - 300 g/m ²	🚷 Bluetooth	RICOH @Remote
	Option: Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth,	ECOLOGY			
	USB Server for Second Network Interface, Bidirectional	Power consumption:	Maximum: 1,700/1,700/1,850/1,850 W		
Nobile printing capability:	IEEE 1284/ ECP, USB 2.0 (Type B) Apple AirPrint™	rower consumption.	Ready mode: Less than 47.3/47.3/55.1/55.1 W		
Vindows® environments:	Windows® Vista/7/8/8.1/10,		Sleep mode: Less than 0.93/0.93/0.89/0.89 W	ISO 9001:2000 c	ertified
windows@ environments.	Windows® Vista///8/8.1/10, Windows® Server 2008/2008R2/2012/2012R2		TEC (Typical Electricity Consumption): 1.2/1.3/1.8/2.7 kWh	ISO 14001 certifi	
Mac OS environments:	Macintosh OS X Native v10.7 or later		The (Typical Electricity consumption). T.2/T.5/T.6/2.7 KWI		
viac OS environments.	(PS3 [™] required)	SOFTWARE			ed these products to meet a quidelines for energy
JNIX environments:	UNIX Sun® Solaris, HP-UX, SCO OpenServer,	One-stop solution for all your document management requirements.		efficiency.	guidelines for energy
	RedHat® Linux Enterprise, IBM® AIX	Standard:	SmartDeviceMonitor for print & scan, Web Image Monitor,		
SAP® R/3® environments:	SAP® R/3®	Standard.	DMNX Lite		product names are eir respective owners.
		Optional:	Card Authentication Package, EZ Charger Express,	addemand of an	en respective official
SCANNER		opuonai.	Integrated Cloud Environment (ICE), Global Scan NX,		d external appearance
Scanning speed:	ARDF: Max. 80 originals per minute		Device Manager NX Pro/Enterprise/Accounting, Stream Line		ange without notice. actual product may vary
51	SPDF: Max. 110 (simplex)/180 (duplex) originals per minute				hown in the brochure.
Resolution:	Maximum: 1,200 dpi		NX, Equitrac, DICOM		
Driginal size:	A3, A4, A5, B4, B5	ODTIONS			
Bundled drivers:	Network TWAIN	OPTIONS ADF handle, Platen cover, 1 x 550-sheet paper tray, 2 x 550-sheet paper tray, 2,000-sheet			
Scan to:	Email, Folder		x 550-sheet paper tray, 2 x 550-sheet paper tray, 2,000-sheet sheet side large capacity tray, Bridge unit, 1,000-sheet Hybrid		
			her, Internal finisher, Internal finisher with stapleless stapler,		
COPIER			er, 2,000-sheet booklet finisher, Punch kits, Internal shift tray, 1-		
Copying process:	Dry Electrostatic Transfer System with Dual component Development: 4-Drum method	bin tray, Side tray, Caster table, Cabinet, Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/g/n), Bluetooth, Pictbridge, PostScript3, IPDS unit, Counter interface, File format converter, Key counter bracket, Card reader bracket, Data Overwrite Security Unit			
Multiple copying:	Up to 999 copies				
Resolution:	600 dpi/4 bit		nnection Unit, Fax marker, Fax memory, Fax option, Unicode Unit, Smart Card Reader Built-in Unit, SRA3 unit, XPS direct		
Zoom:	From 25% to 400% in 1% steps		IDD, Keyboard bracket, NFC Card Reader, Font SD card, USB		
			er tray guide, G3 Interface unit, EFI colour controler, Extended		
		Dia	ions may only be available for cortain models in the range		

Please note that some options may only be available for certain models in the range. For availability of models, options and software, please consult your local Ricoh representative.



URL: http://www.ricoh.co.in

RICOH INDIA LIMITED

CORPORATE OFFICE: 2nd Floor, Salcon Aurum Building, Plot No. 4, District Centre, Jasola, New Delhi-110 025 Tel: (011) 49103000, 49103100, 49103200 Fax: (011) 49103099, 49103199 Email: ril.info@ricoh.co.in SMS: 'RICOH' to 53456 REGISTERED OFFICE: 801, 8th Floor, Ackruti Star, MIDC Central Road, Andheri-East, Mumbai - 400 093 Tel: (022) 66833000 Fax: (022) 67032099

Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Coimbatore, Delhi, Gurgaon, Guwahati, Hyderabad, Jaipur, Kochi, Kolkata, Lucknow, Mumbai, Nagpur, Noida, Patna, Pune, Ranchi, Visakhapatnam.

For more information, please contact:



Digital B&W Multi Function Printer

RICOH MP 9003SP MP 7503SP MP 6503SP





Powerful × Tough

Overwhelming Power and Unwavering Reliability

The machine provides the outstanding performance one would expect from the top-class black & white multifunction printer. The machine displays high productivity based on its powerful and high-speed output and fast reading capabilities as well as on its variety of post-processing functions. The machine is also not prone to paper jams and provides high stability with minimum downtime to meet the requirements for core offices machines: to be usable for long hours and able to continuously deliver output. Moreover the Smart Operation Panel enables intuitive operation and user-friendliness. Experience the power and reliability provided by this advanced multifunction printer.

*The photo shows the RICOH MP 9003SP equipped with an optional finisher with the stack capability of 2,000 sheets (SR4130) and a large capacity tray (LCT) for A4 paper (RT4040).

* The screen images are simulated.

2 24

Scan Speed

The machine scans in color or monochrome up to 120 pages per minute*1 in simplex and 220 pages per minute*1 in duplex, thereby helping accelerate your office's attempts to become paperless. *1. A4 landscape, 200/300 dpi, run for a single paper size.

Variou<mark>s</mark> Options

You can increase the productivity of the machine even more by attaching to it a paper folder, a finisher that provides the stack capability of 3,000 sheets*2, or various other optional devices.

*2. imagio SR4080/SR4120 3,000 sheet finishers

User Friendly

The machine is equipped with the 10.1inch Smart Operation Panel to provide flick & drag and various other functions for intuitive operation, thereby providing users with new convenience.

Environment Friendly

The typical electricity consumption (TEC) can be as small as 4.9 kWh.*3 This highly energy-efficient machine meets the standards of the International ENERGY STAR Program for all the models. *3 For RICOH MP 6503 SP



RICOH MP 9003SP/7503SP/6503SP

TEC

4,9 kWh

Innovating your workplace.

Workflow made seamless.

In fast pacing work environment, there is no compromise to slow productivity. With enhance technology, Ricoh improved these powerful A3 Mono MFP that users can rely on. Delivering professional level of output with high speeds of 65, 75 and 90ppm, extra security and consistent quality like an in-house production with all features of outsourced print facility.

Smart technology.

Each device is equipped with software capabilities that cater and customizable to business needs. With Ricoh innovative 10.1" Smart Operation Panel will change the way how user can interact with Ricoh MFPs. This user-friendly tablet-style control panel benefits and improves business work flow and operations with application capability. Just touch, swipe, pinch and get the job done.

Continuous quality, while controlling costs.

These MFPs are ultra-capable, fast, and rich in functionality too. They include innovative features like finishers and a multi-folding unit which can fold documents into a variety of different styles - including tri-fold, gatefold and four-fold. Users can create letters and invoices to be ready for envelope insertion and avoid any outsourcing of complex print requirements.

Higher productivity.

Built-in Human Detection Sensor allows the device to respond immediately to help business to efficiently completing tasks without delay. Improved power saving technology also helps users to lower cost and maintain continuous high quality output.

Built in efficiency.

Book Copy application is available for built-in features to help erase shadows, enabling books and loose sheet originals to be scanned with the Single Pass Document Feeder open. These are designed to minimise toner wastage, lower operating costs while meeting deadlines. Another highlight of the productivity features include large capacity trays and a faster scan speed.











Critical Capabilities For Business Communications



- 1 Easy access via intuitive Smart Operation Panel.
- 2 Standard 4,300- sheet paper trays to avoid frequent refills.
- 3 2,000-sheet booklet maker with 65-page stapler.
- 4 Standard 100-sheet bypass tray for paper types up to 300 g²/m.
- 5 Multi-folding unit supporting 6 folding patters for creative printing solutions.
- 6 Cover interposer to insert pre-printed colour sheets/covers.
- 7 USB/SD card reader to print from/scan to flash memory.
- 8 4,000-sheet A4 Large Capacity Tray for high volume productivity.

RICOH MP 6503SP / MP 7503SP / MP 9003SP

MAIN SPECIFICATIONS

Warm-up time:	20/20/300 seconds			
First output speed:	3.2/3.2/2.9 seconds			
Continuous output speed:	65/75/90 pages per minute			
Memory:	Standard: 2GB			
HDD:	Standard: 320GB			
Dimensions (W x D x H):	690 x 803 x 1,161 mm			
Weight:	200 kg			
Power source:	220 - 240 V, 50/60 Hz			
COPIER				
Copying process:	Four laser beams scanning and electro-			
	photographic printing			
Multiple copying:	Up to 999 copies			
Resolution:	600 dpi			
Zoom:	From 25% to 400% in 1% steps			
PRINTER				
Printer language:	Standard: PCL5e, PCL6, PDF direct print			
	Option: XPS, Adobe® PostScript® 3™, IPDS			
Print resolution:	Minimum 300 x 300 dpi			
	Maximum 1,200 x 1,200 dpi			
Fonts:	PCL (Scalable: 45 fonts, Bitmapped: 6 fonts,			
	International fonts: 13 fonts),			
	PS3 (136 Roman fonts), IPDS (108 fonts)			
Interface:	Standard: SD slot, USB Host I/F, Ethernet 10			
	base-T/100 base-TX/1000 base-T			
	Option: IEEE 1284, Wireless LAN (IEEE 802.11a/b/			
	g/n), USB 2.0 (Type B)			
Network protocol:	TCP/IP (IP v4, IP v6)			
	Windows® Vista, Windows® 7, Windows® 8,			
Windows® environments:				
Windows® environments:	Windows® 8.1, Windows® Server 2003,			
Windows® environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008			
Windows® environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012			
	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2			
Mac OS environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later			
	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2			
Mac OS environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later			
Mac OS environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later UNIX Sun® Solaris HP-UX SCO OpenServer			
Mac OS environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux			
Mac OS environments: UNIX environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux IBM® AIX			
Mac OS environments: UNIX environments: SAP® R/3® environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux			
Mac OS environments: UNIX environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux IBM® AIX			
Mac OS environments: UNIX environments: SAP® R/3® environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux IBM® AIX SAP® R/3® IBM iSeries/ AS/400-using OS/ 400 Host Print			
Mac OS environments: UNIX environments: SAP® R/3® environments: Other supported environments:	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux IBM® AIX SAP® R/3® IBM ISeries/ AS/400-using OS/ 400 Host Print Transform 120 ipm (Simplex) / 220 ipm (Duplex) originals			
Mac OS environments: UNIX environments: SAP® R/3® environments: Other supported environments: SCANNER Scanning speed:	 Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux IBM® AIX SAP® R/3® IBM iSeries/ AS/400-using OS/ 400 Host Print Transform 120 ipm (Simplex) / 220 ipm (Duplex) originals per minute 			
Mac OS environments: UNIX environments: SAP® R/3® environments: Other supported environments: SCANNER	Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008 Windows® Server 2008R2, Windows® Server 2012 Windows® Server 2012R2 Macintosh OS X v10.7 or later UNIX Sun® Solaris HP-UX SCO OpenServer RedHat® Linux IBM® AIX SAP® R/3® IBM ISeries/ AS/400-using OS/ 400 Host Print Transform 120 ipm (Simplex) / 220 ipm (Duplex) originals			

Circuit:	PSTN, PBX			
Compatibility:	ITU-T (CCITT) G3			
Resolution:	Standard: 8 x 3.85 line/mm, 200 x 100 dpi, 8 x 7.7			
	line/mm, 200 x 200 dpi			
Option:	8 x 15.4 line/mm, 400 x 400 dpi, 16 x 15.4 line/mm			
	400 x 400 dpi			
Transmission speed:	G3: 2 seconds (200 x 100 dpi, JBIG),			
	G3: 3 seconds (200 x 100 dpi, MMR)			
Modem speed:	Maximum: 33.6 Kbps			
PAPER HANDLING				
Recommended paper size:	Standard paper tray(s): A3, A4, A5			
Bypass tray:	A3, A4, A5, A6			
Paper input capacity:	Standard: 4,300 sheets			
	Maximum: 8,300 sheets			
Paper output capacity:	Maximum: 3,500 sheets			
Paper weight:	Paper tray: 52 - 256 g/m²			
	Bypass tray: 52 - 300 g/m²			
	Duplex: 64 - 256 g/m²			
ECOLOGY				
Power consumption:	Maximum: 1,900 W			
	Ready mode: 261/261/290W			
	Low power mode: 165/167/198 W			
	Sleep mode: 0.9 W			
	TEC (Typical Electricity Consumption):			
	4.9/5.4/12.6kWh			
OPTIONS				
Cover Interposer Tray CI4030	, Cover Interposer Tray CI4040, Finisher SR4120, Bookle			
	ger Unit Type M25, LCIT RT4040, XPS Direct Print Optio			
	125, G3 Interface Unit Type M25, FAX Memory Unit Typ			
	Unit Type M25, PostScript3 Unit Type M25, IPDS Unit ype M25, External Keyboard Bracket Type M25, Finishe			
	FD4000, Output Jogger Unit Type 9002B, Punch Uni			
	t Type 1075 EU 2/4, Punch Unit Type 850 S4, Punch Unit			
	060 EU, Punch Unit PU3060 SC, A3/11" x 17" Tray Typ			
	TRAY Type 9002, Copy Tray Type 9002, Mail Box CS4010			
	34 Interface Board Type M19, IEEE 802.11a/g/n Interfac			

9001, 8 1/2"X14" PAPER SIZE TRAY Type 9002, Copy Tray Type 9002, Mail Box CS4010, ADF Handle Type C, IEEE 1284 Interface Board Type M19, IEEE 802.11a/g/n Interface Unit Type M19, USB Device Server Option Type M19, Extended USB Board Type M19, Unicode Font Package for SAP(R) 1 License, Unicode Font Package for SAP(R) 10 License, Unicode Font Package for SAP(R) 100 License, File Format Converter Type M19, DataOverwriteSecurity Unit Type M19, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Card Reader Bracket Type 3352, Key Counter Bracket, NFC Card Reader Type M19, Smart Card Reader Built-in Unit Type M19, Tab Sheet Holder Type 9002

CONSUMABLES

Black: 43,000 prints

RICOH @Remote

For availability of models, options and software, please consult your local Ricoh supplier.



www.ricoh-ap.com

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467 Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2015 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.

Adobe PostScript 3' MOOPTIO' Embedded Software Architec

ISB

🚯 Bluetooth