




ROUND BEND U-BOLTS



NOTE:
Hex Nuts
are imported

Some sizes
also available
in Stainless Steel.
See page 44.

U-Bolt Specifications					U-Bolts & 2 Nuts					U-Bolts, Plates & 2 Nuts				
Dia. & Thread (A)	I.D. (C)	Inside Length (B)	Thread Length (T)	For Pipe Size	Zinc Plated		Hot Galvanized		Wt Per 100	Zinc Plated		Hot Galvanized		Wt Per 100
					Stock #	Part #	Stock #	Part #		Stock #	Part #	Stock #	Part #	
1/4"-20	9/16"	1-1/4"	3/4"	1/4"	01	50005 0	01HG	53005 7	5	1	50205 4	1HG	53605 9	7
1/4"-20	3/4"	1-1/4"	5/8"	3/8"	02	50008 1	02HG	53008 8	5	2	50208 5	2HG	53608 0	7
1/4"-20	3/4"	2-1/4"	1-1/2"	3/8"	03	50011 1	03HG	53011 8	7	3	50211 5	3HG	53611 0	9
1/4"-20	1"	1-3/4"	1"	1/2"	04	50014 2	04HG	53014 9	7	4	50214 6	4HG	53614 1	9
1/4"-20	1"	2-3/4"	1-1/4"	1/2"	04L	50017 3	04LHG	53017 0	8	4L	50217 7	4LHG	53617 2	11
1/4"-20	1-1/8"	2"	1"	3/4"	05	50020 3	05HG	53020 0	7	5	50220 7	5HG	53620 2	9
1/4"-20	1-1/8"	3-1/8"	1-1/2"	3/4"	05L	50023 4	05LHG	53023 1	9	5L	50223 8	5LHG	53623 3	12
1/4"-20	1-1/4"	2-1/4"	1-1/4"	3/4"	06	50026 5	06HG	53026 2	7.5	6	50226 9	6HG	53626 4	10
1/4"-20	1-1/2"	2-3/4"	1-3/8"	1"	07	50029 6	07HG	53029 3	9	7	50229 0	7HG	53629 5	12
1/4"-20	1-3/4"	3"	1-3/8"	1-1/4"	08	50032 6	08HG	53032 3	9	8	50232 0	8HG	53632 5	12
1/4"-20	2"	3-1/4"	1-3/8"	1-1/2"	09	50035 7	09HG	53035 4	9.5	9	50235 1	9HG	53635 6	14
5/16"-18	1"	2-3/16"	1-3/8"	1/2"	010	50038 8	010HG	53038 5	11	10	50238 2	10HG	53638 7	14
5/16"-18	1-1/8"	2-3/16"	1"	3/4"	0101	50041 8	0101HG	53041 5	12	101	50241 2	101HG	53641 7	14.5
5/16"-18	1-3/8"	2-3/16"	1"	1"	011	50044 9	011HG	53044 6	12	11	50244 3	11HG	53644 8	15
5/16"-18	1-3/8"	3-5/8"	2"	1"	011L	50047 0	011LHG	53047 7	16	11L	50247 4	11LHG	53647 9	20
5/16"-18	1-1/2"	2-3/16"	1"	1"	012	50050 0	012HG	53050 7	12	12	50250 4	12HG	53650 9	15
5/16"-18	1-3/4"	2-11/16"	1-1/8"	1-1/4"	013	50053 1	013HG	53053 8	13	13	50253 5	13HG	53653 0	17.5
5/16"-18	1-3/4"	4-1/2"	2"	1-1/4"	013L	50056 2	013LHG	53056 9	19	13L	50256 6	13LHG	53656 1	24
5/16"-18	2"	2-11/16"	1"	1-1/2"	014	50059 3	014HG	53059 0	14	14	50259 7	14HG	53659 2	19
5/16"-18	2"	4-3/4"	3"	1-1/2"	014L	50062 3	014LHG	53062 0	20	14L	50262 7	14LHG	53662 2	25
5/16"-18	2-1/2"	3-3/16"	1"	2"	015	50065 4	015HG	53065 1	16	15	50265 8	15HG	53665 3	21
5/16"-18	2-1/2"	5-5/8"	3"	2"	015L	50068 5	015LHG	53068 2	23	15L	50268 9	15LHG	53668 4	29
5/16"-18	3"	3-11/16"	1"	2-1/2"	016	50071 5	016HG	53071 2	18	16	50271 9	16HG	53671 4	24
3/8"-16	1"	2-1/4"	1-1/4"	1/2"	017	50074 6	017HG	53074 3	17.5	17	50274 0	17HG	53674 5	22.5
3/8"-16	1-1/4"	2-1/4"	1-1/4"	3/4"	018	50077 7	018HG	53077 4	18	18	50277 1	18HG	53677 6	24
3/8"-16	1-1/2"	2-1/2"	1-1/4"	1"	019	50080 7	019HG	53080 4	18.5	19	50280 1	19HG	53680 6	26
3/8"-16	1-3/4"	2-3/4"	1-1/8"	1-1/4"	020	50083 8	020HG	53083 5	20	20	50283 2	20HG	53683 7	27.5
3/8"-16	2"	2-5/8"	1-1/4"	1-1/2"	021	50086 9	021HG	53086 6	20	21	50286 3	21HG	53686 8	29
3/8"-16	2-1/2"	3-1/8"	1-1/4"	2"	022	50089 0	022HG	53089 7	24.5	22	50289 4	22HG	53689 9	33
3/8"-16	3"	3-5/8"	1-1/4"	2-1/2"	023	50092 0	023HG	53092 7	26	23	50292 4	23HG	53692 9	38
3/8"-16	3"	6-5/8"	3"	2-1/2"	023L	50095 1	023LHG	53095 8	41	23L	50295 5	23LHG	53695 0	52.5
3/8"-16	3-1/2"	4-1/8"	1-1/4"	3"	024	50098 2	024HG	53098 9	30	24	50298 6	24HG	53698 1	42.5
1/2"-13	3"	4-1/2"	1-5/8"	2-1/2"	025	50101 9	025HG	53101 6	59	25	50301 3	25HG	53701 8	71
1/2"-13	3-1/2"	5"	1-1/2"	3"	026	50104 0	026HG	53104 7	64	26	50304 4	26HG	53704 9	78
1/2"-13	3-1/2"	8-1/2"	3"	3"	026L	50107 1	026LHG	53107 8	95	26L	50307 5	26LHG	53707 0	110
1/2"-13	4"	5-1/2"	1-1/2"	3-1/2"	027	50110 1	027HG	53110 8	70	27	50310 5	27HG	53710 0	87
1/2"-13	4-1/2"	6"	1-1/2"	4"	028	50113 2	028HG	53113 9	75	28	50313 6	28HG	53713 1	92.5
1/2"-13	5-5/8"	7-1/4"	2"	5"	029	50116 3	029HG	53116 0	90	N.A.	N.A.	N.A.	N.A.	N.A.
1/2"-13	6-3/4"	8-3/8"	2"	6"	030	50119 4	030HG	53119 1	101	N.A.	N.A.	N.A.	N.A.	N.A.
1/2"-13	8-3/4"	10-3/8"	2"	8"	031	50122 4	031HG	53122 1	120	N.A.	N.A.	N.A.	N.A.	N.A.
*3/4"-10	10-7/8"	13-13/16"	4"	10"	032	50125 5	032HG	53125 2	440	N.A.	N.A.	N.A.	N.A.	N.A.
*7/8"-9	12-7/8"	16-1/16"	4-1/4"	12"	033	50128 6	033HG	53128 3	710	N.A.	N.A.	N.A.	N.A.	N.A.
*7/8"-9	14-1/8"	17-5/16"	4-1/4"	14"	034	50131 6	034HG	53131 3	755	N.A.	N.A.	N.A.	N.A.	N.A.
*7/8"-9	16-1/8"	19-5/16"	4-1/4"	16"	035	50134 7	035HG	53134 4	850	N.A.	N.A.	N.A.	N.A.	N.A.
*1"-8	18-1/8"	21-11/16"	4-3/4"	18"	036	50137 8	036HG	53137 5	1245	N.A.	N.A.	N.A.	N.A.	N.A.

*Full Stock Dia. with Cut Thread. • See page 33 for dims of steel pipe. • Stock numbers followed by "L" denote long length u-bolts


ROUND BEND U-BOLTS



Round Bend U-Bolts for Steel or Wrought Iron pipe sizes 1/4"-18" inclusive, are produced from low carbon steel and supplied with NC rolled threads and two (2) hex nuts (hex nuts are imported). In addition, U-Bolt plate is available if required. Zinc plated, hot galvanized and black oxide finishes are standard. Other types of coatings or self-colored available on a special basis. Round, Square or "V" type U-Bolts to 1" diameter manufactured to specifications in both ferrous and non-ferrous metals.

ALUMINUM & BLACK OXIDE U-BOLTS WITH 2 NUTS

U-Bolt Specifications					Aluminum			Black Oxide		
Dia. & Thread (A)	I.D. (C)	Inside Length (B)	Thread Length (T)	For Pipe Size	Stock No.	Part No.	Weight Per 100	Stock No.	Part No.	Weight Per 100
1/4"-20	3/4"	1-1/4"	5/8"	3/8"	02AL	60008 8	1.5	02BO	04601 5	5
1/4"-20	3/4"	2-1/4"	1-1/2"	3/8"	03AL	N/A	1.5	03BO	04603 9	7
1/4"-20	1"	1-3/4"	1"	1/2"	04AL	60014 9	2	04BO	04605 3	7
1/4"-20	1-1/8"	2"	1"	3/4"	05AL	60020 0	2	05BO	04607 7	7
1/4"-20	1-1/4"	2-1/4"	1-1/4"	3/4"	06AL	N/A	3	06BO	N/A	7.5
1/4"-20	1-1/2"	2-3/4"	1-3/8"	1"	07AL	60029 3	3.5	07BO	04609 1	9
1/4"-20	1-3/4"	3"	1-3/8"	1-1/4"	08AL	60032 3	4	08BO	04611 4	9
1/4"-20	2"	3-1/4"	1-3/8"	1-1/2"	09AL	60035 4	4	09BO	N/A	9.5
5/16"-18	1"	2-3/16"	1-3/8"	1/2"	010AL	N/A	4.5	010BO	04613 8	11
5/16"-18	1-3/8"	2-3/16"	1"	1"	011AL	60044 6	5	011BO	04615 2	12
5/16"-18	1-1/2"	2-3/16"	1"	1"	012AL	N/A	5	012BO	04617 6	12
5/16"-18	1-3/4"	2-11/16"	1-1/8"	1-1/4"	013AL	N/A	5.2	013BO	04619 0	13
5/16"-18	2"	2-11/16"	1"	1-1/2"	014AL	60059 0	5.2	014BO	04621 3	14
5/16"-18	2-1/2"	3-3/16"	1"	2"	015AL	60065 1	5.5	015BO	04623 7	16
5/16"-18	3"	3-11/16"	1"	2-1/2"	016AL	N/A	5.5	016BO	04625 1	18
3/8"-16	1"	2-1/4"	1-1/4"	1/2"	017AL	N/A	6	017BO	04627 5	17.5
3/8"-16	1-1/4"	2-1/4"	1-1/4"	3/4"	018AL	N/A	6	018BO	04629 9	18
3/8"-16	1-1/2"	2-1/2"	1-1/4"	1"	019AL	60080 4	6.5	019BO	04631 2	18.5
3/8"-16	1-3/4"	2-3/4"	1-1/8"	1-1/4"	020AL	N/A	7	020BO	04633 6	20
3/8"-16	2"	2-5/8"	1-1/4"	1-1/2"	021AL	60086 6	7	021BO	N/A	20
3/8"-16	2-1/2"	3-1/8"	1-1/4"	2"	022AL	60089 7	7.1	022BO	04635 0	24.5
3/8"-16	3"	3-5/8"	1-1/4"	2-1/2"	023AL	N/A	8.5	023BO	04637 4	26
3/8"-16	3-1/2"	4-1/8"	1-1/4"	3"	024AL	60098 9	10.5	024BO	04639 8	30
1/2"-13	3"	4-1/2"	1-5/8"	2-1/2"	025AL	N/A	20.5	025BO	04641 1	59
1/2"-13	3-1/2"	5"	1-1/2"	3"	026AL	60104 7	22.5	026BO	04643 5	64
1/2"-13	4"	5-1/2"	1-1/2"	3-1/2"	027AL	N/A	25	027BO	04645 9	70
1/2"-13	4-1/2"	6"	1-1/2"	4"	028AL	60113 9	27	028BO	04647 3	75
1/2"-13	5-5/8"	7-1/4"	2"	5"	029AL	N/A	32	029BO	04649 7	90
1/2"-13	6-3/4"	8-3/8"	2"	6"	030AL	60119 1	36	030BO	N/A	101



Some sizes also available in Stainless Steel. See page 44.

*Full Stock Diameter with Cut Thread

DIMENSIONS OF WELDED AND SEAMLESS STEEL PIPE

Pipe Size	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	3-1/2"	4"	5"	6"	8"	10"	12"	14"	16"	18"
Outside Dia.	.540"	.675"	.840"	1.05"	1.315"	1.66"	1.90"	2.375"	2.875"	3.500"	4.000"	4.500"	5.563"	6.625"	8.625"	10.750"	12.750"	14.000"	16.000"	18.000"


U-BOLT DISPLAY



U-BOLT DISPLAY PART # 60040 8			
Qty.	Stock #	Pipe Size	Thread Dia.
10	4	1/2"	1/4"-20
10	5	3/4"	1/4"-20
10	5L	3/4"	1/4"-20
10	7	1"	1/4"-20
10	11	1"	5/16"-18
10	11L	1"	5/16"-18
10	13	1-1/4"	5/16"-18
10	13L	1-1/4"	5/16"-18
10	14	1-1/2"	5/16"-18
10	14L	1-1/2"	5/16"-18
10	15	2"	5/16"-18
10	15L	2"	5/16"-18
10	22	2"	3/8"-16
10	24	3"	3/8"-16

140 U-Bolts Shipping Wt. 35 lbs.

U-BOLT PLATES



U-Bolt plates are low carbon cold rolled steel with rounded edges and zinc plated or hot galvanized finish. Plate holes are punched "on centers" of corresponding size U-Bolt and identified by stock numbers.


Dimensions - Inches		
For U-Bolt Diameter	Gauge	Width
1/4" and 5/16"	.078"	.750"
3/8" and 1/2"	.109"	1.000"



ROUND BEND LONG TANGENT U-BOLTS



Zinc Plated



Hot Galvanized



Some sizes also available in Stainless Steel. See page 45.

NOTE:
Hex Nuts are imported

ZINC PLATED & HOT GALVANIZED LONG TANGENT U-BOLTS WITH 4 NUTS

U-Bolt Specifications						Zinc Plated		Hot Galvanized	
Diameter (A)	Inside Width (C)	Inside Length (B)	Thread Length (T)	Pipe Size	Weight Per 100	Stock No.	Part No.	Stock No.	Part No.
1/4"-20	7/8"	2-15/16"	2-1/2"	1/2"	9	LT-B	51460 6	LT-BHG	53165 8
1/4"-20	1-1/8"	3-3/16"	2-1/2"	3/4"	10	LT-C	51465 1	LT-CHG	53175 7
1/4"-20	1-3/8"	3-7/16"	2-1/2"	1"	11	LT-D	51470 5	LT-DHG	53180 1
3/8"-16	15/16"	3"	2-3/8"	1/2"	24	LT-1	51505 4	LT-1 HG	53205 1
3/8"-16	1-1/8"	3-5/16"	2-3/8"	3/4"	25.5	LT-2	51510 8	LT-2 HG	53210 5
3/8"-16	1-3/8"	3-7/16"	2-3/8"	1"	26.5	LT-3	51515 3	LT-3 HG	53215 0
3/8"-16	1-11/16"	3-23/32"	2-3/8"	1-1/4"	28	LT-4	51520 7	LT-4 HG	53220 4
3/8"-16	2"	4"	2-1/2"	1-1/2"	30	LT-5	51525 2	LT-5 HG	53225 9
3/8"-16	2-7/16"	4-7/16"	2-1/2"	2"	33	LT-6	51530 6	LT-6 HG	53230 3
1/2"-13	2-15/16"	5-7/32"	3"	2-1/2"	71	LT-7	51535 1	LT-7 HG	53235 8
1/2"-13	3-9/16"	5-3/4"	3"	3"	77	LT-8	51540 5	LT-8 HG	53240 2
1/2"-13	4-1/16"	6-1/4"	3"	3-1/2"	82	LT-9	51545 0	LT-9 HG	53245 7
1/2"-13	4-9/16"	6-3/4"	3"	4"	89	LT-10	51550 4	LT-10 HG	53250 1
1/2"-13	5-5/8"	7-13/16"	3"	5"	101	LT-11	51555 9	LT-11 HG	53255 6
5/8"-11	6-3/4"	9-1/2"	3-3/4"	6"	194.5	LT-12	51560 3	LT-12 HG	53260 0
5/8"-11	8-3/4"	11-1/8"	3-3/4"	8"	223.5	LT-13	51565 8	LT-13 HG	53265 5
3/4"-10	10-7/8"	13-13/16"	4"	10"	460	LT-14	51570 2	LT-14 HG	53270 9


SQUARE BEND U-BOLTS

Furnished with 3/8" nuts and flat washers.



ZINC PLATED & HOT GALVANIZED SQUARE BEND U-BOLTS WITH 2 NUTS & 2 WASHERS



U-Bolt Specifications					Zinc Plated		Hot Galvanized	
Diameter (A)	Inside Width (C)	Overall Length (B)	Thread Length (T)	Weight Per 100	Stock No.	Part No.	Stock No.	Part No.
3/8"-16	2"	3"	1-1/2"	25.5	SB-1	51005 9	SB-1HG	53405 5
3/8"-16	2"	5"	3"	35.5	SB-2	51010 3	SB-2HG	53410 9
3/8"-16	2"	7"	3-3/4"	44.5	SB-3	51015 8	SB-3HG	53415 4
3/8"-16	4"	3"	1-1/2"	29.5	SB-4	51020 2	SB-4HG	53420 8
3/8"-16	4"	5"	3"	40	SB-5	51025 7	SB-5HG	53425 3
3/8"-16	4"	7"	3-3/4"	49.5	SB-6	51030 1	SB-6HG	53430 7
3/8"-16	6"	5"	3"	44.5	SB-7	51035 6	SB-7HG	53435 2
3/8"-16	6"	7"	3-3/4"	56	SB-8	51040 0	SB-8HG	53440 6
3/8"-16	6"	9"	5-5/8"	63	SB-9	51045 5	SB-9HG	53445 1



Zinc Plated



Hot Galvanized

Also available in Stainless Steel. See page 45.

NOTE:
Hex Nuts and Washers are imported

ZINC PLATED TURNED EYE BOLTS




Turned eye bolts are manufactured from low carbon cold drawn steel wire and are supplied with NC rolled machine threads with one hex nut unassembled. Zinc plated finish is standard; other types of coating or self-colored available on a special basis. When it is not feasible to utilize a standard eye bolt, we can manufacture to your specifications.

MACHINE THREAD



NOTE:
Hex Nuts
are imported



Some sizes
also available in
Stainless Steel.
See page 43.

Stock No.	Part No.	Dimensions - Inches					Weight Per 100 in lbs.	Working Load Limit (lbs.)
		Thread Diameter (A)	Shank Length (B)	I.D. Eye (C)	Overall Length (D)	Thread Length (T)		
A-1	07005 8	1/8" (6-32)	3/4"	1/4"	1-1/4"	5/8"	.75	22
B-1	07010 2	5/32" (8-32)	1-1/8"	1/4"	1-11/16"	1"	1.31	36
C-1	07015 7	3/16" (10-24)	1"	3/8"	1-11/16"	7/8"	1.81	38
C-2	07020 1	3/16" (10-24)	1-3/8"	5/16"	2"	1-1/4"	1.875	38
C-3	07025 6	3/16" (10-24)	2"	3/8"	2-11/16"	1"	2.375	38
C-4	07030 0	3/16" (10-24)	3"	3/8"	3-11/16"	1-1/2"	2.94	38
D-1	07035 5	7/32" (12-24)	1-1/2"	3/8"	2-1/4"	1-3/8"	1.67	52
E-1	07040 9	1/4"-20	1"	1/2"	2"	7/8"	3.75	74
E-2	07045 4	1/4"-20	1-1/2"	1/2"	2-1/2"	1-1/4"	4.375	74
E-2A	07050 8	1/4"-20	1-7/8"	7/16"	2-3/4"	1-5/8"	5.2	74
E-3	07055 3	1/4"-20	2"	1/2"	3"	1-1/4"	5	74
E-4	07060 7	1/4"-20	2-1/2"	1/2"	3-1/2"	1-1/4"	5.6	74
E-5	07065 2	1/4"-20	3"	1/2"	4"	1-1/2"	6.3	74
E-6	07070 6	1/4"-20	3-1/2"	1/2"	4-1/2"	2"	6.9	74
E-7	07075 1	1/4"-20	4"	1/2"	5"	2-1/2"	7.5	74
E-8	07080 5	1/4"-20	5"	1/2"	6"	3"	8	74
E-9	07085 0	1/4"-20	6"	1/2"	7"	4"	9	74
F-1	07090 4	5/16"-18	1"	5/8"	2-1/8"	7/8"	7	96
F-2	07095 9	5/16"-18	2"	5/8"	3-1/8"	1-1/4"	9	96
F-2A	07100 0	5/16"-18	2-1/4"	9/16"	3-3/8"	2"	9.7	96
F-3	07105 5	5/16"-18	2-1/2"	5/8"	3-5/8"	1-1/4"	10	96
F-4	07110 9	5/16"-18	3"	5/8"	4-1/8"	1-1/2"	11	96
F-5	07115 4	5/16"-18	3-1/2"	5/8"	4-5/8"	2"	11	96
F-6	07120 8	5/16"-18	4"	5/8"	5-1/8"	2-1/2"	12	96
F-7	07125 3	5/16"-18	5"	5/8"	6-1/8"	3"	14	96
F-8	07130 7	5/16"-18	6"	5/8"	7-1/8"	4"	15	96
F-9	07135 2	5/16"-18	6-1/2"	7/8"	7-3/4"	4"	18	96
G-1	07140 6	3/8"-16	1"	3/4"	2-1/2"	7/8"	12	144
G-1.5	07142 0	3/8"-16	1-1/2"	3/4"	3"	1-1/8"	13	144
G-2	07145 1	3/8"-16	2"	3/4"	3-1/2"	1-1/4"	15	144
G-2A	07150 5	3/8"-16	2-1/2"	21/32"	3-3/4"	2-1/4"	15.7	144
G-3	07155 0	3/8"-16	2-1/2"	3/4"	4"	1-1/2"	15.5	144
G-4	07160 4	3/8"-16	3"	3/4"	4-1/2"	1-1/2"	17	144
G-5	07165 9	3/8"-16	3-1/2"	3/4"	5"	2"	18	144
G-6	07170 3	3/8"-16	4"	3/4"	5-1/2"	2-1/2"	21	144
G-7	07175 8	3/8"-16	5"	3/4"	6-1/2"	3"	22	144
G-8	07180 2	3/8"-16	6"	3/4"	7-1/2"	4"	24	144
G-9	07185 7	3/8"-16	8"	3/4"	9-1/2"	4"	30	144
G-10	07190 1	3/8"-16	10"	3/4"	11-1/2"	4"	34	144
G-11	07195 6	3/8"-16	12"	3/4"	13-1/2"	4"	39	144
H-1	07200 7	7/16"-14	6"	7/8"	7-3/4"	4"	36	216
H-2	07205 2	7/16"-14	8"	7/8"	9-3/4"	4"	42	216
J-1	07210 6	1/2"-13	2"	1"	4"	1-1/2"	33	298
J-1.5	07212 0	1/2"-13	3"	1"	5"	1-1/2"	37	298
J-2	07215 1	1/2"-13	4"	1"	6"	2-1/2"	41	298
J-3	07220 5	1/2"-13	6"	1"	8"	4"	50	298
J-4	07225 0	1/2"-13	8"	1"	10"	4"	58	298
J-5	07230 4	1/2"-13	10"	1"	12"	4"	68	298

Standard Pack: A-1 through D-1: 50 Pieces; E-1 through J-5: 10 Pieces




ZINC PLATED TURNED EYE BOLTS

LAG THREADS



Lag Screw threaded Turned Eye Bolts are comparable in steel specification, finish and packaging to machine thread Turned Eye Bolts listed on page 35. Lag screw threads are rolled to fit standard anchors and shields and supplied with gimlet point.





Stock No.	Part No.	Dimensions – Inches					Weight Per 100 in lbs.
		Thread Diameter (A)	Shank Length (B)	I.D. Eye (C)	Overall Length (D)	Thread Length (T)	
LS-1	07855 9	1/4"	2-3/4"	1/2"	3-11/16"	2"	5
LS-2	07860 3	1/4"	4"	1/2"	4-7/8"	2"	6
LS-3	07865 8	5/16"	2-3/4"	5/8"	3-7/8"	2"	8
LS-4	07870 2	5/16"	4-3/4"	5/8"	5-13/16"	2"	11
LS-5	07875 7	3/8"	3"	3/4"	4-3/8"	2-1/2"	13
LS-6	07880 1	3/8"	6"	3/4"	7-5/16"	2-1/2"	19
LS-7	07885 6	1/2"	3-1/2"	1"	5-1/4"	2-3/4"	30

Standard Pack – 10 Pieces

TURNED EYE BOLT DISPLAY PART # 60030 9		
Qty.	Stock No.	Diameter & Shank Length
10	C-1	3/16" x 1"
10	C-2	3/16" x 1-3/8"
10	C-3	3/16" x 2"
10	E-1	1/4" x 1"
10	E-2	1/4" x 1-1/2"
10	E-3	1/4" x 2"
10	E-5	1/4" x 3"
10	E-7	1/4" x 4"
10	F-2	5/16" x 2"
10	F-4	5/16" x 3"
10	F-6	5/16" x 4"
10	F-7	5/16" x 5"
10	G-3	3/8" x 2-1/2"
10	G-5	3/8" x 3-1/2"
10	G-6	3/8" x 4"
10	G-8	3/8" x 6"
10	J-2	1/2" x 4"
10	J-3	1/2" x 6"
10	J-4	1/2" x 8"

190 Eyebolts
Shipping Wt. 37 lbs.

TURNED EYE BOLT DISPLAY



WELDED – MACHINE THREADS

Comparable in specifications, finish and standard packaging with exception: Eyes are resistance welded closed before plating.



NOTE:
Hex Nuts
are imported

Stock No.	Part No.	Dimensions – Inches					Weight Per 100 in lbs.	Working Load Limit (lbs.)
		Thread Diameter (A)	Shank Length (B)	I.D. Eye (C)	Overall Length (D)	Thread Length (T)		
F-3W	07755 2	5/16"-18	2-1/2"	5/8"	3-5/8"	1-1/4"	10	240
G-3W	07760 6	3/8"-16	2-1/2"	3/4"	4"	1-1/2"	16	400
G-6W	07765 1	3/8"-16	4"	3/4"	5-1/2"	2-1/2"	20	400
J-2W	07770 5	1/2"-13	4"	1"	6"	2-1/2"	41	1000
J-3W	07775 0	1/2"-13	6"	1"	8"	4"	50	1000

Standard Pack – 10 Pieces