#### Carefully designed to improve productivity and drive down your cleaning cost

Productivity is taken to a new level by the automatic adjustment of the water/detergent solution flow according to the speed of the machine. By using this control, which ensures a consistent cleaning result and an optimized consumption of water and chemicals, the operator can focus on getting the job done. Cleaning costs are reduced due to several features. The sustainable Nilfisk Ecoflex system offers very flexible use of detergent, and also water-only cleaning, just by pushing a button. Also driving down costs is the opportunity to introduce more daytime cleaning due to the remarkably low sound level of the SC500.

- Ideal for daytime cleaning: Low noise Vac motor system running at just 60 ±3 dB(A)
- Consistent cleaning: Solution flow of detergent/water automatically controlled by speed
- Ease-of-use: Ergonomic drive paddle and informative display with One-Touch button and easy click on/off for the brush/padholder.
- Settings effectively controlled: Separate Super user and Operator key
- Easy handling: Plastic light squeegee with patent elastic strap system
- Sustainable: Ecoflex system with flexible detergent setting and wateronly cleaning



Picture shown may not represent model quoted

- Effective: 53cm scrubbing width and automatic brush speed control to save energy
- User friendly: Electric motor to lower/raise brush deck with One-Touch button
- Productive: 45/45L water tanks and up to 5 hours of running time in light applications

The Nilfisk SC500 walk-behind scrubber dryer is carefully designed to improve productivity and drive down your total cleaning costs. These significant benefits are achieved through more ease-of-use and a series of technical features enabling daytime cleaning and the most effective use of water and detergent.

A reliable choice for cleaning companies, hospitals, schools, offices, supermarkets, shops, sports centers, restaurants, hotels, and production floors.

#### Standard equipment

	Included accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B
Ecoflex Syste	em			
	ECOFLEX CHEMICAL KIT	9100000008	1	•
Pad Holder				
	PAD HOLDER 21 530MM	9099671000	1	
Disc Brush 53	Disc Brush 530 mm			
	BRUSH PROLENE MEDIUM	L08837025	1	•
Squeegee Bla	Squeegee Blade			
	BLADE SQUEEGEE 740MM 29	9100000810	1	•
Battery				



# Carefully designed to improve productivity and drive down your cleaning cost

	Included accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B
	BATT. 12V-105AH GEL	80564400	2	•
On-Board Ch	arger			
	CHARGER BATT. O/B 24V	9099995000	1	•
Other				
	HOSE FILLING PKD	9100000703	1	•
	OPERATOR KEY	9100000843	1	•
	SUPERUSER KEY	9100000848	1	•

Model SCRUBBER SC500 53 B

Ref. no. 9087350020

#### PRODUCT FEATURES

Battery version	•
Click on-off brush	•
One touch control panel	•
Debris tray	•
Ecoflex prepared	•
Squeezable drain hose with flow control	•
Delivered ready to use (full package)	•
SmartKey system	•
Filling hose	•
Squeegee	•

Technical specifications	SCRUBBER SC500 53 B
Maximum running time	5 HOURS
Max speed (km/h)	5
Voltage (V)	24
Ip protection class	X4
Insulation class	1
Rated power (W)	930
Brush motor (W)	450
Vacuum motor power (W)	280



# Carefully designed to improve productivity and drive down your cleaning cost

Technical specifications	SCRUBBER SC500 53 B
Sound pressure level (dB(A) BS 5415)	63 (60) ±3
Productivity theoretical/ actual (m²/h)	2650/1590
Scrubbing width (mm)	530
Max climbing rate (%)	2
Solution flow (cl/m)	0.75/1.5/3
Solution/recovery tank (I)	45/45
Squeegee width (mm)	720
Brush/pad diameter (mm)	530/508
Brush pressure (kg)	15/30
Brush speed (RPM)	155
Brush quantity and type	1 Disc
Length x width x height (mm)	1270x720x1063
Battery compartment size (LxWxH) (mm)	350x350x260
Gross weight (gvw) (kg)	207
Net weight (kg)	85
Shipping weight (kg)	192
Vibration level at the operator's body (m/s²)	<2.5

#### $\bullet$ Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B
Pad 20" / 508	mm			
0	PAD 20 508MM ECO BLACK	10001955	1	0
0	PAD 20 508MM ECO BLUE	10001956	1	0
0	PAD 20 508MM ECO BROWN	10001957	1	0
0	PAD 20 508MM ECO GREEN	10001958	1	0
0	PAD 20 508MM ECO RED	10001959	1	0



# Carefully designed to improve productivity and drive down your cleaning cost

	Accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B
40	PAD 20 508MM ECO WHITE	10001960	1	0
Special Pad				
	PAD 20 508MM ECO	10002348	1	0
	PAD 20 508MM ECO	10002349	1	0
	PAD 20 508MM ECO	10002350	1	0
	PAD 20 508MM ECO	10002351	1	0
Ecoflex Syste	m			
	ECOFLEX BOTTLE ASSY	56104190	1	0
	ECOFLEX CHEMICAL KIT	9100000008	1	•
External Char	ger			
8	CHARGER HF 24V 10A SB120R	80512410	1	0
Battery				
	BATT. 12V-76AH GEL	80564310	2	0
	BATT. 12V-105AH GEL	80564400	2	•
	BATT. 12V-110AH WET	80564600	2	0
Pad Holder				
0	PAD HOLDER 21 530MM	9099671000	1	0



# Carefully designed to improve productivity and drive down your cleaning cost

	Accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B
	PAD HOLDER SHORT TRIM 530	L08837018	1	0
Disc Brush 53	0 mm			
	AGLITE GRIT 500 BRUSH	L08837067	1	0
9	BRUSH DYNA GRIT 80	L08837066	1	0
	BRUSH MAGNA GRIT 46	L08837065	1	0
9	BRUSH MIDGRIT 240 MEDIUM	L08837029	1	0
9	BRUSH MIDLITE GRIT 180	L08837028	1	0
	BRUSH PROLENE MEDIUM	L08837025	1	•
	BRUSH PROLITE SOFT	L08837026	1	0
	BRUSH UNION MIX 530MM	L08837027	1	0
Other				
	HOSE FILLING PKD	9100000703	1	•
	OPERATOR KEY	9100000843	1	•
	SUPERUSER KEY	9100000848	1	•
Squeegee Bla	de			



# Carefully designed to improve productivity and drive down your cleaning cost

	Accessories	Ref. no.	Min. required	SCRUBBER SC500 53 B
	BLADE SQUEEGEE 730MM 29	9100000060	1	0
	BLADE SQUEEGEE 730MM 29	9100000490	1	0
	BLADE SQUEEGEE 740MM 29	9100000810	1	•
On-Board Ch	On-Board Charger			
	CHARGER BATT. O/B 24V	9099995000	1	•
Splash Guard	Splash Guard			
$\bigcirc$	SPLASH GUARD CPL F	9100001441	1	0

