

# American Airlines



## **SABRE Format Guide**

**October 2014**



<b>ACS – CHECK IN</b> .....	<b>1</b>
Domestic Check-In.....	1
Group Check-In Entry .....	2
Follow-Up Entries From List or Seat Map .....	2
Reprint Boarding Pass .....	2
<b>ACS – CHECK IN / AUTOMATED BAG TAG</b> .....	<b>3</b>
Check-In and Automated Bag Tags.....	3
Check-In and Special Automated Bag Tags .....	4
Automated Bag Tags .....	4
Follow-Up Entries from List or Seat Map .....	5
Updating Passenger Item – Bags .....	6
Return Automated Bag Tags .....	6
<b>ACS – CHECK IN / EDIT CODES</b> .....	<b>7</b>
Check-In With Edit Codes.....	7
<b>ACS – CHECKIN / EDIFACT</b> .....	<b>8</b>
EDIFACT Entries .....	8

---

<b>ACS – CHANGE/OFFLOAD SEAT -----</b>	<b>9</b>
Offload (Return/Cancel) Seat.....	9
Offload (Return/Cancel) Seat From List .....	10
Change Seat .....	10
Change Seat .....	11
<b>ACS – PRE DEPARTURE GATE FUNCTIONS -----</b>	<b>12</b>
Printer Entries .....	12
Flight Dedication .....	12
Set Priority Restrictions.....	12
Flight Status Displays.....	13
Flight Text Entries .....	13
Flight Text Entries (continued) .....	14
Seat Block Entries.....	14
Passenger Information Lists Inbound .....	15
Paperwork for Outbound Flight .....	16
Paperwork for Outbound Flight - DECS Entries.....	16
<b>ACS - DEPARTURE GATE FUNCTIONS -----</b>	<b>17</b>
Boarding Status.....	17
“ON” Board.....	17

Auto "ON" .....	18
Unboard .....	18
Lists.....	19
Final Status Entries.....	19
Updating Counts In Flight Data.....	20
Return Seats .....	20
Flight Closeout .....	21
Final Paperwork for Outbound Flight .....	21
<b>ACS – POST DEPARTURE GATE FUNCTIONS -----</b>	<b>22</b>
PDC Entries .....	22
<b>ACS – LISTS -----</b>	<b>23</b>
Lists.....	23
<b>ACS - OVERSALE-----</b>	<b>24</b>
F-Text and O-Text.....	24
Displays.....	24
Priority List Entries .....	25
Priority List Volunteer Entries .....	25

---

<b>ACS – PASSENGER ITEM -----</b>	<b>27</b>
Display Passenger Item .....	27
Passenger Item Modification.....	28
<b>ACS – PRIORITY LIST (ACCOMMODATING) -----</b>	<b>29</b>
Priority List Displays .....	29
Priority List Accommodate .....	30
<b>ACS – PRIORITY LIST (CHECK-IN) -----</b>	<b>32</b>
Priority List – Codes .....	32
Priority List – Grab ‘N Go .....	33
Priority List – Non Revenue (same as check-in).....	33
Priority List – Oversale .....	33
Priority List – Standby .....	33
Priority List – Upgrade.....	34
Priority List - Follow-Up Entries .....	34
<b>ACS – PRIORITY LIST (LISTING) -----</b>	<b>35</b>
Priority List – Place Directly On List .....	35
<b>ATAC -----</b>	<b>36</b>

Display Entries .....	36
Form of Payment Codes .....	37
Transaction Codes .....	37
Add Entries.....	38
Change Entries .....	39
Void Entries.....	40
Remarks.....	41
Closeout Entries.....	41
Over/Short Entries.....	42
Station C-20 Report – Supervisor Entries .....	42
<b>AVAILABILITY-----</b>	<b>45</b>
Availability Displays.....	45
<b>BMAS -----</b>	<b>47</b>
Carrier and Equate Codes .....	47
Quick Reference .....	48
Bag Tags.....	48
Customer Name.....	49
Telephone .....	49
Address .....	50

---

Bag Description.....	50
Itinerary .....	51
Check In Information.....	51
5 Remarks Field.....	51
Display .....	52
Display BMAS Records.....	53
Display Lists .....	53
Modify BMAS Records.....	54
BMAS Message Queues.....	55
BMAS Baggage Queues .....	56
BMAS Queues .....	57
Automated Receipts.....	58
Forwarding .....	58
Settlements .....	59
On-hands .....	60
Bag Arrival Information .....	60
Baggage Delivery Information.....	60
Charging, Coding, Closing Records.....	61
<b>ELECTRONIC TICKETS (VCR) -----</b>	<b>62</b>
VCR Search Methods .....	62



VCR Display Methods .....	63
VCR Print Functions.....	64
VCR Remarks .....	64
VCR Re-Association .....	65
VCR Revalidation.....	65
Grab 'N Go.....	66
<b>EPR -----</b>	<b>67</b>
Employee Profile Record (EPR).....	67
<b>FARE QUOTE -----</b>	<b>68</b>
Fare Type Codes .....	68
Fare Quote Display Option.....	70
Modify Original Display.....	71
Rules Display .....	72
Rules Display Using Alpha Category Modifier.....	72
Rules Without Previous Displays .....	73
Historical Displays.....	73
Availability and Fare Quote Combined.....	74
Fare Quote Overview .....	75
Taxes .....	75

---

<b>FLIFO</b> .....	<b>76</b>
FLIFO Entries.....	76
<b>FOCUS MANUAL</b> .....	<b>77</b>
Access Entries .....	77
Scroll Entries.....	78
<b>HELP FUNCTIONS</b> .....	<b>79</b>
Calculator.....	79
Calendar.....	79
Currency - Bankers Buying Rates.....	80
Encode & Decode .....	80
Fare Breakdown.....	81
Mileage (Distance) Between Cities .....	81
Minimum Connecting Times (MCT) .....	82
Other Airline Information .....	82
Ticketing and Baggage Agreements.....	82
Time .....	83
Weather .....	83
<b>INTERNATIONAL DOCUMENTS</b> .....	<b>84</b>

ACS Document or Passport Entries.....	84
ACS Passenger Contact and Other Entries.....	85
PNR Document or Passport Entries.....	86
PNR Passenger Contact and Other Entries.....	87
<b>INVENTORY DISPLAYS-----</b>	<b>88</b>
Sales Check: Segment Breakdown By Class Of Service .....	88
Leg Inventory: Totals of Seats Sold .....	88
Entire Inventory: Combination of VIS and VIL entries.....	89
Definition of Symbols Found In Inventory And Sales Check Displays	90
<b>ITINERARY PRICING-----</b>	<b>91</b>
Itinerary Pricing Overview .....	91
Itinerary Pricing .....	91
Override Pricing/Forced Connection.....	93
Itinerary Pricing - Currency/City Override.....	93
Passenger Type Codes.....	93
Bargain Finder.....	94
Price Retention (Stored Fare) .....	94
Command Pricing and Ticket Designator .....	95
Fare Breakdown.....	95

---

PFCs (Passenger Facility Charges).....	96
<b>JUMPSEAT -----</b>	<b>97</b>
Cockpit Jumpseat Display.....	97
Cockpit Priority List .....	97
Flight Attendant Priority List .....	98
Accommodating From Priority List.....	98
<b>MESSAGE SWITCHING -----</b>	<b>99</b>
Sending Messages.....	99
Transfer Messages .....	100
Print-Enter .....	100
QTM Messages.....	100
<b>OPERATION ENTRIES -----</b>	<b>101</b>
DECS Entries .....	101
Equipment Change .....	101
Flight List Displays .....	102
Flight History .....	102
<b>PNR CREATION -----</b>	<b>103</b>

Sell from Availability (0).....	103
Long Sell Air Segments (0) .....	104
Remarks (5) .....	104
Name Field (-) .....	105
Received From Field (6) .....	106
Phone Field (9).....	106
Ticketing Field (7) .....	107
Ticket Time Limit (8) .....	107
AAdvantage Account (FF).....	108
Endorsements (ED) .....	108
End/Ignore Transactions .....	109

**PNR DISPLAYS -----110**

Display Entries .....	110
-----------------------	-----

**PNR MODIFICATION -----111**

Action Status Codes.....	111
Change Class of Service .....	112
Change Segment Status in PNR .....	112
History .....	113
History Action Codes (X: canceled A: added M: modified) .....	113

---

Name Field.....	114
Phone Field.....	114
Ticketing/Ticket Time Limit Fields.....	115
Remarks Field.....	115
Divide PNR.....	116
Reduce Number in PNR .....	117
Cancel and Rebook PNR.....	117
Insert After Segment.....	118
<b>PET IN CABIN -----</b>	<b>119</b>
Availability .....	119
Listing Pet-In-Cabin.....	119
<b>PRE-RESERVED SEATS (PRS) -----</b>	<b>120</b>
PRS Locations .....	120
PRS Entries.....	120
PRS Seat Maps.....	121
<b>PRINTER DESIGNATION -----</b>	<b>122</b>
Ticket / Boarding Pass Printers.....	122
Bag Tag Printers .....	122

Hardcopy Printers .....	123
Optional Printer Entries .....	123
<b>QUEUES -----</b>	<b>124</b>
Basic Entries .....	124
Queue Placement .....	125
<b>SCHEDULE vs. AVAILABILITY -----</b>	<b>126</b>
<b>SEAT MAPS-----</b>	<b>128</b>
Seat Map Display .....	128
Secondary Seat Map Display .....	129
Seat Symbols .....	130
Row Symbols .....	131
<b>SINE IN/SINE OUT -----</b>	<b>132</b>
Sine In/Out (RES) .....	132
Sine In/Out (DECS).....	134
Sine In/Out (FRT).....	134
Carrier Codes.....	135

---

<b>TICKETING</b> -----	<b>136</b>
List of Un-ticketed Passengers .....	136
FOP Codes Required to Issue Ticket .....	136
Basic Ticketing Entries.....	137
Select Ticketing Entries .....	138
Award Ticketing .....	138
Endorsement Box .....	138
<b>TICKETING APPROVALS</b> -----	<b>139</b>
Check Approval Codes .....	139
Credit Card Approval Codes .....	139
<b>TICKETING - EXCHANGE</b> -----	<b>140</b>
When to Use the Exchange Mask .....	140
Ticket Exchange Mask.....	140
Involuntary Reroute Mask .....	140
<b>TICKETING MASKS</b> -----	<b>141</b>
Ticketing Masks .....	141
<b>TICKETING – NON REVENUE TRAVEL</b> -----	<b>142</b>



Employee Travel .....	142
<b>TIMATIC -----</b>	<b>143</b>
Access Timatic Mode.....	143
Encode and Decode.....	144
Specific International Information for Customers.....	145
<b>WEATHER -----</b>	<b>146</b>
Weather Entries .....	146
<b>NOTES-----</b>	<b>147</b>

Intentionally left blank

# ACS – CHECK IN

## *Domestic Check-In*

<b>G-123-JONES</b>	Basic check-in
<b>G-123F-JONES</b>	Basic check-in, class of service
<b>G-123DFW-JONES</b>	Basic check-in, board point
<b>G-123-JONES/W</b>	Basic check-in, generic seat assignment
<b>G-123-JONES/10A</b>	Basic check-in, specific seat assignment
<b>G-123DFW-JONES/1A</b>	Basic check-in, class of service, board point, seat request
<b>G-123-JONES3</b>	Basic check-in, multi-party, same surname
<b>G-123-JONES-SMITH</b>	Basic check-in, multi-party, different surname
<b>G-123-JONES2/10AB</b>	Basic check-in, multi-party, same surname, seat request
<b>G-123-JONES*BT/NO BAGS</b>	Basic check-in, no bags
<u>THRU SEAT NOT AVAILABLE</u>	
<b>G-123PHLSTT-JONES/7A</b>	Basic check-in, specific leg of thru flight, seat request
<b>G-123STTSTX-JONES/7C</b>	Basic check-in, next leg of thru flight, seat request

***Group Check-In Entry***

**GN-123-XY** Check-in entry, group code “XY” (domestic only, security check must have completed for each passenger)

***Follow-Up Entries From List or Seat Map***

**G-1** Assign seat, customer item 1  
**G-1,2** Assign seat, customer items 1 and 2  
**G-1-3** Assign seat, customer items 1 through 3  
**G.10A** Assign seat 10A from seat map  
**G.S** Assign any seat from seat map; split party

***Reprint Boarding Pass***

**GRB123/10A** Reprint boarding pass by seat number  
**GRB123-SMITH** Reprint boarding pass by name  
**GRB/5** Reprint boarding pass, line number 5 from customer list

## ACS – CHECK IN / AUTOMATED BAG TAG

### *Check-In and Automated Bag Tags*

<b>GB-123-JONES/1</b>	Check-in and generate 1 bag tag
<b>GB-123-JONES/0</b>	Check-in with automatic edit of no bags
<b>GB-123-JONES2/3</b>	Check-in multi-party, same surname, generate 3 bag tags
<b>GB-123-JONES/2–SMITH/2</b>	Check-in multiple party different surname, generate 2 bag tags for each party
<b>GB-123-JONES/1/9A</b>	Check-in, generate 1 bag tag, seat request
<b>GB-123-JONES2/2/9AB</b>	Check-in multi-party, generate 2 bag tags, seat requests
<b>GB-123-JONES*BT/[X]0011234567</b>	Check-in, AA-issued manual bag tag number
<b>GB-123-JONES*BT/[X]0061234567</b>	Check-in, OA-issued manual bag tag number

***Check-In and Special Automated Bag Tags***

<b>GB-123-JONES/1A</b>	Check-in, generate 1 checked pet bag tag
<b>GB-123-JONES/1D</b>	Check-in, generate 1 tag for previously damaged bag
<b>GB-123-JONES/1A,2</b>	Check-in, generate 1 checked pet bag tag & 2 basic bag tags
<b>GB-123-JONES/1A,1D,1</b>	Check-in, generate 1 checked pet bag tag, 1 previously damaged bag tag, and 1 basic bag tag

***Automated Bag Tags***

<b>GB123-JONES/1</b>	Generate 1 bag tag
<b>GB123-JONES2/2</b>	Generate 2 bag tags for multiple party, same surname
<b>GB123-JONES/1–SMITH/1</b>	Generate 1 bag tag for multiple party, different surname
<b>GB123-JONES/1D</b>	Generate 1 bag tag for previously damaged bag
<b>GB*123-JONES/1</b>	Request bag tag with segment-select display

## ***Follow-Up Entries from List or Seat Map***

<b>GB-1</b>	Generate bag tag, issue boarding pass for customer item 1 from list
<b>GB-1,2</b>	Generate bag tag, issued boarding pass for customer item 1 and 2 from list
<b>GB-2/1</b>	Generate 1 bag tag for name 2 on list
<b>GB3,4</b>	Generate bag tags, segments forced connection over 4 hours
<b>GB1,3</b>	Generate bag tags for itinerary with waitlisted segment
<b>GB1</b>	Generate bag tags for itinerary with segment-select

***Updating Passenger Item – Bags***

<b>G1/BT/[X]0011234567</b>	Add manual bag tag
<b>G1/BT/[X]001234567,58,59</b>	Add multiple bag tags
<b>G1/BT/NO BAGS</b>	No bags checked

***Return Automated Bag Tags***

<b>GOB123-JONES/987654</b>	Return bag tag 987654 for specific customer
<b>GOB123-JONES/987654,3</b>	Return multiple bag tags in sequential order
<b>GOB123-JONES/987654 -SMITH/123456</b>	Return bag tags for multiple customers



## ACS – CHECK IN / EDIT CODES

### *Check-In With Edit Codes*

<b>G-123-JONES*WCHR</b>	Check-in with wheelchair edit codes
<b>G-123-JONES/9A*WCHR</b>	Check-in with wheelchair edit codes, specific seat request
<b>G-123-JONES/W*/AD/1234567</b>	Check-in with AAdvantage edit codes, generic seat request
<b>G-123-JONES2/10AB*WCHR</b>	Check-In multiple party same surname with wheelchair edit codes, specific seat requests
<b>GB-123-JONES/1*INF/EMMA JACOBS, 13MOS</b>	Check-in with infant edit code, generate one bag tag
<b>GB-123-JONES2/3/10AB*CM/FIRST TIME FLYERS PLZ ASSIST</b>	Check-In multiple party same surname comments, generate three bag tags, specific seat requests
<b>G-123-JONES*UMNR/CM/AGE 9 TBMB MARY HART 412-111-2222</b>	Check-in unaccompanied minor edit codes, and comment

**ACS – CHECKIN / EDIFACT*****EDIFACT Entries***

<b>GE*M/NW5085YMSPSEA/N</b>	Display seat map
<b>GE-5081-NAYLOR/10A</b>	Check-In customer
<b>GE-3,4/10AB</b>	Follow-up entry from list
<b>GERB5081-BURNETT</b>	Reprint boarding pass by name
<b>GERB5081/10A</b>	Reprint boarding pass by seat
<b>GE☒5081/10A☒12A</b>	Change seats
<b>GEO5081/10A</b>	Offload seats
<b>GES5081/25A/FQTV/NW2827390</b>	Edit customer information

## **ACS – CHANGE/OFFLOAD SEAT**

### ***Offload (Return/Cancel) Seat***

<b>GO123/10A</b>	Return seat 10A
<b>GO123/10AB</b>	Return seats 10AB
<b>GO123/10A12F</b>	Return seats 10A and 12F
<b>GO123/10A-F</b>	Return range of seats
<b>GO123/10AB/ALL</b>	Return seats and all downline/connecting seats
<b>GO123DFW/10A</b>	Return seats, specific board point
<b>GO123/10AB‡B/NOTON</b>	Return seats, B-text for positive bag match reconciliation
<b>GO123/13F‡B/ON/free text</b>	Return seats, B- text why bags were kept on flight
<b>GO123/15F/PR</b>	Return seats, keep in pre-reserve status

***Offload (Return/Cancel) Seat From List***

<b>GO1</b>	Return seat for customer item 1 from list
<b>GO1,3</b>	Return seats for customer items 1 and 3 from list
<b>GO1-3</b>	Return seats for customer items 1 through 3 from list
<b>GO1,3/ALL</b>	Return seats for psgr items 1 and 3 for this flight and all conx seats
<b>GO1‡B/NOTON</b>	Return seat for customer item 1 from list, B-text for positive bag match reconciliation

***Change Seat***SAME CLASS OF SERVICE

<b>G☒123/9A☒20C</b>	Change seat from 9A to seat 20C
<b>G☒123/9A☒A</b>	Change seat from 9A to aisle
<b>G☒123/9ABC☒5DEF</b>	Change multiple seats from 9ABC to seats 5DEF (max 10 seats)
<b>G☒123CLTDFW/9A☒4C</b>	Change seat, specific leg of thru flight
<b>G☒123/19JAN/9A☒8C</b>	Change seat, specific date, from 9A to seat 8C
<b>G☒123CLT/9A☒20C</b>	Change seat, connecting flight, from 9A to seat 20C

## ***Change Seat***

### DIFFERENT CLASS OF SERVICE

Note: Inventory must be available.

- |                                   |  |
|-----------------------------------|--|
| <b>G✕123/9A✕F/2A</b>              | Upgrade from seat 9A to seat 2A (specific seat req'd)  |
| <b>G✕123/9AB✕F/1AC</b>            | Upgrade seats from 9AB to seats 1AC                    |
| <b>G✕123CLTDFW/9A✕F/3C</b>        | Upgrade seat, connecting flight, from 9A to seat 3C    |
| <b>G✕123CLTDFW/9AB✕F/1A<br/>C</b> | Upgrade seat, connecting flight, from 9AB to seats 1AC |

### SWAP

- |                             |   |
|-----------------------------|---|
| <b>G✕123/9A✕5A/SWAP</b>     | Swap seats between two customers 9A for 5A          |
| <b>G✕123/9ABC✕5DEF/SWAP</b> | Swap seats between multiple customers 9ABC for 5DEF |

**ACS – PRE DEPARTURE GATE FUNCTIONS*****Printer Entries***

<b>W*2AD1E73439000706</b>	Sign into ATAC, designate TKT/BP printer
<b>PTR/D1E734</b>	Designate a hardcopy printer
<b>RL/D1E734</b>	Release the hold on a printer

***Flight Dedication***

<b>GD123</b>	Dedicate a CRT to a specific flight number
<b>GD0</b>	Un-dedicate a CRT from a specific flight number

***Set Priority Restrictions***

<b>GF123Y/AR/D2T</b>	Add standby restriction code
<b>GF123F/AR/DSR</b>	Add standby restriction code, first class
<b>GF123Y/XR</b>	Remove priority restriction

## ***Flight Status Displays***

<b>GMSK123</b>	Display agent information mask
<b>G*123/FD</b>	Display flight data display
<b>G*123</b>	Display flight status
<b>G*0</b>	Display flight status, CRT dedicated
<b>G*123/19JAN</b>	Display flight status for specific date
<b>G*123/BDL</b>	Display flight status for another city
<b>G*123/19JANBDL</b>	Display flight status for another city, specific date

## ***Flight Text Entries***

<b>G*123/R</b>	Display R-Text (remarks)
<b>GFAR123/ (free text)</b>	Add R-Text
<b>GFRR123/4/ (new text)</b>	Revise R-Text by line number
<b>GFDR123/3</b>	Delete R-Text by line number
<b>GFDR123/1-3</b>	Delete R-Text by range

***Flight Text Entries (continued)***

<b>G*123/O</b>	Display O-Text (oversales)
<b>GFAO123/ (free text)</b>	Add O-Text
<b>GFRO123/4/ (new text)</b>	Revise O-Text by line number
<b>GFDO123/4</b>	Delete O-Text by line number
<b>G*123/F</b>	Display F-Text (flight specific)
<b>GFAF123/ (free text)</b>	Add F-Text
<b>GFRF123/4/ (new text)</b>	Revise F-Text by line number
<b>GFDF123/4</b>	Delete F-Text by line number

***Seat Block Entries***

<b>GMB123/14A/T</b>	Block specific seat as seat type code
<b>GMU123/12AB</b>	Unblock specific seats
<b>GMU123/Q</b>	Unblock specific seat type codes
<b>GMU123/12-14</b>	Unblock seats from rows 12 thru 14



## ***Passenger Information Lists Inbound***

<b>G*123BOS/CPI</b>	Inbound connecting customer info
<b>G*L123BOS/PCD</b>	Inbound and outbound connecting passenger info
<b>G*L123‡SS/CM</b>	List of names with support services requests <i>or</i> comments
<b>G*L123/IB</b>	List of names of inbound connecting customers
<b>G*L123/OB</b>	List of names of outbound connecting customers
<b>G*L123BOS/WCHR</b>	List of names of wheelchair requests for flight 123 from BOS
<b>G*L123BOS/UMNR</b>	List of names of unaccompanied minors for flight 123 from BOS
<b>G*L123BOS‡UMNR/WCHR/BLND</b>	List of names having combined edit codes (UMNR <i>or</i> WCHR <i>or</i> BLND)
<b>G*L123BOS/SS/OB</b>	List of names with combined edit codes (SS <i>and</i> OB)

**Paperwork for Outbound Flight**

G*L13/SM*S	Special meal list
G*L123F/RV	F class customer list
GFFM61	Seat Chart (International Flights)

**Paperwork for Outbound Flight - DECS Entries**

<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> DECS	Switch from RES to DECS system
<b>BSI employee number</b>	Sine into DECS + password
<b>JP*123/04 CLT</b>	Print the Flight Release and Weather
<b>FIL 123</b>	Print flight information with fuel on board
<b>SLWR123/04 CLT</b>	Print weather (if not included in release)
<b>BSO</b>	Sine-out of DECS and RES
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> RES	Switch from DECS back to RES system

## ACS - DEPARTURE GATE FUNCTIONS

### *Boarding Status*

<b>GF123/BOARDING</b>	Place flight in boarding status
<b>GF123/XBOARDING</b>	Turn off boarding indicator

### *“ON” Board*

<b>GS123/5B/ON</b>	Place customer ON board by seat number
<b>GS123/13AB14DEF/ON</b>	Place multiple customers ON board by seat number
<b>G*L123/RV</b>	Display list of revenue customers
<b>G1/ON</b>	ON customer item 1 from list
<b>G1,3/ON</b>	ON customer items 1 and 3 only
<b>G4-9/ON</b>	ON customer items 4 through 9

***Auto "ON"***

Note: Only gate positions should be performing "ON" functions!

<b>G*123/D</b>	Display current status of the Auto-ON indicator
<b>GD☒123/ON-ALL</b>	Set Auto-ON indicator
<b>GD☒123/ON-PL</b>	Set Auto-ON for Priority List customers
<b>GD☒123/OFF</b>	Cancel the Auto-ON process

***Unboard***

<b>GS123/14B/XON</b>	Unboard an ON'd customer by seat number
<b>GS123/15A16B/XON</b>	Unboard multiple customers by seat number
<b>G*L123/XON</b>	Display the XON list (customers not ON'd)
<b>G*L123/ON</b>	Display the ON list
<b>G6/XON</b>	Unboard customer item 6
<b>G3,7/XON</b>	Unboard customer items 3 and 7 only
<b>G5-9/XON</b>	Unboard customer items 5 through 9

## ***Lists***

<b>G*L123/BX</b>	List of names of psgrs with seats but not onboard (BX List) / seat order
<b>G*L123/BX*N</b>	List of names of psgrs with seats but not onboard (BX List) / name order
<b>G*L123/PULL</b>	List of names of selectees not onboard
<b>G*L123/BT/XON</b>	List of names of psgrs with checked bags and not onboard
<b>G*L123/BP/XON</b>	List of names of psgrs with boarding passes and not onboard

## ***Final Status Entries***

<b>GF123/FINAL</b>	Place flight in final boarding status
<b>GF123/FINAL/ALL</b>	Place flight in final status, release ALL blocked seats
<b>GF123/FINAL/Q</b>	Place flight in final status, release Q blocked seats
<b>GF123/FINAL/QZAR</b>	Place flight in final status, release specific blocked seats (Q,Z,A,R)

***Updating Counts In Flight Data***

GF☒123/CHD2

Update count to reflect 2 children

GF☒123/WCHR5

Update count to reflect 5 wheelchairs

***Return Seats***

GO/NOTON

Return all seats not "ON"

GO/NOTON/IB

Return seats of all inbound connections

GO/NOTON/IB123

Return seats from inbound connecting flight 123

GO/NOTON/XIB

Return all seats EXCEPT inbound connections

GO/NOTON/XIB123

Return all seats EXCEPT inbound connecting flight 123

GO123/12A

Return specific seat

GO123/12A13F‡B/NOTON

Return specific seats, baggage reconciliation

GO1,2/OFF

From displayed list, return seats of lines 1 and 2

GO1-3/OFF‡B/NOTON

From displayed list, return seats of lines 1 through 3, baggage reconciliation

### ***Flight Closeout***

<b>GF123/CLOSE/LCLF12Y98/SECOK</b>	Close flight (first 12, coach 98), security OK
<b>GF123/CLOSE/LCLF6J34Y198/SECOK</b>	Close flight (3-cabin aircraft), security OK
<b>GF123/CLOSEO/LCLF12Y98/SECOK</b>	Close flight; supervisor override BX List
<b>GF123/CLOSEP/LCLF12Y98/SECOK</b>	Close flight and "Pull List" verified
<b>GF123/CLOSEV/LCLF10Y119/SECOK</b>	Close flight and counts verified

### ***Final Paperwork for Outbound Flight***

<b>GFFM123</b>	Final Flight Attendant manifest
----------------	---------------------------------

## ACS – POST DEPARTURE GATE FUNCTIONS

### *PDC Entries*

**GFAR123/free text**

Add R-Text information (“OFF GATE OT”)

**GF123/PDC**

Activate post-departure check-out

**GF123/PDC/XM**

Activate post-departure processing, protect no-shows; used only in irregular ops



# ACS – LISTS

## *Lists*

G*L123/AA	List of customers <u>A</u> t the <u>A</u> irport
G*L123/BP*S	List of customers with boarding passes by seat number
G*L123/BT	List of all bag tags for a flight
G*L123/BX	List of customers who have pre-reserve seats and/or boarding passes but have not yet boarded
G*L123/AD	List of AAdvantage members
G*L123/AD/BP	List of AAdvantage members with boarding passes
G*L123/IB/BT	List of inbound customers with bags
G*L123‡AD/BP/SM	List of customers that are AAdvantage members OR have boarding passes OR have requested a special meal
G*L123/PULL	Pull List (Selectees)
G*L123/SP	List of selectee customers
G*L123/SS	List of special assists
G*L123/TX	List of through customers
G*L123/UMNR	List of Unaccompanied Minors
G*L123/WCHR	List of wheelchair assists
G*L123/XON	List of customer NOT ON
G*L123/XPR/XBP	List of customers WITHOUT pre-reserved seats and WITHOUT boarding passes (unseat-assigned customers)

**ACS - OVERSALE*****F-Text and O-Text***

<b>GFAF123/NEED VOLUNTEERS</b>	Add F-Text to the flight
<b>GFAO123/OVERSOLD BY ...</b>	Add O-Text oversale information
<b>GFRO123/1/OVERSOLD BY ...</b>	Revise the O-Text information
<b>GFDO123/1</b>	Delete the O-Text information

***Displays***

<b>G*L123/OS</b>	List of oversale customers
<b>GOS123</b>	Display oversale mask
<b>G*123/OS</b>	Display oversale data
<b>RFND</b>	Access mask to issue transportation vouchers

### ***Priority List Entries***

**G-123-JONES**

Step One: Check-In Customer

**GL1‡OS**

SABRE will automatically assign the status codes:

OS1 – Executive Platinum

OS2 – Platinum

OS3 – GOLD

OS – All confirmed revenue customers

OST – Through customers

**GL123-BUMFODDER‡OS**

Place customer directly on list as an oversale

### ***Priority List Volunteer Entries***

SEAT ASSIGNED CUSTOMER WISHING TO VOLUNTEER

**GL123-SMITH‡VOL**

Add customer to priority list as a volunteer

OVERSALE CUSTOMER WISHING TO VOLUNTEER – NOT CHECKED IN

<b>G-123-LANGLEY*BT/NO BAGS</b>	Check-in customer
<b>GL1‡OS2</b>	Oversale follow-up entry when seat map displayed
<b>G*L123/PALL</b>	Display complete priority list
<b>G4/RM/VOL</b>	Oversold remark of customer willing to volunteer

OVERSALE CUSTOMER WISHING TO VOLUNTEER – PREVIOUSLY CHECKED IN

<b>G*L123/PALL</b>	Display priority list
<b>G5/RM/VOL</b>	Oversold remark of customer willing to volunteer

## ACS – PASSENGER ITEM

### *Display Passenger Item*

<b>G*N123/SMITH</b>	Display customer item by customer name
<b>G*S123/7C</b>	Display customer item by seat number
<b>G*G123/AB</b>	Display customer item by group code
<b>G1</b>	Follow-up to multiple name list
<b>G1*</b>	Display PNR from customer item
<b>G**</b>	Redisplay customer item or displayed customer list
<b>GV1*</b>	Display electronic ticket from customer item

<b><i>Passenger Item Modification</i></b>
---

BY SEAT NUMBER

<b>GS123/12A/WCHR</b>	Add edit code to customer item
<b>GS123/12A/BT/778899</b>	Add manual bag tag to customer item
<b>GS123/12A/AD/123A456</b>	Add AAdvantage number to customer item
<b>GS123/12A/XWCHR</b>	Delete edit code from customer item
<b>GS123/10A/XSC/XAD</b>	Delete multiple edit codes from customer item

FROM DISPLAYED PASSENGER LIST

<b>G1/SC</b>	Add edit code to customer item 1 on list
<b>G1/BT/NO BAGS</b>	Add bag tag edit code to customer item 1 on list
<b>G2/SC/AD/123A456</b>	Add multiple edit codes to customer item 2 on list
<b>G1/CM/ free text</b>	Add comment to customer item 1 on list
<b>G2/CM/1, free text</b>	Modify for customer item 2 on list the first comment to read (free text)
<b>G3/XCM/2</b>	Delete for customer item 3 on list the second comment
<b>G1/XSC</b>	Delete edit code for customer item 1 on list
<b>G1/XSC/XWCHR</b>	Delete multiple edit codes for customer item 1 on list

## ACS – PRIORITY LIST (ACCOMMODATING)

### *Priority List Displays*

<b>G*L123/PALL</b>	Display entire priority list
<b>G*L123/PALL*H</b>	Display entire priority list, with history
<b>G*L123PHL/PALL</b>	Display entire priority list, another city
<b>G*L123/19JAN/PALL</b>	Display entire priority list, different date
<b>G*L123/19JANPHL/PALL</b>	Display entire priority list, another city, different date
<b>G*L123/P</b>	Display unaccommodated customers on priority list

***Priority List Accommodate***SEAT ASSIGN

**GALL** Assign seats to all names on list

**GA1** Assign seat to name 1

**GA1,2** Assign seats to names 1 and 2

**GA1-3** Assign seats to names 1 through 3

**GA1/10A** Assign specific seat to name 1

**GA1/W** Assign window seat to name 1

CHANGE/CANCEL

**GA2☒F** Change class of service, assign seat to name 2

**G1☒F** Change desired class of service to first class

**GA2☒F/1A** Change class of service, assign specific seat to name 2

**G☒123/10A☒9C** Change seat 10A to 9C on flight 123

**G1/RM/free text** Add remark to name 1 on priority list

**GO3** Cancel seat from name 3 on list

**GO3/OFF** Cancel seat AND remove name from list



TRANSFER

**GT1**✕456

Transfer name 1 to flight 456 standby list

**GT1**✕456/L

Transfer name 1 to flight 456 standby list, LIST ONLY (place on list only, does not seat assign even if restriction permits)

**GT1-3**✕456

Transfer names 1-3 to flight 456 standby list

**GTALL**✕456

Transfer all names to flight 456 standby list

**GT1**✕789DFW

Transfer name one to flight 789 standby list, different destination (identify the BOARD POINT in entry not the new destination)

**GT1**✕789DFWSNA

Transfer name one to flight 789 standby list, different destination (board point required, identify off point when new flight number has multiple cities in route of flight)

## ACS – PRIORITY LIST (CHECK-IN)

### *Priority List – Codes*

<b>VOL</b>	Volunteer psgr on oversold flight	<b>D1</b>	Limited yearly, emp personal trvl
<b>OS1</b>	Oversold, Executive Platinum	<b>D2</b>	Spouse, dependents, dom partner, registered companion
<b>OS2</b>	Oversold, Platinum	<b>D2R</b>	Retired employee
<b>OS3</b>	Oversold, Gold	<b>D2P</b>	Personal trvl for parents of AA and
<b>OS</b>	Oversold, revenue , PS employee		
<b>VOL</b>	Volunteer psgr on oversold flight	<b>D3</b>	Guest traveler
<b>UPG1</b>	Upgrade request, Executive Platinum	<b>D6</b>	OA cockpit crew member
<b>UPG2</b>	Upgrade request, Platinum	<b>ID90</b>	OA emp trvl on their tkt stock
<b>UGP</b>	Upgrade request, Gold	<b>ONE</b>	<b>oneworld</b> carrier emp personal trvl
<b>RI</b>	Standby Involuntary	<b>ZED</b>	OA personal trvl at ZED rates
<b>RV</b>	Standby unrestricted tkt, elite psgrs		
<b>RL</b>	Restricted tkts, psgr must present Themselves at airport w/in 2 hrs		
<b>A1D</b>	Deadheading crew, covering schedule		
<b>A3D</b>	Deadheading crew, returning to base or from training		
<b>VOL</b>	Volunteer psgr on oversold flight		

### ***Priority List – Grab ‘N Go***

VCR\*0374010123456

Step One: Display VCR

G-123-JONES†SB2\*SCΣ456ΣVCR/3

Step Two: Place on priority list; holding alternate space on aa456, associate coupon 3 from VCR

### ***Priority List – Non Revenue (same as check-in)***

### ***Priority List – Oversale***

G-123-JONES

Step One: Check-In Customer

GL1†OS

Step Two: Follow-up entry, seat mask full

### ***Priority List – Standby***

G-123-JONES†RV

Check-in revenue standby, holding no confirmed reservation

G-123-JONES†RVΣ987

Check-in revenue standby customer, holding confirmed reservation within ACS window

G-123-JONES†RVΣ987/19JAN

Check-in standby customer, holding confirmed reservation within ACS window

G-123-JONES†RVΣ987  
–SMITH†RVΣ456

Check-in multiple standby customers, holding confirmed reservation within ACS window

***Priority List – Upgrade***

GL123-JONES☒X†UPG

Check-in customer for upgrade

GL123-JONES☒R†UPG

Check-in customer for upgrade for business class

***Priority List - Follow-Up Entries***

GL1

Follow-up from list, place customer item 1 on priority list

GL0

Follow-up from list, no-rec entry when name not found or confirmed reservation is outside of ACS window

GL1,2

Follow-up from list, place customer items 1 and 2 on priority list

## ACS – PRIORITY LIST (LISTING)

### *Priority List – Place Directly On List*

GL123-JONES†RV	Place customer directly on list
GL123-JONES†RVΣ456	Place customer directly on list, holding alternate reservation within ACS window
GL123-JONES†RVΣ456/19JAN	Place customer directly on list, holding alternate reservation within ACS window
GL123-JONES†D2	Place employee directly on list
GL123-JONES†ONE	Place OA <b>oneworld</b> employee directly on list

**ATAC*****Display Entries***

<b>WA*</b>	Display entire ATAC record
<b>WA*CA</b>	Display cash detail
<b>WA*CK</b>	Display check detail
<b>WA*CC</b>	Display credit card detail
<b>WA*EG</b>	Display electronic generated
<b>WA*EGCC</b>	Display electronic generated by form of payment
<b>WA*ET</b>	Display exchange transaction detail
<b>WA*R</b>	Display remarks only
<b>WA*†CUR</b>	Display currency detail by currency code
<b>WAF*</b>	Display list of manual forms

### ***Form of Payment Codes***

<b>CA</b>	Cash	<b>DT</b>	Deportee	<b>MP</b>	Multiple Forms of Payment
<b>CK</b>	Check	<b>ET</b>	Exchange Transaction	<b>PT</b>	Prepaid Ticket
<b>CC</b>	Credit Card	<b>GR</b>	GTR or STR	<b>TV</b>	Transportation Voucher
<b>CT</b>	Certificate	<b>MC</b>	Military Auth. Certificate	<b>XX</b>	Other

### ***Transaction Codes***

<b>AC</b>	Additional Collection	<b>RF</b>	Refund
<b>AG</b>	Agent Generated	<b>SG</b>	SABRE Generated Ticket
<b>CT</b>	Certificate	<b>SGX</b>	SABRE Generated Added Manually
<b>EG</b>	Electronically Generated Ticket	<b>TV</b>	Automated Transportation Voucher
<b>GB</b>	Government Bill	<b>VE</b>	Void Electronic Ticket
<b>MP</b>	Multiple Forms of Payment	<b>VO</b>	Void Ticket
<b>PT</b>	Prepaid Ticket	<b>VOX</b>	Void SABRE Generated Add Manually

<b>Add Entries</b>
--------------------

(WAF\*            *Display list of manual forms*)

<u>Entry</u>	<u>Ticket Type</u>	<u>FOP</u>	<u>Tax</u>
<b>WAA44111234562/CC300.00/30.00</b> (include form number and check digit)	Handwritten psgr tkt	CC	US tax
<b>WAA44111234562/57/CK400.00/45.00</b>	Handwritten conj psgr tkt	CK	US tax
<b>WAA44111234562/CA50.00/5.00‡CK90.00/9.00</b>	Handwritten psgr tkt	multi	US tax
<b>WAA21351234562/CA200.00/20.00</b> Note: This entry should rarely be used.	Automated tkt	CA	US tax
<b>WAA44011234562/CA200.00/XT38.00</b>	Handwritten tkt	CA	Multi
<b>WAA44641234562‡MXN/CA100.00/XT38.00</b>	Tkt paid in different currency	CA	Multi
<b>WAA44211234562/CA200.00/18.00/CT20.00</b>	Handwritten tkt	CA	CA tax
<b>WAA4420657890/ET100.00/10.00</b>	Even or refund exchange	ET	US tax
<b>WAA4420657890/ET100.00/XT10.00</b>	Even or refund exchange	ET	Multi



<u>Entry</u>	<u>Ticket Type</u>	<u>FOP</u>	<u>Tax</u>
WAA4420657890/ET100.00/10.00‡CA50.00/5.00	Add collect exchange	CA	US tax
WAA4200657890/ET100.00/XT10.00‡CK50.00/XT5.00	A/C exchange	CK	multi
WAACK/35.00 Note: Reduces cash & increases check amounts.	Check cashed		
WAA40701234562/CK40.00/0.00	SST or MCO for upgrade	CK	none
WAA45001437762/ET0.00/0.00	FIM	ET	none

### ***Change Entries***

Notes: Changes to a ticket issued as a multiple form of payment cannot be made. No check digit. Supervisor must change CC FOP to CA/CK or vice versa.

WA☒4400123456/FOPCK	Change FOP to CK
WA☒4400123456/AMT100.00/TAX10.00	Change fare/tax only, handwritten tickets
WA☒4400123456/FOPCA/AMT100.00/TAX10.00	Change fare/tax/FOP, handwritten tickets

---

<b>WA</b> ✕4211234567‡FRF/FOPCA	Change FOP to cash, international currency
<b>WA</b> ✕4211234567‡FRF/AMT50.00/ <b>TAX</b> 15.00	Change base fare/tax, international currency

**Void Entries**

**Note:** Check digits are not required when making the void entry. Tickets must first be added to the ATAC record before they can be voided. If you have a voided handwritten ticket that has not been added to your record, you must first add the ticket using the normal add entry and then make the void entry.

<b>WV</b> 2405123456	Void automated ticket (must be in PNR)
<b>WVNP</b> 0611234567	Void automated document when no PNR exists
<b>WAV</b> 4400123456	Void handwritten ticket
<b>WAVCHECK/</b> 50.00	Void cashed check

## Remarks

**Note:** Remarks are used in the ATAC Report to explain any unusual circumstances. ATAC Remarks are limited to 342 characters.

<b>WAR free text</b>	Add remarks entry
<b>WAR/D</b>	Delete <b><u>ALL</u></b> remarks entry
<b>WA*R</b>	Display remarks

## Closeout Entries

<b>W*2ADUMMY/station nbr</b>	Assign dummy printer
<b>PTR/printer nbr</b>	Assign hardcopy printer
<b>WA*</b>	Print entire report
<b>‡2WA*</b>	Print 2 copies of entire report
<b>WAemployee##CC/CA</b>	Close agent credit card and cash/check detail

***Over/Short Entries***

WAAOVER/15.00	Report overage
WAASHORT/15.00	Report shortage
WAAOVER/D	Delete overage report
WAASHORT/D	Delete shortage report
WAAOVER‡DEM/15.00	Report overage, international currency
WAASHORT‡DEM/15.00	Report shortage, international currency
WAAOVER‡DEM/D	Delete overage report, international currency
WAASHORT‡DEM/D	Delete shortage report, international currency

***Station C-20 Report – Supervisor Entries***

WGATAC39000706	Access the ATAC package
WGAGENT12345	Access an agent detail for SU updates
WGAGENT12345/20AUG	Access an agent detail by date/for SU updates
WG*12345	Display an agent detail
WG*12345/20AUG	Display an agent detail by date

Station C-20 Report – Supervisor Entries (continued)

<b>WG*12345/CK/20AUG</b>	Display an agent detail by FOP check/date
<b>WG*12345‡USD/20AUG</b>	Display an agent detail by currency/date
<b>WG*12345‡USD/CL</b>	Display an agent detail by currency/(cash/check)
<b>WG*</b>	Display today's Grand C-20
<b>WG*20AUG</b>	Display past date Grand C-20
<b>WG*C20</b>	Display Grand C-20 without list of closed agents
<b>WG*C20/20AUG</b>	Display past date Grand C-20 without list of closed agents
<b>WG*C20‡FRF</b>	Display Mini C-20 for FRF without list of closed agents
<b>WG*‡USD</b>	Display Mini C-20 for USD
<b>WG☒20AUG05‡USD/1640.17</b>	Modify Mini C-20 amounts (lines 1-13)
<b>WG☒20AUG14/20AUG‡CAD/535.32</b>	Modify Mini C-20 deposits (lines 14-29)
<b>WG☒20AUG11‡USD/253.89</b>	Modify Station C-150 MISC Funds (line 11)
<b>WG☒20AUG10‡USD/0.30</b>	Local currency cash adjustments (line 10)
<b>WG☒20AUG12‡FRF/-216.00</b>	Foreign currency cash adjustment (line 12)
<b>WGR20AUG/ (free text)</b>	Add remarks to Station C-20 (required with amt on line 10)
<b>WGR20AUG/</b>	Delete Station C-20 remarks

Station C-20 Report – Supervisor Entries (continued)

<b>WG*VOIDS/20AUG</b>	Display all voided documents in Station C-20
<b>WG*MASGT/20AUG</b>	Display all manually added SABRE generated tickets
<b>WGVERIFY/20AUG</b>	Entry to verify station reconciliation of MASGT
<b>WG*AGENTCLOSE/20AUG</b>	Display a list of closed agent details
<b>WGCLOSE/20AUG</b>	Close Station C-20
<b>‡2WG*‡USD/20AUG</b>	Print 2 copies of Mini C-20s (date optional)
<b>‡2WG*20AUG</b>	Print 2 copies of Grand C-20s (date optional)
<b>‡2WG*VOIDS/20AUG</b>	Print 2 copies of Station Voids (date optional)

# AVAILABILITY

## *Availability Displays*

**Note:** 24-hour time may be substituted for 12-hour time.

<b>125OCTLAXMIA</b>	Display availability by date
<b>125OCTLAXMIA7A</b>	Display availability by date and time
<b>125OCTLAXMIA/430P</b>	Display availability by date and arrival time
<b>125OCTLAXMIA9ACLT</b>	Display availability by time and connection point
<b>125OCTLAXMIA7A‡AA</b>	Display availability, specific carrier
<b>1234/25OCTLAXMIA</b>	Display inventory for specific flight
<b>125OCTLAXMIA9A-F</b>	Display availability for specific class (F)
<b>125OCTLAXMIA/8P-Y‡DL</b>	Display other availability options
<b>1S25OCTLAXMIA-F</b>	Scan date plus four days for specific class
<b>1*</b>	Display more availability
<b>1*OA</b>	Display Other Airline availability
<b>1*AA</b>	Redisplay original availability

<b>1*R</b>	Redisplay last availability
<b>1‡DL</b>	Display specific carrier availability
<b>1*AMCO</b>	Change Arrival city
<b>1*DSFO</b>	Change Departure city
<b>1*SFOMCO</b>	Change departure and arrival cities
<b>1DFW</b>	Change connecting city
<b>1*3P</b>	Change departure time
<b>119SEP</b>	Change departure date
<b>1‡2</b>	Advance availability two days
<b>1-2</b>	Subtract availability two days
<b>1R</b>	Display return availability same day
<b>1R4NOV10A</b>	Display return availability by date and departure time
<b>1R‡7</b>	Display return availability for 7 days from departure date



**Carrier and Equate Codes**

<b>Carrier Code</b>	<b>Equate Code</b>	<b>Affiliate Carrier</b>
51	P	PIEDMONT
52	A	ALLEGHENY
53	J	PSA
54	H	CHAUTAUQUA
55	O	COMMUTAIR
56	T	TRANS STATES
57	M	METROJET
58	S	US AIRWAYS SHUTTLE
59	C	CCAIR
60	E	MESA LIBERTY EXPRESS, FLORIDA GULF
61	D	AIR MIDWEST
62	R	MESA JET

**H/SUBOPT-E51**

SUB-OPT to Piedmont Partition

**SI**

Return to default partition

**Quick Reference**

<b>BV*BAG</b>	Display IATA Bag Types
<b>BV*CLR</b>	Display IATA Bag Colors
<b>BV*RSN</b>	Display mishandling codes
<b>B*HELP</b>	Display HELP function
<b>B*HELP-DB</b>	Display specific HELP function

**Bag Tags**

<b>B/DCAUS2233444</b>	Create record using one bag tag
<b>B/DCAUS223344, DCAUS223345, DCAUS223346</b>	Create record using multiple bag tags
<b>B/UNK</b>	Create record with unknown bag tag
<b>B/UNK/UNK/UNK</b>	Create record using multiple unknown bag tags
<b>B/MIADL989812</b>	Create record using OA bag tag
<b>B/C/DENUS443311</b>	Create from PNR, one bag tag
<b>B/C/DENUS443311,DENUS443312</b>	Create from PNR, multiple bag tags

<b>B/C/UNK</b>	Create from PNR, unknown bag tag
<b>B/C/UNK,UNK</b>	Create from PNR, multiple unknown bag tags
<b>B/C/MIADL989812,MIADL989813</b>	Create from PNR, multiple OA bag tags

### ***Customer Name***

<b>-POE/EDGAR MR-P</b>	Enter customer name
<b>-LINCOLN/MARY-V</b>	Enter name indicating "voluntary separation"
<b>-TYLER/JOHN-N</b>	Enter name indicating "NON-REV"

### ***Telephone***

<b>9214-282-1334-PH</b>	Home telephone
<b>9412-931-1000-PB</b>	Business telephone
<b>9972-874-5000X100-PB</b>	Telephone number with an extension
<b>9001-82-4024321-LH</b>	Local home telephone number
<b>9001-81-476-32-7212-LB</b>	Local business telephone number
<b>9PWCT</b>	Customer will contact (telephone number not available)

***Address***

**W-100 MAIN ST‡DALLAS, TX 75031-P**  
**W-21 N HILL‡LEXINGTON, KY 41111-L**  
**W-PWCT-P**  
**W-PWCT-L**

Permanent address  
 Local address  
 Address not available (permanent)  
 Address not available (local)

***Bag Description***

**DB/L/BK01XXX/VINYL/SAMSON/KK/  
 KING/DIAMOND RINGS**  
**DB2/L/BU62PSX/CANVAS/PING/EP/  
 PRESLEY/GOLF CLUBS**  
**DB/O/RD20SXX/NYLONE/AMERIC/LFV/VAN  
 CE/BABY CLOTHES**  
**DB/P/WT10XXX/CARDBOARD//RG/  
 GEORGE/PILFERAGE**  
**DB/D/YW85WXX/WOOD/AKAI/VC/  
 CARRAHER/DAMAGE**

Bag description 1 for tracer/loss  
 Bag description 2 for tracer/loss  
 Bag description for an on-hand  
 Bag description for Pilferage record  
 Bag description for Damage record

***Itinerary***

0US100K15DECCLTPHX0374523412345-P	Customer itinerary with ticket number
0US100K15DECCLTPHXUNK-P	Customer itinerary without ticket number
0US230Y15DECILMCLT-P	Customer itinerary
0US400F25DEC DENPHL-B	Baggage itinerary
0UA777Q07JANSLCLAS	OA Itinerary
01F☒0012123456780	Change/Add Ticket Number

***Check In Information***

K/1/0/T/60/FRA	Baggage check-in information
----------------	------------------------------

***5 Remarks Field***

5HAVD BAG WILL ARR FLT 200	Remarks, free text after "5"
----------------------------	------------------------------

**Display**

<b>*A</b>	Entire record
<b>*B</b>	Bag tag
<b>*-</b>	Name field
<b>*W</b>	Address field
<b>*D</b>	Baggage description
<b>*K</b>	Check-in information
<b>*I</b>	Itinerary
<b>*P9</b>	Telephone field
<b>*P5</b>	5 Remarks field
<b>*S</b>	Settlement
<b>*BA</b>	Baggage Arrival
<b>*FD</b>	Delivery

## ***Display BMAS Records***

<b>B*PLBMCH</b>	Display by BMAS file number
<b>B*MCI102300</b>	Display by city and bag tag
<b>B*/224466</b>	Display by bag tag
<b>B*PHLDL123456</b>	Display by OA bag tag (city required)
<b>B*-GEORGE</b>	Display by name
<b>B*-PENAL</b>	Display by name and transaction type
<b>B*-HOWARD/O/03DEC</b>	Display by name, transaction type, and date
<b>B*BK/01/O</b>	Display by color, bag, and transaction type

## ***Display Lists***

<b>BRB/CLE/L</b>	Display tracer list
<b>BRB/HTSC/L</b>	Display tracer list for affiliate carrier
<b>BRB/CRW/O</b>	Display on-hand list
<b>BRB/DCA/D</b>	Display damage list
<b>BRB//P</b>	Display pilferage list (assumes AAA)

Display Lists (continued)

<b>BRB//M</b>	Display mishandling list (assumes AAA)
<b>BRB//S</b>	Display settlement list (assumes AAA)
<b>BRB//F</b>	Display forwarding list (assumes AAA)

<b><i>Modify BMAS Records</i></b>
-----------------------------------

<b>-<input checked="" type="checkbox"/>TERREL/JOHN</b>	Change name
<b>92<input checked="" type="checkbox"/>702-686-3687-PB</b>	Change permanent business telephone
<b>W-2<input checked="" type="checkbox"/>CAMBRIDGE, MA 90321</b>	Change line 2 in address field
<b>W-4<input checked="" type="checkbox"/>IRVING, TX 41005</b>	Change line 4 in address field
<b>X2†<input checked="" type="checkbox"/>0US288Y07FEBDFWPIT-B</b>	Cancel and rebook line 2 in bag itinerary
<b>K2C<input checked="" type="checkbox"/>T</b>	Change check-in location to T-ticket counter
<b>DB1C<input checked="" type="checkbox"/>NYLON</b>	Change material in bag description 1
<b>DB3D<input checked="" type="checkbox"/>SKYWAY</b>	Change manufacture in bag description 3
<b>DB2A<input checked="" type="checkbox"/>L,D</b>	Add damage to bag description 2
<b>53<input checked="" type="checkbox"/></b>	Change remarks line 3



## ***BMAS Message Queues***

<b>Message Queue Designator</b>	<b>Definition</b>
A	Requests to forward a bag
B	System Baggage Service/station follow-up
C	General messages
D	Station spare
E	Station spare
F	Station spare
G	Station spare
H	WorldTracer responses
I	Onhand BAT responses
J	Tracer BAT responses
L	Lost and Found

***BMAS Baggage Queues***

<b>Baggage Queue Designator</b>	<b>Definition</b>
A	Forwarding to your city
B	System Baggage Service/station follow-up
C	Onhand records created locally
D	Tracers created locally
E	Mishandlings
F	Records transferred to your station
G	Station tracer alert
H	Other airline damage
I	Settlement data
T	Damage bag records created locally

## **BMAS Queues**

<b>BQC</b>	Display queue count
<b>BQC/BNA</b>	Display queue count for another city
<b>BQX</b>	Cancel queue
<b>BQR</b>	Remove message/baggage record queue
<b>I</b>	Ignore and save on queue
<b>BQ*</b>	Ignore and redisplay message/baggage queue
<b>BMBBNA/PLZ FWD GN BAG</b>	Send BMAS message
<b>BMBBNA,PIT,CLT,FLL,MIA/PLZ ADVIZE IF HOLDING...THX</b>	Send BMAS message to multiple cities
<b>BQQB/BNA</b>	Queue BMAS record
<b>BQQB/BWIM</b>	Queue BMAS record to affiliate carrier queue
<b>BQQB/BNA,MEM,STL,FLL,MCO</b>	Queue BMAS record to 5 cities
<b>BMXHNLLLU/PLZ CALL ME</b>	Send TTY to OA
<b>BQM/B</b>	Access BMAS message B queue
<b>BQM/A</b>	Access BMAS message A queue
<b>BQB/B</b>	Access BMAS record B queue

***Automated Receipts***

<b>BZR</b>	Prints receipt of claim for loss
<b>BZR/S</b>	Prints receipt of claim for loss in Spanish
<b>BZR/G/2</b>	Prints 2 copies of receipt of claim for loss, German
<b>BZD</b>	Prints damage receipt
<b>BZBDO</b>	Prints delivery receipt

***Forwarding***

No BMAS Record Exists (BIS-Forward)

<b>BO/LGAUS981234/MANILOW/B/US200/16DEC/LGA/EXP231223</b>	Sending BIS-forwarding message
<b>BO/LGAUS981234/MANILOW/B/US300/16DEC/PIT,US197/16DEC/LGA/EXP231223</b>	Sending BIS-forwarding message with connection
<b>BO/LGAUS981234,LGAUS981235/MANILOW/B/US200/16DEC/CLT,US300/16DEC/LGA/EXP231223/EXP231224</b>	Sending BIS-forwarding message with multiple bags and a connection

BMAS Record Exists

**F/SEA/US122/16DEC/DFW/EXP223311**

Forwarding bag within BMAS record

**F/SEA/US122/16DEC/DFW/US344/  
16DEC/BOS/EXP223311**

Forwarding bag within BMAS record with a connection

**F/SEA/US122/16DEC/SBS/EXP998811**

Forwarding an on-hand record to CBS

***Settlements***

**SCA/10.00**

Consequential settlement authorization

**SCC/10.00**

Consequential settlement claimed

**SCI/9.97**

Consequential settlement issued (check)

**SCT/9.97**

Consequential settlement (travel voucher)

**SCD**

Consequential settlement denied

**S/CLOSE**

Close settlement field

**SR/FREE TEXT**

Settlement Remarks

***On-hands***

**BO/LAXUS512345,LAXDL51234**

Create BIS-Onhand record

***Bag Arrival Information***

**BA/US100/25DEC/0900/BAG ARRIVED  
UNTAGGED**

Baggage arrival information

**BA/UNK/BAG FOUND ON CAROUSEL**

Baggage arrival unknown

***Baggage Delivery Information***

**FDA/15.00/16DEC-1900/TAXI/HOME**

Deliver by taxi to customer home address, using automated BDO

**FD/908123/15.00/16DEC-1600/TAXI/HOME**

Deliver by taxi to customer home address

**FDA/PPU**

Customer pick-up for all bags in tracer

**FD2/PPU/T3**

Customer pick-up bag description 2, tag 3

**PPU1**

Customer pick-up for an on-hand from list

## ***Charging, Coding, Closing Records***

<b>MPR/DFW</b>	Charge another city with mishandling
<b>MPR/DFWP</b>	Charge another city, affiliate, with mishandling
<b>MPR/ORDUA</b>	Charge another city, OA carrier, with mishandling
<b>MPC☒5</b>	Code a mishandling (5-Fail to Load)
<b>MPC☒97</b>	Code a mishandling (97-Dispute)
<b>MLD/1200/SFO</b>	Add misload information for Code 8 mishandlings
<b>M/CLOSE</b>	Close mishandling

**ELECTRONIC TICKETS (VCR)*****VCR Search Methods***

<b>VCR</b>	Access VCR search mask.
<b>VCR-2.1</b>	Access VCR search mask, name-select
<b>VCR*AA123/08NOV14-WU/JANE</b>	Manual search by flight, date, name
<b>VCR*FFAA123A567</b>	Manual search by AAdvantage account number
<b>VCR*FFAA123A567/05APR15</b>	Manual search by AAdvantage account number, date
<b>VCR*DFW/19JAN99-SMITH</b>	Manual search by city, date, name
<b>VCR*0372120312312</b>	Manual search by ticket number
<b>VCR*FPCCVI1037404823456789 /-BENSON/CLIFF</b>	Manual search by credit card, name
<b>VCR*FPCCVI1037404823456789 /04DEC98-BENSON/CLIFF</b>	Manual search by credit card, date, name



## ***VCR Display Methods***

<b>*VI</b>	Display VCR coupon data from PNR
<b>*VCR</b>	Display entire VCR from PNR
<b>*VCR2</b>	Display VCR from similar name list
<b>*VCR-1.2</b>	Display VCR from multi-name PNR
<b>VCR*C1</b>	Display specific VCR coupon
<b>VCR*FC</b>	Display VCR fare calculation
<b>VCR*FP</b>	Display VCR form of payment
<b>VCR*3</b>	Display VCR from similar ticket list
<b>VCR*A</b>	Display all of the VCR details
<b>VCR*L</b>	Re-display the VCR similar ticket list
<b>VCR*R</b>	Re-display previous VCR
<b>VCR*H</b>	Display VCR history from a displayed VCR

***VCR Print Functions***

<b>VCR†PRINT†C1</b>	Print VCR coupon 1 to paper
<b>VCR†PRINT†C1/3</b>	Print VCR coupons 1 and 3 to paper
<b>VCR†PRINT†C1-4</b>	Print VCR coupons 1 through 4 to paper
<b>VCR†RCPT</b>	Print VCR receipt
<b>VCR†ITIN</b>	Print VCR itinerary card
<b>VCR†ITIN†RCPT</b>	Print VCR receipt and itinerary card

***VCR Remarks***

<b>VCR5 free text</b>	Enter free text remarks in a displayed VCR
<b>VCR5☒</b>	Delete remarks from a displayed VCR

### ***VCR Re-Association***

Note: VCR must be displayed prior to entry.

**7VCR0372195123456†C1†S1**

Re-associate an old VCR to a new PNR (first coupon for first segment)

**7VCR0372195123456†C1,2,4†S1-3†N1.1**

Re-associate multiple coupons/segments to a new PNR using name-select

### ***VCR Revalidation***

**EVCR†REVAL**

End PNR and revalidate unused VCR coupons

**EVCR†REVAL†S2**

End PNR and revalidate unused VCR coupon using segment-select (must segment-select after origination)

**Grab 'N Go**

Note: VCR must be displayed prior to making a Grab 'N Go entry.

<b>G-123-SMITH*SCΣVCR/1</b>	Check-in, using displayed VCR, associate coupon 1
<b>G-123-SMITH*SCΣ0370380123765/1</b>	Check-in, using VCR number, associate cpn 1
<b>G-123-SMITH‡SB2*SCΣ508ΣVCR/1</b>	Check-in, using displayed VCR, holding alternate space, associate coupon 1
<b>G-123-SMITH‡SB2*SCΣ508/19JAN ΣVCR/1</b>	Check-in, using displayed VCR, holding alternate space different date, associate cpn 1
<b>G-123-SMITH‡SB2*SCΣ508/19JANΣ 0374010876543/4</b>	Check-in, using displayed VCR, holding alternate space, associate coupon 4
<b>G-123-SMITH‡SB2*SCΣVCR/4</b>	Check-in, using displayed VCR, holding alternate space, associate coupon 4

# EPR

## *Employee Profile Record (EPR)*

H* <u>12345</u>	Display an EPR by employee number
H* <u>AS1AB</u>	Display an EPR by agent die sine
HU*	Display keywords from an EPR
HDK	Display entire list of keywords
HDK/keyword	Keyword definition

**FARE QUOTE*****Fare Type Codes***

<b>ACI</b>	ADT/CHD/INF normal and excursion	<b>INX</b>	Infant excursion
<b>CAT</b>	Category A and Z fares	<b>IT</b>	Adult individual tour basing
<b>CB</b>	Contract bulk	<b>ITC</b>	ADT/CHD individual tour basing
<b>CF</b>	Construction purposes only	<b>ITI</b>	ADT/INF individual tour basing
<b>CH</b>	Child normal fares	<b>MIL</b>	Military
<b>CHI</b>	Child/Infant normal and excursion	<b>NCI</b>	Adult/Child/Infant normal fares
<b>CHX</b>	Child excursion	<b>NEC</b>	Child normal and excursion
<b>EX</b>	Adult excursion	<b>NL</b>	Adult normal fares
<b>EXC</b>	Adult/Child excursion	<b>NLC</b>	Adult/Child normal fares
<b>EXI</b>	Adult/Infant excursion	<b>NLI</b>	Adult/Infant normal fares
<b>EXP</b>	Excursion and promotional	<b>NLP</b>	Normal and promotional
<b>FP</b>	Family Plan	<b>NLX</b>	Adult normal and excursion

<b>GOV</b>	Government	<b>NXC</b>	ADT/CHD normal and excursion
<b>GRC</b>	Adult/Child group fares	<b>NXI</b>	ADT/INF normal and excursion
<b>GRI</b>	Adult/Infant group fares	<b>NXP</b>	Normal, excursion and promotional
<b>GRP</b>	Groups	<b>PM</b>	Promotional fares incl. frequent flier
<b>ICI</b>	ADT/CHD/INF individual tour basing	<b>SC</b>	Senior Citizen
<b>INF</b>	Infant normal and excursion	<b>SPF</b>	Special Fares (WEB, Bereavement, Medical Emergency)
<b>INL</b>	Infant normal fares	<b>VUS</b>	Published VUSA
<b>YZ</b>	Youth fares	<b>XCI</b>	Adult/Child/Infant excursion

***Fare Quote Display Option***

<b>FQLAXMCO15MAY</b>	Basic Entry for a specified city pair (LAX-MCO)
<b>FQLAXMCO15MAYEX</b>	Fare quote with specified fare type
<b>FQLAXMCO15MAY-DL</b>	Fare quote for a specific carrier
<b>FQLAXMCO15MAY*5JUN</b>	Fare quote by travel date range
<b>FQLAXMCO15MAY-*J</b>	Fare quote with joint fares for city pair
<b>FQSYRHNL15MAY-*J‡1US2HA</b>	Joint fares for a specific pair of carriers
<b>FQCLTHNL15MAY-*J‡ALL</b>	All joint fares
<b>FQYULDFW15MAY/CAD</b>	Fares in other currency
<b>FQYULDFW15MAY-DL/CAD</b>	Specific carrier and currency
<b>FQNYCLGW15MAY-BA/NUC</b>	Specific airline and NUC (Neutral Unit of Conversion)



## ***Modify Original Display***

<b>FQ*</b>	Redisplay last display type
<b>FQ*EX</b>	Change Fare Type
<b>FQ*ATLBOS</b>	Change City Pair
<b>FQ*24OCT</b>	Change date
<b>FQ*-UA</b>	Change airline
<b>FQ*/CAD</b>	Change currency code
<b>FT4</b>	Fare/Tax breakdown for line 4

**Rules Display**

<b>RD9</b>	Display fare rules for line 9
<b>RD9*M</b>	Display Menu of Rule Categories for line 9
<b>RD*2/3/8</b>	From current line's Menu, display Categories 2, 3 and 8
<b>RD**</b>	Redisplay all categories for current line displayed
<b>RD*M</b>	Redisplay current line's Menu
<b>RD/SD10</b>	Display fare rules by ticket designator

**Rules Display Using Alpha Category Modifier**

<b>RD*__</b>	from Menu
<b>RD9*__</b>	from Fare Quote display
<b>AR</b>	RES/TKT info (from Category 3)
<b>PN</b>	PENALTY info (from Category 2)
<b>RE</b>	REFUNDS info (from Category 19)
<b>TR</b>	TRVL PROVISIONS info (from Categories 4, 5, 6, 7, 8, 9, 10, and 11)

### ***Rules Without Previous Displays***

<b>RDPHXCLT17APRBE7NR</b>	Rules by Fare Basis
<b>RDPHXCLT17APRBE7NR*M</b>	By Fare Basis, Rules Menu only
<b>RDPHXCLT17APRBE7NR-DL</b>	By Fare Basis and Other Airline code
<b>RDPHXCLT17APRBE7NR-DL*M</b>	By Fare Basis and OA, Rules Menu only
<b>RD/SD10</b>	Replace with ticket designator

### ***Historical Displays***

NOTE: Historical fare quote displays may only be retrieved 60 days in the past.

<b>FQ11JUL98LAXPHL12JUL98</b>	Historical Fare Quote; 11JUL ticketing date, 12JUL travel date
<b>FQ11JUL98HNLITO18JUL98-DL</b>	Historical Fare Quote, Other Airline

**Availability and Fare Quote Combined**

<b>129OCTMIALGAΣFQ</b>	Availability and basic fare quote
<b>129OCTMIALGAΣFQEX</b>	Availability and fare quote by specific fare type
<b>129OCTMIALGA‡DLΣFQ</b>	Availability and fare quote for specific airline
<b>1*ΣFQ</b>	Display more availability and fare quote
<b>1*DLΣFQ</b>	Display more availability and fare quote, other airline
<b>1R11NOVΣFQ</b>	Return availability and basic fare quote
<b>FQL1</b>	Fare quote from availability, non-stop/direct flight
<b>FQL3/4</b>	Fare quote from availability, connection
<b>FQL1EX</b>	Fare quote from availability for specific fare type

## ***Fare Quote Overview***

**FQ** Fare Quote (Normal Display: Total Fare display)

## ***Taxes***

<b>TXNHELP</b>	Display tax help screen
<b>TXN*</b>	Redisplay previous tax display
<b>TXN*US</b>	Tax summary display by country code
<b>TXN*FRANCE</b>	Tax summary display by country name
<b>TXN*ORY</b>	Tax summary display by ATO city code
<b>TXN*4</b>	Display detail tax display from line number
<b>TXN**YC</b>	Tax detail display by tax ID code
<b>TXN*BRU*</b>	Tax detail display by ATO or city code

**FLIFO*****FLIFO Entries***

<b>2123</b>	FLIFO by flight number, date defaults to today
<b>2123/25OCT</b>	FLIFO by date: 2 days forward, 2 days back
<b>2H123/ORIG24OCTBOS</b>	Historical FLIFO, 1 day back
<b>2H123/ORIG24OCT</b>	Historical FLIFO, 1 day back, local city
<b>2H123</b>	Historical FLIFO, today

# FOCUS MANUAL

## ***Access Entries***

The preferred reference is WEB Reference.

Go to: Airport Services Web Reference Home Page and select Airport Manuals or Keyword Search

<b>FOCUS</b>	Display all FOCUS manuals
<b>F*ACS</b>	Display ACS (Airport Customer Service Manual) index
<b>F*ACS/SEAT/MAP</b>	Search for specific subject using qualifiers
<b>F*ACS-S</b>	Access subject in manual by letter
<b>F*</b>	Display current level or page
<b>F*1</b>	Access index or item number
<b>F*0</b>	Display previous page
<b>FO/EXIT/ROW</b>	Change qualifiers (in this case, to "Special Meals"); remain in same FOCUS manual

**Scroll Entries**

<b>F*</b>	Redisplays from top of screen
<b>MT</b>	Move Top
<b>MB</b>	Move Bottom
<b>MU</b>	Move Up
<b>MD</b>	Move Down
<b>MU50</b>	Move Up 50 lines. (Also MD50 to move down 50 lines.)

**Note:** MU/MDxx lines are only available for levels 1 and 2.



# HELP FUNCTIONS

## *Calculator*

T☒55±45	Add
T☒55-45	Subtract
T☒55*2	Multiply
T☒55/5	Divide
T☒MENU	Display Help List for T☒ Functions

## *Calendar*

T☒APR	Displays picture of monthly calendar of current year
T☒APR/15	Displays picture of month and year
T☒17APR±7	Date plus 7 days
T☒17APR-7	Date minus 7 days
T☒17APR-15MAY	Number of days between two dates

**Currency - Bankers Buying Rates**

<b>DC*CUR</b>	Currency table
<b>DC*CUR/A</b>	Currency table for countries beginning with the letter "A"
<b>DC* CANADA</b>	Obtain BBR from country
<b>DC*CAD</b>	Obtain BBR from currency code
<b>DC‡USD420/CAD</b>	Convert USD to CAD

**Encode & Decode**

<b>W/-CCBALTIMORE</b>	<b>W/*BWI</b>	- Cities
<b>W/-ALQANTAS</b>	<b>W/*QF</b>	<b>W/*081</b> - Airlines
<b>W/-APJOHN WAYNE</b>	<b>W/*SNA</b>	- Airports
<b>W/-<u>CYALAMEDA, CA</u></b>		- Nearest airport to city, state
<b>W/EQ-BOEING</b>	<b>W/EQ*734</b>	- Airplanes
<b>W/-CRHERTZ</b>	<b>W/CR*ZE</b>	- Rental cars
<b>W/-HLRAMADA</b>	<b>W/HL*RA</b>	- Hotels

HCCPENNSYLVANIA	- Encode state
HCCPA	- Decode state
HCCC/GERMANY	- Encode country
HCCC/US	- Decode country

### ***Fare Breakdown***

TXN/T200.00	Returns Base Fare and Federal Tax from Total Fare
TXN/B148.38	Returns Total Fare and Federal Tax from Base Fare

### ***Mileage (Distance) Between Cities***

WNSFODFW	Ticketed Point Mileage
WMPITDFW	AAdvantage Miles Mileage/Non-revenue Upgrade
WNSFODFSYR	Ticketed Point Mileage, multiple cities
WN	Ticketed Point Mileage from Itinerary, all segments
WNS1/3	Ticketed Point Mileage from Itinerary, segments 1 and 3
W/-ATSFO†ATLGA	SABRE Atlas displays point to point miles and kilos between 2 places

***Minimum Connecting Times (MCT)***

T*CT-CLT	Specific airport MCT
T*CT-LGW/BA	Specific carrier MCT
T*CT-SEA/USAS	MCT between two carriers at specific airport
T*CT-NYC///JFKLGA	Intra-city MCT

***Other Airline Information***

V*NW121/12AUG	Verify Flight Routing
S15JUNBOMLHR/ES	Displays all schedules, regardless of frequency

***Ticketing and Baggage Agreements***

W/*UA	Ticket and baggage checking requirements for a specific carrier
W/*016	Ticket and baggage checking requirements for a specific carrier's stock control number
W/*US‡*AA	Interline agreements between specific carriers

## ***Time***

‡T	Date and time of set location
T*PHL	Request local time in PHL
T*ZOO	Request GMT (Greenwich Mean Time)
T*SFO/S/0300L	Convert Standard SFO time to GMT
T*SFO/D/0300L	Convert Daylight SFO time to GMT
T☒ETPHL/LGW	Calculate time difference between two cities

## ***Weather***

☒WEA/WX*CLT	Current weather in CLT
☒WEA/CF*CLT	Current forecast for CLT
☒WEA/EF*CLT	Extended forecast for CLT
☒WEA/EF*CLT/2	Extended forecast for CLT, page 2
T☒T90F	Convert Fahrenheit to Celsius

## INTERNATIONAL DOCUMENTS

### *ACS Document or Passport Entries*

**G1/DOCS/.....SWIPED OR SCAN PASSPORT**

Add passport data to psgr item using scanner

**G1/DOCS/P,US,7791523,US,04MAR65,M,  
11JAN16,SMITH/ALFRED**

Add passport, military ID, or birth certificate data to customer item

**GS288/10B/DOCS/P,US,7791523,US,04MAR65,F,  
11JAN16,JONES,MEGAN,LYNN**

Add passport data by flight and seat number

**G1/DOCS/P,US,5543721,US,15JUN06,FI,  
27NOV16,JONES,ELLEN,JANE**

INF without a seat traveling on own passport

**G1/XDOCS or G1/XDOCSI (for infant, no seat)**

To delete DOCS information

## **ACS Passenger Contact and Other Entries**

<b>GPC1/SMITH JANE/US4125551212</b>	Add customer contact information to customer item
<b>GPC1/SMITH/JANE/US4125551212/FREE TEXT</b>	Add customer contact information with optional free text
<b>GPC1/PAX/DECLINED</b>	Add customer contact declined information
<b>G1/DOCO/R,123456</b>	Add customer TSA Redress number
<b>G1/DOCA/R,GB</b>	Add customer Country of residence
<b>G1/DOCA/R,GB,,,,,I</b> (use 5 commas between country code and I)	Add customer Country of residence, infant
<b>G1/DOCA/D,US,966 HAMILTON STREET,ATLANTA,GA,77321</b>	Add Non U.S. Resident customer's visiting address while in the U.S.
<b>G1/DOCA/D,US,966 HAMILTON STREET,ATLANTA,GA,77321,I</b>	Non U.S. Resident customer's visiting address while in the U.S. for infant
<b>G1/DOCV</b>	Add customer VISA information

***PNR Document or Passport Entries***

**4DOCS/P/US/1234567/US/21APR63/M/11JAN16/  
SMITH/ALFRED-1.1**

Add customer passport data to PNR

**4DOCS/P/US/5543721/US/15JUN06/FI/27NOV11/  
JONES/ELLEN/JANE-1.1 (for infant)**

Add customer passport data for infant, using  
adult's name number 1.1

**4DOCS/.....SWIPE OR SCAN PASSPORT**

Add customer passport data to PNR using  
scanner

---



## ***PNR Passenger Contact and Other Entries***

<b>4PCTC/SMITH JANE/US4125551212-2.1</b>	Add customer contact information to PNR
<b>4PCTC/SMITH JANE/US4125551212/ MOTHER-2.1</b>	Add customer contact information to PNR with free text
<b>4PCTC/PAX/DECLINED-2.1</b>	Add customer contact declined to PNR
<b>4DOCO//R/123456-1.1 (use 3 for OA segments)</b>	Add customer TSA Redress number to PNR
<b>4DOCO//K/1234567</b>	Add customer Global Entry or TSA Pre number
<b>4DOCA/R/US-1.1 OR 4DOCA/R/US/1-1.1 (infant)</b>	Add customer's Country of residence
<b>4DOCA/D/US/966 HAMILTON/ATLANTA/ GA/77321-1.1</b>	Non U.S. Resident customer's visiting address while in the U.S.

## INVENTORY DISPLAYS

### *Sales Check: Segment Breakdown By Class Of Service*

NOTE: Must be done in duty code 5

VIS38/30AUGCLTFRA	Specific cities
VIS38/30AUGCLT	Board city
VIS38/30AUGALL	All cities
VIS38/ALL	All cities • today

### *Leg Inventory: Totals of Seats Sold*

Note: Specific cities do not work for this entry. Must be done in duty code 5.

VIL38/ALL	All cities • today
VIL38/30AUGCLT	Board city
VIL38/30AUGCLT*	Large party count
VIL38/30AUGCLT☒	Positive space counts

***Entire Inventory: Combination of VIS and VIL entries***

NOTE: Must be done in duty code 5

**VIE38/30AUGPHLZRH**

Specific cities

**VIE38/30AUGRCLT**

Board city

**VIE38/30AUGALL**

All cities

**VIE38/ALL**

All cities • today

**VIE38/30AUGCLT\***

Large party counts

**VIE38/30AUGCLT☒**

Positive space counts

**VIE38/30AUGCLT\*☒**

Large party and positive space counts

***Definition of Symbols Found In Inventory And Sales Check Displays***

<b>AU</b>	Authorization level for overbooking
<b>CL</b>	Class of Service
<b>AC</b>	Actual Capacity
<b>SA</b>	Seats Available (seats left to sell)
<b>SS</b>	Seats Sold in each class
<b>AS</b>	Associated Seats Sold (totals in each cabin of all classes - includes thru count)
<b>BSS</b>	Base Seats Sold (total by booking code)
<b>ABS</b>	Associated Base Seats Sold (total by cabin)

# ITINERARY PRICING

## *Itinerary Pricing Overview*

<b>WP</b>	"Will you price"
<b>PQ</b>	"Will you store"
<b>WC</b>	"Will you change"
<b>WPQKE7NR</b>	"Will you command price" by fare basis

## *Itinerary Pricing*

<b>WP*</b>	Redisplay Current Itinerary Pricing
<b>WPS1</b>	Segment Select (segment 1)
<b>WPS2/4</b>	Segment Select (segments 2 and 4)
<b>WPS2-5</b>	Segment Select (segments 2 through 5)
<b>WPN1.2</b>	Name Select (first name field, second customer)
<b>WPN2.0</b>	Name Select (second name field, all customer)
<b>WPN1.1/3.1</b>	Name Select, Multiple names

<b>WPPMIL</b>	Customer Type Code (military)
<b>WPPADT/CHD</b>	Customer Type Code (adult and child)
<b>WPS1/2‡PGOV</b>	Segment Select and Customer Type
<b>WPN1.0‡PMIL/GOV</b>	Name Select and Customer Type
<b>WPN2.1‡S1-3‡PMIL</b>	Name Select, Segment Select, and Customer Type
<b>WPB15APR</b>	Back Date (up to 60 days in the past)
<b>WPND</b>	Nullify Date

### ***Override Pricing/Forced Connection***

<b>WPX1</b>	Connection Override
<b>WPX1/3</b>	Connection Override; 2 sets of connections
<b>WPX1‡S1-3</b>	Connection Override and Segment Select
<b>WPX1‡S1/4‡PADT/CHD</b>	Connection Override, Segment Select and Customer Type
<b>WPMCAD</b>	Currency Override

### ***Itinerary Pricing - Currency/City Override***

<b>WPMMXN</b>	Price in Other Country's Currency
<b>WPSLGW</b>	Price - Point of Sale
<b>WPTGVA</b>	Price - Point of Ticketing

### ***Passenger Type Codes***

<b>WPPMIL</b>	Itinerary Price, military customer type
<b>WPPGOV</b>	Itinerary price, government customer type
<b>WPPADT/CHD</b>	Itinerary price, adult and child customer types

***Bargain Finder***

<b>WPNC</b>	New Class (lowest available fare); "Nice and Cheap"
<b>WPNC S</b>	New Class Shop (for lowest possible fare)
<b>WPNC B</b>	New Class and Book (in lowest fare available)
<b>WPNC ‡ S 1/2</b>	With Segment Select
<b>WPNC S ‡ PGST</b>	With Customer Type
<b>WPNC B ‡ X 1/3</b>	With Connection Override
<b>WSNC</b>	Bargain Finder and Fare Retention on any entry

***Price Retention (Stored Fare)***

<b>WPRQ</b>	Price and Retain Fare, Adult
<b>WPPADT/CHD ‡ RQ</b>	Price and Retain Fare, Multiple Customer Types
<b>WPS 1/3 ‡ RQ</b>	Price and Retain Fare, Segment Select
<b>WPNC B ‡ RQ</b>	Bargain Finder Rebook and Retain Fare
<b>WSNC B ‡ PMIL</b>	Bargain Finder Rebook and Retain Fare, Customer Type
<b>WSM-FREE TEXT</b>	Price and Retain Fare, Manual Entry



<b>WPMITL</b>	Price and Retain Fare, int'l currency (Italian Lira)
<b>*PQ</b>	Display Fare Retained
<b>*PQH</b>	Display History of Fares Retained
<b>PQD1</b>	Delete Stored Record One
<b>PQD-ALL</b>	Delete All Stored Records

### ***Command Pricing and Ticket Designator***

<b>WPQKXE14N</b>	New fare basis
<b>WPQKXE14N‡S1</b>	New fare basis, segment select
<b>WPS1*QME7NR‡S2*QKE7NR</b>	Multiple fare basis
<b>WPRQ_____</b>	Command price and fare retention on any entry

### ***Fare Breakdown***

<b>TXN/T200.00</b>	Returns Base Fare and Federal Tax from Total Fare
<b>TXN/B148.38</b>	Returns Total Fare and Federal Tax from Base Fare

***PFCs (Passenger Facility Charges)***

<b>PXC*I</b>	Applicable PFC for entire itinerary
<b>PXC*S1/2/4</b>	Applicable PFC for specific itinerary segments
<b>PXC*</b>	All current PFC airports
<b>PXC*1DEC15</b>	Applicable PFC airports for specific date and beyond
<b>PXCHELP</b>	Help Screen
<b>PXC*CTYCTY</b>	PFCs for specific airports; up to 10 maximum
<b>PXH*CTY</b>	Past Date PFC by airport
<b>PXA*</b>	Connection City PFC Absorption Airports
<b>PXE*</b>	Essential Air Service exemption city list
<b>PXM*</b>	PFC multi-airport city code table

# JUMPSEAT

## *Cockpit Jumpseat Display*

*123/19JAN-PRI	Retrieve jumpseat PNR when listed POS-Positive Space, PRI-Primary, ALT-Alternate
LH123/19JANDFW	Display list of jumpseat riders
L2*	Display PNR from list

## *Cockpit Priority List*

G-123-PRI/1W‡A1*SC	Check-in jumpseat rider when listed POS-Positive Space PRI-Primary ALT-Alternate
G-123-JONES/1W‡A6*SC	Check-in jumpseat rider when NOT listed
GL0	Follow-up entry when jumpseat rider NOT listed

***Flight Attendant Priority List***

<b>G-123-JONES/1X‡XFA*SC</b>	Check-in jumpseat rider
<b>GL123-JONES/1X‡XFA*SC</b>	Place jumpseat rider directly on priority list
<b>GL0</b>	Follow-up entry

***Accommodating From Priority List***

<b>G*L123/PALL</b>	Retrieve priority list
<b>GA4/1W</b>	Assign fourth person on list "seat" 1W (first cockpit jumpseat)
<b>GA5/2W</b>	Assign fifth person on list "seat" 2W (second cockpit jumpseat)
<b>GA3/1X</b>	Assign third person on list "seat" 1X (flight attendant jumpseat)

# MESSAGE SWITCHING

## *Sending Messages*

Y‡CLTRUA	TO Address (one space between addresses)
Y‡.DFWTRTA	FROM Address
Y‡FREE TEXT	Accepts all alpha and numeric characters, including "/" and "-"
Y*	Displays message before it is ended (sent)
Y‡3☒	Delete line 3 of text
Y‡3☒-5	Delete lines 3 through 5
Y‡3☒NEW TEXT	Change line 3 to New Text
Y‡3/ADD TEXT	Insert new line of text after line 3
YIG	Ignore message
YET	Transmit message
YET*	Transmit message and redisplay
HELPY	Mini-online quick reference for message switching entries

**Transfer Messages**

T/PHLTRUS/*A	Transfer PNR to PHLTR
T/PHLTRUS-DFWOOUS/*A	Transfer PNR to multiple locations

**Print-Enter**

*A (Print+Enter Keys)	PC, sends data on screen to hard copy printer
‡3*A (Print+Enter Keys)	PC, sends 3 copies of data on screen to hard copy printer
PTR*A	PATT Terminal, sends data to hard copy printer
PTR‡3*A	PATT Terminal, sends 3 copies of data to hard copy printer

**QTM Messages**

QTMXXXXXXX	Transmit information contained within the <i>5rmks</i> field to an AMS address where XXXXXXXX is the AMS address
QTMXXXXXXXX-YYYYYYY- <u>ZZZZZZ</u>	Transmit information contained within the <i>5rmks</i> field to multiple AMS addresses

# OPERATION ENTRIES

## *DECS Entries*

<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> DECS	Access DECS system
RG A/655	Display aircraft routing for current day
JPD123/12 DFW	Display flight plan without weather
JD*655	Display aircraft information for aircraft 655
RG TDFW/B39	Display flights assigned to specific gate
RG TDFW/B39 0800/1400	Display flights assigned to gate, specific times
RG GDFW	Display flight arrivals and departures
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> RES	Return to RES system

## *Equipment Change*

GQ  123/19JANLAXDFW  734      Change equipment for flight 123 to 737-400 (734)

***Flight List Displays***

<b>G*DFW</b>	Display flights, specific airport
<b>G*DFW/21JUN</b>	Display flights, specific date
<b>G*DFW/T1300</b>	Display flights, specific time
<b>G*DFW/T1100-1500</b>	Display flights, range of time
<b>G*DFW/F123</b>	Display flights beginning with specific flight
<b>G*DFW/3</b>	Display flights, specific number of hours
<b>G*DFW/ALL</b>	Display all flights for remainder of day

***Flight History***

<b>G*123/H</b>	Display flight history
<b>G*123/DFW/H</b>	Display flight history, departure city
<b>G*123/19JAN</b>	Display flight history, specific date
<b>G*123/HS/TUL45L</b>	Display flight history, specific agent sine
<b>G*123/HL/E33AOA</b>	Display flight history, specific LNIATA
<b>G*123/HALL</b>	Display flight history, entire line of flight



# PNR CREATION

## *Sell from Availability (0)*

01Y1	Sell from availability 1 Y seat from line 1
01Y1Y2	Sell connection from availability (1 Y seat from lines 1 and 2)
01Y1F2	Sell connection from availability, mixed class
01Y1*	Shortcut entry to sell connection
01Y1LL	Waitlist from availability
01Y1JL	Place on priority waitlist
01Y1Y2LL	Waitlist connection from availability
01Y1LL*	Shortcut entry to waitlist connection
01Y1MM	Meal-list from availability
0A	Sell ARNK (Arrival Unknown segment)

**Long Sell Air Segments (0)**

0234Y25OCTBOSCLTNN1	Long sell
0234Y25OCTBOSCLTLL1	Waitlist
0234Y25OCTBOSCLTJL1	Priority waitlist
0234F25OCTBOSCLTMM1	Meal-list
0UA48Y25OCTBOSCLTNN1	Long sell - specified carrier
0Y25OCTBOSCLTNN1/730A	Long sell
0DL12Y25OCTBOSCLTHK1*DL/35	Long sell – OA confirmed segment
0OPENY25OCTBOSCLTDS1	Sell OPEN segment
0DLOPENY25OCTBOSCLTDS1	Sell OPEN segment - OA

**Remarks (5)**

5PSGR HBA ...	Remark
5H-HAVE ADVISED CHANGE FARE	Historical Remark
*P5	Display Remarks

## **Name Field (-)**

<b>-JONES/CAROL MRS</b>	Basic name entry
<b>-2SMITH/ART/KAREN MRS</b>	2 customers, same surname
<b>-ROBERTS/JOEΣ-SMITH/RON</b>	2 customers, different surnames
<b>-I/KENT/CLARK</b>	Infant name
<b>-C/20ACME BRICK COMPANY</b>	Group name field ( -C/ ) for group PNR
<b>*N</b>	Display name field items

### ABBREVIATIONS

<b>CPT</b>	Captain	<b>JR</b>	Junior	<b>MSGR</b>	Monsignor
<b>CPO</b>	Chief Petty Officer	<b>LT</b>	Lieutenant	<b>PVT</b>	Private
<b>CDR</b>	Commander	<b>MSTR</b>	Master	<b>PROF</b>	Professor
<b>CPL</b>	Corporal	<b>MSGT</b>	Master Sergeant	<b>RABBI</b>	Rabbi
<b>DR</b>	Doctor	<b>MISS</b>	Miss	<b>REV</b>	Reverend
<b>FR</b>	Father	<b>MRS</b>	Mrs.	<b>SR</b>	Senior/Sister
<b>GEN</b>	General	<b>MS</b>	Ms.	<b>SGT</b>	Sergeant

***Received From Field (6)***

6P	Received from customer
6SECRY/ANNE	Received from secretary
6MR JONES	Received from a specific person
6LINDA/WORLD TRAVEL	Received from travel agent
*P6	Display Received From field items

***Phone Field (9)***

9DCA305-555-1212-B	Business phone – Washington, DC
9PHL214-555-1234-H	Home phone – Philadelphia
9LGW541-322-5456-A	Travel Agency phone contact – London
9NYC212-555-6728X102-B	Business phone with extension - New York City
9PWCT	Customer will contact
*P9	Display Phone field items

### ***Ticketing Field (7)***

7T-	Ticketed customer
7T-0374010123456	Ticketed customer - airline code and ticket number
7T-22OCT	Ticketed customer - date ticketed
7T-A	Ticketed customer - agency ticketed
7PS-A11F	Non-Revenue <b>P</b> ositive <b>S</b> pace traveler – pass classification (Will vary depending on the type of pass)
*P7	Display Ticketing field items

### ***Ticket Time Limit (8)***

830	Airport pick-up, at least 30 minutes prior to departure
81159P/22OCT	Ticket must be purchased by 1159 PM on 22OCT
81830/22OCT	Same as above, employing 24-hour time
*P8	Display Ticket Time Limit field items

**AAdvantage Account (FF)**

FFAA123A567	Add AADV number to PNR
FFAA123A567-1.1	Add AADV number to PNR, name-select
FFAA123A567-1.1ΣFFAA765B321-1.2	Add AADV numbers to multi-name PNR

**Endorsements (ED)****W‡FCA‡VCR‡ED VALID US ONLY**

Basic ticketing entry with endorsement line

Note: Endorsements cannot be added to the PNR. Add to ticketing entry. Recommended verbiage:

VALID US ONLY

NONREF/CHGFEE APPLIES

CHANGE OR REFUND FEE

NONREF NONENDORSEABLE

NO CHANGE AND NO REFUND

NONREFUNDABLE

PENALTY ON CHNG/REF

CHANGE FEE APPLIES

NONENDORSEABLE

CHECK IDENTIFICATION

NOT VLD W/O CONJ TKT

VOID IF BOUGHT/SOLD

TICKET NONREF/COMPANION

NONREFUNDABLE/APEX

NO REFUND/CHANGE FEE

RSTRCTD CHNGS/RFNDS

INVOLUNTARY REROUTE

INVOL/RULE 240

INVOLUNTARY/SKED CHNG

REFUND PURCHASER ONLY

REFUND THRU ACCTG ONLY

TRIP IN VAIN

DEPORTEE ACCOMPANIED

DEPORTEE UNACCOMPANIED

<b><i>End/Ignore Transactions</i></b>
---------------------------------------

<b>E</b>	End Transaction (End PNR Creation)
<b>ER</b>	End Transaction and Redisplay PNR
<b>E*</b>	End Transaction (End PNR Creation) and print
<b>I</b>	Ignore Transaction
<b>IR</b>	Ignore Transaction and Redisplay PNR

**PNR DISPLAYS***Display Entries*

*I	Display Itinerary only
*P	Display all customer data
*A	Display All
*I*N	Display multiple items (Itinerary and Name)
*32-SMITH	Display PNR for today's date
*32/17JAN-SMITH	Display PNR for future date
*AA50/17JAN-SMITH	Display other airline PNR
*L‡32/17JAN-SMITH	Display waitlisted PNR
*QSCPYR	Display PNR by record locator
*2	Display PNR from multiple name list (name 2)
*L	Redisplay similar name list
**3-SMITH	Display PNR from Availability display



# PNR MODIFICATION

## *Action Status Codes*

<b>HK</b>	Holding Confirmed	No Action
<b>HL</b>	Holds Waitlist	No Action
<b>JL</b>	Priority Waitlist	No Action
<b>KK</b>	Now Confirmed	Change to HK
<b>KL</b>	Confirmed from Waitlist	Change to HK
<b>LL</b>	List List	No Action
<b>MM</b>	Meal List	No Action
<b>NN</b>	Need Need	No Action
<b>NS</b>	No Show	No Action
<b>PN</b>	OA Pending Need	Automatically Requested
<b>RR</b>	Reconfirmed	No Action
<b>SC</b>	Schedule Change	Change to HK
<b>TK</b>	OA Schedule Change, new times	Change to HK
<b>UN</b>	Unable -Not Operating	Change XK
<b>WK</b>	Was Confirmed	Cancel Segment
<b>XK</b>	Canceled OA Segment	Sends No Message

***Change Class of Service***

<b>WC1F</b>	Change Class to F; Single Segment
<b>WC1Y/2Y</b>	Change Class to Y; Multiple Segments
<b>WCAY</b>	Change Class to Y; All segments

***Change Segment Status in PNR***

<b>.2HK</b>	Change segment 2 status to HK
<b>.1HK.2HK.3HK</b>	Change segments 1, 2, and 3 status to HK
<b>.HKALL</b>	Change segment status for all segments to HK
<b>.1HK215P415P</b>	Change segment 2 status to HK and add departure and arrival times
<b>.1HK14151615</b>	Same entry as above in 24-hour time
<b>.2HK205P330P.3HK500P725P</b>	Change segments 2 and 3 status to HK, and add departure and arrival times for both segments
<b>.3HK*NW/BEV</b>	Change segment status with authorization from other airline

## **History**

<b>*H</b>	History	<b>*H5H</b>	History of Historical Remarks
<b>*HI</b>	History of Itinerary	<b>*HN</b>	History of Names
<b>*HIA</b>	History of Itinerary, Air Segments	<b>*H4</b>	History of AFAX (OSI/SSR)
<b>*HIC</b>	History of Itinerary, Car Segments	<b>*H7</b>	History of Ticketing
<b>*HIH</b>	History of Itinerary, Hotel Segments	<b>*H8</b>	History of Ticket Time Limit
<b>*H5</b>	History of Remarks	<b>*HB</b>	History of Pre-Reserved Seats

## **History Action Codes (X: canceled A: added M: modified)**

<b>XS</b>	Canceled Segment	<b>A4S</b>	Added SSR
<b>AS</b>	Added Segment	<b>XN</b>	Canceled Name
<b>MS</b>	Modified Segment	<b>AN</b>	Added Name
<b>SC</b>	Schedule Change	<b>X4G</b>	Canceled PRS
<b>A7</b>	Added Ticketing	<b>A4G</b>	Added PRS
<b>X7</b>	Canceled Ticketing	<b>M4G</b>	Modified PRS
<b>A8</b>	Added Ticket Time Limit	<b>X5H</b>	Canceled Historical Remarks
<b>X8</b>	Canceled Ticket Time Limit	<b>A5H</b>	Added Historical Remarks
<b>X4O</b>	Canceled OSI	<b>AP</b>	Added PTA Number
<b>A4O</b>	Added OSI	<b>R-</b>	Received From
<b>X4S</b>	Canceled SSR		

**Name Field**

-1☒	Delete first name
-1.1☒	Delete first name from N1 (name field 1)
-1,2☒	Delete name fields 1 and 2
-1-3☒	Delete name fields 1 through 3
-1.2,2.1☒	Delete second name from N1 and first name from N2
-1.1-1.4☒	Delete first through fourth names from N1
-1☒JONES/J MR	Change name in the first name field (to JONES/J MR)
-2.1☒JANET	Change first name in name field 2 (to JANET)

**Phone Field**

91☒	Delete phone field 1
91,2☒	Delete phone fields 1 and 2
91-3☒	Delete phone fields 1 through 3
91☒CLT704-555-3454-B	Change phone field 1
90/CLT704-555-3454-B	Insert phone number after zero

### ***Ticketing/Ticket Time Limit Fields***

7☒	Delete Ticketing field
8☒	Delete Ticket Time Limit field

### ***Remarks Field***

51☒	Delete remarks line 1
51,2☒	Delete remarks lines 1 and 2
51-5☒	Delete remarks lines 1 through 5
51☒HAVD TKT TIME LIMIT	Change remarks line 1
51/H-HAVD CHANGE FARE	Insert historical remarks line after line 1

**Divide PNR**

<b>D1</b>	Divide all customers within name field 1
<b>D1.3</b>	Divide out name field 1, customer 3
<b>D3.2</b>	Divide out name field 3, customer 2
<b>D3*5</b>	Divide out multiple customers from a PNR in a single entry (name fields 3 & 5)
<b>D1.1*1.3</b>	Divide out name field 1, customers 1 and 3
<b>D1.2*2.3</b>	Divide out name field 1 (customer 2) and name field 2 (customer 3)
<b>D1*2*3.1</b>	Divide out name fields 1 and 2 (all customers) and name field 3 (customer 1)
<b>D2-4</b>	Divide out name fields 2 through 4
<b>F</b>	File PNR
<b>DC/1*2.2</b>	Divide out 1 name from corporate/Group PNR - name field 2, psg 2
<b>DC/3*5*7*10</b>	Divide out 3 names from corporate/Group PNR - name fields 5, 7, 10

### ***Reduce Number in PNR***

,2	STEP 1: Indicate new number of customers in PNR entry
-2☒	STEP 2: Delete the applicable name or names
6MR JONES	STEP 3: Enter RCVD FROM
E	STEP 4: End transaction

### ***Cancel and Rebook PNR***

XI	Cancel entire itinerary
X1	Cancel segment 1
X2/4	Cancel segments 2 AND 4
X2-4	Cancel segments 2 THROUGH 4
X1‡01Y1	Cancel segment 1 and rebook from availability display
X1‡0027JAN	Cancel segment 1 and rebook same flight, new date

***Insert After Segment***

<b><i>/2</i></b>	Insert after segment 2
<b><i>/3/0A</i></b>	Insert ARNK after segment 3
<b><i>/2/1</i></b>	Insert segment 1 after segment 2
<b><i>/3/032Y17JANCLTLGANN1</i></b>	Insert long sell after segment 3



# PET IN CABIN

## *Availability*

119JANLAXDFW6A	Display availability to obtain equipment type
LM123/19JANLAX	Display LM list for PNRs with last name "PET". Compare number of pet PNRs with equipment authorization.

## *Listing Pet-In-Cabin*

0123Y19JANLAXDFWMM1	Create MM itinerary segment
-PET/SMITH	Name field: last name PET, first name is customer's surname
5 SEE PNR AXUFLC	Cross-reference pet PNR with customer's.
ET	Complete pet PNR and end-transaction.
4PETC1	Retrieve psgr PNR, identify GFAX for applicable flight segment.
4PETC1-1.2	GFAX entry for each applicable flight segment., name-select

## PRE-RESERVED SEATS (PRS)

### *PRS Locations*

<b>B</b>	<b>Bulkhead</b>	<b>L</b>	<b>Left side of the aircraft</b>
<b>A</b>	<b>Aisle</b>	<b>R</b>	<b>Right side of the aircraft</b>
<b>W</b>	<b>Window</b>	<b>T</b>	<b>Tail of aircraft</b>
<b>X</b>	<b>Opposite Aisles</b>	<b>F</b>	<b>Forward</b>

### *PRS Entries*

<b>4GA</b>	PRS for <b>All</b> segments, all customers
<b>4GA/W</b>	PRS for <b>All</b> segments, window
<b>4G1/W</b>	PRS segment 1, window
<b>4G1,3/W</b>	PRS segments 1 and 3, window
<b>4G1/13C</b>	PRS segment 1, specific seat number (13C)
<b>4G1/7AB</b>	PRS segment 1, specific seat numbers (7A and 7B)
<b>4G1,3/7C</b>	PRS segments 1 and 3, specific seat number (7C)

<b>4GA/7C</b>	PRS for <b>All</b> segments, specific seat number (7C)
<b>4G1/W-1.1</b>	PRS segment 1, window seat, customer name 1.1
<b>4G1/A-1.1,3.2</b>	PRS segment 1, aisle seats, customer names 1.1 and 3.2
<b>4GX</b>	Cancel all PRS
<b>4GX1</b>	Cancel PRS for segment 1
<b>4GX1-2.1</b>	Cancel PRS for segment 1, name field 2, customer 1
<b>4GX1-1.1,3.2</b>	Cancel PRS for segment 1, customer names 1.1 and 3.2

### ***PRS Seat Maps***

<b>4G*32Y17JANBOSMCO</b>	Display seat map for flight-date-city pair
<b>4G1*</b>	Display seat map for segment 1
<b>4G1*-PA</b>	Display secondary seat map, specific PNR segment
<b>4G1C*</b>	Display change of gauge seat map from origination

## PRINTER DESIGNATION

ATO Agents:

- Step one: Designate ticket printer
- Step two: Designate bag tag printer

If printer re-assignment is necessary:

- Step one: Undesignate bag tag printer
- Step two: Undesignate ticket printer

### *Ticket / Boarding Pass Printers*

**W\*2ALNIATA88888888**

W\*2A [LNIATA/printer address] [8-digit Station Number],  
designates ticket printer and creates ATAC record

**W\*2ALNIATA88888888/DD**

Designate ticket printer, create ATAC record and allow ticketing  
after 12:00 am Midnight (local time)

**W\*NO**

Undesignate ticket printer

**W\*2ADUMMY/88888888**

Designate dummy printer for ATAC close-out

### *Bag Tag Printers*

**GABT123456**

Designate bag tag printer

**GUBT**

Undesignate bag tag printer

## ***Hardcopy Printers***

<b>PTR/123456</b>	Designate printer, current work area only
<b>PTR/END</b>	Undesignate printer, current work area only
<b>*S*P</b>	Verify sine and printer designations
<b>14JULSFOLAX7A (print+enter)</b>	Print hard copy of availability, PC
<b>‡2*A (print+ enter)</b>	Print multiple hard copies (2 copies of PNR), PC
<b>PTR14JULSFOLAX7A</b>	Print hard copy of availability, PATT Terminals
<b>PTR‡2*A</b>	Print multiple hard copies (2 copies of PNR), PATT Terminals

## ***Optional Printer Entries***

<b>PTR/123456*</b>	Designate Hard Copy printer; all work areas
<b>PTR/END*</b>	Undesignate Hard Copy printer, all work areas
<b>RL/123456STATUS</b>	Check printer status, by printer address
<b>RL/123456HOLD</b>	Place Printer Status on hold, by printer address
<b>RL/123456</b>	Release or restart printer, by printer address

# QUEUES

## *Basic Entries*

<b>QC/</b>	Queue Count for your city
<b>QC/CTY</b>	Queue Count for a specific city
<b>QC/16</b>	Queue Count for a specific queue
<b>QC/CTY16</b>	Queue Count for a specific city and queue
<b>Q/16</b>	Access specific queue for your city
<b>Q/CTY16</b>	Access specific city and queue
<b>Q/S</b>	Access Supervisory message queue
<b>Q/G</b>	Access General message queue
<b>QX</b>	Exit queue with no PNR present
<b>QXI</b>	Exit queue and ignore current PNR
<b>QXR</b>	Exit queue and remove current PNR from queue
<b>QXE</b>	Exit queue and End Transaction on current PNR
<b>QR</b>	Remove current PNR from queue and remain in queue

<b>I</b>	Ignore PNR and display next PNR
<b>QU</b>	Auto UTR line
<b>QL</b>	Auto LMTC line

### ***Queue Placement***

<b>QI*SYS or KP*</b>	Displays Instruction Codes which will then advise persons working the queues later what action needs to be taken
<b>QP/31/11</b>	Places PNR on local queue 31, instruction code 11
<b>QP/SFO31/11</b>	Places PNR on SFO queue 31, instruction code 11
<b>5Q-CVG09OCT45/11</b>	Places PNR on CVG queue 45, instruction code 11 for a future date (09OCT)

## SCHEDULE vs. AVAILABILITY

**Note:** Use "Schedule" when TIME is critical. Use "Availability" when you are interested in SEATS and available classes of service.

<u>Availability</u>	<u>Schedule</u>	<u>What you get...</u>
1DFWPIT	SDFWPIT	Today, next flight out
1DFWPIT7A	SDFWPIT7A	Today, from 7:00am
125APRDFWPIT	S25APRDFWPIT	By date
125APRDFWPIT7A	S25APRDFWPIT7A	By date and time
125APRDFWPIT/10A	S25APRDFWPIT/10A	By date and arrival time
125APRPITMAD9APHL	S25APRPITMAD9APHL	By departure time and connection (city)
125APRDFWPIT7A‡UA	S25APRDFWPIT7A‡UA	By specific carrier
- N/A -	S25APRDFWPIT/ES	Extended Schedule
132/25APRDFWPIT	- N/A -	Specific flight availability
125APRDFWPIT9A-M	S25APRDFWPIT9A-M	Availability for M class seats by date and time
1S25APRDFWPIT-M	- N/A -	Scan 4 days ahead for M seats



<b>1*</b>	<b>S*</b>	Display more
<b>1*OA</b>	<b>S*OA</b>	Display other airline availability
<b>1*HA</b>	<b>S*HA</b>	Return to Airline availability displays
<b>1*ALGA</b>	<b>S*ALGA</b>	Change arrival city
<b>1*DSFO</b>	<b>S*DSFO</b>	Change departure city
<b>1*SFOLGA</b>	<b>S*SFOLGA</b>	Change departure and arrival city
<b>1PHL</b>	<b>1PHL</b>	Change connecting city
<b>1*3P</b>	<b>S*3P</b>	Change departure time
<b>127APR</b>	<b>S27APR</b>	Change departure date
<b>1-Y</b>	<b>S-Y</b>	Change class of service
<b>1‡2</b>	<b>S‡2</b>	Display flights 2 days forward
<b>1-2</b>	<b>S-2</b>	Display flights 2 days back
<b>1R12MAY10A</b>	<b>SR12MAY10A</b>	Return by date and time
<b>1R6P</b>	<b>SR6P</b>	Return same day by time
<b>1R‡7</b>	<b>SR‡7</b>	Return in 7 days
<b>1R‡7LAX</b>	<b>SR‡7LAX</b>	Return in 7 days, from a new city

**SEAT MAPS*****Seat Map Display***

<b>G*M123</b>	Retrieve Primary Seat Map
<b>G*M123/23SEP</b>	For a specific date
<b>G*M123F</b>	First Class only
<b>G*M123J</b>	Envoy Class only
<b>G*M123F23SEP</b>	First Class/specific date
<b>G*M123DCA</b>	Specific destination
<b>G*M123F23SEPDCA</b>	First Class/specific date and destination
<b>G*M123DFWDCA</b>	Specific origination/destination
<b>G*M123FDFWDCA</b>	First Class/specific origination/destination
<b>G*M123F23SEPDFWDCA</b>	First Class/specific date/origination/destination

## ***Secondary Seat Map Display***

<b>G*M123/CB</b>	Coach Cabin Baggage
<b>G*M123F/CB</b>	First Class Cabin Baggage
<b>G*M123F23SEP/CB</b>	First Class Cabin Baggage for a specific date
<b>G*M123/IF</b>	Coach class Infant seat locations
<b>G*M123/12MAYLGW/IF</b>	Infant seat locations/specific date/destination
<b>G*M123/PA</b>	Coach class Preferred Access
<b>G*M123/12MAY/PA</b>	Preferred Access/specific date
<b>G*M123DFWPHL/PA</b>	Preferred Access/specific origin/destination

**Seat Symbols**

*	AVAILABLE	Seat is available to assign
•	ASSIGNED	Seat is assigned (•• will appear if assigned to a thru customer)
/	BLOCKED	Seat blocked
‡	INOP	Not useable / broken seat
H	ACCESSIBLE ROW	Moveable armrest for customers with mobility impairments
I	INFANT Block	Blocked for customer traveling with an infant
L	MAIN CABIN EXTRA SEAR	Main Cabin Extra, available for purchase
P	PREFERRED SEAT	Preferred Seat, avail. to AADV and <b>oneworld</b> top tier, MILT and full Y complimentary
Q	PREMIUM TRAVEL Block	Seat blocked in advance for assignment to tier level or full “Y” customers
R	PRE-RESERVED	Seat reserved (boarding pass not issued)
T	GATE Block	Gate agent-blocked seat
U	UNDESIRABLE	Seat does not recline; advise customer

## **Row Symbols**

<b>V</b>	PREMIUM PRE-RESERVED	Seat reserved by tier level or full “Y” customers (boarding pass not issued)
<b>W</b>	OVER WING	View is blocked by aircraft wing
<b>X</b>	EMERGENCY EXIT	Must be able to perform exit row duties
<b>CLS</b>	Closet	
<b>LAV</b>	Lavatory	
<b>GAL</b>	Galley	
<b>DOR</b>	Door	
<b>BHD</b>	Bulkhead	
<b>SCR</b>	Movie screen	
<b>PAL</b>	Preferred Access lavatory	

## SINE IN/SINE OUT

### *Sine In/Out (RES)*

#### ATO Agents:

- Step one: Designate ticket printer
- Step two: Designate bag tag printer

#### If printer re-assignment is necessary:

- Step one: Undesignate bag tag printer
- Step two: Undesignate ticket printer

**Slxxxxx**

Sine In, employee number

**SlxxxxxExx**

Sine In, affiliate employee number + E + carrier code

**Sl\*xxxxx**

Sine In to all work areas, employee number

**SlAxxxxx**

Sine In to specific work area (Work areas A-F)

**Sl4**

Change Duty code (4, 5, /, etc.)

**SIB4**

Change Work Area (A-F) and Duty code (4, 5, /, etc.)

**PTR/*printer address***

Designate Hard Copy Printer

**PTR/END**

Undesignate hard copy printer

<b>W*2ALNIATA88888888</b>	W*2A [LNIATA/printer address] [8-digit Station Number], designates ticket printer and creates ATAC record
<b>W*NO</b>	Undesignate Ticket Printer (Ticket Counter only)
<b>GABT123456</b>	Designate Bag Tag Printer
<b>GUBT</b>	Undesignate Bag Tag Printer
<b><input checked="" type="checkbox"/>B</b>	Change Work Area (A-F)
<b>*S</b>	Display sine
<b>*P</b>	Display printer designations
<b>*S*P</b>	Display both sine and printer designations
<b>*M</b>	Display current system active work area (ie, RES/DECS)
<b>SO</b>	Sine Out
<b>SO*</b>	Sine Out of all work areas

***Sine In/Out (DECS)***

<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> DECS	Access DECS system
<b>BSIxxxxx</b>	Sine In with employee number followed by your passcode
<b>BSO</b>	Sine out

***Sine In/Out (FRT)***

<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> FRT	Access FRT system
<b>BSIxxxxx</b>	Sine In with employee number followed by your passcode
<b>BSO</b>	Sine out



## ***Carrier Codes***

<b>51</b>	PIEDMONT	<b>57</b>	METROJET
<b>52</b>	ALLEGHENY	<b>58</b>	US AIRWAYS SHUTTLE
<b>53</b>	PSA	<b>59</b>	CCAIR
<b>54</b>	CHAUTAUQUA	<b>60</b>	MESA-LIBERTY EXPRESS & FLORIDA GULF
<b>55</b>	COMMUTAIR	<b>61</b>	AIR MIDWEST
<b>56</b>	TRANS STATES	<b>62</b>	MESA JET
<b>MQ</b>	Envoy	<b>EV</b>	Express Jet
<b>OO</b>	SkyWest Airlines	<b>YX</b>	Republic Airlines
<b>YV</b>	Mesa Airlines		

**TICKETING*****List of Un-ticketed Passengers*****PUN123/19JANDFW**

Display list of un-ticketed customers for flight 123

***FOP Codes Required to Issue Ticket***

<b>CA</b>	Cash/traveler's checks	<b>MP</b>	Multiple forms of payment
<b>CK</b>	Check		
<b>CT</b>	Certificate, needs ticket designator	<b>XX</b>	Free text

## ***Basic Ticketing Entries***

**W‡FCA**

FOP: Cash

**W‡FCA‡MFRF**

FOP: Cash (FRF-French Francs), international currency override

**W‡F\*371449635392376/0997**

FOP: Credit Card

**W‡F\*37449635392376/0997\*Z1234**

FOP: Credit Card - manual approval code

**W‡FMPCK\*CA/46.30/3.70**

FOP: Multi - CK and \$50 CA, break out tax (VCR not permitted)

**W‡FMPCK\*AX371449635392376/46.30/3.70**

FOP: Multi - CK and \$50 CC, break out tax (VCR not permitted)

**W‡FMPAX371449635392376\*CA/46.30/3.70**

FOP: Multi - CC and \$50 CA break out tax (VCR not permitted)

**Select Ticketing Entries**

W†FCA†PQ1

FOP: Cash – PQ1

W†FCA†1.2/2.1

FOP: Cash - Names 1.2 and 2.1

**Award Ticketing**

WPPFY†AC\*AWARD†AWARD

Price an AAdvantage award

W†CT0379281028192†FCA

Ticket with certificate and  
FOP: Cash**Endorsement Box**

W†FCA†EDVALID ON AA ONLY

Add endorsement

# TICKETING APPROVALS

## *Check Approval Codes*

**CK\*CK041001034160274/275‡  
DLPA123456789**

Check with driver's license, approval code

**CK\*CK041001034160274/275‡  
MI123456789**

Check with military ID, approval code

**CK\*CK041001034160274/275‡  
IDSS123456789/IDPP1234567**

Check with multiple ID, approval code

**Note:** Check MICR number; it must be at least 10 digits but does not exceed 25 digits. If the MICR number is less than 10 digits in length, zeros may be added to the left to bring the number up to 10 digits. If the MICR number is greater than 25 digits, numbers may be dropped from the right to bring the number down to 25 digits.

## *Credit Card Approval Codes*

**CK\*4482351298321765/1299/235**

Credit Card approval: Expiration 12/99, round up to the nearest dollar \$235.00

**TICKETING - EXCHANGE*****When to Use the Exchange Mask***

- Use the Exchange Mask for exchanging unused tickets, Transportation Voucher, MCO.

***Ticket Exchange Mask***

WFRTR2‡N2.1	Access Exchange Ticket Mask, VCR 2, name 2.1
*WFR	Re-display Exchange Ticket Mask

***Involuntary Reroute Mask***

WFR‡S1	Access Involuntary Reroute Mask (from PNR, segment 1)
WFR‡C2-3‡S1-2	Access Involuntary Reroute Mask (from PNR, coupons 2-3, segments 1-2)
WFRNCC‡S1‡	Access Involuntary Reroute Mask (from PNR, no coupon, segment 1)

# TICKETING MASKS

## *Ticketing Masks*

<b>MISC1</b>	Miscellaneous Sales/Service Mask
<b>MISC2</b>	Admirals Instant Enrollment
<b>MISC6</b>	Excess Baggage Charges
<b>MISC9</b>	AAdvantage Upgrade Account
<b>RFND</b>	Transportation Voucher Mask
<b>WFRR</b>	Refund Mask
<b>*RF or *RFND</b>	Re-display the Refund Mask
<b>*MI or *MISC</b>	Re-display the Miscellaneous Mask
<b>*WFR</b>	Re-display Exchange/Refund Mask
<b>*RFND</b>	Re-display Transportation Voucher Mask

## TICKETING – NON REVENUE TRAVEL

### *Employee Travel*

E\*†22222

Employee travel information database  
retrieval by employee number



# TIMATIC

## ***Access Timatic Mode***

The preferred reference is WEB TIMATIC.

Go to: Airport Services Web Reference Home Page and select Quick Links: WEB TIMATIC

The following entries are basic to accessing and moving within the TIMATIC Mode:

<b>☒☒TIM</b>	Access TIMATIC mode
<b>☒☒RES</b>	Exit TIMATIC and return to Reservations mode
<b>QUIT</b>	Exit TIMATIC and return to Reservations mode
<b>TIPN</b>	Display <b>P</b> age <b>N</b> ext
<b>TIPL</b>	Display <b>P</b> age <b>L</b> ast
<b>TIPG</b>	Display <b>P</b> age <b>C</b> urrent
<b>TIPF</b>	Display <b>P</b> age <b>F</b> irst
<b>TIPB</b>	Display <b>P</b> age <b>B</b> ack

### ***Encode and Decode***

The following entries encode and decode within the TIMATIC partition:

- TILCC/AUSTRIA**    Display cities using name of country  
**TIRCC/AU**            Display cities using country code  
**TIRCC/JFK**          Display country and alternate cities using city code

When checking customer documentation, remember to check outbound and return requirements. The entries below are broken down for you:

- TIRV/NAMX/EMMEX/DELHR/TRDFW**    - Retrieve **V**isa information  
**TIRH/NAMX/EMMEX/DELHR/TRDFW**    - Retrieve **H**ealth information  
**TIRA/NAMX/EMMEX/DELHR/TRDFW**    - Retrieve **A**ll information

- . . . . .  
. . . . .        **T**Ransit city here  
. . . . .        **D**Estination city here  
. . . . .        **E**Mbarkation city here  
. . . . .        **N**Ationality of customer  
Retrieve **V**isa, **H**ealth, or **A**ll

## ***Specific International Information for Customers***

**TIDFT/ZRH/CY**     **DFT** is Display Full Text

**ZRH** is Destination City

**CY** is the Specific Code. Specific codes are:

**CY** - Currency

**HE** - Health

**CS** - Customs

**GE** - Geography

**TX** - Taxes

**PA** - Passport

**VI** - Visa

**WEATHER***Weather Entries*

- |  |                           |
|--|---------------------------|
| <input checked="" type="checkbox"/> WEA/WX*DFW   | Current weather           |
| <input checked="" type="checkbox"/> WEA/CF*DFW   | Current forecast          |
| <input checked="" type="checkbox"/> WEA/EF*DFW   | Extended forecast         |
| <input checked="" type="checkbox"/> WEA/EF*DFW/2 | Extended forecast, page 2 |
| <input checked="" type="checkbox"/> WEA/AV*DFW   | Average temperature       |

# NOTES

Intentionally left blank