

# SAFETY DATA SHEET

# Clorox® Clean-Up® Cleaner with Bleach - US

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	Clorox® Clean-Up® Cleaner with Bleach - US	
Product number	CX01204US, CX01151US	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Bleach	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	CBee (Europe) Ltd. Eton House 2nd Floor 18 - 24 Paradise Road Richmond TW9 1SE UK Tel: + 44 (0) 208 614 7120 Fax: + 44 (0) 208 940 2040 consumerservices@clorox.co.uk	
1.4. Emergency telephone nu	Imber	
Emergency telephone	+44 (0) 208 614 7120 Monday - Thursday:- 09:00 - 17:30 Friday:- 09:00 - 17:00	
SECTION 2: Hazards identified	cation	
2.1. Classification of the subs	stance or mixture	
<b>Classification</b>		
Physical hazards Not Classified		
Health hazards		
Eye Irrit. 2 - H319		
Environmental hazards Not Classified		
Classification (67/548/EEC or 1999/45/EC)		
Xi; R36		
2.2. Label elements		
Pictogram		
Signal word	Warning	

Clorox <sup>®</sup> Clean-Up <sup>®</sup> Cleaner with Bleach - US		
Hazard statements		
	H319 Causes serious eye irritation.	
Precautionary statements		
	P102 Keep out of reach of children.	
	P264 Wash contaminated skin thoroughly after handling.	
	P280 Wear eye and face protection.	
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P337+P313 If eye irritation persists: Get medical advice/attention.	
Supplemental label information		
	EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).	
Contains	Sodium hypochlorite, solution 2.18 % CI active	
Detergent labelling	< 5% chlorine-based bleaching agents, < 5% perfumes	
2.3. Other hazards		

This product does not contain any substances classified as PBT or vPvB.

# SECTION 3: Composition/information on ingredients

3.2. Mixtures

Sodium hypochlorite, solution % Cl active CAS number: 7681-52-9 EC number: 231-668-3 M factor (Acute) = 10		2.18%
<b>Classification</b> Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC or 1999/45/EC) C; R34. N; R50. R31	
sodium hydroxide CAS number: 1310-73-2 EC number: 215-185-5		0.5 - <1%
<b>Classification</b> Skin Corr. 1A - H314 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) C; R35	
Dodecyldimethylamine oxide CAS number: 1643-20-5 EC number: 216-700-6 M factor (Acute) = 1		0.025 - <0.25%
<b>Classification</b> Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC or 1999/45/EC) Xi; R41, R38. N; R50	

<0.025%

# Clorox® Clean-Up® Cleaner with Bleach - US

## bornan-2-one

CAS number: 76-22-2 EC number: 200-945-0

#### Classification

Flam. Sol. 2 - H228 Acute Tox. 4 - H332 STOT SE 2 - H371

#### Benzene

CAS number: 71-43-2 EC number: 200-753-7

#### Classification

Flam. Liq. 2 - H225

Classification (67/548/EEC or 1999/45/EC) F; R11. Xn; R20, R68/20/21/22

<0.025%

#### Classification (67/548/EEC or 1999/45/EC)

F; R11. T; R48/23/24/25. Xn; R65. Xi; R36/38. Carc. Cat. 1 R45. Muta. Cat. 2 R46

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Muta. 1B - H340 Carc. 1A - H350 STOT RE 1 - H372 Asp. Tox. 1 - H304

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

#### Ingestion

Rinse mouth thoroughly with water. Give plenty of water to drink. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

## Skin contact

Wash skin thoroughly with soap and water.

#### Eye contact

Remove any contact lenses and open eyelids wide apart. Continue to rinse.

# 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation

Irritation of nose, throat and airway.

# Ingestion

May cause discomfort if swallowed.

#### Skin contact

Prolonged skin contact may cause redness and irritation.

#### Eye contact

Irritation of eyes and mucous membranes. Prolonged contact may cause redness and/or tearing.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes for the doctor

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

#### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products

Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

#### 5.3. Advice for firefighters

# Special protective equipment for firefighters

Use protective equipment appropriate for surrounding materials.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Avoid contact with eyes and prolonged skin contact. Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

#### **Environmental precautions**

Avoid discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

# 6.4. Reference to other sections

# Reference to other sections

See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

#### Usage precautions

Read and follow manufacturer's recommendations.

# Advice on general occupational hygiene

Avoid contact with eyes and prolonged skin contact.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Storage precautions

Store in a cool and well-ventilated place.

# 7.3. Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure Controls/personal protection

# 8.1. Control parameters

#### Occupational exposure limits

#### sodium hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m3

# bornan-2-one

Long-term exposure limit (8-hour TWA): WEL 2 ppm 13 mg/m3 Short-term exposure limit (15-minute): WEL 3 ppm 19 mg/m3

#### Benzene

Long-term exposure limit (8-hour TWA): WEL 1 ppm 3.25 mg/m3 Carc, Sk

WEL = Workplace Exposure Limit

Carc = Capable of causing cancer and/or heritable genetic damage.

Sk = Can be absorbed through the skin.

# 8.2. Exposure controls

Eye/face protection

Wear chemical splash goggles.

#### Hand protection

No specific hand protection recommended.

#### Hygiene measures

No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

#### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

#### Appearance

Clear liquid.

#### Colour

Yellowish.

#### Odour

Citrus. Bleach

## Odour threshold

Not determined.

#### pН

pH (concentrated solution): 12.4 - 12.8

#### Melting point

Not relevant.

**Initial boiling point and range** Not determined.

Flash point > 93°C CC (Closed cup).

**Evaporation rate** Not determined.

Evaporation factor Not determined.

Flammability (solid, gas)

Not relevant.

Upper/lower flammability or explosive limits Not relevant.

Vapour pressure

#### Not determined.

Vapour density Not relevant.

# Relative density

~ 1.03

Bulk density Not determined.

# Partition coefficient Not determined.

Auto-ignition temperature Not relevant.

**Decomposition Temperature** Not relevant.

#### Viscosity

Not determined.

Explosive properties Not considered to be explosive.

#### Oxidising properties

The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.

#### 9.2. Other information

#### Other information

No information required.

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

Stability

Stable at normal ambient temperatures and when used as recommended.

# 10.3. Possibility of hazardous reactions

Will not polymerise.

# 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

#### 10.5. Incompatible materials

#### Materials to avoid

No specific material or group of materials is likely to react with the product to produce a hazardous situation.

#### 10.6. Hazardous decomposition products

None at ambient temperatures. Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of nitrogen.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

#### Acute toxicity - oral

Based on available data the classification criteria are not met.

# Acute toxicity - dermal

Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

#### Animal data

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Eye Irrit. 2 - H319 May cause severe eye irritation.

#### Respiratory sensitisation

Based on available data the classification criteria are not met.

#### Skin sensitisation

Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

#### Genotoxicity - in vitro

Based on available data the classification criteria are not met.

# Genotoxicity - in vivo

Based on available data the classification criteria are not met.

#### **Carcinogenicity**

Based on available data the classification criteria are not met.

#### **Reproductive toxicity**

#### Reproductive toxicity - fertility

Based on available data the classification criteria are not met.

## Reproductive toxicity - development

Based on available data the classification criteria are not met.

# Specific target organ toxicity - single exposure

#### STOT - single exposure

Based on available data the classification criteria are not met.

# Specific target organ toxicity - repeated exposure

# STOT - repeated exposure

Based on available data the classification criteria are not met.

#### Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.

# Toxicological information on ingredients.

#### Sodium hypochlorite, solution ... % Cl active

#### Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg) 8,830.0

0,000.0

Species

Rat

REACH dossier information. Based on available data the classification criteria are not met.

# ATE oral (mg/kg) 8,830.0

.

# Acute toxicity - dermal

Acute toxicity dermal (LD50 mg/kg) 20000.0

Species

Rabbit

REACH dossier information. Based on available data the classification criteria are not met.

# ATE dermal (mg/kg)

20000.0

# Acute toxicity - inhalation

Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

#### Animal data

Dose: 5.3%, 4 hours, Rabbit Primary dermal irritation index: 1.2 Dose: 0.5 ml (12.5%), 24 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive to skin.

#### Serious eye damage/irritation

Dose: 0.1 g, 1 second, Rabbit REACH dossier information. Corrosivity to eyes is assumed.

#### Skin sensitisation

Buehler test - Guinea pig: Not sensitising. REACH dossier information.

#### Germ cell mutagenicity

#### Genotoxicity - in vitro

Chromosome aberration: Negative. REACH dossier information.

#### Genotoxicity - in vivo

Chromosome aberration: Negative. REACH dossier information.

#### **Carcinogenicity**

NOAEL > 13.75 mg/kg/day, Oral, Rat REACH dossier information.

#### IARC carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

#### Reproductive toxicity

#### Reproductive toxicity - fertility

One-generation study - NOAEL > 5 mg/kg/day, Oral, Rat P REACH dossier information.

#### Reproductive toxicity - development

Teratogenicity: - NOAEL: >=5.7 mg/kg/day, Oral, Rat REACH dossier information.

#### Specific target organ toxicity - repeated exposure

#### STOT - repeated exposure

LOAEL 100 mg/kg/day, Oral, Rat REACH dossier information.

# Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.

#### sodium hydroxide

#### Skin corrosion/irritation

Animal data Skin Corr. 1A - H314

#### Serious eye damage/irritation

Dose: 0.1 ml (2%), 1 second, Rabbit REACH dossier information.

# Skin sensitisation

Patch test - Human: Not sensitising. REACH dossier information.

# Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.

# Dodecyldimethylamine oxide

## Skin corrosion/irritation

# Animal data

Skin Irrit. 2 - H315

# Serious eye damage/irritation

Eye Dam. 1 - H318

#### bornan-2-one

# Acute toxicity - inhalation

Converted acute toxicity point estimate (cATpE) Acute Tox. 4 - H332 Harmful by inhalation.

# ATE inhalation (dusts/mists mg/l)

1.5

# Germ cell mutagenicity

# Genotoxicity - in vitro

Gene mutation: Negative. REACH dossier information.

# Specific target organ toxicity - single exposure

# STOT - single exposure

STOT SE 2 - H371 May cause damage to organs .

# **SECTION 12: Ecological Information**

# 12.1. Toxicity

Not considered toxic to fish.

#### Ecological information on ingredients.

Sodium hypochlorite, solution ... % Cl active

# Acute aquatic toxicity

**LE(C)₅₀** 0.01 < L(E)C50 ≤ 0.1

# M factor (Acute)

10

# Acute toxicity - fish

LC50, 96 hours: 0.032 mg/l, Oncorhynchus kisutch (Coho salmon) REACH dossier information.

#### Acute toxicity - aquatic invertebrates

EC<sub>50</sub>, 48 hours: 0.141 mg/l, Daphnia magna REACH dossier information.

#### Acute toxicity - microorganisms

 $EC_{50}$ , 3 hours: > 3 mg/l, Activated sludge REACH dossier information.

#### Acute toxicity - terrestrial

NOEC, 10 days: 200 mg/l, Coturnix coturnix japonica (Japanese quail) REACH dossier information.

#### Chronic toxicity - fish early life stage

NOEC, 28 days: 0.04 mg/l, Menidia peninsulae (Tidewater silverside) REACH dossier information.

#### Chronic toxicity - aquatic invertebrates

NOEC, 15 days: 0.007 mg/l, Freshwater invertebrates REACH dossier information.

# sodium hydroxide

#### Acute toxicity - fish

LC<sub>50</sub>, 48 hours: 189 mg/l, Leuciscus idus (Golden orfe)

#### Acute toxicity - aquatic invertebrates

EC<sub>50</sub>, 48 hours: 40.4 mg/l, Ceriodaphnia REACH dossier information.

# Dodecyldimethylamine oxide

Aquatic Acute 1 - H400

# Acute aquatic toxicity

LE(C)₅₀

 $0.1 \leq L(E)C50 \leq 1$ 

#### M factor (Acute)

1

#### bornan-2-one

Acute toxicity - aquatic invertebrates

LC<sub>50</sub>, 48 hours: 9.303 mg/l, Daphnia magna REACH dossier information. QSAR.

#### Acute toxicity - aquatic plants

EC<sub>50</sub>, 96 hours: 6.951 mg/l, Algae REACH dossier information. QSAR.

# Acute toxicity - microorganisms

 $EC_{50}$ , 3 hours: > 100 mg/l, Activated sludge REACH dossier information.

# 12.2. Persistence and degradability

#### Persistence and degradability

The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

# Ecological information on ingredients.

# Sodium hypochlorite, solution ... % Cl active

#### Phototransformation

Air -  $DT_{50}$ : 114.6 days Estimated value. Water -  $DT_{50}$ : 12 minutes REACH dossier information.

# Dodecyldimethylamine oxide

## Persistence and degradability

The product is readily biodegradable.

#### bornan-2-one

#### **Biodegradation**

Water - Degradation (77%): 28 days REACH dossier information. The substance is readily biodegradable.

### 12.3. Bioaccumulative potential

No data available on bioaccumulation.

#### Partition coefficient

Not determined.

Ecological information on ingredients.

# Sodium hypochlorite, solution ... % Cl active

# Partition coefficient

log Pow: -3.42 Estimated value. REACH dossier information.

#### sodium hydroxide

The product is not bioaccumulating.

#### bornan-2-one

# Partition coefficient

log Pow: 2.414 REACH dossier information.

#### 12.4. Mobility in soil

# Mobility

The product is soluble in water.

#### Ecological information on ingredients.

#### Sodium hypochlorite, solution ... % Cl active

# Henry's law constant

0.076 @ 20°C Estimated value. REACH dossier information.

#### Surface tension

82.4 mN/m @ 20°C REACH dossier information.

#### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

Not relevant.

#### SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

#### **General information**

Dispose of waste product or used containers in accordance with local regulations

#### SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

# 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## National regulations

EH40/2005 Workplace exposure limits.

#### EU legislation

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended) Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

#### Classification procedures according to Regulation (EC) 1272/2008

Eye Irrit. 2 - H319: On basis of test data.

#### **Revision comments**

Classification according to CLP Annex I.

Revision date	04/05/2014
Revision	4
Supersedes date	01/03/2014
SDS number	176
Risk phrases in full	

	Clorox® Clean-Up® Cleaner with Bleach - US
	R11 Highly flammable.
	R20 Harmful by inhalation.
	R31 Contact with acids liberates toxic gas.
	R34 Causes burns.
	R35 Causes severe burns.
	R36/38 Irritating to eyes and skin.
	R38 Irritating to skin.
	R41 Risk of serious damage to eyes.
	R45 May cause cancer.
	R46 May cause heritable genetic damage.
	R48/23/24/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.
	R50 Very toxic to aquatic organisms.
	R65 Harmful: may cause lung damage if swallowed.
	R68/20/21/22 Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.
Hazard statements in full	
	H225 Highly flammable liquid and vapour.
	H228 Flammable solid.
	H304 May be fatal if swallowed and enters airways.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H332 Harmful if inhaled.
	H340 May cause genetic defects.
	H350 May cause cancer.
	H371 May cause damage to organs .
	H372 Causes damage to organs through prolonged or repeated exposure.
	H400 Very toxic to aquatic life.

#### Disclaimer

The information supplied here is accurate to the best knowledge and belief of CBee (Europe) Limited, it is however, not intended as a warranty or representation, and should not be construed as such, for which CBee (Europe) Limited assumes any legal responsibility. Any information or advice obtained from CBee (Europe) Limited other than by means of this publication, and whether relating to CBee (Europe) Limited's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by CBee (Europe) Limited when used instead of, or in conjunction with materials supplied by CBee (Europe) Limited, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. CBee (Europe) Limited accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.