

Version 2.1

Revision Date: 05/06/2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Methanol

Recommended use of the chemical and restrictions on use

:

Recommended use

Solvent. Fuel Feedstock

Manufacturer or supplier's details

Company	: Nexeo Solutions, LLC.
Address	3 Waterway Square Place Suite 1000
	The Woodlands, TX. 77380
	United States of America

Emergency telephone number:

Health North America: 1-855-NEXEO4U (1-855-639-3648) Health International: 1-855-NEXEO4U (1-855-639-3648) Transport North America: CHEMTREC (1-800-424-9300)

Additional Information:	: Responsible Party: Product Safety Group E-Mail: msds@nexeosolutions.com SDS Requests: 1-855-429-2661 SDS Requests Fax: 1-281-500-2370 Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 2
Acute toxicity (Oral)	: Category 3
Acute toxicity (Inhalation)	: Category 3
Acute toxicity (Dermal)	: Category 3
Specific target organ toxicity - single exposure	: Category 1 (Eyes, Central nervous system)
GHS Label element Hazard pictograms	

: Danger

Hazard statements : H225 Highly flammable liquid and vapour. H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled H370 Causes damage to organs (Eyes, Central nervous sys-

Signal word



	Revision Date: 05/06/2016
	tem).
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection. Response: P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediatel all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician. P307 + P311 IF exposed: Call a POISON CENTER or doctor/ physician. P307 + P378 In case of fire: Use dry sand, dry chemical or alcor hol-resistant foam to extinguish. Storage: P403 + P235 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

CAS-No.	Chemical Name	Weight %
67-56-1	Methanol	90 - 100

Any Concentration shown as a range is due to batch variation.

Synonyms

: Methyl alcohol,



Version 2.1

Revision Date: 05/06/2016

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	 Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during fire- fighting	Do not allow run-off from fire fighting to enter drains or wa courses.	ater
Hazardous combustion prod- ucts	Carbon oxides formaldehyde toxic fumes	
Further information	Collect contaminated fire extinguishing water separately. must not be discharged into drains. Fire residues and contaminated fire extinguishing water m be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored s rately in closed containments. Use a water spray to cool fully closed containers.	nust
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefighting if essary.	nec-



Version 2.1

Revision Date: 05/06/2016

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against : fire and explosion	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling :	 Avoid formation of aerosol. Do not breathe vapours/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage :	No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.



Version 2.1

Revision Date: 05/06/2016

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
67-56-1	Methanol	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		ST	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z-1
		STEL	250 ppm 325 mg/m3	OSHA P0
		TWA	200 ppm 260 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection	:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are un- known, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respi- rator if there is any potential for uncontrolled release, expo- sure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concen- tration of the dangerous substance at the work place.
Hygiene measures	:	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

: liquid



Version 2.1

Revision Date: 05/06/2016

Colour	: Clear, Colorless
Odour	: alcohol-like
Odour Threshold	: 4.2 - 5960 ppm
рН	: No data available
Freezing Point (Melting point/freezing point)	: -97.897.6 °C (-144.0143.7 °F)
Boiling Point (Boiling point/boiling range)	: 64.7 °C (148.5 °F)
Flash point	: 11 °C (52 °F)
Evaporation rate	: 4.1
Flammability (solid, gas)	(Butyl Acetate = 1) : No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 96 mmHg @ 20 °C (68 °F)
Relative vapour density	: 1.1 @ 20 °C (68 °F) (Air = 1.0)
Relative density	: 0.791 - 0.793 @ 20 °C (68 °F) Reference substance: (water = 1)
Density	: 0.791 - 0.793 g/cm3 @ 20 °C (68 °F)
Solubility(ies) Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: log Pow: 0.82
Auto-ignition temperature	: 464 °C
Thermal decomposition	: No data available
Viscosity Viscosity, dynamic	: 0.8 mPa.s @ 25 °C (77 °F)
Viscosity, kinematic	: Calculated 1.008 - 1.011 mm2/s @ 25 °C (77 °F)



Version 2.1

Revision Date: 05/06/2016

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Acids Alkali metals Alkalis Oxidizing agents Reducing agents

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
<u>Components:</u> 67-56-1:	
Acute oral toxicity	: LDLo (Humans): 143 mg/kg Assessment: The component/mixture is toxic after single in- gestion.
Acute inhalation toxicity	: Assessment: The component/mixture is toxic after short term inhalation. Remarks: Supporting toxicological evidence is limited for this classification. This harmonized classification will replace the indicated classification due to industry leaders and the EU Harmonized Classification (Annex VII).
Acute dermal toxicity	: LDLo (Monkey): 393 mg/kg Assessment: The component/mixture is toxic after single con- tact with skin.
Carcinogenicity	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen



lethanoi	
ersion 2.1	Revision Date: 05/06/2016
	by NTP.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
STOT - single expos	sure
a a ,	, Central nervous system ostance or mixture is classified as specific target organ toxicant, single ex-
Further information	

Product: Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
No data available	
Persistence and degradability	у
No data available	
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	
Other adverse effects	
Product:	
Ozone-Depletion Potential	 Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufac-
	tured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological infor- mation	: No data available



Version 2.1

Revision Date: 05/06/2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation):

UN1230, Methanol, 3, II

IATA (International Air Transport Association):

UN1230, METHANOL, 3 (6.1), II

IMDG (International Maritime Dangerous Goods):

UN1230, METHANOL, 3, (6.1), II, Flash Point:11 °C(52 °F)

SECTION 15. REGULATORY INFORMATION

WHMIS Classification : B2: Flammable liquid

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Methanol	67-56-1	5000	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard Immediate (Acute) Health Hazard	
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: The following components are subject to reporting levels extablished by SARA Title III, Section 313:	s-



Version 2.1

Revision Date: 05/06/2016

67-56-1

Methanol

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

67-56-1 Methanol

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489): Methanol

67-56-1

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A. This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3. This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations


Massachusetts Right To Know				
	67-56-1	Methanol	90 - 100 %	
Pennsylvania	Right To Know			
	67-56-1	Methanol	90 - 100 %	
New Jersey Ri	ght To Know			
	67-56-1	Methanol	90 - 100 %	
		WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Methanol		
The components of this product are reported in the following inventories: TSCA : On TSCA Inventory				
DSL	:	All components of this product are on the Canadian DSL		
AICS	AICS : On the inventory, or in compliance with the inventory			
NZIoC : On the inventory, or in compliance with the inventory		entory		
ENCS : On the inventory, or in compliance with the inventory		entory		
KECI	KECI : On the inventory, or in compliance with the inventory		entory	
PICCS	PICCS : On the inventory, or in compliance with the inventory			
IECSC	:	: On the inventory, or in compliance with the inventory		



Version 2.1

Revision Date: 05/06/2016

SECTION16. OTHER INFORMATION



The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO[™] Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Revision Date	:	05/06/2016
---------------	---	------------

:	R0001447
	:

Material number:

 $\begin{array}{l} 16108079, \ 16002900, \ 16087724, \ 559683, \ 16034861, \ 16032613, \ 779915, \ 16024445, \ 16018469, \\ 736115, \ 730007, \ 730006, \ 717897, \ 716726, \ 713298, \ 710534, \ 695309, \ 695256, \ 694361, \ 689940, \\ 690224, \ 682513, \ 638917, \ 625491, \ 602665, \ 554053, \ 554376, \ 554361, \ 554308, \ 554052, \ 554159, \\ 546854, \ 508417, \ 117978, \ 132227, \ 118306, \ 116867, \ 161021, \ 130207, \ 130736, \ 159527, \ 160328, \\ 115098, \ 115229, \ 143136, \ 508297, \ 501342, \ 39841, \ 22244, \ 20302, \ 22243, \ 20300, \ 20299, \\ 500031, \ 16100717, \ 16100045, \ 16076584, \ 16056428, \ 16056427, \ 16056426, \ 16056425, \\ 16055184, \ 16053934, \ 16049742, \ 16048212, \ 16047323, \ 16039562, \ 16031073, \ 16024444, \\ 16021152, \ 16016316, \ 743459, \ 699273, \ 627702, \ 600798, \ 546132, \ 504381, \ 504224, \ 161018, \\ 160329, \ 159524, \ 146769, \ 145658, \ 144602, \ 136311, \ 131538, \ 131334, \ 122681, \ 117981, \ 115232, \\ 82470, \ 82339, \ 20305, \ 20304, \ 20303, \ 20301, \ 20298, \ 20297 \end{array}$

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Gov- ernment Industrial Hygienists	LD50	Lethal Dose 50%	
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Sub- stances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	



Version 2.1

Revision Date: 05/06/2016

CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Sce- nario Tool	OSHA	Occupational Safety & Health Administra- tion
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentra- tion Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthori- zation Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Invento- ry	UVCB	Unknown or Variable Composition, Com- plex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Infor- mation System
LC50		Lethal Concentration 50%	