

monitor LiFTS

Sales and Hire



Australasia – Since 1997

Monitor Lifts is a family owned business, operating across Australia and New Zealand, with headquarters based in Tamworth, NSW.



Pictured left is the very first spider-lift ever in Australia: the 11m Leguan introduced to the market by Monitor Lifts in 1997. This machine opened up a completely new way of accessing difficult locations.

National product support is what truly makes Monitor Lifts unique. Product training is conducted regularly throughout Australasia, and a national network of factory-trained service outlets ensures the highest standard of backup care and technical support is made available for all Monitor Lifts owners and operators.



Monitor Lifts head office in Tamworth NSW.

We offer a full range of access equipment for sale and hire.



Still can't find the lift you are looking for? Call 1800 025 024 for our complete range of catalogues or download from the website www.monitor.net.au

Electric Scissor Lifts

GENIE

GS15324
 GS19324
 GS20324
 GS26324
 GS32324
 GS26464
 GS32464
 GS40474

4WD Diesel Scissor Lifts

GENIE

GS2669RT6
 GS3369RT6
 GS3384RT6
 GS4069RT6
 GS4390RT6
 GS5390RT6

Knuckle Boom Lifts

GENIE

Z-34/22.....8
 Z-45/258
 Z-51/30.....8
 Z-62/408
 Z-80/608
 Z-135/708

Telescopic Stick Boom Lifts

GENIE

S-45.....10
 S-65.....10
 S-85.....10
 SX-180.....10

Telehandlers

AVANT

635..... 12

GENIE

GTH250612
 GTH300712
 GTH401412
 GTH401812

Trailer/Truck Mounted Lifts

GENIE

TZ-34/20.....13
 TZ-50/30.....13
 E209PX13

GSR

Spider Lifts

LEGUAN

12514

PLATFORM

189014

OMME

2750RX14

4200R 14

Personnel Lifts

POWER TOWER

5.1015

NANO

4.50 SP.....15

GENIE

GR-15..... 15

ATN

ML810 15



GENIE GS1532

Max Working Height (m): 6.57
 Lift Capacity (kg): 272
 Weight (kg): 1238
 Length (m): 1.83
 Width (m): 0.81
 Height (m): 1.73



TRAILER PACKAGE



GENIE GS1932

Max Working Height (m): 7.79
 Lift Capacity (kg): 227
 Weight (kg): 1500
 Length (m): 1.83
 Width (m): 0.81
 Height (m): 1.75



MINE SPEC



GENIE GS2032

Max Working Height (m): 8.1
 Lift Capacity (kg): 363
 Weight (kg): 1825
 Length (m): 2.44
 Width (m): 0.81
 Height (m): 1.75




GENIE GS2632

Max Working Height (m): 9.92
 Lift Capacity (kg): 227
 Weight (kg): 1956
 Length (m): 2.44
 Width (m): 0.81
 Height (m): 1.91



GENIE GS3232

Max Working Height (m): 11.75
 Lift Capacity (kg): 227
 Weight (kg): 2352
 Length (m): 2.44
 Width (m): 0.81
 Height (m): 2.03



NARROW DECK



GENIE GS2646

Max Working Height (m): 9.92
 Lift Capacity (kg): 454
 Weight (kg): 2447
 Length (m): 2.41
 Width (m): 1.17
 Height (m): 1.68



WIDE DECK



GENIE GS3246

Max Working Height (m): 11.75
 Lift Capacity (kg): 318
 Weight (kg): 2812
 Length (m): 2.41
 Width (m): 1.17
 Height (m): 1.80



GENIE GS4047

Max Working Height (m): 13.7
 Lift Capacity (kg): 350
 Weight (kg): 3222
 Length (m): 2.49
 Width (m): 1.19
 Height (m): 1.96



Choose an Electric Scissor Lift from Monitor to suit your specific need. Whether you are chasing a 4 m or 12 m working height, narrow or wide decks, trailer packages or mine spec models, Monitor have the solution available immediately – when required, where you require it





GENIE GS2669RT

Max Working Height (m): 9.92
Lift Capacity (kg): 680
Power: Kubota 24.8 HP Diesel
Weight (kg): 3709
Length (m): 3.76
Width (m): 1.75
Height (m): 1.92



MINE SPEC



GENIE GS3369RT

Max Working Height (m): 11.96
Lift Capacity (kg): 454
Power: Kubota 24.8 HP Diesel
Weight (kg): 3890
Length (m): 3.76
Width (m): 1.75
Height (m): 1.92



TRANSPORT



GENIE GS3384RT

Max Working Height (m): 12.06
Lift Capacity (kg): 1134
Power: Deutz 49 HP Diesel
Weight (kg): 6743
Length (m): 4.88
Width (m): 2.13
Height (m): 2.0

DUAL

DUAL EXTENSION DECKS



GENIE GS4069RT

Max Working Height (m): 14.19
Lift Capacity (kg): 363
Power: Kubota 24.8 hp Diesel
Weight (kg): 5047
Length (m): 3.76
Width (m): 1.75
Height (m): 2.08



GENIE GS4390RT

Max Working Height (m): 15.11
Lift Capacity (kg): 680
Power: Deutz 49 HP Diesel
Weight (kg): 7692
Length (m): 4.88
Width (m): 2.29
Height (m): 2.25



GENIE GS5390RT

Max Working Height (m): 18.15
Lift Capacity (kg): 680
Power: Deutz 49 HP Diesel
Weight (kg): 8274
Length (m): 4.88
Width (m): 2.29
Height (m): 2.47



TRANSPORT

All 4WD diesel scissor lifts from Monitor Lifts, come standard with hydraulic stabilizer legs with 'auto-level' for use on sloping ground.



**Non-marking
RT tyres**



**Deck lengths
up to 7.3m**

monitor LIFTS



GENIE Z-34/22

Max Working Height (m): 12.62
 Max Horizontal Reach (m): 6.78
 Lift Capacity (kg): 227
 Power: Kubota 26 Hp Diesel
 Weight (kg): 4854
 Length (m): 5.66
 Width (m): 1.85
 Height (m): 2.06



MINE SPEC



GENIE Z-45/25

Max Working Height (m): 16.07
 Max Horizontal Reach (m): 7.65
 Lift Capacity (kg): 227
 Power: Deutz 48 HP Diesel
 Weight (kg): 6668
 Length (m): 6.83
 Width (m): 2.29
 Height (m): 2.11



GENIE Z-51/30

Max Working Height (m): 17.62
 Max Horizontal Reach (m): 9.25
 Lift Capacity (kg): 227
 Power: Deutz 48 HP Diesel
 Weight (kg): 7212
 Length (m): 7.50
 Width (m): 2.29
 Height (m): 2.16



GENIE Z-62/40

Max Working Height (m): 20.87
 Max Horizontal Reach (m): 12.92
 Lift Capacity (kg): 227
 Power: Deutz 48 HP Diesel
 Weight (kg): 10886
 Length (m): 7.57
 Width (m): 2.49
 Height (m): 2.90



ON BOARD GENERATOR



GENIE Z-80/60

Max Working Height (m): 25.77
 Max Horizontal Reach (m): 18.29
 Lift Capacity (kg): 227
 Power: Deutz 78 HP Diesel
 Weight (kg): 17010
 Length (m): 11.27
 Width (m): 2.49
 Height (m): 3.00



GENIE Z-135/70

Max Working Height (m): 43.15
 Max Horizontal Reach (m): 21.26
 Lift Capacity (kg): 272
 Power: Deutz 74 HP Diesel
 Weight (kg): 20366
 Length (m): 12.93
 Width (m): 2.46
 Height (m): 3.07



TRANSPORT



MINE SPEC





SEE US IN ACTION

Scan the QR code above to see the Monitor Lifts Company Video.



MINE SPEC





GENIE S-45

Max Working Height (m): 15.72
 Max Horizontal Reach (m): 11.18
 Lift Capacity (kg): 227
 Power: Deutz 46 HP Diesel
 Weight (kg): 7151
 Length (m): 6.80
 Width (m): 2.30
 Height (m): 2.49



GENIE S-65

Max Working Height (m): 21.8
 Max Horizontal Reach (m): 17.1
 Lift Capacity (kg): 227
 Power: Deutz 46 HP Diesel
 Weight (kg): 10349
 Length (m): 7.60
 Width (m): 2.49
 Height (m): 2.72



MINE SPEC




GENIE S-85

Max Working Height (m): 27.91
 Max Horizontal Reach (m): 23.32
 Lift Capacity (kg): 227
 Power: Deutz 74 HP Diesel
 Weight (kg): 17563
 Length (m): 11.58
 Width (m): 2.49
 Height (m): 2.80



GENIE SX-180

Max Working Height (m): 56.86
 Max Horizontal Reach (m): 24.38
 Lift Capacity (kg): 340
 Power: Deutz 74 HP Diesel
 Weight (kg): 25108
 Length (m): 16.18
 Width (m): 2.49
 Height (m): 3.05



Monitor Lifts 4WD Diesel Telescopic Stick Boom Lifts provide the ultimate in horizontal reach. With units up to 56m working height and over 24m of horizontal reach, Monitor Lifts will have a unit that suits your needs.





AVANT 635

Max Lifting Height (m): 2.835
 Max Forward Reach (m): 1.2
 Lift Capacity (kg): 2100
 Power: Kubota (37.5 hp)
 Weight (kg): 1530
 Length (m): 2.55
 Width (m): 1.305
 Height (m): 2.035



GENIE GTH2506

Max Lifting Height (m): 5.79
 Max Forward Reach (m): 3.44
 Lift Capacity (kg): 2500
 Power: Deutz 74 HP Diesel
 Weight (kg): 5420
 Length (m): 3.84
 Width (m): 1.81
 Height (m): 2.16



MINE SPEC



GENIE GTH3007

Max Lifting Height (m): 6.8
 Max Forward Reach (m): 3.8
 Lift Capacity (kg): 3000
 Power: Deutz 81.5 HP Diesel
 Weight (kg): 6000
 Length (m): 4.69
 Width (m): 2.0
 Height (m): 2.05



GENIE GTH4014

Max Lifting Height (m): 13.57
 Max Forward Reach (m): 9.08
 Lift Capacity (kg): 4000
 Power: Deutz 100 HP Diesel
 Weight (kg): 10225
 Length (m): 6.06
 Width (m): 2.32
 Height (m): 2.40



MINE SPEC



GENIE GTH4018

Max Lifting Height (m): 17.61
 Max Forward Reach (m): 13.33
 Lift Capacity (kg): 4000
 Power: Perkins 100 HP Diesel
 Weight (kg): 11980
 Length (m): 6.57
 Width (m): 2.42
 Height (m): 2.44



Our Telehandlers, a "workhorse" for lifting applications in Construction, Landscaping and Agriculture.

Perfect heavy-duty choice for loading, unloading, moving and placing loads or materials throughout any work site and cleaning up when the project is complete. Our high reach rough terrain telehandlers are the ultimate solution for maximizing work site productivity through efficient movement of material. All-around, cost-effective, reliable machines with multiple attachments available for increased ROI on any job site.



GENIE TZ-34/20

Max Working Height (m): 12.36
Max Horizontal Reach (m): 5.59
Lift Capacity (kg): 200
Power: 24 Volt Battery System
Weight (kg): 1450
Length (m): 5.50
Width (m): 1.45
Height (m): 1.94



GENIE TZ-50/30

Max Working Height (m): 17.09
Max Horizontal Reach (m): 8.89
Lift Capacity (kg): 200
Power: Honda Petrol engine & 24 Volt Battery System
Weight (kg): 2069
Length (m): 7.16
Width (m): 1.68
Height (m): 2.0



GSR E209PX

Max Working Height (m): 19.9
Max Horizontal Reach (m): 8.94
Lift Capacity (kg): 220
Power: PTO from vehicle
Weight (kg): 4490 GVM
Length (m): 6.5
Width (m): 2.20
Height (m): 3.35



CAR LICENSE





LEGUAN 125

Max Working Height (m): 12.5
Max Horizontal Reach (m): 6.3
Lift Capacity (kg): 200
Power: Honda 13 Hp Petrol & 240 Volt Electric System
Weight (kg): 1563
Length (m): 4.5
Width (m): 0.95
Height (m): 1.8



TRAILER PACKAGE



PLATFORM 1890

Max Working Height (m): 17.7
Max Horizontal Reach (m): 9.3
Lift Capacity (kg): 200
Power: Honda 13 Hp Petrol & 240 Volt Electric System
Weight (kg): 2457
Length (m): 4.25
Width (m): 0.792
Height (m): 1.95



OMME 2750RX

Max Working Height (m): 27.5
Max Horizontal Reach (m): 15.5
Lift Capacity (kg): 250
Power: Kubota 20 HP Diesel & 24 Volt Battery System
Weight (kg): 5100
Length (m): 7.0
Width (m): 1.1
Height (m): 2.19



OMME 4200R

Max Working Height (m): 42.0
Max Horizontal Reach (m): 15.2
Lift Capacity (kg): 230
Power: Kubota 20 HP Diesel & 24 Volt Battery System
Weight (kg): 6900
Length (m): 8.3
Width (m): 1.35
Height (m): 1.99

REFER TO THE MONITOR SPIDER LIFT CATALOGUE FOR MORE OPTIONS!





POWER TOWER 5.10

Max Working Height (m): 5.1
Max Horizontal Reach (m): N/A
Lift Capacity (kg): 250
Power: 12 Volt Electric
Weight (kg): 310
Length (m): 1.52
Width (m): 0.78
Height (m): 1.92 (0.92 Handrails reversed)



NANO 4.50 SP

Max Working Height (m): 4.5
Max Horizontal Reach (m): N/A
Lift Capacity (kg): 200
Power: 24 Volt Electric
Weight (kg): 478
Length (m): 1.20
Width (m): 0.75
Height (m): 1.59



OUTDOOR RATED



GENIE GR-15

Max Working Height (m): 6.47
Max Horizontal Reach (m): N/A
Lift Capacity (kg): 227
Power: 24 Volt Battery System
Weight (kg): 975
Length (m): 1.35
Width (m): 0.75
Height (m): 1.57



ATN ML810

Max Working Height (m): 8.10
Max Horizontal Reach (m): 3.0
Lift Capacity (kg): 200
Power: Batteries
Weight (kg): 2200
Length (m): 2.47
Width (m): 1.20
Height (m): 1.98



OUTDOOR RATED





Australasia-wide support

- Unsurpassed Australasia-wide cover
- The original spider-lift company
- 19 years with spiders in Australia
- Highest quality product
- Comprehensive warranty
- Supported by people who understand EWP's!

monitor LiFTS

www.monitor.net.au
www.monitorhire.com.au
1800 025 024

**Monitor
Video**

