Cartridge and Shotshell Examination (Fired and Unfired)

Lab File No.:_____

Examiner: _____

Administrative

Lab File No.	Packaging
Examiner	Condition
Item No.	Type of Seal
Received From	Condition
Date	Markings
Received By	Released To
Date	Date

(Insert or attach digital images / photographs of both the exterior packaging, as received, and of the unopened evidence container.)

Trace Evidence

Trace Exams Requested	
Trace Examiner(s)	
Trace Evidence Observed	

(Insert or attach digital images / photographs of trace material in place.)

Cartridge and Shotshell Examination (Fired and Unfired)

	Lab File No.:	
	Examiner:	
Latent Fingerprint Examination	Yes No	

Marking of Evidence

Marked	
Location	
Previous Marks	
Location	
Other Marks	
Location	

Cartridge and Shotshell Examination (Fired and Unfired)

Lab File No	0.:

Examiner:

General Examination

Cartridge Type/ Gauge	
Manufacturer/ Marketer	
Centerfire or Rimfire	
Geometry of Cartridge Case	
Load Data (from side of shotshell casing)	
Composition of Case/Casing	
Primer, Color and Sealant	
(if any) Position and Number of Cannelures (if any)	
Headstamp Data & Image/Photograph/Sketch	

(Insert or attach digital image/photograph/sketch here)

Cartridge and Shotshell Examination (Fired and Unfired)

Examiner:

Firing Pin Impression(s) (if any)

(Circle type from FBI GRC File codes)

Rectangular	Circular	Hemispherical
Scalloped	Semicircular	Slant Left
V-shaped	Wedge	Slant Right
Valley	Double	Bar
U-shaped	Other	

Drag Marks	
Multiple Impressions	
Extractor Marks	Shape
	Multiple Marks
	Shape
Ejector Marks	Multiple Marks
Position relative to: 3 o'clock Centerfire Extractor or	
12 o'clock Rimfire Firing Pin Impression	
¥	Chamber
	Magazine
	Ejection Port
Other Marks	Reloading
	Anvil marks
	Other

Cartridge and Shotshell Examination (Fired and Unfired)

Examiner: _____

(Insert or attach other digital images/photographs of Item)

Evaluation of Potential for Microscopic Comparisons

Assign Quality:

- 1. Sufficient microscopic marks present for <u>comparison</u> purposes.
- 2. Microscopic marks present but insufficient for <u>comparison</u> purposes.
- 3. No microscopic marks present.

ТҮРЕ	QUALITY (1, 2, or 3)
Firing Pin Impression	
Breech Face Marks	
Extractor Marks	
Ejector Marks	
Chamber Marks	
Anvil Marks	
Ejection Port	
Magazine Marks	
Reloading Marks (resizing and crimping)	
Other Marks	

Cartridge and Shotshell Examination (Fired and Unfired)

	Lab File No.:
	Examiner:
Microscopic Comparisons	
Results of intercomparison of Test Specimens	
Items to be compared (e.g., Item #1 versus Item #2)	
Class characteristics consistent	Yes No
Orientation	Yes No
Orientation mark, color, and location	
Conclusion	

(Insert or attach digital images/photographs of comparison)

Quality Control/Verification initials/signature

Return to Users Guide.pdf

Link to Sample Report.pdf