









### External Features

### **Entrance Door**

Selection of Corinthian 2040 x 820mm semi-gloss paint finish from Builder's Sanctuary Range

### **Door Furniture**

Lockwood lever chrome plated entry set to front entry door

#### Brickwork

PGH or Selkirk bricks from Builder's Sanctuary Range with natural colour mortar (region specific)

### **External Cladding**

James Hardie lightweight cladding to external walls (design specific)

### Windows

Dowell aluminium sliding windows and doors (aluminium awning windows to some front facades)

### Door & Window Infill

James Hardie lightweight cladding to all windows and doors unless noted otherwise

### **Roof Tiles**

Boral concrete roof tiles from Boral Standard Range (region specific)

### Metal Roofing

Colorbond Steel roofing from Colorbond Standard Range (region specific)

### Fascia & Gutter

Colorbond fascia and gutter from Colorbond Standard Range



# Kitchen

### Oven/Cooktop

Omega 90cm stainless steel freestanding oven or Omega 900mm electric 7 function built-in oven with Omega 90cm electric ceramic cooktop

### Rangehood

Omega 90cm canopy rangehood

#### Sink

Clark 1.75 end bowl left or right configuration with one tap hole

### Sink Mixer

Caroma sink mixer

### **Dishwasher Provision**

600mm space with cold water point

### Pantry

Walk-in or built-in pantry with four white melamine shelves (design specific)

### Cabinetry

Laminex finish to all cabinetry (refer to internal drawings for layout)

### **Benchtops**

32mm thick benchtop from Laminex Standard Range

### Splashback

Ceramic wall tiling from Builder's Sanctuary Range

### Paintwork

### External

Haymes exterior low sheen paint to timber and metal surfaces (2 coats)

### Internal Walls

Haymes low sheen wall finish paint (3 coats)

### Ceilings

Haymes ceiling paint finish including cornice (2 coats)

### Internal Woodwork & Doors

Haymes semi-gloss paint to timber doors, architrave and skirting (2 coats)

### **External Garage Access Door**

Haymes semi-gloss paint (2 coats)

# Bathroom, Ensuite, WC & Powder Room (if applicable)

#### Mirrors

Mirror above tiling of each vanity to the width of the vanity

#### Basins

Caroma inset basin

### **Basin Mixer**

Caroma basin mixer

#### Bath

Caroma 1675mm or 1525mm white acrylic bath (design specific)

### **Bath Mixer Set**

Caroma wall bath mixer set

#### **Shower Bases**

Tiled or Decina moulded shower base (region specific)

### **Shower Mixer**

Caroma shower mixer

### **Shower Screens**

Clear laminated glazed pivot door

#### Toilet

Stylus wall faced toilet suite

### **Shower Rail**

Caroma rail shower

### Toilet Roll Holder

Caroma metal toilet roll holder

### Towel Rail

Caroma 600mm double towel rail

### Towel Ring

Caroma towel ring to powder room (design specific)

# Laundry

### Laundry Trough

Clark 42 Litre Standard Tub and Cabinet with Floor and Single By-Pass  $\,$ 

### Sink Mixer

Stylus sink mixer

### **Washing Machine Taps**

Caroma washing machine set

### Splashback

Ceramic wall tiling from Builder's Sanctuary Range

# Insulation

### Ceilinas

CSR Bradford Glasswool GOLD insulation batts (region specific)

### **External Walls**

CSR Bradford Glasswool GOLD insulation batts & EnviroSeal wall wrap (region specific)

### Connections

### Site Costs Allowance

650m² block up to 300mm fall

### **Connection Allowance**

Storm water, sewer, power and water connections

### Internal Features

### **Ceiling Heights**

2400mm to all designs on both ground and upper levels where applicable

#### **Internal Doors**

Selection of Corinthian 2040mm high internal doors from Builder's Sanctuary Range

#### **Door Furniture**

Lockwood 55mm Velocity Series Rose Door Handles

#### Plaster

CSR Gyprock plasterboard to all internal walls and ceilings

### **Architrave & Skirting**

67mm x 12mm MDF

#### Cornice

Cove style

# Garage

### Garage Door

B&D Colorbond Panellift Door with two remotes from Standard B&D Colour Range

### Internal Access Door

Selection of Corinthian 2040mm high internal access door from Builder's Sanctuary Range

### **External Access Door**

Corinthian 2040mm high weatherproof external access door (design specific)





# Ceramic Tiling

### Floor and Wall Tiles

Kitchen and wet areas from Builder's Sanctuary Range

### **Skirting Tiles**

100mm high to wet areas from Builder's Sanctuary Range

# Hot Water System

### Solar Hot Water System

Chromagen Solar Hot Water System with two panels and 26 litre gas or electric booster (VIC only)

### Hot Water System

Chromagen 26 litre continuous flow water heater (all other states)

\*Please note some designs may require alternative or additional hot water systems\*

## Heating

#### **Ducted Heating**

3 star ducted heating unit with outlets to living areas and bedrooms (VIC only)

#### **Draft Exclusions**

Draft seals to all external doors and garage internal access door

# Electrical & Safety Devices

### **Power Points**

Clipsal Iconic Series double power points (white) throughout Clipsal Iconic Series single power point (white) to rangehood, refrigerator, dishwasher and microwave provisions (design specific)

### **External Power Point**

Clipsal double power point to alfresco (design specific)

### Smoke Alarm(s)

Hard-wired Clipsal smoke alarms

### Ceiling Exhaust Fans

Clipsal self-closing exhaust fan to bathroom, ensuite and WC with non-openable windows (design specific)

### TV Points

2 x TV points

### Safety Switch

Clipsal Safety Switch to meter box

### **Light Points**


Clipsal white batten holder

### **Telephone Points**

2 x pre-wired telephone points

These inclusions and the associated suppliers and products were compiled in March 2018 and may be subject to change at any time without notice.

\*Photos are for illustrative purposes and may depict items that are not included in this package. The images may also show items not supplied by Hotondo Homes.



# Storage

### Robes

2040mm high sliding doors with white melamine shelf and hanging rail

### Linen

Corinthian 2040mm high hinged doors with four white melamine shelves

### Broom

Corinthian 2040mm high hinged doors with single white melamine shelf

# Construction Features

### Concrete Slab

Engineered standard 'M Class' concrete slab

### Framing

Timber

### **Roof Trusses**

To manufacturer's specification

### General

**Building Permit Application** 

Construction Risk Insurance

Home Owners Warranty Insurance (Optional in Tasmania)

Engineers Soil Report

Termite treatment (region specific)

6-Star Energy Assessment

