SAY NEVER AGAIN TO GETTING STUCK IN LIMP MODE. REGEN yourself with the Heavy Duty Mobile from CanDo.

- Perform DF Reset and Regen
- Engine, Brakes and Transmission Coverage
- Read Trouble Codes
- Clear Trouble Codes
- Easy-to-use with Free Updates

Heavy Duty Mobile

SKU OUTSIDE BUY/EPO **CDOHDMOBILE**

- . Works with iOS and Android
- · Class 4 to 8 Coverage
- Live Data
- Read and Clear Codes
 - . DPF Resets and Regeneration for Cummins, Detroit,
 - Includes: 6, 9, 16-pin, CAT Connectors, and Free Updates







CanDo Heavy Duty Diagnostics

VCI and App for Light Duty Trucks

SKU **OUTSIDE BUY/EPO CDOLDMOBILE**

- Perform: Read and Clear Codes, Live Data with Graphing, DPF Reset and Regeneration and More Depending on Make and Model
- Covers: SAE J1850PWM and VPW, ISO 14230-4, 9141-2 and 15765-4 and CAN Protocols
- Full Scan Tool Coverage for GM, Ford, Chrysler, Toyota, Honda and Nissan
- · Access: Engine, Transmission, ABS, SRS and Body Control Modules
- Single Connector for iOS and Android
- . Bluetooth Wireless Connectivity • Fast and Free Wi-Fi Updates

SKU **OUTSIDE BUY/EPO**

- on the Manufacturer and Equipment
- · Coverage for Caterpillar, John Deere, Volvo, Case and More
- · Access: Engine, Gearbox, Hydraulics, Suspension and Other Electronic Modules

SKU **OUTSIDE BUY/EPO**

2 Years of Free Software

CDOHDPROTAB

Tests and More

- Complete Connector Suite
- **Wireless Android Tablet for Heavy Duty Truck and**



Full Color Heavy Duty Truck Code Scanner with Caterpillar Coverage and OBDII

SKU OUTSIDE BUY/EPO **CDOHDCODEII**

- **Extensive Class 4-8 Heavy Duty, Medium and Light Duty Truck and Caterpillar Coverage** • Includes CAT Power Equipment, CAT Construction and
- CAT Industrial, International, Hino, Isuzu and Hybrid Heavy Duty Trucks Plus OBDII Vehicles · Access Engine, Transmission and Brakes
- Read/Clear Codes
- . DPF Reset and Regeneration for Fuso, Cummins and Detroit
- Coverage for J1939/J1708 and OBDII Protocols



Coverage for Power Stroke, Duramax, Dodge Cummins, Hino, Isuzu, UD and All Types of Sprinter Vans

• DPF After-treatment Leak Test and Reset Functions

True IP65 Drop Test and Water Resistant Rating

• Coverage for J1939/J1708 and OBDII ProtocolsOBDII

Generic: Read/Clear Codes and Live Data Stream with Graphing

• One Easy-to-use Interface for All

Manufacturers and Systems

Heavy Duty TPMS Tool SKU OUTSIDE BUY/EPO **CDOHDTPMS**

- · Activates and Reads OE Sensors in Seconds • Checks Tire Pressure to Prevent Under-inflation
- · Checks Sensor Battery Levels to Prevent Sensor
- Displays Sensor ID, Tire Pressure and Temperature and Battery Status
- Identifies the Sensor by Vehicle and Sensor Reference, or Simply Scan All Protocols to Activate
- Manage and Store up to 22 Wheels
- 3 Years Software Included



Scan Tool for Off-Highway Applications

CDOOHVPRO

- Perform: Read and Clear Codes, Live Data with Graphing, Resets/ Calibrations, Bi-directional Controls/Actuations and More Depending

- 8" IP67 Android Tablet
- Bluetooth Wireless Connectivity Remote Technician Function • One Year Software Subscription

Off-Highway Applications

• Includes 2 Years of Updates **Heavy Duty Pro III/AG Scan Tool**

SKU **OUTSIDE BUY/EPO CDOHDPROIII**

CDOMLTPRO



- Easy to Use with One Interface for All Manufacturers and Systems
- Now with ADAS Coverage
- Deeper Off-highway Coverage with JCB, CASE, New Holland, Liebherr and Komatsu
- 2 Years of Motor's Fleetcross Service— a Premium Repair Information Database
- · Access Engine, Brakes (Including Trailers), Transmission, Body Control and Moret



Alignment Diagnostic

Reset, SCR/DEF Coverage, Service Resets and More

Fleet Glove Handheld Laser Tire and Alignment Tool

• Read and Clear Codes, View Live Data Stream, Read System ID and Info, Activation

• Extensive Heavy Duty Coverage Including Class 4 to 8 Trucks and Industrial Equipment

Powerful Special Functions: OEM-level Regenerations, Cylinder Cutout, Injector Programming, DPF Activation, Regeneration and Reset, Reset Parameters, DPF/NOX

SKU **OUTSIDE BUY/EPO** TPIGG003

- Captures All Necessary Data for Tire Alignment, Tread Depth, and Rotation Diagnostics
- Touch-screen Allows Easy Data Capture from Tire to Tire


Built-in Inertial Sensor Software Makes Scanning Tires Fail-safe

• No Space Requirements for Performing an Alignment Diagnosis









A/C Recovery Machine

R134a Handling System for Heavy Duty A/C Servicing

SKU **OUTSIDE BUY/EPO** MSSACX1180C

- Fully Automatic Program to Recover, Vacuum, Leak Test and Charge
- 50 Lb. Internal Tank
- 5 CFM 2-stage Vacuum Pump
- Integral Paper Printer and Print to USB
- Hybrid Certified

Set-Up and Training Available Upon Request WARRANTY:



Reprogrammers

CarDAQ-Plus3 DrewLinQ Bundle

SKU OUTSIDE BUY/EPO DRWBNDLCDP3DL

 Designed for Fleets That Include Heavy Duty and Medium Duty Trucks, as well as Light Trucks and Cars

• Includes DrewLinQ® for Heavy Duty, Medium Duty, and Some OBDII Vehicles, plus the CarDAQ-Plus®3 for Passenger Cars Both RP1210 and J2534 Pass-thru

in One Bundle



REDLINE

DrewLinQ Standard Kit

SKU **OUTSIDE BUY/EPO** DRWLINQ

- Supports 4 Simultaneous CAN Channels; J1939, J1708/1587, ISO15765, and OBDII Protocols • Supports Heavy, Medium and Light Duty OEM Pass-thru
- Application and Vehicles • High Throughput Reduces Reprogramming Times
- Support for RP1210 and Many Other Pass-thru Applications
- 6 and 9 Pin Connectors, Plus (2) 16 Pin Configurations
- 2 Year Warranty



Smoke Leak Detectors

SKU **OUTSIDE BUY/EPO** RED95-0170

- with Forced Induction Engines Variable Pressure Variable Flow
- 40X Typical EVAP Pressure • Compact, Rugged Design
- · Professional Grade Strong
- Not for Use on EVAP
- · Runs on Compressed Air
- Powered by 110-250V AC or 12V DC
- 2-20+ psi Range



Heavy Duty Truck Diagnostic Machine

SKU OUTSIDE BUY/EPO MSC43060HD



• Pressure Can Be Regulated from 0 to 28 psi . Input Pressure:

Max 100 psi (8.2 bar) . Operates On Shop Air

or Inert Gas Flow Meter:



REDLINE ▼ Mastercool 3.9" Intake Bladder

SKU **OUTSIDE BUY/EPO** RED95-0083

• Expandable Bladder Seals Off Intake and/or Exhaust During Diagnostic Tests on Heavy Duty, Class 7 and 8 Vehicles





Affordable Heavy Duty Dealer Level Diagnostic and Parameter Adjustment

TEXA

Car

Truck

Bike

Off-Highway

Marine

Heavy Duty Truck Solutions

Activations and settings for all medium and heavy duty diesel vehicles-including PTO configurations, injector coding, DPF/SCR regeneration, emission resets, and many other dealer level functions.

Coverage includes: Allison, Caterpillar, Cummins, Detroit-MBE, Haldex, International, Kenworth, PACCAR, Peterbilt, Sterling, UD Trucks (Nissan Diesel), Wabco and more.



Heavy Duty Truck Kit with Axone Nemo Tablet

SKU OUTSIDE BUY/EPO **TEXHDTRKAX**

7,99999



Truck Kit with Rugged Tablet

SKU OUTSIDE BUY/EPO **TEXHDTRKTAB**

6,999⁹⁹



Construction and Agriculture

Includes software, cables, and proprietary adapters for popular Agriculture, Construction, Crane and Container Truck applications including CAT, John Deere, Case, Komatsu and more.

This package connects to engines, cab controllers, hydraulic systems, GPS and other systems. Functions include stationary regens, cylinder cut-out tests, joystick calibrations, injector programming, and thousands of other controls.



Off-Highway Construction and AG Master Kit with Axone Nemo Tablet

SKU OUTSIDE BUY/EPO





For information on Car/Bike/Marine Solutions, questions on a specific application, or to schedule a demo, call AZTool1 877-298-6651 to speak to a Product Specialist.

Heavy Duty Alignment

(I) CEMB &

DWA1000XLT Heavy Duty 8 Camera CCD Alignment System SKU **OUTSIDE BUY/EPO** CMBDWA1000XLT

(4) Wireless BT2 Rechargeable Alignment Heads Equipped with Li-ion Batteries for Long Life, Clamps and Charging Station Standard · PC Computer and Storage Cabinet

• Wheel Clamping Range: Up to 30"

• 24" TFT Monitor and Printer

Complete Truck Database



INCLUDES: Manufacturer's Set-Up



geoliner® 920 **Heavy Duty Aligner** Fixed

SKU OUTSIDE BUY/EPO HOFEEWA729A

- · Lightweight All-aluminum Wheel Clamps are Easily Mounted to a Wide Range of Wheels Supporting Inside and Outside Clamping
- A Single Operator Can Measure a Vehicle in Less Than 4 Minutes
- Permanently Mounted Targets

WARRANTY: 1 Year Parts

INCLUDES:



HOFMANN

Jumbo 3D **Heavy Duty Aligner** SKU OUTSIDE BUY/EPO

PINJ3DHDA

- Get Alignment Readings of All 6 Axles in Under 3 Minutes
- Only 3D Imaging Aligner for Heavy Duty Vehicles
- · One-shot Caster Swing for Twin Steer Axles
- One-shot Run-out Compensation of All 6 Axles
- 4 High Resolution Digital Cameras

· 4 Turn Plates Included as Standard **WARRANTY: 2 Years Parts**

INCLUDES:



Call 877.298.6651 to Request a Demo!

Cooling System



Heavy Duty Cooling Test and Refill Kit

SKU **954220** MSC43014

- Includes Vacuum Gauge, Sealing Collar, Valve, Rubber Gaskets, and Coolant/Draining Hoses
- Sealing Collar (with Rubber Cone) Offers a Wide Variety of Applications for Radiator Filler Necks
- · Minimizes the Risk of Engine Overheating
- 2.3 Gallons per Minute Fill Rate



Heavy Duty Cooling Kit

SKU **954231**

MSC43306 • Includes: Heavy Duty Vehicle Adapters, Pressure Test Regulator.

- Vacuum Refill Attachment with Tubing in a Plastic Case For Use with Freightliner,
- International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling Cooling Systems Uses Shop Air to Pressure Check and Vacuum Refill
- 4 Quick-disconnect Vacuum Attachments Provide Quick Refilling of the Cooling System and Eradicates Airlocks



Heavy Duty Cooling System Pressure Test and Refill Kit

SKU **213186**



- Uses Shop Air to Hold Continuous Pressure to the Cooling System During Pressure Test and Refill
- Designed to Test for Cooling System Leaks in Cars, Light Trucks and Large OTR Trucks
- Vacuum Attachments to Quickly Refill Cooling System and Eradicate Air Locks



O=M TOOLS

Column Lifts



- 18,000 Lb. Individual Column Capacity
- Simple Operation, Long Service Life and Minimum Maintenance
- · Smart Electronics Feature Self-diagnostics and Self-calibration Functions
- 2-speed Lowering Option (Turtle or Rabbit Speed Settings)
- · Separate Key Lock Enclosure on Each Column
- Max. Lifting Height: 71.5" (1,889 mm)
- Column Weight: 1,450 Lb. (657 kg)



BENPCL-18B-2	36,000 Lb. Cap. Mobile Lift System / SET 0F 2
BENPCL-18B-4	72,000 Lb. Cap. Mobile Lift System / SET 0F 4
BENPCL-18B-6	108,000 Lb. Cap. Mobile Lift System / SET 0F 6
BENPCL-18B-8	144,000 Lb. Cap. Mobile Lift System / SET 0F 8

Call for Price

Price does not include vehicle, installation or optional equipment as shown

7 Ton Mobile Lift 4 Columns

SKU **OUTSIDE BUY/EPO**

- MSS4858009500 Call for Price • Heavy Duty Lifting 14,000 Lb. per Column Capacity
- Intelligent with Patented Wireless Smart Lift Technology
- 24 Volt Mobile Column with a Wide, Adjustable Carriage for Over-sized Tire Engagement
- Easy-to-use Tablet-based Touch-screen with On-board Manuals, Videos and Internet

9.5 Ton Mobile Lift 4 Columns SKU **OUTSIDE BUY/EPO**

- MSS4858009900 Call for Price • Heavy Duty Lifting 19,000 Lb. per Column Capacity
- Fully Adjustable Carriage: 12" Forks Support Wheel Diameter from 5" to 24.5"
- . Broad Application from Light Duty to Heavy Duty Vehicles
- Adjustable Lift Height: 69"
- No External Wires or Cords
- Includes 4 Mobile Column Lifts



Price does not include vehicle, installation or optional equipment as shown

56,000 Lb. Cap. Mobile Lift System/Set of 4

SKU OUTSIDE BUY/EPO

- CHLCLHM-140-4 Call for Price
- 110 Volt Charging System
- Completely Wireless System
- Adjustable Wheel Carriage Adapts from 5" to 24.5"
- Integrated Touch-screen Control Console at Each Column Allows Operation from Any Unit
- 14,000 Lb. Capacity Per Column

76,000 Lb. Cap. Mobile Lift System/Set of 4

SKU **OUTSIDE BUY/EPO** CHLCLHM-190-4 Call for Price

• 19,000 Lb. Capacity Per Column

CL Challenger Lifts

Price does not include vehicle, installation or optional equipment as shown



Heavy Duty Wheel Lifts

20,000 Heavy Duty Pneumatic Wheel Lift – Pair Pneumatic Wheel Lift – Pair

SKU **OUTSIDE BUY/EPO** CHLCLHM-MR20 Call for Price

- Required Air Pressure: 160 psi
- Perfect for Low Ceiling Shops
- 100% Air Operated System • Maximum Lift Height: 30"
- 20,000 Lb. Capacity Per Pair

SKU **OUTSIDE BUY/EPO**

CHLCLHM-MR30 Call for Price

• 30,000 Lb. Capacity Per Pair

40,000 Heavy Duty **Pneumatic Wheel Lift - Pair**

SKU **OUTSIDE BUY/EPO** CHLCLHM-MR40 Call for Price

• 40.000 Lb. Capacity Per Pair



CWL-10 10 Ton Wheel Lift - Pair

SKU **OUTSIDE BUY/EPO**

MSS4858008900 Call for Price

- Built-in Vehicle Support Stand Feature Allows Complete Open Access Under the Vehicle
- Dual Trigger Control Valve Allows Synchronized Raising and Lowering of Vehicle
- Perfect for Shops with Low Ceiling Heights
- Optional Small Wheel Adapters
- Sold in Pairs
- Required Air Pressure:
- Min. Wheel Diameter: 16"
- · Max. Wheel Diameter: 24.5"
- · Height: (Lowered):
- · Height: (Raised):

88.5



MAHLE

FORWARDER

Lifts

27,000 Lb. Heavy Duty Truck Lift

SKU OUTSIDE BUY/EPO BENHDS27 Call for Price

- Runways Include Rail-kit for Optional Accessories
- Runways Adjust for Different Tread Widths Electric/Hydraulic Power System
- Fully Enclosed Lifting Cables, Safety Locks, and Sheaves
- Pneumatic Push-button Safety Release • Length: 297"

Extended Length Lift

SKU **OUTSIDE BUY/EPO**

BENHDS27X Call for Price

30,000 Lb. 4 Post Lift . Heavy Duty Steel Sheaves and Cables

Alignment Capable Model Available

SKU **OUTSIDE BUY/EPO HL4030SFX** Call for Price

• 71.75" Rise Height

• Extended Capacity Lift Features 323" Length Runways

30,000 Lb. Heavy Duty 4 Post Lift



Price does not include vehicle, installation or optional equipment as shown

30,000 Lb. Heavy Duty

Alignment 4 Post Lift

SKU **OUTSIDE BUY/EPO** CHL4030SAX Call for Price

Turntables Not Included

• Single Point Air Actuated Lock Release

Durable Non-skid Louvered Approach Ramps

• Multiple Locking Positions

BP BendPak.

Air Line Kit

SKU **OUTSIDE BUY/EPO** BEN5174010

15,000 Lb. Rolling

Bridge Jack SKU **OUTSIDE BUY/EPO BENRBJ15000**





WARRANTY: 2 Years Parts and 1 Year Labor Price does not include installation or optional equipment as shown

John Dow

18,000 Lb. 4 Post General **Service Lift**

SKU OUTSIDE BUY/EPO FORCR18 Call for Price

Max. Wheelbase: 194"

• Durable Cable and Sheave System





WARRANTY: 1 Year Parts and Labor Included Price does not include vehicle, installation or optional equipment as shown

18,000 Lb. 4 Post Alignment Lift

SKU OUTSIDE BUY/EPO FORCRA18 Call for Price

 Max. Wheelbase: 194' • 4 Wheel Alignment from 88" to 158' • Includes: (2) 9,000 Lb.

Rolling Jacks, (2) Turn Plates, Internal Air Line and Rear Slip Plates **WARRANTY: 1 Year Parts and**

Labor Included Price does not include vehicle, installation or ontional equipment as shown

Large

25233

SKU **344324**

OFM TOOLS

Low Profile Oil Drains

17 Gallon Low Profile Truck Drain with Electric Pump

SKU **OUTSIDE BUY/EPO** LIN3669

Pump Operates with a Standard



17 Gallon Low Profile Truck Drain with Hand Pump

LIN3667

• Features a Rotary Hand Pump and a 6' Discharge Hose with a Steel J-Hook

Profile Truck Drain

• 6' Hose Extends from the Bottom of the Reservoir and Can

SKU **526485**

17 Gallon Low


Be Connected to a Pump to Evacuate Fluid from the Drain

SKU **526486 344 99 11N3665**

Drain with Lid

 Holds 60 Quarts • Height: 7-1/2", Width: 32-1/4" Length: 49"





- 17 Gallon Evacuation Capacity • 10" Ground Clearance
- Expanded Metal Shield Reduces Splash
- Emptied by Gravity Drain, Evacuation Pump or Optional Air Evacuation Kit



17 Gallon "Poly" **Low Profile Oil Drain** SKU OUTSIDE BUY/EPO

DOWJDI17PLP **434**⁹⁹

SKU OUTSIDE BUY/EPO **DOWJDIEK**

• For use with DOWJDILP4

Air Evacuation Kit

Low Profile Truck SKU **301607** LIS19202



HD Oil Filter Wrenches

• Range: 4-1/8" to 4-5/8" (104 to 118 mm)

Heavy Duty Truck Oil Filter Wrench

Small

SKU **344322** 25231

Medium SKU **344323**

25232

• Range: 4-5/8" to 5-1/4" (118 to 134 mm)

• Range: 5-1/4" to 5-3/4" (134 to 142 mm)

Grease Gun

7 Piece Grease Gun Accessory Kit SKU OUTSIDE BUY/EPO

25711 **59**⁹⁹

• Includes: Press-on 90° Lube Tool, Straight Extension, 300 mm Hose Extension, Slide-on 90° Coupler, Rubber Tip Nozzle, Needle Nozzle, 360° Coupler







10 Ton Air/Hydraulic **Service Jack**

SKU OUTSIDE BUY/EPO AFF3135

1,549⁹⁹

- Large, Rugged 4-1/2" Front Wheels and 2-3/4" Rear Casters
- Can Be Operated Manually When Shop Air is Not Available
- Foot-operated Pump for Quick Lifting Efficiency
- Automatic Overload Safety Valves
- . Chassis Length: 61'
- Low Height: 7"
- Width: 18"



35 Ton Air Hydraulic Axle Jack SKU **954200** AFF536

- Pump, Ram, and Cylinders are Precision Machined and Inspected
- Unique Motor Design Advances Ram to Load Faster • Air Assisted Lowering and Dual Return Springs Provide Controlled and Easy Descent
- Safety Overload System Prevents Jack from Being Used Beyond its Rated Capacity
- Includes 3 Heat-treated Extensions for a Wide Range of Lifting Options
- Corrosion Resistant Aluminum and Nylon Composite Air Motor
- Large Rear Wheels for Easy Positioning and Smooth Motion
- Operates at 90-180 psi



CAJ-25 25 Ton Commercial Vehicle Axle Jack

SKU **OUTSIDE BUY/EPO** MSS4858005100

- Designed with Unique QuickLift® to Raise the Ram at a Quicker Rate of Speed
- Its Patented Air Ram Retract Feature Allows to Reset the Ram Back to Min. Starting Height
- Anti-corrosive System
- Min. Start Height: 8"
- Max. Lift Height: 21"
- Power Source Air/Hydraulic
- Required Air Pressure: 90 to 120 psi
- Stroke 5.1



CLS-10 10 Ton Commercial Vehicle Air Lift and Support Stand

SKU **OUTSIDE BUY/EPO** MSS4858001700

- Built-in Vehicle Support Stand Feature
- 100% Air Operated
- Removable Handle Along with 2 Wheels Allows Ease in Spotting and Portability
- Optional Air Valve Tee Connector Available
- Min. Start Height: 17.5"
- Max. Lift Height with Extension: 52.5"
- Max. Lift Height without Extension: 37.5"
- Cylinder Bore: 12"
- Required Air Pressure: 200 psi



Heavy Duty Clutch Jack

SKU **OUTSIDE BUY/EPO** AFF3700



- . Includes Two Splined Alignment Shafts
- Unique Pinned Alignment Shaft Allows Technician to Remove Jack to Install Clutch Assembly without Obstruction
- Capacity: 500 Lb.
- Low Height: 13"
- High Height: 39"
- Length: 36-1/2"



CCL-300 300 Lb. **Clutch Jack**

SKU **OUTSIDE BUY/EPO** MSS4858004400



- Technicians to Easily Remove the Jack Lifting Capacity: 300 Lb.
- Min. Start Height:
- Max. Lift Height: 39" (99 cm)



4,400 Lb. Transmission Jack

SKU **954183** AFF3180A

- . Convenient Side Tray to Store Small Tools and Parts · Heavy Duty with a Rated
- Capacity of Over 2 Tons • Rugged Industrial Grade 4" Casters
- Fully Adjustable Saddle
- Extra-long 32" Handle
- · Safety Chain Included • 8.5" Low Height



Heavy Duty Air Tools

3/4" **Impact Wrench** SKU **466617**

25810



(IR) Ingersoll Rand

OEM TOOLS

1" Heavy Duty **Extended Anvil Impact Wrench**

SKU 466618 424⁹⁹

Max. Torque: 1,800 Ft/Lb.



1" Air Impact Wrench

BUY ONE OF THESE TOOLS - GET THE

SKU **1125888** KNGNC-83438-8

• 1,800 Ft/Lb. of

• 8" Extended Anvil

• 3 Power Settings • Torque 200 to 1,600 Ft/Lb

· Designed for Heavy Duty Truck Maximum Reverse Torque Maintenance, Agriculture and Industrial Applications





5 Piece 1" Drive

WLMW89315

Budd Wheel Sockets

VDP ORDERS ONLY

Offers Good Through December 31, 2021

VALUE UP TO: \$44.99

3/4" **Composite Impact Wrench**

SKU 477102 IRT2145QIMAX 619⁹⁵

- Compact Design Fits Easily into Small Spaces
- 1350 Ft/Lb. Max. Reverse Torque • Air Consumption CFM: 8.5
- Compact and Lightweight at Only 7.4 Lb.



3/4" Composite **Impact Wrench**

SKU **592352** KNGNC-6255Q

- One of the Lightest and Most Powerful 3/4" Drive Guns
- 1400 Ft/Lb. of Max. Reverse Torque
- 85 dBA Noise Level Exceeds OSHA Standards
- Ultra-light 4.2 l b.
- Twin Hammer Mechanism



Hybrid Polymer Air Hose

- Stays Flexible Under All Weather Conditions (-30° to 150°F) Tough Outer Abrasion
- Resistant Cover Bend Restriction for Reducing Wear and Tear and Extending Life of Hose



1/2" x 50'



SKU **347227** 24427

SKU **347228** 24428

See Page 89 for Details

Dual-Head Chuck Tire Inflator Gauge 80-328 With Purchase of: 24426

VDP ORDERS ONLY

Tire Inflator with Gauge 80-327 With Purchase of: 24427





OEM TOOLS

OEM TOOLS

Duralast

Duralast

Oil Filter Crusher

MAHLE **CFC-16 Commercial Vehicle Filter**

MSS4858008200

- 100% Air Operated
- **Crusher 16" Chamber** SKU **OUTSIDE BUY/EPO** • Interlocking Feature Prevents Door from Opening Until the Ram is • Crushing Chamber Dimensions: 16.3" (H) x 10" (W) x 8" (D) • Accommodates Up to 4 Automotive Spin-on Oil Filters . Mounting Stand Included

Specialty Tools

25031

NAVISTAR® MAXXFORCE® Fuel Line Disconnect Tool Set - 4 Piece SKU **004112**

• 4 Piece Disconnect Tool Set for NAVISTAR® MAXXFORCE® Series 11 and 13 Engines · Sized to Depress Fuel Release Tabs for Efficient Fuel Line Removal


• (1) Straight and (1) 90° Tool for 11.8 mm Fuel lines;

(1) Straight and (1) 90° Tool for 16 mm Fuel Lines



Heavy Duty U-Joint Puller SKU **041474**

24538



- Hammering or Heating Components Does Not Damage the Driveshaft, Yokes, Joints or Bearing Cups
- Bearing Cup Outside Diameter: 1.5" to 2.2"



Heavy Duty Tire Service

Heavy Duty Truck Tire Changer

SKU **OUTSIDE BUY/EPO ROTR511**

• Designed to Fit Trucks, Buses, Agriculture Applications

- and Super Single Tires
- Handle Wheels From 10" to 26", 12" to 28", 14" to 30"
- Locking System Suitable for Reverse Rims
- Quick Locking Wheel Centering Adapter
- Full Range of Bead Clamps and Adapter Max. Tire Diameter: 45"
 - 220V. 1Ph
- Easy Roller Bead-breaking Feature

Set up and Training included



Heavy Duty Wheel Balancer

SKU **OUTSIDE BUY/EPO ROTR540**

- Designed to Fit Commercial Truck, Light Truck and Passenger Vehicles
- Balance Compact Cars to HD Trucks
- Auto Stop on Top for Weight Position
- Auto Entry of Distance and Diameter
- Integrated Wheel Lift-up to 441 Lb.
- Max. Rim Diameter: 30"
- Max. Tire Diameter: 51"

Set up and Training included



(CEMB !

1.7" to 8.7" (43 mm to 221 mm),

Made in Italy, Fully Assembled,

HUALIS

Ranger

Plug and Play with On-site

3 Spacers, Clamp Cup, Thrust

5 Centering Cones,

Lift Gate Service for Rotary Wheel Service Items Available Upon Request

(B) CEMB

R Ranger.

WARRANTY: 3 Years Parts and 1 Year Labor

CM27T Heavy Duty Truck and Bus Tire Changer

SKU **OUTSIDE BUY/EPO** CMBCM27T

• Pivoting 4 Jaw Clamping System: 13" to 27" Rim Diameter, Tires to 63"

- Built-in Wheel Lift • Operation Controls from a Moveable Control Unit on a Pedestal
- Bi-directional Rotation
- Adjustable Bead Loosening Roller with Force of Over 4,100 Lb. (1,860 Kg)
- Heavy Duty 220V, 1Ph Phase Motor and High Torque Gear Box

INCLUDES:

Manufacturer's Set-Up

Lift Gate Service

SKU **OUTSIDE BUY/EPO CMBLIFTGATE**

SKU **OUTSIDE BUY/EPO**

. Max. Tire Diameter: 63"

• Rim Diameter: 13" to 27'

Manufacturer's Set-Up

Lift Gate Service

SKU **OUTSIDE BUY/EPO**

SKU **OUTSIDE BUY/EPO**

· 4-jaw Chuck Allows for Fast and

• Features Portable Control Station Solid, Single Piece Frame for

Added Capacity and Dependability

WARRANTY: 1 Year Parts and 90 Days Labor

Super-Duty Truck Tire Changer

. Super-duty Electric Motor and Hydraulic Drive for

. Heavy, Tapered Roller Bearings and a Dual Direction

Superior Torque and Wheel Holding Power

Hydraulic Motor Provide Smooth Torque

• Self-centering Hydraulic Clamping Chuck

• Hydraulically Operated Spreader Jaws

• Voltage: 208V to 230V; 60Hz • Max. Rim Diameter: 14" to 26"

• Max. Tire Diameter: 63" **User Set-up Required**

Lift Gate Service

SKU **OUTSIDE BUY/EPO**

RANLIFTGATE

· Quick Positioning and Locking Mount/Demount

Easy Clamping of Virtually All Rim Styles

AMM8006330

• Motor: 2 HP

INCLUDES:

RANR26FLT

15,449⁹⁹



Heavy Duty Truck and Bus LED Wheel Balancer

SKU **OUTSIDE BUY/EPO** CMBC212

• A Multi-function Heavy Duty Truck Wheel Balancer with LED Display and Built-in Wheel Lift

 Easily Balances All Cars, Light/Medium Duty, Commercial and Heavy Duty Truck Wheel Applications • Automatic 2D Inner Data Arm Provides Direct Weight

Placement Measurement • Push Button Brake for Easy Wheel Weight Positioning

• Wheel Weight Assembly Capacity: 550 Lb.

INCLUDES:

Manufacturer's Set-Up

Lift Gate Service SKU **OUTSIDE BUY/EPO**

CMBLIFTGATE

WARRANTY: 5 Years Wheel Balancer Motor, 2 Years Parts and 1 Year Labor

Coats® 6450-3D Heavy Duty Balancer

SKU **OUTSIDE BUY/EPO** AMM64503DKT1P

Kit Includes Wheel Lift Plus Lug and Hub Centered Budd Style Adapters • Dual Calibration Software Stores and Runs Two Independent Sets of Calibrations

• Powerful 1.5 HP Direct Drive Motor Shaves 20 Seconds Off of a Typical 22.5" Spin

• Designed for High Volume Balancing, the Perfect Machine for Delivery Vehicles and Tractor Trailers

• Max. Tire Diameter: 52" • Max. Tire Weight: 500 Lb.

INCLUDES: Manufacturer's Set-Up

Lift Gate Service

SKU OUTSIDE BUY/EPO **AMMLIFTGATE**

WARRANTY: 1 Year Parts and 6 Months Labor

Super-Duty Truck Wheel **Balancer with Drive-Check™** SKU **OUTSIDE BUY/EPO**

RANRB24T Shaft Size: 40 mm

. Max. Tire Diameter 50", Max Tire Weight 400 Lb., Max. Wheel Diameter 30", Wheel Width Capacity 2" to 20"

 Includes: Centering Cones (5 Standard Cones, 1 Dual Tapered Cone), Wheel Calipers

Voltage 208 to 240V 50/60HZ 1Ph.

User Set-up Required

Lift Gate Service

WARRANTY: 1 Year Parts and Labor

SKU OUTSIDE BUY/EPO

RANLIFTGATE

geodyna® 980L Truck Wheel Balancer SKU OUTSIDE BUY/EPO HOFEEWB710BW

- Flexible Balancing System Designed to Handle from the Smallest of Wheels (12") to Heavy Duty 24.5" and
- 2-plane/Dynamic Wheel Balancing Maximizes Tread Life Semi-automatic Data Entry Simplifies Operation and
- Maximizes Accurate Balance · Comes Standard with Wheel Lift and Tooling for
- Light and Heavy Duty Trucks
- Max. Wheel Diameter: 30
- Max. Wheel Width: 20"

• Max. Wheel Weight: 500 Lb. Manufacturer's Set-Up

Standard Wheel Lift

INCLUDES:



Color May Vary

475 Ft/Lb. Pre-Set Heavy Duty Torque Wrench

SKU **954217 CEN96475**

Includes NIST Traceable Certification

· Durable Powder Coat Barrel for Long Life

· Includes Plastic Molded Case





Removable Square Drive to Select Either 3/4" or 1"

Truck Tire Tools

Tubeless Truck Tire Iron

SKU **394384 84 99 KTI 34645** KTL34645

Includes: (1) Tire Iron

- Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall • Stock Diameter: 3/4"
- Length: 37"



Tubeless Truck Tire Iron

SKU **394389** ____**99** KTL34645C

WARRANTY: 1 Year Parts and Labor

• Tip Ends Insert Easily and Will Not Cut or Rip Bead or Sidewall

• Stock Diameter: 3/4"

• Length: 37"

Heavy Duty Tubeless Truck Tire Iron

SKU **394391** KTL34647

Fiberglass Handled Duck-Billed Bead Breaking Wedge

SKU 394435 **159**99 KTL35429

- Breaks Beads Quickly and Easily
- Length: 32" • Weight: 11 Lb.



Eliken-Tool

Central TOOLS, Inc.

Single-End Mount/Demount Spoon

SKU 394381 3999 KTL33220

- Designed for Fast and Efficient Tire Changing
- Length: 30" Stock: 11/16"

• Free Delivery in 48 Continental United States • Specifications Subject to Change without Notice or Liability. Prices Do Not Include Tires, Rims, Installation or Optional Equipment as Shown. Customers Responsible for Off-Loading Equipment Upon Arrival. Ask Your Sales Rep for Details. • Leasing Terms Available. See Page 2 for Details or Ask Your AutoZone® Commercial Sales Manager

ALLDATA®

AUTOMOTIVE INTELLIGENCE™

SEE WHAT'S NEW




Easily add parts and labor directly from ALLDATA Repair

Store customer/vehicle information, generate basic sales and tax reports, and more

(888) 726-3211 ALLDATA.com Run vehicle scans on your phone

 Scan and clear all modules and codes, export PDF scan reports, and access relevant repair articles

We redesigned the display to help you diagnose even faster and easily navigate through the app



*Available for Android phones operating systems 5.0 or later & iOS 13 or later

©2021 ALLDATA LLC. ALLDATA, ALLDATA Repair, ALLDATA Collision, ALLDATA Diagnostics, ALLDATA Manage, ALLDATA Shop Manager, ALLDATA Tech-Assist and ALLDATA Mobile are registered trademarks and Automotive Intelligence and ALLDATA Community are marks of ALLDATA LLC. AutoZone is a registered trademark of AutoZone Parts, Inc. All other marks are property of their respective owners.

Quick lifts, quicker jobs







For Jacks see pages 48-50

