



SCHLAGE KEY BLANKS

CONVENTIONAL




EVEREST




PRIMUS

All Primus blanks require proper authorization.




Small Format IC

B Family
Restricted Keyways




C Family


Open Keyways
Same for Conventional and Primus



CONVENTIONAL




CLASSIC





PRIMUS


All Primus blanks require proper authorization.



Conventional Obverse Keyways



Primus Obverse Keyways



Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

913-371-5787
Fax: 913-371-3201

www.smallwoodlock.com

SCH 1






Toll-Free

888-881-4245
Fax: 888-881-4248

SCHLAGE CYLINDERS

Cylinders for Schlage Locks





Consult literature for hotel function and other cylinders not shown here.

 <p>Schlage Levers</p>	 <p>Schlage Knobs</p>	 <p>Schlage S-Series Levers</p>	 <p>Schlage B100, BC-100, B200, B400, B500</p>	 <p>Schlage F-Series</p>
Conventional 23-013 21-020 Primus 20-750 20-728 Primus UL 20-550 20-528	Conventional 23-001 21-002 21-002-122 Primus 20-748 20-724 20-724-122 Primus UL 20-548 20-524 20-524-122	Conventional 21-028 Primus 20-752 Primus UL 20-552	5-Pin 21-001 6-Pin 20-002 Primus 20-729 Primus UL 20-529	See Literature for B-Series Lazy Tailpieces Conventional 47-410 20-172 20-174 Primus 47-740 20-772 20-774 Primus UL 47-540 20-572 20-574

PL-Series Padlock CL-Series Cabinet PL-Series Drawer
 BEL, GEO, PLY 29-002 (shown)
 ORB 29-003
 ACC, FLA 29-005




Tailpieces

Install Horizontally or Vertically for All Cylinders

A700-031 for AL
 A301-339 for A73 ORB
 A301-338 for A, H ORB
 A301-337 for A, H non-ORB
 A301-043 for Yale Levers
 .296" I

Install Horizontally on Classic Conventional or Vertically on Everest™ & Primus®


A508-614 A, H ORB Classic Conventional
 A508-606 A, H non-ORB Classic Conventional
 C604-243 D Levers, Sargent 6 & 10 Line, Everest & Primus
 D Knobs Classic Conventional

Install Vertically on Classic Conventional or Horizontally on Everest™ & Primus®




Cap Pin C503-116
 Cap Pin Spring C503-115
 New cap pin for full size IC is C603-827 illustrated under Pins & Springs










Horizontal for Everest™ & Primus® Vertical for Classic Conventional



A201-934
 A73 ORB Primus, Everest
 D Levers, Sargent 6 & 10 Line, Classic Conventional
 D Knobs Everest & Primus

Mortise Cylinders

Consult product literature for hotel function cylinders and variations with collars.

Standard	Full Size Interchangeable Core	Small Format (Best Style) Interchangeable Core	L	Straight	Adams-Rite	AR 4070
 <p>Conventional Primus Primus UL</p>	 <p>Less Core Standard Core Primus Core</p>	 <p>Less Core Everest Core</p>	30-021 20-793 20-583	26-021 20-701 20-501	20-013* 20-706* 20-506*	26-073 20-708 20-508
 <p>Conventional Primus Primus UL</p>	 <p>Less Core Standard Core Primus Core</p>	 <p>Less Core Everest Core</p>	30-014 30-008* 20-798*	30-032 30-030* 20-782*	26-090 26-091* 20-763	20-090 20-091* 20-722*
 <p>Conventional Primus Primus UL</p>	 <p>Less Core Standard Core Primus Core</p>	 <p>Less Core Everest Core</p>	80-108 80-308	80-104 80-304	80-102 80-302	80-103 80-303 80-105 80-305

*Asterisk designates numbers which include collars. See price book for additional cam and collar variations.







Pins & Springs

For Full Size Cylinders



- 0 34-300
- 1 34-301
- 2 34-302
- 3 34-303
- 4 34-304
- 5 34-305
- 6 34-306
- 7 34-307
- 8 34-308
- 9 34-309
- 10 34-202
- 11 34-203
- 12 34-204
- 13 34-205
- 14 34-206
- 15 34-207
- 16 34-208
- 17 34-309

- C-503-113 Top Pin Spring
- C-603-951 Check Pin Spring
- 34-007 Everest Check Pin
- C603-827 IC Cap Pin

Mortise Cylinder Cams

Schlage L-Series most functions	Schlage L9060NS and non-deadbolt functions of many other brands. Also most old cast iron levers	Adams-Rite® MS and 4700 Series Lori 4500 deadbolt CR DL3000 deadbolt	Most Corbin, Russwin® and Best® functions	Sargent® & Yale®	Corbin Russwin DL4000 Series deadbolt	Adams-Rite 4070
 <p>L583-254 Classic Core Hole Pattern</p>	 <p>L583-153 Everest & Primus Hole Pattern</p>	 <p>L583-255 Interchangeable Core Hole Pattern</p>	 <p>XL11-895 Corbin Russwin & Yale IC</p>	 <p>L583-198 Corbin Russwin Non-IC</p>	 <p>L583-197 Corbin Sargent & Yale Non-IC</p>	
	B502-191 Classic Conventional B502-948 Everest & Primus K510-680 Schlage IC, L9060 outside only K510-730 Schlage IC other applications	B502-292 Classic Conventional B502-944 Everest & Primus K510-711 Schlage IC	B520-233 Classic Conventional B520-309 Everest & Primus B520-253 Schlage IC	B520-256 Classic Conventional B520-329 Everest & Primus B520-296 Schlage IC	B520-296 Classic Conventional B520-366 Everest & Primus B520-254 Schlage IC	B502-380 Classic Conventional B502-945 Everest & Primus B520-378 Schlage IC
				Cam Screw	B502-468 Classic Conv. B502-942 Primus B502-200 Full Size IC B502-484 Small Format IC	

Interchangeable Cores





Full Size Small Format

Conventional 23-030
 Primus 20-740

Everest restricted uncombined 80-036
 Everest restricted combined 80-037
 Generic 7-Pin uncombined 80-033
 Generic 6-Pin uncombined 80-043

Rim Cylinders



Full Size IC
 Less Core 20-022
 Conventional Core 20-710
 Primus Core 20-510

Small Format IC
 Less Core 80-129
 Everest Core 80-329

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
 Fax: 913-371-3201

SCH 2

888-881-4245
 Fax: 888-881-4248

..... A SERIES LOCKS

STANDARD FEATURES FOR ALL A SERIES LOCKS

- ✍ Certification: ANSI A156.2, 1996, Series 4000, Grade 2, UL Listed for 3-hour fire door
 - ✍ Strike: 1 1/8" x 2 3/4", square corner, T-strike, box
 - ✍ Cylinder: 6-pin solid brass, keyed 5-pin, Classic "C" keyway, keyed different (KD)**
 - ✍ Latch: 1" x 2 1/4", Square corner faceplate, 7/8" housing diameter, 1/2" throw
 - ✍ Backset: 2 3/8" or 2 3/4" - **MUST SPECIFY**
 - ✍ Door Range: 1 3/8" - 1 7/8"
 - ✍ Keys: 2 nickel silver cut keys per lock, 5-pin, Classic "C" keyway **
- ** Items ordered with key cylinders will be shipped in Classic "C" keyway unless specified differently. Other Classic keyways are available in addition to the new Everest keyways.

FINISHES

- | | | |
|--|---|---|
| 605 (US3) Bright Brass | 606 (US 4) Satin Brass | 609 (US 5) Antique Brass |
| 610 (US 7) Bright Brass, Blackened | 611 (US 9) Bright Bronze | 612 (US 10) Satin Bronze |
| 613 (US 10B) Oil Rubbed Bronze | 616 (US 11) Antique Bronze | 625 (US 26) Bright Chromium Plated |
| 626 (US 26D) Satin Chromium Plated | 629 (US 32) Bright Stainless Steel | 630 (US 32D) . Satin Stainless Steel |

FUNCTIONS

NON-KEYED LOCKS

- | | | | |
|-------------|----------------------------------|---|--|
| A10S | Passage Latch | Both knobs are always unlocked. | |
| A25D | Exit Lock | Blank plate outside. Inside knob always unlocked. | |
| A30D | Patio Lock | Push-button locking. Turning inside knob or closing door releases button, preventing lock-out. | |
| A40S | Bath/Bedroom Privacy Lock | Push-button locking. Can be unlocked from outside with small screw-driver. Turning inside knob or closing door releases button. | |
| A43D | Communicating Lock | Turn-button in outer knob locks and unlocks knob and inside thumbturn. | |
| A170 | Single Dummy Trim | Dummy trim for one side of door. Used for door pull or as matching inactive trim. | |

KEYED LOCKS

- | | | | |
|--------------|----------------------|--|--|
| A53PD | Entrance Lock | Turn/push-button locking; pushing and turning button locks outside knob, requiring use of key until button is manually unlocked. Push-button locking; pushing button locks outside knob until unlocked by key or by turning inside knob. | |
|--------------|----------------------|--|--|

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

SCH 3

888-881-4245
Fax: 888-881-4248



..... **A SERIES LOCKS**

KEYED LOCKS

A70PD Classroom Lock Outside knob locked and unlocked by key. Inside knob always unlocked.



A79PD Communicating Lock With Blank Plate Locked or unlocked by key from outside. Blank plate inside.



A80PD Storeroom Lock Outside knob fixed. Entrance by key only. Inside knob always unlocked.




A85PD Hotel/Motel Lock Outside knob fixed. Entrance by key only. Push-button in inside knob activates visual occupancy indicator, allowing only emergency master key to operate. Turning inside knob or closing door releases visual occupancy indicator. Rotation of inside spanner-button provides lock-out feature by keeping indicator activated. *SPECIAL CYLINDER REQUIRED.*




..... **A SERIES KNOBS & LEVER DESIGNS**


GEO (Georgian)
Available in finishes 605, 609




TUL (Tulip)
Available in finishes 605, 626



ORB (Orbit)
Available in finishes 605, 606, 612, 613, 625, 626



LEV (Levon)
Available in finishes 605, 612, 613, 626



PLY (Plymouth)
Available in finishes 605, 612, 613, 626, 630


NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free



913-371-5787
Fax: 913-371-3201

SCH 4

888-881-4245
Fax: 888-881-4248

AL SERIES LOCKS

STANDARD FEATURES FOR ALL AL SERIES LOCKS

- ✍ Certification: ANSI A156.2, 1996, Series 4000, Grade 2, UL Listed for 3-hour fire door
 - ✍ Strike: 1¼" x 4⅞" ANSI, square corner, no box
 - ✍ Cylinder: 6-pin solid brass, keyed 5-pin, Classic "C" keyway, keyed different (KD)**
 - ✍ Latch: 1⅞" x 2¼", Square corner faceplate, 1" Housing diameter, ½" Throw
 - ✍ Backset: 2⅜" or 2¾" - **MUST SPECIFY**
 - ✍ Door Range: 1⅜" - 1⅞"
 - ✍ Keys: 2 nickel silver cut keys per lock, 5-pin, Classic "C" keyway **
- ** Items ordered with key cylinders will be shipped in Classic "C" keyway unless specified differently. Other Classic keyways are available in addition to the new Everest keyways.

605 (US3) Bright Brass	606 (US 4) Satin Brass	609 (US 5) Antique Brass
612 (US 10) Satin Bronze	613 (US 10B0) . Oil Rubbed Bronze	619 (US 15) Satin Nickel
625 (US 26) Bright Chromium Plated	626 (US 26D) . Satin Chromium Plated	


FUNCTIONS

NON-KEYED LOCKS

- AL10S Passage Latch** Both levers always are unlocked.
- AL25D Exit Lock** Blank plate outside. Inside lever always unlocked.
- AL40S Bath/Bedroom Privacy Lock** Push-button locking. Can be unlocked from outside with small screw-driver. Turning inside lever or closing door releases button.
- AL44S Hospital Privacy Lock** Push-button locking. Unlocked from outside by turning emergency turn-button. Turning inside lever or closing door releases button.
- AL170 Single Dummy Trim** Dummy trim for one side of door. Used for door pull or as matching inactive trim.

KEYED LOCKS

- AL50PD Entrance/Office Lock** Push-button locking. Push-button locks outside lever until unlocked with key or by rotating inside lever.
- AL53PD Entrance Lock** Turn/push-button locking; pushing and turning button locks outside knob, requiring use of key until button is manually unlocked. Push-button locking; pushing button locks outside knob until unlocked by key or by turning inside knob.



Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com



Toll-Free

913-371-5787
Fax: 913-371-3201

SCH 5

888-881-4245
Fax: 888-881-4248



AL Series Locks, Continued...**KEYED LOCKS****AL70PD Classroom Lock** Outside lever locked and unlocked by key. Inside lever always unlocked.**AL80PD Storeroom Lock** Outside lever fixed. Entrance by key only. Inside lever always unlocked.**AL85PD Hotel/Motel Lock** Outside lever fixed. Entrance by key only. Push-button in inside lever activates visual occupancy indicator, allowing only emergency master key to operate. Turning inside lever or closing door releases visual occupancy indicator. Rotation of inside spanner-button provides lock-out feature by keeping indicator activated. *SPECIAL CYLINDER REQUIRED.***AL SERIES LEVER DESIGNS****JUP (Jupiter)**
Available in finishes 605, 606, 612, 613, 619, 625, 626**NEP (Neptune)**
Available in finishes 605, 606, 612, 613, 619, 625, 626**SAT (Saturn)**
Available in finishes 605, 606, 609, 612, 613, 619, 625, 626**OME (Omega)**
Available in finishes 605, 606, 612, 613, 619, 625, 626**NOTES****Smallwood Lock Supply**

1830 Minnesota Avenue • Kansas City, KS 66102

Localwww.smallwoodlock.com*Toll-Free*913-371-5787
Fax: 913-371-3201**SCH 6**888-881-4245
Fax: 888-881-4248

..... **BC100 BORED DEADBOLT LOCKS**

STANDARD FEATURES FOR ALL BC100 DEADBOLTS

- ✍ Certification: ANSI A156.5, 2001, Grade 2 auxiliary lock Available UL Listed for 3-hour fire door
- ✍ Strike: 1 1/8" x 2 3/4", square corner, box
- ✍ Cylinder: 6-pin solid brass, keyed 5-pin, Classic "C" keyway, keyed different (KD)**
- ✍ Reinforcement: Door frame strike reinforcer with 3" screws
- ✍ Deadbolt: 1" x 2 1/4", square corner faceplate, 7/8" housing diameter, 1" throw
- ✍ Adjustable for Backset: 2 3/8" or 2 3/4" - **MUST SPECIFY**
- ✍ Door Range: 1 3/8" - 1 3/4"
- ✍ Keys: 2 nickel silver cut keys per lock, 5-pin, Classic "C" keyway**
- ✍ Trim Ring: 1" wrought brass or bronze, reinforced with security insert

** Items ordered with key cylinders will be shipped in Classic "C" keyway unless specified differently. Other Classic keyways are available in addition to the new Everest keyways.

FINISHES

- | | | |
|--------------------------------------|---|--------------------------------------|
| 605 (US3) Bright Brass | 609 (US 5) Antique Brass | 612 (US 10) Satin Bronze |
| 613 (US 10B) Oil Rubbed Bronze | 625 (US 26) Bright Chromium Plated | 626 (US 26D) . Satin Chromium Plated |

FUNCTIONS

BC160P Single Cylinder Deadbolt Lock Deadbolt thrown or retracted by key from outside or by inside turn unit. Bolt automatically deadlocks when fully thrown.




BC162P Double Cylinder Deadbolt Lock* Deadbolt thrown or retracted by key from either side. Bolt automatically deadlocks when fully thrown.




BC180 Door Bolt Deadbolt thrown or retracted by turn unit only. No outside trim. Bolt automatically deadlocks when fully thrown.




*Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.



Outside Cylinder Trim
Available in finishes 605, 609, 612, 613, 625, 626



Inside Cylinder Trim
Available in finishes 605, 609, 612, 613, 625, 626



Rose and Turn
Available in finishes 605, 609, 612, 613, 625, 626

NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

SCH 7

888-881-4245
Fax: 888-881-4248

..... **B250 BORED DEADLATCH LOCKS**

STANDARD FEATURES FOR ALL B250 DEADLATCHES

- ✍ Certification: ANSI A156.5, 2001, Grade 2 auxiliary lock
- ✍ Strike: 1½" or 2¾" Square corner, T-strike, box
- ✍ Backset: 2¾" or 2¾" - **MUST SPECIFY**
- ✍ Cylinder: 6-pin solid brass, keyed 5-pin, Classic "C" keyway, keyed different (KD)**
- ✍ Latch: 1½" x 2¼", square corner faceplate, 1" housing diameter, ¼" throw deadlatch
- ✍ Door Range: 1⅝" - 1¾"
- ✍ Keys: 2 nickel silver cut keys per lock, 5-pin, Classic "C" keyway**
- ✍ Trim Rings: ⅞" and ⅝" wrought brass or bronze, reinforced with security inserts

** Items ordered with key cylinders will be shipped in Classic "C" keyway unless specified differently. Other Classic keyways are available in addition to the new Everest keyways.

FINISHES

605 (US3) Bright Brass	606 (US 4) Satin Brass	609 (US 5) Antique Brass
610 (US 7) Bright Brass, Blackened	611 (US 9) Bright Bronze	612 (US 10) Satin Bronze
613 (US 10B) Oil Rubbed Bronze	616 (US 11) Antique Bronze	625 (US 26) Bright Chromium Plated
626 (US 26D) Satin Chromium Plated		

FUNCTIONS


B250PD Night Latch Deadlocking latchbolt retracted by key from outside or by inside turn unit. Rotating turn unit and activating hold-back feature keeps latch retracted.



BC252PD Double Cylinder Deadlatch* Deadlocking latchbolt retracted by key from either side. No hold-back.




*Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.



Outside Cylinder Trim
Available in finishes 605, 613, 626



Inside Cylinder Trim
Available in finishes 605, 613, 626



Rose and Turn
Available in finishes 605, 613, 626

NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

913-371-5787
Fax: 913-371-3201

www.smallwoodlock.com

SCH 8

Toll-Free

888-881-4245
Fax: 888-881-4248



..... **B600 BORED DEADBOLT LOCKS**

STANDARD FEATURES FOR ALL B600 DEADBOLTS

- ✍ Certification: ANSI A156.5, 2001, Grade 1 auxiliary lock UL Listed for 3-hour fire door
- ✍ Strike: 1½" x 2¼", square corner, box
- ✍ Cylinder: 6-pin solid brass, keyed 5-pin, Classic "C" keyway, keyed different (KD)**
- ✍ Reinforcement: Door frame strike reinforcer with 3" screws
- ✍ Deadbolt: 1½" x 2¼", square corner faceplate, 1" housing diameter, 1" throw
- ✍ Backset: 2¾" or 2¼" - *MUST SPECIFY*
- ✍ Door Range: 1½" - 2"
- ✍ Keys: 2 nickel silver cut keys per lock, 5-pin, Classic "C" keyway**
- ✍ Trim Ring: ¾" solid brass or bronze

** Items ordered with key cylinders will be shipped in Classic "C" keyway unless specified differently. Other Classic keyways are available in addition to the new Everest keyways.


FINISHES

- | | | |
|--|--------------------------------------|--------------------------------|
| 605 (US3) Bright Brass | 606 (US 4) Satin Brass | 609 (US 5) Antique Brass |
| 612 (US 10) Satin Bronze | 613 (US 10B) .. Oil Rubbed Bronze | 619 (US 15) Satin Nickel |
| 625 (US 26) Bright Chromium Plated | 626 (US 26D) . Satin Chromium Plated | |


FUNCTIONS

- | | | |
|---|---|--|
| B660P Single Cylinder Deadbolt Lock | Deadbolt thrown or retracted by key from outside or by inside turn unit. Bolt automatically deadlocks when fully thrown. | |
| B662P Double Cylinder Deadbolt Lock* | Deadbolt thrown or retracted by key from either side. Bolt automatically deadlocks when fully thrown. | |
| B661P One-Way Deadbolt Lock | Deadbolt thrown or retracted by turn key only. Blank plate inside. Bolt automatically deadlocks when fully thrown. | |
| B663P Classroom Deadbolt Lock | Deadbolt thrown or retracted by key outside. Inside turn unit will retract bolt only. Bolt automatically deadlocks when fully thrown. | |
| B664P Cylinder Lock | Deadbolt thrown or retracted by key from one side. No inside trim. Bolt automatically deadlocks when fully thrown. | |
| B680 Door Bolt | Deadbolt thrown or retracted by turn unit only. No outside trim. Bolt automatically deadlocks when fully thrown. | |


*Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.



Outside Cylinder Trim
Available in finishes 605, 606, 609, 612, 613, 625, 626



Inside Cylinder Trim
Available in finishes 605, 606, 609, 612, 613, 625, 626



Rose and Turn
Available in finishes 605, 606, 609, 612, 613, 625, 626

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

913-371-5787
Fax: 913-371-3201

www.smallwoodlock.com

SCH 9

Toll-Free

888-881-4245
Fax: 888-881-4248

..... **D SERIES DOOR KNOBS**

STANDARD FEATURES FOR ALL D SERIES LOCKS






- ✍ Certification: ANSI A156.2, 1996, Series 4000, Grade 1
 - ✍ Strike: 1¼" x 4⅞", ANSI, square corner, no box
 - ✍ Cylinder: 6-pin solid brass, keyed 5-pin, Classic "C" keyway, keyed different (KD)**
 - ✍ Latch: 1⅞" x 2¼", square corner faceplate, 1" housing diameter, ½" throw
 - ✍ Backset: 2¾"
 - ✍ Door Range: 1⅞" - 2"
 - ✍ Keys: 2 nickel silver cut keys per lock, 5-pin, Classic "C" keyway**
- ** Items ordered with key cylinders will be shipped in Classic "C" keyway unless specified differently. Other Classic keyways are available in addition to the new Everest keyways.

FINISHES





- | | | |
|--|--|--|
| 605 (US3) Bright Brass | 612 (US 10) Satin Bronze | 613 (US 10B) Oil Rubbed Bronze |
| 625 (US 26) Bright Chromium Plated | 626 (US 26D) ... Satin Chromium Plated | 629 (US 32) Bright Stainless Steel |
| 630 (US 32D) Satin Stainless Steel | | |

FUNCTIONS

NON-KEYED LOCKS

- | | | | |
|-------------|----------------------------------|--|---|
| D10S | Passage Latch | Both knobs always are unlocked. |  |
| D25D | Exit Lock | Blank plate outside. Inside knob always unlocked. |  |
| D40S | Bath/Bedroom Privacy Lock | Push-button locking. Can be unlocked from outside with small screwdriver. Turning inside knob or closing door releases button. |  |
| D44S | Hospital Privacy Lock | Pushbutton locking. Unlocked from outside by turning emergency turn-button. Turning inside knob or closing door releases button. |  |
| D170 | Single Dummy Trim | Dummy trim for one side of door. Used for door pull or as matching inactive trim. |  |

KEYED LOCKS

- | | | | |
|--------------|---|--|---|
| D53PD | Entrance Lock | Turn/push-button locking; pushing and turning button locks outside knob, requiring use of key until button is manually unlocked. Push-button locking; pushing button locks outside knob until unlocked by key or by turning inside knob. |  |
| D60PD | Vestibule/ Classroom Security Lock | Latch retracted by key from outside when outside knob is locked by key in inside knob. Inside knob is always unlocked. |  |
| D66PD | Store Lock* | Key in either knob locks or unlocks both knobs. |  |
| D70PD | Classroom Lock | Outside knob locked and unlocked by key. Inside knob always unlocked. |  |

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com








Toll-Free

913-371-5787
 Fax: 913-371-3201

SCH 10


888-881-4245
 Fax: 888-881-4248

D Series Door Knobs, Continued...


D72PD	Communicating Lock*	Key in either knob locks or unlocks each knob independently.	
D73PD	Corridor Lock	Locked or unlocked by key from outside. Push-button locking from inside. Turning inside knob or closing door releases button.	
D80PD	Storeroom Lock	Outside knob fixed. Entrance by key only. Inside knob always unlocked.	
D80PDEL	Electrically Unlocked (Fail Safe)	Outside knob continuously locked electrically. Unlocked by key outside or by switch or power failure. Auxiliary latch deadlocks latchbolt when door is closed. Inside knob always free for immediate exit.	
D80PDEU	Electrically Unlocked (Fail Secure)	Outside knob continuously locked until unlocked by key or electric current. Auxiliary latch deadlocks latchbolt when door is closed. Inside knob always free for immediate exit.	
D82PD	Institutional Lock*	Both knobs fixed. Entrance by key in either knob.	
D85PD	Hotel/Motel Lock	Outside knob fixed. Entrance by key only. Push-button in inside knob activates visual occupancy indicator, allowing only emergency masterkey to operate. Turning inside knob or closing door releases visual occupancy indicator. Rotation of inside spanner-button provides lock-out feature by keeping indicator thrown.	

**Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.*


..... D SERIES KNOB DESIGNS



ORB (Orbit)
Available in finishes 605, 612, 613, 625, 626, 630



TUL (Tulip)
Available in finishes 605, 612, 613, 625, 626, 630



PLY (Plymouth)
Available in finishes 605, 606, 612, 613, 625, 626, 630

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

913-371-5787
Fax: 913-371-3201

www.smallwoodlock.com

SCH 11

Toll-Free

888-881-4245
Fax: 888-881-4248



..... **ND SERIES DOOR LEVERS**

STANDARD FEATURES FOR ALL ND SERIES DOOR LOCKS ("N" = NEW)

- ✍ Certification: ANSI A156.2, 1996, Series 4000, Grade 1 ✍ Latch: 1½" x 2¼", square corner faceplate, 1" housing diameter, UL Listed for 3-hour fire door ✍ ½" throw
- ✍ Strike: 1¼" x 4⅞", ANSI, square corner, no box ✍ Backset: 2⅜" or 2¾" - **MUST SPECIFY**
- ✍ Cylinder: 6-pin solid brass, keyed 5-pin, Classic "C" keyway, keyed different (KD)** ✍ Door Range: 1⅝" - 2⅝"
- ✍ Keys: 2 nickel silver cut keys per lock, 5-pin, Classic "C" keyway**

** Items ordered with key cylinders will be shipped in Classic "C" keyway unless specified differently. Other Classic keyways are available in addition to the new Everest keyways.


FINISHES

- | | | |
|---|--------------------------------|--|
| 605 (US3) Bright Brass | 606 (US 10B) Satin Brass | 612 (US 10) ... Satin Bronze |
| 613 (US 10B) Oil Rubbed Bronze | 619 (US 15) Satin Nickel | 625 (US 26) ... Bright Chromium Plated |
| 626 (US 26D) Satin Chromium Plated | | |

FUNTHEIONS

NON-KEYED LOCKS

- | | | |
|----------------|--|--|
| ND10S | Passage Latch | Both levers always are unlocked. |
| ND12D | Exit Lock | Outside lever always fixed.. Inside lever always unlocked. |
| ND12DEL | Electronically Locked (Fail Safe) | Outside lever continuously locked electrically. Unlocked by switch or power failure. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always free for immediate exit. |
| ND12DEU | Electronically Unlocked (Fail Secure) | Outside lever continuously locked until unlocked by electric current. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always free for immediate exit. |
| ND25D | Exit Lock | Blank plate outside. Inside lever always unlocked. |
| ND40S | Bath/Bedroom Privacy Lock | Push-button locking. Can be opened from outside with small screwdriver. Turning inside lever or closing door releases button. |
| ND44S | Hospital Privacy Lock | Push-button locking. Unlocked from outside by turning emergency turn-button. Turning inside lever or closing door releases button. |



Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

SCH 12

888-881-4245

Fax: 888-881-4248



ND Series Door Levers, Continued...

ND170 Single Dummy Trim Dummy trim for one side of door. Used for door pull or as matching inactive trim.



KEYED LOCKS

ND50PD Entrance/Office Lock† Push-button locking. Push-button locks outside lever until unlocked with key or by turning inside lever.



ND53PD Entrance Lock† Turn/push-button locking; pushing and turning button locks outside lever, requiring use of key until button is manually unlocked. Push-button locking; pushing button locks outside lever until unlocked by key or by turning inside lever.




ND60PD Vestibule Lock† Latch retracted by key from outside when outside lever is locked by key in inside lever. Inside lever is always unlocked.



ND66PD Store Lock† * Key in either lever locks or unlocks both levers.




ND70PD Classroom Lock†  Outside lever locked and unlocked by key. Inside lever always unlocked.



ND73PD Corridor Lock† Locked or unlocked by key from outside. Push-button locking from inside. Turning inside lever or closing door releases button. When lever is locked by key it can only be unlocked by key. Inside lever is always unlocked.



ND75PD Classroom Security Lock†  Key in either lever locks or unlocks outside lever. Inside lever is always unlocked.



ND80PD Storeroom Lock† Outside lever fixed. Entrance by key only. Inside lever always unlocked.



† Available functions for small format interchangeable core.

 Safe Schools Program.

*Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

SCH 13

888-881-4245

Fax: 888-881-4248



ND Series Door Levers, Continued...

- | | | |
|---|---|--|
| ND80PDEL Electrically Locked (Fail Safe)† | Outside lever continuously locked electrically. Unlocked by key outside or by switch or power failure. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always free for immediate exit. | |
| ND80PDEU Electrically Unlocked (Fail Secure)† | Outside lever continuously locked until unlocked by key or electric current. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always free for immediate exit. | |
| ND82PD Institution Lock† * | Both levers fixed. Entrance by key in either lever. | |
| ND85PD Facility Restroom Lock | Outside lever fixed. Entrance by key only. Push-button in inside lever activates visual occupancy indicator, allowing only emergency master key to operate. Turning inside lever or closing door releases visual occupancy indicator. Rotation of inside spanner-button provides lock-out feature by keeping indicator activated. <i>SPECIAL CYLINDER REQUIRED.</i> | |
| VANDLGARD FUNCTIONS | | |
| ND91PD Entrance/Office Lock† | Push-button locking. Push-button disengages outside lever until unlocked with key or by turning inside lever. Vandlgard is designed to disengage outside spindle from latch when in locked condition. | |
| ND92PD Entrance Lock† | Turn/push-button locking, pushing and turning button disengages outside lever, requiring use of key until button is manually unlocked. Push-button locking; pushing button disengages outside lever until unlocked by key or by turning inside lever. Vandlgard is designed to disengage outside spindle from latch when in locked condition. | |
| ND93PD Vestibule Lock† | Latch retracted by key from outside when outside lever is disengaged by key in inside lever. Inside lever is always unlocked. Vandlgard is designed to disengage outside spindle from latch when in locked condition. | |
| ND94PD Classroom Lock† | Outside lever disengaged and unlocked by key. Inside lever always unlocked. Vandlgard is designed to disengage outside spindle from latch when in locked condition. | |

† Available functions for small format interchangeable core.

Safe Schools Program.

*Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com



Toll-Free

913-371-5787
Fax: 913-371-3201


SCH 14

888-881-4245
Fax: 888-881-4248

ND Series Door Levers, Continued...


- | | | | |
|-----------------|--|--|---|
| ND95PD | Classroom Security Lock †  | Key in either lever locks or unlocks outside lever. Inside lever is always unlocked. |  |
| ND96PD | Storeroom Lock † | Outside lever always disengaged. Entrance by key only. Inside lever always unlocked. Vandlgard is designed to disengage outside spindle from latch when in locked condition. | |
| ND96PDEL | Electrically Locked †
(Fail Safe) | Outside lever continuously disengaged electrically. Unlocked by key outside or by switch or power failure. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always free for immediate exit. Vandlgard is designed to disengage outside spindle from latch when in locked condition. | |
| ND96PDEU | Electrically Unlocked †
(Fail Secure) | Outside lever continuously disengaged until unlocked by key or electric current. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always free for immediate exit. Vandlgard is designed to disengage outside spindle from latch when in locked condition. | |

† Available functions for small format interchangeable core

 Safe Schools Program.

ND SERIES LEVER DESIGNS

ATH (Athens)
Available in finishes 605, 606,
612, 613, 619, 625, 626




OME (Omega)
Available in finishes 605, 606,
612, 613, 619, 625, 626



SPA (Sparta)
Available in finishes 605, 606,
612, 613, 619, 625, 626



RHO (Rhodes)
Available in finishes 605, 606,
612, 613, 619, 625, 626



NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

SCH 15

888-881-4245
Fax: 888-881-4248



..... F SERIES KNOBS, LEVERS, HANDLESETS

STANDARD FEATURES FOR F SERIES KNOBS & LEVERS

- ✍ Certification: ANSI A156.2, 1996, Series 4000, Grade 2
- ✍ UL Listed for 3-hour fire door
- ✍ Strike: 1 3/8" x 2 1/4", Square corner and 1/4" radius round corner, full lip, no box
- ✍ Cylinder: 5-pin, Classic "C" keyway, keyed different (KD)
- ✍ Keys: 2 nickel silver cut keys per lock, 5-pin, Classic "C" keyway
- ✍ Latch: 1 1/4" x 2 1/4", 1/4" Radius round corner faceplate, 7/8" housing diameter, 1/2" throw, with triple option square corner and circular faceplates
- ✍ Backset: Dual backset latches, fits either 2 3/8" or 2 3/4" backsets
- ✍ Door Range: 1 3/8" - 1 1/8"

STANDARD FEATURES FOR F SERIES HANDLESETS

- ✍ Latch: 1" x 2 1/4", 1/4" Radius round corner faceplate, 7/8" housing diameter, 1/2" throw springlatch, with triple option square corner and circular faceplates
- ✍ Deadbolt: 1" x 2 1/4", 1/4" Radius round corner faceplate, 7/8" housing diameter, 1" throw, with triple option square corner and circular faceplates
- ✍ Strike: 1 3/8" x 2 1/4", Square corner and 1/4" radius round corner, full lip, no box, latch strikes and 1 1/8" square corner, box, deadbolt strike
- ✍ Reinforcement: Door frame reinforcer with 3" screws
- ✍ Backset: Dual backset latch & deadbolt, fits either 2 3/8" or 2 3/4" backsets
- ✍ Cylinder: 6-pin solid brass, keyed 5-pin Classic "C" keyway, keyed different (KD)
- ✍ Door Range: 1 3/8" - 2"
- ✍ Keys: 2 nickel silver cut keys per lock, 5-pin, Classic "C" keyway

Locks are furnished with standard features unless otherwise specified


FINISHES

- | | | |
|--|--------------------------------------|--------------------------------|
| 505 Ultima™, Bright Brass | 605 (US3) Bright Brass | 609 (US 5) Antique Brass |
| 613 (US 10B) Oil Rubbed Bronze | 619 (US 15) Satin Nickel | 620 (US 15A) . Antique Pewter |
| 625 (US 26) Bright Chromium Plated | 626 (US 26D) . Satin Chromium Plated | |

FUNCTIONS

NON-KEYED LOCKS

- | | | |
|-------------|----------------------------------|--|
| F10 | Passage Latch | Both knobs/levers are always unlocked. |
| F30 | Patio Lock | Push-button locking. Turning inside knob releases button. |
| F40 | Bath/Bedroom Privacy Lock | Push-button locking. Can be opened from outside with small circular tool. Turning inside knob/lever releases button. |
| F170 | Single Dummy Trim | Dummy trim for one side of door. Used for door pull or as matching inactive trim. |



Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201

SCH 16

888-881-4245
Fax: 888-881-4248



F Series Knobs, Levers, Handlesets, Continued...

KEYED LOCKS

F51 Entrance Lock Unlocked by key from outside when outer knob/lever is locked by turn-button in inside knob/lever. Inside knob/lever always unlocked.

F80 Storeroom Lock Outside knob fixed. Entrance by key only. Inside knob/lever always unlocked.

ENTRANCE HANDLESETS

F358 Entrance Lock, Outside Outside of F360. Includes entrance handleset and cylinder.

F359 Entrance Lock, Inside Inside of F360. Includes inside knob/lever, thumbturn, deadbolt, latch, strike, and screws.

F360 Entrance Lock
Deadbolt thrown or retracted by key from outside or by inside turn unit. Latch retracted by thumbpiece from outside or by inside knob/lever.



F393 Dummy Trim
For use as door pull or as dummy trim on inactive leaf of pair of doors. Fixed thumbpiece and inside knob/lever. Dummy cylinder with inside plate.



F362 Double Cylinder Entrance Lock*
Deadbolt thrown or retracted by key from either side. Latch retracted by thumbpiece from outside or by inside knob/lever.



F394 Dummy Trim, Inside
Inside of F393. Includes inside knob/lever, blank rose and screws.



F392 Dummy Trim Outside
Outside of F393. Includes entrance handleset and dummy cylinder.



**Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.*

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free


913-371-5787
Fax: 913-371-3201

SCH 17

888-881-4245
Fax: 888-881-4248



..... **F SERIES KNOB, LEVER, & HANDLESET DESIGNS**



BEL (Bell)

Available in finishes 505, 605, 609, 626



ORB (Orbit)

Available in finishes 505, 605, 609, 613, 619, 620, 625, 626




GEO (Georgian)

Available in finishes 505, 605, 609, 619, 620




PLY (Plymouth)

Available in finishes 505, 605, 613, 619, 625, 626




SIE (Siena)

Available in finishes 505, 605, 609, 613, 619, 620, 625




ACC (Accent)*

Available in finishes 505, 605, 609, 613, 619, 620, 625




FLA (Flair)*

Available in finishes 505, 605, 609, 625, 626



ELA (Elan)


Available in finishes 605, 609, 626



JAZ (Jazz)


Available in finishes 605

**Specify door hand when ordering ACC or FLA design.
Specify hand of lever for F170.*




BOW (Bowman)

Available in finishes 505, 605, 609




CAM (Camelot)

Available in finishes 505, 605, 609, 613, 619, 620




CEN (Century)

Available in finishes 505, 605, 609, 625, 6260



PAR (Parthenon)

Available in finishes 609



PLY (Plymouth)

Available in finishes 505, 605, 609, 613, 619, 620, 625, 626

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

913-371-5787
Fax: 913-371-3201

www.smallwoodlock.com

SCH 18

Toll-Free

888-881-4245
Fax: 888-881-4248



..... **L SERIES MORTISE LOCKS**

STANDARD FEATURES FOR F SERIES MORTISE LOCKS

- ✍ Certifications: L9000: ANSI A 156.13, 1994, Series 1000, Grade 1 Operational, Grade 1 Security, UL Listed for 3-hour fire door (except L9076 and L9077). With Interchangeable Core Cylinders: Grade 2 Security L400: ANSI A156.5, 2001, Grade 1, UL Listed for 3-hour fire door
- ✍ Case Size: L9000: 4⁷/₁₆" x 6¹/₁₆" x 1"; L400: 4⁷/₁₆" x 3⁵/₈" x 1"
- ✍ Armor Front: L9000: 1¹/₄" x 8"; L400: 1¹/₄" x 5¹⁹/₃₂"
- ✍ Deadbolt: 1" Throw stainless steel
- ✍ Latchbolt: 3/4" Throw stainless steel with anti-friction tongue
- ✍ Strike: L9000: 1¹/₄" x 4⁷/₈", Square corner, 13¹/₁₆" lip, box; L400: 1¹/₈" x 3⁵/₈", square corner, box
- ✍ Backset: 2³/₄"
- ✍ Cylinder: 6-pin solid brass,, keyed 5-pin Classic "C" keyway, keyed different (KD)**
- ✍ Door Range: 1³/₄"
- ✍ Keys: 2 nickel silver cut keys per lock, 5-pin, Classic "C" keyway**

Locks are furnished with standard features unless otherwise specified

*** Items ordered with key cylinders will be shipped in Classic "C" keyway unless specified differently. Other Classic keyways are available in addition to the new Everest keyways.*

FINISHES


605 (US3) Bright Brass	606 (US 4) Satin Brass	609(US 5) Antique Brass
610 (US 7) Bright Brass, Blackened	611 (US 9) Bright Bronze	612(US 10) Satin Bronze
613 (US 10B) Oil Rubbed Bronze	616 (US 11) Antique Bronze	619(US 15) Satin Nickel
625 (US 26) Bright Chromium Plated	626 (US 26D) ...Satin Chromium Plated	629(US 32) Bright Stainless Steel
630 (US 32D) Satin Stainless Steel		

FUNCTIONS

NON-KEYED MORTISE LOCKS

L9010 Passage Latch

Latchbolt retracted by knob/lever from either side at all times.



L9040 Bath/Bedroom Privacy Lock

Latchbolt retracted by knob/lever from either side unless outside is locked by inside turn piece. Turning inside knob/lever or closing door unlocks outside knob/lever. To unlock from outside, remove emergency button, insert emergency turn (Furnished) in access hole and rotate.



L9044 Privacy with Coin Turn Outside

Latchbolt retracted by knob/lever from either side unless outside is locked by inside thumbturn or outside coin turn. Operating inside knob/lever, closing door, rotating inside thumbturn or rotating outside coin turn unlocks outside knob/lever. Specify per L283-056 for Torx® screws. Available with rose trim only.



L9440 Privacy with Deadbolt

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by inside thumbturn. Throwing deadbolt locks outside knob/lever. Rotating inside knob/lever simultaneously retracts deadbolt and latchbolt, and unlocks outside knob/lever. To unlock from outside, remove emergency button, insert furnished turn piece in access hole and rotate.



Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201


SCH 19

888-881-4245
Fax: 888-881-4248



L Series Mortise Locks, Continued...**NON-KEYED MORTISE LOCKS****L9444 Privacy with Deadbolt and Coin Turn Outside**


Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by inside thumbturn or outside coin turn. Throwing deadbolt locks outside knob/lever. Rotating inside knob/lever simultaneously retracts deadbolt and latchbolt, and unlocks outside knob/lever. Rotating outside coin turn retracts deadbolt and unlocks outside knob/lever. Specify per L283-0056 for Torx screws. Available with rose trim only.

**NON-KEYED DUMMY MORTISE LOCKS****L0170 Single Dummy Trim**

Knob/lever on one side fixed by mounting bar.

**L0172 Double Dummy Trim**


Knob/lever both sides fixed by mounting bar.

**L9175 Single Dummy with Lock Case**

Knob/lever on one side inoperable. Includes lock case and armor front.

**L9176 Double Dummy with Lock Case**

Knob/lever on both sides inoperable. Includes lock case and armor front.

**KEYED MORTISE LOCKS****L9050 Office and Inner Entry Lock**


Latchbolt retracted by knob/lever from either side unless outside is made inoperative by key outside or by turning inside thumbturn. When outside is locked, latchbolt is retracted by key outside or by knob/lever inside. Outside knob/lever remains locked until thumbturn is returned to vertical or unlocked by key. Auxiliary latch deadlocks latchbolt when door is closed.

**L9056 L9050 with Simultaneous Retraction**


Latchbolt retracted by knob/lever from either side unless outside is made inoperative by key outside or by rotating inside thumbturn. Outside knob/lever unlocked by key outside, thumbturn, or closing door. Rotating inside knob/lever simultaneously retracts latchbolt and unlocks outside knob/lever. Auxiliary latch deadlocks latchbolt when door is closed.

**L9060 Apartment Entrance Lock**

Latchbolt retracted by knob/lever from either side unless outside is locked by key from inside. When locked, latchbolt retracted by key outside or knob/lever inside. Auxiliary latch deadlocks latchbolt when door is closed.

**L9070 Classroom Lock**

Latchbolt retracted by knob/lever from either side unless outside is locked by key. Unlocked from outside by key. Inside knob/lever always free for immediate exit. Auxiliary latch deadlocks latchbolt when door is closed.

**Smallwood Lock Supply**

1830 Minnesota Avenue • Kansas City, KS 66102

Localwww.smallwoodlock.com**Toll-Free**

913-371-5787

SCH 20

888-881-4245

Fax: 913-371-3201

Fax: 888-881-4248

L Series Mortise Locks, Continued...

KEYED MORTISE LOCKS

L9071 Classroom Security Lock

Latchbolt retracted by knob/lever from either side unless outside is locked by key from either side. When locked, latchbolt retracted by key outside or knob/lever inside. Auxiliary latch deadlocks latchbolt when door is locked.



L9076 Classroom Holdback Lock

Latchbolt retracted by knob/lever from either side unless outside is locked by key. When locked, latchbolt retracted by key outside or knob/lever inside. Auxiliary latch deadlocks latchbolt when door is closed. Depress inside knob/lever and turn key 360° for holdback feature.



L9077 Classroom Security Holdback Lock

Latchbolt retracted by knob/lever from either side unless outside is locked by key from either side. When locked, latchbolt retracted by key outside or knob/lever inside. Auxiliary latch deadlocks latchbolt when door is locked. Depress inside knob/lever and turn key 360° for holdback feature.



L9080 Storeroom Lock

Latchbolt retracted by knob/lever inside. Outside knob/lever always inoperative. Auxiliary latch deadlocks latchbolt when door is closed.



L9080EL Electrically Locked (Fail Safe)

Outside knob/lever continuously locked by 24V AC or DC. Latchbolt retracted by key outside or by knob/lever inside. Switch or power failure allows outside knob/lever to retract latchbolt. Auxiliary latch deadlocks latchbolt when door is closed. Inside knob/lever always free for immediate exit.



L9080EU Electrically Unlocked (Fail Secure)

Outside knob/lever continuously locked by 24V AC or DC. Latchbolt retracted by key outside or by knob/lever inside. Auxiliary latch deadlocks latchbolt when door is closed. Inside knob/lever always free for immediate exit.



L9080EL-RX, L9080EU-RX Request to Exit (TX) Electrified Lock

Same as L9080EL and L9080EU functions. In addition, a micro switch positioned inside the lock case monitors the retractor crank, and is actuated when rotation of the inside or outside knob/lever rotates the retractor hub. The switch signals the use of the opening to security systems, allowing a non-disruptive means of immediate egress. Specify per L283-059 for normally closed contacts (default). Specify L283-125 for normally open contacts.



L9082 Institution Lock*

Latchbolt retracted by key from either side. Knob/lever on both sides always inoperative. Auxiliary latch deadlocks latchbolt when door is closed.



**Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.*

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

SCH 21

888-881-4245

Fax: 913-371-3201

Fax: 888-881-4248



L Series Mortise Locks, Continued...**KEYED MORTISE LOCKS****L9082EL, L9082EU Electrically Locked or Electrically Unlocked Both Sides***

EL: Outside and inside knob or lever continually locked electrically. Latchbolt retracted by key either side. Switch or power failure allows outside and inside knob/lever to retract latchbolt. Auxiliary latch deadlocks latchbolt when door is closed.

EU: Outside and inside knob/lever unlocked electrically. Latchbolt retracted by key either side. Switch or power failure keeps inside and outside knob/lever locked. Auxiliary latch deadlocks latchbolt when door is closed.

**L9453 Entrance Lock**

Latchbolt retracted by knob/lever from either side unless outside is locked by 20° rotation of thumbturn. Deadbolt thrown or retracted by 90° rotation of thumbturn. When locked, key outside or knob/lever inside retracts deadbolt and latchbolt simultaneously. Outside knob/lever remains locked until thumbturn is restored to vertical position. Throwing deadbolt automatically locks outside knob/lever. Auxiliary latch deadlocks latchbolt when door is closed.

**L9456 Corridor Lock**

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key outside or inside thumbturn. Throwing deadbolt locks outside knob/lever. Turning inside knob/lever simultaneously retracts deadbolt and latchbolt and unlocks outside knob/lever.

**L9457 Classroom Security Lock**

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key from either side. Throwing deadbolt locks outside knob/lever. Turning inside knob/lever simultaneously retracts deadbolts and latchbolt and unlocks outside knob/lever.

**L9465 Closet/Storeroom Lock**

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key outside.

**L9466 Store/Utility Room Lock***

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key from either side.

**L9473 Dormitory/Bedroom Lock**

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key outside or thumbturn inside.

**L9480 Storeroom Lock with Deadbolt**

Latchbolt retracted by knob/lever outside or by lever or knob inside. Outside knob/lever always fixed. Deadbolt thrown or retracted by key outside or thumbturn inside. Turning inside knob/lever simultaneously retracts both deadbolt and latchbolt. Auxiliary latch deadlocks latchbolt when door is closed.



**Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.*

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

SCH 22

888-881-4245

Fax: 888-881-4248



L Series Mortise Locks, Continued...

KEYED MORTISE LOCKS

L9485 Hotel Lock

Latchbolt retracted by key outside or by knob/lever inside. Outside knob/lever always fixed. Deadbolt thrown or retracted by inside thumbturn. When deadbolt is thrown, all keys become inoperative except emergency or display keys. Turning inside knob/lever retracts both deadbolt and latchbolt simultaneously. Auxiliary latch deadlocks latchbolt when door is closed.



L9486 Hotel Lock with "DO NOT DISTURB" or "OCCUPIED" Indicator

Latchbolt retracted by key outside or by knob/lever inside. Outside knob/lever always fixed. Deadbolt thrown or retracted by inside thumbturn. When deadbolt is thrown, "DO NOT DISTURB" or "OCCUPIED" plate is displayed (*Please specify*). All keys become inoperative except emergency or display keys. Turning inside knob/lever retracts both deadbolt and latchbolt simultaneously. Auxiliary latch deadlocks latchbolt when door is closed.



L9496 Privacy Lock with "OCCUPIED" Indicator

Latchbolt retracted by key outside or by knob/lever inside. Outside knob/lever always fixed. Deadbolt thrown or retracted by inside thumbturn. When deadbolt is thrown, "OCCUPIED" plate is displayed. All keys become inoperative except emergency keys. Turning inside knob/lever simultaneously retracts both deadbolt and latchbolt. Auxiliary latch deadlocks latchbolt when door is closed.



KEYED DEADBOLTS MORTISE LOCKS

L9460 Cylinder Thumbturn Lock

Deadbolt thrown or retracted by key outside or thumbturn inside.



L9462 Double Cylinder Lock*

Deadbolt operated by key from either side.



L9463 Classroom Lock

Deadbolt thrown or retracted by key from outside. Inside cylinder turn retracts deadbolt but cannot project it.



L9464 Cylinder Lock

Deadbolt thrown or retracted by key from one side. No trim on opposite side.



SMALL CASE DEADBOLTS

L460 Cylinder x Thumbturn Lock

Deadbolt thrown or retracted by key outside or thumbturn inside.



L462 Double Cylinder Lock*

Deadbolt operated by key from either side.



L463 Classroom Lock

Deadbolt thrown or retracted by key from outside. Inside cylinder turn retracts deadbolt but cannot project it.



L464 Cylinder Lock

Deadbolt thrown or retracted by key from one side. No trim on opposite side.



L480 Door Bolt

Deadbolt thrown or retracted by thumbturn from one side. No trim on opposite side.



L496 Deadbolt with "OCCUPIED" Indicator

Deadbolt thrown or retracted by key outside or thumbturn inside. When deadbolt is thrown "OCCUPIED" plate is displayed.



**Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.*

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787
Fax: 913-371-3201


SCH 23

888-881-4245
Fax: 888-881-4248




L Series, Continued...**SPECIAL FUNCTIONS****L9110 Double Dummy with Active Trim**

Knob/lever both sides always active. Includes lock case and armor front. Specify per XL11-741. May be ordered with optional XL11-743 armor front with cutout to receive deadbolt only.

**L9040 Privacy with Turns Both Sides**

Latches retracted by knob/lever from either side unless outside is locked by inside or outside thumbturn. Operating inside knob/lever, closing door or rotating either thumbturn unlocks outside knob/lever. Specify per XL11-446.

**L9412 Exit Lock with Deadbolt**

Latchbolt retracted by knob/lever inside. Outside knob/lever always fixed. Deadbolt thrown or retracted by inside thumbturn. Turning inside knob/lever retracts both deadbolt and latchbolt simultaneously. Auxiliary latch deadlocks latchbolt when door is closed. Specify per XL11-907.

**L9460 L9460 with Fixed Dummy Trim**

Knob/lever both sides fixed. Deadbolt thrown or retracted by key outside or thumbturn inside. Specify per XL11-635.

**L9460, L9462, L9464 Deadbolt with Retraction by Inside Lever or Knob**


L9460: Deadbolt thrown or retracted by key outside or thumbturn inside. Outside knob/lever always fixed. Inside knob/lever active when deadbolt is retracted. Rotating inside knob/lever will retract deadbolt.

L9462: Same as above, except deadbolt thrown or retracted by key from either side.

L9464: (Shown): Same as above, except deadbolt thrown or retracted by key from one side. Specify desired function per XL11-886.

**L9482 Institution Lock with Deadbolt***

Latchbolt retracted by key from either side. Knob/lever on both sides always inoperative. Deadbolt thrown or retracted by key either side. Auxiliary latch deadlocks latchbolt when door is closed. Specify per XL11-543.

**L9485 Prison Function Lock**

Latch retracted by key outside or knob inside. Outside knob always free spinning. Deadbolt only thrown or retracted by guard's key. Inside knob becomes fixed when deadbolt is thrown. Prisoner's key only retracts latchbolt. Furnished standard with tamper resistant Torx® screws. Specify per XL11-557.



**Caution: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.*

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Localwww.smallwoodlock.com**Toll-Free****913-371-5787****SCH 24****888-881-4245**


Fax: 913-371-3201

Fax: 888-881-4248




..... **L SERIES KNOB & LEVER DESIGNS**


CAST or FORGED DESIGNS with WROUGHT ROSES




01
Available in finishes
619, 625, 626, 630




02
Available in finishes
619, 625, 626, 630




03
Available in finishes
605, 606, 612, 613, 619, 625,
626, 629, 630



05
Available in finishes
619, 625, 626, 630




06
Available in finishes
605, 606, 612, 613, 619,
625, 626, 629, 630




07
Available in finishes
605, 606, 612, 613, 619, 625,
626, 629, 630




12 (Specify Door Hand)
Available in finishes
605, 606, 612, 613, 619, 625,
626, 629, 630



17
Available in finishes
605, 606, 612, 613, 619, 625,
626, 629, 630



18
Available in finishes
619, 625, 626, 630



OME
Available in finishes
605, 606, 612, 613, 619, 625,
626, 629, 630

BENT EXTRUDED BAR LEVER




93
Available in finishes 605, 606, 612, 613,
619, 625, 626, 629, 630

WROUGHT KNOB DESIGNS



41
Available in finishes 605, 606, 612, 613,
619, 625, 626, 629, 630



42
Available in finishes 605, 606, 612, 613,
629, 625, 626, 629, 630

WROUGHT ROSE DESIGNS



A
2 1/8" Diameter



B
2 1/16" Diameter

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

913-371-5787
Fax: 913-371-3201

www.smallwoodlock.com

SCH 25


Toll-Free

888-881-4245
Fax: 888-881-4248




L Series Knob & Lever Designs, Continued...


CAST or FORGED LEVER DESIGNS with FORGED ESCUTCHEONS




01L
Available in finishes
619, 625, 626, 630




02L
Available in finishes
619, 625, 626, 630




03L
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629,
630




05L
Available in finishes
619, 625, 626, 630




06L
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629,
630




07L
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629,
630




12L
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629, 630



17L
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629, 630




18L
Available in finishes
619, 625, 626, 630




OME
Available in finishes
611, 612, 613, 616,
619, 625, 626, 630

WROUGHT KNOB DESIGNS




41L
Available in finishes
605, 606, 612, 613,
625, 626, 629, 630




42L
Available in finishes
605, 606, 612, 613,
625, 626, 629, 630

CONCEALED CYLINDER



FULL FACE CYLINDER



Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

913-371-5787
Fax: 913-371-3201

www.smallwoodlock.com

SCH 26


Toll-Free

888-881-4245
Fax: 888-881-4248




L Series Knob & Lever Designs, Continued...


CAST or FORGED LEVER DESIGNS with WROUGHT ESCUTCHEONS




01N
Available in finishes
619, 625, 626, 630




02N
Available in finishes
619, 625, 626, 630




03N
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629,
630




05N
Available in finishes
619, 625, 626, 630




06N
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629,
630




07N
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629,
630




12N
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629, 630



17N
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629, 630




18N
Available in finishes
619, 625, 626, 630




07N
Available in finishes
611, 612, 613, 616
619, 625, 626, 630

BENT EXTRUDED BAR LEVER


WROUGHT KNOB DESIGNS



93N
Available in finishes
605, 606, 612, 613,
619, 625, 626, 629,
630



41N
Available in finishes
605, 606, 612, 613,
625, 626, 629, 630



42N
Available in finishes
605, 606, 612, 613,
625, 626, 629, 630

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

913-371-5787
Fax: 913-371-3201

www.smallwoodlock.com

SCH 27

Toll-Free

888-881-4245
Fax: 888-881-4248




L Series Knob & Lever Designs, Continued...

MEDITERRANEAN DESIGNS with FORGED BRASS LEVERS and ROSES




AST (Asti)
Available in finishes 605, 625




MER (Merano)
Available in finishes 605, 625

MEDITERRANEAN DESIGNS with FORGED BRASS LEVERS and L. ESCUTCHEONS



AST/OOL (Asti)
Available in finishes 605, 625



MER/OOL (Merano)
Available in finishes 605, 625

NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

SCH 28

888-881-4245

Fax: 888-881-4248



**LATCHES FOR A & AL SERIES
DEADLATCHES FOR B250 SERIES
DEADBOLTS FOR BC100 & B600 SERIES**



..... LATCHES FOR A SERIES

11-116, 11-096, 11-068, 11-085

Catalog #	Latch	Description	Backset	Housing Diameter
11-116	Springlatch	1 1/8" x 2 1/4", Standard, square corner	2 3/4"	1"
11-096	Deadlatch	1 1/8" x 2 1/4", Standard, square corner	2 3/4"	1"
11-068	Springlatch	1" x 2 1/4", Square Corner	2 3/8"	7/8"
11-085	Deadlatch	1" x 2 1/4", Square Corner	2 3/8"	7/8"

..... LATCHES FOR AL SERIES

11-116, 11-096, 11-068, 11-085

Catalog #	Latch	Description	Backset	Housing Diameter
11-116	Springlatch	1 1/8" x 2 1/4", Standard, square corner	2 3/4"	1"
11-096	Deadlatch	1 1/8" x 2 1/4", Standard, square corner	2 3/4"	1"
11-068	Springlatch	1" x 2 1/4", Square Corner	2 3/8"	7/8"
11-085	Deadlatch	1" x 2 1/4", Square Corner	2 3/8"	7/8"

..... DEADBOLTS FOR BC100 SERIES

12-274

12-268

Catalog #	Description	Backset	Housing Diameter
12-274	1 1/2" x 2 1/4", Standard, Square Corner	2 3/8" or 2 3/4"	7/8"
12-268	Circular, Drive-In, 626 Only	2 3/8" or 2 3/4"	1"

..... DEADLATCHES FOR B250 SERIES

12-100, 12-103

Catalog #	Description	Backset	Housing Diameter
12-100	1 1/8" x 2 1/4", Standard, Square Corner	2 3/8"	1"
12-103	1 1/8" x 2 1/4", Square Corner	2 3/4"	1"

..... DEADBOLTS FOR B600 SERIES

12-630, 12-631

12-640, 12-641

Catalog #	Description	Backset	Housing Diameter
12-630	Square Corner, 1 1/8" x 2 1/4"	2 3/8"	1"
12-631	Square Corner, 1 1/8" x 2 1/4", Standard	2 3/4"	1"
12-640	Circular Drive-In, 626 Only	2 3/8"	1 1/16"
12-641	Circular, Drive-In, 626 Only	2 3/4"	1 1/16"

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

SCH 29

888-881-4245

Fax: 888-881-4248





..... LATCHES FOR D SERIES

14-001, 14-019, 14-047

Catalog #	Latch	Description	Backset	Housing Diameter
14-001	Springlatch	1½" x 2¼", Standard, square corner	2¾"	1"
14-019	Deadlatch	1½" x 2¼", Standard, square corner	2¾"	1"
14-047	Deadlatch	1½" x 2¼", Square Corner	2¾"	1"

..... LATCHES FOR ND SERIES

13-048, 13-047, 14-047

Catalog #	Latch	Description	Backset	Housing Diameter
13-048	Springlatch	1½" x 2¼", Standard, square corner	2¾"	1"
13-047	Deadlatch	1½" x 2¼", Standard, square corner	2¾"	1"
14-047	Deadlatch	1½" x 2¼", Square Corner	2¾"	1"

..... LATCHES FOR F SERIES

16-200, 16-207, 16-126

Catalog #	Latch	Description	Backset	Housing Diameter
16-200	Springlatch	1" x 2¼", Square Corner	2¾" or 2¾"	¾"
16-207	Deadlatch	1" x 2¼", Square Corner	2¾" or 2¾"	¾"
16-126	Deadlatch	1" x 2¼", Square Corner	5"	¾"

NOTES

Smallwood Lock Supply

1830 Minnesota Avenue • Kansas City, KS 66102

Local

www.smallwoodlock.com

Toll-Free

913-371-5787

Fax: 913-371-3201

SCH 30

888-881-4245

Fax: 888-881-4248

