

**SEAT Leon.** 



# Your technical bit.

Data & equipment.



## Standard

O Optional

- Not available

- <sup>1</sup> Standard for EU28.
- <sup>2</sup> Not available for countries with special road conditions nor with Adaptive Cruise Control (WAC).
- <sup>3</sup> Only for DSG engines. Not available for countries with special road conditions nor with Front Assist (PDQ).
- 4 Requires Convenience Pack (PSS).
- <sup>5</sup> Requires Convenience Pack (PSS) and either
- of SEAT Navi System (ZN3) or SEAT Navi System Plus (ZN4). 6 Requires convenience Pack (PSS). Not available for countries
- with special road conditions.
- Requires Convenience Pack (PSS) and either of SEAT Navi System (ZN3) or SEAT Navi System Plus (ZN4). Not available for countries with special road conditions.
- 8 Sport-HMI requires either of SEAT Media System Plus (ZB8), SEAT Navi System (ZN3) or SEAT Navi System Plus (ZN4).
- <sup>9</sup> Requires XDS and Auto Hold for Reference.
- <sup>10</sup> Not available for countries with special road conditions.
- <sup>11</sup> Not available in combination with CNG engines.
- Not available with CNG engines.
   Not available with CNG engines. Reference trim: requires Towing hook from factory (WGR). Style, Xcellence, and FR trims: requires Towing hook from factory (WGR) or BeatsAudio™ (PNB).
- 14 With specific design (hotstamping) for Xcellence.
- <sup>15</sup> Not available in combination with Towing hook from factory (WGR).
- <sup>16</sup> Requires Emergency wheel 18" minispare (PG6). Not available with CNG engines nor with Towing hook preinstallation (PRP).

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Safety	Reference	Style	Xcellence	FR
6 Airbags (2 front, 2 front side and 2 curtain)	•	•	•	•
Front seat-belt reminder	•	•	•	•
ISOFIX and Top Tether child seat anchors	•	•	•	•
Automatic Post-Collision Braking System	•	•	•	•
ASR and ABS	•	•	•	•
ESC and Direct tyre pressure monitoring system	•	•	•	•
XDS, and Auto Hold	0	•	•	•
Passenger airbag deactivation <sup>1</sup>	•	•	•	•
Knee airbag¹ (Includes passenger airbag deactivation)	•	•	•	•
Front Assist with city emergency braking function <sup>2</sup>	0	0	0	0
Adaptive Cruise Control (ACC) <sup>3</sup> with Front Assist with Pedestrian Protection and Stop&Go	-	0	0	0
Electronic Cruise Control System	•	•	•	•
Electronic Cruise Control System with indicators in cluster	0	•	•	•
Comfort Pack: Cruise Control System (CCS) electronic and rear parking distance control	0	-	•	-
Driving Assistance Pack 1 <sup>4</sup> Monovideocamara (High Beam Assist and Lane Assist)	-	0	0	0
Driving Assistance Pack 2 <sup>5</sup> : Driving Assistance Pack 1 (High Beam Assist and Lane Assist) and Traffic Sign Recognition	-	0	0	0
Advanced Comfort and Driving Pack 1 <sup>6</sup> (Only for DSG): Driving assistance pack 1 (High Beam Assist and Lane Assist), Adaptive Cruise Control (ACC), Front Assist with Pedestrian Protection and Stop&Go, Traffic Jam Assist and Emergency Assist	_	0	0	0
Advanced Comfort and Driving Pack 2' (Only for DSG): Driving assistance pack 2 (High Beam Assist, Lane Assist and Traffic Sign Recognition), Adaptive Cruise Control (ACC), Front Assist with Pedestrian Protection and Stop&Go, Traffic Jam Assist and Emergency Assist	-	0	0	0

Safety	Reference	Style	Xcellence	FR
<b>Dynamic and Comfort Pack:</b> Dynamic Chassis Control (DCC), Progressive steering and Sport-HMI <sup>8</sup>	-	-	0	0
Safety Pack Seat belt reminder (front and rear seats) and Tiredness Recognition System <sup>9</sup>	0	0	0	0
Exterior				
Urban 15" steel wheels <sup>10</sup>	•	-	-	-
Urban 16" steel wheel <sup>10</sup>	0	-	-	-
Design 16" 30/1 alloy wheels <sup>10</sup>	0	-	_	-
Design 16" 30/2 alloy wheels	-	•	_	-
Dynamic 17" 30/1 alloy wheels <sup>10</sup>	_	-	•	-
Dynamic 17" 30/2 Glossy Grey alloy wheels	_	-	•	-
Dynamic 17" 30/2 alloy wheels <sup>10</sup>	_	-	_	•
Dynamic 17" 30/3 alloy wheels <sup>10</sup>	_	0	_	-
Dynamic 17" 30/4 Atom Grey alloy wheels <sup>10</sup>	_	0	_	-
Dynamic 17" 30/4 High Gloss alloy wheels <sup>10</sup>	_	-	0	-
Performance 18" 30/1 alloy wheels <sup>10</sup>	_	-	_	0
Performance 18" 30/2 Machined alloy wheels <sup>10</sup>	_	-	_	0
All season tyres <sup>11</sup>	0	0	0	0
Emergency wheel 16" minispare <sup>12</sup>	0	0	0	0
Emergency wheel 18" minispare <sup>13</sup>	0	0	0	0
Exterior mirrors and door handles in body colour	•	•	•	•
Hidden exhaust pipe	•	•	_	-
Visible double exhaust pipe	_	-	•	•
Comfort suspension	•	•	•	-
FR Suspension	_	-	_	•
Chromed radiator grill frame <sup>14</sup>	•	•	•	•
Ecomotive radiator grill	_	_	_	-
High gloss black in B and C pillar	•	•	•	•
Towing hook preinstallation <sup>15</sup>	0	0	0	0
Towing hook from factory <sup>16</sup>	0	0	0	0

Standard

O Optional

- Not available

<sup>17</sup> Includes LED Interior Illumination Pack (PLP).

<sup>18</sup> Requires LED Interior Illumination Pack (PLP) and Convenience Pack (PSS).

<sup>19</sup> With specific design for Xcellence and FR.

Contact your local dealership to confirm availability. Storage box under driver's seat is not available when combined with BeatsAudio™ (PNB).

<sup>21</sup> Includes the Interior Design Pack. Requires Climatronic 2 zones with Air Care (WH2).

With specific stitching for Xcellence and FR.

<sup>23</sup> Storage box under driver's seat is not available when combined

with BeatsAudio™ (PNB).

<sup>24</sup> Includes the Interior Design Pack. Requires Climatronic 2 zones with Air Care (WH2),

Rear electric windows (PE6) and Foldable exterior mirrors (PFB).

Requires Leather Black sport seats (WL1) or Alcantara® Black sport seats (WL3) seats and Winter Pack. Not available with box under seat.

<sup>26</sup> Not available with Leather Black sport seats (WL1)

and Alcantara® Black sport seats (WL3).

Not compatible with BeatsAudio™ (PNB).

28 Side cover for TGI engines.

Only available with Storage pack (WST) for Style, Xcellence and FR. Not available for TGI Engines.

30 Standard with Leather Black sport seats (WL1) and Alcantara® Black sport seats (WL3).
31 Reference: When combined with Storage Pack, Manual Parking Brake is substituted

for Electronic Parking Brake.

With Reference includes Box under driver seat, High central console, front armrest and air outlet rear. With Style, Xcellence and FR includes Box under passenger seat and divider net. Not available for CNG engines. Box under driver's seat is not available when combined with BeatsAudio (PNB).

<sup>33</sup> LED front fog lamps and Full LED rear lamps are standard for Xcellence and FR.

34 Standard for DSG engines.

35 Not available with Alarm (WAS).

36 Requires Alarm (WAS).

<sup>37</sup> Requires minimum Media System Plus (ZB8). Not compatible with CNG Engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Exterior	Reference	Style	Xcellence	FR
Electric sunroof <sup>17</sup>	0	0	0	0
Specific FR bumpers	_	-	_	•
FR logo on boot	_	_	_	•
Dark tinted rear windows	0	0	•	•
Aerodynamic pack: Side and rear spoilers	_	-	_	_
Chromed exterior pack: Chromed frame in side windows	-	-	•	0
Interior				
Black roof interior <sup>18</sup>	_	-	0	0
Chromed interior pack	_	•	•	•
Chrome interior pack with decorative mouldings	_	-	•	•
Front comfort seats	•	•	_	-
Front sport seats <sup>19</sup>	_	_	•	•
Alcantara® Black sport seats with Black interior <sup>20</sup> : Height, lumbar adjustment, seat back storage, box under passenger and driver seat and rear armrest	-	O <sup>21</sup>	O <sup>22</sup>	O <sup>22</sup>
Leather Black sport seats with Black interior and Winter Pack (PW1): Height, lumbar adjustment, seat back storage, box under passenger and driver seat <sup>23</sup> and rear armrest	-	O <sup>24</sup>	O <sup>22</sup>	O <sup>22</sup>
Manual height adjustment for left front seat	•	•	•	•
Manual height adjustment for front seats	0	•	•	•
Manually adjustable lumbar support for left front seat	-	•	•	•
Manually adjustable lumbar support in front seats	_	_	•	•
Front and rear head restraints	•	•	•	•
Electric driver seat²5: Height, length, inclination and lumbar adjustment	-	0	0	0
Luggage pockets on front seat backrests	_	•	•	•
Foldable Passenger seat <sup>26</sup>	_	0	_	-
Box under driver seat <sup>27</sup>	_	•	•	•
Left side net in boot <sup>28</sup>	_	•	•	•

Interior	Reference	Style	Xcellence	FR
Cargo rings in boot	•	•	•	•
Double floor in boot <sup>29</sup>	0	-	_	-
Driver and passenger sun visor, covered mirror, driver with card holder	•	•	•	•
Driver and passenger sun visor, covered and iluminated mirror, driver with card holder	-	•	•	•
Without center armrest in front	•	-	_	-
Center armrest in front, with integrated cupholder, armrest, and air outlets	-	•	•	•
Rear armrest <sup>30</sup>	_	0	0	0
PUR multifunction steering wheel	0			-
Leather multifunction steering wheel and gear shift knob <sup>19</sup>	_	•	•	•
Servotronic	•	•	•	•
Air conditioning	•	•	_	_
Climatronic 2 zones with Air Care	0	0	•	•
Warning buzzer when lights on (interior)	•	•	•	•
Manual Parking Brake <sup>31</sup>	•	-	_	-
Electric Parking Brake (EPB), including Auto-Hold function	-	•	•	•
LED Door panel illumination multicolour (Ambient Lights)	-	-	•	•
Illuminated scuff plates in door apertures <sup>19</sup>	_	-	•	•
Storage Pack <sup>32</sup>	0	0	0	0
Electronics				
Halogen headlamps with Daytime Running Lights (DRL)	•	_	_	-
Halogen headlamps with LED Daytime Running Lights (DRL)	0	•	•	•
Halogen rear lamps	•	•	_	_
Full LED rear lamps (number plate LED light)	_	_	•	•
Halogen fog lamps with cornering function	0	0	_	_
LED front fog lamps	_	-	•	•

Electronics	Reference	Style	Xcellence	FR
SEAT Full LED: LED headlamps with LED Daytime Running Lights (DRL) and SEAT LED Highway Assist, LED front fog lamps without cornering lights and Full LED rear lamps (number plate LED light) <sup>33</sup>	-	0	0	0
Manual coming and leaving home function	•	•	-	•
Automatic coming and leaving home function	-	-	•	-
Front electric windows	•	•	-	-
Front and rear electric windows	0	0	•	•
Electric exterior mirrors	•	•	•	•
Electric and heated exterior mirrors	0	•	•	•
Electric, heated and foldable exterior mirrors with parking postition and co driver with lowering function	-	0	•	•
12V in front	•	•	•	-
12V in front and 2 side covers in boot (right and left)	-	-	-	•
Two reading lights in front, two in rear and light in boo	t •	•	•	•
Reading lights (front and rear) with ambient spots, boot lights and illuminated foot area	_	-	•	•
Illuminated glove box	-	•	•	•
Controls in PUR Multifunction steering wheel <sup>34</sup>	•	-	_	-
Paddles in steering wheel for DSG engine	_	_	0	0
Gear recommendation indicator	•	•	•	•
Gearbox with longer ratios	_	_	_	_
Central locking with radio remote control (two foldable keys) and interior controls	•	•	-	•
Kessy <sup>35</sup> (Keyless entry and go) and My Beat without safe function	_	0	•	0
Kessy <sup>36</sup> (Keyless entry and go) and My Beat with safe function	-	0	-	0
Alarm (Includes safe function)	0	0	0	0
Fully Digital Cluster <sup>37</sup>	-	0	0	0
Med 3,5" monochrome instrument cluster with on board computer	•	•	•	•



- Not available

38 Requires Controls in steering wheel PUR (PLA).

39 Requires Cartography (PZ1 or PZ2).

40 Requires SEAT Navi System (ZN3). 41 Requires SEAT Navi System Plus (ZN4).

42 Requires Emergency spare wheel 18" minispare except for 1.0 Eco TSI. Not compatible with storage box under driver's seat.

Not compatible with CNG engines.

Requires either of SEAT Media System Plus (ZB8) or SEAT Navi System (ZN3).
 Requires SEAT Media System Plus (ZB8) or either Navi Systems.
 Heated mirrors are standard for Style, Xcellence and FR trims.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Electronics	Reference	Style	Xcellence	FR
SEAT Media System Colour <sup>38</sup> : 5" Colour touch screen Sound features: MP3/WMA Connectivity: USB/SD card/Bluetooth® (phone and audio streaming)/AUX-in 6 speakers	•	•	-	-
SEAT Media System Plus: 8" Smart touch display Sound features: MP3/WMA Connectivity: 2× USB (Apple chip) /SD card/CD/AUX-in/Bluetooth® 8 speakers Voice recognition Two additional charge-only USBs in rear	-	0	•	•
SEAT Navi System <sup>39</sup> : 8" Smart touch display Sound features: MP3/WMA Connectivity: 2× USB (Apple chip) /2×SD card/CD/AUX-in/Bluetooth® 8 speakers Voice recognition with navigation functionality 2 additional charge-only USBs in rear	-	0	0	0
Cartography Europe <sup>40</sup> (SD Card without Mapcare)	_	0	0	0
Cartography Europe <sup>40</sup> (SD Card with Mapcare)	_	0	0	0
SEAT Navi System Plus: 8" Smart touch display Sound features: MP3/WMA Connectivity: 2×USB (Apple chip) /2×SD card/DVD/AUX-in/Bluetooth® [phone and audio streaming] /WLan connectivity and 8 speakers Voice recognition with navigation functionality SEAT Full Link, SMS, e-mail, Real/3D Navigation, HDD 10Gb, Media Control functionality and Cartography included, 2 additional charge-only USBs in rear	-	Ο	0	0

Electronics	Reference	Style	Xcellence	FR
Cartography Europe <sup>41</sup> (with Mapcare)	_	0	0	0
Digital Audio Broadcasting (DAB)	0	0	0	0
BeatsAudio™ incl. 10 speakers <sup>42</sup>	_	0	0	0
SEAT Full Link Technology⁴3: MirrorLink™, Apple CarPlay™ and Android Auto™	-	0	0	0
Connectivity box: Wireless mobile phone charger + mobile signal amplifier <sup>4,4</sup>	-	0	0	0
Rear parking distance control	0	0	•	0
Front and rear parking distance control (OPS)	_	0	0	0
Rear view camera	_	0	0	0
SEAT Drive Profile: Steering response, throttle response and gear shifts mode (Only with DSG)	-	-	-	•
Convenience Pack: Electrochromic interior rear view mirror with rain and light sensor, Automatic coming and leaving home function and windshield wiper control	-	0	•	0
LED Interior Illumination Pack: Front and rear LED reading lights with ambient spots LED make-up lights, front and rear LED lights in footwell, LED glovebox, LED illumination on the center console area and LED boot lights	ò, –	0	•	0
<b>Design Pack - Lifestyle:</b> Fog lamps with cornering function, Design 16" 30/1 and Controls in steering wheel	0	-	-	-
Winter Pack: Heated front seats, head lamp washer, heated wash water and heated mirrors <sup>45</sup>	0	0	0	0

#### Standard

O Optional

- Not available
- <sup>1</sup> Standard for EU28.
- <sup>2</sup> Not available for countries with special road conditions nor with Adaptive Cruise Control (WAC).
- <sup>3</sup> Only for DSG engines. Not available for countries with special road
- conditions nor with Front Assist (PDQ).
- <sup>4</sup> Requires Convenience Pack (PSS).
- 5 Requires Convenience Pack (PSS) and either of SEAT Navi System (ZN3) or SEAT Navi System Plus (ZN4).
- <sup>6</sup> Requires convenience Pack (PSS). Not available for countries
- with special road conditions.
- Requires Convenience Pack (PSS) and either of SEAT Navi System (ZN3) or SEAT Navi System Plus (ZN4). Not available for countries with special road conditions.
- <sup>8</sup> Not available with 4Drive engines.
- 9 Requires XDS and Auto Hold.
- <sup>10</sup> Not available for countries with special road conditions.
- <sup>11</sup> Not available in combination with CNG engines.
- <sup>12</sup> Not availabe in combination with CNG engines. Requires Towing hook from factory (WGR).
- <sup>13</sup> Visible double exhaust pipes with 4Drive engines for Style.
- <sup>14</sup> With specific design (hotstamping) for Xcellence.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Safety	Reference	Style	Xcellence	FR
6 Airbags (2 front, 2 front side and 2 curtain)	•	•	•	•
Front seat-belt reminder	•	•	•	•
ISOFIX and Top Tether child seat anchors	•	•	•	•
Automatic Post-Collision Braking System	•	•	•	•
ASR and ABS	•	•	•	•
ESC and Direct tyre pressure monitoring system	•	•	•	•
XDS and Auto Hold	0	•	•	•
Passenger airbag deactivation <sup>1</sup>	•	•	•	•
Knee airbag¹ (Includes passenger airbag deactivation)	•	•	•	•
Front Assist with city emergency braking function <sup>2</sup>	0	0	0	0
Adaptive Cruise Control (ACC) <sup>3</sup> with Front Assist, Pedestrian Protection	-	0	0	0
Electronic Cruise Control System (CCS)	•	•	•	•
Electronic Cruise Control System (CCS) with indicators in cluster	0	-	•	-
Comfort Pack: Cruise Control System (CCS) electronic and rear parking distance control	-	0	0	0
Driving Assistance Pack 14: Monovideocamara (High Beam Assist and Lane Assist	-	0	0	0
Driving Assistance Pack 2 <sup>5</sup> : Driving Assistance Pack 1 (High Beam Assist and Lane Assist) and Traffic Sign Recognition	-	0	0	0
Advanced Comfort and Driving Pack 1 <sup>6</sup> (Only for DSG): Driving assistance pack 1 (High Beam Assist and Lane Assist), Adaptive Cruise Control (ACC), Front Assist with Pedestrian Protection and Stop&Go, Traffic Jam Assist and Emergency Assist	-	0	0	0
Advanced Comfort and Driving Pack 27 (Only for DSG): Driving assistance pack 2 (High Beam Assist, Lane Assist and Traffic Sign Recognition), Adaptive Cruise Control (ACC), Front Assist with Pedestrian Protection and Stop&Go, Traffic Jam Assist and Emergency Assist	-	0	0	0

Safety	Reference	Style	Xcellence	FR
Dynamic and Comfort Pack: Dynamic Chassis Control (DCC), Progressive steering and Sport-HMI <sup>s</sup>	_	=	0	0
Safety Pack Seat belt reminder (front and rear seats) and Tiredness Recognition System <sup>9</sup>	0	0	0	0
Exterior				
Urban 15" steel wheels <sup>10</sup>	•	-	_	-
Urban 16" steel wheel <sup>10</sup>	0	-	_	-
Design 16" 30/1 alloy wheels <sup>10</sup>	0	-	-	-
Design 16" 30/2 alloy wheels	-	•	-	-
Dynamic 17" 30/1 alloy wheels <sup>10</sup>	-	-	•	-
Dynamic 17" 30/2 Glossy Grey alloy wheels <sup>10</sup>	-	-	•	-
Dynamic 17" 30/2 alloy wheels <sup>10</sup>	-	-	-	•
Dynamic 17" 30/3 alloy wheels <sup>10</sup>	-	0	-	-
Dynamic 17" 30/4 Atom Grey alloy wheels <sup>10</sup>	-	0	-	-
Dynamic 17" 30/4 High Gloss alloy wheels <sup>10</sup>	-	-	0	-
Performance 18" 30/1 alloy wheels <sup>10</sup>	-	-	-	0
Performance 18" 30/2 Machined alloy wheels <sup>10</sup>	-	-	-	0
All season tyres <sup>11</sup>	0	0	0	0
Emergency wheel 16" minispare <sup>11</sup>	0	0	0	0
Emergency wheel 18" minispare <sup>12</sup>	0	0	0	0
Exterior mirrors and door handles in body colour	•	•	•	•
Hidden exhaust pipe <sup>13</sup>	•	•	-	-
Visible double exhaust pipe <sup>13</sup>	-	<b>-/●</b>	•	•
Comfort suspension	•	•	•	-
FR Suspension	-	-	=	•
Chromed radiator grill frame <sup>14</sup>	•	•	•	•
High gloss black in B and C pillar	•	•	•	•

Standard

O Optional

- Not available

15 Not available in combination with Towing hook from factory (WGR).

Requires Emergency wheel 18" minispare (PG6). Not available with CNG engines, nor with Towing hook preinstallation (PRP).

<sup>17</sup> Includes LED Interior Illumination Pack (PLP) for Style and FR.

<sup>18</sup> Requires LED Interior Illumination Pack (PLP) and Convenience Pack (PSS).

<sup>19</sup> With specific design for Xcellence and FR.

Contact your local dealership to confirm availability. Storage box under driver's seat is not available when combined with BeatsAudio™ (PNB).

Olncludes the Interior Design Pack. Requires Climatronic 2 zones with Air Care (WH2).

22 Storage box under driver's seat is not available when combined

with BeatsAudio™(PNB). 23 Includes the Interior Design Pack. Requires Climatronic 2 zones with Air Care (WH2), Rear electric windows (PE6) and Foldable exterior mirrors (PFB)

24 Requires Divider net (PCP).

Not available with Leather Black sport seats (WL1) and Alcantara® Black sport seats (WL3).

Requires Leather Black sport seats (WL1) and Alcantara® Black sport seats (WL3) and Winter Pack. Not available with box under seat.

<sup>27</sup> Not compatible with BeatsAudio™ (PNB).

<sup>28</sup> With MuFu for DSG engines.

29 Reference: When combined with Storage Pack, brake is electronic.

With Reference includes Box under driver seat, High central console, front armrest and air outlet rear. With Style, Xcellence and FR includes Box under passenger seat and divider net. Not available for TGI engines. Box under driver's seat is not available when combined with BeatsAudio<sup>™</sup> (PNB).

<sup>31</sup> LED front fog lamps and Full LED rear lamps are standard for Xcellence and FR.

32 Standard for DSG engines.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Exterior	Reference	Style	Xcellence	FR
Towing hook preinstallation <sup>15</sup>	0	0	0	0
Towing hook from factory <sup>16</sup>	0	0	0	0
Panoramic sunroof <sup>17</sup>	0	0	0	0
Black roof rails	•	0	0	0
Chromed roof rails	_	•	•	•
Specific FR bumpers	=	-	_	•
FR logo on boot	-	-	-	•
Dark tinted rear windows	0	0	•	•
<b>Aerodynamic pack:</b> Side and rear spoilers	-	-	-	-
Chromed exterior pack: Chromed frame in side windows	-	-	•	0
Interior				
Black roof interior <sup>18</sup>	=	-	0	0
Chromed interior pack	-	•	•	•
Chrome interior pack with decorative mouldings	-	-	•	•
Chromed Ladekante	-	•	•	•
Front comfort seats	•	•	-	-
Front sport seats <sup>19</sup>	-	-	•	•
Alcantara® Black sport seats with Black interior ²0: Height, lumbar adjustment, seat back storage, box under passenger and driver seat	-	O 21	O 19	O 19
Leather Black sport seats with Black interior and Winter Pack (PW1): Height, lumbar adjustment, seat back storage, box under passenger and driver seat <sup>22</sup>	<del>-</del>	O <sup>23</sup>	O 19	O 19
Manual height adjustment for left front seat	•	•	•	•
Manual height adjustment for front seats	0	•	•	•
Manually adjustable lumbar support for left front seat	-	•	•	•
Manually adjustable lumbar support in front seats	-	-	•	•
Front and rear head restraints	•	•	•	•
Easy back seat release <sup>24</sup>	•	•	•	•
Foldable Passenger seat <sup>25</sup>	•	•	•	•

Interior	Reference	Style	Xcellence	FR
Electric driver seat <sup>26</sup> : Height, length, inclination and lumbar adjustment	-	0	0	0
Driver and passenger bag in front seat backrest	=	•	•	•
Box under driver seat <sup>27</sup>	=	•	•	•
Rear door curtains	=	-	•	-
Double floor in boot	•	•	•	•
Sliding boot cover	•	•	•	•
Driver and passenger sun visor, covered mirror, driver with card holder	•	•	•	•
Driver and passenger sun visor, covered and iluminated mirror, driver with card holder	-	•	•	•
Boot: 12V + 2 side covers (right & left)	•	•	•	•
Divider net	0	0	0	0
Without center armrest in front	•	-	-	
Center armrest in front, with integrated cupholder, armrest, and air outlets <sup>28</sup>	-	•	•	•
Rear armrest	•	•	•	•
PUR Multifunction steering wheel	0	-	_	
Leather Multifunction steering wheel and gear shift knob <sup>19</sup>	-	•	•	•
Servotronic	•	•	•	•
Air conditioning	•	•	-	-
Climatronic 2 zones with Air Care	0	0	•	•
Warning buzzer when lights on (interior)	•	•	•	•
Manual Parking Brake <sup>29</sup>	•	-	-	
Electric Parking Brake (EPB), including Auto-Hold function	-	•	•	•
LED Door panel illumination multicolour (Ambient Lights)	_	-	•	•
Illuminated scuff plates in door apertures <sup>19</sup>	_	-	•	•
Family Pack: Rear door curtains and Table at back rest of front seat	-	0	-	-
Storage Pack <sup>30</sup>	0	0	0	0

Electronics	Reference	Style	Xcellence	FR
Halogen headlamps with Daytime Running Lights (DRL)	•	-	-	-
Halogen headlamps with LED Daytime Running Lights (DRL)	0	•	•	•
Halogen rear lamps	•	•	-	-
Full LED rear lamps (number plate LED light)	-	-	•	•
Halogen fog lamps with cornering function	0	0	-	-
LED front fog lamps	-	-	•	•
SEAT Full LED: LED headlamps with LED Daytime Running Lights [DRL] and SEAT LED Highway Assist, LED front fog lamps without cornering lights and Full LED rear lamps (number plate LED light) <sup>31</sup>	-	0	0	0
Manual coming and leaving home function	•	•	-	•
Automatic coming and leaving home function	_	-	•	-
Front electric windows	•	•	-	-
Front and rear electric windows	0	0	•	•
Electric exterior mirrors	•	•	•	•
Electric and heated exterior mirrors	0	•	•	•
Electric, heated and foldable exterior mirrors with parking postition and co driver with lowering function	-	0	•	•
12V in front	•	•	•	•
12V in front and 2 side covers in boot (right and left)	-	-	-	-
Two reading lights in front, two in rear, including boot illumination	•	•	•	•
Reading lights (front and rear) with ambient spots, boot lights and illuminated foot area	-	-	•	0
Illuminated glove box	-	•	•	•
Controls in PUR Multifunction steering wheel <sup>32</sup>	●/○		-	
Paddles in steering wheel for DSG engine	-	-	0	0
Gear recommendation indicator	•	•	•	•
Central locking witrh radio remote control (two foldable keys) and interior controls	•	•	-	•

#### Standard

O Optional

- Not available

Not available with Alarm (WAS).Requires Alarm (WAS).

Requires minimum Media System Plus. Not compatible with CNG Engines.
 Requires Controls in steering wheel PUR (PLA).
 Requires Cartography (PZ1 or PZ2).
 Requires SEAT Navi System (ZN3).

39 Requires SEAT Navi System Plus (ZN4).

40 Requires emergency spare wheel 18" minispare except for 1.0 Eco TSI. Not compatible with storage box under driver's seat. Not compatible with CNG engines.

41 Requires either of SEAT Media System Plus (ZB8) or SEAT Navi System (ZB3).
42 Requires SEAT Media System Plus (ZB8) or either Navi Systems.

Standard with DSG engines.

43 Heated mirrors are standard for Style, Xcellence and FR.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Electronics	Reference	Style	Xcellence	FR
Kessy <sup>33</sup> (Keyless entry and go) and My Beat without safe function	_	0	•	0
Kessy³4 (Keyless entry and go) and My Beat with safe function	-	0	-	0
Alarm (Includes safe function)	0	0	0	0
Fully Digital Cluster <sup>35</sup>	-	0	0	0
Med 3,5" monochrome instrument cluster with on board computer	•	•	•	•
SEAT Media System Colour <sup>36</sup> : 5" Colour touch screen + Sound features: MP3/ WMA + Connectivity: USB/SD card/Bluetooth® + 6 speakers	•	•	•	•
SEAT Media System Plus: 8" Smart touch display + Sound features: MP3/WMA + Connectivity: 2× USB (Apple chip)/SD card/CD/ AUX-in/Bluetooth® + 8 speakers + Voice recognition + Two additional charge-only USBs in rear	-	0	•	•
SEAT Navi System <sup>37</sup> incl. SEAT 8" Smart touch display + Sound features: MP3/WMA + Connectivity: 2×USB (Apple chip)/2×SD card/CD/ AUX-in/Bluetooth® + 8 speakers + Voice recognition with navigation functionality + 2 additional charge -only USBs in rear	-	0	0	0
Cartography Europe <sup>38</sup> (SD Card without Mapcare)	=	0	0	0
Cartography Europe <sup>38</sup> (SD Card with Mapcare)	-	0	0	0
SEAT Navi System Plus incl. SEAT:  8" Smart touch display - Sound features: MP3/ WMA + Connectivity: 2×USB (Apple chip)/2×SD card/DVD/AUX-in/Bluetooth® (phone and audio streaming)/WLan connectivity and 8 speakers + Voice recognition with navigation functionality + SEAT Full Link, SMS, e-mail + Real/3D Navigation, HDD 10Gb, Media Control functionality and Cartography included, 2 additional charge-only USBs in rear	-	0	0	0
SEAT Full LED: LED headlamps with LED Daytime Running Lights (DRL) and SEAT LED Highway Assist, LED front fog lamps without cornering lights and Full LED rear lamps (number plate LED light)	-	0	0	0

Elect	ronics
Carto	graphy Europe <sup>39</sup> (with Mapcare)
Digita	l Audio Broadcasting (DAB)
Beats/	Audio™ incl. 10 speakers <sup>40</sup>
SEAT F Apple	Full Link Technology <sup>41</sup> : MirrorLink™, CarPlay™ and Android Auto™
Conne charge	ectivity box: Wireless mobile phone er + mobile signal amplifier <sup>42</sup>
Rearp	arking distance control
Front c	and rear parking distance control (OPS)
Rear v	iew camera
Steer	Drive Profile: ing response, throttle response lear shifts mode (Only with DSG)
Electr and li	enience Pack: ochromic interior rear view mirror with ra ght sensor, Automatic coming and leavin function and windshield wiper control
Front with c and re LED il	Iterior Illumination Pack: and rear LED reading lights Imbient spots, LED make-up lights, front ear LED lights in footwell, LED glovebox, lumination on the center console area ED boot lights
Foglo	n Pack - Lifestyle: amps with cornering function, in 16" 30/1 and Controls in steering whee
Heate	er <b>Pack:</b> ed front seats, head lamp washer, ed wash water and heated mirrors <sup>43</sup>

Reference Style Xcellence FR

0

0

0

0

0 0/●

0 0 0 0

0

0

0

0

0

0 0

0

0

## Leon CUPRA.



- Not available
- <sup>1</sup> Standard for EU28.
- Not available in combination with BeatsAudio™ (PNB).
- 3 Not available with Electric seats (PFZ).
- Storage box under driver's seat is not available when combined with BeatsAudio™ (PNB).

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Safety	CUPRA 5D	CUPRA SPORTOURER ST
6 Airbags (2 front, 2 front side and 2 curtain)	•	•
Front seat-belt reminder	•	•
ISOFIX and Top Tether child seat anchors	•	•
Automatic Post-Collision Braking System	•	•
ASR and ABS	•	•
ESC, XDS and Tyre pressure monitoring system	•	•
Electronic Cruise Control System (CCS) with indicators in cluster	•	•
ESC Switch off key	•	•
Rear side airbag	0	0
Passenger airbag deactivation <sup>1</sup>	•	•
Knee airbag¹	•	•
Safety Pack: Seat belt reminder (front and rear seats) and Tiredness Recognition	0	0
Exterior  CUPRA 19" 30/2 Black High Gloss alloy wheels	•	•
Emergency wheel 18" minispare	•	•
Ventilated front and rear disc brakes with black calipers and CUPRA lettering	•	•
Black exterior mirrors	•	•
Glossy Black radiator grill frame	•	•
Specific CUPRA Suspension	•	•
Specific CUPRA bumpers	•	•
CUPRA lettering on boot	•	•
High gloss black in B and C pillar	•	•
Visible oval exhaust pipe (both sides)	•	•
Electric sunroof (Panoramic for Leon Sportourer ST)	0	0
Dark tinted rear windows	•	•
LED Door panel illumination multicolour (Ambient Lights)	•	•

Interior	CUPRA 5D	CUPRA SPORTOURER S
Black interior roof	•	•
Chrome interior pack with decorative mouldings	•	•
Black Interior Pack: glossy black mouldings on air vents and central console frame	0	0
Front sport seats (Top Alcantara® Black and simil leather with grey stitching)	•	•
Leather Black sport seats with Black interior and Winter Pack (PW1): Includes Electric driver seat (height, length, inclination and lumbar) without memory <sup>2</sup>	0	0
Bucket sport seat with Black interior <sup>3</sup> : Seat heating without lumbar adjustment	0	0
Manual height adjustment for front seats	•	•
Manually adjustable lumbar support in front seats	•	•
Luggage pockets on front seat backrests	•	•
Easy back seat release	-	•
Front and rear headrests	•	•
Rear seats backrest 1/3 and 2/3 split folding and reclining with rear armrest	•	•
Rear armrest	•	•
Box under driver and passenger seat <sup>4</sup>	•	•
Left side net in boot	•	-
Driver and passenger sun visor, covered and iluminated mirror, driver with card holder	•	•
Center armrest in front, with integrated cupholder, armrest, and air outlets	•	•
Electric Parking Brake (EPB)	•	•
Progressive steering	•	•
Leather multifunction steering wheel with CUPRA design and leather gear shift knob	•	•
Cargo rings in boot	•	-
Double floor in boot	0	•
Sliding boot cover	_	•
Warning buzzer when lights on (interior)	•	•
·		<u> </u>

## Standard

O Optional - Not available

<sup>5</sup> Not available with Panoramic sunroof (PTC).

<sup>6</sup> Requires Leather Black sport seats (WL1) or Alcantara® Black sport

seats (WL3) seats and Winter Pack. Not available with box under seat.

<sup>7</sup> Requires Cartography (PZ1 or PZ2).

8 Requires SEAT Navi System (ZN3).

9 Requires SEAT Navi System Plus (ZN4). <sup>10</sup> Not compatible with storage box under driver's seat.

11 Not available with Alarm (WAS).

12 Requires Alarm (WAS).

13 Front differential lock (VAQ) and Dynamic Chassis Control (DCC)

not available for countries with special road conditions.

14 Requires Rear parking distance control (PAK)

or Front and rear parking distance control (OPS) (PK2). 15 Not available for countries with special road conditions

nor with Adaptive Cruise Control (WAC).

16 Not available for countries

with special road conditions nor with Front Assist (PDQ)

<sup>17</sup> Dynamic Chassis Control (DCC) not available for countries

with special road conditions.

<sup>18</sup> Not available for countries with special road conditions.

<sup>19</sup> Requires either of SEAT Navi System (ZN3) or SEAT Navi System Plus (ZN4). Not available for countries with special road conditions.

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Interior	CUPRA 5D	CUPRA SPORTOURER ST
Climatronic 2 zones with Air Care	•	•
Pedals in aluminium cover	•	•
Illuminated CUPRA scuff plates in door apertures	•	•
Divider net <sup>5</sup>	•	•
Electric driver seat <sup>6</sup> : Height, length, inclination and lumbar without memory	-	•
Electronics		
Automatic coming and leaving home function	•	•
Front electric windows	•	•
Rear electric windows	•	•
Electric, heated and foldable exterior mirrors with parking postition and co driver with lowering function	•	•
12V in front	•	•
12V in front and 2 side covers in boot (right and left)	=	•
Illuminated glove box	•	•
Central locking witrh radio remote control (two foldable keys) and interior controls	•	•
Digital Cockpit	•	•
SEAT Navi System?: 8" Smart touch display + Sound features: MP3/WMA + Connectivity: 2×USB (Apple chip)/2×SD card/CD/AUX-in/ Bluetooth® + 8 speakers + Voice recognition with navigation functionality + 2 additional charge-only USBs in rear	•	•
Cartography Europe <sup>8</sup> (SD Card without Mapcare)	•	•
Cartography Europe <sup>8</sup> (SD Card with Mapcare)	0	0

Electronics	CUPRA 5D	CUPRA SPORTOURER ST
SEAT Navi System Plus:  8" Smart touch display + Sound features: MP3/WMA + Connectivity: 2×USB (Apple chip)/2×SD card/DVD/AUX-in/Bluetooth® (phone and audio streaming)/WLan connectivity and 8 speakers + Voice recognition with navigation functionality + SEAT Full Link + SMS, e-mail + Real/3D Navigation + HDD 10Gb, Media Control functionality and Cartography included, 2 additional charge-only USBs in rear	0	0
Cartography Europe <sup>9</sup> (with Mapcare)	0	0
Digital Audio Broadcasting (DAB)	0	0
BeatsAudio™ incl. 10 speakers¹0	0	0
Bluetooth® (phone and audio streaming)	•	•
SEAT Full Link Technology: MirrorLink™, Apple CarPlay™ and Android Auto™	0	0
Connectivity box: Wireless mobile phone charger + mobile signal amplifier	0	0
Kessy <sup>11</sup> (Keyless entry and go) and My Beat without safe function	0	0
Kessy <sup>12</sup> (Keyless entry and go) and My Beat with safe function	0	0
Alarm and Safe function	0	0
Paddles in steering wheel	•	•
Sport-HMI	•	•
Front differential lock <sup>13</sup> (VAQ)	•	•
Rear parking distance control	0	0
Front and rear parking distance control (OPS)	0	0
Rear view camera <sup>14</sup>	0	0
Ambient traffic monitoring (Front Assist) with city emergency braking function <sup>15</sup>	0	0
Adaptive Cruise Control <sup>16</sup> (ACC) with Autonomous Break (Front Assist) with Pedestrian Protection and Stop&Go	0	0
SEAT Full LED: LED headlamps with LED DRL and SEAT LED Highway Assist, LED front fog lamps with out cornering lights and Full LED rear lamps (number plate LED light)	•	•
CUPRA Drive Profile: Steering response, throttle response, gear shifts mode, sound actor and Adaptive Chassis Control (DCC) <sup>17</sup>	•	•

Electronics	CUPRA 5D	CUPRA SPORTOURER ST
LED Interior Illumination Pack: Reading lights (front and rear) with ambient spots, make-up lights, foot area, boot lights, center console area and LED boot lights	•	•
Convenience Pack: Electrochromic interior rear view mirror with rain and light sensor, Automatic coming and leaving home function and windshield wiper control	•	•
<b>Driving Assistance Pack 1:</b> Monovideocamara (High Beam Assist and Lane Assist)	0	0
Driving Assistance Pack 2 <sup>10</sup> : Driving Assistance Pack 1 (High Beam Assist and Lane Assist) and Traffic Sign Recognition	0	0
Advanced Comfort and Driving Pack 1 <sup>18</sup> : Driving assistance pack 1 (High Beam Assist and Lane Assist), Adaptive Cruise Control (ACC), Front Assist with Pedestrian Protection and Stop&Go, Traffic Jam Assist and Emergency Assist.	0	0
Advanced Comfort and Driving Pack 2 <sup>19</sup> : Driving assistance pack 2 (High Beam Assist, Lane Assist and Traffic Sign Recognition), Adaptive Cruise Control (ACC), Front Assist with Pedestrian Protection and Stop&Go, Traffic Jam Assist and Emergency Assist.	0	0
<b>Winter Pack:</b> Heated front seats, head lamp washer, heated wash water and heated mirrors	0	0

## Accessories Leon.

## **CUPRA**

Machined Black 19" alloy wheel	5F0071499A KT2
Machined Silver 19" alloy wheel	5F0071499F 041
CUPRacer 19" black matt alloy wheel	5F0071499A 03C
Black Performance 19" alloy wheel	5F0071490A KT2
Spoiler in carbon fibre	5F0071641
Front splitter in carbon fibre	5F0 071 606J
Blade side skirts with carbon fibre offset	5F0071685 GRU - 5F0071685A
· ·	·

## **CUPRA performance pack**

Machined Black 19" alloy wheel	5F0071499A KT2
Machined Silver 19" alloy wheel	5F0071499F 041
Blade side skirts with black offset	5F0071685 GRU
Black Brembo calliper*	
Ontional: Michalin Dilat*	

#### Performance

Performance	
Black 18" alloy wheel	5F0071490 041
Sport Black 18" alloy wheel	5F0071498J 041
Anthracite 18" alloy wheel	5F0071490 79Y
Black 18" alloy wheel	5F0071490C 041
Dynamic Grey 18" alloy wheel	5F0071490 S7J
Titanium Grey 18" alloy wheel	5F0071490C LL7
CUPRacer Grey 18" alloy wheel	5F0071498C 1BC
CUPRacer Black 18" alloy wheel	5F0071498C 041
Black machined 18" alloy wheel	5F0071498D KT2
Sports Pedals (Left hand drive vehicles)	5F0064200
Footrest (Left hand drive vehicles)	5F0071750
Aerodynamic Kit -Front bumper lip FR	5F0071606G GRU
Aerodynamic Kit - Front bumper lip Xcellence/Style	5F0071606H GRU
Aerodynamic Kit - Blade side skirt	5F0071685 GRU
Aerodynamic Kit - Spoiler	5F0071606A
Aerodynamic Kit - Rear bumper	5F0071609
Aerodynamic Kit - Skirts	5F0071610
<u> </u>	·

<sup>\*</sup>Performance Pack components (optional as standard).

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

#### Transport 000071120HA Surfboard rack 000071129S Ski rack for 4 pairs or 2 snowboards Ski rack for 6 pairs or 4 snowboards 000071129T 5F0071100 Roof bars Tow bar bike rack 000071128G Bike rack 5F9071128 400l. Roof box 000071200T 420l. Roof box 000071200AB 450l. Roof box 000071180A 5F0803881D Towing hook 7-13 pin adapter 3R0055300 Ski rack xtender 000071129R Load-Stop rack 000071223 Towing ski rack 000071129L 000071128J Kit 3<sup>rd</sup> bike extension 000071128H Tow bar bike rack

### Exterior

Color hubcap - Mystery Blue	6F0071409C W5L
Color hubcap - Bismuth	5F0071409 UN6
Color hubcap - Desire Red	6F0071409C 0X1
Exterior Mirror covers - Black	6F0072530 041
Exterior Mirror covers - Bismuth	6F0072530 UN6
Exterior Mirror covers - Desire Red	6F0072530 0X1
Exterior Mirror covers - Mystery Blue	6F0072530 W5L
Hatchdoor moulding	5F0071360
Exterior decorative decals - Lines	5F0072525
Number plate holder with advertisement frame	000061640

## <u>Interior</u>

Interior mirror cover (STD) Black	6F0072540 041	
Interior mirror cover (STD) Bismuth	6F0072540 LZG	
Interior mirror cover (STD) Desire Red	6F0072540 0X1	
Interior mirror cover (STD) Mystery Blue	6F0072540 W5L	
Interior mirror cover (Electrochrome) Black	6F0072540A 041	
Interior mirror cover (Electrochrome) Bismuth	6F0072540A LZG	
·	•	-

## Interior

Interior mirror cover (Electrochrome) Desire Red	6F0072540A 0X1
Interior mirror cover (Electrochrome) Mystery Blue	6F0072540A W5L
Additional interior mirror	000084418A
Wintershield Sun blind	000064363
Thermal box extension cable	000065201
Thermal box transformer	000065202
Rear seat cooler	000065203
Espresso Machine	000069641
LED C5W 41 mm LED lighting for the vehicle interior	000052010B
LED T4W LED lighting for the vehicle interior	000052010C
LED C5W 36 mm LED lighting for the vehicle interior	000052010D
LED W5W LED lighting for the vehicle interior	000052010E
Hooks for headrests	000061126B
Clothes hanger	000061127B
Additional Interior Mirror	000084418A
Rear sun shade	5F0064365
Side sun shades	5F0064365A
Spherical stick shift 5sp - Aluminium	5F0064230
Spherical stick shift 6sp - Aluminium	5F0064230A
Spherical stick shift 5sp - Tornado Red	5F0064230B
Spherical stick shift 6sp - Tornado Red	5F0064230C
Aluminium dash decoration	5F0064713
Red dash decoration	5F0064713A
Carbon dash decoration	5F0064713B
Sill guard sheet	5F0071310
Inox side sills Desire Red	5F0071691H
Inox side sills Mystery Blue	5F0071691G
Illuminated sill guard	5F0071691
Stainless steel sill guard	5F0071691C
Spherical cup holder organiser	1SL061129A
Cup holder organiser	1SL061129

## Infotainment TomTom® START 42

TomTom® START 42	000051818AQ
TomTom® START 52	000051818AR
TomTom® GO 520	000051818CJ
TomTom® GO 620	000051818CK
GO 6200 Europe 45 countries (Lifetime maps)	000051818CM
GO 5200 Europe 45 countries (Lifetime maps)	000051818CL
TomTom® GO 62	000051818CE
TomTom® Support	6J0051991A
GPS ULTRA	000051818CG
Holder with magnetic suction cup	000051991K
Nextbase 101 Elite	000054731A
iPad® bracket	000061125A
iPad® Mini bracket	000061125B
iPad® Air bracket	000061125C
Galaxy Tab bracket	000061125D
Tetrax XWAY	000096320GMAAA
Tetrax SMART	000096320GMAAB
Tetrax FIX	000096320GMAAC
SEAT Full Link	5F0054830
Parrot® MiniKit Neo 2 HD - Black	000051473AE041
Parrot® MiniKit Neo 2 HD - Blue	000051473AENBP
Parrot® MiniKit Neo 2 HD - Red	000051473AES3H
Parrot® MiniKit Neo 2 HD - Green	000051473AES6A
Inductive charger	000051763Q
Universal smartphone support	000061129F
Navlet 10i Full HD Tablet + Support	000051232R
Charging cable for iPhone and Android smartphones	000051444AK

## Security

op Tether Safety Belt	3R0019900
Child safety Kidfix XP	000019906M
SOFIX Duo Plus	000019909G
EAT PEKE G1 I-Size Trifix	000019909F
EAT PEKE Peke GO I-Size Plus	000019907A
SOFIX Baby-safe Plus SHR II	000019907B
astening strap kit	000017770
CB alarm for klaxon	000054600

Headrest base carrier	000061122	
Anti-theft device for wheels	000071500	
Key finder Smart tracker	000087013	
Starter D3G5	000051763F	
5,000 mAh battery jump starter + charger	000051763H	
Car Power Bank has two	000051763J	
H7 lamp box	000052007B	
H7 Xenon bulb + 90%	000052007M	
Anti-Theft Detector Locator	000054620A	
Beeper parking sensor	000054752D	
Anti-theft screws for rims	000071510A	
nnovative, high quality reflective vest	000093056J	
Pack warning triangle (2 units)	000093600C	
Travel package	000093990AH	
Fog Lights Kit for new Leon	5F0052184	
Speed control system: Function activation pack for vehicles with controls in steering wheel	5F0054690	
Speed control system: Function activation pack for vehicles without controls in steering wheel	5F0054690A	
Front parking sensor kit - 4 sensors	5F0054752A	
Rear parking sensor kit - 4 sensors	5F0054752B	
13 - pin electric kit with pre-installation (PR 1M5) - for vehicles manufactured after w. 22/2014	5F0055204D	
Electric kit 13 pin without pre-installation - for vehicles manufactured after w. 22/2014	5F0055204E	
Tiredness recognition system	5F0060884B	
First-aid kit	6L0093000	
Safety dog harness - Size XL	000084310B	
Safety dog harness - Size L	000084310C	
Safety dog harness - Size M	000084310D	
Safety Dog Harness - Size S	000084310E	
Help flash	000052122A	
Kaza live alert smartwatch	000054635E	
15,000 mAh battery jump starter + charger	000051763H	

Snow chains:	
Autosock (195/65R15)	000091303D
Autosock (205/55R16)	000091375AB
Autosock (225/45R17)	000091375S
Autosock (225/40R18)	000091375S
Turisport (195/65R15)	000091303D
Turisport (205/55R16)	000091303E
Turisport (225/45R17)	000091375S
Turisport (225/40R18)	000091375S
Protection	
Sport Pack (Bag + Towel + Water Bottle + Key fob)	000051763L
Rear seats protection for pets	000061609C
Luggage compartment cover	000061609D
Air compressor (tyre shape)	000071716A
Tyre cover	000071770C
Ventilation grille support	6J0051700F
Key cover - FR	000087013AE
Key cover - SEAT logo	000087013AF
Key cover - CUPRA	000087013AJ
Key cover - Leon	000087013T
Foil boot protector	5F0061197
Luggage compartment protective tray	5F9061205
Luggage compartment protective FOAM shelf	5F0061205G
Reversible boot mat	5F0061210B
Cargo area separation grille	5F9061205B
Boot organiser	1SL061205
Luggage compartment net	5P5861873
SERIES floor mat set	5F0863011 LOE
Set of black rubber mats	5F0061500 041
Velpic® black floor mat set	5F0061675 041
Red car cover	5F0061701
Black car cover	5F0061701A
Front mudflaps	5F0075111
Rear mudflaps	5F0075101B

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Electric air freshener	000091500
Limoncello air freshener	000091500B
Insilver & Limoncello refill air freshener	000091500D
Insilver Passion refill air freshener	000091500E
Mixt fruit refill air freshener	000091500FM
Red fruits refill air freshener	000091500FR
Mild herbs air freshener refill	000091500HS
Alize aroma air freshener	000091500L
Calima aroma air freshener	000091500M
Fresh mint refill air freshener	000091500MC
Mistral aroma air freshener	000091500N
Sirocco aroma air freshener	000091500P
Zephyros aroma air freshener	000091500Q
lce Scraper	000096010C
Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300 ml concentrated shampoo	000096320GFAAB
300 ml windscreen wash	000096320GFAAD
Summer maintenance kit	000096354B
Winter maintenance kit	000071980BPADA
Touch-up pencil White	000098500LB9A
Touch-up pencil Mediterraneo Blue	000098500L 511
Touch-up pencil Boheme Purple	000098500LML4U
Touch-up pencil Mystery Blue	000098500LMW5L
Touch-up pencil Estrella Silver	000098500LMX7W
Touch-up pencil Midnight Black	000098500LMY9T
Touch-up pencil Nevada White	000098500LMS9R
Touch-up pencil Desire Red	000098500LM0X1
Touch-up pencil Magnetic Tech	000098500LMS7H

Child car seats	Age (approximate)
SEAT PEKE Peke GO I-Size Plus	Up to 15 months
ISOFIX Baby-safe Plus SHR II	Up to 15 months
SEAT PEKE G1 I-Size Trifix	9 months to 4 years
ISOFIX Duo Plus	9 months to 4 years
Child safety Kidfix XP	4 to 12 years

Machined Black 19" alloy wheel	5F0071499A KT2
Machined Silver 19" alloy wheel	5F0071499F 041
CUPRacer 19" black matt alloy wheel	5F0071499A 03C
Black Performance 19" alloy wheel	5F0071490A KT2
Spoiler in carbon fibre	5F4071641
Front splitter in carbon fibre	5F0 071 606J
Rear diffuser in carbon fibre	5F4071611
Blade side skirts with carbon fibre offset	5F0071685 GRU - 5F0071685A
CUPRA performance pack	
Machined Black 19" alloy wheel	5F0071499A KT2
Machined Silver 19" alloy wheel	5F0071499F 041
Blade side skirts with black offset	5F0071685 GRU
Black Brembo calliper*	
Optional: Michelin Pilot*	
Performance	
Black 18" allowwheel	5F0071490 041

Performance	
Black 18" alloy wheel	5F0071490 041
Sport Black 18" alloy wheel	5F0071498J 041
Anthracite 18" alloy wheel	5F0071490 79Y
Black 18" alloy wheel	5F0071490C 041
Dynamic Grey 18" alloy wheel	5F0071490 S7J
Titanium Grey 18" alloy wheel	5F0071490C LL7
CUPRacer Grey 18" alloy wheel	5F0071498C 1BC
CUPRacer Black 18" alloy wheel	5F0071498C 041
Black machined 18" alloy wheel	5F0071498D KT2
Sports Pedals (Left hand drive vehicles)	5F0064200
Footrest (Left hand drive vehicles)	5F0071750
Aerodynamic Kit - Front bumper lip FR	5F0071606G GRU
Aerodynamic Kit - Front bumper lip Xcellence/Style	5F0071606H GRU
Aerodynamic Kit - Blade side skirt	5F0071685 GRU
-	-

Our global range of cars and product specifications varies from country to country.
Please, visit your local SEAT website to know more about the product offer available for you.

Surfboard rack	000071120HA
Ski rack for 4 pairs or 2 snowboards	000071129S
Ski rack for 6 pairs or 4 snowboards	000071129T
Roof bars	5F9071101
Roof bars THULE	5F9071151
Tow bar bike rack	000071128G
Bike rack	5F9071128
400l. Roof box	000071200T
420l. Roof box	000071200AB
450l. Roof box	000071180A
Towing hook	5F0803881D
7-13 pin adapter	3R0055300
Ski rack xtender	000071129R
Load-Stop rack	000071223
Towing ski rack	000071129L
Kit 3 <sup>rd</sup> bike extension	000071128J
Tow bar bike rack	000071128H
Exterior	
Color hubcap - Mystery Blue	6F0071409C W5L
Color hubcap - Bismuth	5F0071409 UN6
Color hubcap - Desire Red	6F0071409C 0X1
Exterior Mirror covers - Black	6F0072530 041
Exterior Mirror covers - Bismuth	6F0072530 UN6
Exterior Mirror covers - Desire Red	6F0072530 0X1
Exterior Mirror covers - Mystery Blue	6F0072530 W5L
Hatchdoor moulding	5F0071360
Number plate holder with advertisement frame	000061640
Interior	
Interior mirror cover (STD) Black	6F0072540 041
Interior mirror cover (STD) Bismuth	6F0072540 LZG
Interior mirror cover (STD) Desire Red	6F0072540 0X1
	6F0072540 W5L
Interior mirror cover (5 I D) Mystery Blue	
Interior mirror cover (STD) Mystery Blue Interior mirror cover (Electrochrome) Black	6F0072540A 041
	6F0072540A 041 6F0072540A LZG

#### Interior Interior mirror cover (Electrochrome) Mystery Blue 6F0072540A W5L Wintershield Sun blind 000064363 Thermal box extension cable 000065201 000065202 Thermal box transformer 000065203 Rear seat cooler Espresso Machine 000069641 LED C5W 41 mm LED lighting for the vehicle interior 000052010B 000052010C LED T4W LED lighting for the vehicle interior LED C5W 36 mm LED lighting for the vehicle interior 000052010D LED W5W LED lighting for the vehicle interior 000052010E Hooks for headrests 000061126B Clothes hanger 000061127B 000084418A Additional interior mirror Spherical stick shift 5sp - Aluminium 5F0064230 Spherical stick shift 6sp - Aluminium 5F0064230A 5F0064230B Spherical stick shift 5sp - Tornado Red Spherical stick shift 6sp - Tornado Red 5F0064230C Aluminium dash decoration 5F0064713 Red dash decoration 5F0064713A Carbon dash decoration 5F0064713B 5F0071310 Sill guard sheet 5F0071691 Illuminated sill guard 5F0071691C Stainless steel sill guard Spherical cup holder organiser 1SL061129A Cup holder organiser 1SL061129 Infotainment Tomtom® START 42 000051818AQ Tomtom® START 52 000051818AR Tomtom® GO 520 000051818CJ Tomtom® GO 620 000051818CK GO 6200 Europe 45 countries (Lifetime maps) 000051818CM GO 5200 Europe 45 countries (Lifetime maps) 000051818CL Tomtom® GO 62 000051818CE Tomtom® Support 6J0051991A GPS ULTRA 000051818CG Holder with magnetic suction cup 000051991K 000054731A

Nextbase 101 Elite

#### Infotainment

iPad® bracket	000061125A
iPad® Mini bracket	000061125B
iPad® Air bracket	000061125C
Galaxy Tab bracket	000061125D
Tetrax XWAY	000096320GMAAA
Tetrax SMART	000096320GMAAB
Tetrax FIX	000096320GMAAC
SEAT Full Link	5F0054830
Parrot® MiniKit Neo 2 HD - Black	000051473AE041
Parrot® MiniKit Neo 2 HD - Blue	000051473AENBP
Parrot® MiniKit Neo 2 HD - Red	000051473AES3H
Parrot® MiniKit Neo 2 HD - Green	000051473AES6A
Inductive charger	000051763Q
Samsung A5 Europa	000051703AB
Samsung A5 UK	000051703AC
Samsung A3 Europa	000051703S
Samsung A3 UK	000051703T

## Security

Ton Tether Safety Belt

op retner Salety bett	380019900
Child safety Kidfix XP	000019906M
SOFIX Duo Plus	000019909G
EAT PEKE G1 I-Size Trifix	000019909F
EAT PEKE Peke GO I-Size Plus	000019907A
SOFIX Baby-safe Plus SHR II	000019907B
astening strap kit	000017770
CB alarm for klaxon	000054600
leadrest base carrier	000061122
nti-theft device for wheels	000071500
ey finder Smart tracker	000087013
itarter D3G5	000051763F
5,000 mAh battery jump starter + charger	000051763H
Car Power Bank has two	000051763J
17 lamp box	000052007B
7 Xenon bulb + 90%	000052007M
nti-Theft Detector Locator	000054620A
eeper parking sensor	000054752D
nti-theft screws for rims	000071510A

300010000

<sup>\*</sup>Performance Pack components (optional as standard).

Innovative, high quality reflective vest	000093056J		
Pack warning triangle (2 units)	000093600C		
Travel package	000093990AH		
Oil pack	000093990AJ		
Oil baa	000087309B		
Fire Extinguisher	5F0016995		
Fog Lights Kit for new Leon	5F0052184		
Speed control system: Function activation pack for vehicles with controls in steering wheel	5F0054690		
Speed control system: Function activation pack for vehicles without controls in steering wheel	5F0054690A		
Front parking sensor kit - 4 sensors	5F0054752A		
Rear parking sensor kit - 4 sensors	5F0054752B		
13 - pin electric kit with pre-installation (PR 1M5) - for vehicles manufactured after w. 22/2014	5F0055204D		
Electric kit 13 pin without pre-installation - for vehicles manufactured after w. 22/2014	5F0055204E		
Tiredness recognition system	5F0060884B		
First-aid kit	6L0093000		
Safety dog harness - Size XL	000084310B		
Safety dog harness - Size L	000084310C		
Safety dog harness - Size M	000084310D		
Safety Dog Harness - Size S	000084310E		
Help flash	000052122A		
Kaza live alert smartwatch	000054635E		
Snow chains:			
Autosock (195/65R15)	000091303D		
Autosock (205/55R16)	000091375AB		
Autosock (225/45R17)	000091375S		
Autosock (225/40R18)	000091375S		
Turisport (195/65R15)	000091303D		
Turisport (205/55R16)	000091303E		
Turisport (225/45R17)	000091375S		
Turisport (225/40R18)	000091375S		
Protection			
Sport Pack (Bag + Towel + Water Bottle + Key fob)	000051763L		
Rear seats protection for pets	000061609C		

Luggage compartment cover	000061609D		
Air compressor (tyre shape)	000071716A		
Tyre cover	000071770C		
Ventilation grille support	6J0051700F		
Key cover - FR	000087013AE		
Key cover - SEAT logo	000087013AF		
Key cover - CUPRA	000087013AJ		
Key cover - Leon	000087013T		
Foil boot protector	5F0061197		
Luggage compartment protective tray	5F9061205		
Luggage compartment protective FOAM shelf	5F0061205G		
Reversible boot mat	5F0061210B		
Cargo area separation grille	5F9061205B		
Boot organiser	1SL061205		
Luggage compartment net	5P5861873		
SERIES floor mat set	5F0863011 LOE		
Set of black rubber mats	5F0061500 041		
Velpic® black floor mat set	5F0061675 041		
Red car cover	5F0061701		
Black car cover	5F0061701A		
Front mudflaps	5F0075111		
Rear mudflaps	5F0075101C		
Maintenance			
Electric air freshener	000091500		
Limoncello air freshener	000091500B		
Insilver & Limoncello refill air freshener	000091500D		
Insilver Passion refill air freshener	000091500E		
Mixt fruit refill air freshener	000091500FM		
Red fruits refill air freshener	000091500FR		
Mild herbs air freshener refill	000091500HS		
Alize aroma air freshener	000091500L		
Calima aroma air freshener	000091500M		
Fresh mint refill air freshener	000091500MC		
Mistral aroma air freshener	000091500N		
Sirocco aroma air freshener	000091500P		
Zephyros aroma air freshener	000091500Q		
lce Scraper	000096010C		

Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300 ml concentrated shampoo	000096320GFAAB
300 ml windscreen wash	000096320GFAAD
Summer maintenance kit	000096354B
Winter maintenance kit	000071980BPADA
Touch-up pencil White	000098500L B9A
Touch-up pencil Mediterraneo Blue	000098500L 511
Touch-up pencil Boheme Purple	000098500LML4U
Touch-up pencil Mystery Blue	000098500LMW5L
Touch-up pencil Estrella Silver	000098500LMX7W
Touch-up pencil Midnight Black	000098500LMY9T
Touch-up pencil Nevada White	000098500LMS9R
Touch-up pencil Desire Red	000098500LM0X1
Touch-up pencil Magnetic Tech	000098500LMS7H

Child car seats	Age (approximate)
SEAT PEKE Peke GO I-Size Plus	Up to 15 months
ISOFIX Baby-safe Plus SHR II	Up to 15 months
SEAT PEKE G1 I-Size Trifix	9 months to 4 years
ISOFIX Duo Plus	9 months to 4 years
Child safety Kidfix XP	4 to 12 years

Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

<b>P</b> ose <b>t</b> ore		1.0 EcoTSI 115 HP (85 kW) Man-6 Start/Stop¹	1.5 EcoTSI Evo 130 HP (96 kW) Man-6 Start/Stop¹	1.5 EcoTSI Evo 150 HP (110 kW) Man-6 Start/Stop <sup>2</sup>
Engine		2.42	. #C	DSG-7 Start/Stop <sup>2</sup>
Cylinder/Valve (total)		3/12	4/16	4/16
Displacement (cc)		999	1.498	1.498
Cylinder bore and stroke (mm)		74.5×76.4	74.5×85.9	74.5×85.9
Compression ratio		10.5	12.5	10.5
Maximum power (kW (HP)/rpm)		85 (115)/5,000-5,500	96 (131) /5,000-6,000	110 (150)/5,000 - 6,000
Maximum torque (Nm/rpm)		200/2,000-3,500	200/1,400-4,000	250/1,500 - 3,500
Fuel supply system		TSI Direct Injection	TSI Direct Injection	TSI Direct Injection
gnition		Electronic map-controlled ignition		
Atmospheric/Supercharged		Turbo Charged	Turbo Charged	Turbo Charged
Fuel type		ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (I)		4.3	4.8	4.3
Emission control		EU6	EU6	EU6
Alternator (A)		110-140	110-140	110-140
Battery (Ah/A)		59-69	59- 69/320- 360	59-69/320-360
Performance				
Maximum speed (km/h)		195 (V)	203 (V)	215 (V)   213 (VI)
Acceleration 0-80 km/h (s)		6.8	6.3	5.6   5.9
Acceleration 0-100 km/h (s)		9.8	9.4	8.2   8.3
Acceleration 80-120 km/h (s)		11.1	11.5	8.7   -
Acceleration 1000 m (s)		31.5	30.9	29.4   29.8
Fuel consumption				
Urban (l/100 km)		- -	- -	- -
Extra urban (l/100 km)		-	-	-
Combined (l/100 km)		-	-	-
CO2 mass emission				
CO2 Urban (g/km)			=	=
CO2 Extra Urban (g/km)		-	-	-
CO2 Combined (g/km)		-	_	-
Transmission				
Gearbox type		MQ200GA-6F	MQ200GA-6F	MQ250-6F  DQ200-7F
Ratios	I	3.769	3,615	3.778   3.500
	II	1.955	1,947	2.118   2.087
	III	1.281	1,281	1.360   1.343
	IV	0.973	0,973	1.029   0.933
	V	0.778	0,778	0.857   0.974
	VI	0.642	0.646	0.733   0.778

Transmission		1.0 EcoTSI 115 HP (85 kW) Man-6 Start/Stop¹	1.5 EcoTSI Evo 130 HP (96 kW) Man-6 Start/Stop¹	1.5 EcoTSI Evo 150 HP (110 kW) Man-6 Start/Stop'   DSG-7 Start/Stop'
	VII	-	_	-   0.653
	R	3.182	3.182	3.600   3.721
Group 1 ratio		4.056	4.056	3.647   4.800
Group 2 ratio		-1	-	- 3.429
Group 3 ratio		-	-	-   4.500
Speed 1000 rpm in IV/V/VI/VII (km/h)		29.5/36.8/44.4/-	29.3/36.7/44.2/-	31.0/37.2/43.5/-   23.2/30.4/37.6/45.0
Chassis				
Front suspension		Independent type McPherson - coil spring	gs - hydraulic shock absorber	
Rear suspension		Semirigid axle, coil springs and hydraulic	shock absorber	
Steering System		R-EPS (Rack Electric Power System)		
Turning diameter (m)		10.3		
Brake system		Dual hydraulic circuit and brake system d	iagonal split with brake booster	
Front/Rear brake type		Front ventilated disc brakes and rear solid	d disc brakes	
Front brakes (mm)		Ø 276×24	Ø 288×25	Ø 288×25
Rear brakes (mm)		253×10	272×10	272×10
Wheels				
Rims		6J×15 ET43 6.5J×16 ET46/7J×17 ET49	6.5J×16 ET46 7J×17 ET49/7.5J×18 ET51	6.5J×16 ET46 7J×17 ET49/7.5J×18 ET51
Tyres		195/65 R15 91H-205/55 R16 91V 225/45 R17 91W-205/50R17 93V XL	205/55 R16 91V-225/45 R17 91W 205/50 R17 93V XL-225/40 R18 92Y	205/55 R16 91V-225/45 R17 91W 205/50 R17 93V XL-225/40 R18 92Y
Dimensions				
Body type		5D		
Length/width/height (mm)		4,282/1,816/1,459		
Wheelbase (mm)		2.636		
Track front/rear (mm)		ET 43: 1,549/1,520 /ET46: 1,544/1,514		
Boot capacity (I)		380		
Fuel tank capacity (l)		50		
Weights				
In running order with driver (kg)		1,197	1.239	1,243   1,258
In running order with driver (kg) Front/Rear		721/476	751/488	755/488   770/488
Maximum weight allowed (kg)		1,720	1.780	1,780   1,790
Maximum towing weight without brake [kg]		590	610	620   620
Maximum towing weight w/brake 8% (kg)		1,300	1.700	1,700   1,700
Maximum towing weight w/brake 12% (kg)		1,000	1.400	1,500   1,500

<sup>1</sup> This engine will be available from w.37, 2019

Engine	2.0 TSI 290 HP (213 kW) DSG-7 Start/Stop	1.5 TGI 130 HP (96 kW) Man-6 Start/Stop¹   DSG-7 Start/Stop
Cylinder/Valve (total)	4/16	4/16
Displacement (cc)	1,984	1,498
Cylinder bore and stroke (mm)	82.5×92.8	74.5×85.9
Compression ratio	9.3	12.5
Maximum power (kW (HP)/rpm)	213 (290)/5,400 - 6,500	96 (131)/5,000
Maximum torque (Nm/rpm)	380/1,950 - 5,300	200/1,400-4,000
Fuel supply system	TSI Direct Injection	MPI Multipoint injection
gnition	Electronic map-controlled ignition	Electronic map-controlled ignition
Atmospheric/Supercharged	Turbo charged	Turbo charged
- uel type	ROZ 98	ROZ 95 + CNG
Oil capacity in initial fill (I)	6.6	4.3
Emission control	EU6	EU6
Alternator (A)	140	110-140
Battery (Ah/A)	69/360	59-69/320-360   69/360
Performance		
Maximum speed (km/h)	250 (VI)	206 (VI)   206 (VI)
Acceleration 0-80 km/h (s)	4.4	6.8 6.7
Acceleration 0-100 km/h (s)	6.0	10.1   9.9
Acceleration 80-120 km/h [s]		15.2   -
Acceleration 1000 m (s)	25.5	31.8   31.5
Fuel consumption		· ·
Urban (1/100 km)		-
Extra urban (l/100 km)		-
Combined (I/100 km)	-	_
CO <sub>2</sub> mass emission		
CO2 Urban (g/km)		
CO₂ Extra Urban (g/km)	-	-
CO <sub>2</sub> Combined (g/km)	-	-
Transmission		
Gearbox type	DQ381-7F + VAQ	MQ200GA-6F   DQ200-7F
Ratios	I 3.190	3.615   3.765
	II 2.750	1.947   2.273
	III 1.897	1.281   1.531
	IV 1.040	0.973   1.133
	V 0.793	0.778   1.176
	VI 0.860	0.642   0.956

Transmission	2.0 TSI 290 HP (213 kW) DSG-7 Start/Stop	1.5 TGI 130 HP (96 kW) Man-6 Start/Stop¹   DSG-7 Start/Stop
VII	0.661	- 0.795
R	2.900	3.182   4.170
Group 1 ratio	4.471	4.056   4.438
Group 2 ratio	3.304	-   3.227
Group 3 ratio	<del>-</del>	-   4.176
Speed 1000 rpm in IV/V/VI/VII (km/h)	26.0/33.6/42.9/-	29.4 / 36.8 / 44.6 / -   23.1 / 30.6 / 37.7 / 45.2
Chassis		
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorb	er
Rear suspension	Multilink axle	Semirigid axle, coil springs and hydraulic shock absorber
Steering System	R-EPS (Rack Electric Power System) with Progressive Steering	R-EPS (Rack Electric Power System)
Turning diameter (m)	10.5	10.3
Brake system	Dual hydraulic circuit and brake system diagonal split with brake boo	oster
Front/Rear brake type	Front ventilated disc brakes and rear solid disc brakes	Front ventilated disc brakes and rear solid disc brakes
Front brakes (mm)	340×30	288×25
Rear brakes (mm)	310×22	253×10
Wheels		
Rims	8J×19 ET50	6J×15 ET43/6.5J×16 ET46 7J×17 ET49/7.5J×18 ET51
Tyres	235/35 R19 91Y	195/65 R15 91H /205/55 R16 91V 225/45 R17 91W /205/50 R17 93V XL 225/40 R18 92Y
Dimensions		
Body type	5D	5D
Length/width/height (mm)	4,281/1,816/1,435	4,282/1,816/1,459
Wheelbase (mm)	2,631	2.636
Track front/rear (mm)	ET50: 1,536/1,510	ET 43: 1,549/1,520 - ET46: 1,544/1,514
Boot capacity (I)	380	275
Fuel tank capacity (l)	50	50l + 19kg at 200 bar
Weights		
In running order with driver (kg)	1,431	1,301   1,334
In running order with driver (kg) Front/Rear	891/540	746/555   773/561
Maximum weight allowed (kg)	1,920	1,810   1,840
Maximum towing weight without brake (kg)	710	650   660
Maximum towing weight w/brake 8% [kg]	710	1,700   1,700
Maximum towing weight w/brake 12% [kg]	710	1,400   1,400

<sup>1</sup> This engine will be available from w.39, 2019

Engine	1.6 TDI CR 115 HP (85 kW) Man-5 Start/Stop	2.0 TDI CR 150 HP (110 kW) Man-6 Start/Stop   DSG-7 Start/Stop	
Cylinder/Valve (total)	4/16	4/16	
Displacement (cc)	1.598	1.968	
Cylinder bore and stroke (mm)	79.5×80.5	81.0×95.5	
Compression ratio	16.2	16.2	
Maximum power (kW (HP)/rpm)	85 (115)/3,250-4,000	110 (150)/3,500-4,000	
Maximum torque (Nm/rpm)	250/1,500-3,250	340/1,750-3,000	
Fuel supply system	Direct injection: Common Rail	Direct injection: Common Rail	
Ignition	Compressed Ignition		
Atmospheric/Supercharged	Turbo Charged	Turbo Charged	
Fuel type	Diesel	Diesel	
Oil capacity in initial fill (1)	5.0	5.0	
Emission control	EU6	EU6	
Alternator (A)	110-140	110-140	
Battery (Ah/A)	70/420	68/380	
Performance			
Maximum speed (km/h)	197 (VI)	215   211	
Acceleration 0-80 km/h (s)	6.8	6.0   6.0	
Acceleration 0-100 km/h (s)	9.8	8.5   8.4	
Acceleration 80-120 km/h (s)	13.0	12.2   -	
Acceleration 1000 m (s)	31.1	30.1 29.9	
Fuel consumption			
Urban (l/100 km)	<del>-</del>	- -	
Extra urban (l/100 km)	-	-	
Combined (I/100 km)	-	-	
CO₂ mass emission			
CO₂ Urban (g/km)	<del>-</del>	- -	
CO <sub>2</sub> Extra Urban (g/km)	- -	<del>-</del>	
CO <sub>2</sub> Combined (g/km)	- -		
Transmission			
Gearbox type	MQ250-5F	MQ350-6F   DQ381-7F	
Ratios	1 3.778	3.769   3.579	
	II 1.944	1.958   2.750	
	III 1.185	1.257   1.677	
	IV 0.816	0.870   0.889	
	V 0.625	0.857   0.677	
	VI -	0.717   0.722	
	VII -	-   0.561	

Transmission		1.6 TDI CR 115 HP (85 kW) Man-5 Start/Stop	2.0 TDI CR 150 HP (110 kW) Man-6 Start/Stop   DSG-7 Start/Stop
	R	3.600	4.549   2.900
Group 1 ratio		3.647	3.450   4.167
Group 2 ratio		_	2.760   3.125
Group 3 ratio		-	- -
Speed 1000 rpm in IV/V/VI/VII (km/h)		39.1/51.0/-/-	38.6/48.9/58.4/- 31.1/41.6/50.3/-
Chassis			
Front suspension		Independent type McPherson - coil springs - hydraul	ic shock absorber
Rear suspension		Semirigid axle, coil springs and hydraulic shock abso	rber
Steering System		R-EPS (Rack Electric Power System)	
Turning diameter (m)		10.3	
Brake system		Dual hydraulic circuit and brake system diagonal spli	it with brake booster
Front/Rear brake type		Front ventilated disc brakes and rear solid disc brake	S
Front brakes (mm)		Ø 288×25	288×25 (DCC: 312×25)
Rear brakes (mm)		253×10 (EPB:272×10)	253×10 (EPB:272×10)
Wheels			
Rims		6J×15 ET43 6.5J×16 ET46/7J×17 ET49	6.5J×16 ET46 7J×17 ET49/7.5J×18 ET51
Tyres		195/65 R15 91H 205/55 R16 91V 225/45 R17 91W 205/50R17 93V XL	205/55 R16 91V 225/45 R17 91W 225/40 R18 92Y
Dimensions			
Body type		5D	5D
Length/width/height (mm)		4,282/1,816/1,459	4,282/1,816/1,459
Wheelbase (mm)		2.636	2.636
Track front/rear (mm)		ET43: 1,549 / 1,520 - ET46: 1,544 / 1,514	ET 43: 1549/1520 - ET 46: 1544/1514
Boot capacity (I)		380	380
Fuel tank capacity (l)		50	50
Weights			
In running order with driver (kg)		1,311   1,339	1,332   1,372
In running order with driver (kg) Front/Rear		815/496   844/495	832/500   872/500
Maximum weight allowed (kg)		1,870   1,890	1,850   1,890
Maximum towing weight without brake (kg)		650   660	
Maximum towing weight w/brake 8% [kg]		1,800	1,800   1,800
Maximum towing weight w/brake 12% (kg)		1,500	1,600   1,600

For more information about official fuel consumption and CO₂ emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Engine		1.0 EcoTSI 115 HP (85 kW) Man-6 Start/Stop¹	1.5 EcoTSI Evo 130 HP (96 kW) Man-6 Start/Stop¹	1.5 EcoTSI Evo 150 HP (110 kW) Man-6 Start/Stop ACT <sup>2</sup>
Engine		2.42	1.110	DSG-7 Start/Stop ACT <sup>2</sup>
Cylinder/Valve (total)		3/12	4/16	4/16
Displacement (cc)		999	1.498	1.498
Cylinder bore and stroke (mm)		74.5×76.4	74.5×85.9	74.5×85.9
Compression ratio		10.5	12.5	10.5
Maximum power (kW (HP)/rpm)		85 (115)/5,000-5,500	96 (131)/5,000-6,000	110 (150)/5,000 - 6,000
Maximum torque (Nm/rpm)		200/2,000-3,500	200/1,400 - 4,000	250/1,500 - 3,500
Fuel supply system		TSI Direct Injection		
Ignition		Electronic map-controlled ignition		
Atmospheric/Supercharged		Turbo charged	Turbo charged	Turbo charged
Fuel type		ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (I)		4.3	4.5	4.5
Emission control	<u> </u>	EU6	EU6	EU6
Alternator (A)		110-140	110-140	110-140
Battery (Ah/A)		59-69/320-360	59-69/320-360	59-69/320-360
Performance				
Maximum speed (km/h)		196 (V)	207 (V)	215 (IV)   215 (V)
Acceleration 0-80 km/h (s)		6.7	6.4	5.8   5.9
Acceleration 0-100 km/h (s)		10.1	9.5	8.2   8.3
Acceleration 80-120 km/h (s)		11.2	11.7	9.5   9.2
Acceleration 1000 m (s)		31.8	31.0	29.8   29.6
Fuel consumption				
Urban (l/100 km)		_	-	-
Extra urban (l/100 km)		-	-	_
Combined (I/100 km)			-	-
CO₂ mass emission				
CO2 Urban (g/km)		=	-	-
CO₂ Extra Urban (g/km)		-	-	-
CO <sub>2</sub> Combined (g/km)		<u>-</u>	<del>-</del>	<del>_</del>
Transmission				
Gearbox type		MQ200-5F	MQ200GA-6F	MQ250-6F   DQ200-7F
Ratios		3.769	3.615	3.778   3.500
	II	1.955	1.947	2.118   2.087
	III	1.281	1.281	1.360   1.343
	IV	0.881	0.973	1.029   0.933
	V	0.673	0.778	0.857   0.974
	VI	-	0.646	0.733   0.778
	VII		-	-   0.653

Transmission         1.5 EcoT51115 NP (95 NW) (no6 Start/Stop)         1.5 EcoT516 to 100 NP (95 NW) (no6 Start/Stop) ACT (100 NP (100 NW) (no6 Start/Stop) ACT (100 NP (100 N				
Group 1 ratio   3.933   14.056   14.438   4.056   3.647   14.900	Transmission			Man-6 Start/Stop ACT <sup>1</sup>
Cauga 2 ratio	R	3.182   3.182   4.167	3.182	3.600   3.721
	Group 1 ratio	3.933   4.056   4.438	4.056	3.647   4.800
Speed 1000 rpm in NVVVVVII [km/h]   29.3/36.7/44.2/-   31.0/37.2/16.35/-   23.2/30.4/37.6/4.5.0	Group 2 ratio	-   -   3.227	-	-   3.429
23,2/30,4/376/45,0	Group 3 ratio	-   -   4.176	-	-   4.500
Independent type McPherson - coll springs - hydraulic shock absorber	Speed 1000 rpm in IV/V/VI/VII (km/h)	29.3/36.7/44.2/	9.3/36.7/44.2/-	
Reor suspension         Semirigal and le, coll springs and hydroulic shock absorber           Turning diameter (m)         10.3           Broke system         Doubly droulic circuit and broke system disposed pilt with broke booster           Front/Reor broke type         Front ventilated disc brokes and reor solid disc brokes           Front Drokes (mm)         0 276-24         0 288-25         0 288-25           Reor brokes (mm)         0 276-24         0 280-25         0 288-25           Reor brokes (mm)         0 51-15 ET43         6.51-16 ET46         6.51-16 ET46           Rims         6.51-16 ET46         6.51-16 ET46         6.51-16 ET46           Types         1956 R16 91H-205/55 R16 91V         205/55 R16 91V-225/18 ET51         7.17 ET49/75.31-8 ET51           Types         1956 R16 91H-205/55 R16 91V         205/55 R16 91V-225/14 R17 91W         205/55 R16 91V-225/14 R17 91W           Dimensions         5D         5D         5D         5D           Length/width/height (mm)         4,549 / 1,816 / 1,454         5D         5D           Weelbase (mm)         2,636         5D         5D         5D           Track front/reor (mm)         50         5D	Chassis			
Seeing System   R-EPS (Rock Electric Power System)	Front suspension	Independent type McPherson - coil springs	s - hydraulic shock absorber	
Turning diameter (m)         10.3           Broke system         Dual hydraulic circuit and broke system diagonal split with broke booster           Front/Pear Droke type         Front ventilated disc brokes and rear solid disc brokes           Front brokes (mm)         Ø 276×24         Ø 288×25         Ø 288×25           Rear Drokes (mm)         253×10 (EPB: 272×10)         253×10 (EPB: 272×10)         272×10           Wheets           Rims         6.51×16 ET49         7.1×17 ET499/7.51×18 ET51         6.5J×16 ET46         7.1×17 ET49/7.5J×18 ET51         6.5J×16 ET46         7.1×17 ET49/7.5J×18 ET51	Rear suspension	Semirigid axle, coil springs and hydraulic s	hock absorber	
Broke system         Dual hydraulic circuit and brake system diagonal split with brake booster           Front VRRor brake type         Front ventilated disc brakes and rear solld disc brakes           Front Erokes (mm)         Ø 288-25         Ø 288-25           Rear brakes (mm)         253-10 (EPB: 272-10)         253-10 (EPB: 272-10)         272-10           Wheets           Wing Signal (EPB: 272-10)         253-10 (EPB: 272-10)         272-10           Wheets           Wing Signal (EPB: 272-10)         253-10 (EPB: 272-10)         272-10           Wheets           Wing Signal (EPB: 272-10)         253-10 (EPB: 272-10)         272-10           Wheets           Wing Signal (EPB: 272-10)         272-10         272-10           Wheets           Wing Signal (EPB: 272-10)         272-10         272-10           Wheets           Wheets Signal (EPB: 272-10)         253-10 (EPB: 272-10)         272-10           Dimensions           Body type         5D         205/55 R16 9IV-225/45 R17 9IW         205/55 R16 9IV-225	Steering System	R-EPS (Rack Electric Power System)		
Front/Rear brake type	Turning diameter (m)	10.3		
Front brakes (mm)  ### 276-24  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 288-25  ### 272-10	Brake system	Dual hydraulic circuit and brake system dic	agonal split with brake booster	
Rear brokes (mm)         253×10 (EPB: 272×10)         253×10 (EPB: 272×10)         272×10           Wheels           Rims         6.51×16 ET43 (5.51·16 ET46 (7.71×17 ET49)         6.53×16 ET46 (7.71×17 ET49/7.53×18 ET51)         7.17 ET49/7.53×18 ET51         7.17 ET49/7.53×18 ET51         255×56 Rig 91V-225/45 Rig 91V (2.05/55 Rig 91V (2.05/55 Rig 91V-225/45 Rig 91V (2.05/55 Rig 91V (	Front/Rear brake type	Front ventilated disc brakes and rear solid	disc brakes	
Wheels           Rims         6.3x15 ET43 6.5.3x16 ET46 7.3x17 ET49         6.5.3x16 ET46 7.3x18 ET51         6.5.3x16 ET46 7.3x18 ET51           Tyres         195/65 ET46 91W-225/55 R16 91W 205/55 R16 91W-225/45 R17 91W 205/55 R16 91W-225/45 R17 91W 205/50R17 93V XL-225/40 R18 92Y         205/55 R16 91W-225/45 R17 91W 205/50R17 93V XL-225/40 R18 92Y           Dimensions           Body type         5D         5D           Length/width/height [mm]         4,549 / 1,816 / 1,454           Wheelbose [mm]         2.636           Track front/rear [mm]         ET43: 1,549/1,520 - ET46: 1,544/1,514           Bot capacity [1]         587           Fuel tank capacity [1]         50           Weights           In running order with driver [kg]         1,242         1,271         1,275   1,294           In running order with driver [kg] Front/Rear         711/531         738/533         742/533   759/535           Maximum weight allowed [kg]         1,780         1,840         1,840	Front brakes (mm)	Ø 276×24	Ø 288×25	Ø 288×25
Rims	Rear brakes (mm)	253×10 (EPB: 272×10)	253×10 (EPB: 272×10)	272×10
5.51.6 ET46/7J×17 ET49	Wheels			
Dimensions	Rims			
5D           Length/width/height [mm]         4,549 / 1,816 / 1,454           Wheelbase [mm]         2.636           Track front/rear [mm]         ET43: 1,549/1,520 - ET46: 1,544/1,514           Boot capacity [l)         587           Fuel tank capacity [l)         50           Weights           In running order with driver [kg]         1,242         1,271         1,275   1,294           In running order with driver [kg] Front/Rear         711/531         738/533         742/533   759/535           Maximum weight allowed [kg]         1,780         1,840         1,840   1,860           Maximum towing weight without brake [kg]         620         630         630   640           Maximum towing weight w/brake 8% [kg]         1,300         1,700         1,700	Tyres			
Length/width/height (mm) 4,549 / 1,816 / 1,454  Wheelbase (mm) 2,636  Track front/rear (mm) ET43: 1,549/1,520 - ET46: 1,544/1,514  Boot capacity (!) 587  Fuel tank capacity (!) 50  Weights In running order with driver (kg) In running order with driver (kg) Front/Rear 711/531 738/533 742/533   759/535  Maximum weight allowed (kg) 1,780 1,840 1,840 1,840   1,840   1,860  Maximum towing weight without brake (kg) Maximum towing weight w/brake 8% (kg) 1,300 1,700 1,700 1,700	Dimensions			
Wheelbase (mm)       2.636         Track front/rear (mm)       ET43: 1,549/1,520 - ET46: 1,544/1,514         Boot capacity (I)       587         Fuel tank capacity (I)       50         Weights         In running order with driver (kg)       1,242       1,271       1,275   1,294         In running order with driver (kg) Front/Rear       711/531       738/533       742/533   759/535         Maximum weight allowed (kg)       1,780       1,840       1,840   1,860         Maximum towing weight without brake (kg)       620       630       630   640         Maximum towing weight w/brake 8% (kg)       1,300       1,700       1,700	Body type	5D		
Track front/rear (mm)       ET43: 1,549/1,520 - ET46: 1,544/1,514         Boot capacity (I)       587         Fuel tank capacity (I)       50         Weights         In running order with driver (kg)       1,242       1,271       1,275   1,294         In running order with driver (kg) Front/Rear       711/531       738/533       742/533   759/535         Maximum weight allowed (kg)       1,780       1,840       1,840   1,860         Maximum towing weight without brake (kg)       620       630       630   640         Maximum towing weight w/brake 8% (kg)       1,300       1,700       1,700	Length/width/height (mm)	4,549 / 1,816 / 1,454		
Boot capacity (I)         587           Fuel tank capacity (I)         50           Weights           In running order with driver (kg)         1,242         1,271         1,275   1,294           In running order with driver (kg) Front/Rear         711/531         738/533         742/533   759/535           Maximum weight allowed (kg)         1,780         1,840         1,840   1,860           Maximum towing weight without brake (kg)         620         630         630   640           Maximum towing weight w/brake 8% (kg)         1,300         1,700         1,700	Wheelbase (mm)	2.636		
Weights         1,242         1,271         1,275   1,294           In running order with driver (kg) Front/Rear         711/531         738/533         742/533   759/535           Maximum weight allowed (kg)         1,780         1,840         1,840   1,860           Maximum towing weight without brake (kg)         620         630         630   640           Maximum towing weight w/brake 8% (kg)         1,300         1,700         1,700	Track front/rear (mm)	ET43: 1,549/1,520 - ET46: 1,544/1,514		
Weights           In running order with driver [kg]         1,242         1,271         1,275   1,294           In running order with driver [kg] Front/Rear         711/531         738/533         742/533   759/535           Maximum weight allowed [kg]         1,780         1,840         1,840   1,860           Maximum towing weight without brake [kg]         620         630         630   640           Maximum towing weight w/brake 8% [kg]         1,300         1,700         1,700	Boot capacity (I)	587		
In running order with driver (kg)       1,242       1,271       1,275   1,294         In running order with driver (kg) Front/Rear       711/531       738/533       742/533   759/535         Maximum weight allowed (kg)       1,780       1,840       1,840   1,860         Maximum towing weight without brake (kg)       620       630       630   640         Maximum towing weight w/brake 8% (kg)       1,300       1,700       1,700	Fuel tank capacity (l)	50		
In running order with driver [kg] Front/Rear       711/531       738/533       742/533   759/535         Maximum weight allowed [kg]       1,780       1,840       1,840   1,860         Maximum towing weight without brake [kg]       620       630       630   640         Maximum towing weight w/brake 8% [kg]       1,300       1,700       1,700	Weights			
Maximum weight allowed [kg]       1,780       1,840       1,840   1,860         Maximum towing weight without brake [kg]       620       630       630   640         Maximum towing weight w/brake 8% [kg]       1,300       1,700       1,700	In running order with driver (kg)	1,242	1,271	1,275   1,294
Maximum towing weight without brake [kg]         620         630         630   640           Maximum towing weight w/brake 8% [kg]         1,300         1,700         1,700	In running order with driver (kg) Front/Rear	711/531	738/533	742/533   759/535
Maximum towing weight w/brake 8% [kg] 1,300 1,700 1,700	Maximum weight allowed (kg)	1,780	1,840	1,840   1,860
	Maximum towing weight without brake [kg]	620	630	630   640
Maximum towing weight w/brake 12% [kg]         1,000         1,400         1,500	Maximum towing weight w/brake 8% [kg]	1,300	1,700	1,700
	Maximum towing weight w/brake 12% (kg)	1,000	1,400	1,500

 $^{\scriptscriptstyle 1}\textsc{This}$  engine will be available from w.37, 2019

Engine		2.0 TSI 290HP (213 kW) DSG-7 Start/Stop	2.0 TSI 300 HP (221 kW) DSG-7 Start/Stop 4Drive	1.5 TGI 130 HP (96 kW) Man-6 Start/Stop¹  DSG-7 Start/Stop	
Cylinder/Valve (total)		4/16	4/16	4/16	
Displacement (cc)		1.984	1,984	1,498	
Cylinder bore and stroke (mm)		82.5×92.8	82.5×92.8	74.5×85.9	
Compression ratio		9.3	9,3	12.5	
Maximum power (kW (HP)/rpm)		213 (290) / 5,400 - 6,500	221 (300) / 5,300 - 6,500	96 (131)/5,000	
Naximum torque (Nm/rpm)		380 / 1,950 - 5,300	400 / 2,000 - 5,200	200/1,400-4,000	
uel supply system		TSI Direct Injection	TSI Direct Injection	MPI Multipoint Injection	
gnition		Electronic map-controlled ignition	Electronic map-controlled ignition	Electronic map-controlled ignition	
htmospheric/Supercharged		Turbo charged	Turbo charged	Turbo charged	
uel type		ROZ 98	ROZ 98	ROZ 95 + CNG	
Dil capacity in initial fill (I)		6.6	6.6	4.3	
mission control		EU6 BG	EU6 BG	EU6 AG	
Alternator (A)		140	140	110-140	
Battery (Ah/A)		69/360	69/360	59-69/320-360	
Performance					
Maximum speed (km/h)		250 (VI)	250 (VI)	206 (VI)   206 (VI)	
acceleration 0-80 km/h (s)		4.6	3.3	6.8   6.8	
Acceleration 0-100 km/h (s)		6.3	4.9	10.1   10.0	
Acceleration 80-120 km/h (s)		10.7	8.7	15.8   12.9	
Acceleration 1000 m (s)		25.9	24.3	32.0   31.6	
Fuel consumption					
Jrban (l/100 km)		-	-	_	
extra urban (l/100 km)		_	-	-	
Combined (l/100 km)		_	-	-	
CO2 mass emission					
CO2 Urban (g/km)		_	-	_	
CO <sub>2</sub> Extra Urban (g/km)		-	-	-	
CO <sub>2</sub> Combined (g/km)		-	-	-	
Transmission					
Gearbox type		DQ381-7F + VAQ	DQ381-7A	MQ200GA-6F   DQ200-7F	
Ratios	1	3.190	3.190	3.165   3.765	
	II	2.750	2.750	1.947   2.273	
	III	1.897	1.897	1.281   1.531	
	IV	1.040	1.040	0.973   1.133	
	V	0.793	0.793	0.778   1.176	
	VI	0.860	0.860	0.642   0.956	
	VII	0.661	0.661	-   0.795	

Transmission		2.0 TSI 290HP (213 kW) DSG-7 Start/Stop	2.0 TSI 300 HP (221 kW) DSG-7 Start/Stop 4Drive	1.5 TGI 130 HP (96 kW) Man-6 Start/Stop¹  DSG-7 Start/Stop		
	R	2.900	2.900	3.182   4.170		
Group 1 ratio		4.471	4.471	4.056   4.438		
Group 2 ratio		3.304	3.304	-   3.227		
Group 3 ratio		-	-	-   4.176		
Speed 1000 rpm in IV/V/VI/VII (km/h)		26.0/33.6/42.9/-	-	29.4/36.8/44.6/ -   23.1/30.6/37.7/45.2		
Chassis						
Front suspension						
Rear suspension		Multilink axle	Multilink axle	Semirigid axle, coil springs and hydraulic shock absorber		
Steering System		R-EPS (Rack Electric Power System) w	ith Progressive Steering	R-EPS (Rack Electric Power System)		
Turning diameter (m)		10.5	10.5	10.3		
Brake system		Dual hydraulic circuit and brake syste	em diagonal split with brake booster			
Front/Rear brake type		Front and rear ventilated disc brakes	;			
Front brakes (mm)		340×30	340×30	288×25		
Rear brakes (mm)	310×22 310×22		310×22	272×10		
Wheels						
Rims		8J×19 ET50	8J×19 ET50	6J×15 ET43/6.5J×16 ET46 7J×17 ET49/7.5J×18 ET51		
Tyres		235/35 R19 91Y	235/35 R19 91Y	195/65 R15 91H/205/55 R16 91V 225/45 R17 91W/205/50R17 93V XL 225/40 R18 92Y		
Dimensions		,				
Body type		5D	5D	5D		
Length/width/height (mm)		4,548/1,816/1,431	4,548/1,816/1,431	4,548/1,816/1,431		
Wheelbase (mm)		2.631	2,631	2,631		
Track front/rear (mm)		1,536/1,510	1,536/1,510	ET43: 1,549/1,514-ET51: 1,534/1,504		
Boot capacity (I)		587	587	482		
Fuel tank capacity (l)		50	55	55 + 19kg at 200 bar		
Weights						
In running order with driver (kg)		1,476	1,557	1,342   1,374		
In running order with driver (kg) Front/Rear		888/588	899/658	738 / 604   764 / 610		
Maximum weight allowed [kg]		2,020	2,090	1,850   1,880		
Maximum towing weight without brake (kg)		730	750	670   680		
Maximum towing weight w/brake 8% (kg)		730	750	1,700   1,700		
Maximum towing weight w/brake 12% (kg)		730	750	1,400   1,400		

¹ This engine will be available from w.39, 2019

		DI 115 HP (85 kW) 5 Start/Stop	2.0 TDI CR 150 HP (110 kW) Man-6 Start/Stop   DSG-7 Start/Stop
Engine		•	·
Cylinder/Valve (total)	4/16		4/16
Displacement (cc)	1,598		1,968
Cylinder bore and stroke (mm)	79.5×	80.5	81.0×95.5
Compression ratio	16.2		16.2
Maximum power (kW (HP)/rpm)	85 (11	5) /3,250-4,000	110 (150)/3,500-4,000
Maximum torque (Nm/rpm)	250/1	,500-3,250	340/1,750-3,000
Fuel supply system	Direct	injection: Common Rail	Direct injection: Common Rail
Ignition	Comp	oressed Ignition	Compressed Ignition
Atmospheric/Supercharged	Turbo	Charged	Turbo Charged
Fuel type	Diese	l	Diesel
Oil capacity in initial fill (I)	5.0		5.0
Emission control	EU6		EU6
Alternator (A)	110-14	+0	110-140
Battery (Ah/A)	70/42	20	68/380
Performance			
Maximum speed (km/h)	194 (\	/)	215 (VI)   212 (VI)
Acceleration 0-80 km/h (s)	7.3		6.2   5.9
Acceleration 0-100 km/h (s)	10.6		8.8   8.7
Acceleration 80-120 km/h (s)	14.2		12.6   10.4
Acceleration 1000 m (s)	32.6		30.4   30.1
Fuel consumption			
Urban (l/100 km)	- -		-
Extra urban (l/100 km)	-		-
Combined (I/100 km)	-		-
CO₂ mass emission			
CO₂ Urban (g/km)	<u>-</u>		-
CO <sub>2</sub> Extra Urban (g/km)	-		-
CO <sub>2</sub> Combined (g/km)	-		<del>-</del>
Transmission			
Gearbox type	MQ25		MQ350-6F   DQ381-7F
Ratios	I 3.778		3.769   3.579
	II 1.944		1.958   2.750
	III 1.185		1.257   1.677
	IV 0.816		0.870   0.889
	10 0.010		
	V 0.625	i	0.857   0.677

Transmission		1.6 TDI 115 HP (85 kW) Man-5 Start/Stop	2.0 TDI CR 150 HP (110 kW) Man-6 Start/Stop   DSG-7 Start/Stop
	R	3.600	4.549   2.901
Group 1 ratio		3.647	3.450   4.167
Group 2 ratio		<del>-</del>	2.760   3.125
Group 3 ratio		<del>-</del>	- -
Speed 1000 rpm in IV/V/VI/VII (km/h)		37.9/47.6/58.9	-   31.1/41.6/50.3/-
Chassis			
Front suspension		Independent type McPherson - coil springs - hydraulic shock absorber	
Rear suspension		Semirigid axle,coil springs, hydraulic shock absorber	Semirigid axle,coil springs a. hyd. shock abs   Semirigid axle,coil springs a. hyd. shock abs   Multilink axle
Steering System		R-EPS (Rack Electric Power System)	
Turning diameter (m)		10.3	
Brake system		Dual hydraulic circuit and brake system diagonal split with brake boost	er
Front/Rear brake type		Front ventilated disc brakes and rear solid disc brakes	
Front brakes (mm)		Ø 288×25	288×25
Rear brakes (mm)		253×10 (4Drive: 272×10)	253×10 (4Drive: 272×10)
Wheels			
Rims		6J×15 ET43/6.5J×16 ET46/7J×17 ET49	6.5J×16 ET46/7J×17 ET49/7.5J×18 ET51
Tyres		195/65 R15 91H/205/55 R16 91V 225/45 R17 91W/205/50R17 93V XL	205/55 R16 91V/225/45 R17 91W 225/40 R18 92Y/
Dimensions			
Body type		5D	5D
Length/width/height (mm)		4,549/1,816/1,454	4,549/1,816/1,454
Wheelbase (mm)		2.636	2.636
Track front/rear (mm)		ET43: 1,549/1,520 ET46: 1,544/1,514 ET49: 1,538/1,508	ET46: 1,544/1,514 ET49: 1,538/1,508 ET51: 1,534/1,504
Boot capacity (l)		587	587
Fuel tank capacity (l)		50 50 55	50   50   55
Weights			
In running order with driver (kg)		1,352	1,385   1,425
In running order with driver (kg) Front/Rear		806/546	837/548   877/548
Maximum weight allowed (kg)		1,920	1,940   1,980
Maximum towing weight without brake [kg]		670	690   710
Maximum towing weight w/brake 8% [kg]		1,800	1,800   1,800
Maximum towing weight w/brake 12% (kg)		1,500	1,600   1,600

For more information about official fuel consumption and CO2 emissions values visit your local SEAT website.
Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

# Engine specs.

Petrol	Reference	Style	Xcellence	FR	CUPRA
1.0 EcoTSI 115 HP (85 kW) Man-6 Start/Stop³	0	0	0	0	=
1.5 EcoTSI Evo 130HP (96 kW) Man-6 Start/Stop³	=	0	0	0	-
1.5 EcoTSI Evo 150HP (110 kW) Man-6 Start/Stop <sup>4</sup>	=	0	0	0	_
1.5 EcoTSI Evo 150HP (110 kW) DSG-7 Start/Stop <sup>4</sup>	=	0	0	0	_
2.0 TSI 290 HP (213 kW) DSG-7 Start/Stop	=	=	=	=	0
2.0 TSI 300 HP (221 kW) DSG-7 Start/Stop 4Drive <sup>2</sup>	_	_	_	-	0
CNG					
1.5 TGI 130 HP (96 kW) Man-6 Start/Stop³	0	0	0	0	_
1.5 TGI 130 HP (96 kW) DSG-7 Start/Stop	0	0	0	0	_

For more information about official fuel consumption and CO<sub>2</sub> emissions values visit your local SEAT website. Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

Diesel	Reference	Style	Xcellence	FR	CUPRA
1.6 TDI 115 HP (85 kW) Man-5¹/Man-6² Start/Stop	0	0	0	0	_
2.0 TDI 150 HP (110 kW) Man-6 Start/Stop	=	0	0	0	=
2.0 TDI 150 HP (110 kW) DSG-7 Start/Stop	-	0	0	0	=

<sup>&</sup>lt;sup>1</sup>Only available for Leon 5D.

<sup>&</sup>lt;sup>2</sup> Only available for Leon Sportourer ST.

<sup>&</sup>lt;sup>3</sup> This engine will be available from w.39, 2019 <sup>4</sup> This engine will be available from w.37, 2019

## Dimensions.

## Leon.



Our global range of cars and product specifications varies from country to country. Please, visit your local SEAT website to know more about the product offer available for you.

## Leon CUPRA.



## Leon Sportourer ST.



## Leon CUPRA Sportourer ST.





SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental Impact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.