


Section 6 LED Strip Lighting





Bespoke LED Strip Lighting Service




At KSR Lighting we are now offering a made to measure LED strip lighting service. This service will enable you to order the exact length desired for your project.



LED strip lighting is ideal in commercial and domestic applications due its versatility for Designers and Architects and ease in installation for users. The aesthetics and clear linear effects make it desirable for use in illuminating features in properties or as an alternative for wall wash lighting.

LED strip lighting is becoming more common in new kitchens, bedrooms and bathrooms due to its energysaving advantages. Strip can be seen utilised as lighting for kick boards or plinths or in bathrooms as substitutes to standard cabinet lights. In conjunction, LED strip lighting has become fashionable to use in everyday spaces to add a splash of colour and a touch of elegance. Its low profile and minimal wiring mean that LED strip can be conceived out of sight whilst providing an eye-catching effect.





Our custom tailored and flexible made to measure service will ensure a cost-efficient method for any lighting project.

To obtain a personalised quotation for your project:

Email: bespokeLED@ksrlighting.com or contact the Quotations Department on **Phone:** 02392 674343

Made to measure....



Delivered to you in 48 hours

Our single colour LED strip cutting service includes....

- A choice of 3000K or 4000K
- IP20 or IP65 options
- · Can be purchased in various lengths up to a maximum of 25 metres
- Custom tail lengths from 0.5 3 metres
- All 100% tested before dispatched
- Suitable for use in our new Profile Bars (see pages 260-61)
- · Available with dimmable or non-dimmable drivers
- · Remote dimming option available up to 30 metres

3.8W Per Metre

| Specifications:Warranty: 3 Years | Construction: | Code | Description |
|--|---------------------------------|----------------------|-------------------------------|
| Warranty: 5 tears 24V Constant Voltage 3.8W 3000K or 4000K per metre 3000K - 25.94 Lumens per 100mm | Coating Silicone (IP65 only) | KSRIP203.8WWWBESPOKE | 3.8W 3000K LED IP20 24V Strip |
| 3000K - 20.94 Lumens per Toomm (259.4 lumens per metre) 4000K - 30.56 Lumens per 100mm (305.6 lumens per metre) | | KSRIP203.8WNWBESPOKE | 3.8W 4000K LED IP20 24V Strip |
| Can be ordered in 100mm intervals 3m Self adhesive backing | | KSRIP653.8WWWBESPOKE | 3.8W 3000K LED IP65 24V Strip |
| | | KSRIP653.8WNWBESPOKE | 3.8W 4000K LED IP65 24V Strip |
| ∞ 2.3mm ∞_ | 3mm | | |

KSRIP20 3.8W Strip

KSRIP65 3.8W Strip

7.6W Per Metre

| Specifications: | Construction: | Code | Description |
|--|--------------------|----------------------|-------------------------------|
| Warranty: 3 Years | Coating – Silicone | | |
| 24V Constant Voltage | (IP65 only) | KSRIP207.6WWWBESPOKE | 7.6W 3000K LED IP20 24V Strip |
| 7.6W 3000K or 4000K per metre | | | |
| 3000K - 50.97 Lumens per 100mm | | | |
| (509.7 lumens per metre) | | | |
| 4000K - 59.14 Lumens per 100mm | | KSRIP207.6WNWBESPOKE | 7.6W 4000K LED IP20 24V Strip |
| (591.4 lumens per metre) | | | |
| Can be ordered in 50mm | | | |
| intervals | | KSRIP657.6WWWBESPOKE | 7.6W 3000K LED IP65 24V Strip |
| 3m Self adhesive backing | | | |
| ļ | | | |
| | | KSRIP657.6WNWBESPOKE | 7.6W 4000K LED IP65 24V Strip |
| 2.3mm | 3mm | | |
| KSRIP20 7.6W Strip | KSRIP65 7.6W Strip | | |








Delivered to you in 48 hours

Our RGBW LED strip cutting service includes....

- 11.5W per metre
- IP20 or IP65 options
- · Can be purchased in various lengths up to a maximum of 15 metres
- Custom tail lengths from 0.5 3 metres
- All 100% tested before dispatched
- · Supplied complete with suitable driver
- Dimming via RF remote control up to 30 metres









Navara 5M 24V IP65 LED Strip

LED Strip Lighting



Construction:

Coating - Silicone

Specifications:

- Warranty: 3 Years
- 24V Constant Voltage
- 3.8W 3000K or 4000K per metre
- 7.6W 3000K or 4000K per metre
- 3.8W 3000K 1297 Lumens per 5m strip
- 3.8W 4000K 1528 Lumens per 5m strip
- 7.6W 3000K 2548 Lumens per 5m strip
- 7.6W 4000K 2957 Lumens per 5m strip
- Non-dimmable or dimmable (driver not supplied)
- Two dimming options rotary using KSRDL292/3 or remote dimming using KSR9564 and KSR9566
- KSR9564 & KSR9566 RF control up to 30 metre range
- Suitable for use in Profile Bars see pages 260-261
- 3m Self adhesive backing
- Strip can be cut on the cut marks only (every 100mm KSR9550-1 every 50mm for the KSR9552-3) but must be resealed with a suitable sealant to maintain IP integrity
- See website for more information on dimming KSR LED strip: www.ksrlighting.com

Classifications:

| *** | | * | ** |
|------|------|---|----|
| IP20 | IP65 | | |


Optional Accessories:

| Code | Description |
|---------|---|
| KSR9562 | Navara IP65 Strip to Strip Corner Connector for 8mm Strip |
| KSR9568 | Navara IP65 Fixing Clips for 8mm Strip (10 per pack) |

| Code | Description |
|----------|---|
| KSR9550 | Navara 5m 19W 3000K LED 24V Strip* |
| KSR9551 | Navara 5m 19W 4000K LED 24V Strip* |
| KSR9552 | Navara 5m 38W 3000K LED 24V Strip* |
| KSR9553 | Navara 5m 38W 4000K LED 24V Strip* |
| KSR9564 | Navara LED Receiver/Controller*** |
| KSR9566 | Navara Single Colour Remote*** |
| KSRDL287 | 20W 24V Non Dimmable Constant Voltage Driver** |
| KSRDL288 | 60W 24V Non Dimmable Constant Voltage Driver** |
| KSRDL292 | 25W 24V Dimmable Constant Voltage LED Driver** |
| KSRDL293 | 50W 24V Dimmable Constant Voltage LED Driver** |

Dimensions:










KSR9552-53

Telephone: +44 (0)23 92 674343 Website: www.ksrlighting.com

Navara 5M 24V IP20 LED Strip

LED Strip Lighting



Specifications:

- Warranty: 3 Years
- 24V Constant Voltage
- 15.2W 3000K or 4000K per metre
- 3000K 5952 Lumens per 5m strip
- 4000K 6284 Lumens per 5m strip
- Non-dimmable or dimmable (driver not supplied)
- Two dimming options rotary using KSRDL294 or remote dimming using KSR9564 and KSR9566
- 3m Self adhesive backing
- Strip can be cut on the cut marks only (every 50mm)
- Please note this strip will not fit in the Profile Bars
- Please see website for recommended dimmer list: www.ksrlighting.com

| Code | Description |
|----------|--|
| KSR9554 | Navara 5m 76W 3000K LED 24V Strip* |
| KSR9555 | Navara 5m 76W 4000K LED 24V Strip* |
| KSR9564 | Navara LED Receiver/Controller |
| KSR9566 | Navara Single Colour Remote |
| KSRDL289 | 100W 24V Non Dimmable Constant Voltage Driver** |
| KSRDL294 | 100W 24V Dimmable Constant Voltage Driver** |

NEW


Classifications:



Dimensions:



KSR9564




KSR9554-55

2mm



Navara 5M 24V RGBWW LED Strip

LED Strip Lighting



Construction:

Coating - Silicone

Specifications:

- Warranty: 3 Years
- . 24V Constant Voltage
- 19.2W RGBWW per metre •
- Lumens dependant on colour selected •
- Tuneable white
- Preset programme modes Dimmable via remote control only KSR9557
- . Remote can be used to control up to 4 zones
- Control range up to 30 metres
- 3m Self adhesive backing •
- Strip can be cut on the cut marks only (every 100mm) but must be resealed with a suitable sealant to maintain IP integrity


| Code | Description |
|----------|--|
| KSR9556 | Navara 5m 96W RGBWW LED 24V Strip* |
| KSR9557 | Navara RGBWW Controller & Remote*** |
| KSRDL289 | 100W 24V Non Dimmable Constant Voltage Driver** |

IP20

Classifications:



Dimensions:



KSR9556

KSR9557

23mm_

137mm

0000

84mm



Navara I 5M IP67 RGB LED Strip

LED Strip Lighting



Construction:


Coating - Clear Silicone

- Warranty: 2 Years
- 12V Constant voltage
- 8.2W per metre
- Driver supplied
- The strip can only be cut on the marks every 100mm but must be resealed with a suitable sealant to maintain IP integrity
- Please note this strip is not suitable for use in the Profile Bars

| Code | Description |
|---------|--|
| KSR9635 | Navara I 5m RGB 12V LED Strip Kit Complete with Remote, Controller and Power Supply |
| KSR9636 | Navara I 5m RGB 12V LED Strip Extension Kit Complete with RGB Extender and Power Supply |

Classifications:





Navara II 5M IP67 LED Strip Kit

LED Strip Lighting




| Specifications: • Warranty: 2 Years | Construction: Coating – Clear Silicone | Code | Description |
|---|--|---------|--------------------------------------|
| 12V Constant voltage 4.8W per metre KSR9750 - 840 Lumens per 5m 3000 | K | KSR9750 | Navara II 5m 12V 3000K LED Strip Kit |
| KSR9751 - 920 Lumens per 5m 6000 KSR9752 - 385 Lumens per 5m Blue Non-dimmable | | KSR9751 | Navara II 5m 12V 6000K LED Strip Kit |
| Self adhesive backing The strip can only be cut on the marks found every 50mm. They must | | KSR9752 | Navara II 5m 12V Blue LED Strip Kit |
| be resealed with a suitable sealant keep its IP integrity Suitable for use in Profile Bars (see pages 260-261) | | | |

Classifications:




Dimensions:



KSR9750-2

Navara II 10m IP67 LED Strip Kit

LED Strip Lighting





| Sp | pecifications: | Construction: | Code | C |
|----|--|--------------------------|---------|---|
| • | Warranty: 2 Years | Coating – Clear Silicone | | |
| • | 12V Constant voltage | | | |
| • | 4.8W per metre | | KSR9753 | N |
| • | KSR9753 - 1680 Lumens per 10m 3000K | | | |
| • | KSR9754 - 1840 Lumens per 10m 6000K | | | |
| • | KSR9755 - 770 Lumens per 5m Blue | | KSR9754 | Ν |
| • | Non-dimmable | | | |
| • | Self adhesive backing | | | |
| • | The strip can only be cut on the marks | | KSR9755 | Ν |
| | found every 50mm. They must be | | | |
| | resealed with a suitable sealant to | | | |
| | keep its IP integrity | | | |
| | Quitable for use in Drofile Dans (see | | | |


• Suitable for use in Profile Bars (see pages 260-261)

| Code | Description |
|---------|---------------------------------------|
| KSR9753 | Navara II 10m 12V 3000K LED Strip Kit |
| KSR9754 | Navara II 10m 12V 6000K LED Strip Kit |
| KSR9755 | Navara II 10m 12V Blue LED Strip Kit |

Classifications:



Dimensions:



KSR9753-5

Navara Profile Bars

LED Strip Lighting





Specifications:

- Warranty: 1 Year
- 2m Length Profile Bars
- Designed for Navara LED strip apart from the IP20 5m 76W strip
- Profile Bars can be cut
- Profile Bars come with fixing clips and end caps but additional ones can be purchased

Construction:

Body – Aluminium Diffuser – Opal Polycarbonate

| Code | Description |
|---------|---|
| KSR9570 | Navara 2m Slim Surface Profile Bar with Opal Diffuser |
| KSR9571 | Navara 2m Deep Surface Profile Bar with Opal Diffuser |
| KSR9572 | Navara 2m Slim Recessed Profile Bar with Opal Diffuser |
| KSR9573 | Navara 2m Deep Recessed Profile Bar with Opal Diffuser |

Colour Option:



Silver


Classifications:



Optional Accessories:

| Code | Description |
|---------|-------------------------------------|
| KSR9580 | Navara End Cap for KSR9570 |
| KSR9581 | Navara End Cap for KSR9571 |
| KSR9582 | Navara Mounting Clip for KSR9570/71 |

Dimensions:





KSR9572



KSR9573



Navara Profile Bars

LED Strip Lighting



Specifications:

- Warranty: 1 Year
- 2m Length Profile Bars
- Designed for Navara LED strip apart from the IP20 5m 76W strip
- Profile Bars can be cut
- Profile Bars come with fixing clips and end caps but additional ones can be purchased

| Construction : | |
|-----------------------|--|
| Body – Aluminium | |

Diffuser – Opal Polycarbonate

| Code | Description |
|---------|--|
| KSR9574 | Navara 2m Angled Profile Bar with Opal Diffuser |
| KSR9575 | Navara 2m Plaster Recessed Profile Bar with Opal Diffuser |

Colour Option:



Silver


Classifications:




Optional Accessories:

| Code | Description |
|---------|----------------------------------|
| KSR9583 | Navara End Cap for KSR9574 |
| KSR9584 | Navara Mounting Clip for KSR9574 |
| KSR9585 | Navara End Cap for KSR9575 |
| KSR9586 | Navara Mounting Clip for KSR9575 |

Dimensions:





KSR9575