

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SELECTED GEOLOGICAL SURVEY, U.S. BUREAU OF MINES, AND  
ALASKA DIVISION OF GEOLOGICAL AND GEOPHYSICAL SURVEYS  
REPORTS AND MAPS ON ALASKA RELEASED DURING 1978,

INDEXED BY QUADRANGLE

By

Edward H. Cobb

Open-file Report 79-706

1979

This report is preliminary  
and has not been edited or  
reviewed for conformity with  
Geological Survey standards  
and nomenclature.

## Contents

	Page
Introduction -----	1
Alaska - general -----	5
Offshore areas -----	10
Adak quadrangle -----	12
Afognak quadrangle -----	12
Ambler River quadrangle -----	14
Amukta quadrangle -----	15
Anchorage quadrangle -----	15
Arctic quadrangle -----	18
Atka quadrangle -----	18
Atlin quadrangle -----	19
Baird Inlet quadrangle -----	19
Baird Mountains quadrangle -----	19
Barrow quadrangle -----	20
Barter Island quadrangle -----	22
Beaver quadrangle -----	22
Beechey Point quadrangle -----	24
Bendeleben quadrangle -----	27
Bering Glacier quadrangle -----	28
Bethel quadrangle -----	29
Bettles quadrangle -----	32
Big Delta quadrangle -----	33
Black quadrangle -----	36
Black River quadrangle -----	37
Blying Sound quadrangle -----	37
Bradfield Canal quadrangle -----	38
Bristol Bay quadrangle -----	39
Candle quadrangle -----	39
Cape Mendenhall quadrangle -----	40
Chandalar quadrangle -----	41
Chandler Lake quadrangle -----	42
Charley River quadrangle -----	43
Chignik quadrangle -----	44
Christian quadrangle -----	46
Circle quadrangle -----	46
Cold Bay quadrangle -----	47
Coleen quadrangle -----	48
Cordova quadrangle -----	49
Craig quadrangle -----	50
De Long Mountains quadrangle -----	51
Demarcation Point quadrangle -----	53
Dillingham quadrangle -----	54
Dixon Entrance quadrangle -----	56
Eagle quadrangle -----	57
Fairbanks quadrangle -----	57
False Pass quadrangle -----	60
Flaxman Island quadrangle -----	61
Fort Yukon quadrangle -----	64
Garelof Island quadrangle -----	65
Goodnews quadrangle -----	65
Gulkana quadrangle -----	68

	<u>Page</u>
Hagemeister Island quadrangle -----	68
Harrison Bay quadrangle -----	71
Healy quadrangle -----	76
Holy Cross quadrangle -----	77
Hooper Bay quadrangle -----	78
Howard Pass quadrangle -----	78
Hughes quadrangle -----	80
Icy Bay quadrangle -----	82
Iditarod quadrangle -----	83
Ikpikpuk River quadrangle -----	84
Iliamna quadrangle -----	85
Juneau quadrangle -----	86
Kaguyak quadrangle -----	87
Kantishna River quadrangle -----	89
Karluk quadrangle -----	89
Kateel River quadrangle -----	90
Kenai quadrangle -----	91
Ketchikan quadrangle -----	92
Killik River quadrangle -----	94
Kiska quadrangle -----	96
Kodiak quadrangle -----	96
Kotzebue quadrangle -----	97
Kuskokwim Bay quadrangle -----	98
Kwiguk quadrangle -----	99
Lake Clark quadrangle -----	99
Lime Hills quadrangle -----	100
Livengood quadrangle -----	101
Lookout Ridge quadrangle -----	102
Marshall quadrangle -----	104
McCarthy quadrangle -----	104
McGrath quadrangle -----	105
Meade River quadrangle -----	106
Medfra quadrangle -----	107
Melozitna quadrangle -----	108
Middleton Island quadrangle -----	109
Misheguk Mountain quadrangle -----	110
Mount Fairweather quadrangle -----	111
Mount Hayes quadrangle -----	113
Mount Katmai quadrangle -----	114
Mount McKinley quadrangle -----	115
Mount Michelson quadrangle -----	116
Mount Saint Elias quadrangle -----	120
Nabesna quadrangle -----	120
Naknek quadrangle -----	121
Noatak quadrangle -----	122
Nome quadrangle -----	123
Norton Bay quadrangle -----	124
Nulato quadrangle -----	125
Nunivak Island quadrangle -----	126
Nushagak Bay quadrangle -----	127
Ophir quadrangle -----	129
Petersburg quadrangle -----	129
Philip Smith Mountains quadrangle -----	130

	<u>Page</u>
Point Hope quadrangle -----	132
Point Lay quadrangle -----	133
Port Alexander quadrangle -----	133
Port Moller quadrangle -----	134
Pribilof Islands quadrangle -----	135
Prince Rupert quadrangle -----	135
Rat Islands quadrangle -----	137
Ruby quadrangle -----	137
Russian Mission quadrangle -----	139
Sagavanirktok quadrangle -----	139
Saint Lawrence quadrangle -----	143
Saint Matthew quadrangle -----	143
Saint Michael quadrangle -----	143
Samalga Island quadrangle -----	144
Seguam quadrangle -----	144
Selawik quadrangle -----	145
Seldovia quadrangle -----	146
Seward quadrangle -----	147
Shishmaref quadrangle -----	149
Shungnak quadrangle -----	149
Simeonof Island quadrangle -----	151
Sitka quadrangle -----	152
Skagway quadrangle -----	152
Sleetmute quadrangle -----	153
Solomon quadrangle -----	154
Stepovak Bay quadrangle -----	155
Sumdum quadrangle -----	156
Survey Pass quadrangle -----	157
Sutwik Island quadrangle -----	158
Table Mountain quadrangle -----	160
Taku River quadrangle -----	160
Talkeetna quadrangle -----	161
Talkeetna Mountains quadrangle -----	164
Tanacross quadrangle -----	165
Tanana quadrangle -----	166
Taylor Mountains quadrangle -----	167
Teller quadrangle -----	169
Teshekpuk quadrangle -----	171
Trinity Islands quadrangle -----	172
Tyonek quadrangle -----	174
Ugashik quadrangle -----	175
Umiat quadrangle -----	176
Umnak quadrangle -----	180
Unalakleet quadrangle -----	180
Unalaska quadrangle -----	181
Unimak quadrangle -----	181
Utukok River quadrangle -----	182
Valdez quadrangle -----	183
Wainwright quadrangle -----	184
Wiseman quadrangle -----	185
Yakutat quadrangle -----	186

## INTRODUCTION

This open-file report lists all Geological Survey, U.S. Bureau of Mines, and State of Alaska Division of Geological and Geophysical Surveys reports and maps on the geology, geophysics, and mineral and water resources of Alaska published or released to open files in 1978. They are listed by the quadrangles (scale 1:250,000) into which Alaska has been subdivided for topographic mapping (p. 4). As these three agencies also issued reports and maps on other subjects, the following lists are selected in the sense that such documents are not included. Most of the listed reports and maps bear a 1978 imprint date; a few with earlier imprint dates actually were not delivered until 1978.

Reports that deal with regional tectonic hypotheses, regional syntheses, Alaska as a whole, or with areas that can not be identified with a specific quadrangle are listed under Alaska - General, as are statistical presentations, indexes, and the like. Reports and maps that deal with offshore areas not within quadrangle boundaries are listed under Offshore Areas. The Alaska - General and Offshore Areas lists appear before the alphabetically arranged quadrangle listings.

This index is intended to bring up to date the other indexes of this series, which are listed on p. 2-3.

Other indexes in this series

Cobb, E. H., 1974, Geological Survey open-file reports on Alaska indexed by quadrangle: U.S. Geological Survey Open-file Report 74-7, 116 p.

Cobb, E. H., 1974, Selected U.S. Bureau of Mines reports on Alaska indexed by quadrangle: U.S. Geological Survey Open-file Report 74-52, 40 p.

Cobb, E. H., 1974, Geological Survey maps (other than topographic maps) of Alaska indexed by quadrangle: U.S. Geological Survey Open-file Report 74-84, 38 p.

Cobb, E. H., 1974, Reports of the Alaska Division of Geological and Geophysical Surveys and predecessor agencies, 1913-1973, indexed by quadrangle: U.S. Geological Survey Open-file Report 74-209, 112 p.

Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1960-1973, indexed by quadrangle: U.S. Geological Survey Open-file Report 74-210, 163 p.

Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1940-1959, indexed by quadrangle: U.S. Geological Survey Open-file Report 74-261, 71 p.

Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1915-1939, indexed by quadrangle: U.S. Geological Survey Open-file Report 74-335, 159 p.


Cobb, E. H., 1974, Geological Survey published reports on Alaska, 1884-1914, indexed by quadrangle: U.S. Geological Survey Open-file Report 74-345, 126 p.

Cobb, E. H., 1975, Geological Survey and selected U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1974, indexed by quadrangle: U.S. Geological Survey Open-file Report 75-128, 46 p.

Cobb, E. H., 1976, Geological Survey and selected U.S. Bureau of Mines and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1975: U.S. Geological Survey Open-file Report 76-332, 95 p.

Cobb, E. H., 1977, Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps on Alaska released during 1976, indexed by quadrangle: U.S. Geological Survey Open-file Report 77-177, 115 p.

Cobb, E. H., 1978, Selected Geological Survey, U.S. Bureau of Mines,  
and Alaska Division of Geological and Geophysical Surveys reports  
and maps of Alaska released during 1977, indexed by quadrangle:  
U.S. Geological Survey Open-file Report 78-283, 96 p.



Map showing quadrangles of Alaska Topographic Series (1:250,000)

Ahlbrandt, T. S., and Huffman, A. C., 1978, Cretaceous Nanushuk Group, North Slope, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B13-B15.

Albert, N. R. D., Steele, W. C., and LeCompte, J. R., 1978, Landsat color mosaic of Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B1, B4.

Alpha, T. R., and Swenson, Phyllis, 1978, Equal-area base map of Alaska and northeast Siberia: U.S. Geological Survey Open-file Report 78-82, 1 sheet, scale 1:5,000,000.

Armstrong, A. K., and Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p. + plates.

Barnes, Ivan, Irwin, W. P., and White, D. E., 1978, Global distribution of carbon dioxide discharges, and major zones of seismicity: U.S. Geological Survey Water-Resources Investigations Open-file Report 78-39, 12 p.

Barnes, P. W., McDowell, David, and Reimnitz, Erk, 1978, Ice gouging characteristics: their changing patterns from 1975-1977, Beaufort Sea, Alaska: U.S. Geological Survey Open-file Report 78-730, 42 p.

Bartsch-Winkler, Susan, 1978, Geologic mapping in Alaska, U.S. Geological Survey, post-1930, scales 1:96,000 to 1:250,000: U.S. Geological Survey Open-file Report 78-676, 1 sheet + 6 p.

Bartsch-Winkler, Susan, 1978, Geologic mapping in Alaska, U.S. Geological Survey, post-1930, scales 1:20,000 to 1:63,360: U.S. Geological Survey Open-file Report 78-677, 1 sheet + 7 p.

Beikman, H. M., 1978, Preliminary geologic map of Alaska: U.S. Geological Survey, 2 sheets, scale 1:2,500,000.

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Boucher, Gary, 1978, Rotation of Alaska and the opening of the Canada Basin: U.S. Geological Survey Open-file Report 78-96, 12 p. + 7 figs.

Brady, A. G., and Perez, V., 1978, U.S. Geological Survey seismic engineering data report, 1972 records, strong-motion earthquake accelerograms digitization and analysis: U.S. Geological Survey Open-file Report 78-941, 128 p.

Childers, J. M., Kernodle, D., and Loeffler, R., 1978, Stream flow and channel erosion investigations along the TAPS route, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B6-B7.

Childers, J. M., Kernodle, D., and Loeffler, R., 1978, Hydrology of arctic Alaska, in Johnson, K. M., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B33-B34.

Cobb, E. H., 1978, Selected Geological Survey, U.S. Bureau of Mines, and Alaska Division of Geological and Geophysical Surveys reports and maps of Alaska released during 1977, indexed by quadrangle: U.S. Geological Survey Open-file Report 78-283, 96 p.

Coffman, J. L., and Stover, C. W., eds., 1978, United States earthquakes, 1975: National Technical Information Service PB-278 261, 136 p.

Curtin, G. C., Hessin, T. D., O'Leary, R. M., Cooley, E. F., Day, G. W., and Tripp, R. B., 1978, Geochemical exploration studies in Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B5-B6.

Ficke, E. R., and Ficke, J. F., 1977, Ice on rivers and lakes - A bibliographic essay: U.S. Geological Survey Water Resources Investigations 77-95, National Technical Information Service PB-279 528, 173 p.

Ford, A. B., and Brew, D. A., 1978, Minor-metal content of Cretaceous greenstone near Juneau, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B85-B88.

Hoare, J. M., and Coonrad, W. L., 1978, Lawsonite in southwest Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B55-B57.

Hopkins, D. M., and Silberman, M. L., 1978, Potassium-argon ages of basement rocks from Saint George Island, Alaska: U.S. Geological Survey Journal of Research, v. 6, no. 4, p. 435-438.

Howard, K. A., Aaron, J. M., Brabb, E. E., Brock, M. R., Gower, H. D., Hunt, S. J., Milton, D. J., Muehlberger, W. R., Nakata, J. K., Plafker, G., Prowell, D. C., Wallace, R. E., and Witkind, I. J., 1978, Preliminary map of young faults in the United States as a guide to possible fault activity: U.S. Geological Survey Miscellaneous Field Studies Map MF-916, 2 sheets, various scales [Alaska 1:7,500,000].

Johnson, K. M., 1978, The United States Geological Survey in Alaska: Organization and status of programs in 1978: U.S. Geological Survey Circular 772-A, p. A1-A63.

Johnson, K. M., ed., 1978, The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B1-B115.

Jones, S. H., 1978, Streamflow in NPRA, 1977, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B29.

Lankford, S. M., and Magoon, L. B., 1978, Petrography of the Upper Jurassic through Oligocene sandstones in the Cape Douglas-Kamishak Hills area, lower Cook Inlet, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B60-B62.

Magoon, L. B., Egbert, R. M., and Petering, George, 1978, Upper Jurassic and Cretaceous rocks of the Kamishak Hills-Douglas River area, lower Cook Inlet, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B57-B59.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Silberman, M. L., 1978, Granitic clasts from Lower Cretaceous conglomerate in the northwestern Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B11-B13.

McIntosh, W. L., and Eister, M. F., 1978, Geologic map index of Alaska: U.S. Geological Survey, 14 sheets (unnumbered).

Minsch, J. H., Stover, C. W., Person, W. J., Simon, R. B., and Reagor, B. G., 1978, Earthquakes in the United States, October-December 1976: U.S. Geological Survey Circular 766-D, p. D1-D31.

Nelson, S. W., and Grybeck, Donald, 1978, The Arrigetch Peaks and Mount Igikpak plutons, Survey Pass quadrangle, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B7-B9.

Offield, T. W., 1978, United States Geological Survey uranium and thorium research assessment and exploration research program, Fiscal Year 1979: U.S. Geological Survey Open-file Report 78-979, 23 p.

Overstreet, W. C., Lovering, T. G., Rosenblum, Sam, and Day, G. W., 1978, Minor elements in magnetic concentrates from Alaska: National Technical Information Service PB-276 638, 626 p.

Person, W. J., Simon, R. B., Stover, C. W., and Minsch, J. H., 1978, Earthquakes in the United States, April-June 1976: U.S. Geological Survey Circular 766-B, p. B1-B27.

Plafker, George, Bruns, T. R., Carlson, P. R., Molnia, B. F., Scott, E. W., Kahler, Roger, and Wilson, Charles, 1978, Petroleum potential, geologic hazards, and technology for exploration on the Outer Continental Shelf of the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-490, 40 p.

Plafker, George, Hudson, Travis, and Jones, D. L., 1978, Upper Triassic radiolarian chert from the Kobuk volcanic sequence in the southern Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B45-B47.

Reimnitz, Erk, and Maurer, D. K., 1978, Stamukhi shoals of the Arctic - some observations from the Beaufort Sea: U.S. Geological Survey Open-file Report 78-666, 17 p.

Scott, K. M., 1978, Effects of permafrost on stream channel behavior in arctic Alaska: U.S. Geological Survey Professional Paper 1068, 19 p.

Simon, R. B., Stover, C. W., Person, W. J., and Minsch, J. H., 1978, Earthquakes in the United States, January-March 1976: U.S. Geological Survey Circular 766-A, p. A1-A33.

Sloan, C. E., and Snyder, R. F., 1978, Hydrologic reconnaissance of lakes in NPRA, 1977, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B28-B29.

Sloan, Charles, Trabant, Dennis, and Glude, William, 1978, Reconnaissance snow survey of NPRA, April 1977, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B28.

Schl, N. F., and Wright, W. B., 1977, Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1976: U.S. Geological Survey Bulletin 1435-A, p. Al-Al51.

Steele, W. C., and Albert, N. R. D., 1978, Interpretation of Land-sat imagery of the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-870C, 2 sheets, scale 1:250,000.

Stover, C. W., Simon, R. B., Person, W. J., and Minsch, J. H., 1978, Earthquakes in the United States, July-September, 1976; U.S. Geological Survey Circular 766-C, p. C1-C25

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

U.S. Geological Survey, 1977, Water resources data for Alaska - water year 1976: National Technical Information Service PB-275 889, 405 p.

U.S. Geological Survey, 1978, Seismic engineering program report, September-December 1977: U.S. Geological Survey Circular 762-C, 27 p.

U.S. Geological Survey, 1978, Seismic engineering program report, January-April 1978: U.S. Geological Survey Circular 785-A, 11 p.

Wolfe, J. A., 1977, Paleogene floras from the Gulf of Alaska region: U.S. Geological Survey Professional Paper 997, 108 p. + pl.

Yehle, L. A., 1978, Reconnaissance engineering geology of the Petersburg area, southeastern Alaska, with emphasis on geologic hazards: U.S. Geological Survey Open-file Report 78-675, 92 p.

Zenone, Chester, and Anderson, G. S., 1978, Summary appraisal of the nation's ground-water resources - Alaska: U.S. Geological Survey Professional Paper 813-P, p. P1-P28.

Zenone, Chester, and Anderson, G. S., 1978, Regional appraisal of Alaska's ground-water resources, 1978, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B7.

Offshore Areas

Alpha, T. R., and Lewis, S. D., 1978, Revised oblique map of Pribilof Canyon: U.S. Geological Survey Open-file Report 78-214, 1 sheet.

Barnes, P. W., and McDowell, David, 1978, Inner shelf morphology. Beaufort Sea, Alaska: U.S. Geological Survey Open-file Report 78-785, 4 p. + map, scale 1:700,000.

Bouma, A. H., and Hampton, M. A., 1978, Notes on the acquisition of high resolution seismic profiles, side scan records, and sampling locations from lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S7-77-WG, September-October, 1977: U.S. Geological Survey Open-file Report 78-727, 29 p.

Bouma, A. H., Hampton, M. A., Whitney, J. W., and Noonan, W. G., 1978, Physiography of lower Cook Inlet, Alaska: U.S. Geological Survey Open-file Report 78-728, 16 p.

Clukey, E. C., Nelson, Hans, and Newby, J. E., 1978, Geotechnical properties of northern Bering Sea sediment: U.S. Geological Survey Open-file Report 78-408, 47 p.

Cooper, A. K., 1978, Heat flow and organic gas measurements from the Aleutian Basin, Bering Sea, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B92-B94.

Cooper, A. K., Childs, J. R., Marlow, M. S., Rabinowitz, P. D., Scholl, D. W., and Ludwig, W. J., 1977, Preliminary isopach and structure contour maps of Bering Basin: U.S. Geological Survey Miscellaneous Field Studies Map MF-907, 1 sheet, scale 1:4,019,138.

Eittreim, Stephen, Grantz, Arthur, and Whitney, O. T., 1978, Isopach maps of Tertiary sediments, Hope Basin, southern Chukchi Sea, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-906, 1 sheet, scale 1:1,000,000.

Gardner, J. V., and Vallier, T. L., 1978, Underway seismic data collected on U.S.G.S. cruise S6-77, southeastern Bering Sea: U.S. Geological Survey Open-file Report 78-322, 5 p. + 1 pl.

Gardner, J. V., Vallier, T. L., and Dean, W. E., 1978, Grain size, total carbon, mineralogy, and inorganic geochemical data from surface sediments of the southern Bering Sea Outer Continental Shelf: U.S. Geological Survey Open-file Report 78-923, 32 p. (not all numbered).

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Offshore Areas

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Hampton, M. A., and Bouma, A. H., 1978, Generalized thickness map of unconsolidated surficial sedimentary units, Kodiak shelf, western Gulf of Alaska: U.S. Geological Survey Open-file report 78-729, 9 sheets, scale 1:517,240 (approx.).

Holmes, M. L., Meeder, C. A., and Creager, K. C., 1978, Sonobuoy refraction data near Kodiak, Alaska: U.S. Geological Survey Open-file Report 78-368, 79 p.

Marlow, Mike, 1978, Navarin basin, northwest Bering Sea shelf, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B96.

Maurer, D. K., Barnes, P. W., and Reimnitz, Erk, 1978, U.S. Geological Survey marine geologic studies in the Beaufort Sea, Alaska, 1977: Data type, location, and records obtained: U.S. Geological Survey Open-file Report 78-1066, 3 p. + 4 pl.

Molnia, B. F., Carlson, P. R., and Wright, L. H., 1978, Geophysical data from the 1975 cruise of the NOAA ship Surveyor in northern Gulf of Alaska: U.S. Geological Survey Open-file Report 78-209, 42 p.

Nelson, Hans, Holmes, M. L., Thor, D. R., and Johnson, J. L., 1978, Continuous seismic reflection profile, records, SEA 5-76-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-609, 7 p. (unpaged) + 2 sheets, scale 1:250,000.

Plafker, George, Bruns, T. R., Carlson, P. R., Molnia, B. F., Scott, E. W., Kahler, Roger, and Wilson, Charles, 1978, Petroleum potential, geologic hazards, and technology for exploration on the Outer Continental Shelf of the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-490, 40 p.

Plafker, George, Winkler, G. R., Hunt, S. J., Bartsch-Winkler, Susan, Coonrad, W. L., and Quinterno, Paula, 1978, Outcrop samples from the Continental Slope in the eastern Gulf of Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B97-B101.

Thor, D. R., and Nelson, Hans, 1978, Environmental studies in northern Bering Sea, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B94-B95.

Offshore Areas

Thor, R. R., and Nelson, Hans, 1978, Continuous seismic reflection profile records, SEA 5-77-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-608, 8 p. + 2 sheets, scale 1:250,000.

Toimil, L. J., 1978, Ice-gouged microrelief on the floor of the eastern Chukchi Sea, Alaska: a reconnaissance survey: U.S. Geological Survey Open-file Report 78-693, 94 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Adak quadrangle

Cooper, A. K., Childs, J. R., Marlow, M. S., Rabinowitz, P. D., Scholl, D. W., and Ludwig, W. J., 1977, Preliminary isopach and structure contour maps of Bering Basin: U.S. Geological Survey Miscellaneous Field Studies Map MF-907, 1 sheet, scale 1:4,019,138.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Afognak quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Bouma, A. H., and Hampton, M. A., 1978, Notes on the acquisition of high resolution seismic profiles, side scan records, and sampling locations from lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S7-77-WG, September-October, 1977: U.S. Geological Survey Open-file Report 78-727, 29 p.

Afognak quadrangle

Bouma, A. H., Hampton, M. A., Frost, T. P., Torresan, M. E., Orlando, R. D., and Whitney, J. W., 1978, Bottom characteristics of lower Cook Inlet, Alaska: U.S. Geological Survey Open-file Report 78-236, 90 p. + pl.

Bouma, A. H., Hampton, M. A., Whitney, J. W., and Noonan, W. G., 1978, Physiography of lower Cook Inlet, Alaska: U.S. Geological Survey Open-file Report 78-728, 16 p.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54°N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Hampton, M. A., and Bouma, A. H., 1978, Generalized thickness map of unconsolidated surficial sedimentary units, Kodiak shelf, western Gulf of Alaska: U.S. Geological Survey Open-file report 78-729, 9 sheets, scale 1:517,240 (approx.).

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Open-file Report 78-127, 54 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Hydrologic Investigations Atlas HA-612, 2 sheets.

Lankford, S. M., and Magoon, L. B., 1978, Petrography of the Upper Jurassic through Oligocene sandstones in the Cape Douglas-Kamishak Hills area, lower Cook Inlet, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B60-B62.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Magoon, L. B., Egbert, R. M., and Petering, George, 1978, Upper Jurassic and Cretaceous rocks of the Kamishak Hills-Douglas River area, lower Cook Inlet, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B57-B59.

Ambler River quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McQuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Gilbert, W. G., Wiltse, M. A., Carden, J. R., Forbes, R. B., and Hackett, S. W., 1977, Geology of Ruby Ridge, southwestern Brooks Range, Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 58, 16 p.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Mayfield, C. F., and Grybeck, Donald, 1978, Mineral occurrences and resources map of the Ambler River quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-120-I, 1 sheet, scale 1:250,000.

Mayfield, C. F., and Tailleur, I. L., 1978, Bedrock geology map of the Ambler River quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-120-A, 1 sheet, scale 1:250,000.

Staff, Alaska Field Operations Center, 1978, Mineral data appraisal of the proposed Noatak National Ecological Reserve, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 67-78, 33 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Gates of the Arctic Wilderness National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 109-78, 29 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Kobuk Valley National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 110-78, 31 p.

Ambler River quadrangle

Turner, D. L., Forbes, R. B., and Mayfield, C. F., 1978, K-Ar geochronology of the Survey Pass, Ambler River and eastern Baird Mountains quadrangles, southwestern Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-254, 41 p. + 3 pl.

Amukta quadrangle

Cooper, A. K., Childs, J. R., Marlow, M. S., Rabinowitz, P. D., Scholl, D. W., and Ludwig, W. J., 1977, Preliminary isopach and structure contour maps of Bering Basin: U.S. Geological Survey Miscellaneous Field Studies Map MF-907, 1 sheet, scale 1:4,019,138.

Anchorage quadrangle

Bird, M. L., 1977, Electron-microprobe analyses of chromite and olivine from alpine ultramafic complexex: U.S. Geological Survey Open-file Report 77-236, 69 p. (unnumbered).

Csejtey, Béla, Jr., Nelson, W. H., Jones, D. L., Silberman, N. J., Dean, R. M., Morris, M. S., Lanphere, M. A., Smith, J. G., and Silberman, M. L., 1978, Reconnaissance geologic map and geochronology, Talkeetna Mountains quadrangle, northern part of Anchorage quadrangle, and southwest corner of Healy quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-558-A, 60 p. + 1 sheet, scale 1:250,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Dickenson, K. A., and Campbell, J. A., 1978, Epigenetic mineralization and areas favorable for uranium exploration in Tertiary continental sedimentary rock in south-central Alaska - a preliminary report: U.S. Geological Survey Open-file Report 78-757, 13 p.

Freethey, G. W., 1978, Guide to ground-water data, Cook Inlet basin, Alaska: U.S. Geological Survey Open-file Report 78-439, 207 p. + 2 sheets.

Anchorage quadrangle

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Hackett, S. W., 1978, Simple Bouguer map, Talkeetna-Kashwitna River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107-G, 1 sheet, scale 1:63,360.

Hackett, S. W., 1978, Aeromagnetic map, Talkeetna-Kashwitna River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107H, 1 sheet, scale 1:63,360.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

Kline, J. T., 1978, Approximate slope map of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107C, 1 sheet, scale 1:63,360.

Lankford, S. M., and Magoon, L. B., 1978, Petrography of the Upper Jurassic through Oligocene sandstones in the Cape Douglas-Kamishak Hills area, lower Cook Inlet, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B60-B62.

MacKevett, E. H., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

McGee, D. L., 1978, Bedrock geology and coal occurrences, Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107E, 1 sheet, scale 1:63,360.

Meier, M. F., Post, Austin, Brown, C. S., Frank, David, Hodge, S. M., Mayo, L. R., Rasmussen, L. A., Senear, E. A., Sikonia, W. G., Trabant, D. C., and Watts, R. D., 1978, Columbia Glacier progress report—December 1977: U.S. Geological Survey Open-file Report 78-264, 56 p.

Post, Austin, 1978, Interim bathymetry of Columbia Glacier and approaches, Alaska: U.S. Geological Survey Open-file Report 78-449, 1 sheet, scale 1:20,000.

Anchorage quadrangle

Reger, R. D., 1978, Reconnaissance geology of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107A, 1 sheet, scale 1:63,360.

Regar, R. D., 1978, Reconnaissance geology of the new capital site and vicinity, Anchorage quadrangle and vicinity, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 113A, 1 sheet, scale 1:63,360.

Reger, R. D., and Carver, C. L., 1978, Reconnaissance geologic materials map of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107B, 1 sheet, scale 1:63,360.

Reger, R. D., and Carver, C. L., 1978, Reconnaissance geologic materials map of the new capital site and vicinity, Anchorage quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 113B, 1 sheet, scale 1:63,360.

Scully, D. R., Leveen, L. S., and George, R. S., 1978, Surface water records of Cook Inlet basin, Alaska, through September 1975: U.S. Geological Survey Open-file Report 78-498, 102 p.

Silberman, M. L., Csejtey, Béla, Jr., Smith, J. G., Lanphere, M. A., and Wilson, F. H., 1978, New potassium-argon data on the age of mineralization and metamorphism in the Willow Creek mining district, southern Talkeetna Mountains, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B65, B67-B69.

Silberman, M. L., O'Leary, R. M., Csejtey, Béla, Jr., Smith, J. G., and Connor, C. L., 1978, Geochemical anomalies and isotopic ages in the Willow Creek mining district, southwestern Talkeetna Mountains, Alaska: U.S. Geological Survey Open-file Report 78-233, 32 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Winkler, G. R., 1978, Framework grain mineralogy and provenance of sandstone from the Arkose Ridge and Chickaloon Formations, Matanuska Valley, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B70-B73.

Anchorage quadrangle

Zenone, Chester, 1978, Water resources studies in the Anchorage area,  
in Johnson, K. M., ed., The United States Geological Survey in  
Alaska -- Accomplishments during 1977: U.S. Geological Survey  
Circular 772-B, p. B81-B82.

Arctic quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S.  
Geological Survey Open-file Report 77-166A, 1 sheet, scale  
1:1,000,000.

Barker, J. C., 1978, Mineral investigations of certain lands in  
the eastern Brooks Range - A summary report: U.S. Bureau of  
Mines Open-file Report 63-78, 25 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of  
the Brooks Range and Arctic Slope, Alaska: U.S. Geological  
Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000..

Grantz, Arthur, and Mull, C. G., 1978, Preliminary analysis of the  
petroleum potential of the Arctic National Wildlife Range, Alaska:  
U.S. Geological Survey Open-file Report 78-489, 20 p. + pl.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables de-  
scribing mineral resource potential of the Brooks Range, Alaska:  
U.S. Geological Survey Open-file Report 78-1-B, 20 sheets,  
scale 1:1,000,000.

Atka quadrangle

Cooper, A. K., Childs, J. R., Marlow, M. S., Rabinowitz, P. D.,  
Scholl, D. W., and Ludwig, W. J., 1977, Preliminary isopach  
and structure contour maps of Bering Basin: U.S. Geological  
Survey Miscellaneous Field Studies Map MF-907, 1 sheet, scale  
1:4,019,138.

Atlin quadrangle

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Baird Inlet quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Griscom, Andrew, 1978, Aeromagnetic map and interpretation of the Goodnews and Hagemeyer Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-C, 20 p. + 2 sheets, scale 1:250,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Steele, W. C., 1978, Interpretation of Landsat imagery of the Goodnews and Hagemeyer Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-D, 1 sheet, scale 1:250,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Baird Mountains quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Baird Mountains quadrangle

Degenhart, C. E., Griffis, R. J., McQuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Silberman, M. L., 1978, Granitic clasts from Lower Cretaceous conglomerate in the northwestern Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B11-B13.

Staff, Alaska Field Operations Center, 1978, Mineral data appraisal of the proposed Noatak National Ecological Reserve, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 67-78, 33 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Kobuk Valley National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 110-78, 31 p.

Turner, D. L., Forbes, R. B., and Mayfield, C. F., 1978, K-Ar geochronology of the Survey Pass, Ambler River and eastern Baird Mountains quadrangles, southwestern Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-254, 41 p. + 3 pl.

Barrow quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Barnes, P. W., and McDowell, David, 1978, Inner shelf morphology. Beaufort Sea, Alaska: U.S. Geological Survey Open-file Report 78-785, 4 p. + map, scale 1:700,000.

- Carter, R. D., and Lantz, R. J., 1978, Development and operation of gas fields in the South Barrow area, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B29-B30.
- Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.
- Detterman, R. L., 1978, The Arctic Lowland regions potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.
- Hartz, R. W., 1978, Erosional hazards map of the Arctic coast of the National Petroleum Reserve--Alaska: U.S. Geological Survey Open-file Report 78-406, 7 p + map, scale about 1:810,810.
- Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.
- Jones, S. H., 1978, Streamflow in NPRA, 1977, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B29.
- Magoon, L. B., and Claypool, G. E., 1978, Organic geochemistry of rocks from three NPRA wells, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B25-B26.
- Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.
- Reimnitz, Erk and Maurer, D. K., 1978, Storm surges in the Alaskan Beaufort Sea: U.S. Geological Survey Open-file Report 78-593, 26 p.
- Reimnitz, Erk, and Maurer, D. K., 1978, Stamukhi shoals of the Arctic - some observations from the Beaufort Sea: U.S. Geological Survey Open-file Report 78-666, 17 p.
- Toimil, L. J., 1978, Ice-gouged microrelief on the floor of the eastern Chukchi Sea, Alaska: a reconnaissance survey: U.S. Geological Survey Open-file Report 78-693, 94 p.
- Townshend, J. B., 1978, Improvements in magnetic observatory construction and operation in permafrost areas: U.S. Geological Survey Open-file Report 78-213, 17 p.

Barrow quadrangle

Williams, J. R., Carter, L. D., and Yeend, W. E., 1978, Coastal plain deposits of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B20-B22.

Barter Island quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Grantz, Arthur, and Mull, C. G., 1978, Preliminary analysis of the petroleum potential of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Open-file Report 78-489, 20 p. + pl.

Kosmoski, B. A., Reiser, H. N., Cavit, C. D., and Detterman, R. L., 1978, A gravity study of the northern part of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Bulletin 1440, 21 p. + pl.

Beaver quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Clautice, K. H., 1978, Mineral deposits of the Kanuti River area — A summary report: U.S. Bureau of Mines Open-file Report 66-78, 15 p.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Beaver, Bettles, and Medfra quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-94, 55 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Beechey Point quadrangle

Albert, N. R. D., 1978, Landsat mosaics of eastern North Slope petroleum province, Alaska, with preliminary interpretation of observed features: U.S. Geological Survey Miscellaneous Field Studies Map MF-928V, 3 sheets, scale 1:500,000.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Barnes, P. W., and McDowell, David, 1978, Inner shelf morphology, Beaufort Sea, Alaska: U.S. Geological Survey Open-file Report 78-785, 4 p. + map, scale 1:700,000.

Barnes, P. W., McDowell, David, and Reimnitz, Erk, 1978, Ice gouging characteristics: their changing patterns from 1975-1977, Beaufort Sea, Alaska: U.S. Geological Survey Open-file Report 78-730, 42 p.

Bird, K. J., 1978, Generalized isopach map of the Lisburne Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928S, 1 sheet, scale 1:500,000.

Bird, K. J., 1978, Geoeralized isopach map of the Endicott Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928T, 1 sheet, scale 1:500,000.

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. F., 1978, Water resources along the TAPS route, Alaska, 1970-74: U.S. Geological Survey Open-file Report 78-137, 136 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland region: potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Grantz, Arthur, and Mull, G. G., 1978, Preliminary analysis of the petroleum potential of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Open-file Report 78-489, 20 p. + pl.

Lachenbruch, A. H., and Marshall, B. V., 1978, A simple target model for offshore permafrost at Prudhoe Bay, in Johnson, R. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B30-B32.

Beechey Point quadrangle

Levorsen, J. A., Pessel, G. H., Carter, R. D., and Tailleur, I. L., 1978, Generalized isopach map of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928Q, 1 sheet, scale 1:500,000.

Levorsen, J. A., Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Ledge Sandstone Member of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928P, 1 sheet, scale 1:500,000.

Maurer, D. K., Barnes, P. W., and Reimnitz, Erk, 1978, U.S. Geological Survey marine geologic studies in the Beaufort Sea, Alaska, 1977: Data type, location, and records obtained: U.S. Geological Survey Open-file Report 78-1066, 3 p. + 4 pl.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized structure map of the Lower Cretaceous unconformity, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928H, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach and net sand maps of Lower Cretaceous sands, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928J, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of (Jurassic) and possibly Lower Cretaceous shale, including Kingak Shale, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928K, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of Sag River Sandstone and overlying siltstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928M, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of the Shublik Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928N, 1 sheet, scale 1:500,000.

Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Echooka Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928R, 1 sheet, scale 1:500,000.

Beechey Point quadrangle

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized structure map of top of the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928C, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of the sandstones within the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928D, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of shale in the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928E, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928F, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Levorsen, J. A., 1978, Generalized structure map of top of Sag River Sandstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928L, 1 sheet, scale 1:500,000.

Reimnitz, Erk and Maurer, D. K., 1978, Storm surges in the Alaskan Beaufort Sea: U.S. Geological Survey Open-file Report 78-593, 26 p.

Reimnitz, Erk, and Maurer, D. K., 1978, Stamukhi shoals of the Arctic - some observations from the Beaufort Sea: U.S. Geological Survey Open-file Report 78-666, 17 p.

Scott, K. M., 1978, Effects of permafrost on stream channel behavior in arctic Alaska: U.S. Geological Survey Professional Paper 1068, 19 p.

Tailleur, I. L., Bird, K. J., and Engwicht, S. E., 1978, Map showing depth to basement from drilling and from seismic exploration, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928U, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Generalized structure map of top, middle, and basal Tertiary markers with geothermal gradients, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928B, 1 sheet, scale 1:500,000.

Beechey Point quadrangle

Tailleur, I. L., and Engwicht, S. E., 1978, Seismic maps of shallow Cretaceous horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928G, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Structure maps of top of Sadlerochit Group, and cross sections of Sadlerochit reservoir, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928O, 1 sheet, scale 1:500,000.

Tailleur, I. L., Pessel, G. H., and Engwicht, S. E., 1978, Subcrop map at Lower Cretaceous unconformity, and maps of Jurassic and Lower Cretaceous seismic horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928I, 1 sheet, scale 1:500,000.

Tailleur, I. L., Pessel, G. H., Levorsen, J. A., and Engwicht, S. E., 1978, Maps showing land status and well locations and tables of well data, eastern North Slope petroleum province, Alaska, with a section on exploration by H. C. Jamison: U.S. Geological Survey Miscellaneous Field Studies Map MF-928A, 5 sheets + 8 p., scale 1:500,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Bendeleben quadrangle

Barnes, D. F., and Hudson, Travis, 1977, Bouguer gravity map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 1 sheet, scale 1:1,000,000.

Cady, J. W., 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796G, 22 p. + map, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796E, 1 sheet, scale 1:1,000,000.

Hudson, Travis, 1977, Geologic map of the Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796A, 1 sheet, scale 1:1,000,000.

Bendeleben quadrangle

Hudson, Travis, Barker, Fred, and Arth, Joseph, 1978, Tin-granites of Seward Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B44-B45.

Hudson, Travis, and DeYoung, J. H., Jr., 1978, Map and tables describing areas of mineral resources potential, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 78-1-C, 62 p. + 1 sheet, scale 1:1,000,000.

Hudson, Travis, Miller, M. L., and Pickthorn, W. J., 1977, Map showing metalliferous and selected nonmetalliferous deposits, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796B, 45 p. + 1 sheet, scale 1:1,000,000.

Hudson, Travis, and Plafker, George, 1978, Kigluaik and Bendeleben faults, Seward Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B47-B50.

Hummel, C. L., 1977, Review of exploration geochemical surveys on Seward Peninsula, western Alaska: U.S. Geological Survey Open-file Report 77-796D, 28 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Bering Glacier quadrangle

Addicott, W. O., Winkler, G. R., and Plafker, George, 1978, Preliminary megafossil biostratigraphy and correlation of stratigraphic sections in the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-491, 2 sheets.

Bayer, K. C., Mattick, R. E., Plafker, George, and Bruns, T. R., 1978, Refraction studies between Icy Bay and Kayak Island, eastern Gulf of Alaska: U.S. Geological Survey Journal of Research. v. 6, no. 5, p. 625-636.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Bering Glacier quadrangle

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Plafker, George, Bruns, T. R., Carlson, P. R., Molnia, B. F., Scott, E. W., Kahler, Roger, and Wilson, Charles, 1978, Petroleum potential, geologic hazards, and technology for exploration on the Outer Continental Shelf of the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-490, 40 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

Szeephens, Christopher, 1978, Seismicity near Icy Bay, Alaska and in the eastern Gulf of Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B96-B97.

Wolfe, J. A., 1977, Paleogene floras from the Gulf of Alaska region: U.S. Geological Survey Professional Paper 997, 108 p. + pl.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Bethel quadrangle

Coonrad, W. L., Hoare, J. M., Taufen, P. M., and Hessin, T. D., 1978, Chemical analyses of rock samples in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-H, 1 sheet, scale 1:250,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Bethel quadrangle

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Griscom, Andrew, 1978, Aeromagnetic map and interpretation of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-C, 20 p. + 2 sheets, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of chromium in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-J, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of cobalt in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-K, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of nickel in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-L, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of copper in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-M, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of lead in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-N, 1 sheet, scale 1:250,000.

Bethel quadrangle

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978; Geochemical and generalized geological map showing distribution and abundance of zinc in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-Q, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of mercury in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-P, 2 sheets, scale 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of molybdenum, tin, and tungsten in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-Q, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of arsenic, gold, silver, and platinum in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-R, 1 sheet, scale 1:250,000.

Hoare, J. M., and Coonrad, W. L., 1978. Lawsonite in southwest Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B55-B57.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Steele, W. C., 1978, Interpretation of Landsat imagery of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-D, 1 sheet, scale 1:250,000.

Bettles quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. F., 1978, Water resources along the TAPS route, Alaska, 1970-74: U.S. Geological Survey Open-file Report 78-137, 136 p.

Clautice, K. H., 1978, Mineral deposits of the Kanuti River area - A summary report: U.S. Bureau of Mines Open-file Report 66-78, 15 p.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Beaver, Bettles, and Medfra quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-94, 55 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B; 20 sheets, scale 1:1,000,000.

Bettles quadrangle

Hamilton, T. D., 1978, Late Cenozoic stratigraphy of the south-central Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B36-B38.

Loeffler, R. M., and Childers, J. M., 1978, Channel erosion surveys along the TAPS route, Alaska 1977: U.S. Geological Survey Open-file Report 78-611, 90 p.

Big Delta quadrangle

Albert, N. R. D., Steele, W. C., and LeCompte, J. R., 1978, Landsat data interpretation of various AMRAP quadrangles, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B4-B5.

Carter, L. D., and Galloway, J. P., 1978, Preliminary geologic maps of the proposed natural gas pipeline route in the Tanana River valley, Alaska: U.S. Geological Survey Open-file Report 78-794, 26 p. + 3 sheets, scale 1:125,000.

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. F., 1978, Water resources along the TAPS route, Alaska, 1970-74: U.S. Geological Survey Open-file Report 78-137, 136 p.

Curtin, G. C., Hessin, T. D., O'Leary, R. M., Cooley, E. F., Day, G. W., and Tripp, R. B., 1978, Geochemical exploration studies in Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B5-B6.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Big Delta quadrangle

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Foster, H. L., Jones, D. L., Keith, T. E. C., Wardlaw, Bruce, and Weber, F. R., 1978, Late Paleozoic radiolarians and conodonts found in chert of Big Delta quadrangle, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B34-B36.

Foster, H. L., O'Leary, R. M., McDanal, Stephen, and Clark, A. L., 1978, Analyses of rock samples from the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-469, 125 p. + pl.

Hessin, T. D., Cooley, E. F., and Dusel-Bacon, Cynthia, 1978, Geochemical map showing the distribution and abundance of bismuth, antimony, and silver in nonmagnetic heavy-mineral concentrate samples in the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529 F, 1 sheet, scale 1:250,000.

Hessin, T. D., Cooley, E. F., Hopkins, R. T., Jr., McDougal, C. M., and Detra, D. E., 1978, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in the oxide residue of stream-sediment samples in the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529 L, 1 sheet, scale 1:250,000.

Hessin, T. D., Cooley, E. F., and Siems, D. F., 1978, Geochemical map showing the distribution and abundance of copper, lead, and molybdenum in the ash of willow leaves in the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529 M, 1 sheet, scale 1:250,000.

Hessin, T. D., Cooley, E. F., Siems, D. F., and McDanal, S. K., 1978, Geochemical map showing the distribution and abundance of tin, tungsten, and molybdenum in the nonmagnetic heavy-mineral concentrate samples in the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529 G, 1 sheet, scale 1:250,000.

Hessin, T. D., Day, G. W., Crim, W. D., and Donato, M. M., 1978, Geochemical map showing the distribution and abundance of zinc and cadmium in the ash of willow leaves in the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529 N, 1 sheet, scale 1:250,000.

Big Delta quadrangle

Hessin, T. D., O'Leary, R. M., Hoffman, J. D., and Detra, D. E., 1978, Geochemical map showing the distribution and abundance of copper, lead, and zinc in the minus 80 mesh stream-sediment in the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529 I, 1 sheet, scale 1:250,000.

Hessin, T. D., Siems, D. F., and Day, G. W., 1978, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in minus 80 mesh stream-sediment in the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529 J, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Cooley, E. F., and McDougal, C. M., 1978, Geochemical map showing the distribution and abundance of copper, lead, and zinc in the nonmagnetic heavy-mineral concentrate samples in the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529 E, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Cooley, E. F., Siems, D. F., and McDanal, S. K., 1978, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in the nonmagnetic heavy-mineral concentrate samples in the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529 H, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Day, G. W., and Karlson, M. E., 1978, Geochemical map showing the distribution and abundance of copper, lead, and zinc in the oxide residue of stream-sediment samples in the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529 K, 1 sheet, scale 1:250,000.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

Loeffler, R. M., and Childers, J. M., 1978, Channel erosion surveys along the TAPS route, Alaska 1977: U.S. Geological Survey Open-file Report 78-611, 90 p.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Nelson, G. L., 1978, Geohydrology of the Fairbanks-North Star Borough, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B38.

Big Delta quadrangle

Nelson, G. L., 1978, Geohydrology of the Delta-Clearwater area, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B38.

O'Leary, R. M., Cooley, E. F., Day, G. W., Hessin, T. D., McDougal, C. M., McDanal, Steven, and Clark, A. L., 1978, Spectrographic and chemical analyses of geochemical samples from the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-571, 127 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S Geological Survey Professional Paper 1050, 411 p.

Weber, F. R., Foster, H. L., Keith, T. E. C., and Dusel-Bacon, Cynthia, 1978, Preliminary geologic map of the Big Delta quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-529A, 1 sheet, scale 1:250,000.

Black quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Nelson, Hans, Holmes, M. L., Thor, D. R., and Johnson, J. L., 1978, Continuous seismic reflection profile records, SEA 5-76-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-609, 7 p. (unpaged) + 2 sheets, scale 1:250,000.

Thor, D. R., and Nelson, Hans, 1978, Environmental studies in northern Bering Sea, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B94-B95.

Black River quadrangle

Barker, J. C., 1978, Mineral deposits of the Tanana-Yukon uplands: a summary report: U.S. Bureau of Mines Open-file Report 88-78, 31 p.

Barker, J. C., and Clautice, K. H., 1978, Mineral reconnaissance of the Porcupine River region: a summary report: U.S. Bureau of Mines Open-file Report 87-78, 20 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Blying Sound quadrangle

Carlson, P. R. and Molnia, B. F., 1978, Minisparker profiles and sedimentologic data from R/V ACONA cruise (April 1976) in the Gulf of Alaska and Prince William Sound: U.S. Geological Survey Open-file Report 78-381, 33 p. + 2 sheets.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude:, U.S. Geological Survey Open-file Report 78-208, 63 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Blying Sound quadrangle

Molnia, B. F., Carlson, P. R., and Wright, L. H., 1978, Geophysical data from the 1975 cruise of the NOAA ship Surveyor in northern Gulf of Alaska: U.S. Geological Survey Open-file Report 78-209, 42 p.

O'Leary, R. M., Cooley, E. F., Day, G. W., McDougal, C. M., Tripp, R. B., and Crim, W. D., 1978, Spectrographic and atomic-absorption analyses of geochemical samples from the Seward and Blying Sound quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-1102, 57 p. + 1 sheet.

Plafker, George, Bruns, T. R., Carlson, P. R., Molnia, B. F., Scott, E. W., Kahler, Roger, and Wilson, Charles, 1978, Petroleum potential, geologic hazards, and technology for exploration on the Outer Continental Shelf of the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-490, 40 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

Bradfield Canal quadrangle

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Bradfield Canal quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-922, 97 p.

Bristol Bay quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metaliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

Candle quadrangle

Barnes, D. F., and Hudson, Travis, 1977, Bouguer gravity map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 1 sheet, scale 1:1,000,000.

Cady, J. W., 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796G, 22 p. + map, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Aeromagnetic profiles of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796F, 1 sheet.

Candle quadrangle

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Hudson, Travis, 1977, Geologic map of the Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796A, 1 sheet, scale 1:1,000,000.

Hudson, Travis, and DeYoung, J. H., Jr., 1978, Map and tables describing areas of mineral resources potential, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 78-1-C, 62 p. + 1 sheet, scale 1:1,000,000.

Hudson, Travis, Miller, M. L., and Pickthorn, W. J., 1977, Map showing metalliferous and selected nonmetalliferous deposits, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796B, 45 p. + 1 sheet, scale 1:1,000,000.

Hummel, C. L., 1977, Review of exploration geochemical surveys on Seward Peninsula, western Alaska: U.S. Geological Survey Open-file Report 77-796D. 28 p.

Cape Mendenhall quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Chandalar quadrangle

Albert, N. R. D., Steele, W. C., and LeCompte, J. R., 1978, Landsat data interpretation of various AMRAP quadrangles, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B4-B5.

Barker, J. C., 1978, Mineral investigations of certain lands in the eastern Brooks Range - A summary report: U.S. Bureau of Mines Open-file Report 63-78, 25 p.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McQuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

De Young, J. H., Jr., 1978, Mineral resources map of the Chandalar quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-878-B, 2 sheets, scale 1:250,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Hamilton, T. D., 1978, Late Cenozoic stratigraphy of the south-central Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B. n. B36-B38.

Hamilton, T. D., 1978, Surficial geologic map of the Chandalar quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-878-A, 1 sheet, scale 1:250,000.

Chandalar quadrangle

Loeffler, R. M., and Childers, J. M., 1978, Channel erosion surveys along the TAPS route, Alaska 1977: U.S. Geological Survey Open-file Report 78-611, 90 p.

Marsh, S. P., Detra, D. E., and Smith, S. C., 1978, Geochemical and generalized geologic map showing distribution and abundance of molybdenum, copper, and lead in stream sediments in the Chandalar quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-878-D, 1 sheet, scale 1:250,000.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Gates of the Arctic Wilderness National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 109-78, 29 p.

Chandler Lake quadrangle

Armstrong, A. K., and Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p. + plates.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McOuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Detterman, R. L., 1978, The Arctic Lowland region: potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Chandler Lake quadrangle

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska: U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Gates of the Arctic Wilderness National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 109-78, 29 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Charley River quadrangle

Barker, J. C., 1978, Mineral deposits of the Tanana-Yukon uplands: a summary report: U.S. Bureau of Mines Open-file Report 88-78, 31 p.

Barker, J. C., and Clautice, K. H., 1978, Mineral reconnaissance of the Porcupine River region: a summary report: U.S. Bureau of Mines Open-file Report 87-78, 20 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Charley River quadrangle

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Chignik quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Conwell, C. N., and Triplehorn, D. M., 1978, Herendeen Bay-Chignik coals, southern Alaska Peninsula: Alaska Division of Geological and Geophysical Surveys Special Report 8, 15 p. + 2 pl., scale 1:125,000 approx.

Detra, D. E., Cooley, E. F., Day, G. W., O'Leary, R. M., Holloway, C. D., and Yount, M. E., 1978, Results and statistical summary from analyses of stream-sediment and heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-345, 96 p. + 2 pl.

Detra, D. E., Cooley, E. F., Hopkins, R. T., Jr., O'Leary, R. M., and Jefferis, D. R., 1978, Final results and statistical summary from analyses of stream-sediment and heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-1090, 105 p. + 2 pl.

Detterman, R. L., 1978, Interpretation of depositional environments in the Chignik Formation, Alaska Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B62-B63.

Chignik quadrangle

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54°N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-I, 1 sheet, scale 1:1,000,000.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Hydrologic Investigations Atlas HA-612, 2 sheets.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Open-file Report 78-127, 54 p.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

U.S. Geological Survey, 1978, Aeromagnetic map of Chignik and Sutwik Island quadrangles, Alaska, 1:250,000: U.S. Geological Survey Open-file Report 78-262, 1 sheet, scale 1:250,000.

U.S. Geological Survey, 1978, Aeromagnetic maps of Chignik and Sutwik Island quadrangles, Alaska, 1:63,360: U.S. Geological Survey Open-file Report 78-263, 11 sheets, scale 1:63,360.

Wilson, F. H., Detterman, R. L., and Silberman, M. L., 1978, New ages on intrusive rocks and altered zones on the Alaska Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B63-B65.

Yount, M. E., Cooley, E. F., and O'Leary, R. M., 1978, Sample location map, analytical data, and statistical summary of analyses of rock samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-557, 1 sheet.

Christian quadrangle

Barker, J. C., and Clautice, K. H., 1978, Mineral reconnaissance of the Porcupine River region: a summary report: U.S. Bureau of Mines Open-file Report 87-78, 20 p.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Circle quadrangle

Barker, J. C., 1978, Mineral deposits of the Tanana-Yukon uplands: a summary report: U.S. Bureau of Mines Open-file Report 88-78, 31 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Circle quadrangle

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Cold Bay quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

McLean, Hugh, 1978, Tertiary sedimentary rocks of the Alaska Peninsula between Pavlof Bay and False Pass; their geology and petroleum potential, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B65-B66.

McLean, Hugh, Engelhardt, C. L., and Howell, D. G., 1978, Reconnaissance geologic map of the Cold Bay and False Pass quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-323, 1 sheet, scale 1:250,000.

Coleen quadrangle

Barker, J. C., 1978, Mineral investigations of certain lands in the eastern Brooks Range - A summary report: U.S. Bureau of Mines Open-file Report 63-78, 25 p.

Barker, J. C., and Clautice, K. H., 1978, Mineral reconnaissance of the Porcupine River region: a summary report: U.S. Bureau of Mines Open-file Report 87-78, 20 p.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Cordova quadrangle

Addicott, W. O., Winkler, G. R., and Plafker, George, 1978, Preliminary megafossil biostratigraphy and correlation of stratigraphic sections in the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-491, 2 sheets.

Alpha, T. R., 1978, Oblique map of the Kayak Trough: U.S. Geological Survey Open-file Report 78-464, 1 sheet.

Bayer, K. C., Mattick, R. E., Plafker, George, and Bruns, T. R., 1978, Refraction studies between Icy Bay and Kayak Island, eastern Gulf of Alaska: U.S. Geological Survey Journal of Research. v. 6, no. 5, p. 625-636.

Carlson, P. R. and Molnia, B. F., 1978, Minisparker profiles and sedimentologic data from R/V ACONA cruise (April 1976) in the Gulf of Alaska and Prince William Sound: U.S. Geological Survey Open-file Report 78-381, 33 p. + 2 sheets.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

McCoy, G. A., and Freethey, G. W., 1978, Water resources of the Cordova area, Alaska: U.S. Geological Survey Open-file Report 78-310, 23 p.

Meier, M. F., Post, Austin, Brown, C. S., Frank, David, Hodge, S. M., Mayo, L. R., Rasmussen, L. A., Senear, E. A., Sikonia, W. G., Trabant, D. C., and Watts, R. D., 1978, Columbia Glacier progress report--December 1977: U.S. Geological Survey Open-file Report 78-264, 56 p.

Molnia, B. F., Carlson, P. R., and Wright, L. H., 1978, Geophysical data from the 1975 cruise of the NOAA ship Surveyor in northern Gulf of Alaska: U.S. Geological Survey Open-file Report 78-209- 42 p.

Cordova quadrangle

Plafker, George, Bruns, T. R., Carlson, P. R., Molnia, B. F., Scott, E. W., Kahler, Roger, and Wilson, Charles, 1978, Petroleum potential, geologic hazards, and technology for exploration on the Outer Continental Shelf of the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-490, 40 p.

Post, Austin, 1978, Interim bathymetry of Columbia Glacier and approaches, Alaska: U.S. Geological Survey Open-file Report 78-449, 1 sheet, scale 1:20,000.

Riehle, J. R., 1978, Photointerpretation map of coastal surficial geology, Rude River to Valdez Arm, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 115, 1 sheet, scale 1:63,360.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Wolfe, J. A., 1977, Paleogene floras from the Gulf of Alaska region: U.S. Geological Survey Professional Paper 997, 108 p. + pl.

Craig quadrangle

Armstrong, A. K., and Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p. + plates.

Berg, H. C., Elliott, R. L., Smith, J. G., and Koch, R. D., 1978, New geologic map of Ketchikan and Prince Rupert quadrangles, southeastern Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, P. B82-B84, B114.

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Craig quadrangle

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Craig quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-869, 261 p.

Herreid, Gordon, Bundtzen, T. K., and Turner, D. L., 1978, Geology and geochemistry of the Craig A-2 quadrangle and vicinity, Prince of Wales Island, southeastern Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 48, 49 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

De Long Mountains quadrangle

Armstrong, A. K., and Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p. + plates.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Callahan, J. E., and Sloan, E. G., 1978, Preliminary report on analyses of Cretaceous coals from northwestern Alaska: U.S. Geological Survey Open-file Report 78-319, 29 p.

Churkin, Michael, Jr., Huie, Carl, Mayfield, C. F., and Nokleberg, W. J., 1978, Geologic investigations of metallic mineral resources of southern NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B15-B17.

Churkin, Michael, Jr., Mayfield, C. F., Theobald, P. K., Barton, Harlan, Nokleberg, W. J., Winkler, G. R., and Huie, Carl, 1978, Geological and geochemical appraisal of metallic mineral resources, southern National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70A, 82 p. + pl.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

De Long Mountains quadrangle

Degenhart, C. E., Griffis, R. J., McOuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Detterman, R. L., 1978, The Arctic Lowland region: potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1.000.000.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska: U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Nokleberg, W. J., and Winkler, G. R., 1978, Stratiform zinc-lead mineralization, Drenchwater Creek area, Howard Pass quadrangle, western Brooks Range, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B17-B19.

Nokleberg, W. J., and Winkler, G. R., 1978, Geologic setting of the lead and zinc deposits, Drenchwater Creek area, Howard Pass quadrangle, western Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-70C, 16 p.

Plahuta, J. T., 1978, Geologic map and cross sections of the Red Dog prospect, DeLong Mountains, northwestern Alaska: U.S. Bureau of Mines Open-file Report 65-78, 11 p.

Staff, Alaska Field Operations Center, 1978, Mineral data appraisal of the proposed Noatak National Ecological Reserve, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report , 67-78, 33 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Kobuk Valley National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 110-78, 31 p.

Theobald, P. K., and Barton, H. N., 1978, Basic data for the geochemical evaluation of National Petroleum Reserve, Alaska: U.S. Geological Survey Open-file Report 78-70-D, 102 p. + 2 pl.

Demarcation Point quadrangle

Armstrong, A. K., and Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p. + plates.

Barker, J. C., 1978, Mineral investigations of certain lands in the eastern Brooks Range - A summary report: U.S. Bureau of Mines Open-file Report 63-78, 25 p.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland regions: potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Grantz, Arthur, and Mull, C. G., 1978, Preliminary analysis of the petroleum potential of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Open-file Report 78-489, 20 p. + pl.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Kosaki, B. A., Reiser, H. N., Cavit, C. D., and Detterman, R. L., 1978, A gravity study of the northern part of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Bulletin 1440, 21 p. + pl.

Reiser, H. N., Brosge, W. P., Detterman, R. L., and Dutro, J. T., Jr., 1978, Geologic map of the Demarcation Point quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-526, 1 sheet, scale 1:250,000.

Dillingham quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Coonrad, W. L., Hoare, J. M., Taufen, P. M., and Hessin, T. D., 1978, Chemical analyses of rock samples in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-H, 1 sheet, scale 1:250,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-J, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Griscom, Andrew, 1978, Aeromagnetic map and interpretation of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-C, 20 p. + 2 sheets, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of chromium in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-J, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of cobalt in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-K, 2 sheets, scales 1:250,000 and 1:125,000.

Dillingham quadrangle

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of nickel in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-L, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of copper in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-M, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of lead in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-N, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of zinc in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-O, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of mercury in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-P, 2 sheets, scale 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of molybdenum, tin, and tungsten in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-Q, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of arsenic, gold, silver, and platinum in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-R, 1 sheet, scale 1:250,000.

Dillingham quadrangle

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Steele, W. C., 1978, Interpretation of Landsat imagery of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-D, 1 sheet, scale 1:250,000.

Dixon Entrance quadrangle

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Byers, V. P., 1978, Principal uranium deposits of the world: U.S. Geological Survey Open-file Report 78-1008, 308 p.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Dixon Entrance quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-863, 33 p.

Herreid, Gordon, Bundtzen, T. K., and Turner, D. L., 1978, Geology and geochemistry of the Craig A-2 quadrangle and vicinity, Prince of Wales Island, southeastern Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 48, 49 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Eagle quadrangle

Barker, J. C., 1978, Mineral deposits of the Tanana-Yukon uplands: a summary report: U.S. Bureau of Mines Open-file Report 88-78, 31 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Foster, H. L., Donato, M. M., and Yount, M. E., 1978, Petrographic and chemical data on Mesozoic granitic rocks of the Eagle quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-253, 29 p. + 5 sheets.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Holdsworth, B. K., Jones, D. L., and Allison, Carol, 1978, Upper Devonian radiolarians separated from chert of the Ford Lake Shale, Alaska: U.S. Geological Survey Journal of Research, v. 6, no. 6, p. 775-778.

Fairbanks quadrangle

Carter, L. D., and Galloway, J. P., 1978, Preliminary geologic maps of the proposed natural gas pipeline route in the Tanana River valley, Alaska: U.S. Geological Survey Open-file Report 78-794, 26 p. + 3 sheets, scale 1:125,000.

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. F., 1978, Water resources along the TAPS route, Alaska, 1970-74: U.S. Geological Survey Open-file Report 78-137, 136 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Fairbanks quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Emmett, W. W., Burrows, R. L., and Parks, Bruce, 1978, Sediment transport in the Tanana River in the vicinity of Fairbanks, Alaska: U.S. Geological Survey Open-file Report 78-290, 28 p..

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

Loeffler, R. M., and Childers, J. M., 1978, Channel erosion surveys along the TAPS route, Alaska 1977: U.S. Geological Survey Open-file Report 78-611, 90 p.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Nelson, G. L., 1978, Geohydrology of the Fairbanks-North Star Borough, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B38.

Fairbanks quadrangle

Nelson, G. L., 1978, Hydrologic information for land-use planning, Fairbanks vicinity, Alaska: U.S. Geological Survey Open-file Report 78-959, 47 p.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Townshend, J. B., Papp, J. E., Moorman, M. J., and Tilton, S. P., 1977, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, November 1977: U.S. Geological Survey Open-file Report 77-300K, 19 p. (unnumbered).

Townshend, J. B., Papp, J. E., Moorman, M. J., and Tilton, S. P., 1977, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, December, 1977: U.S. Geological Survey Open-File Report 77-300L, 19 p. (unnumbered).

Townshend, J. B., Papp, J. E., Moorman, M. J., and Tilton, S. P., 1978, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, January 1978: U.S. Geological Survey Open-file Report 78-300A, 20 p. (unnumbered).

Townshend, J. B., Papp, J. E., Moorman, M. J., and Tilton, S. P., 1978, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, February 1978: U.S. Geological Survey Open-file Report 78-300B, 21 p. (unnumbered).

Townshend, J. B., Papp, J. E., and Tilton, S. P., 1978, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, March 1978: U.S. Geological Survey Open-file Report 78-300C, 22 p. (unnumbered).

Townshend, J. B., Papp, J. E., and Tilton, S. P., 1978, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, April 1978: U.S. Geological Survey Open-file Report 78-300D, 20 p. (unnumbered).

Townshend, J. B., Papp, J. E., and Tilton, S. P., 1978, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, May 1978: U.S. Geological Survey Open-file Report 78-300E, 21 p. (unnumbered).

Townshend, J. B., Papp, J. E., and Tilton, S. P., 1978, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, June 1978: U.S. Geological Survey Open-file Report 78-300F, 21 p. (unnumbered).

Fairbanks quadrangle

Townshend, J. B., Papp, J. E., and Tilton, S. P., 1978, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, July 1978: U.S. Geological Survey Open-file Report 78-300G, 20 p. (unnumbered).

Townshend, J. B., Papp, J. E., and Tilton, S. P., 1978, Preliminary geomagnetic data, College Observatory, Fairbanks, Alaska, August 1978: U.S. Geological Survey Open-file Report 78-300H, 21 p. (unnumbered)

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

False Pass quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, R. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

False Pass quadrangle

McLean, Hugh, 1978, Tertiary sedimentary rocks of the Alaska Peninsula between Pavlof Bay and False Pass; their geology and petroleum potential, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B65-B66.

McLean, Hugh, Engelhardt, C. L., and Howell, D. G., 1978, Reconnaissance geologic map of the Cold Bay and False Pass quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-323, 1 sheet, scale 1:250,000.

Flaxman Island quadrangle

Albert, N. R. D., 1978, Landsat mosaics of eastern North Slope petroleum province, Alaska, with preliminary interpretation of observed features: U.S. Geological Survey Miscellaneous Field Studies Map MF-928V, 3 sheets, scale 1:500,000.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Barnes, P. W., and McDowell, David, 1978, Inner shelf morphology, Beaufort Sea, Alaska: U.S. Geological Survey Open-file Report 78-785, 4 p. + map, scale 1:700,000.

Bird, K. J., 1978, Generalized isopach map of the Lisburne Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928S, 1 sheet, scale 1:500,000.

Bird, K. J., 1978, Geoeralized isopach map of the Endicott Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928T, 1 sheet, scale 1:500,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland regions/potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Flaxman Island quadrangle

Grantz, Arthur, and Mull, C. G., 1978, Preliminary analysis of the petroleum potential of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Open-file Report 78-489, 20 p. + pl.

Kosinski, B. A., Reiser, H. N., Gavit, C. D., and Detterman, R. L., 1978, A gravity study of the northern part of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Bulletin 1440, 21 p. + pl.

Levorsen, J. A., Pessel, G. H., Carter, R. D., and Tailleur, I. L., 1978, Generalized isopach map of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928Q, 1 sheet, scale 1:500,000.

Levorsen, J. A., Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Ledge Sandstone Member of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928P, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized structure map of the Lower Cretaceous unconformity, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928H, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach and net sand maps of Lower Cretaceous sands, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928J, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of (Jurassic) and possibly Lower Cretaceous shale, including Kingak Shale, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928K, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of Sag River Sandstone and overlying siltstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928M, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of the Shublik Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928N, 1 sheet, scale 1:500,000.

Flaxman Island quadrangle

Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Echooka Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928R, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized structure map of top of the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928C, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of the sandstones within the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928D, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of shale in the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928E, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928F, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Levorsen, J. A., 1978, Generalized structure map of top of Sag River Sandstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928L, 1 sheet, scale 1:500,000.

Reimnitz, Erk and Maurer, D. K., 1978, Storm surges in the Alaskan Beaufort Sea: U.S. Geological Survey Open-file Report 78-593, 26 p.

Tailleur, I. L., Bird, K. J., and Engwicht, S. E., 1978, Map showing depth to basement from drilling and from seismic exploration, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928U, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Generalized structure map of top, middle, and basal Tertiary markers with geothermal gradients, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928B, 1 sheet, scale 1:500,000.

Flaxman Island quadrangle

Tailleur, I. L., and Engwicht, S. E., 1978, Seismic maps of shallow Cretaceous horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928G, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Structure maps of top of Sadlerochit Group, and cross sections of Sadlerochit reservoir, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928O, 1 sheet, scale 1:500,000.

Tailleur, I. L., Pessel, G. H., and Engwicht, S. E., 1978, Subcrop map at Lower Cretaceous unconformity, and maps of Jurassic and Lower Cretaceous seismic horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928I, 1 sheet, scale 1:500,000.

Tailleur, I. L., Pessel, G. H., Levorsen, J. A., and Engwicht, S. E., 1978, Maps showing land status and well locations and tables of well data, eastern North Slope petroleum province, Alaska, with a section on exploration by H. C. Jamison: U.S. Geological Survey Miscellaneous Field Studies Map MF-928A, 5 sheets + 8 p., scale 1:500,000.

Fort Yukon quadrangle

Barker, J. C., 1978, Mineral deposits of the Tanana-Yukon uplands: a summary report: U.S. Bureau of Mines Open-file Report 88-78, 31 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Garello Island quadrangle

Cooper, A. K., Childs, J. R., Marlow, M. S., Rabinowitz, P. D., Scholl, D. W., and Ludwig, W. J., 1977, Preliminary isopach and structure contour maps of Bering Basin: U.S. Geological Survey Miscellaneous Field Studies Map MF-907, 1 sheet, scale 1:4,019,138.

Goodnews quadrangle

Albert, N. R. D., Steele, W. C., and LeCompte, J. R., 1978, Landsat data interpretation of various AMRAP quadrangles, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B4-B5.

Coonrad, W. L., Hoare, J. M., Clark, A. L., Grybeck, Donald, Barnes, P. W., and Tagg, A. R., 1978, Geochemical map showing distribution and abundance of gold and platinum in the vicinity of Platinum, Goodnews and Hagemeister Island quadrangles, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-S, 1 sheet, scale 1:125,000.

Coonrad, W. L., Hoare, J. M., Taufen, P. M., and Hessin, T. D., 1978, Chemical analyses of rock samples in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-H, 1 sheet, scale 1:250,000.

Curtin, G. C., Hessin, T. D., O'Leary, R. M., Cooley, E. F., Day, G. W., and Tripp, R. B., 1978, Geochemical exploration studies in Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B5-B6.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Griscom, Andrew, 1978, Aeromagnetic map and interpretation of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-C, 20 p. + 2 sheets, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of chromium in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-J, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of cobalt in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-K, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of nickel in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-L, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of copper in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-M, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of lead in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-N, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of zinc in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-O, 1 sheet, scale 1:250,000.

Goodnews quadrangle

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of mercury in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-P, 2 sheets, scale 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of molybdenum, tin, and tungsten in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-Q, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of arsenic, gold, silver, and platinum in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-R, 1 sheet, scale 1:250,000.

Hoare, J. M., and Coonrad, W. L., 1978, New geologic map of the Goodnews-Hagemeister Island quadrangles region, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B50-B55, Bl12-Bl13.

Hoare, J. M., and Coonrad, W. L., 1978, Lawsonite in southwest Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B55-B57.

Hoare, J. M., and Coonrad, W. L., 1978, A tuya in Togiak Valley, southwest Alaska: U.S. Geological Survey Journal of Research, v. 6, no. 2, p. 193-200.

Steele, W. C., 1978, Interpretation of Landsat imagery of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-D, 1 sheet, scale 1:250,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Gulkana quadrangle

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. F.,  
1978, Water resources along the TAPS route, Alaska, 1970-74:  
U.S. Geological Survey Open-file Report 78-137, 136 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of  
central Alaska: U.S. Geological Survey Open-file Report 77-168-E,  
1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of  
the eastern part of southern Alaska: U.S. Geological Survey  
Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Dickenson, K. A., and Campbell, J. A., 1978, Epigenetic minerali-  
zation and areas favorable for uranium exploration in Tertiary  
continental sedimentary rock in south-central Alaska - a pre-  
liminary report: U.S. Geological Survey Open-file Report 78-757,  
13 p.

Loeffler, R. M., and Childers, J. M., 1978, Channel erosion surveys  
along the TAPS route, Alaska 1977: U.S. Geological Survey Open-  
file Report 78-611, 90 p.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978,  
Maps and tables describing metalliferous mineral resource  
potential of southern Alaska: U.S. Geological Survey Open-file  
Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of  
the Wrangell-St. Elias region - A summary report: U.S. Bureau  
of Mines Open-file Report 64-78, 51 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S.  
Geological Survey Professional Paper 1050, 411 p.

Hagemeister Island quadrangle

Albert, N. R. D., Steele, W. C., and LeCompte, J. R., 1978, Landsat  
data interpretation of various AMRAP quadrangles, Alaska, in  
Johnson, K. M., ed., The United States Geological Survey in  
Alaska -- Accomplishments during 1977: U.S. Geological Survey  
Circular 772-B, p. B4-B5.

Hagemeister Island quadrangle

Coonrad, W. L., Hoare, J. M., Clark, A. L., Grybeck, Donald, Barnes, P. W., and Tagg, A. R., 1978, Geochemical map showing distribution and abundance of gold and platinum in the vicinity of Platinum, Goodnews and Hagemeister Island quadrangles, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-S, 1 sheet, scale 1:125,000.

Coonrad, W. L., Hoare, J. M., Taufen, P. M., and Hessin, T. D., 1978, Chemical analyses of rock samples in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-H, 1 sheet, scale 1:250,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Griscom, Andrew, 1978, Aeromagnetic map and interpretation of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-C, 20 p. + 2 sheets, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of chromium in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-J, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of cobalt in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-K, 2 sheets, scales 1:250,000 and 1:125,000.

Hagemeister Island quadrangle

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of nickel in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-L, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of copper in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-M, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of lead in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-N, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of zinc in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-O, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of mercury in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-P, 2 sheets, scale 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of molybdenum, tin, and tungsten in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-Q, 1 sheet, scale 1:250,000.

Hagemeister Island quadrangle

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of arsenic, gold, silver, and platinum in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-R, 1 sheet, scale 1:250,000.

Hoare, J. M., and Coonrad, W. L., 1978, New geologic map of the Goodnews-Hagemeister Island quadrangles region, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B50-B55, B112-B113.

Hoare, J. M., and Coonrad, W. L., 1978, Lawsonite in southwest Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B55-B57.

Hoare, J. M., and Coonrad, W. L., 1978, A tuya in Togiak Valley, southwest Alaska: U.S. Geological Survey Journal of Research, v. 6, no. 2, p. 193-200.

Steele, W. C., 1978, Interpretation of Landsat imagery of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-D, 1 sheet, scale 1:250,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Harrison Bay quadrangle

Albert, N. R. D., 1978, Landsat mosaics of eastern North Slope petroleum province, Alaska, with preliminary interpretation of observed features: U.S. Geological Survey Miscellaneous Field Studies Map MF-928V, 3 sheets, scale 1:500,000.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Harrison Bay quadrangle

Barnes, P. W., and McDowell, David, 1978, Inner shelf morphology. Beaufort Sea, Alaska: U.S. Geological Survey Open-file Report 78-785, 4 p. + map, scale 1:700,000.

Barnes, P. W., McDowell, David, and Reimnitz, Erk, 1978, Ice gouging characteristics: their changing patterns from 1975-1977, Beaufort Sea, Alaska: U.S. Geological Survey Open-file Report 78-730, 42 p.

Bird, K. J., 1978, Generalized isopach map of the Lisburne Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928S, 1 sheet, scale 1:500,000.

Bird, K. J., 1978, Geoeralized isopach map of the Endicott Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928T, 1 sheet, scale 1:500,000.

Bird, K. J., Connor, C. L., Tailleur, I. L., Silberman, M. L., and Christie, J. L., 1978, Granite on the Barrow arch, northeast NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B24-B25.

Carter, L. D., and Robinson, S. W., 1978, Eolian sand and interbedded organic horizons at Kealok Creek on the Arctic Coastal Plain of Alaska: possible regional implications: U.S. Geological Survey Open-file Report 78-320, 26 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland region; potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Galloway, J. P., and Carter, L. D., 1978, Preliminary map of pingos in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-795, 1 sheet, scale 1:500,000.

Hartz, R. W., 1978, Erosional hazards map of the Arctic coast of the National Petroleum Reserve-Alaska: U.S. Geological Survey Open-file Report 78-406, 7 p + map, scale about 1:810,810.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Harrison Bay quadrangle

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska: U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Levorsen, J. A., Pessel, G. H., Carter, R. D., and Tailleur, I. L., 1978, Generalized isopach map of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928Q, 1 sheet, scale 1:500,000.

Levorsen, J. A., Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Ledge Sandstone Member of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928P, 1 sheet,

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Maurer, D. K., Barnes, P. W., and Reimnitz, Erk, 1978, U.S. Geological Survey marine geologic studies in the Beaufort Sea, Alaska, 1977: Data type, location, and records obtained: U.S. Geological Survey Open-file Report 78-1066, 3 p. + 4 pl.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized structure map of the Lower Cretaceous unconformity, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928H, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach and net sand maps of Lower Cretaceous sands, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928J, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of (Jurassic) and possibly Lower Cretaceous shale, including Kingak Shale, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928K, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of Sag River Sandstone and overlying siltstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928M, 1 sheet, scale 1:500,000.

Harrison Bay quadrangle

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of the Shublik Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928N, 1 sheet, scale 1:500,000.

Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Echooka Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928R, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized structure map of top of the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928C, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of the sandstones within the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928D, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of shale in the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928E, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928F, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Levorsen, J. A., 1978, Generalized structure map of top of Sag River Sandstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928L, 1 sheet, scale 1:500,000.

Reimnitz, Erk and Maurer, D. K., 1978, Storm surges in the Alaskan Beaufort Sea: U.S. Geological Survey Open-file Report 78-593, 26 p.

Reimnitz, Erk, and Maurer, D. K., 1978, Stamukhi shoals of the Arctic - some observations from the Beaufort Sea: U.S. Geological Survey Open-file Report 78-666, 17 p.

Repenning, C. A., 1978, Fossil reconnaissance study, eastern NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B27.

Harrison Bay quadrangle

Tailleur, I. L., Bird, K. J., and Engwicht, S. E., 1978, Map showing depth to basement from drilling and from seismic exploration, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928U, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Generalized structure map of top, middle, and basal Tertiary markers with geothermal gradients, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928B, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Seismic maps of shallow Cretaceous horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928G, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Structure maps of top of Sadlerochit Group, and cross sections of Sadlerochit reservoir, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928O, 1 sheet, scale 1:500,000.

Tailleur, I. L., Pessel, G. H., and Engwicht, S. E., 1978, Subcrop map at Lower Cretaceous unconformity, and maps of Jurassic and Lower Cretaceous seismic horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928I, 1 sheet, scale 1:500,000.

Tailleur, I. L., Pessel, G. H., Levorsen, J. A., and Engwicht, S. E., 1978, Maps showing land status and well locations and tables of well data, eastern North Slope petroleum province, Alaska, with a section on exploration by H. C. Jamison: U.S. Geological Survey Miscellaneous Field Studies Map MF-928A, 5 sheets + 8 p., scale 1:500,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Williams, J. R., Carter, L. D., and Yeend, W. E., 1978, Coastal plain deposits of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B20-B22.

Healy quadrangle

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Healy quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-1062, 112 p.

Csejtey, Béla, Jr., Nelson, W. H., Jones, D. L., and Silberling, N. J., 1978, Tectonic significance of newly discovered Paleozoic strata in the upper Chulitna Valley, south-central Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B. o. B69-B70.

Csejtey, Béla, Jr., Nelson, W. H., Jones, D. L., Silberling, N. J., Dean, R. M., Morris, M. S., Lanphere, M. A., Smith, J. G., and Silberman, M. L., 1978, Reconnaissance geologic map and geochronology, Talkeetna Mountains quadrangle, northern part of Anchorage quadrangle, and southwest corner of Healy quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-558-A, 60 p. + 1 sheet, scale 1:250,000.

Decker, J. E., and Gilbert, W. G., 1978, The Mount Galen Volcanics — a new middle Tertiary volcanic formation in the central Alaska Range: Alaska Division of Geological and Geophysical Surveys Geologic Report 59, 11 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Hawley, C. C., and associates, Inc., 1978, Mineral appraisal of lands adjacent to Mt. McKinley National Park, Alaska: U.S. Bureau of Mines Open-file Report 24-78, 275 p. (paged by section) + 7 pl.

Hawley, C. C., 1978, The mineral potential of Alaska's Mt. McKinley region: a summary report: U.S. Bureau of Mines Open-file Report 117-78, 18 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

MacKevert, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Healy quadrangle

Rhode, W. G., Miller, W. A., and Nelson, C. A., 1978, Classification of vegetation in the Denali, Alaska area with digital Landsat data, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B80-B81.

Richard, J. K., 1978, Application of remotely sensed data for ground-water analysis near Denali, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B78-B79.

Scully, D. R., Leveen, L. S., and George, R. S., 1978, Surface water records of Cook Inlet basin, Alaska, through September 1975: U.S. Geological Survey Open-file Report 78-498, 102 p.

Sheehan, C. A., 1978, Computer enhancement of Landsat digital data for mapping material-related geomorphic features near Denali, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B79-B80.

Silberling, N. J., Jones, D. L., Csejtey, Béla, and Nelson, W. H., 1978, Interpretive bedrock geologic map of the Upper Chulitna district, Healy A-6 quadrangle, Alaska Range, Alaska: U.S. Geological Survey Open-file Report 78-545, 1 sheet, scale 1:63,360.

Holy Cross quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Cassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Hooper Bay quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Howard Pass quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Churkin, Michael, Jr., Huie, Carl, Mayfield, C. F., and Nokleberg, W. J., 1978, Geologic investigations of metallic mineral resources of southern NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B15-B17.

Churkin, Michael, Jr., Mayfield, C. F., Theobald, P. K., Barton, Harlan, Nokleberg, W. J., Winkler, G. R., and Huie, Carl, 1978, Geological and geochemical appraisal of metallic mineral resources, southern National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70A, 82 p. + pl.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McOuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Detterman, R. L., 1978, The Arctic Lowland region; potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Howard Pass quadrangle

Galloway, J. P., and Carter, L. D., 1978, Preliminary map of pingos in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-795, 1 sheet, scale 1:500,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Sable, E. G., 1978, Bedrock geologic map of the south half of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70B, 2 sheets, scale 1:500,000.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Silberman, M. L., 1978, Granitic clasts from Lower Cretaceous conglomerate in the northwestern Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B11-B13.

Nokleberg, W. J., and Winkler, G. R., 1978, Stratiform zinc-lead mineralization, Drenchwater Creek area, Howard Pass quadrangle, western Brooks Range, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B17-B19.

Nokleberg, W. J., and Winkler, G. R., 1978, Geologic setting of the lead and zinc deposits, Drenchwater Creek area, Howard Pass quadrangle, western Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-70C, 16 p.

Staff, Alaska Field Operations Center, 1978, Mineral data appraisal of the proposed Noatak National Ecological Reserve, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 67-78, 33 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Gates of the Arctic Wilderness National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 109-78, 29 p.

Howard Pass quadrangle

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Kobuk Valley National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 110-78, 31 p.

Theobald, P. K., and Barton, H. N., 1978, Basic data for the geochemical evaluation of National Petroleum Reserve, Alaska: U.S. Geological Survey Open-file Report 78-70-D, 102 p. + pl.

Theobald, P. K., Barton, H. N., Billings, T. M., Friskin, J. G., Turner, R. L., and Van Trump, George, Jr., 1978, Geochemical distribution of elements in stream sediments and heavy-mineral concentrate samples in the southern half of the National Petroleum Reserve, Alaska: U.S. Geological Survey Open-file Report 78-517, 1 sheet.

Yeend, Warren, 1978, Surficial geology of the foothills and mountains of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B19-B20.

Hughes quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet. scale 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McQuar, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78. 529 p. + pl.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Plafker, George, Hudson, Travis, and Jones, D. L., 1978, Upper Triassic radiolarian chert from the Kobuk volcanic sequence in the southern Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B45-B47.

Staff, Alaska Field Operations Center, 1978, Mineral data appraisal of the proposed Noatak National Ecological Reserve, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 67-78, 33 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Gates of the Arctic Wilderness National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 109-78, 29 p.

Icy Bay quadrangle

Addicott, W. O., Winkler, G. R., and Plafker, George, 1978, Preliminary megafossil biostratigraphy and correlation of stratigraphic sections in the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-491, 2 sheets.

Alpha, T. R., 1978, Oblique map of Pamplona Ridge: U.S. Geological Survey Open-file Report 78-543, 1 sheet.

Bayer, K. C., Mattick, R. E., Plafker, George, and Bruns, T. R., 1978, Refraction studies between Icy Bay and Kayak Island, eastern Gulf of Alaska: U.S. Geological Survey Journal of Research v. 6, no. 5, p. 625-636.

Carlson, P. R., Levy, W. P., Molnia, B. F., and Hampson, J. C., Jr., 1978, Geotechnical properties of sediments from the continental shelf south of Icy Bay, northeastern Gulf of Alaska: U.S. Geological Survey Open-file Report 78-1071, 29 p.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54°N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Molnia, B. F., Carlson, P. R., and Wright, L. H., 1978, Geophysical data from the 1975 cruise of the NOAA ship Surveyor in northern Gulf of Alaska: U.S. Geological Survey Open-file Report 78-209, 42 p.

Plafker, George, Bruns, T. R., Carlson, P. R., Molnia, B. F., Scott, E. W., Kahler, Roger, and Wilson, Charles, 1978, Petroleum potential, geologic hazards, and technology for exploration on the Outer Continental Shelf of the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-490, 40 p.

Plafker, George, Winkler, G. R., Hunt, S. J., Bartsch-Winkler, Susan, Coonrad, W. L., and Quinterno, Paula, 1978, Outcrop samples from the Continental Slope in the eastern Gulf of Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B97-B101.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region — A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

Icy Bay quadrangle

Stephens, Christopher, 1978, Seismicity near Icy Bay, Alaska and in the eastern Gulf of Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B96-B97.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Iditarod quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

Ikpikpuk River quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Carter, L. D., and Robinson, S. W., 1978, Eolian sand and interbedded organic horizons at Kealok Creek on the Arctic Coastal Plain of Alaska: possible regional implications: U.S. Geological Survey Open-file Report 78-320, 26 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland region; potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Galloway, J. P., and Carter, L. D., 1978, Preliminary map of pingos in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-795, 1 sheet, scale 1:500,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Kachadoorian, Reuben, Crory, F. E., and Berg, D. L., 1978, Studies of proposed airfields at the Inigok and Tunalik well sites, NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B22-B24.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska: U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Magoon, L. B., and Claypool, G. E., 1978, Organic geochemistry of rocks from three NPRA wells, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B25-B26.

Ikpikpuk River quadrangle

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Sable, E. G., 1978, Bedrock geologic map of the south half of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70B, 2 sheets, scale 1:500,000.

Williams, J. R., Carter, L. D., and Yeend, W. E., 1978, Coastal plain deposits of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B20-B22.

Yeend, Warren, 1978, Surficial geology of the foothills and mountains of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B19-B20.

Iliamna quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Bouma, A. H., and Hampton, M. A., 1978, Notes on the acquisition of high resolution seismic profiles, side scan records, and sampling locations from lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S7-77-WG, September-October, 1977: U.S. Geological Survey Open-file Report 78-727, 29 p.

Bouma, A. H., Hampton, M. A., Frost, T. P., Torresan, M. E., Orlando, R. D., and Whitney, J. W., 1978, Bottom characteristics of lower Cook Inlet, Alaska: U.S. Geological Survey Open-file Report 78-236, 90 p. + pl.

Iliamna quadrangle

Bouma, A. H., Hampton, M. A., Whitney, J. W., and Noonan, W. G., 1978,  
Physiography of lower Cook Inlet, Alaska: U.S. Geological Survey  
Open-file Report 78-728, 16 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of  
the eastern part of southern Alaska: U.S. Geological Survey  
Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and  
offshore features of the Gulf of Alaska north of 54° N latitude:  
U.S. Geological Survey Open-file Report 78-208, 63 p.

Lambeth, R. H., 1978, Mineral appraisal of certain Alaska National  
Interest Lands, proposed Lake Clark National Park: a summary  
report: U.S. Bureau of Mines Open-file Report 114-78, 18 p.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metal-  
liferous mineral deposits in the western part of southern Alaska:  
U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1  
sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978,  
Maps and tables describing metalliferous mineral resource  
potential of southern Alaska: U.S. Geological Survey Open-file  
Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S.  
Geological Survey Professional Paper 1050. 411 p.

Juneau quadrangle

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-  
Cenozoic tectonostratigraphic terranes of southeastern Alaska  
and adjacent areas: U.S. Geological Survey Open-file Report  
78-1085, 2 sheets, scale 1:1,000,000.

Brew, D. A., Johnson, B. R., Grybeck, Donald, Griscom, Andrew,  
Barnes, D. F., Kimball, A. L., Still, J. C., and Rataj, J. L.,  
1978, Mineral resources of the Glacier Bay National Monument  
Wilderness Study Area, Alaska: U.S. Geological Survey Open-  
file Report 78-494, 692 p. + pl., scale 1:125,000.

Juneau quadrangle

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Juneau quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-374, 155 p.

Ford, A. B., and Brew, D. A., 1978, Minor-metal content of Cretaceous greenstone near Juneau, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B85-B88.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Johnson, B. R., 1978, Statistical analysis of geochemical data from Glacier Bay National Monument, Alaska: U.S. Geological Survey Open-file Report 78-495, 16 p. + 26 pl.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Zenone, Chester, and Anderson, G. S., 1978, Regional appraisal of Alaska's ground-water resources, 1978, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, n. B7.

Kaguyak quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977; Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Bouma, A. H., and Hampton, M. A., 1978, Notes on the acquisition of high resolution seismic profiles, side scan records, and sampling locations from lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise 57-77-WG, September-October, 1977: U.S. Geological Survey Open-file Report 78-727, 29 p.

Kaguyak quadrangle

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978,  
Maps and tables describing metalliferous mineral resource  
potential of southern Alaska: U.S. Geological Survey Open-file  
Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and  
offshore features of the Gulf of Alaska north of 54° N latitude:  
U.S. Geological Survey Open-file Report 78-208, 63 p.

Hampton, M. A., and Bouma, A. H., 1978, Generalized thickness map  
of unconsolidated surficial sedimentary units, Kodiak shelf,  
western Gulf of Alaska: U.S. Geological Survey Open-file report  
78-729, 9 sheets, scale 1:517,240 (approx.).

Holmes, M. L., Meeder, C. A., and Creager, K. C., 1978, Sonobuoy  
refraction data near Kodiak, Alaska: U.S. Geological Survey  
Open-file Report 78-368, 79 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water  
resources of the Kodiak-Shelikof subregion, south-central  
Alaska: U.S. Geological Survey Hydrologic Investigations  
Atlas HA-612, 2 sheets.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources  
of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geo-  
logical Survey Open-file Report 78-127, 54 p.

Lyle, William, Morehouse, Jeff, Palmer, I. F., Jr., Bolm, J. G.,  
Moore, G. W., and Nilsen, T. H., 1978, Tertiary formations in  
the Kodiak Island area, Alaska, and their petroleum and source-  
rock potential: Alaska Division of Geological and Geophysical  
Surveys Open-file Report 114, 48 p. + pl.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metal-  
liferous mineral deposits in the western part of southern Alaska:  
U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1  
sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978,  
Maps and tables describing metalliferous mineral resource  
potential of southern Alaska: U.S. Geological Survey Open-file  
Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Kantishna River quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Mackevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Matanuska, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Karluk quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-J, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Karluk quadrangle

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-I, 1 sheet, scale 1:1,000,000.

Holmes, M. L., Meeder, C. A., and Creager, K. C., 1978, Sonobuoy refraction data near Kodiak, Alaska: U.S. Geological Survey Open-file Report 78-368, 79 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Hydrologic Investigations Atlas HA-612, 2 sheets.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Open-file Report 78-127, 54 p.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Kateel River quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Bouma, A. H., and Hampton, M. A., 1978, Notes on the acquisition of high resolution seismic profiles, side scan records, and sampling locations from lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S7-77-WG, September-October, 1977: U.S. Geological Survey Open-file Report 78-727, 29 p.

Bouma, A. H., Hampton, M. A., Frost, T. P., Torresan, M. E., Orlando, R. D., and Whitney, J. W., 1978, Bottom characteristics of lower Cook Inlet, Alaska: U.S. Geological Survey Open-file Report 78-236, 90 p. + pl.

Bouma, A. H., Hampton, M. A., Whitney, J. W., and Noonan, W. G., 1978, Physiography of lower Cook Inlet, Alaska: U.S. Geological Survey Open-file Report 78-728, 16 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Dickenson, K. A., and Campbell, J. A., 1978, Epigenetic mineralization and areas favorable for uranium exploration in Tertiary continental sedimentary rock in south-central Alaska - a preliminary report: U.S. Geological Survey Open-file Report 78-757, 13 p.

Freethey, G. W., 1978, Guide to ground-water data, Cook Inlet basin, Alaska: U.S. Geological Survey Open-file Report 78-439, 207 p. + 2 sheets.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

Howland, M. D., and Freethey, G. W., 1978, Selected hydrologic data related to the water-table aquifer of the north Kenai area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 112, 1 sheet.

Lambeth, R. H., 1978, Mineral appraisal of certain Alaska National Interest Lands, proposed Lake Clark National Park: a summary report: U.S. Bureau of Mines Open-file Report 114-78, 18 p.

Kenai quadrangle

Lins, H. F., Jr., 1978, Analysis of remotely sensed data for use in evaluating onshore impacts of offshore petroleum development at Kenai, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B76-B78.

MacKavett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Schmoll, H. R., and Yehle, L. A., 1978, Generalized physiography and geology of the Beluga coal field and vicinity, south-central Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B73-B76.

Scully, D. R., Leveen, L. S., and George, R. S., 1978, Surface water records of Cook Inlet basin, Alaska, through September 1975: U.S. Geological Survey Open-file Report 78-498, 102 p.

Zenone, Chester, and Anderson, G. S., 1978, Regional appraisal of Alaska's ground-water resources, 1978, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B7.

Ketchikan quadrangle

Albert, N. R. D., Steele, W. C., and LeCompte, J. R., 1978, Landsat data interpretation of various AMRAP quadrangles, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B4-B5.

Berg, H. C., Elliott, R. L., and Koch, R. D., 1978, Map and tables describing areas of metalliferous mineral resource potential in the Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 M, 48 p. + map, scale 1:250,000.

Berg, H. C., Elliott, R. L., Smith, J. G., and Koch, R. D., 1978, New geologic map of Ketchikan and Prince Rupert quadrangles, southeastern Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B82-B84, B114.

Ketchikan quadrangle

Berg, H. C., Elliott, R. L., Smith, J. G., and Koch, R. D., 1978, Geologic map of the Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73-A, 1 sheet, scale 1:250,000.

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Elliott, R. L., Berg, H. C., and Karl, Susan, 1978, Map and table describing metalliferous and selected nonmetalliferous mineral deposits, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 B, 17 p. + map, scale 1:250,000.

Hudson, Travis, Elliott, R. L., and Smith, J. G., 1978, Chemistry of Quartz Hill intrusive rocks, Ketchikan quadrangle, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B83-B86.

Koch, R. D., and Elliott, R. L., 1978, Analyses of rock samples from the Ketchikan quadrangle, southeastern Alaska: U.S. Geological Survey Open-file Report 78-156-A, 163 p. + 1 pl.

Koch, R. D., and Elliott, R. L., 1978, Analyses of stream-sediment samples from the Ketchikan quadrangle, southeastern Alaska: U.S. Geological Survey Open-file Report 78-156-C, 214 p. + 1 pl.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing copper determined by atomic absorption in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 C, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing lead determined by atomic absorption in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 D, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing zinc determined by atomic absorption in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 E, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing spectrographically determined molybdenum in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 F, 1 sheet, scale 1:250,000.

Ketchikan quadrangle

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing gold determined by atomic absorption and spectrographically determined silver in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 G, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing spectrographically determined chromium in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 H, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. J., 1978, Map showing spectrographically determined cobalt in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 I, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing spectrographically determined nickel in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 J, 1 sheet, scale 1:250,000.

Koch, R. D., Van Trump, George, and McDanal, S. K., 1978, Magnetic tape containing analytical data from rock and stream-sediment samples from Ketchikan and Prince Rupert quadrangles, southeastern Alaska: National Technical Information Service PB-276 777; magnetic tape.

Steele, W. C., and Albert, N. R. D., 1978, Map showing interpretation of Landsat imagery of the Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73K, 2 sheets, scale 1:250,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Killik River quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Churkin, Michael, Jr., Mayfield, C. F., Theobald, P. K., Barton, Harlan, Nokleberg, W. J., Winkler, G. R., and Huie, Carl, 1978, Geological and geochemical appraisal of metallic mineral resources, southern National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70A, 82 p. + pl.

Killik River quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McQuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Detterman, R. L., 1978, The Arctic Lowland regions potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska; U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Sable, E. G., 1978, Bedrock geologic map of the south half of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70B, 2 sheets, scale 1:500,000.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Silberman, M. L., 1978, Granitic clasts from Lower Cretaceous conglomerate in the northwestern Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B11-B13.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Gates of the Arctic Wilderness National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 109-78, 29 p.

Yeend, Warren, 1978, Surficial geology of the foothills and mountains of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B19-B20.

Kiska quadrangle

Cooper, A. K., Childs, J. R., Marlow, M. S., Rabinowitz, P. D., Scholl, D. W., and Ludwig, W. J., 1977, Preliminary Isopach and structure contour maps of Bering Basin: U.S. Geological Survey Miscellaneous Field Studies Map MF-907, 1 sheet, scale 1:4,019,138.

Kodiak quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Bouma, A. H., and Hampton, M. A., 1978, Notes on the acquisition of high resolution seismic profiles, side scan records, and sampling locations from lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S7-77-WG, September-October, 1977: U.S. Geological Survey Open-file Report 78-727, 29 p.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54°N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Hampton, M. A., and Bouma, A. H., 1978, Generalized thickness map of unconsolidated surficial sedimentary units, Kodiak shelf, western Gulf of Alaska: U.S. Geological Survey Open-file report 78-729, 9 sheets, scale 1:517,240 (approx.).

Holmes, M. L., Meeder, C. A., and Creager, K. C., 1978, Sonobuoy refraction data near Kodiak, Alaska: U.S. Geological Survey Open-file Report 78-368, 79 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Open-file Report 78-127, 54 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Hydrologic Investigations Atlas HA-612, 2 sheets.

Kodiak quadrangle

Kachadoorian, Reuben, and Slater, W. H., 1978, Pillar Mountain landslide, Kodiak, Alaska: U.S. Geological Survey Open-file Report 78-217, 21 p. + pl.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Kotzebue quadrangle

Barnes, D. F., and Hudson, Travis, 1977, Bouguer gravity map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 1 sheet, scale 1:1,000,000.

Cady, J. W., 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 22 p. + map, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Aeromagnetic profiles of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796F, 1 sheet.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale 1:1,000,000.

Eittreim, Stephen, Grantz, Arthur, and Whitney, O. T., 1978, Isopach maps of Tertiary sediments, Hope Basin, southern Chukchi Sea, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-906, 1 sheet, scale 1:1,000,000.

Kotzebue quadrangle

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Hudson, Travis, 1977, Geologic map of the Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796A, 1 sheet, scale 1:1,000,000.

Hudson, Travis, and DeYoung, J. H., Jr., 1978, Map and tables describing areas of mineral resources potential, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 78-1-C, 62 p. + 1 sheet, scale 1:1,000,000.

Hudson, Travis, Miller, M. L., and Pickthorn, W. J., 1977, Map showing metalliferous and selected nonmetalliferous deposits, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796B, 45 p. + 1 sheet, scale 1:1,000,000.

Toimil, L. J., 1978, Ice-gouged microrelief on the floor of the eastern Chukchi Sea, Alaska: a reconnaissance survey: U.S. Geological Survey Open-file Report 78-693, 94 p.

Kuskokwim Bay quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Griscom, Andrew, 1978, Aeromagnetic map and interpretation of the Goodnews and Hagemeyer Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-C, 20 p. + 2 sheets, scale 1:250,000.

Kuskokwim Bay quadrangle

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F. 2 p. + 2 sheets. scale 1:1,000,000.

Steele, W. C., 1978, Interpretation of Landsat imagery of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-D, 1 sheet, scale 1:250,000.

Kwiguk quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Pattton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Lake Clark quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Eakins, G. R., Gilbert, W. G., and Bundtzen, T. K., 1978, Preliminary bedrock geology and mineral resources potential of west-central Lake Clark quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 118, 15 p.

Lake Clark quadrangle

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

King, H. D., Crim, W. D., Cooley, E. F., McDanal, S. K., O'Leary, R. M., and Cohen, D. K., 1978, Spectrographic and chemical analyses of geochemical samples from the Lake Clark quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-788, 58 p.

Lambeth, R. H., 1978, Mineral appraisal of certain Alaska National Interest Lands, proposed Lake Clark National Park: a summary report: U.S. Bureau of Mines Open-file Report 114-78, 18 p.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

U.S. Geological Survey, 1978, Aeromagnetic map of the Lake Clark 1° by 3° quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-1086, 1 sheet, scale 1:250,000.

Lime Hills quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-J, 1 sheet, scale 1:1,000,000.

Lime Hills quadrangle

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Lambeth, R. H., 1978, Mineral appraisal of certain Alaska National Interest Lands, proposed Lake Clark National Park: a summary report: U.S. Bureau of Mines Open-file Report 114-78, 18 p.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

Livengood quadrangle

Barker, J. C., 1978, Mineral deposits of the Tanana-Yukon uplands: a summary report: U.S. Bureau of Mines Open-file Report 88-78, 31 p.

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. F., 1978, Water resources along the TAPS route, Alaska, 1970-74: U.S. Geological Survey Open-file Report 78-137, 136 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Livengood quadrangle

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Cassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Loeffler, R. M., and Childers, J. M., 1978, Channel erosion surveys along the TAPS route, Alaska 1977: U.S. Geological Survey Open-file Report 78-611, 90 p.

Nelson, G. L., 1978, Geohydrology of the Fairbanks-North Star Borough, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. 838.

Nelson, G. L., 1978, Hydrologic information for land-use planning, Fairbanks vicinity, Alaska: U.S. Geological Survey Open-file Report 78-959, 47 p.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Lookout Ridge quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale 1:1,000,000.

Lookout Ridge quadrangle

Detterman, R. L., 1978, The Arctic Lowland region; potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Galloway, J. P., and Carter, L. D., 1978, Preliminary map of pingos in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-795, 1 sheet, scale 1:500,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska; U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Sable, E. G., 1978, Bedrock geologic map of the south half of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70B, 2 sheets, scale 1:500,000.

Williams, J. R., Carter, L. D., and Yeend, W. E., 1978, Coastal plain deposits of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B20-B22.

Yeend, Warren, 1978, Surficial geology of the foothills and mountains of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B19-B20.

Marshall quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

McCarthy quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., 1978, Geologic map of the McCarthy quadrangle, Alaska: U.S. Geological Survey Miscellaneous Investigations Series Map I-1032, 1 sheet, scale 1:250,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

MacKevett, E. M., Jr., Smith, J. G., Jones, D. L., and Winkler, G. R., 1978, Geologic map of the McCarthy C-8 quadrangle, Alaska: U.S. Geological Survey Geologic Quadrangle Map GQ-1418, 1 sheet, scale 1:63,360.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

McGrath quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-J, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gessaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Hietanen, Anna, and Erd, R. C., 1978, Ferroaxinites from the Feather River area, northern California, and from the McGrath and Russian Mission quadrangles, Alaska: U.S. Geological Survey Journal of Research, v. 6, no. 5, p. 603-610.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

McGrath quadrangle

Sloan, E. G., Shearer, G. B., Eason, James, and Almquist, Carl, 1978, Preliminary investigations of coal outcrops near Farewell, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B50.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

Meade River quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland regions potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Galloway, J. P., and Carter, L. D., 1978, Preliminary map of pingos in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-795, 1 sheet, scale 1:500,000.

Hartz, R. W., 1978, Erosional hazards map of the Arctic coast of the National Petroleum Reserve--Alaska: U.S. Geological Survey Open-file Report 78-406, 7 p + map, scale about 1:810,810.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska: U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Meade River quadrangle

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Toimil, L. J., 1978, Ice-gouged microrelief on the floor of the eastern Chukchi Sea, Alaska: a reconnaissance survey: U.S. Geological Survey Open-file Report 78-693, 94 p.

Williams, J. R., Carter, L. D., and Yeend, W. E., 1978, Coastal plain deposits of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B20-B22.

Medfra quadrangle

Chapman, R. M., and Patton, W. W., Jr., 1978, Preliminary summary of the geology in the northwest part of the Ruby quadrangle, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B39-B41.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Beaver, Bettles, and Medfra quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-94, 55 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Patton, W. W., Jr., 1978, Juxtaposed continental and oceanic-island arc terranes in the Medfra quadrangle, west-central Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B38-B39.

Medfra quadrangle

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Throckmorton, M. L., and Patton, W. W., Jr., 1978, Contact metasomatic magnetite deposit, Medfra quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-26, 13 p.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

Melozitna quadrangle

Chapman, R. M., and Patton, W. W., Jr., 1978, Reconnaissance geochemical sampling in the Melozitna quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-699, 24 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Patton, W. W., Jr., Miller, T. P., Chapman, R. M., and Yeend, Warren, 1978, Geologic map of the Melozitna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Investigations Series Map I-1701, 1 sheet, scale 1:250,000.

Middleton Island quadrangle

Addicott, W. O., Winkler, G. R., and Plafker, George, 1978, Preliminary megafossil biostratigraphy and correlation of stratigraphic sections in the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-491, 2 sheets.

Alpha, T. R., 1978, Oblique map of the Kayak Trough: U.S. Geological Survey Open-file Report 78-464, 1 sheet.

Bayer, K. C., Mattick, R. E., Plafker, George, and Bruns, T. R., 1978, Refraction studies between Icy Bay and Kayak Island, eastern Gulf of Alaska: U.S. Geological Survey Journal of Research. v. 6, no. 5, p. 625-636.

Carlson, P. R. and Molnia, B. F., 1978, Minisparker profiles and sedimentologic data from R/V ACONA cruise (April 1976) in the Gulf of Alaska and Prince William Sound: U.S. Geological Survey Open-file Report 78-381, 33 p. + 2 sheets.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Molnia, B. F., Carlson, P. R., and Wright, L. H., 1978, Geophysical data from the 1975 cruise of the NOAA ship Surveyor in northern Gulf of Alaska: U.S. Geological Survey Open-file Report 78-209, 42 p.

Plafker, George, Bruns, T. R., Carlson, P. R., Molnia, B. F., Scott, E. W., Kahler, Roger, and Wilson, Charles, 1978, Petroleum potential, geologic hazards, and technology for exploration on the Outer Continental Shelf of the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-490, 40 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

Misheguk Mountain quadrangle

Armstrong, A. K., and Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p. + plates.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Churkin, Michael, Jr., Huie, Carl, Mayfield, C. F., and Nokleberg, W. J., 1978, Geologic investigations of metallic mineral resources of southern NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B15-B17.

Churkin, Michael, Jr., Mayfield, C. F., Theobald, P. K., Barton, Harlan, Nokleberg, W. J., Winkler, G. R., and Huie, Carl, 1978, Geological and geochemical appraisal of metallic mineral resources, southern National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70A, 82 p. + pl.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McOuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #JO155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Detterman, R. L., 1978, The Arctic Lowland regions potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska: U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Misheguk Mountain quadrangle

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Sable, E. G., 1978, Bedrock geologic map of the south half of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70B, 2 sheets, scale 1:500,000.

Staff, Alaska Field Operations Center, 1978, Mineral data appraisal of the proposed Noatak National Ecological Reserve, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 67-78, 33 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Kobuk Valley National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 110-78, 31 p.

Theobald, P. K., and Barton, H. N., 1978, Basic data for the geochemical evaluation of National Petroleum Reserve, Alaska: U.S. Geological Survey Open-file Report 78-70-D, 102 p. + 2 pl.

Theobald, P. K., Barton, H. N., Billings, T. M., Friskin, J. G., Turner, R. L., and Van Trump, George, Jr., 1978, Geochemical distribution of elements in stream sediments and heavy-mineral concentrate samples in the southern half of the National Petroleum Reserve, Alaska: U.S. Geological Survey Open-file Report 78-517, 1 sheet.

Yeend, Warren, 1978, Surficial geology of the foothills and mountains of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B19-B20.

Mount Fairweather quadrangle

Addicott, W. O., Winkler, G. R., and Plafker, George, 1978, Preliminary megafossil biosratigraphy and correlation of stratigraphic sections in the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-491, 2 sheets.

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Mount Fairweather quadrangle

- Brew, D. A., Johnson, B. R., Ford, A. B., and Morrell, R. P., 1978, Intrusive rocks in the Fairweather Range, Glacier Bay National Monument, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B88-B90.
- Brew, D. A., Johnson, B. R., Grybeck, Donald, Griscom, Andrew, Barnes, D. F., Kimball, A. L., Still, J. C., and Rataj, J. L., 1978, Mineral resources of the Glacier Bay National Monument Wilderness Study Area, Alaska: U.S. Geological Survey Open-file Report 78-494, 692 p. + pl.; scale 1:125,000.
- Brew, D. A., and Morrell, R. P., 1978, Tarr Inlet suture zone, Glacier Bay National Monument, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B89-B92.
- Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Mount Fairweather and Skagway quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-316, 128 p.
- Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.
- Johnson, B. R., 1978, Statistical analysis of geochemical data from Glacier Bay National Monument, Alaska: U.S. Geological Survey Open-file Report 78-495, 16 p. + 26 pl.
- Molnia, B. F., Carlson, P. R., and Wright, L. H., 1978, Geophysical data from the 1975 cruise of the NOAA ship Surveyor in northern Gulf of Alaska: U.S. Geological Survey Open-file Report 78-209, 42 p.
- Molnia, B. F., and Wheeler, M. C., 1978, Report on the beach dynamics, geology and oil spill susceptibility of the Gulf of Alaska coastline in Glacier Bay National Monument -- Sea Otter Creek to Icy Point: U.S. Geological Survey Open-file Report 78-284, 192 p. + pl.
- Plafker, George, Bruns, T. R., Carlson, P. R., Molnia, B. F., Scott, E. W., Kahler, Roger, and Wilson, Charles, 1978, Petroleum potential, geologic hazards, and technology for exploration on the Outer Continental Shelf of the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-490, 40 p.

Mount Fairweather quadrangle

Plafker, George, Winkler, G. R., Hunt, S. J., Bartsch-Winkler, Susan, Coonrad, W. L., and Quintero, Paula, 1978, Outcrop samples from the Continental Slope in the eastern Gulf of Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B97-B101.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Mount Hayes quadrangle

Carter, L. D., and Galloway, J. P., 1978, Preliminary geologic maps of the proposed natural gas pipeline route in the Tanana River valley, Alaska: U.S. Geological Survey Open-file Report 78-794, 26 p. + 3 sheets, scale 1:125,000.

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. F., 1978, Water resources along the TAPS route, Alaska, 1970-74: U.S. Geological Survey Open-file Report 78-137, 136 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Dickenson, K. A., and Campbell, J. A., 1978, Epigenetic mineralization and areas favorable for uranium exploration in Tertiary continental sedimentary rock in south-central Alaska - a preliminary report: U.S. Geological Survey Open-file Report 78-757, 13 p.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Loeffler, R. M., and Childers, J. M., 1978, Channel erosion surveys along the TAPS route, Alaska 1977: U.S. Geological Survey Open-file Report 78-611, 90 p.

Mount Hayes quadrangle

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978,  
Maps and tables describing metalliferous mineral resource  
potential of southern Alaska: U.S. Geological Survey Open-file  
Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Nelson, G. L.; 1978, Geohydrology of the Delta-Clearwater area, in  
Johnson, K. M., ed., The United States Geological Survey in  
Alaska — Accomplishments during 1977: U.S. Geological Survey  
Circular 772-B, p. B38.

Scully, D. R., Leveen, L. S., and George, R. S., 1978, Surface water  
records of Cook Inlet basin, Alaska, through September 1975:  
U.S. Geological Survey Open-file Report 78-498, 102 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S  
Geological Survey Professional Paper 1050, 411 p.

Mount Katmai quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern  
Alaska: U.S. Geological Survey Open-file Report 77-169-H,  
1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977.  
Generalized geologic map of the western part of southern Alaska:  
U.S. Geological Survey Open-file Report 77-169-G, 1 sheet,  
scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and  
offshore features of the Gulf of Alaska north of 54° N latitude:  
U.S. Geological Survey Open-file Report 78-208, 63 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of  
coal-bearing rocks in the western part of southern Alaska: U.S.  
Geological Survey Open-file Report 77-169-I, 1 sheet, scale  
1:1,000,000.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources  
of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geo-  
logical Survey Open-file Report 78-127, 54 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water  
resources of the Kodiak-Shelikof subregion, south-central  
Alaska: U.S. Geological Survey Hydrologic Investigations  
Atlas HA-612, 2 sheets.

Mount Katmai quadrangle

Lankford, S. M., and Magoon, L. B., 1978, Petrography of the Upper Jurassic through Oligocene sandstones in the Cape Douglas-Kamishak Hills area, lower Cook Inlet, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B60-B62.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Magoon, L. B., Egbert, R. M., and Petering, George, 1978, Upper Jurassic and Cretaceous rocks of the Kamishak Hills-Douglas River area, lower Cook Inlet, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B57-B59.

Mount McKinley quadrangle

Decker, J. E., and Gilbert, W. G., 1978, The Mount Galen Volcanics — a new middle Tertiary volcanic formation in the central Alaska Range: Alaska Division of Geological and Geophysical Surveys Geologic Report 59, 11 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Hawley, C. C., and associates, Inc., 1978, Mineral appraisal of lands adjacent to Mt. McKinley National Park, Alaska: U.S. Bureau of Mines Open-file Report 24-78, 275 p. (paged by section) + 7 pl.

Mount McKinley quadrangle

Hawley, C. C., 1978, The mineral potential of Alaska's Mt. McKinley region: a summary report: U.S. Bureau of Mines Open-file Report 117-78, 18 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Mount Michelson quadrangle

Albert, N. R. D., 1978, Landsat mosaics of eastern North Slope petroleum province, Alaska, with preliminary interpretation of observed features: U.S. Geological Survey Miscellaneous Field Studies Map MF-928V, 3 sheets, scale 1:500,000.

Armstrong, A. K., and Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p. + plates.

Barker, J. C., 1978, Mineral investigations of certain lands in the eastern Brooks Range - A summary report: U.S. Bureau of Mines Open-file Report 63-78, 25 p.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Bird, K. J., 1978, Generalized isopach map of the Lisburne Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928S, 1 sheet, scale 1:500,000.

Bird, K. J., 1978, Geoeralized isopach map of the Endicott Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928T, 1 sheet, scale 1:500,000.

Mount Michelson quadrangle

Bird, K. J., Connor, C. L., Tailleur, I. L., Silberman, M. L., and Christie, J. L., 1978, Granite on the Barrow arch, northeast NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B24-B25.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland region: potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Grantz, Arthur, and Mull, C. G., 1978, Preliminary analysis of the petroleum potential of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Open-file Report 78-489, 20 p. + pl.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Kosloski, B. A., Reiser, H. N., Cavit, C. D., and Detterman, R. L., 1978, A gravity study of the northern part of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Bulletin 1440, 21 p. + pl.

Levorsen, J. A., Pessel, G. H., Carter, R. D., and Tailleur, I. L., 1978, Generalized isopach map of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928Q, 1 sheet, scale 1:500,000.

Levorsen, J. A., Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Ledge Sandstone Member of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928P, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized structure map of the Lower Cretaceous unconformity, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928H, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach and net sand maps of Lower Cretaceous sands, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928J, 1 sheet, scale 1:500,000.

Mount Michelson quadrangle

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of (Jurassic) and possibly Lower Cretaceous shale, including Kingak Shale, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928K, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of Sag River Sandstone and overlying siltstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928M, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of the Shublik Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928N, 1 sheet, scale 1:500,000.

Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Echooka Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928R, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized structure map of top of the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928C, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of the sandstones within the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928D, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of shale in the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928E, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928F, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Levorsen, J. A., 1978, Generalized structure map of top of Sag River Sandstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928L, 1 sheet, scale 1:500,000.

Mount Michelson quadrangle

Repenning, C. A., 1978, Fossil reconnaissance study, eastern NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B27.

Tailleur, I. L., Bird, K. J., and Engwicht, S. E., 1978, Map showing depth to basement from drilling and from seismic exploration, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928U, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Generalized structure map of top, middle, and basal Tertiary markers with geothermal gradients, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928B, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Seismic maps of shallow Cretaceous horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928G, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Structure maps of top of Sadlerochit Group, and cross sections of Sadlerochit reservoir, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928O, 1 sheet, scale 1:500,000.

Tailleur, I. L., Pessel, G. H., and Engwicht, S. E., 1978, Subcrop map at Lower Cretaceous unconformity, and maps of Jurassic and Lower Cretaceous seismic horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928I, 1 sheet, scale 1:500,000.

Tailleur, I. L., Pessel, G. H., Levorsen, J. A., and Engwicht, S. E., 1978, Maps showing land status and well locations and tables of well data, eastern North Slope petroleum province, Alaska, with a section on exploration by H. C. Jamison: U.S. Geological Survey Miscellaneous Field Studies Map MF-928A, 5 sheets + 8 p., scale 1:500,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Mount Saint Elias quadrangle

Addicott, W. O., Winkler, G. R., and Plafker, George, 1978, Preliminary megafossil biostratigraphy and correlation of stratigraphic sections in the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-491, 2 sheets.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Plafker, George, Bruns, T. R., Carlson, P. R., Molnia, B. F., Scott, E. W., Kahler, Roger, and Wilson, Charles, 1978, Petroleum potential, geologic hazards, and technology for exploration on the Outer Continental Shelf of the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-490, 40 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

Stephens, Christopher, 1978, Seismicity near Icy Bay, Alaska and in the eastern Gulf of Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B96-B97.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Wolfe, J. A., 1977, Paleogene floras from the Gulf of Alaska region: U.S. Geological Survey Professional Paper 997, 108 p. + pl.

Nabesna quadrangle

Carter, L. D., and Galloway, J. P., 1978, Preliminary geologic maps of the proposed natural gas pipeline route in the Tanana River valley, Alaska: U.S. Geological Survey Open-file Report 78-794, 26 p. + 3 sheets, scale 1:125,000.

Nabesna quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1000.

Naknek quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-J, 1 sheet, scale 1:1,000,000.

Naknek quadrangle

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Noatak quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan; 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McQuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Eittreim, Stephen, Grantz, Arthur, and Whitney, O. T., 1978, Isopach maps of Tertiary sediments, Hope Basin, southern Chukchi Sea, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-906, 1 sheet, scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Silberman, M. L., 1978, Granitic clasts from Lower Cretaceous conglomerate in the northwestern Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B11-B13.

Staff, Alaska Field Operations Center, 1978, Mineral data appraisal of the proposed Noatak National Ecological Reserve, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 67-78, 33 p.

Noatak quadrangle

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Kobuk Valley National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 110-78, 31 p.

Toimil, L. J., 1978, Ice-gouged microrelief on the floor of the eastern Chukchi Sea, Alaska: a reconnaissance survey: U.S. Geological Survey Open-file Report 78-693, 94 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Nome quadrangle

Barnes, D. F., and Hudson, Travis, 1977, Bouguer gravity map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 1 sheet, scale 1:1,000,000.

Cady, J. W., 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796G, 22 p. + map, scale 1:1,000,000.

Clukey, E. C., Nelson, Hans, and Newby, J. E., 1978, Geotechnical properties of northern Bering Sea sediment: U.S. Geological Survey Open-file Report 78-408, 47 p.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Nome quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-93, 213 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796E, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Hudson, Travis, 1977, Geologic map of the Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796A, 1 sheet, scale 1:1,000,000.

Nome quadrangle

Hudson, Travis, and DeYoung, J. H., Jr., 1978, Map and tables describing areas of mineral resources potential, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 78-1-C, 62 p. + 1 sheet, scale 1:1,000,000.

Hudson, Travis, Miller, M. L., and Pickthorn, W. J., 1977, Map showing metalliferous and selected nonmetalliferous deposits, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796B, 45 p. + 1 sheet, scale 1:1,000,000.

Hudson, Travis, and Plafker, George, 1978, Kigluaik and Bendeleben faults, Seward Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B47-B50.

Hummel, C. L., 1977, Review of exploration geochemical surveys on Seward Peninsula, western Alaska: U.S. Geological Survey Open-file Report 77-796D, 28 p.

Nelson, Hans, Holmes, M. L., Thor, D. R., and Johnson, J. L., 1978, Continuous seismic reflection profile records, SEA 5-76-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-609, 7 p. (unpaged) + 2 sheets, scale 1:250,000.

Thor, D. R., and Nelson, Hans, 1978, Environmental studies in northern Bering Sea, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B94-B95.

Thor, R. R., and Nelson, Hans, 1978, Continuous seismic reflection profile records, SEA 5-77-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-608, 8 p. + 2 sheets, scale 1:250,000.

Norton Bay quadrangle

Barnes, D. F., and Hudson, Travis, 1977, Bouguer gravity map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 1 sheet, scale 1:1,000,000.

Cady, J. W., 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796G, 22 p. + map, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Norton Bay quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Hudson, Travis, 1977, Geologic map of the Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796A, 1 sheet, scale 1:1,000,000.

Hudson, Travis, and DeYoung, J. H., Jr., 1978, Map and tables describing areas of mineral resources potential, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 78-1-C, 62 p. + 1 sheet, scale 1:1,000,000.

Nelson, Hans, Holmes, M. L., Thor, D. R., and Johnson, J. L., 1978, Continuous seismic reflection profile records, SEA 5-76-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-609, 7 p. (unpaged) + 2 sheets, scale 1:250,000.

Nulato quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Nulato quadrangle

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Matanuska, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

Nunivak Island quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Nushagak Bay quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-J, 1 sheet, scale 1:1,000,000.

Coonrad, W. L., Hoare, J. M., Taufen, P. M., and Hessin, T. D., 1978, Chemical analyses of rock samples in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-H, 1 sheet, scale 1:250,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Griscom, Andrew, 1978, Aeromagnetic map and interpretation of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-C, 20 p. + 2 sheets, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of chromium in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-J, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of cobalt in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-K, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of nickel in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-L, 2 sheets, scales 1:250,000 and 1:125,000.

Nushagak Bay quadrangle

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of copper in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-M, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of lead in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-N, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of zinc in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-O, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of mercury in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-P, 2 sheets, scale 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of molybdenum, tin, and tungsten in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-Q, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of arsenic, gold, silver, and platinum in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-R, 1 sheet, scale 1:250,000.

Hoare, J. M., and Coonrad, W. L., 1978, New geologic map of the Goodnews-Hagemeister Island quadrangles region, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B50-B55, B112-B113.

Nushagak Bay quadrangle

Steele, W. C., 1978, Interpretation of Landsat imagery of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-D, 1 sheet, scale 1:250,000.

Ophir quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale [redacted] 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

Petersburg quadrangle

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Petersburg quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-870, 52 p.

Yehle, L. A., 1978, Reconnaissance engineering geology of the Petersburg area, southeastern Alaska, with emphasis on geologic hazards: U.S. Geological Survey Open-file Report 78-675, 92 p.

Philip Smith Mountains quadrangle

Armstrong, A. K., and Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p. + plates.

Barker, J. C., 1978, Mineral investigations of certain lands in the eastern Brooks Range - A summary report: U.S. Bureau of Mines Open-file Report 63-78, 25 p.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Cady, J. W., 1978, Aeromagnetic map and interpretation of the Philip Smith Mountains quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-879-E, 1 sheet, scale 1:250,000.

Cathrall, J. B., Detra, D. E., and Cooley, E. F., 1978, Geochemical maps showing the distribution and abundance of copper in the Philip Smith Mountains quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-879G, 1 sheet, scale 1:250,000.

Cathrall, J. B., Detra, D. E., and Cooley, E. F., 1978, Geochemical maps showing the distribution and abundance of lead in the Philip Smith Mountains quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-879-H, 1 sheet, scale 1:250,000.

Cathrall, J. B., Detra, D. E., and Cooley, E. F., 1978, Geochemical maps showing the distribution and abundance of silver in the Philip Smith Mountains quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-879-J, 1 sheet, scale 1:250,000.

Cathrall, J. B., Detra, D. E., and Cooley, E. F., 1978, Geochemical maps showing distribution and abundance of barium in the Philip Smith Mountains quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-879K, 1 sheet, scale 1:250,000.

Cathrall, J. B., Detra, D. E., and Cooley, E. F., 1978, Geochemical maps showing the distribution and abundance of antimony, arsenic, bismuth, cadmium, molybdenum, and tin in the Philip Smith Mountains quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-879-L, 1 sheet, scale 1:250,000.

Philip Smith Mountains quadrangle

Cathrall, J. B., Detra, D. E., and O'Leary, R. M., 1978, Geochemical maps showing the distribution and abundance of zinc in the Philip Smith Mountains quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Investigations Map MF-879-I, 1 sheet, scale 1:250,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McQuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Detterman, R. L., 1978, The Arctic Lowland region; potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Dutro, J. T., Jr., 1978, Potential strata-bound lead-zinc mineralization, Philip Smith Mountains quadrangle, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B9-B11.

Dutro, J. T., Jr., and Detra, D. E., 1978, Analyses of rock samples from the Hunt Fork Shale and related Upper Devonian rocks, Philip Smith Mountains quadrangle, Arctic Alaska: U.S. Geological Survey Open-file Report 78-559, 7 p.

Grantz, Arthur, and Mull, C. G., 1978, Preliminary analysis of the petroleum potential of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Open-file Report 78-489, 20 p. + pl.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Hamilton, T. D., 1978, Late Cenozoic stratigraphy of the south-central Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B36-B38.

Hamilton, T. D., 1978, Surficial geologic map of the Philip Smith Mountains quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-879A, 1 sheet, scale 1:250,000.

Philip Smith Mountains quadrangle

Scott, K. M., 1978, Effects of permafrost on stream channel behavior in arctic Alaska: U.S. Geological Survey Professional Paper 1068, 19 p.

Point Hope quadrangle

Armstrong, A. K., and Mamet, B. L.; 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p. + plates.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Callahan, J. E., and Sloan, E. G., 1978, Preliminary report on analyses of Cretaceous coals from northwestern Alaska: U.S. Geological Survey Open-file Report 78-319, 29 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland region; potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Eittreim, Stephen, Grantz, Arthur, and Whitney, O. T., 1978, Isopach maps of Tertiary sediments, Hope Basin, southern Chukchi Sea, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-906, 1 sheet, scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska: U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Toimil, L. J., 1978, Ice-gouged microrelief on the floor of the eastern Chukchi Sea, Alaska: a reconnaissance survey: U.S. Geological Survey Open-file Report 78-693, 94 p.

Point Lay quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Callahan, J. E., and Sloan, E. G., 1978, Preliminary report on analyses of Cretaceous coals from northwestern Alaska: U.S. Geological Survey Open-file Report 78-319, 29 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland regions: potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska: U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Toimil, L. J., 1978, Ice-gouged microrelief on the floor of the eastern Chukchi Sea, Alaska: a reconnaissance survey: U.S. Geological Survey Open-file Report 78-693, 94 p.

Yeend, Warren, 1978, Surficial geology of the foothills and mountains of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B19-B20.

Port Alexander quadrangle

Berg, H. G., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Port Alexander quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-787, 32 p.

Port Moller quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Conwell, G. N., and Triplehorn, D. M., 1978, Herendeen Bay-Chignik coals, southern Alaska Peninsula: Alaska Division of Geological and Geophysical Surveys Special Report 8, 15 p. + 2 pl., scale 1:125,000 approx.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54°N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-I, 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

McLean, Hugh, 1978, Tertiary sedimentary rocks of the Alaska Peninsula between Pavlof Bay and False Pass; their geology and petroleum potential, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B65-B66.

Pribilof Islands quadrangle

Alpha, T. R., and Lewis, S. D., 1978, Revised oblique map of Pribilof Canyon: U.S. Geological Survey Open-file Report 78-214, 1 sheet.

Gardner, J. V., and Vallier, T. L., 1978, Underway seismic data collected on U.S.G.S. cruise S6-77, southeastern Bering Sea: U.S. Geological Survey Open-file Report 78-322, 5 p. + 1 pl.

Gardner, J. V., Vallier, T. L., and Dean, W. E., 1978, Grain size, total carbon, mineralogy, and inorganic geochemical data from surface sediments of the southern Bering Sea Outer Continental Shelf: U.S. Geological Survey Open-file Report 78-923, 32 p. (not all numbered).

Hopkins, D. M., and Silberman, M. L., 1978, Potassium-argon ages of basement rocks from Saint George Island, Alaska: U.S. Geological Survey Journal of Research, v. 6, no. 4, p. 435-438.

Prince Rupert quadrangle

Albert, N. R. D., Steele, W. C., and LeCompte, J. R., 1978, Landsat data interpretation of various AMRAP quadrangles, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B4-B5..

Berg, H. C., Elliott, R. L., and Koch, R. D., 1978, Map and tables describing areas of metalliferous mineral resource potential in the Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 M, 48 p. + map, scale 1:250,000.

Berg, H. C., Elliott, R. L., Smith, J. G., and Koch, R. D., 1978, New geologic map of Ketchikan and Prince Rupert quadrangles, southeastern Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, P. B82-B84, Bl14.

Berg, H. C., Elliott, R. L., Smith, J. G., and Koch, R. D., 1978, Geologic map of the Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73-A, 1 sheet, scale 1:250,000.

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Prince Rupert quadrangle

Elliott, R. L., Berg, H. C., and Karl, Susan, 1978, Map and table describing metalliferous and selected nonmetalliferous mineral deposits, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 B, 17 p. + map, scale 1:250,000.

Koch, R. D., and Elliott, R. L., 1978, Analyses of rock and stream-sediment samples from the Prince Rupert quadrangle, southeastern Alaska: U.S. Geological Survey Open-file Report 78-156-B, 98 p. + 1 pl.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing copper determined by atomic absorption in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 C, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing lead determined by atomic absorption in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 D, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing zinc determined by atomic absorption in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 E, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing spectrographically determined molybdenum in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 F, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing gold determined by atomic absorption and spectrographically determined silver in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 G, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing spectrographically determined chromium in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 H, 1 sheet, scale 1:250,000.

Koch, R. D., Elliott, R. L., and Diggles, M. J., 1978, Map showing spectrographically determined cobalt in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 I, 1 sheet, scale 1:250,000.

Prince Rupert quadrangle

Koch, R. D., Elliott, R. L., and Diggles, M. F., 1978, Map showing spectrographically determined nickel in stream sediments, Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73 J, 1 sheet, scale 1:250,000.

Koch, R. D., Van Trump, George, and McDanal, S. K., 1978, Magnetic tape containing analytical data from rock and stream-sediment samples from Ketchikan and Prince Rupert quadrangles, south-eastern Alaska: National Technical Information Service PB-276 777, magnetic tape.

Steele, W. C., and Albert, N. R. D., 1978, Map showing interpretation of Landsat imagery of the Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-73K, 2 sheets, scale 1:250,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Rat Islands quadrangle

Claassen, H. C., 1978, Hydrologic processes and radionuclide distribution in a cavity and chimney produced by the Cannikin nuclear explosion, Amchitka Island, Alaska: U.S. Geological Survey Professional Paper 712-D, p. D1-D28.

Cooper, A. K., Childs, J. R., Marlow, M. S., Rabinowitz, P. D., Scholl, D. W., and Ludwig, W. J., 1977, Preliminary isopach and structure contour maps of Bering Basin: U.S. Geological Survey Miscellaneous Field Studies Map MF-907, 1 sheet, scale 1:4,019,138.

Ruby quadrangle

Chapman, R. M., and Patton, W. W., Jr., 1978, Preliminary summary of the geology in the northwest part of the Ruby quadrangle, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B39-B41.

Chapman, R. M., and Patton, W. W., Jr., 1978, Landslides near Melozitna River canyon, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B40-B43.

Ruby quadrangle

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. F.,  
1978, Water resources along the TAPS route, Alaska, 1970-74:  
U.S. Geological Survey Open-file Report 78-137, 136 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of  
central Alaska: U.S. Geological Survey Open-file Report 77-168-E,  
1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles  
of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F,  
1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S.,  
1977, Map and table describing known metalliferous and selected  
nonmetalliferous mineral deposits in central Alaska: U.S. Geo-  
logical Survey Open-file Report 77-168D, 132 p. + map, scale  
1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing  
areas of metalliferous mineral resource potential of central  
Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. +  
2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known  
coal deposits in central Alaska: U.S. Geological Survey Open-file  
Report 77-168-G, 1 sheet, scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing  
disrtibution of known thermal springs and selected igneous  
rocks in central Alaska: U.S. Geological Survey Open-file  
Report 77-168-H, 1 sheet, scale 1:1,000,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S  
Geological Survey Professional Paper 1050, 411 p.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Min-  
chumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological  
Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

Russian Mission quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Hietanen, Anna, and Erd, R. C., 1978, Ferroaxinites from the Feather River area, northern California, and from the McGrath and Russian Mission quadrangles, Alaska: U.S. Geological Survey Journal of Research, v. 6, no. 5, p. 603-610.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Sagavanirktok quadrangle

Albert, N. R. D., 1978, Landsat mosaics of eastern North Slope petroleum province, Alaska, with preliminary interpretation of observed features: U.S. Geological Survey Miscellaneous Field Studies Map MF-928V, 3 sheets, scale 1:500,000.

Armstrong, A. K., and Mamet, B. L., 1977, Carboniferous microfacies, microfossils, and corals, Lisburne Group, Arctic Alaska: U.S. Geological Survey Professional Paper 849, 144 p. + plates.

Barker, J. C., 1978, Mineral investigations of certain lands in the eastern Brooks Range - A summary report: U.S. Bureau of Mines Open-file Report 63-78, 25 p.

Sagavanirktok quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Bird, K. J., 1978, Generalized isopach map of the Lisburne Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928S, 1 sheet, scale 1:500,000.

Bird, K. J., 1978, Geoeralized isopach map of the Endicott Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928T, 1 sheet, scale 1:500,000.

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. F., 1978, Water resources along the TAPS route, Alaska, 1970-74: U.S. Geological Survey Open-file Report 78-137, 136 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland region; potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Giovannetti, Dennis, and Bird, K. J., 1978, Geophysical profiles through the Shavlovik-Echooka River region, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B32-B33.

Grantz, Arthur, and Mull, C. G., 1978, Preliminary analysis of the petroleum potential of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Open-file Report 78-489, 20 p. + pl.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Levorsen, J. A., Pessel, G. H., Carter, R. D., and Tailleur, I. L., 1978, Generalized isopach map of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928Q, 1 sheet, scale 1:500,000.

Sagavanirktok quadrangle

Levorsen, J. A., Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Ledge Sandstone Member of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928P, 1 sheet, scale 1:500,000.

Loeffler, R. M., and Childers, J. M., 1978, Channel erosion surveys along the TAPS route, Alaska 1977: U.S. Geological Survey Open-file Report 78-611, 90 p.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized structure map of the Lower Cretaceous unconformity, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928H, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach and net sand maps of Lower Cretaceous sands, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928J, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of (Jurassic) and possibly Lower Cretaceous shale, including Kingak Shale, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928K, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of Sag River Sandstone and overlying siltstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928M, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of the Shublik Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928N, 1 sheet, scale 1:500,000.

Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Echooka Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928R, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized structure map of top of the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928C, 1 sheet, scale 1:500,000.

Sagavanirktok quadrangle

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of the sandstones within the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928D, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of shale in the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928E, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928F, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Levorsen, J. A., 1978, Generalized structure map of top of Sag River Sandstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928L, 1 sheet, scale 1:500,000.

Scott, K. M., 1978, Effects of permafrost on stream channel behavior in arctic Alaska: U.S. Geological Survey Professional Paper 1068, 19 p.

Tailleur, I. L., Bird, K. J., and Engwicht, S. E., 1978, Map showing depth to basement from drilling and from seismic exploration, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928U, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Generalized structure map of top, middle, and basal Tertiary markers with geothermal gradients, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928B, 1 sheet, scale 1:500,000.

Tailleur, I. L.; and Engwicht, S. E., 1978, Seismic maps of shallow Cretaceous horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928G, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Structure maps of top of Sadlerochit Group, and cross sections of Sadlerochit reservoir, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928O, 1 sheet, scale 1:500,000.

Sagavanirktok quadrangle

Tailleur, I. L., Pessel, G. H., and Engwicht, S. E., 1978, Subcrop map at Lower Cretaceous unconformity, and maps of Jurassic and Lower Cretaceous seismic horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928I, 1 sheet, scale 1:500,000.

Tailleur, I. L., Pessel, G. H., Levorsen, J. A., and Engwicht, S. E., 1978, Maps showing land status and well locations and tables of well data, eastern North Slope petroleum province, Alaska, with a section on exploration by H. C. Jamison: U.S. Geological Survey Miscellaneous Field Studies Map MF-928A, 5 sheets + 8 p., scale 1:500,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Saint Lawrence quadrangle

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Saint Matthew quadrangle

Hopkins, D. M., and Silberman, M. L., 1978, Potassium-argon ages of basement rocks from Saint George Island, Alaska: U.S. Geological Survey Journal of Research, v. 6, no. 4, p. 435-438.

Saint Michael quadrangle

Clukey, E. C., Nelson, Hans, and Newby, J. E., 1978, Geotechnical properties of northern Bering Sea sediment: U.S. Geological Survey Open-file Report 78-408, 47 p.

Decker, John, and Kari, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Saint Michael quadrangle

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Nelson, Hans, Holmes, M. L., Thor, D. R., and Johnson, J. L., 1978, Continuous seismic reflection profile, records, SEA 5-76-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-609, 7 p. (unpaged) + 2 sheets, scale 1:250,000.

Patton, W. W., Jr., 1978, Map and table describing areas of interest for oil and gas in central Alaska: U.S. Geological Survey Open-file Report 78-1-F, 2 p. + 2 sheets, scale 1:1,000,000.

Thor, D. R., and Nelson, Hans, 1978, Environmental studies in northern Bering Sea, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B94-B95.

Samalga Island quadrangle

Cooper, A. K., Childs, J. R., Marlow, M. S., Rabinowitz, P. D., Scholl, D. W., and Ludwig, W. J., 1977, Preliminary isopach and structure contour maps of Bering Basin: U.S. Geological Survey Miscellaneous Field Studies Map MF-907, 1 sheet, scale 1:4,019,138.

Seguam quadrangle

Cooper, A. K., Childs, J. R., Marlow, M. S., Rabinowitz, P. D., Scholl, D. W., and Ludwig, W. J., 1977, Preliminary isopach and structure contour maps of Bering Basin: U.S. Geological Survey Miscellaneous Field Studies Map MF-907, 1 sheet, scale 1:4,019,138.

Selawik quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Barnes, D. F., and Hudson, Travis, 1977, Bouguer gravity map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 1 sheet, scale 1:1,000,000.

Cady, J. W., 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796G, 22 p. + map, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796E, 1 sheet, scale 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McOuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Hudson, Travis, 1977, Geologic map of the Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796A, 1 sheet, scale 1:1,000,000.

Hudson, Travis, and DeYoung, J. H., Jr., 1978, Map and tables describing areas of mineral resources potential, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 78-1-C, 62 p. + 1 sheet, scale 1:1,000,000.

Selawik quadrangle

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Kobuk Valley National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 110-78, 31 p.

Seldovia quadrangle

Bird, M. L., 1977, Electron-microprobe analyses of chromite and olivine from alpine ultramafic complexex: U.S. Geological Survey Open-file Report 77-236, 69 p. (unnumbered).

Bird, M. L., 1978, Eelctron-microprobe study of chromatites associated with alpine ultramafic complexes and some genetic implications: U.S. Geological Survey Open-file Report 78-119, 53 p.

Bouma, A. H., and Hampton, M. A., 1978, Notes on the acquisition of high resolution seismic profiles, side scan records, and sampling locations from lower Cook Inlet and Kodiak Shelf, R/V SEA SOUNDER cruise S7-77-WG, September-October, 1977: U.S. Geological Survey Open-file Report 78-727, 29 p.

Bouma, A. H., Hampton, M. A., Frost, T. P., Torresan, M. E., Orlando, R. D., and Whitney, J. W., 1978, Bottom characteristics of lower Cook Inlet, Alaska: U.S. Geological Survey Open-file Report 78-236, 90 p. + pl.

Bouma, A. H., Hampton, M. A., Whitney, J. W., and Noonan, W. G., 1978, Physiography of lower Cook Inlet, Alaska: U.S. Geological Survey Open-file Report 78-728, 16 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Dickenson, K. A., and Campbell, J. A., 1978, Epigenetic mineralization and areas favorable for uranium exploration in Tertiary continental sedimentary rock in south-central Alaska - a preliminary report: U.S. Geological Survey Open-file Report 78-757, 13 p.

Freethey, G. W., 1978, Guide to ground-water data, Cook Inlet basin, Alaska: U.S. Geological Survey Open-file Report 78-439, 207 p. + 2 sheets.

Seldovia quadrangle

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

Lambeth, R. H., 1978, Mineral appraisal of certain Alaska National Interest Lands, proposed Lake Clark National Park: a summary report: U.S. Bureau of Mines Open-file Report 114-78, 18 p.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Scully, D. R., Leveen, L. S., and George, R. S., 1978, Surface water records of Cook Inlet basin, Alaska, through September 1975: U.S. Geological Survey Open-file Report 78-498, 102 p.

Wills, J. C., Bolm, J. G., Stewart, G. H., Turner, R. F., Lynch, M. B., Petering, G. W., Parker, John, and Schoof, Brian, 1978, Geological and operational summary, Atlantic Richfield Lower Cook Inlet, Alaska, COST well No. 1: U.S. Geological Survey Open-file Report 78-145, 46 p.

Wolfe, J. A., 1977, Paleogene floras from the Gulf of Alaska region: U.S. Geological Survey Professional Paper 997, 108 p. + pl.

Seward quadrangle

Bartsch-Winkler, Susan, Ovenshine, A. T., and Rupert, Jeff, 1978, Sedimentological report on the silt of Portage Flats, Alaska, June 1974 through March 1975: U.S. Geological Survey Open-file Report 78-16, 1 sheet.

Carlson, P. R. and Molnia, B. F., 1978, Minisparker profiles and sedimentologic data from R/V ACONA cruise (April 1976) in the Gulf of Alaska and Prince William Sound: U.S. Geological Survey Open-file Report 78-381, 33 p. + 2 sheets.

Curtin, G. C., Hessin, T. D., O'Leary, R. M., Cooley, E. F., Day, G. W., and Tripp, R. B., 1978, Geochemical exploration studies in Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B5-B6.

Seward quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Freethey, G. W., 1978, Guide to ground-water data, Cook Inlet basin, Alaska: U.S. Geological Survey Open-file Report 78-439, 207 p. + 2 sheets.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Meier, M. F., Post, Austin, Brown, G. S., Frank, David, Hodge, S. M., Mayo, L. R., Rasmussen, L. A., Senechal, E. A., Sikonia, W. G., Trabant, D. C., and Watts, R. D., 1978, Columbia Glacier progress report--December 1977: U.S. Geological Survey Open-file Report 78-264, 56 p.

Molnia, B. F., Carlson, P. R., and Wright, L. H., 1978, Geophysical data from the 1975 cruise of the NOAA ship Surveyor in northern Gulf of Alaska: U.S. Geological Survey Open-file Report 78-209, 42 p.

O'Leary, R. M., Cooley, E. F., Day, G. W., McDougal, C. M., Tripp, R. B., and Crim, W. D., 1978, Spectrographic and atomic-absorption analyses of geochemical samples from the Seward and Blying Sound quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-1102, 57 p. + 1 sheet.

Post, Austin, 1978, Interim bathymetry of Columbia Glacier and approaches, Alaska: U.S. Geological Survey Open-file Report 78-449, 1 sheet, scale 1:20,000.

Scully, D. R., Leveen, L. S., and George, R. S., 1978, Surface water records of Cook Inlet basin, Alaska, through September 1975: U.S. Geological Survey Open-file Report 78-498, 102 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Shishmaref quadrangle

Barnes, D. F., and Hudson, Travis, 1977, Bouguer gravity map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 1 sheet, scale 1:1,000,000.

Cady, J. W., 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796G, 22 p. + map, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Aeromagnetic profiles of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796F, 1 sheet.

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Hudson, Travis, 1977, Geologic map of the Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796A, 1 sheet, scale 1:1,000,000.

Hudson, Travis, and DeYoung, J. H., Jr., 1978, Map and tables describing areas of mineral resources potential, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 78-1-C, 62 p. + 1 sheet, scale 1:1,000,000.

Toimil, L. J., 1978, Ice-gouged microrelief on the floor of the eastern Chukchi Sea, Alaska: a reconnaissance survey: U.S. Geological Survey Open-file Report 78-693, 94 p.

Shungnak quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale 1:1,000,000.

Shungnak quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McOuat, J. F., and Bigelow, G. C., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #JO155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale [ ] 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Mayfield, C. F., and Grybeck, Donald, 1978, Mineral occurrences and resources map of the Ambler River quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-120-I, 1 sheet, scale 1:250,000.

Mayfield, C. F., and Tailleur, I. L., 1978, Bedrock geology map of the Ambler River quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-120-A, 1 sheet, scale 1:250,000.

Miller, T. P., and Johnson, B. R., 1978, An occurrence of parsonite, a secondary uranium mineral, in alaskite of the Wheeler Creek pluton, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B42-B44.

Shungnak quadrangle

Miller, T. P., and Johnson, B. R., 1978, An occurrence of parsonite, a secondary uranium mineral, in alaskite of the Wheeler Creek pluton, Alaska: U.S. Geological Survey Open-file Report 78-315, 6 p.

Staff, Alaska Field Operations Center, 1978, Mineral data appraisal of the proposed Noatak National Ecological Reserve, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 67-78, 33 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Gates of the Arctic Wilderness National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 109-78, 29 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Kobuk Valley National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 110-78, 31 p.

Simeonof Island quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Sitka quadrangle

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Carter, Claire, 1977, Age of the Hood Bay Formation, Alaska, in Sohl, N. F., and Wright, W. B., Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1976: U.S. Geological Survey Bulletin 1435-A, p. A117-A118.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Sitka quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-450, 123 p.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54°N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Molnia, B. F., Carlson, P. R., and Wright, L. H., 1978, Geophysical data from the 1975 cruise of the NOAA ship Surveyor in northern Gulf of Alaska: U.S. Geological Survey Open-file Report 78-209, 42 p.

Plafker, George, Winkler, G. R., Hunt, S. J., Bartsch-Winkler, Susan, Coonrad, W. L., and Quinterno, Paula, 1978, Outcrop samples from the Continental Slope in the eastern Gulf of Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B97-B101.

Wolfe, J. A., 1977, Paleogene floras from the Gulf of Alaska region: U.S. Geological Survey Professional Paper 997, 108 p. + pl.

Skagway quadrangle

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Brew, D. A., Johnson, B. R., Ford, A. B., and Morrell, R. P., 1978, Intrusive rocks in the Fairweather Range, Glacier Bay National Monument, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B88-B90.

Skagway quadrangle

Brew, D. A., Johnson, B. R., Grybeck, Donald, Griscom, Andrew, Barnes, D. F., Kimball, A. L., Still, J. C., and Rataj, J. L., 1978, Mineral resources of the Glacier Bay National Monument Wilderness Study Area, Alaska: U.S. Geological Survey Open-file Report 78-494, 692 p. + pl., scale 1:125,000.

Brew, D. A., and Morrell, R. P., 1978, Tarr Inlet suture zone, Glacier Bay National Monument, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B89-B92.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Mount Fairweather and Skagway quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-316, 128 p.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Johnson, B. R., 1978, Statistical analysis of geochemical data from Glacier Bay National Monument, Alaska: U.S. Geological Survey Open-file Report 78-495, 16 p. + 26 pl.

Sleetmute quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Sleetmute quadrangle

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

Solomon quadrangle

Barnes, D. F., and Hudson, Travis, 1977, Bouguer gravity map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 1 sheet, scale 1:1,000,000.

Cady, J. W., 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796G, 22 p. + map, scale 1:1,000,000.

Clukey, E. C., Nelson, Hans, and Newby, J. E., 1978, Geotechnical properties of northern Bering Sea sediment: U.S. Geological Survey Open-file Report 78-408, 47 p.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Solomon quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-181, 185 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796E, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Hudson, Travis, 1977, Geologic map of the Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796A, 1 sheet, scale 1:1,000,000.

Hudson, Travis, Miller, M. L., and Pickthorn, W. J., 1977, Map showing metalliferous and selected nonmetalliferous deposits, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796B, 45 p. + 1 sheet, scale 1:1,000,000.

Solomon quadrangle

Hudson, Travis, and Plafker, George, 1978, Kigluaik and Bendeleben faults, Seward Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B47-B50.

Hudson, Travis, and DeYoung, J. H., Jr., 1978, Map and tables describing areas of mineral resources potential, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 78-1-C, 62 p. + 1 sheet, scale 1:1,000,000.

Hummel, C. L., 1977, Review of exploration geochemical surveys on Seward Peninsula, western Alaska: U.S. Geological Survey Open-file Report 77-796D, 28 p.

Nelson, Hans, Holmes, M. L., Thor, D. R., and Johnson, J. L., 1978, Continuous seismic reflection profile records, SEA 5-76-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-609, 7 p. (unpaged) + 2 sheets, scale 1:250,000.

Thor, D. R., and Nelson, Hans, 1978, Environmental studies in northern Bering Sea, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B94-B95.

Thor, R. R., and Nelson, Hans, 1978, Continuous seismic reflection profile records, SEA 5-77-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-608, 8 p. + 2 sheets, scale 1:250,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Stepovak Bay quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Stepovak Bay quadrangle

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54°N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Open-file Report 78-127, 54 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Hydrologic Investigations Atlas HA-612, 2 sheets.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Sumdum quadrangle

Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Sumdum, and Taku River quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-698, 64 p.

Survey Pass quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McQuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Mayfield, C. F., Tailleur, I. L., Mull, C. G., and Sable, E. G., 1978, Bedrock geologic map of the south half of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70B, 2 sheets, scale 1:500,000.

Nelson, S. W., and Grybeck, Donald, 1978, The Arrigetch Peaks and Mount Igikpak plutons, Survey Pass quadrangle, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B7-89.

Staff, Alaska Field Operations Center, 1978, Mineral data appraisal of the proposed Noatak National Ecological Reserve, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 67-78, 33 p.

Survey Pass quadrangle

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Gates of the Arctic Wilderness National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 109-78, 29 p.

Turner, D. L., Forbes, R. B., and Mayfield, C. F., 1978, K-Ar geochronology of the Survey Pass, Ambler River, and eastern Baird Mountains quadrangles, southwestern Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-254, 41 p. + 3 pl.

Sutwik Island quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Detra, D. E., Cooley, E. F., Day, G. W., O'Leary, R. M., Holloway, C. D., and Yount, M. E., 1978, Results and statistical summary from analyses of stream-sediment and heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-345, 96 p. + 2 pl.

Detra, D. E., Cooley, E. F., Hopkins, R. T., Jr., O'Leary, R. M., and Jefferis, D. R., 1978, Final results and statistical summary from analyses of stream-sediment and heavy-mineral-concentrate samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-1090, 105 p. + 2 pl.

Detterman, R. L., 1978, Interpretation of depositional environments in the Chignik Formation, Alaska Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B62-B63.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Sutwik Island quadrangle

Holmes, M. L., Meeder, C. A., and Creager, K. C., 1978, Sonobuoy refraction data near Kodiak, Alaska: U.S. Geological Survey Open-file Report 78-368, 79 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Open-file Report 78-127, 54 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Hydrologic Investigations Atlas HA-612, 2 sheets.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

U.S. Geological Survey, 1978, Aeromagnetic map of Chignik and Sutwik Island quadrangles, Alaska, 1:250,000: U.S. Geological Survey Open-file Report 78-262, 1 sheet, scale 1:250,000.

U.S. Geological Survey, 1978, Aeromagnetic maps of Chignik and Sutwik Island quadrangles, Alaska, 1:63,360: U.S. Geological Survey Open-file Report 78-263, 11 sheets, scale 1:63,360.

Wilson, F. H., Detterman, R. L., and Silberman, M. L., 1978, New ages on intrusive rocks and altered zones on the Alaska Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B63-B65.

Yount, M. E., Cooley, E. F., and O'Leary, R. M., 1978, Sample location map, analytical data, and statistical summary of analyses of rock samples, Chignik and Sutwik Island quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-557, 1 sheet.

Table Mountain quadrangle

Barker, J. C., 1978, Mineral investigations of certain lands in the eastern Brooks Range - A summary report: U.S. Bureau of Mines Open-file Report 63-78, 25 p.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Grantz, Arthur, and Mull, C. G., 1978, Preliminary analysis of the petroleum potential of the Arctic National Wildlife Range, Alaska: U.S. Geological Survey Open-file Report 78-489, 20 p. + pl.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Taku River quadrangle

Berg, R. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectonostratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-file Report 78-1085, 2 sheets, scale 1:1,000,000.

Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Sumdum and Taku River quadrangles, Alaska: U.S. Geological Survey Open-file Report 78-698, 64 p.

Talkeetna quadrangle

Albert, N. R. D., Steele, W. C., and LeCompte, J. R., 1978, Landsat data interpretation of various AMRAP quadrangles, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B4-B5.

Curtin, G. C., Cooley, E. F., O'Leary, R. M., and McDanal, S. K., 1978, Spectrographic and chemical analyses of bulk heavy-mineral concentrate samples from the Talkeetna quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-146, 26 p. + 1 pl.

Curtin, G. C., Hessian, T. D., O'Leary, R. M., Cooley, E. F., Day, G. W., and Tripp, R. B., 1978, Geochemical exploration studies in Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B5-B6.

Curtin, G. C., Karlson, R. C., Day, G. W., O'Leary, R. M., and Tripp, R. B., 1978, Geochemical maps showing distribution and abundance of selected elements in the Talkeetna quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-301, 15 sheets, scale 1:250,000.

Curtin, G. C., Karlson, R. C., O'Leary, R. M., Day, G. W., and McDanal, S. K., 1978, Geochemical and generalized geologic maps showing distribution and abundance of gold and silver in the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-870 E, 2 sheets, scale 1:250,000.

Curtin, G. C., Karlson, R. C., O'Leary, R. M., Day, G. W., and McDougal, C. M., 1978, Geochemical and generalized geologic maps showing distribution and abundance of copper, lead, zinc, and molybdenum in the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-870-G, 2 sheets, scale 1:250,000.

Curtin, G. C., Karlson, R. C., Tripp, R. B., and Day, G. W., 1978, Geochemical and generalized geologic maps showing distribution and abundance of tin, tungsten, and beryllium in the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Investigations Map MF-870 F, 2 sheets, scale 1:250,000.

Curtin, G. C., Karlson, R. C., Tripp, R. B., Day, G. W., Cooley, E. F., and McDougal, C. M., 1978, Geochemical and generalized geologic maps showing distribution and abundance of chromium and nickel in the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-870 H, 1 sheet, scale 1:250,000.

Talkeetna quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Dickenson, K. A., and Campbell, J. A., 1978, Epigenetic mineralization and areas favorable for uranium exploration in Tertiary continental sedimentary rock in south-central Alaska - a preliminary report: U.S. Geological Survey Open-file Report 78-757, 13 p.

Freethey, G. W., 1978, Guide to ground-water data, Cook Inlet basin, Alaska: U.S. Geological Survey Open-file Report 78-439, 207 p. + 2 sheets.

Hackett, S. W., 1978, Simple Bouguer map, Talkeetna-Kashwitna River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107-G, 1 sheet, scale 1:63,360.

Hackett, S. W., 1978, Aeromagnetic map, Talkeetna-Kashwitna River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107H, 1 sheet, scale 1:63,360.

Hawley, C. C., and associates, Inc., 1978, Mineral appraisal of lands adjacent to Mt. McKinley National Park, Alaska: U.S. Bureau of Mines Open-file Report 24-78, 275 p. (paged by section) + 7 pl.

Hawley, C. C., 1978, The mineral potential of Alaska's Mt. McKinley region: a summary report: U.S. Bureau of Mines Open-file Report 117-78, 18 p.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

Kline, J. T., 1978, Approximate slope map of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107C, 1 sheet, scale 1:63,360.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

McGee, D. L., 1978, Bedrock geology and coal occurrences, Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107E, 1 sheet, scale 1:63,360.

Talkeetna quadrangle

Nelson, S. W., and Reed, B. L., 1978, Surficial deposits of the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-870-J, 1 sheet, scale 1:250,000.

O'Leary, R. M., Cooley, E. F., Day, G. W., McDougal, C. M., Curtin, G. C., and Nelson, S. W., 1978, Spectrographic and chemical analyses of geochemical samples from Talkeetna quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-143, 138 p.

Reed, B. L., 1978, Disseminated tin occurrence near Coal Creek, Talkeetna Mountains D-6 quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-77, 8 p.

Reed, B. L., and Nelson, S. W., 1977, Geologic map of the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-870-A, 1 sheet, scale 1:250,000.

Reed, B. L., Nelson, S. W., Curtin, G. C., and Singer, D. A., 1978, Mineral resources map of the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-870-D, 1 sheet, scale 1:250,000.

Reger, R. D., 1978, Reconnaissance geology of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107A, 1 sheet, scale 1:63,360.

Reger, R. D., and Carver, C. L., 1978, Reconnaissance geologic materials map of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107B, 1 sheet, scale 1:63,360.

Scully, D. R., Leveen, L. S., and George, R. S., 1978, Surface water records of Cook Inlet basin, Alaska, through September 1975: U.S. Geological Survey Open-file Report 78-498, 102 p.

Sloan, E. G., Shearer, G. B., Eason, James, and Almquist, Carl, 1978, Preliminary investigations of coal outcrops near Farewell, Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B50.

Steele, W. C., and Albert, N. R. D., 1978, Interpretation of Landsat imagery of the Talkeetna quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-870C, 2 sheets, scale 1:250,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Talkeetna Mountains quadrangle

Csejtey, Béla, Jr., Nelson, W. H., Jones, D. L., Silberman, N. J., Dean, R. M., Morris, M. S., Lanphere, M. A., Smith, J. G., and Silberman, M. L., 1978, Reconnaissance geologic map and geochronology, Talkeetna Mountains quadrangle, northern part of Anchorage quadrangle, and southwest corner of Healy quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-558-A, 60 p. + 1 sheet, scale 1:250,000.

Curtin, G. C., Hessin, T. D., O'Leary, R. M., Cooley, E. F., Day, G. W., and Tripp, R. B., 1978, Geochemical exploration studies in Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B5-B6.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Freethey, G. W., 1978, Guide to ground-water data, Cook Inlet basin, Alaska: U.S. Geological Survey Open-file Report 78-439, 207 p. + 2 sheets.

Hackett, S. W., 1978, Simple Bouguer map, Talkeetna-Kashwitna River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107-G, 1 sheet, scale 1:63,360.

Hackett, S. W., 1978, Aeromagnetic map, Talkeetna-Kashwitna River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107H, 1 sheet, scale 1:63,360.

Hawley, C. C., and associates, Inc., 1978, Mineral appraisal of lands adjacent to Mt. McKinley National Park, Alaska: U.S. Bureau of Mines Open-file Report 24-78, 275 p. (paged by section) + 7 pl.

Hawley, C. C., 1978, The mineral potential of Alaska's Mt. McKinley region: a summary report: U.S. Bureau of Mines Open-file Report 117-78, 18 p.

Kline, J. T., 1978, Approximate slope map of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107C, 1 sheet, scale 1:63,360.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Talkeetna Mountains quadrangle

McGee, D. L., 1978, Bedrock geology and coal occurrences, Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107E, 1 sheet, scale 1:63,360.

Miller, R. J., Cooley, E. F., O'Leary, R. M., Garmezy, Larry, Csejtey, Béla, Jr., Smith, T. E., and Cleveland, M. N., 1978, Analyses of geochemical samples from the Talkeetna Mountains quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-1052, 279 p. + 3 pl., scale 1:250,000.

Reed, B. L., 1978, Disseminated tin occurrence near Coal Creek, Talkeetna Mountains D-6 quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-77, 8 p.

Reger, R. D., 1978, Reconnaissance geology of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107A, 1 sheet, scale 1:63,360.

Reger, R. D., and Carver, C. L., 1978, Reconnaissance geologic materials map of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107B, 1 sheet, scale 1:63,360.

Scully, D. R., Leveen, L. S., and George, R. S., 1978, Surface water records of Cook Inlet basin, Alaska, through September 1975: U.S. Geological Survey Open-file Report 78-498, 102 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

Staelle, W. C., and Le Compte, J. R., 1978, Map showing interpretation of Landsat imagery of the Talkeetna Mountains quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-558D, 2 sheets, scale 1:250,000.

Tanacross quadrangle

Barker, J. C., 1978, Mineral deposits of the Tanana-Yukon uplands: a summary report: U.S. Bureau of Mines Open-file Report 88-78, 31 p.

Tanacross quadrangle

Carter, L. D., and Galloway, J. P., 1978, Preliminary geologic maps of the proposed natural gas pipeline route in the Tanana River valley, Alaska: U.S. Geological Survey Open-file Report 78-794, 26 p. + 3 sheets, scale 1:125,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D, 43 p. + 2 pl., scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Tanana quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Tanana quadrangle

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing distribution of known thermal springs and selected igneous rocks in central Alaska: U.S. Geological Survey Open-file Report 77-168-H, 1 sheet, scale 1:1,000,000.

Taylor Mountains quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Taylor Mountains quadrangle

Griscom, Andrew, 1978, Aeromagnetic map and interpretation of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-C, 20 p. + 2 sheets, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of chromium in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-J, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of cobalt in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-K, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of nickel in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-L, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of copper in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-M, 2 sheets, scales 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of lead in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-N, 1 sheet, scale 1:250,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of zinc in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-O, 1 sheet, scale 1:250,000.

Taylor Mountains quadrangle

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological maps showing distribution and abundance of mercury in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-P, 2 sheets, scale 1:250,000 and 1:125,000.

Hessin, T. D., Taufen, P. M., Seward, J. C., Quintana, S. J., Clark, A. L., Grybeck, Donald, Hoare, J. M., and Coonrad, W. L., 1978, Geochemical and generalized geological map showing distribution and abundance of molybdenum, tin, and tungsten in the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-Q, 1 sheet, scale 1:250,000.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Steele, W. C., 1978, Interpretation of Landsat imagery of the Goodnews and Hagemeister Island quadrangles region, southwestern Alaska: U.S. Geological Survey Open-file Report 78-9-D, 1 sheet, scale 1:250,000.

Teller quadrangle

Barnes, D. F., and Hudson, Travis, 1977, Bouguer gravity map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796C, 1 sheet, scale 1:1,000,000.

Cady, J. W., 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796G, 22 p. + map, scale 1:1,000,000.

Clukey, E. C., Nelson, Hans, and Newby, J. E., 1978, Geotechnical properties of northern Bering Sea sediment: U.S. Geological Survey Open-file Report 78-408, 47 p.

Teller quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796E, 1 sheet, scale 1:1,000,000.

Decker, John, and Karl, Susan, 1977, Aeromagnetic profiles of Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796F, 1 sheet.

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Hudson, Travis, 1977, Geologic map of the Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796A, 1 sheet, scale 1:1,000,000.

Hudson, Travis, Barker, Fred, and Arth, Joseph, 1978, Tin-granites of Seward Peninsula, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B44-B45.

Hudson, Travis, Miller, M. L., and Pickthorn, W. J., 1977, Map showing metalliferous and selected nonmetalliferous deposits, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 77-796B, 45 p. + 1 sheet, scale 1:1,000,000.

Hudson, Travis, and DeYoung, J. H., Jr., 1978, Map and tables describing areas of mineral resources potential, Seward Peninsula, Alaska: U.S. Geological Survey Open-file Report 78-1-C, 62 p. + 1 sheet, scale 1:1,000,000.

Hummel, C. L., 1977, Review of exploration geochemical surveys on Seward Peninsula, western Alaska: U.S. Geological Survey Open-file Report 77-796D, 28 p.

Nelson, Hans, Holmes, M. L., Thor, D. R., and Johnson, J. L., 1978, Continuous seismic reflection profile, records, SEA 5-76-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-609, 7 p. (unpaged) + 2 sheets, scale 1:250,000.

Reed, B. L., 1978, Disseminated tin occurrence near Coal Creek, Talkeetna Mountains D-6 quadrangle, Alaska: U.S. Geological Survey Open-file Report 78-77, 8 p.

Thor, D. R., and Nelson, Hans, 1978, Environmental studies in northern Bering Sea, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B94-B95.

Teller quadrangle

Thor, R. R., and Nelson, Hans, 1978, Continuous seismic reflection profile records, SEA 5-77-B5 cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-608, 8 p. + 2 sheets, scale 1:250,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Teshekpuk quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Barnes, P. W., and McDowell, David, 1978, Inner shelf morphology, Beaufort Sea, Alaska: U.S. Geological Survey Open-file Report 78-785, 4 p. + map, scale 1:700,000.

Carter, L. D., and Robinson, S. W., 1978, Eolian sand and interbedded organic horizons at Kealok Creek on the Arctic Coastal Plain of Alaska: possible regional implications: U.S. Geological Survey Open-file Report 78-320, 26 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland regions potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Galloway, J. P., and Carter, L. D., 1978, Preliminary map of pingos' in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-795, 1 sheet, scale 1:500,000.

Hartz, R. W., 1978, Erosional hazards map of the Arctic coast of the National Petroleum Reserve—Alaska: U.S. Geological Survey Open-file Report 78-406, 7 p. + map, scale about 1:810,810.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Teshekpuk quadrangle

Jones, S. H., 1978, Streamflow in NPRA, 1977, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B29.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska; U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Magoon, L. B., and Claypool, G. E., 1978, Organic geochemistry of rocks from three NPRA wells, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B25-B26.

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Maurer, D. K., Barnes, P. W., and Reimnitz, Erk, 1978, U.S. Geological Survey marine geologic studies in the Beaufort Sea, Alaska, 1977: Data type, location, and records obtained: U.S. Geological Survey Open-file Report 78-1066, 3 p. + 4 pl.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Williams, J. R., Carter, L. D., and Yeend, W. E., 1978, Coastal plain deposits of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B20-B22.

Trinity Islands quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Trinity Islands quadrangle

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Hampton, M. A., and Bouma, A. H., 1978, Generalized thickness map of unconsolidated surficial sedimentary units, Kodiak shelf, western Gulf of Alaska: U.S. Geological Survey Open-file report 78-729, 9 sheets, scale 1:517,240 (approx.).

Holmes, M. L., Meeder, C. A., and Greager, K. C., 1978, Sonobuoy refraction data near Kodiak, Alaska: U.S. Geological Survey Open-file Report 78-368, 79 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Open-file Report 78-127, 54 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Hydrologic Investigations Atlas HA-612, 2 sheets.

Lyle, William, Morehouse, Jeff, Palmer, I. F., Jr., Bolm, J. G., Moore, G. W., and Nilsen, T. H., 1978, Tertiary formations in the Kodiak Island area, Alaska, and their petroleum and source-rock potential: Alaska Division of Geological and Geophysical Surveys Open-file Report 114, 48 p. + pl.

MacKevett, E. M., Jr., and Holloway, G. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-File Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, G. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Tyonek quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000..

Dickenson, K. A., and Campbell, J. A., 1978, Epigenetic mineralization and areas favorable for uranium exploration in Tertiary continental sedimentary rock in south-central Alaska - a preliminary report: U.S. Geological Survey Open-file Report 78-757, 13 p.

Freethey, G. W., 1978, Guide to ground-water data, Cook Inlet basin, Alaska: U.S. Geological Survey Open-file Report 78-439, 207 p. + 2 sheets.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Hackett, S. W., 1978, Simple Bouguer map, Talkeetna-Kashwitna River area, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107-G, 1 sheet, scale 1:63,360.

Holloway, C. D., 1977, Map showing coal fields and distribution of coal-bearing rocks in the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169D, 1 sheet, scale 1:1,000,000.

Kline, J. T., 1978, Approximate slope map of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107C, 1 sheet, scale 1:63,360.

Lambeth, R. H., 1978, Mineral appraisal of certain Alaska National Interest Lands, proposed Lake Clark National Park: a summary report: U.S. Bureau of Mines Open-file Report 114-78, 18 p.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

McGee, D. L., 1978, Bedrock geology and coal occurrences, Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107E, 1 sheet, scale 1:63,360.

Reger, R. D., 1978, Reconnaissance geology of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107A, 1 sheet, scale 1:63,360.

Tyonek quadrangle

Reger, R. D., 1978, Reconnaissance geology of the new capital site and vicinity, Anchorage quadrangle and vicinity, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 113A, 1 sheet, scale 1:63,360.

Reger, R. D., and Carver, C. L., 1978, Reconnaissance geologic materials map of the Talkeetna-Kashwitna area, Susitna River basin, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 107B, 1 sheet, scale 1:63,360.

Reger, R. D., and Carver, C. L., 1978, Reconnaissance geologic materials map of the new capital site and vicinity, Anchorage quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file Report 113B, 1 sheet, scale 1:63,360.

Schmoll, H. R., and Yehle, L. A., 1978, Generalized physiography and geology of the Beluga coal field and vicinity, south-central Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B73-B76.

Scully, D. R., Leveen, L. S., and George, R. S., 1978, Surface water records of Cook Inlet basin, Alaska, through September 1975: U.S. Geological Survey Open-file Report 78-498, 102 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Ugashik quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Barnes, Ivan, Irwin, W. P., and White, D. E., 1978, Global distribution of carbon dioxide discharges, and major zones of seismicity: U.S. Geological Survey Water-Resources Investigations Open-file Report 78-39, 12 p.

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977, Generalized geologic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-G, 1 sheet, scale 1:1,000,000.

Ugashik quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-J, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Open-file Report 78-127, 54 p.

Jones, S. H., Madison, R. J., and Zenone, Chester, 1978, Water resources of the Kodiak-Shelikof subregion, south-central Alaska: U.S. Geological Survey Hydrologic Investigations Atlas HA-612, 2 sheets.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metalliferous mineral deposits in the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1 sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Umiat quadrangle

Albert, N. R. D., 1978, Landsat mosaics of eastern North Slope petroleum province, Alaska, with preliminary interpretation of observed features: U.S. Geological Survey Miscellaneous Field Studies Map MF-928V, 3 sheets, scale 1:500,000.

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Bird, K. J., 1978, Generalized isopach map of the Lisburne Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928S, 1 sheet, scale 1:500,000.

Umiat quadrangle

Bird, K. J., 1978, Generalized isopach map of the Endicott Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928T, 1 sheet, scale 1:500,000.

Carter, L. D., and Robinson, S. W., 1978, Molian sand and interbedded organic horizons at Kealok Creek on the Arctic Coastal Plain of Alaska: possible regional implications: U.S. Geological Survey Open-file Report 78-320, 26 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Detterman, R. L., 1978, The Arctic Lowland region: potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Galloway, J. P., and Carter, L. D., 1978, Preliminary map of pingos in National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-795, 1 sheet, scale 1:500,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Kachadoorian, Reuben, Crory, F. E., and Berg, D. L., 1978, Studies of proposed airfields at the Inigok and Tunalik well sites, NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B22-B24.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska; U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Levorsen, J. A., Pessel, G. H., Carter, R. D., and Tailleur, I. L., 1978, Generalized isopach map of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928Q, 1 sheet, scale 1:500,000.

Umiat quadrangle

Levorsen, J. A., Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Ledge Sandstone Member of the Ivishak Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928P, 1 sheet, scale 1:500,000.

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Mayfield, C. F., Tailleur, I. L., Mill, C. G., and Sable, E. G., 1978, Bedrock geologic map of the south half of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70B, 2 sheets, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized structure map of the Lower Cretaceous unconformity, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928H, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach and net sand maps of Lower Cretaceous sands, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928J, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of (Jurassic) and possibly Lower Cretaceous shale, including Kingak Shale, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928K, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of Sag River Sandstone and overlying siltstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928M, 1 sheet, scale 1:500,000.

Pessel, G. H., Levorsen, J. A., and Tailleur, I. L., 1978, Generalized isopach map of the Shublik Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928N, 1 sheet, scale 1:500,000.

Pessel, G. H., and Tailleur, I. L., 1978, Generalized isopach map of the Echooka Formation, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928R, 1 sheet, scale 1:500,000.

Umiat quadrangle

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized structure map of top of the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928C, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of the sandstones within the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928D, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of shale in the Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928E, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Bird, K. J., 1978, Generalized isopach map of Colville Group, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928F, 1 sheet, scale 1:500,000.

Pessel, G. H., Tailleur, I. L., and Levorsen, J. A., 1978, Generalized structure map of top of Sag River Sandstone, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928L, 1 sheet, scale 1:500,000.

Tailleur, I. L., Bird, K. J., and Engwicht, S. E., 1978, Map showing depth to basement from drilling and from seismic exploration, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928U, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Generalized structure map of top, middle, and basal Tertiary markers with geothermal gradients, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928B, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Seismic maps of shallow Cretaceous horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928G, 1 sheet, scale 1:500,000.

Tailleur, I. L., and Engwicht, S. E., 1978, Structure maps of top of Sadlerochit Group, and cross sections of Sadlerochit reservoir, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928O, 1 sheet, scale 1:500,000.

Umiat quadrangle

Tailleur, I. L., Pessel, G. H., and Engwicht, S. E., 1978, Subcrop map at Lower Cretaceous unconformity, and maps of Jurassic and Lower Cretaceous seismic horizons, eastern North Slope petroleum province, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-928I, 1 sheet, scale 1:500,000.

Tailleur, I. L., Pessel, G. H., Levorsen, J. A., and Engwicht, S. E., 1978, Maps showing land status and well locations and tables of well data, eastern North Slope petroleum province, Alaska, with a section on exploration by H. C. Jamison: U.S. Geological Survey Miscellaneous Field Studies Map MF-928A, 5 sheets + 8 p., scale 1:500,000.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Williams, J. R., Carter, L. D., and Yeend, W. E., 1978, Coastal plain deposits of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B20-B22.

Yeend, Warren, 1978, Surficial geology of the foothills and mountains of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B19-B20.

Umnak quadrangle

Cooper, A. K., Childs, J. R., Marlow, M. S., Rabinowitz, P. D., Scholl, D. W., and Ludwig, W. J., 1977, Preliminary isopach and structure contour maps of Bering Basin: U.S. Geological Survey Miscellaneous Field Studies Map MF-907, 1 sheet, scale 1:4,019,138.

Unalakleet quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic profiles of central Alaska: U.S. Geol. Survey Open-file Rept. 77-168-F, 1 sheet, scale 1:1,000,000.

Eberlein, G. D., Chapman, R. M., Foster, H. L., and Gassaway, J. S., 1977, Map and table describing known metalliferous and selected nonmetalliferous mineral deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168D, 132 p. + map, scale 1:1,000,000.

Unalakleet quadrangle

Eberlein, G. D., and Menzie, W. D., 1978, Maps and tables describing areas of metalliferous mineral resource potential of central Alaska: U.S. Geological Survey Open-file Report 78-1-D. 43 p. + 2 pl., scale 1:1,000,000.

Gardner, J. V., Vallier, T. L., and Dean, W. E., 1978, Grain size, total carbon, mineralogy, and inorganic geochemical data from surface sediments of the southern Bering Sea Outer Continental Shelf: U.S. Geological Survey Open-file Report 78-923, 32 p. (not all numbered).

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Gerin, Marybeth, 1978, Equal area base map of Norton Sound and the northern Bering Sea: U.S. Geological Survey Open-file Report 78-286, 1 sheet, scale 1:1,000,000.

Nelson, Hans, Holmes, M. L., Thor, D. R., and Johnson, J. L., 1978, Continuous seismic reflection profile records, SEA 5-76-BS cruise, northern Bering Sea: U.S. Geological Survey Open-file Report 78-609, 7 p. (unpaged) + 2 sheets, scale 1:250,000.

U.S. Geological Survey, 1978, Aeromagnetic profiles of Holitna, Minchumina, Innoko, and Tanana Lowlands, Alaska: U.S. Geological Survey Open-file Report 78-471, 7 sheets, scale 1:250,000.

Unalaska quadrangle

Gardner, J. V., and Vallier, T. L., 1978, Underway seismic data collected on U.S.G.S. cruise S6-77, southeastern Bering Sea: U.S. Geological Survey Open-file Report 78-322, 5 p. + 1 pl.

Unimak quadrangle

Barnes, D. F., 1977, Gravity map of the western part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-H, 1 sheet, scale 1:1,000,000.

Unimak quadrangle

Beikman, H. M., Holloway, C. D., and MacKevett, E. M., Jr., 1977,  
Generalized geologic map of the western part of southern Alaska:  
U.S. Geological Survey Open-file Report 77-169-G, 1 sheet,  
scale 1:1,000,000.

Gardner, J. V., and Vallier, T. L., 1978, Underway seismic data  
collected on U.S.G.S. cruise S6-77, southeastern Bering Sea:  
U.S. Geological Survey Open-file Report 78-322, 5 p. + 1 pl.

Gardner, J. V., Vallier, T. L., and Dean, W. E., 1978, Grain size,  
total carbon, mineralogy, and inorganic geochemical data from  
surface sediments of the southern Bering Sea Outer Continental  
Shelf: U.S. Geological Survey Open-file Report 78-923, 32 p.  
(not all numbered).

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and  
offshore features of the Gulf of Alaska north of 54°N latitude:  
U.S. Geological Survey Open-file Report 78-208, 63 p.

MacKevett, E. M., Jr., and Holloway, C. D., 1977, Map showing metal-  
liferous mineral deposits in the western part of southern Alaska:  
U.S. Geological Survey Open-file Report 77-169-F, 39 p. + 1  
sheet, scale 1:1,000,000.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978,  
Maps and tables describing metalliferous mineral resource  
potential of southern Alaska: U.S. Geological Survey Open-file  
Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Utukok River quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S.  
Geological Survey Open-file Report 77-166A, 1 sheet, scale  
1:1,000,000.

Callahan, J. E., and Sloan, E. G., 1978, Preliminary report on  
analyses of Cretaceous coals from northwestern Alaska: U.S.  
Geological Survey Open-file Report 78-319, 29 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of  
the Brooks Range and Arctic Slope, Alaska: U.S. Geological  
Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Utukok River quadrangle

Detterman, R. L., 1978, The Arctic Lowland regions potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Johnson, K. M., 1978, Map showing slopes and selected geomorphic features, National Petroleum Reserve - Alaska: U.S. Geological Survey Open-file Report 78-206, 1 sheet, scale 1:500,000.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska; U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Mayfield, C. F., Tailleur, I. L., Mill, C. G., and Sable, E. G., 1978, Bedrock geologic map of the south half of National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-70B, 2 sheets, scale 1:500,000.

Williams, J. R., Carter, L. D., and Yeend, W. E., 1978, Coastal plain deposits of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B20-B22.

Yeend, Warren, 1978, Surficial geology of the foothills and mountains of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B19-B20.

Valdez quadrangle

Carlson, P. R. and Molnia, B. F., 1978, Minisparker profiles and sedimentologic data from R/V ACONA cruise (April 1976) in the Gulf of Alaska and Prince William Sound: U.S. Geological Survey Open-file Report 78-381, 33 p. + 2 sheets.

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. P., 1978, Water resources along the TAPS route, Alaska, 1970-74: U.S. Geological Survey Open-file Report 78-137, 136 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the eastern part of southern Alaska: U.S. Geological Survey Open-file Report 77-169-E, 1 sheet, scale 1:1,000,000.

Valdez quadrangle

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54° N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

Loeffler, R. M., and Childers, J. M., 1978, Channel erosion surveys along the TAPS route, Alaska 1977: U.S. Geological Survey Open-file Report 78-611, 90 p.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Meier, M. F., Post, Austin, Brown, C. S., Frank, David, Hodge, S. M., Mayo, L. R., Rasmussen, L. A., Senear, E. A., Sikonia, W. G., Trabant, D. C., and Watts, R. D., 1978, Columbia Glacier progress report--December 1977: U.S. Geological Survey Open-file Report 78-264, 56 p.

Post, Austin, 1978, Interim bathymetry of Columbia Glacier and approaches, Alaska: U.S. Geological Survey Open-file Report 78-449, 1 sheet, scale 1:20,000.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.

Wainwright quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Callahan, J. E., and Sloan, E. G., 1978, Preliminary report on analyses of Cretaceous coals from northwestern Alaska: U.S. Geological Survey Open-file Report 78-319, 29 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Wainwright quadrangle

Detterman, R. L., 1978, The Arctic Lowland region: potential landform and lifeform National Landmarks: U.S. Geological Survey Open-file Report 78-329, 409 p.

Hartz, R. W., 1978, Erosional hazards map of the Arctic coast of the National Petroleum Reserve--Alaska: U.S. Geological Survey Open-file Report 78-406, 7 p. + map, scale about 1:810,810.

Kachadoorian, Reuben, Crory, F. E., and Berg, D. L., 1978, Studies of proposed airfields at the Inigok and Tunalik well sites, NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B22-B24.

Kaiser Engineers, Inc., 1977, Technical and economic feasibility surface mining coal deposits North Slope of Alaska; U.S. Bureau of Mines Open-file Report 153-77, 158 p.

Martin, G. C., and Callahan, J. E., 1978, Preliminary report on the coal resources of the National Petroleum Reserve in Alaska: U.S. Geological Survey Open-file Report 78-1033, 23 p. + 2 pl., scale 1:500,000.

Toimil, L. J., 1978, Ice-gouged microrelief on the floor of the eastern Chukchi Sea, Alaska: a reconnaissance survey: U.S. Geological Survey Open-file Report 78-693, 94 p.

Williams, J. R., Carter, L. D., and Yeend, W. E., 1978, Coastal plain deposits of NPRA, in Johnson, K. M., ed., The United States Geological Survey in Alaska — Accomplishments during 1977: U.S. Geological Survey Circular 772-B. p. B20-B22.

Wiseman quadrangle

Barnes, D. F., 1977, Bouguer gravity map of northern Alaska: U.S. Geological Survey Open-file Report 77-166A, 1 sheet, scale 1:1,000,000.

Childers, J. M., Nauman, J. W., Kernodle, D. R., and Doyle, P. F., 1978, Water resources along the TAPS route, Alaska, 1970-74: U.S. Geological Survey Open-file Report 78-137, 136 p.

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of the Brooks Range and Arctic Slope, Alaska: U.S. Geological Survey Open-file Report 77-166E, 1 sheet, scale, 1:1,000,000.

Wiseman quadrangle

Decker, John, and Karl, Susan, 1977, Preliminary aeromagnetic map of central Alaska: U.S. Geological Survey Open-file Report 77-168-E, 1 sheet, scale 1:1,000,000.

Degenhart, C. E., Griffis, R. J., McQuat, J. F., and Bigelow, C. G., 1978, Mineral studies of the western Brooks Range performed under contract to the U.S. Bureau of Mines, Contract #J0155089: U.S. Bureau of Mines Open-file Report 103-78, 529 p. + pl.

Gassaway, J. S., and Abramson, B. S., 1977, Map and table showing known coal deposits in central Alaska: U.S. Geological Survey Open-file Report 77-168-G, 1 sheet, scale 1:1,000,000.

Grybeck, Donald, and DeYoung, J. H., Jr., 1978, Map and tables describing mineral resource potential of the Brooks Range, Alaska: U.S. Geological Survey Open-file Report 78-1-B, 20 sheets, scale 1:1,000,000.

Hackett, S. W., 1978, Physical rock property values for selected rock types, southwestern corner, Wiseman quadrangle, Alaska: Alaska Division of Geological and Geophysical Surveys Open-file report 117A, 1 sheet.

Hamilton, T. D., 1978, Late Cenozoic stratigraphy of the south-central Brooks Range, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B36-B38.

Loeffler, R. M., and Childers, J. M., 1978, Channel erosion surveys along the TAPS route, Alaska 1977: U.S. Geological Survey Open-file Report 78-611, 90 p.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the proposed Gates of the Arctic Wilderness National Park, Alaska: a preliminary comment: U.S. Bureau of Mines Open-file Report 109-78, 29 p.

Yakutat quadrangle

Addicott, W. O., Winkler, G. R., and Plafker, George, 1978, Preliminary megafossil biostratigraphy and correlation of stratigraphic sections in the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-491, 2 sheets.

Bayer, K. C., Mattick, R. E., Plafker, George, and Bruns, T. R., 1978, Refraction studies between Icy Bay and Kayak Island, eastern Gulf of Alaska: U.S. Geological Survey Journal of Research. v. 6, no. 5, p. 625-636.

Yakutat quadrangle

Gerin, Marybeth, and Molnia, B. F., 1978, Gazetteer of coastal and offshore features of the Gulf of Alaska north of 54°N latitude: U.S. Geological Survey Open-file Report 78-208, 63 p.

MacKevett, E. M., Jr., Singer, D. A., and Holloway, C. D., 1978, Maps and tables describing metalliferous mineral resource potential of southern Alaska: U.S. Geological Survey Open-file Report 78-1-E, 45 p. + maps, scale 1:1,000,000.

Molnia, B. F., Carlson, P. R., and Wright, L. H., 1978, Geophysical data from the 1975 cruise of the NOAA ship Surveyor in northern Gulf of Alaska: U.S. Geological Survey Open-file Report 78-209, 42 p.

Molnia, B. F., and Wheeler, M. C., 1978, Report on the beach dynamics, geology and oil spill susceptibility of the Gulf of Alaska coastline in Glacier Bay National Monument -- Sea Otter Creek to Icy Point: U.S. Geological Survey Open-file Report 78-284, 192 p. + pl.

Plafker, George, Bruns, T. R., Carlson, P. R., Molnia, B. F., Scott, E. W., Kahler, Roger, and Wilson, Charles, 1978, Petroleum potential, geologic hazards, and technology for exploration on the Outer Continental Shelf of the Gulf of Alaska Tertiary Province: U.S. Geological Survey Open-file Report 78-490, 40 p.

Plafker, George, Winkler, G. R., Hunt, S. J., Bartsch-Winkler, Susan, Coonrad, W. L., and Quinterno, Paula, 1978, Outcrop samples from the Continental Slope in the eastern Gulf of Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B97-B101.

Staff, Alaska Field Operations Center, 1978, Mineral appraisal of the Wrangell-St. Elias region - A summary report: U.S. Bureau of Mines Open-file Report 64-78, 51 p.

Stephens, Christopher, 1978, Seismicity near Icy Bay, Alaska and in the eastern Gulf of Alaska, in Johnson, K. M., ed., The United States Geological Survey in Alaska -- Accomplishments during 1977: U.S. Geological Survey Circular 772-B, p. B96-B97.

U.S. Geological Survey, 1977, Geological Survey research 1977: U.S. Geological Survey Professional Paper 1050, 411 p.