

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 1**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>1500</b>	<b>Phantom White</b>			<b>1506</b>	<b>BURGUNDY</b>		
1554	TINTING WHITE	392.1	784.2	1552	FAST RED	189.0	377.9
1559	YELLOW OXIDE	437.7	875.5	1550	RED OXIDE	342.9	685.7
1501	LANDAU BLACK	442.6	885.2	1553	FAST BLUE	399.0	798.0
1550	RED OXIDE	445.7	891.4	1559	YELLOW OXIDE	407.7	815.5
<b>1501</b>	<b>LANDAU BLACK</b>	<b>Chrysler Motors</b>	<b>X9</b>	<b>1507</b>	<b>SEA MOSS</b>		
1501	LANDAU BLACK	405.1	810.2	1559	YELLOW OXIDE	250.6	501.2
				1501	LANDAU BLACK	355.0	710.0
				1556	FAST GREEN	392.0	783.9
				1554	TINTING WHITE	411.3	822.5
<b>1501</b>	<b>LANDAU BLACK</b>	<b>General Motors</b>	<b>WA848</b>	<b>1508</b>	<b>SILVER</b>		
1501	LANDAU BLACK	405.1	810.2	1508	SILVER	408.9	817.8
<b>1502</b>	<b>Cordovan Brown</b>			<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			
1550	RED OXIDE	114.8	229.7	<b>1509</b>	<b>Light Buckskin</b>		
1559	YELLOW OXIDE	225.0	450.1	1554	TINTING WHITE	254.7	509.5
1501	LANDAU BLACK	338.0	675.9	1559	YELLOW OXIDE	408.8	817.7
1302	LOW LUSTER CLEAR	409.1	818.2	1550	RED OXIDE	431.4	862.9
				1501	LANDAU BLACK	437.9	875.8
<b>1503</b>	<b>SADDLE TAN</b>			<b>1510</b>	<b>SUPER WHITE</b>		
1559	YELLOW OXIDE	243.3	486.6	1554	TINTING WHITE	410.8	821.6
1554	TINTING WHITE	327.6	655.1	1559	YELLOW OXIDE	428.3	856.5
1550	RED OXIDE	386.8	773.7	1550	RED OXIDE	433.7	867.4
1501	LANDAU BLACK	417.3	834.7	1556	FAST GREEN	435.9	871.7
<b>1504</b>	<b>SHADOW BLUE</b>			<b>1511</b>	<b>FIRETHORN RED</b>		
1553	FAST BLUE	180.7	361.4	1550	RED OXIDE	290.0	580.1
1501	LANDAU BLACK	354.1	708.1	1552	FAST RED	406.9	813.8
1554	TINTING WHITE	405.8	811.7	1554	TINTING WHITE	411.4	822.9
<b>1505</b>	<b>Granite</b>			<b>1512</b>	<b>SANTA FE</b>		
1554	TINTING WHITE	154.7	309.4	1554	TINTING WHITE	326.8	653.6
1302	LOW LUSTER CLEAR	297.4	594.8	1559	YELLOW OXIDE	420.0	840.0
1501	LANDAU BLACK	382.3	764.6	1550	RED OXIDE	426.8	853.7
1550	RED OXIDE	415.0	830.0	1501	LANDAU BLACK	431.1	862.2
1559	YELLOW OXIDE	426.3	852.6				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 2

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1513	WEDGEWOOD BLU	PINTS	QUARTS
1554	TINTING WHITE	305.8	611.6
1553	FAST BLUE	378.8	757.5
1501	LANDAU BLACK	422.0	844.0
1552	FAST RED	424.1	848.2

1602	DK BLUE GREEN	PINTS	QUARTS
1559	YELLOW OXIDE	206.1	412.1
1553	FAST BLUE	329.1	658.2
1501	LANDAU BLACK	390.9	781.9
1554	TINTING WHITE	409.6	819.3

1514	YELLOW GOLD	PINTS	QUARTS
1554	TINTING WHITE	275.6	551.2
1559	YELLOW OXIDE	417.6	835.2
1550	RED OXIDE	423.6	847.2
1556	FAST GREEN	428.4	856.7

1603	DK BLUE MET	PINTS	QUARTS
1553	FAST BLUE	265.4	530.9
1508	SILVER	327.8	655.5
1501	LANDAU BLACK	378.9	757.7
1551	FAST YELLOW	403.8	807.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1515	MOCHA COFFEE	PINTS	QUARTS
1550	RED OXIDE	191.0	381.9
1559	YELLOW OXIDE	330.7	661.4
1501	LANDAU BLACK	395.6	791.2
1554	TINTING WHITE	413.3	826.7

1604	IVORY	PINTS	QUARTS
1554	TINTING WHITE	357.5	715.0
1559	YELLOW OXIDE	426.0	852.0
1556	FAST GREEN	429.6	859.2
1501	LANDAU BLACK	432.8	865.6

1537	Flame Red	PINTS	QUARTS
1558	BRITE RED	251.2	502.5
1552	FAST RED	310.9	621.9
1302	LOW LUSTER CLEAR	363.6	727.3
1551	FAST YELLOW	403.6	807.2

1605	BUCKSKIN	PINTS	QUARTS
1559	YELLOW OXIDE	241.8	483.6
1554	TINTING WHITE	382.0	764.0
1550	RED OXIDE	411.1	822.1
1501	LANDAU BLACK	420.8	841.5

1545	Gloss White	PINTS	QUARTS
1554	TINTING WHITE	286.5	572.9
1300	HI GLOSS CLR	431.7	863.3
1559	YELLOW OXIDE	433.6	867.2
1501	LANDAU BLACK	435.3	870.6
1558	BRITE RED	435.6	871.2

1606	DK BROWN MET	PINTS	QUARTS
1501	LANDAU BLACK	110.8	221.5
1551	FAST YELLOW	219.7	439.5
1552	FAST RED	327.8	655.7
1508	SILVER	405.2	810.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1575	Light Oak	PINTS	QUARTS
1302	LOW LUSTER CLEAR	167.3	334.6
1559	YELLOW OXIDE	291.9	583.9
1554	TINTING WHITE	393.3	786.6
1550	RED OXIDE	414.6	829.1
1501	LANDAU BLACK	424.0	848.1

1607	SILVER BLUE MET	PINTS	QUARTS
1508	SILVER	348.0	696.0
1553	FAST BLUE	387.5	775.0
1554	TINTING WHITE	405.2	810.4
1501	LANDAU BLACK	409.3	818.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1601	DK BLUE MET	PINTS	QUARTS
1553	FAST BLUE	174.1	348.3
1501	LANDAU BLACK	298.4	596.8
1508	SILVER	378.4	756.8
1551	FAST YELLOW	403.2	806.4

1608	DK GRAY	PINTS	QUARTS
1501	LANDAU BLACK	194.1	388.2
1554	TINTING WHITE	325.7	651.3
1559	YELLOW OXIDE	394.4	788.9
1550	RED OXIDE	416.7	833.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 3

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
<b>1609</b>	<b>LT SMOKE GRAY</b>	<b>General Motors</b>		<b>15</b>	<b>1616</b>	<b>DK YELLOW GOLD</b>	<b>General Motors</b>		<b>54</b>
1554	TINTING WHITE	348.9	697.9		1559	YELLOW OXIDE	357.7	715.4	
1559	YELLOW OXIDE	397.3	794.6		1554	TINTING WHITE	400.3	800.7	
1501	LANDAU BLACK	428.8	857.7		1501	LANDAU BLACK	411.4	822.9	
1550	RED OXIDE	431.9	863.7		1556	FAST GREEN	415.2	830.5	
<b>1610</b>	<b>LT BLUE</b>	<b>General Motors</b>		<b>24</b>	<b>1617</b>	<b>BUCKSKIN</b>	<b>General Motors</b>		<b>64</b>
1554	TINTING WHITE	322.0	643.9		1559	YELLOW OXIDE	217.9	435.9	
1501	LANDAU BLACK	372.5	745.0		1554	TINTING WHITE	383.9	767.8	
1553	FAST BLUE	405.9	811.9		1550	RED OXIDE	412.0	824.0	
1559	YELLOW OXIDE	429.1	858.2		1501	LANDAU BLACK	422.3	844.6	
<b>1611</b>	<b>DK BLUE</b>	<b>General Motors</b>		<b>26</b>	<b>1618</b>	<b>DK SADDLE</b>	<b>General Motors</b>		<b>64</b>
1554	TINTING WHITE	214.8	429.6		1559	YELLOW OXIDE	240.0	479.9	
1501	LANDAU BLACK	307.1	614.3		1550	RED OXIDE	337.0	673.9	
1553	FAST BLUE	366.9	733.8		1554	TINTING WHITE	376.8	753.5	
1559	YELLOW OXIDE	421.6	843.2		1501	LANDAU BLACK	414.9	829.7	
<b>1612</b>	<b>DK BLUE GREEN</b>	<b>General Motors</b>		<b>32</b>	<b>1619</b>	<b>LT BLUE MET</b>	<b>General Motors</b>		<b>22T</b>
1556	FAST GREEN	282.9	565.8		1508	SILVER	302.1	604.2	
1559	YELLOW OXIDE	340.8	681.5		1553	FAST BLUE	379.0	757.9	
1501	LANDAU BLACK	388.2	776.3		1501	LANDAU BLACK	399.2	798.4	
1554	TINTING WHITE	406.9	813.8		1556	FAST GREEN	407.3	814.5	
<b>1613</b>	<b>MIDNIGHT LIME</b>	<b>General Motors</b>		<b>47</b>	<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>				
1559	YELLOW OXIDE	253.7	507.3		<b>1620</b>	<b>MED GREEN MET</b>	<b>General Motors</b>		<b>44T</b>
1556	FAST GREEN	330.2	660.4		1508	SILVER	269.7	539.4	
1554	TINTING WHITE	384.0	768.0		1553	FAST BLUE	337.9	675.8	
1501	LANDAU BLACK	413.8	827.6		1551	FAST YELLOW	381.0	761.9	
					1501	LANDAU BLACK	397.0	794.0	
					1554	TINTING WHITE	407.1	814.2	
<b>1614</b>	<b>LT IVORY GOLD</b>	<b>General Motors</b>		<b>53</b>	<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>				
1559	YELLOW OXIDE	223.1	446.1		<b>1621</b>	<b>YELLOW</b>	<b>General Motors</b>		<b>50T</b>
1554	TINTING WHITE	404.2	808.5		1554	TINTING WHITE	365.4	730.7	
1501	LANDAU BLACK	416.5	833.0		1551	FAST YELLOW	428.0	856.0	
1556	FAST GREEN	422.8	845.7		1501	LANDAU BLACK	432.0	863.9	
<b>1615</b>	<b>DK IVORY GOLD</b>	<b>General Motors</b>		<b>53</b>	<b>1622</b>	<b>GOLD MET</b>	<b>General Motors</b>		<b>58T</b>
1559	YELLOW OXIDE	293.0	586.0		1508	SILVER	306.4	612.8	
1554	TINTING WHITE	377.2	754.5		1551	FAST YELLOW	407.6	815.3	
1501	LANDAU BLACK	415.4	830.9						
1556	FAST GREEN	417.1	834.1						

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 4

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
<b>1623</b>	<b>LT BEIGE</b>	<b>General Motors</b>		<b>62T</b>	<b>1630</b>	<b>DK SAGE GREEN</b>	<b>General Motors</b>		<b>44</b>
1554	TINTING WHITE	348.5	696.9		1559	YELLOW OXIDE	221.7	443.5	
1559	YELLOW OXIDE	415.1	830.1		1554	TINTING WHITE	316.4	632.7	
1550	RED OXIDE	431.1	862.2		1553	FAST BLUE	378.0	756.0	
1501	LANDAU BLACK	432.4	864.9		1550	RED OXIDE	416.8	833.5	

<b>1624</b>	<b>CLARET</b>	<b>General Motors</b>		<b>79T</b>	<b>1631</b>	<b>LT YELLOW GOLD</b>	<b>General Motors</b>		<b>54</b>
1552	FAST RED	276.5	553.1		1554	TINTING WHITE	262.9	525.7	
1501	LANDAU BLACK	349.8	699.6		1559	YELLOW OXIDE	352.7	705.5	
1550	RED OXIDE	401.6	803.1		1551	FAST YELLOW	420.5	840.9	
1554	TINTING WHITE	405.7	811.5		1501	LANDAU BLACK	426.0	852.0	

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>1625</b>	<b>SILVER BLUE MET</b>	<b>General Motors</b>		<b>90T</b>	<b>1632</b>	<b>LT BUCKSKIN</b>	<b>General Motors</b>		<b>61</b>
1508	SILVER	177.0	354.0		1559	YELLOW OXIDE	240.0	479.9	
1553	FAST BLUE	327.3	654.6		1554	TINTING WHITE	376.6	753.2	
1552	FAST RED	383.2	766.5		1550	RED OXIDE	411.9	823.8	
1551	FAST YELLOW	398.8	797.6		1501	LANDAU BLACK	420.8	841.5	
1554	TINTING WHITE	406.1	812.3						

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>1626</b>	<b>BUCKSKIN MET</b>	<b>General Motors</b>		<b>95T</b>	<b>1633</b>	<b>DK SADDLE</b>	<b>General Motors</b>		<b>65</b>
1508	SILVER	215.0	430.0		1559	YELLOW OXIDE	273.1	546.3	
1551	FAST YELLOW	317.4	634.8		1550	RED OXIDE	354.0	707.9	
1552	FAST RED	405.2	810.4		1554	TINTING WHITE	385.5	771.0	
1501	LANDAU BLACK	406.6	813.2		1501	LANDAU BLACK	414.5	829.0	

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>1627</b>	<b>LT ORANGE MET</b>	<b>General Motors</b>		<b>96T</b>	<b>1634</b>	<b>MED SAFFRON</b>	<b>General Motors</b>		<b>67</b>
1552	FAST RED	212.4	424.8		1550	RED OXIDE	228.5	457.0	
1508	SILVER	308.2	616.4		1559	YELLOW OXIDE	388.3	776.5	
1551	FAST YELLOW	394.8	789.6		1554	TINTING WHITE	410.8	821.6	
1501	LANDAU BLACK	400.1	800.3		1501	LANDAU BLACK	415.0	829.9	
1554	TINTING WHITE	405.5	810.9						

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1628</b>	<b>DK RED MET</b>	<b>General Motors</b>		<b>98T</b>	<b>1635</b>	<b>DK CRIMSON</b>	<b>General Motors</b>		<b>73</b>
1552	FAST RED	356.6	713.3		1552	FAST RED	295.4	590.7	
1508	SILVER	378.7	757.3		1559	YELLOW OXIDE	397.9	795.7	
1553	FAST BLUE	388.6	777.3		1554	TINTING WHITE	406.0	812.1	
1551	FAST YELLOW	398.6	797.2		1501	LANDAU BLACK	406.9	813.8	
1554	TINTING WHITE	404.6	809.2						

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1629</b>	<b>DK AQUA</b>	<b>General Motors</b>		<b>03</b>	<b>1636</b>	<b>DK CLARET</b>	<b>General Motors</b>		<b>79</b>
1553	FAST BLUE	203.2	406.4		1552	FAST RED	252.7	505.4	
1554	TINTING WHITE	289.1	578.2		1501	LANDAU BLACK	336.0	672.0	
1551	FAST YELLOW	336.3	672.6		1550	RED OXIDE	401.4	802.8	
1552	FAST RED	379.6	759.2		1554	TINTING WHITE	406.2	812.4	
1556	FAST GREEN	409.8	819.7						

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 5

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	SILVER	General Motors	15T
1508	SILVER	389.2	778.4
1501	LANDAU BLACK	399.9	799.7
1554	TINTING WHITE	403.9	807.9
1552	FAST RED	407.3	814.5
1551	FAST YELLOW	408.9	817.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	MED BLUE MET	General Motors	90T
1553	FAST BLUE	179.1	358.2
1508	SILVER	324.5	649.0
1501	LANDAU BLACK	372.4	744.8
1554	TINTING WHITE	407.8	815.7

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	DK GREEN MET	General Motors	49T
1553	FAST BLUE	139.7	279.3
1501	LANDAU BLACK	265.8	531.6
1508	SILVER	344.8	689.5
1551	FAST YELLOW	404.6	809.2

	MED GREEN MET	General Motors	94T
1508	SILVER	203.6	407.2
1556	FAST GREEN	326.4	652.8
1501	LANDAU BLACK	369.8	739.7
1551	FAST YELLOW	406.5	813.0

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	CAMEL BEIGE	General Motors	61T
1554	TINTING WHITE	313.4	626.8
1559	YELLOW OXIDE	424.0	848.0
1552	FAST RED	430.0	859.9
1501	LANDAU BLACK	430.4	860.7

	GOLD MET	General Motors	95T
1508	SILVER	276.9	553.9
1551	FAST YELLOW	374.2	748.4
1552	FAST RED	407.3	814.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	LT BEIGE	General Motors	62T
1554	TINTING WHITE	283.8	567.5
1559	YELLOW OXIDE	383.9	767.8
1550	RED OXIDE	422.4	844.7
1501	LANDAU BLACK	428.8	857.7

	MED SADDLE MET	General Motors	96T
1552	FAST RED	153.4	306.9
1508	SILVER	298.2	596.4
1551	FAST YELLOW	401.0	802.0
1501	LANDAU BLACK	405.6	811.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	DK CAMEL MET	General Motors	69T
1552	FAST RED	178.8	357.6
1551	FAST YELLOW	316.8	633.7
1508	SILVER	376.4	752.8
1501	LANDAU BLACK	404.8	809.6

	MED BEIGE MET	General Motors	98T
1508	SILVER	196.4	392.7
1552	FAST RED	329.0	658.0
1551	FAST YELLOW	377.2	754.3
1556	FAST GREEN	399.4	798.8
1554	TINTING WHITE	406.8	813.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	MULBERRY MET	General Motors	74T
1552	FAST RED	323.8	647.5
1551	FAST YELLOW	363.0	726.0
1508	SILVER	387.2	774.4
1553	FAST BLUE	404.2	808.5

	LT GRAY	General Motors	16
1554	TINTING WHITE	300.6	601.2
1559	YELLOW OXIDE	379.1	758.1
1501	LANDAU BLACK	413.0	825.9
1550	RED OXIDE	429.2	858.4

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	DK CARMINE MET	General Motors	79T
1552	FAST RED	227.5	455.1
1550	RED OXIDE	319.8	639.5
1501	LANDAU BLACK	399.4	798.8
1554	TINTING WHITE	407.1	814.2

	DK GRAY	General Motors	16
1554	TINTING WHITE	218.9	437.8
1559	YELLOW OXIDE	337.6	675.3
1501	LANDAU BLACK	405.3	810.5
1550	RED OXIDE	423.9	847.8

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 6

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
<b>1652</b>	<b>DK GREEN</b>	<b>General Motors</b>		<b>49</b>	<b>1660</b>	<b>PASTEL BEIGE</b>	<b>General Motors</b>		<b>62T</b>
1501	LANDAU BLACK	176.0	352.1		1554	TINTING WHITE	359.9	719.7	
1556	FAST GREEN	292.6	585.2		1559	YELLOW OXIDE	430.1	860.1	
1551	FAST YELLOW	352.5	704.9		1550	RED OXIDE	432.3	864.5	
1554	TINTING WHITE	408.7	817.4		1501	LANDAU BLACK	433.1	866.2	
<b>1653</b>	<b>DK YELLOW</b>	<b>General Motors</b>		<b>50</b>	<b>1661</b>	<b>MED BEIGE</b>	<b>General Motors</b>		<b>61T</b>
1559	YELLOW OXIDE	312.6	625.1		1554	TINTING WHITE	272.0	544.0	
1554	TINTING WHITE	398.0	795.9		1559	YELLOW OXIDE	407.2	814.3	
1501	LANDAU BLACK	414.6	829.2		1550	RED OXIDE	420.9	841.7	
1550	RED OXIDE	417.5	835.1		1501	LANDAU BLACK	428.2	856.3	
<b>1654</b>	<b>DK SADDLE</b>	<b>General Motors</b>		<b>60</b>	<b>1662</b>	<b>DK BROWN MET</b>	<b>General Motors</b>		<b>69T</b>
1559	YELLOW OXIDE	269.9	539.8		1559	YELLOW OXIDE	163.5	327.0	
1550	RED OXIDE	373.4	746.9		1550	RED OXIDE	303.5	607.1	
1554	TINTING WHITE	405.5	810.9		1501	LANDAU BLACK	401.6	803.1	
1501	LANDAU BLACK	415.1	830.1		1554	TINTING WHITE	412.3	824.6	
<b>1655</b>	<b>DK CARMEL TAN</b>	<b>General Motors</b>		<b>62</b>	<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>				
1559	YELLOW OXIDE	283.1	566.2		<b>1663</b>	<b>DK GREEN MET</b>	<b>General Motors</b>		<b>48T</b>
1550	RED OXIDE	346.8	693.7		1508	SILVER	308.3	616.6	
1554	TINTING WHITE	405.9	811.9		1553	FAST BLUE	346.9	693.9	
1501	LANDAU BLACK	416.4	832.8		1551	FAST YELLOW	380.3	760.6	
					1501	LANDAU BLACK	407.6	815.1	
<b>1656</b>	<b>DK CARMINE</b>	<b>General Motors</b>		<b>74</b>	<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>				
1552	FAST RED	312.7	625.5		<b>1664</b>	<b>LT SILVER GRAY M</b>	<b>General Motors</b>		<b>90T</b>
1550	RED OXIDE	395.7	791.4		1508	SILVER	353.4	706.8	
1554	TINTING WHITE	403.8	807.7		1501	LANDAU BLACK	408.3	816.6	
1501	LANDAU BLACK	406.7	813.4						
<b>1657</b>	<b>DK MULBERRY</b>	<b>General Motors</b>		<b>78</b>	<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>				
1552	FAST RED	217.6	435.1		<b>1665</b>	<b>LT GOLD MET</b>	<b>General Motors</b>		<b>91T</b>
1550	RED OXIDE	383.1	766.3		1508	SILVER	168.3	336.7	
1553	FAST BLUE	403.5	806.9		1551	FAST YELLOW	289.8	579.5	
1554	TINTING WHITE	408.3	816.6		1552	FAST RED	361.4	722.8	
					1501	LANDAU BLACK	406.1	812.3	
<b>1659</b>	<b>DK SAGE GREEN</b>	<b>General Motors</b>		<b>4</b>	<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>				
1559	YELLOW OXIDE	246.1	492.3		<b>1666</b>	<b>LT GRAY</b>	<b>General Motors</b>		<b>89T</b>
1554	TINTING WHITE	337.9	675.8		1554	TINTING WHITE	406.3	812.6	
1553	FAST BLUE	389.6	779.2		1501	LANDAU BLACK	425.3	850.6	
1501	LANDAU BLACK	416.3	832.6		1559	YELLOW OXIDE	433.1	866.2	
					1550	RED OXIDE	435.3	870.6	

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 7

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
<b>1667</b>	<b>LT CEDAR MET</b>	<b>General Motors</b>		<b>93T</b>	<b>1674</b>	<b>DK SLATE GRAY</b>	<b>General Motors</b>		<b>8046</b>
1552	FAST RED	187.9	375.8		1554	TINTING WHITE	251.8	503.5	
1508	SILVER	319.3	638.6		1501	LANDAU BLACK	349.1	698.3	
1551	FAST YELLOW	398.3	796.7		1559	YELLOW OXIDE	407.4	814.7	
1501	LANDAU BLACK	405.7	811.3		1550	RED OXIDE	425.2	850.4	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1668</b>	<b>PASTEL GREEN</b>	<b>General Motors</b>		<b>40T</b>	<b>1675</b>	<b>LT SLATE GRAY</b>	<b>General Motors</b>		<b>13</b>
1554	TINTING WHITE	403.7	807.3		1554	TINTING WHITE	362.6	725.2	
1551	FAST YELLOW	422.3	844.6		1559	YELLOW OXIDE	396.2	792.5	
1556	FAST GREEN	429.2	858.4		1501	LANDAU BLACK	423.0	846.1	
1501	LANDAU BLACK	434.8	869.6		1550	RED OXIDE	432.7	865.5	

<b>1669</b>	<b>DK AQUA MET</b>	<b>General Motors</b>		<b>41T</b>	<b>1676</b>	<b>OYSTER WHITE</b>	<b>General Motors</b>		<b>12</b>
1556	FAST GREEN	158.7	317.5		1554	TINTING WHITE	398.9	797.8	
1553	FAST BLUE	311.6	623.2		1559	YELLOW OXIDE	426.5	852.9	
1508	SILVER	372.4	744.8		1501	LANDAU BLACK	432.3	864.5	
1501	LANDAU BLACK	404.1	808.3		1550	RED OXIDE	435.2	870.4	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1670</b>	<b>DK AQUA</b>	<b>General Motors</b>		<b>31</b>	<b>1677</b>	<b>VERY DK YELLOW</b>	<b>General Motors</b>		<b>50</b>
1554	TINTING WHITE	169.6	339.2		1552	FAST RED	138.7	277.4	
1553	FAST BLUE	320.7	641.4		1554	TINTING WHITE	259.9	519.8	
1551	FAST YELLOW	385.5	771.0		1551	FAST YELLOW	369.1	738.2	
1501	LANDAU BLACK	416.4	832.8		1556	FAST GREEN	413.2	826.3	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>1671</b>	<b>DK CEDAR</b>	<b>General Motors</b>		<b>70</b>	<b>1678</b>	<b>DK GOLD</b>	<b>General Motors</b>		<b>8050</b>
1550	RED OXIDE	267.9	535.8		1559	YELLOW OXIDE	271.4	542.8	
1559	YELLOW OXIDE	337.5	675.1		1554	TINTING WHITE	331.3	662.5	
1501	LANDAU BLACK	382.8	765.5		1501	LANDAU BLACK	376.6	753.2	
1554	TINTING WHITE	414.7	829.4		1550	RED OXIDE	415.6	831.3	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>1672</b>	<b>DK WILLOW GREE</b>	<b>General Motors</b>		<b>44</b>	<b>1679</b>	<b>VERY DK CAMEL</b>	<b>General Motors</b>		<b>62</b>
1559	YELLOW OXIDE	330.1	660.3		1559	YELLOW OXIDE	272.7	545.3	
1554	TINTING WHITE	374.9	749.7		1550	RED OXIDE	350.4	700.7	
1553	FAST BLUE	401.8	803.5		1554	TINTING WHITE	391.9	783.8	
1501	LANDAU BLACK	414.6	829.2		1501	LANDAU BLACK	415.2	830.3	

<b>1673</b>	<b>DK GOLD</b>	<b>General Motors</b>		<b>51</b>	<b>1680</b>	<b>VERY DK GRAY</b>	<b>General Motors</b>		<b>12</b>
1554	TINTING WHITE	145.1	290.1		1559	YELLOW OXIDE	182.6	365.2	
1551	FAST YELLOW	286.5	573.0		1554	TINTING WHITE	320.0	639.9	
1552	FAST RED	362.9	725.8		1501	LANDAU BLACK	398.2	796.5	
1501	LANDAU BLACK	415.2	830.5		1550	RED OXIDE	419.1	838.3	

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 8

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

		General Motors	
<b>1681</b>	<b>DK SADDLE</b>		<b>7044</b>
1559	YELLOW OXIDE	258.1	516.2
1550	RED OXIDE	359.5	719.0
1554	TINTING WHITE	403.9	807.9
1501	LANDAU BLACK	415.6	831.3

		General Motors	
<b>1688</b>	<b>CAMEL TAN</b>		<b>63T</b>
1508	SILVER	173.1	346.2
1551	FAST YELLOW	287.8	575.5
1552	FAST RED	401.5	802.9
1501	LANDAU BLACK	406.0	812.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

		General Motors	
<b>1682</b>	<b>DK BLUE MET</b>		<b>29T</b>
1553	FAST BLUE	227.9	455.8
1501	LANDAU BLACK	349.5	699.0
1508	SILVER	404.1	808.3

		General Motors	
<b>1689</b>	<b>LT BLUE MET</b>		<b>21T</b>
1508	SILVER	164.4	328.7
1554	TINTING WHITE	285.9	571.7
1553	FAST BLUE	359.1	718.2
1501	LANDAU BLACK	414.7	829.4
1556	FAST GREEN	415.1	830.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

		General Motors	
<b>1683</b>	<b>PASTEL GREEN</b>		<b>41T</b>
1554	TINTING WHITE	429.9	859.8
1551	FAST YELLOW	433.3	866.6
1553	FAST BLUE	436.7	873.4

		General Motors	
<b>1690</b>	<b>DK GREEN MET</b>		<b>44T</b>
1501	LANDAU BLACK	137.8	275.5
1551	FAST YELLOW	261.9	523.8
1508	SILVER	370.2	740.4
1556	FAST GREEN	405.7	811.5

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

		General Motors	
<b>1684</b>	<b>LT BLUE MET</b>		<b>90T</b>
1508	SILVER	276.2	552.3
1554	TINTING WHITE	368.8	737.6
1553	FAST BLUE	393.2	786.4
1501	LANDAU BLACK	409.6	819.3
1552	FAST RED	414.3	828.6

		General Motors	
<b>1691</b>	<b>BROWN MET</b>		<b>67T</b>
1552	FAST RED	216.5	433.0
1551	FAST YELLOW	285.4	570.8
1553	FAST BLUE	349.9	699.8
1508	SILVER	404.4	808.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

		General Motors	
<b>1685</b>	<b>TAN MET</b>		<b>91T</b>
1508	SILVER	237.8	475.6
1552	FAST RED	327.0	654.0
1551	FAST YELLOW	370.5	741.0
1501	LANDAU BLACK	407.0	814.0

		General Motors	
<b>1692</b>	<b>DK CLARET MET</b>		<b>76T</b>
1552	FAST RED	288.1	576.3
1553	FAST BLUE	340.4	680.8
1551	FAST YELLOW	377.9	755.8
1508	SILVER	404.0	808.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

		General Motors	
<b>1686</b>	<b>CLARET MET</b>		<b>92T</b>
1552	FAST RED	342.8	685.5
1551	FAST YELLOW	372.3	744.6
1508	SILVER	392.9	785.8
1553	FAST BLUE	404.2	808.5

		General Motors	
<b>1693</b>	<b>DK GRAY</b>		<b>14</b>
1554	TINTING WHITE	262.8	525.5
1501	LANDAU BLACK	413.6	827.3
1551	FAST YELLOW	424.5	848.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

		General Motors	
<b>1687</b>	<b>MED SILVER GRAY</b>		<b>94T</b>
1508	SILVER	206.4	412.9
1501	LANDAU BLACK	344.5	688.9
1553	FAST BLUE	375.3	750.7
1552	FAST RED	399.5	799.0
1554	TINTING WHITE	407.3	814.5

		General Motors	
<b>1694</b>	<b>DK BLUE</b>		<b>26</b>
1501	LANDAU BLACK	180.7	361.4
1553	FAST BLUE	337.5	675.1
1554	TINTING WHITE	382.8	765.5
1550	RED OXIDE	407.8	815.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 9**

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1695	BEIGE	General Motors		61	1701	RUSSET	Ford Motor		D
1554	TINTING WHITE	234.8	469.7		1552	FAST RED	348.2	696.4	
1559	YELLOW OXIDE	369.3	738.5		1551	FAST YELLOW	375.4	750.9	
1550	RED OXIDE	409.3	818.5		1508	SILVER	397.7	795.3	
1501	LANDAU BLACK	425.9	851.8		1553	FAST BLUE	404.2	808.5	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1696	DK BEIGE	General Motors		61	1702	LT CHAMPAGNE	Ford Motor		6
1559	YELLOW OXIDE	209.3	418.6		1554	TINTING WHITE	251.8	503.5	
1550	RED OXIDE	294.2	588.4		1559	YELLOW OXIDE	390.0	780.0	
1554	TINTING WHITE	368.7	737.4		1550	RED OXIDE	414.7	829.4	
1501	LANDAU BLACK	416.6	833.2		1501	LANDAU BLACK	427.0	854.1	

1697	DK BROWN	General Motors		68	1703	MIDNIGHT JADE M	Ford Motor		4
1559	YELLOW OXIDE	155.1	310.3		1556	FAST GREEN	209.1	418.2	
1501	LANDAU BLACK	283.5	567.0		1501	LANDAU BLACK	313.9	627.8	
1550	RED OXIDE	409.4	818.7		1559	YELLOW OXIDE	384.8	769.7	
1554	TINTING WHITE	411.0	821.9		1554	TINTING WHITE	407.6	815.3	

1698	DK CLARET	General Motors		79	1705	DK CHAMPAGNE M	Ford Motor		6
1552	FAST RED	302.4	604.8		1552	FAST RED	154.6	309.1	
1559	YELLOW OXIDE	350.7	701.5		1501	LANDAU BLACK	269.6	539.2	
1501	LANDAU BLACK	397.1	794.2		1551	FAST YELLOW	360.9	721.8	
1554	TINTING WHITE	405.7	811.5		1508	SILVER	394.9	789.8	
					1554	TINTING WHITE	405.6	811.1	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1699	DK YELLOW	General Motors		50	1706	JUBILEE GOLD	Ford Motor		B
1559	YELLOW OXIDE	262.5	525.0		1559	YELLOW OXIDE	259.2	518.3	
1554	TINTING WHITE	323.0	646.0		1554	TINTING WHITE	397.4	794.8	
1501	LANDAU BLACK	377.3	754.7		1501	LANDAU BLACK	413.7	827.5	
1550	RED OXIDE	415.5	831.1		1550	RED OXIDE	420.5	840.9	

1700	DK BROWN MET	Ford Motor		J	1708	LT CHAMPAGNE	Ford Motor		V
1552	FAST RED	242.3	484.7		1554	TINTING WHITE	263.7	527.4	
1551	FAST YELLOW	344.2	688.4		1559	YELLOW OXIDE	392.9	785.8	
1501	LANDAU BLACK	379.3	758.7		1550	RED OXIDE	414.6	829.2	
1508	SILVER	404.4	808.8		1501	LANDAU BLACK	427.6	855.2	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1700	DK BROWN MET	Ford Motor		T	1709	PASTEL CAMEL	Ford Motor		Y
1552	FAST RED	242.3	484.7		1554	TINTING WHITE	285.9	571.7	
1551	FAST YELLOW	344.2	688.4		1559	YELLOW OXIDE	423.4	846.8	
1501	LANDAU BLACK	379.3	758.7		1550	RED OXIDE	426.8	853.7	
1508	SILVER	404.4	808.8		1501	LANDAU BLACK	429.0	858.0	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 10

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
<b>1710</b>	<b>MED CAMEL</b>	<b>Ford Motor</b>		<b>Y</b>	<b>1717</b>	<b>CHAMOIS</b>	<b>Ford Motor</b>		<b>T</b>
1554	TINTING WHITE	242.5	485.1		1559	YELLOW OXIDE	278.9	557.8	
1551	FAST YELLOW	358.7	717.4		1554	TINTING WHITE	376.0	752.0	
1552	FAST RED	414.1	828.2		1550	RED OXIDE	417.1	834.3	
1556	FAST GREEN	422.6	845.1		1501	LANDAU BLACK	418.7	837.3	
<b>1711</b>	<b>PASTEL DOVE GRA</b>	<b>Ford Motor</b>		<b>S</b>	<b>1718</b>	<b>MED BLUE MET</b>	<b>Ford Motor</b>		<b>B</b>
1554	TINTING WHITE	370.4	740.8		1553	FAST BLUE	203.1	406.2	
1559	YELLOW OXIDE	400.7	801.4		1501	LANDAU BLACK	293.9	587.9	
1501	LANDAU BLACK	423.2	846.5		1508	SILVER	376.4	752.8	
1550	RED OXIDE	433.2	866.4		1554	TINTING WHITE	396.7	793.4	
					1556	FAST GREEN	405.8	811.7	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>1712</b>	<b>MED EMBER</b>	<b>General Motors</b>		<b>T</b>	<b>1719</b>	<b>SADDLE</b>	<b>Ford Motor</b>		<b>Z</b>
1559	YELLOW OXIDE	331.9	663.9		1552	FAST RED	207.4	414.8	
1552	FAST RED	411.4	822.7		1551	FAST YELLOW	304.9	609.7	
					1508	SILVER	356.8	713.6	
					1556	FAST GREEN	383.8	767.6	
					1554	TINTING WHITE	406.3	812.6	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>1713</b>	<b>DK JADE GREEN</b>	<b>Ford Motor</b>		<b>R</b>	<b>1720</b>	<b>RUSSET</b>	<b>Ford Motor</b>		<b>E</b>
1553	FAST BLUE	201.9	403.8		1552	FAST RED	249.8	499.5	
1551	FAST YELLOW	309.2	618.5		1551	FAST YELLOW	333.0	666.0	
1508	SILVER	367.2	734.4		1508	SILVER	374.6	749.2	
1554	TINTING WHITE	391.3	782.6		1554	TINTING WHITE	405.8	811.7	
1501	LANDAU BLACK	403.8	807.5		1501	LANDAU BLACK	406.9	813.8	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>1714</b>	<b>TAN</b>	<b>Ford Motor</b>		<b>U</b>	<b>1722</b>	<b>AQUA</b>	<b>Ford Motor</b>		<b>K</b>
1559	YELLOW OXIDE	248.3	496.7		1554	TINTING WHITE	263.6	527.3	
1554	TINTING WHITE	371.3	742.5		1556	FAST GREEN	337.0	673.9	
1550	RED OXIDE	412.8	825.6		1553	FAST BLUE	386.7	773.5	
1501	LANDAU BLACK	419.9	839.8		1501	LANDAU BLACK	424.0	848.0	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>1715</b>	<b>DK CHAMOIS</b>	<b>Ford Motor</b>		<b>T</b>	<b>1723</b>	<b>BRIGHT RED</b>	<b>Ford Motor</b>		<b>D</b>
1559	YELLOW OXIDE	324.7	649.4		1552	FAST RED	328.2	656.5	
1550	RED OXIDE	396.7	793.4		1554	TINTING WHITE	370.0	740.1	
1554	TINTING WHITE	410.4	820.8		1551	FAST YELLOW	407.3	814.5	
1501	LANDAU BLACK	414.1	828.2						
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>1716</b>	<b>ORANGE</b>	<b>Ford Motor</b>		<b>N</b>	<b>1725</b>	<b>LT JADE GREEN</b>	<b>Ford Motor</b>		<b>R</b>
1551	FAST YELLOW	259.6	519.3		1508	SILVER	281.1	562.2	
1552	FAST RED	334.4	668.8		1556	FAST GREEN	349.2	698.4	
1554	TINTING WHITE	408.8	817.6		1501	LANDAU BLACK	373.3	746.5	
1501	LANDAU BLACK	409.6	819.3		1551	FAST YELLOW	393.6	787.2	
					1554	TINTING WHITE	408.4	816.8	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 11

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>1726</b>	<b>CREAM</b>	<b>Ford Motor</b>		<b>V</b>	<b>1733</b>	<b>RED</b>	<b>Ford Motor</b>	<b>D</b>
1554	TINTING WHITE	332.6	665.2	1552	FAST RED	351.4	702.8	
1559	YELLOW OXIDE	426.6	853.3	1550	RED OXIDE	394.7	789.5	
1550	RED OXIDE	430.1	860.1	1553	FAST BLUE	402.0	804.1	
1553	FAST BLUE	431.5	863.0	1554	TINTING WHITE	405.3	810.5	

<b>1727</b>	<b>MED GREEN</b>	<b>Ford Motor</b>		<b>G</b>	<b>1734</b>	<b>TANGERINE</b>	<b>Ford Motor</b>	<b>J</b>
1551	FAST YELLOW	187.2	374.5	1551	FAST YELLOW	237.0	474.1	
1501	LANDAU BLACK	279.7	559.4	1552	FAST RED	333.3	666.5	
1508	SILVER	368.9	737.8	1554	TINTING WHITE	409.9	819.9	
1556	FAST GREEN	405.4	810.7					

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1728</b>	<b>LT GREEN</b>	<b>Ford Motor</b>		<b>G</b>	<b>1735</b>	<b>MED BLUE MET</b>	<b>Ford Motor</b>	<b>B</b>
1559	YELLOW OXIDE	289.4	578.7	1553	FAST BLUE	192.8	385.5	
1554	TINTING WHITE	395.5	791.0	1508	SILVER	381.9	763.8	
1556	FAST GREEN	408.0	816.1	1552	FAST RED	405.5	810.9	
1501	LANDAU BLACK	418.5	837.0					

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1729</b>	<b>SILVER BLUE MET</b>	<b>Ford Motor</b>		<b>P</b>	<b>1736</b>	<b>MED BLUE</b>	<b>Ford Motor</b>	<b>B</b>
1508	SILVER	308.8	617.7	1553	FAST BLUE	287.8	575.5	
1553	FAST BLUE	364.8	729.6	1554	TINTING WHITE	350.6	701.3	
1501	LANDAU BLACK	387.0	774.1	1501	LANDAU BLACK	407.8	815.7	
1554	TINTING WHITE	401.7	803.3					
1552	FAST RED	408.7	817.4					

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1730</b>	<b>LT GOLD</b>	<b>Ford Motor</b>		<b>Y</b>	<b>1737</b>	<b>EMBER</b>	<b>Ford Motor</b>	<b>C</b>
1559	YELLOW OXIDE	330.1	660.3	1552	FAST RED	168.3	336.7	
1554	TINTING WHITE	403.4	806.7	1551	FAST YELLOW	294.6	589.2	
1552	FAST RED	411.7	823.5	1508	SILVER	405.3	810.5	
1553	FAST BLUE	417.0	833.9					

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>1731</b>	<b>DK CORDOVAN</b>	<b>Ford Motor</b>		<b>F</b>	<b>1738</b>	<b>DK RED</b>	<b>Ford Motor</b>	<b>D</b>
1552	FAST RED	273.5	547.0	1552	FAST RED	342.8	685.5	
1559	YELLOW OXIDE	392.4	784.7	1551	FAST YELLOW	372.3	744.6	
1553	FAST BLUE	405.7	811.5	1508	SILVER	392.9	785.8	
1554	TINTING WHITE	406.6	813.2	1553	FAST BLUE	404.2	808.5	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1732</b>	<b>DK RED MET</b>	<b>Ford Motor</b>		<b>D</b>	<b>1739</b>	<b>BRIGHT RED</b>	<b>Ford Motor</b>	<b>D</b>
1552	FAST RED	360.8	721.6	1552	FAST RED	312.2	624.3	
1551	FAST YELLOW	378.7	757.3	1551	FAST YELLOW	382.4	764.8	
1508	SILVER	395.7	791.4	1554	TINTING WHITE	405.7	811.5	
1553	FAST BLUE	401.7	803.3					
1554	TINTING WHITE	404.4	808.8					

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 12

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1740	DOVE GRAY	Ford Motor	E
1554	TINTING WHITE	336.7	673.4
1501	LANDAU BLACK	379.7	759.4
1559	YELLOW OXIDE	417.6	835.2
1550	RED OXIDE	430.9	861.8

1747	EMERALD MET	Ford Motor	Q
1553	FAST BLUE	175.5	350.9
1508	SILVER	301.2	602.3
1551	FAST YELLOW	404.7	809.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1741	CORDOVAN	Ford Motor	F
1552	FAST RED	306.5	612.9
1551	FAST YELLOW	351.7	703.4
1501	LANDAU BLACK	385.1	770.3
1508	SILVER	404.2	808.5

1748	JADE	Ford Motor	Q
1553	FAST BLUE	234.7	469.3
1551	FAST YELLOW	352.0	704.0
1508	SILVER	403.7	807.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1742	ROSE MET	Ford Motor	H
1508	SILVER	209.9	419.7
1554	TINTING WHITE	336.5	673.0
1552	FAST RED	390.1	780.1
1551	FAST YELLOW	409.3	818.5
1501	LANDAU BLACK	416.1	832.2

1749	GOLD MET	Ford Motor	Q
1508	SILVER	170.9	341.8
1551	FAST YELLOW	305.1	610.3
1552	FAST RED	400.7	801.4
1501	LANDAU BLACK	406.0	812.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

1743	AQUA	Ford Motor	L
1554	TINTING WHITE	231.0	462.1
1556	FAST GREEN	312.8	625.7
1553	FAST BLUE	375.1	750.1
1501	LANDAU BLACK	421.5	843.0

1750	BROWN	Ford Motor	T
1501	LANDAU BLACK	181.1	362.1
1559	YELLOW OXIDE	315.3	630.6
1550	RED OXIDE	399.8	799.5
1554	TINTING WHITE	410.4	820.8

1744	SILVER BLUE MET	Ford Motor	S
1508	SILVER	208.4	416.9
1553	FAST BLUE	331.7	663.5
1501	LANDAU BLACK	364.0	728.1
1554	TINTING WHITE	386.1	772.2
1551	FAST YELLOW	407.7	815.5

1751	CINNAMON	Ford Motor	U
1552	FAST RED	150.1	300.2
1508	SILVER	279.2	558.4
1551	FAST YELLOW	405.6	811.1

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

1745	LT GREEN MET	Ford Motor	G
1508	SILVER	188.8	377.5
1551	FAST YELLOW	334.0	668.0
1501	LANDAU BLACK	388.6	777.3
1556	FAST GREEN	406.4	812.8

1752	CHAMOIS	Ford Motor	U
1559	YELLOW OXIDE	243.5	487.0
1554	TINTING WHITE	378.5	757.0
1550	RED OXIDE	419.9	839.8
1501	LANDAU BLACK	420.8	841.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1746	DK GREEN MET	Ford Motor	G
1551	FAST YELLOW	158.4	316.7
1501	LANDAU BLACK	297.3	594.5
1508	SILVER	370.6	741.2
1556	FAST GREEN	405.2	810.4

1753	LT TAN	Ford Motor	U
1559	YELLOW OXIDE	240.0	479.9
1554	TINTING WHITE	376.6	753.2
1550	RED OXIDE	411.9	823.8
1501	LANDAU BLACK	420.8	841.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 13

		GRAMS	
		PINTS	QUARTS
<b>1754</b>	<b>CREAM</b>	<b>Ford Motor</b>	
		<b>V</b>	
1554	TINTING WHITE	377.7	755.4
1551	FAST YELLOW	414.7	829.4
1552	FAST RED	428.9	857.9
1556	FAST GREEN	432.8	865.6

		GRAMS	
		PINTS	QUARTS
<b>1761</b>	<b>DK SADDLE MET</b>	<b>Ford Motor</b>	
		<b>Z</b>	
1552	FAST RED	214.1	428.3
1501	LANDAU BLACK	279.9	559.7
1551	FAST YELLOW	339.0	677.9
1508	SILVER	397.6	795.2
1554	TINTING WHITE	405.5	810.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1755</b>	<b>ANTIQUÉ CREAM</b>	<b>Ford Motor</b>	
		<b>V</b>	
1554	TINTING WHITE	283.0	566.0
1559	YELLOW OXIDE	426.2	852.3
1552	FAST RED	427.9	855.8
1553	FAST BLUE	428.7	857.5

<b>1762</b>	<b>MED BLUE MET</b>	<b>Ford Motor</b>	
		<b>B</b>	
1508	SILVER	218.4	436.8
1553	FAST BLUE	330.9	661.8
1552	FAST RED	375.3	750.5
1554	TINTING WHITE	396.0	791.9
1551	FAST YELLOW	407.6	815.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1756</b>	<b>WHITE</b>	<b>Ford Motor</b>	
		<b>W</b>	
1554	TINTING WHITE	272.8	545.7
1302	LOW LUSTER CLEAR	414.2	828.4
1559	YELLOW OXIDE	422.7	845.3
1501	LANDAU BLACK	423.5	847.0
1550	RED OXIDE	424.1	848.2

<b>1763</b>	<b>LT BLUE</b>	<b>Ford Motor</b>	
		<b>2</b>	
1554	TINTING WHITE	399.8	799.5
1553	FAST BLUE	415.0	829.9
1501	LANDAU BLACK	429.3	858.6
1556	FAST GREEN	434.5	869.1

<b>1757</b>	<b>GOLD</b>	<b>Ford Motor</b>	
		<b>Y</b>	
1559	YELLOW OXIDE	275.4	550.8
1554	TINTING WHITE	399.7	799.3
1550	RED OXIDE	410.1	820.2
1501	LANDAU BLACK	419.8	839.6

<b>1764</b>	<b>MIDNIGHT BLUE M</b>	<b>Ford Motor</b>	
		<b>Q</b>	
1553	FAST BLUE	202.5	405.1
1501	LANDAU BLACK	359.5	719.0
1554	TINTING WHITE	383.8	767.6
1556	FAST GREEN	405.5	810.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1758</b>	<b>GOLD MET</b>	<b>Ford Motor</b>	
		<b>Y</b>	
1508	SILVER	155.8	311.6
1551	FAST YELLOW	307.5	615.0
1552	FAST RED	405.8	811.7

<b>1765</b>	<b>DK RED</b>	<b>Ford Motor</b>	
		<b>D</b>	
1552	FAST RED	342.8	685.5
1551	FAST YELLOW	372.3	744.6
1508	SILVER	392.9	785.8
1553	FAST BLUE	404.2	808.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1759</b>	<b>GOLD</b>	<b>Ford Motor</b>	
		<b>Y</b>	
1559	YELLOW OXIDE	275.4	550.8
1554	TINTING WHITE	399.7	799.3
1550	RED OXIDE	410.1	820.2
1501	LANDAU BLACK	419.8	839.6

<b>1766</b>	<b>MAROON</b>	<b>Ford Motor</b>	
		<b>9</b>	
1552	FAST RED	380.3	760.6
1501	LANDAU BLACK	397.2	794.4
1554	TINTING WHITE	404.6	809.2

<b>1760</b>	<b>DIAMOND BLUE</b>	<b>Ford Motor</b>	
		<b>Z</b>	
1508	SILVER	367.5	734.9
1553	FAST BLUE	401.5	802.9
1551	FAST YELLOW	408.1	816.2

<b>1767</b>	<b>DK VAQUERO</b>	<b>Ford Motor</b>	
		<b>Z</b>	
1552	FAST RED	297.8	595.7
1551	FAST YELLOW	355.7	711.4
1508	SILVER	385.4	770.8
1501	LANDAU BLACK	404.3	808.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 14

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1768	PINE GREEN	Ford Motor	M
1553	FAST BLUE	166.3	332.5
1551	FAST YELLOW	314.7	629.5
1508	SILVER	344.8	689.5
1554	TINTING WHITE	374.8	749.6
1501	LANDAU BLACK	404.2	808.5

1776	BITTERSWEET	Ford Motor	C
1552	FAST RED	250.8	501.6
1551	FAST YELLOW	323.5	647.0
1508	SILVER	387.3	774.6
1554	TINTING WHITE	397.7	795.3
1501	LANDAU BLACK	405.5	810.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1769	CREAM	Ford Motor	V
1554	TINTING WHITE	321.0	642.0
1559	YELLOW OXIDE	426.6	853.1
1552	FAST RED	428.7	857.5
1556	FAST GREEN	430.9	861.8

1777	MED RED MET	Ford Motor	D
1552	FAST RED	340.9	681.7
1508	SILVER	369.9	739.9
1551	FAST YELLOW	392.5	785.1
1553	FAST BLUE	404.2	808.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1770	BLUE	Ford Motor	B
1554	TINTING WHITE	214.3	428.6
1501	LANDAU BLACK	317.5	635.0
1553	FAST BLUE	404.2	808.5
1559	YELLOW OXIDE	420.7	841.3

1778	CORDOVAN BROW	Ford Motor	F
1552	FAST RED	235.6	471.2
1501	LANDAU BLACK	299.5	599.1
1508	SILVER	353.4	706.8
1551	FAST YELLOW	404.8	809.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1771	MED RED	Ford Motor	D
1552	FAST RED	351.6	703.2
1550	RED OXIDE	381.0	762.1
1501	LANDAU BLACK	395.3	790.6
1554	TINTING WHITE	405.6	811.1

1779	DK PINE MET	Ford Motor	M
1556	FAST GREEN	185.3	370.7
1501	LANDAU BLACK	351.2	702.4
1508	SILVER	405.2	810.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1773	MED PINE GREEN	Ford Motor	R
1554	TINTING WHITE	195.8	391.6
1501	LANDAU BLACK	276.3	552.5
1551	FAST YELLOW	355.2	710.4
1556	FAST GREEN	419.2	838.5

1783	MED RED	Ford Motor	D
1552	FAST RED	344.9	689.9
1551	FAST YELLOW	388.7	777.5
1554	TINTING WHITE	402.7	805.4
1553	FAST BLUE	405.1	810.2

1774	MED VAQUERO	Ford Motor	Z
1552	FAST RED	240.3	480.5
1559	YELLOW OXIDE	395.4	790.8
1501	LANDAU BLACK	405.9	811.9
1554	TINTING WHITE	407.6	815.1

1784	BITTERSWEET	Ford Motor	E
1559	YELLOW OXIDE	245.5	491.0
1552	FAST RED	401.5	802.9
1554	TINTING WHITE	410.1	820.2

1775	DK BLUE MET	Ford Motor	B
1553	FAST BLUE	189.6	379.2
1501	LANDAU BLACK	305.6	611.2
1508	SILVER	403.0	806.0
1556	FAST GREEN	404.7	809.4

1787	MED PINE GREEN	Ford Motor	M
1554	TINTING WHITE	223.9	447.8
1501	LANDAU BLACK	302.0	604.0
1551	FAST YELLOW	364.8	729.6
1556	FAST GREEN	421.3	842.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 15

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>1788</b>	<b>CARMEL</b>	<b>Ford Motor</b>		<b>T</b>	<b>1795</b>	<b>MED PEWTER</b>	<b>Ford Motor</b>	<b>H</b>
1559	YELLOW OXIDE	224.9	449.7		1554	TINTING WHITE	201.7	403.4
1302	LOW LUSTER CLEAR	361.4	722.8		1559	YELLOW OXIDE	347.9	695.8
1550	RED OXIDE	396.4	792.9		1501	LANDAU BLACK	398.1	796.1
1554	TINTING WHITE	407.1	814.2		1550	RED OXIDE	423.4	846.8
1501	LANDAU BLACK	409.8	819.7					
<b>1789</b>	<b>LT GOLD</b>	<b>General Motors</b>		<b>Y</b>	<b>1796</b>	<b>NUTMEG</b>	<b>Ford Motor</b>	<b>T</b>
1559	YELLOW OXIDE	286.0	571.9		1551	FAST YELLOW	234.5	468.9
1554	TINTING WHITE	411.4	822.9		1552	FAST RED	360.6	721.2
1501	LANDAU BLACK	417.8	835.6		1554	TINTING WHITE	392.3	784.5
1550	RED OXIDE	419.9	839.8		1501	LANDAU BLACK	406.5	813.0
<b>1790</b>	<b>LT PEWTER</b>	<b>Ford Motor</b>		<b>H</b>	<b>1797</b>	<b>LT FAWN</b>	<b>Ford Motor</b>	<b>U</b>
1554	TINTING WHITE	299.7	599.5		1554	TINTING WHITE	338.5	677.0
1559	YELLOW OXIDE	392.4	784.9		1559	YELLOW OXIDE	407.6	815.3
1501	LANDAU BLACK	413.7	827.5		1550	RED OXIDE	426.6	853.3
1550	RED OXIDE	429.5	859.0		1501	LANDAU BLACK	431.9	863.7
<b>1791</b>	<b>BLACK MET</b>	<b>Ford Motor</b>		<b>A</b>	<b>1798</b>	<b>LT SAND</b>	<b>Ford Motor</b>	<b>Y</b>
1501	LANDAU BLACK	400.3	800.7		1554	TINTING WHITE	271.4	542.8
1508	SILVER	402.8	805.6		1559	YELLOW OXIDE	416.1	832.2
1554	TINTING WHITE	405.3	810.5		1550	RED OXIDE	422.6	845.1
					1501	LANDAU BLACK	428.2	856.3
<b>1792</b>	<b>MED FAWN</b>	<b>Ford Motor</b>		<b>L</b>	<b>1799</b>	<b>MED SAND</b>	<b>Ford Motor</b>	<b>Y</b>
1559	YELLOW OXIDE	204.6	409.3		1559	YELLOW OXIDE	278.3	556.5
1554	TINTING WHITE	314.3	628.5		1554	TINTING WHITE	362.5	725.0
1550	RED OXIDE	387.9	775.8		1550	RED OXIDE	398.2	796.5
1501	LANDAU BLACK	418.9	837.7		1501	LANDAU BLACK	417.5	835.1
<b>1793</b>	<b>SPRUCE</b>	<b>Ford Motor</b>		<b>R</b>	<b>1801</b>	<b>DK BLUE</b>	<b>Chrysler Motors</b>	<b>B6</b>
1554	TINTING WHITE	167.6	335.2		1553	FAST BLUE	173.0	346.0
1559	YELLOW OXIDE	271.7	543.4		1554	TINTING WHITE	279.6	559.2
1556	FAST GREEN	351.3	702.6		1501	LANDAU BLACK	361.5	723.0
1501	LANDAU BLACK	419.3	838.7		1556	FAST GREEN	409.4	818.7
<b>1794</b>	<b>MED GRAY MET</b>	<b>Ford Motor</b>		<b>S</b>	<b>1802</b>	<b>DK RED</b>	<b>Chrysler Motors</b>	<b>E7</b>
1508	SILVER	206.0	411.9		1550	RED OXIDE	280.8	561.6
1501	LANDAU BLACK	343.4	686.9		1553	FAST BLUE	408.1	816.2
1553	FAST BLUE	379.2	758.5		1554	TINTING WHITE	410.6	821.2
1552	FAST RED	403.2	806.4					
1554	TINTING WHITE	407.0	814.0					

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 16

		PINTS	QUARTS
		GRAMS	
<b>1803</b>	<b>LT PARCHMENT</b>	<b>Chrysler Motors</b>	<b>L3</b>
1554	TINTING WHITE	323.0	646.0
1552	FAST RED	379.0	757.9
1551	FAST YELLOW	415.1	830.1
1556	FAST GREEN	428.7	857.5

		PINTS	QUARTS
		GRAMS	
<b>1810</b>	<b>MED GREEN MET</b>	<b>Chrysler Motors</b>	<b>MF7</b>
1551	FAST YELLOW	137.6	275.1
1556	FAST GREEN	270.6	541.1
1508	SILVER	348.7	697.3
1501	LANDAU BLACK	405.2	810.4

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

		PINTS	QUARTS
		GRAMS	
<b>1804</b>	<b>WHITE</b>	<b>Chrysler Motors</b>	<b>GW1</b>
1554	TINTING WHITE	410.8	821.6
1559	YELLOW OXIDE	428.3	856.5
1550	RED OXIDE	433.7	867.4
1556	FAST GREEN	435.9	871.7

		PINTS	QUARTS
		GRAMS	
<b>1811</b>	<b>MED BLUE</b>	<b>Chrysler Motors</b>	<b>MB9</b>
1501	LANDAU BLACK	152.2	304.4
1553	FAST BLUE	287.5	574.9
1554	TINTING WHITE	410.8	821.6
1552	FAST RED	413.3	826.5

		PINTS	QUARTS
		GRAMS	
<b>1805</b>	<b>DK GREEN MET</b>	<b>Chrysler Motors</b>	<b>G6</b>
1553	FAST BLUE	183.2	366.3
1551	FAST YELLOW	325.6	651.1
1508	SILVER	381.5	763.0
1501	LANDAU BLACK	403.9	807.9

		PINTS	QUARTS
		GRAMS	
<b>1812</b>	<b>CHESTNUT</b>	<b>Chrysler Motors</b>	<b>KT7</b>
1559	YELLOW OXIDE	158.0	316.0
1550	RED OXIDE	307.8	615.6
1501	LANDAU BLACK	411.4	822.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

		PINTS	QUARTS
		GRAMS	
<b>1806</b>	<b>MED GREEN MET</b>	<b>Chrysler Motors</b>	<b>F6</b>
1508	SILVER	203.7	407.4
1551	FAST YELLOW	300.9	601.7
1553	FAST BLUE	378.5	757.0
1501	LANDAU BLACK	406.2	812.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

		PINTS	QUARTS
		GRAMS	
<b>1807</b>	<b>LT GOLD</b>	<b>Chrysler Motors</b>	<b>Y3</b>
1554	TINTING WHITE	228.0	456.0
1551	FAST YELLOW	332.4	664.8
1552	FAST RED	404.8	809.6
1556	FAST GREEN	421.4	842.8

		PINTS	QUARTS
		GRAMS	
<b>1814</b>	<b>GOLD</b>	<b>Chrysler Motors</b>	<b>KY4</b>
1554	TINTING WHITE	188.3	376.6
1551	FAST YELLOW	307.5	615.0
1552	FAST RED	396.6	793.3
1556	FAST GREEN	418.4	836.8

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

		PINTS	QUARTS
		GRAMS	
<b>1808</b>	<b>DK CHESTNUT</b>	<b>Chrysler Motors</b>	<b>T7</b>
1559	YELLOW OXIDE	224.2	448.4
1550	RED OXIDE	360.0	719.9
1501	LANDAU BLACK	409.0	818.0
1554	TINTING WHITE	412.8	825.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

		PINTS	QUARTS
		GRAMS	
<b>1809</b>	<b>CARMEL</b>	<b>Chrysler Motors</b>	<b>U5</b>
1559	YELLOW OXIDE	277.8	555.6
1550	RED OXIDE	359.4	718.8
1554	TINTING WHITE	403.6	807.1
1501	LANDAU BLACK	415.6	831.3

		PINTS	QUARTS
		GRAMS	
<b>1816</b>	<b>LT GRAY</b>	<b>Chrysler Motors</b>	<b>A3</b>
1554	TINTING WHITE	342.2	684.4
1559	YELLOW OXIDE	392.6	785.3
1501	LANDAU BLACK	423.7	847.4
1550	RED OXIDE	431.5	863.0



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 17

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1817	SILVER MET	Chrysler Motors	RA2
1508	SILVER	388.5	776.9
1501	LANDAU BLACK	408.7	817.4

1824	LT GREEN MET	Chrysler Motors	G
1508	SILVER	241.6	483.2
1553	FAST BLUE	335.0	669.9
1551	FAST YELLOW	382.5	764.9
1556	FAST GREEN	405.7	811.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1818	GREEN MET	Chrysler Motors	RF5
1508	SILVER	155.6	311.2
1553	FAST BLUE	274.0	548.0
1551	FAST YELLOW	388.6	777.1
1501	LANDAU BLACK	405.5	810.9

1825	CHAMPAGNE	Chrysler Motors	G
1554	TINTING WHITE	383.1	766.3
1552	FAST RED	405.7	811.5
1551	FAST YELLOW	427.9	855.8
1556	FAST GREEN	433.2	866.4

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

1819	RED (PRINT)	Chrysler Motors	RR7
1552	FAST RED	225.5	451.1
1550	RED OXIDE	399.4	798.8
1501	LANDAU BLACK	407.1	814.2
1554	TINTING WHITE	408.4	816.8

1826	LT CREAM	Chrysler Motors	L
1554	TINTING WHITE	403.9	807.9
1559	YELLOW OXIDE	433.5	867.0
1550	RED OXIDE	434.5	869.1
1556	FAST GREEN	435.5	871.0

1820	YELLOW	Chrysler Motors	RY3
1554	TINTING WHITE	303.0	605.9
1559	YELLOW OXIDE	427.3	854.6
1550	RED OXIDE	429.3	858.6
1553	FAST BLUE	430.0	859.9

1827	DK RED	Chrysler Motors	R
1552	FAST RED	336.3	672.6
1551	FAST YELLOW	383.3	766.7
1554	TINTING WHITE	396.0	791.9
1501	LANDAU BLACK	405.0	810.0

1821	MED BLUE MET	Chrysler Motors	B
1553	FAST BLUE	179.1	358.2
1508	SILVER	269.0	538.1
1552	FAST RED	334.0	668.0
1501	LANDAU BLACK	396.4	792.9
1554	TINTING WHITE	405.1	810.2

1828	GRAY	Chrysler Motors	S
1554	TINTING WHITE	374.4	748.8
1559	YELLOW OXIDE	404.1	808.3
1501	LANDAU BLACK	426.9	853.9
1550	RED OXIDE	433.4	866.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

1822	DK BLUE	Chrysler Motors	C
1553	FAST BLUE	226.5	453.0
1501	LANDAU BLACK	360.9	721.8
1552	FAST RED	392.0	783.9
1554	TINTING WHITE	404.4	808.8

1829	PALE GRAY	Chrysler Motors	D
1554	TINTING WHITE	416.6	833.2
1559	YELLOW OXIDE	430.5	861.1
1501	LANDAU BLACK	435.3	870.6
1550	RED OXIDE	436.1	872.3

1823	DK GREEN MET	Chrysler Motors	F
1556	FAST GREEN	215.9	431.9
1501	LANDAU BLACK	333.5	666.9
1508	SILVER	405.2	810.4

1830	TAN MET	Chrysler Motors	U
1551	FAST YELLOW	243.3	486.6
1552	FAST RED	357.0	714.0
1508	SILVER	391.8	783.6
1501	LANDAU BLACK	404.4	808.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 18

		GRAMS	
		PINTS	QUARTS
<b>1831</b>	<b>CREAM</b>	<b>Chrysler Motors</b>	
			<b>Y</b>
1554	TINTING WHITE	290.6	581.2
1559	YELLOW OXIDE	420.7	841.3
1550	RED OXIDE	426.3	852.5
1501	LANDAU BLACK	429.3	858.6

		GRAMS	
		PINTS	QUARTS
<b>1838</b>	<b>DK GREEN MET</b>	<b>Chrysler Motors</b>	
			<b>F</b>
1553	FAST BLUE	179.0	358.0
1501	LANDAU BLACK	270.8	541.7
1551	FAST YELLOW	356.6	713.3
1508	SILVER	404.0	808.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1832</b>	<b>MIDNIGHT BLUE</b>	<b>Chrysler Motors</b>		<b>C8</b>
1553	FAST BLUE	252.9	505.8	
1501	LANDAU BLACK	377.8	755.6	
1554	TINTING WHITE	405.5	810.9	

<b>1839</b>	<b>CASHMERE</b>	<b>Chrysler Motors</b>		<b>K</b>
1559	YELLOW OXIDE	224.2	448.4	
1554	TINTING WHITE	390.2	780.3	
1550	RED OXIDE	416.6	833.2	
1501	LANDAU BLACK	422.3	844.6	

<b>1833</b>	<b>TEAL GREEN</b>	<b>Chrysler Motors</b>		<b>G5</b>
1554	TINTING WHITE	152.1	304.2	
1556	FAST GREEN	254.0	508.1	
1559	YELLOW OXIDE	351.8	703.6	
1501	LANDAU BLACK	417.8	835.6	

<b>1840</b>	<b>MED RED MET</b>	<b>Chrysler Motors</b>		<b>R</b>
1552	FAST RED	339.7	679.4	
1508	SILVER	371.2	742.3	
1551	FAST YELLOW	388.1	776.2	
1553	FAST BLUE	401.4	802.8	
1554	TINTING WHITE	404.4	808.8	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1834</b>	<b>RED</b>	<b>Chrysler Motors</b>		<b>R4</b>
1552	FAST RED	251.6	503.1	
1559	YELLOW OXIDE	404.4	808.8	
1554	TINTING WHITE	406.9	813.8	
1501	LANDAU BLACK	407.6	815.1	

<b>1841</b>	<b>BLACK WALNUT M</b>	<b>Chrysler Motors</b>		<b>U</b>
1501	LANDAU BLACK	389.7	779.4	
1508	SILVER	405.2	810.4	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1835</b>	<b>CASHMERE</b>	<b>Chrysler Motors</b>		<b>T3</b>
1559	YELLOW OXIDE	231.5	463.0	
1554	TINTING WHITE	389.6	779.2	
1550	RED OXIDE	415.0	829.9	
1501	LANDAU BLACK	421.8	843.6	

<b>1842</b>	<b>BLUE</b>	<b>Chrysler Motors</b>		<b>B2</b>
1554	TINTING WHITE	327.9	655.9	
1501	LANDAU BLACK	400.8	801.6	
1553	FAST BLUE	421.8	843.6	
1551	FAST YELLOW	429.1	858.2	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>1836</b>	<b>LT BLUE MET</b>	<b>Chrysler Motors</b>		<b>B</b>
1508	SILVER	294.3	588.6	
1553	FAST BLUE	340.6	681.2	
1501	LANDAU BLACK	385.2	770.5	
1554	TINTING WHITE	397.3	794.6	
1552	FAST RED	408.3	816.6	

<b>1843</b>	<b>HEATHER</b>	<b>Chrysler Motors</b>		<b>D3</b>
1554	TINTING WHITE	255.2	510.3	
1559	YELLOW OXIDE	362.0	724.1	
1550	RED OXIDE	399.1	798.2	
1501	LANDAU BLACK	426.7	853.5	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>1837</b>	<b>HEATHER</b>	<b>Chrysler Motors</b>		<b>D</b>
1554	TINTING WHITE	352.5	705.1	
1559	YELLOW OXIDE	402.7	805.4	
1550	RED OXIDE	421.7	843.4	
1501	LANDAU BLACK	432.5	865.1	

<b>1844</b>	<b>BEIGE</b>	<b>Chrysler Motors</b>		<b>L3</b>
1554	TINTING WHITE	379.8	759.6	
1552	FAST RED	405.7	811.5	
1551	FAST YELLOW	427.1	854.2	
1556	FAST GREEN	432.9	865.8	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 19**

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>1845</b>	<b>RED</b>	<b>Chrysler Motors</b>		<b>M6</b>	<b>1852</b>	<b>DK AUBERGINE</b>	<b>Chrysler Motors</b>	<b>H9</b>
1552	FAST RED	237.6	475.2		1501	LANDAU BLACK	199.8	399.6
1550	RED OXIDE	351.1	702.2		1550	RED OXIDE	340.9	681.7
1554	TINTING WHITE	385.4	770.8		1559	YELLOW OXIDE	397.5	795.0
1501	LANDAU BLACK	409.5	819.1		1554	TINTING WHITE	410.2	820.4
<b>1846</b>	<b>SEA SPRAY GREEN</b>	<b>Chrysler Motors</b>		<b>F5</b>	<b>1853</b>	<b>DK SILVER</b>	<b>Chrysler Motors</b>	<b>A7</b>
1554	TINTING WHITE	231.9	463.8		1554	TINTING WHITE	248.9	497.8
1559	YELLOW OXIDE	369.6	739.3		1501	LANDAU BLACK	368.3	736.6
1501	LANDAU BLACK	406.8	813.6		1551	FAST YELLOW	398.2	796.5
1556	FAST GREEN	424.9	849.9		1552	FAST RED	423.3	846.6
<b>1847</b>	<b>LT TAN</b>	<b>Chrysler Motors</b>		<b>T1</b>	<b>1854</b>	<b>MED BLUE</b>	<b>Chrysler Motors</b>	<b>B2</b>
1554	TINTING WHITE	304.2	608.4		1554	TINTING WHITE	255.1	510.2
1559	YELLOW OXIDE	422.2	844.4		1550	RED OXIDE	340.2	680.4
1550	RED OXIDE	427.1	854.2		1553	FAST BLUE	387.9	775.8
1501	LANDAU BLACK	429.9	859.8		1559	YELLOW OXIDE	426.2	852.3
<b>1848</b>	<b>PALE HEATHER</b>	<b>Chrysler Motors</b>		<b>D1</b>	<b>1855</b>	<b>DK BLUE</b>	<b>Chrysler Motors</b>	<b>C8</b>
1554	TINTING WHITE	400.8	801.6		1553	FAST BLUE	258.6	517.2
1559	YELLOW OXIDE	425.9	851.8		1501	LANDAU BLACK	377.2	754.3
1550	RED OXIDE	431.7	863.4		1554	TINTING WHITE	405.5	810.9
1501	LANDAU BLACK	435.3	870.6					
<b>1849</b>	<b>DK CASHMERE ME</b>	<b>Chrysler Motors</b>		<b>T8</b>	<b>1856</b>	<b>SEA SPRAY GREEN</b>	<b>Chrysler Motors</b>	<b>F5</b>
1552	FAST RED	194.7	389.3		1554	TINTING WHITE	312.1	624.2
1551	FAST YELLOW	296.2	592.4		1501	LANDAU BLACK	365.9	731.9
1501	LANDAU BLACK	371.3	742.5		1551	FAST YELLOW	415.5	831.1
1508	SILVER	404.5	809.0		1556	FAST GREEN	428.0	856.0
	REQ. BASE COAT 150							
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>								
<b>1850</b>	<b>CREAM</b>	<b>Chrysler Motors</b>		<b>Y1</b>	<b>1857</b>	<b>MED RED</b>	<b>Chrysler Motors</b>	<b>M6</b>
1554	TINTING WHITE	411.4	822.9		1552	FAST RED	246.1	492.1
1559	YELLOW OXIDE	434.8	869.6		1302	LOW LUSTER CLEAR	380.9	761.7
1556	FAST GREEN	435.5	871.0		1550	RED OXIDE	393.1	786.2
1550	RED OXIDE	436.0	871.9		1554	TINTING WHITE	401.1	802.2
					1501	LANDAU BLACK	404.1	808.3
<b>1851</b>	<b>SOFT YELLOW</b>	<b>Chrysler Motors</b>		<b>Y2</b>	<b>1858</b>	<b>LT TAN</b>	<b>Chrysler Motors</b>	<b>T4</b>
1554	TINTING WHITE	332.1	664.2		1559	YELLOW OXIDE	235.5	471.0
1559	YELLOW OXIDE	430.3	860.5		1554	TINTING WHITE	386.7	773.5
1556	FAST GREEN	431.6	863.2		1550	RED OXIDE	414.8	829.5
					1501	LANDAU BLACK	421.5	843.0

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 20

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>1859</b>	<b>WHITE</b>	<b>Chrysler Motors</b>		<b>W1</b>	<b>1866</b>	<b>WHITE</b>	<b>Chrysler Motors</b>	<b>W3</b>
1554	TINTING WHITE	406.7	813.4		1554	TINTING WHITE	422.0	844.0
1559	YELLOW OXIDE	433.9	867.7		1559	YELLOW OXIDE	434.2	868.5
1501	LANDAU BLACK	435.6	871.2		1501	LANDAU BLACK	436.0	871.9
					1550	RED OXIDE	436.4	872.9
<b>1860</b>	<b>DK CHARCOAL ME</b>	<b>Chrysler Motors</b>		<b>A9</b>	<b>1900</b>	<b>MED BLUE MET</b>	<b>American Motor</b>	<b>P32</b>
1501	LANDAU BLACK	209.4	418.8		1554	TINTING WHITE	192.8	385.5
1508	SILVER	367.2	734.4		1508	SILVER	293.0	586.0
1553	FAST BLUE	401.7	803.3		1553	FAST BLUE	356.4	712.9
1552	FAST RED	406.3	812.6		1552	FAST RED	399.1	798.2
					1501	LANDAU BLACK	417.7	835.4
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			
<b>1861</b>	<b>LT GREEN MET</b>	<b>Chrysler Motors</b>		<b>F2</b>	<b>1901</b>	<b>DK BLUE</b>	<b>American Motor</b>	
1508	SILVER	344.9	689.9		1553	FAST BLUE	295.0	590.0
1501	LANDAU BLACK	368.2	736.4		1501	LANDAU BLACK	371.1	742.1
1551	FAST YELLOW	389.8	779.6		1554	TINTING WHITE	391.5	783.0
1556	FAST GREEN	408.1	816.2		1552	FAST RED	404.5	809.0
<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			
<b>1862</b>	<b>DK MAHOGANY ME</b>	<b>Chrysler Motors</b>		<b>H9</b>	<b>1902</b>	<b>YELLOW</b>	<b>American Motor</b>	
1552	FAST RED	296.3	592.6		1554	TINTING WHITE	335.5	671.1
1501	LANDAU BLACK	392.6	785.3		1551	FAST YELLOW	411.5	823.1
1508	SILVER	401.9	803.9		1552	FAST RED	427.2	854.4
1554	TINTING WHITE	404.5	809.0		1556	FAST GREEN	429.6	859.2
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			
<b>1863</b>	<b>MED SPICE MET</b>	<b>Chrysler Motors</b>		<b>K7</b>	<b>1903</b>	<b>MED BROWN MET</b>	<b>American Motor</b>	
1552	FAST RED	233.9	467.8		1508	SILVER	102.8	205.6
1551	FAST YELLOW	374.7	749.4		1554	TINTING WHITE	195.8	391.6
1501	LANDAU BLACK	396.6	793.3		1552	FAST RED	288.8	577.6
1508	SILVER	404.2	808.5		1551	FAST YELLOW	374.4	748.8
					1501	LANDAU BLACK	412.5	825.0
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			
<b>1864</b>	<b>MED RED</b>	<b>Chrysler Motors</b>		<b>M8</b>	<b>1904</b>	<b>DK BROWN MET</b>	<b>American Motor</b>	
1552	FAST RED	389.0	778.1		1552	FAST RED	210.4	420.9
1554	TINTING WHITE	395.4	790.8		1501	LANDAU BLACK	308.6	617.1
1553	FAST BLUE	400.0	799.9		1508	SILVER	355.1	710.2
1501	LANDAU BLACK	404.5	809.0		1551	FAST YELLOW	396.2	792.3
					1554	TINTING WHITE	405.6	811.1
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			
<b>1865</b>	<b>MANILA CREAM</b>	<b>Chrysler Motors</b>		<b>T2</b>	<b>1905</b>	<b>SILVER MET</b>	<b>American Motor</b>	
1554	TINTING WHITE	416.8	833.5		1554	TINTING WHITE	364.4	728.8
1551	FAST YELLOW	432.1	864.1		1501	LANDAU BLACK	414.7	829.4
1552	FAST RED	435.4	870.8		1551	FAST YELLOW	424.9	849.9
1556	FAST GREEN	435.9	871.7		1552	FAST RED	432.0	863.9

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 21

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1906	DK RUSSET MET	American Motor	
1552	FAST RED	293.2	586.3
1501	LANDAU BLACK	331.3	662.5
1551	FAST YELLOW	367.6	735.1
1508	SILVER	393.9	787.7
1554	TINTING WHITE	405.4	810.7

1913	BEIGE	American Motor		80P3
1554	TINTING WHITE	268.7	537.3	
1559	YELLOW OXIDE	402.2	804.5	
1550	RED OXIDE	424.4	848.7	
1501	LANDAU BLACK	428.1	856.1	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1907	BEIGE	American Motor		80P35
1554	TINTING WHITE	248.5	497.0	
1559	YELLOW OXIDE	398.9	797.8	
1550	RED OXIDE	420.1	840.2	
1501	LANDAU BLACK	426.8	853.7	

1914	RED	American Motor		80P2
1550	RED OXIDE	204.9	409.8	
1552	FAST RED	362.0	723.9	
1554	TINTING WHITE	395.3	790.6	
1559	YELLOW OXIDE	411.9	823.8	

1908	WHITE	American Motor		80P92
1554	TINTING WHITE	424.5	848.9	
1559	YELLOW OXIDE	433.0	866.0	
1550	RED OXIDE	435.7	871.3	
1556	FAST GREEN	436.6	873.2	

1915	WINE	American Motor		81P10
1552	FAST RED	352.9	705.9	
1551	FAST YELLOW	371.1	742.1	
1501	LANDAU BLACK	388.8	777.7	
1554	TINTING WHITE	405.3	810.5	

1909	MED RUSSET MET	American Motor	
1552	FAST RED	295.3	590.5
1551	FAST YELLOW	346.5	692.9
1508	SILVER	395.8	791.5
1554	TINTING WHITE	401.4	802.8
1501	LANDAU BLACK	405.1	810.2

1916	MED BROWN	American Motor		81P8
1559	YELLOW OXIDE	158.3	316.5	
1302	LOW LUSTER CLEAR	295.5	590.9	
1550	RED OXIDE	346.8	693.7	
1554	TINTING WHITE	395.8	791.5	
1501	LANDAU BLACK	411.6	823.3	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1910	RUSSET	American Motor		79R1
1552	FAST RED	249.3	498.6	
1551	FAST YELLOW	338.2	676.4	
1554	TINTING WHITE	390.5	781.1	
1501	LANDAU BLACK	408.0	816.1	

1917	NUTMEG	American Motor		81P12
1559	YELLOW OXIDE	269.1	538.3	
1550	RED OXIDE	395.3	790.6	
1554	TINTING WHITE	404.5	809.0	
1501	LANDAU BLACK	413.7	827.5	

1911	BLUE	American Motor		79R2
1554	TINTING WHITE	239.1	478.2	
1553	FAST BLUE	318.5	637.1	
1501	LANDAU BLACK	385.2	770.5	
1552	FAST RED	419.5	839.0	

1918	NUTMEG MET	American Motor		81P69
1551	FAST YELLOW	190.2	380.4	
1552	FAST RED	373.6	747.3	
1508	SILVER	402.2	804.5	
1501	LANDAU BLACK	404.3	808.6	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1912	BROWN	American Motor		80P1
1559	YELLOW OXIDE	196.8	393.7	
1550	RED OXIDE	299.6	599.3	
1501	LANDAU BLACK	370.9	741.8	
1554	TINTING WHITE	414.4	828.8	

1919	MED BROWN MET	American Motor		80P36
1552	FAST RED	150.3	300.6	
1508	SILVER	273.8	547.6	
1551	FAST YELLOW	367.9	735.9	
1501	LANDAU BLACK	405.6	811.1	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 22

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1920	DEEP MAROON ME	American Motor	81P68
1552	FAST RED	360.1	720.1
1501	LANDAU BLACK	388.6	777.1
1508	SILVER	401.4	802.8
1551	FAST YELLOW	404.2	808.5

1927	DK GREEN MET	American Motor	82P25
1501	LANDAU BLACK	202.9	405.8
1551	FAST YELLOW	302.8	605.5
1556	FAST GREEN	358.0	715.9
1508	SILVER	405.1	810.2

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1921	VINTAGE RED MET	American Motor	81P67
1552	FAST RED	354.1	708.1
1551	FAST YELLOW	381.2	762.5
1508	SILVER	393.8	787.6
1501	LANDAU BLACK	404.1	808.3

1928	BEIGE	American Motor	82P26
1554	TINTING WHITE	291.8	583.7
1559	YELLOW OXIDE	421.4	842.8
1550	RED OXIDE	426.9	853.9
1501	LANDAU BLACK	429.3	858.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1922	DK BLUE	American Motor	81P66
1553	FAST BLUE	244.6	489.3
1501	LANDAU BLACK	393.2	786.4
1554	TINTING WHITE	404.2	808.5

1929	GOLD MET	American Motor	82P27
1508	SILVER	161.4	322.8
1551	FAST YELLOW	305.0	609.9
1552	FAST RED	400.0	799.9
1501	LANDAU BLACK	405.9	811.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1923	SILVER MET	American Motor	82P21
1508	SILVER	358.7	717.4
1553	FAST BLUE	377.0	753.9
1554	TINTING WHITE	394.4	788.9
1501	LANDAU BLACK	408.5	817.0
1552	FAST RED	409.6	819.3

1930	SILVER MET	American Motor	82P21
1508	SILVER	358.7	717.4
1553	FAST BLUE	377.0	753.9
1554	TINTING WHITE	394.4	788.9
1501	LANDAU BLACK	408.5	817.0
1552	FAST RED	409.6	819.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1924	MED BLUE MET	American Motor	82P22
1553	FAST BLUE	117.5	235.0
1508	SILVER	207.2	414.4
1501	LANDAU BLACK	287.7	575.3
1554	TINTING WHITE	355.8	711.6
1552	FAST RED	410.0	820.0

1931	MED BLUE MET	American Motor	82P22
1508	SILVER	200.8	401.7
1553	FAST BLUE	289.7	579.3
1501	LANDAU BLACK	344.0	688.0
1552	FAST RED	390.6	781.3
1554	TINTING WHITE	407.4	814.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1925	DK BLUE	American Motor	82P23
1553	FAST BLUE	170.2	340.5
1552	FAST RED	299.0	597.9
1501	LANDAU BLACK	388.5	776.9
1554	TINTING WHITE	404.8	809.6

1932	DK BLUE	American Motor	82P23
1553	FAST BLUE	204.4	408.9
1501	LANDAU BLACK	305.7	611.4
1556	FAST GREEN	391.2	782.4
1554	TINTING WHITE	404.5	809.0

1926	BLUE GREEN MET	American Motor	82P24
1553	FAST BLUE	277.5	555.0
1551	FAST YELLOW	333.3	666.5
1508	SILVER	376.6	753.2
1501	LANDAU BLACK	403.5	806.9

1933	BLUE GREEN MET	American Motor	82P24
1553	FAST BLUE	310.0	620.0
1551	FAST YELLOW	366.5	733.0
1508	SILVER	393.7	787.4
1501	LANDAU BLACK	403.2	806.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 23

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

1934	DK GREEN	American Motor	82P25
1501	LANDAU BLACK	208.0	415.9
1551	FAST YELLOW	296.4	592.8
1508	SILVER	355.3	710.6
1556	FAST GREEN	405.2	810.4

2602	MED GRAY MET	General Motors	17
1508	SILVER	199.9	399.8
1501	LANDAU BLACK	299.5	599.1
1554	TINTING WHITE	379.6	759.2
1553	FAST BLUE	400.2	800.5
1552	FAST RED	412.7	825.4

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1935	BEIGE	American Motor	82P26
1554	TINTING WHITE	305.0	610.1
1559	YELLOW OXIDE	421.3	842.7
1550	RED OXIDE	428.7	857.5
1501	LANDAU BLACK	430.1	860.1

2603	MED WAXBERRY	General Motors	45
1559	YELLOW OXIDE	222.8	445.6
1554	TINTING WHITE	373.2	746.3
1550	RED OXIDE	407.5	814.9
1553	FAST BLUE	421.1	842.3

1936	GOLD MET	American Motor	82P27
1508	SILVER	149.7	299.4
1551	FAST YELLOW	289.0	578.0
1552	FAST RED	399.1	798.2
1501	LANDAU BLACK	405.7	811.5

2604	LT WAXBERRY	General Motors	46
1554	TINTING WHITE	384.8	769.7
1559	YELLOW OXIDE	431.1	862.2
1556	FAST GREEN	433.5	867.0
1552	FAST RED	434.4	868.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

1937	SLATE BLUE	American Motor	82P3
1501	LANDAU BLACK	208.9	417.8
1554	TINTING WHITE	348.7	697.3
1553	FAST BLUE	387.3	774.6
1556	FAST GREEN	415.2	830.3

2605	MED JADESTONE	General Motors	47
1554	TINTING WHITE	245.8	491.5
1501	LANDAU BLACK	349.1	698.3
1551	FAST YELLOW	393.0	786.0
1553	FAST BLUE	422.9	845.9

2600	WHITE	General Motors	11
1554	TINTING WHITE	433.1	866.2
1551	FAST YELLOW	435.8	871.5
1552	FAST RED	436.6	873.2
1501	LANDAU BLACK	437.1	874.2

2606	LT SANDSTONE	General Motors	63
1554	TINTING WHITE	292.6	585.2
1559	YELLOW OXIDE	400.4	800.9
1550	RED OXIDE	418.9	837.7
1501	LANDAU BLACK	429.2	858.4

2600	WHITE	General Motors	11T
1554	TINTING WHITE	433.1	866.2
1551	FAST YELLOW	435.8	871.5
1552	FAST RED	436.6	873.2
1501	LANDAU BLACK	437.1	874.2

2607	MED RED	General Motors	75
1552	FAST RED	318.9	637.8
1551	FAST YELLOW	376.6	753.2
1554	TINTING WHITE	401.9	803.7
1550	RED OXIDE	406.0	812.1

2601	SILVER MET	General Motors	15
1508	SILVER	391.7	783.4
1501	LANDAU BLACK	408.7	817.4

2608	DK MAPLE	General Motors	75
1552	FAST RED	368.3	736.6
1559	YELLOW OXIDE	390.5	781.1
1501	LANDAU BLACK	400.9	801.8
1554	TINTING WHITE	404.9	809.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 24

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
<b>2608</b>	<b>DK MAPLE</b>	<b>General Motors</b>		<b>77</b>	<b>2614</b>	<b>DK GRAY</b>	<b>General Motors</b>		<b>17</b>
1552	FAST RED	368.3	736.6		1553	FAST BLUE	131.3	262.6	
1559	YELLOW OXIDE	390.5	781.1		1501	LANDAU BLACK	246.8	493.6	
1501	LANDAU BLACK	400.9	801.8		1550	RED OXIDE	356.3	712.5	
1554	TINTING WHITE	404.9	809.8		1554	TINTING WHITE	410.6	821.2	
<b>2609</b>	<b>MED MAUVE</b>	<b>General Motors</b>		<b>99</b>	<b>2615</b>	<b>MIDNIGHT BLUE</b>	<b>General Motors</b>		<b>29</b>
1554	TINTING WHITE	161.3	322.6		1556	FAST GREEN	255.3	510.5	
1552	FAST RED	289.1	578.2		1553	FAST BLUE	382.9	765.9	
1501	LANDAU BLACK	355.7	711.4		1501	LANDAU BLACK	400.2	800.5	
1551	FAST YELLOW	416.5	833.0		1554	TINTING WHITE	402.3	804.7	
<b>2610</b>	<b>DK JADE</b>	<b>General Motors</b>		<b>44</b>	<b>2616</b>	<b>MED DK AQUA</b>	<b>General Motors</b>		<b>41</b>
1501	LANDAU BLACK	169.2	338.4		1559	YELLOW OXIDE	163.8	327.6	
1556	FAST GREEN	312.7	625.5		1553	FAST BLUE	325.7	651.3	
1554	TINTING WHITE	382.0	764.0		1554	TINTING WHITE	383.0	766.1	
1553	FAST BLUE	409.6	819.3		1501	LANDAU BLACK	411.4	822.9	
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>									
<b>2611</b>	<b>MED DOESKIN</b>	<b>General Motors</b>		<b>64</b>	<b>2617</b>	<b>MED DK GREEN</b>	<b>General Motors</b>		<b>42</b>
1554	TINTING WHITE	199.5	399.0		1551	FAST YELLOW	247.1	494.2	
1552	FAST RED	309.8	619.6		1554	TINTING WHITE	325.0	650.0	
1551	FAST YELLOW	400.3	800.7		1501	LANDAU BLACK	368.2	736.4	
1556	FAST GREEN	419.2	838.5		1556	FAST GREEN	410.0	820.0	
<b>2611</b>	<b>MED DOESKIN</b>	<b>General Motors</b>		<b>64T</b>	<b>2618</b>	<b>DK WAXBERRY</b>	<b>General Motors</b>		<b>46</b>
1554	TINTING WHITE	199.5	399.0		1501	LANDAU BLACK	219.8	439.7	
1552	FAST RED	309.8	619.6		1559	YELLOW OXIDE	339.5	679.1	
1551	FAST YELLOW	400.3	800.7		1550	RED OXIDE	380.4	760.8	
1556	FAST GREEN	419.2	838.5		1554	TINTING WHITE	410.5	821.0	
<b>2612</b>	<b>DK GRAY</b>	<b>General Motors</b>		<b>15</b>	<b>2619</b>	<b>MED DK WAXBERR</b>	<b>General Motors</b>		<b>45</b>
1501	LANDAU BLACK	256.5	513.0		1559	YELLOW OXIDE	276.5	553.1	
1554	TINTING WHITE	345.1	690.3		1501	LANDAU BLACK	377.9	755.8	
1559	YELLOW OXIDE	412.9	825.7		1550	RED OXIDE	406.0	812.1	
					1554	TINTING WHITE	411.4	822.9	
<b>2613</b>	<b>MED GRAY</b>	<b>General Motors</b>		<b>17</b>	<b>2620</b>	<b>DK JADESTONE</b>	<b>General Motors</b>		<b>47</b>
1554	TINTING WHITE	251.8	503.7		1501	LANDAU BLACK	140.6	281.2	
1501	LANDAU BLACK	382.4	764.8		1302	LOW LUSTER CLEAR	277.7	555.4	
1559	YELLOW OXIDE	419.2	838.5		1554	TINTING WHITE	326.5	653.0	
1553	FAST BLUE	424.4	848.7		1551	FAST YELLOW	367.4	734.7	
					1553	FAST BLUE	407.1	814.2	



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 25

		PINTS	QUARTS
		GRAMS	
<b>2621</b>	<b>DK DOESKIN</b>	<b>General Motors      63</b>	
1559	YELLOW OXIDE	211.8	423.5
1501	LANDAU BLACK	325.9	651.9
1550	RED OXIDE	411.1	822.1

		PINTS	QUARTS
		GRAMS	
<b>2628</b>	<b>LT JADESTONE</b>	<b>General Motors      45T</b>	
1508	SILVER	325.4	650.8
1553	FAST BLUE	362.6	725.2
1551	FAST YELLOW	383.0	766.1
1554	TINTING WHITE	398.9	797.8
1501	LANDAU BLACK	408.4	816.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>2622</b>	<b>MED DK DOESKIN</b>	<b>General Motors      64</b>	
1559	YELLOW OXIDE	203.8	407.6
1501	LANDAU BLACK	310.0	620.0
1550	RED OXIDE	397.7	795.3
1554	TINTING WHITE	412.1	824.2

<b>2629</b>	<b>DK DOESKIN MET</b>	<b>General Motors      1508 SILVER</b>	
1551	FAST YELLOW	200.3	400.5
1552	FAST RED	328.4	656.8
1508	SILVER	372.5	745.0
1501	LANDAU BLACK	404.5	809.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>2623</b>	<b>MED DK MAUVE</b>	<b>General Motors      99</b>	
1559	YELLOW OXIDE	166.7	333.5
1550	RED OXIDE	264.3	528.6
1554	TINTING WHITE	348.3	696.5
1501	LANDAU BLACK	416.6	833.2

<b>2630</b>	<b>PASTEL SANDSTON</b>	<b>General Motors      63T</b>	
1554	TINTING WHITE	268.7	537.3
1559	YELLOW OXIDE	391.5	783.0
1550	RED OXIDE	415.2	830.5
1501	LANDAU BLACK	427.8	855.6

<b>2624</b>	<b>SILVER MET</b>	<b>General Motors      16T</b>	
1508	SILVER	408.9	817.8

<b>2631</b>	<b>DK SANDSTONE ME</b>	<b>General Motors      69T</b>	
1552	FAST RED	202.3	404.5
1551	FAST YELLOW	315.5	631.0
1501	LANDAU BLACK	364.0	728.1
1508	SILVER	404.5	809.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>2625</b>	<b>PASTEL WAXBERR</b>	<b>General Motors      35T</b>	
1554	TINTING WHITE	388.8	777.7
1559	YELLOW OXIDE	430.1	860.1
1556	FAST GREEN	432.6	865.3
1550	RED OXIDE	434.5	869.1

<b>2632</b>	<b>DK MAPLE MET</b>	<b>General Motors      77T</b>	
1552	FAST RED	359.1	718.2
1501	LANDAU BLACK	375.3	750.7
1551	FAST YELLOW	390.0	780.0
1508	SILVER	404.2	808.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>2626</b>	<b>LT WAXBERRY ME</b>	<b>General Motors      36T</b>	
1508	SILVER	297.8	595.7
1551	FAST YELLOW	364.7	729.4
1552	FAST RED	392.1	784.1
1501	LANDAU BLACK	407.6	815.1

<b>2633</b>	<b>SAXONY RED</b>	<b>General Motors      78T</b>	
1552	FAST RED	298.2	596.4
1559	YELLOW OXIDE	377.2	754.3
1550	RED OXIDE	405.3	810.5
1554	TINTING WHITE	406.4	812.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>2627</b>	<b>PASTEL JADESTON</b>	<b>General Motors      44T</b>	
1554	TINTING WHITE	413.5	827.1
1553	FAST BLUE	422.2	844.4
1501	LANDAU BLACK	429.9	859.8
1551	FAST YELLOW	435.6	871.2

<b>2634</b>	<b>MED SLATE MET</b>	<b>General Motors      85T</b>	
1508	SILVER	132.9	265.8
1552	FAST RED	238.2	476.3
1501	LANDAU BLACK	329.9	659.9
1553	FAST BLUE	405.5	810.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 26

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

<b>2635</b>	<b>MED JADESTONE M</b>	<b>General Motors</b>	<b>96T</b>	<b>2642</b>	<b>MED SADDLE TAN</b>	<b>General Motors</b>	<b>61</b>
1508	SILVER	186.7	373.4	1559	YELLOW OXIDE	208.1	416.1
1553	FAST BLUE	301.0	601.9	1554	TINTING WHITE	381.5	763.0
1501	LANDAU BLACK	361.1	722.2	1550	RED OXIDE	410.8	821.6
1551	FAST YELLOW	405.9	811.9	1501	LANDAU BLACK	422.6	845.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>2636</b>	<b>DOESKIN MET</b>	<b>General Motors</b>	<b>97T</b>	<b>2643</b>	<b>MED DK SADDLE T</b>	<b>General Motors</b>	<b>61</b>
1508	SILVER	174.7	349.4	1559	YELLOW OXIDE	267.2	534.5
1551	FAST YELLOW	326.7	653.4	1550	RED OXIDE	350.4	700.7
1552	FAST RED	406.0	812.1	1501	LANDAU BLACK	394.0	787.9
				1554	TINTING WHITE	413.5	827.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>2637</b>	<b>CHARCOAL</b>	<b>General Motors</b>	<b>18</b>	<b>2644</b>	<b>DK SADDLE TAN</b>	<b>General Motors</b>	<b>61</b>
1501	LANDAU BLACK	226.7	453.3	1559	YELLOW OXIDE	232.2	464.4
1554	TINTING WHITE	296.6	593.2	1550	RED OXIDE	327.2	654.4
1552	FAST RED	353.3	706.6	1501	LANDAU BLACK	411.7	823.5
1551	FAST YELLOW	410.0	820.0				

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>2638</b>	<b>MED DK AMBER TA</b>	<b>General Motors</b>	<b>62</b>	<b>2645</b>	<b>DK SABLE</b>	<b>General Motors</b>	<b>67</b>
1559	YELLOW OXIDE	303.3	606.7	1559	YELLOW OXIDE	141.5	282.9
1550	RED OXIDE	393.0	786.0	1550	RED OXIDE	260.7	521.4
1554	TINTING WHITE	409.9	819.9	1501	LANDAU BLACK	352.4	704.7
1501	LANDAU BLACK	414.2	828.4	1554	TINTING WHITE	415.2	830.3

<b>2639</b>	<b>DK AMBER TAN</b>	<b>General Motors</b>	<b>62</b>	<b>2646</b>	<b>MED DK AUTUMN</b>	<b>General Motors</b>	<b>72</b>
1559	YELLOW OXIDE	184.4	368.8	1552	FAST RED	319.6	639.2
1550	RED OXIDE	340.3	680.6	1550	RED OXIDE	384.9	769.9
1501	LANDAU BLACK	412.1	824.2	1553	FAST BLUE	398.7	797.4
				1554	TINTING WHITE	406.0	812.1

<b>2640</b>	<b>DK GRAY BLUE</b>	<b>General Motors</b>	<b>24</b>	<b>2647</b>	<b>DK REDWOOD</b>	<b>General Motors</b>	<b>77</b>
1554	TINTING WHITE	142.9	285.8	1552	FAST RED	295.6	591.3
1501	LANDAU BLACK	277.0	554.0	1551	FAST YELLOW	378.7	757.3
1553	FAST BLUE	362.8	725.6	1501	LANDAU BLACK	392.7	785.5
1550	RED OXIDE	416.1	832.2	1554	TINTING WHITE	404.9	809.8

<b>2641</b>	<b>DK SPRUCE</b>	<b>General Motors</b>	<b>48</b>	<b>2648</b>	<b>MED SANDSTONE</b>	<b>General Motors</b>	<b>63</b>
1501	LANDAU BLACK	174.9	349.8	1559	YELLOW OXIDE	174.1	348.3
1554	TINTING WHITE	345.7	691.4	1554	TINTING WHITE	339.0	677.9
1551	FAST YELLOW	392.6	785.3	1550	RED OXIDE	390.9	781.9
1556	FAST GREEN	417.5	835.1	1501	LANDAU BLACK	421.8	843.6

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 27

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
<b>2649</b>	<b>DK BLUE</b>	<b>General Motors</b>		<b>28T</b>	<b>2656</b>	<b>SLATE GRAY</b>	<b>General Motors</b>		<b>80T</b>
1553	FAST BLUE	291.3	582.5		1554	TINTING WHITE	393.7	787.4	
1501	LANDAU BLACK	392.4	784.7		1559	YELLOW OXIDE	416.3	832.6	
1554	TINTING WHITE	404.0	808.1		1501	LANDAU BLACK	434.2	868.3	
					1550	RED OXIDE	434.6	869.3	
<b>2650</b>	<b>LT JADESTONE</b>	<b>General Motors</b>		<b>45T</b>	<b>2657</b>	<b>LT DOESKIN</b>	<b>General Motors</b>		<b>86T</b>
1554	TINTING WHITE	341.1	682.1		1559	YELLOW OXIDE	204.8	409.6	
1501	LANDAU BLACK	399.8	799.5		1554	TINTING WHITE	375.6	751.3	
1556	FAST GREEN	416.7	833.3		1550	RED OXIDE	412.4	824.8	
1551	FAST YELLOW	430.2	860.3		1501	LANDAU BLACK	422.6	845.1	
<b>2651</b>	<b>LT YELLOW</b>	<b>General Motors</b>		<b>54T</b>	<b>2658</b>	<b>DK REDWOOD</b>	<b>General Motors</b>		<b>87T</b>
1554	TINTING WHITE	389.0	778.1		1550	RED OXIDE	172.2	344.5	
1551	FAST YELLOW	422.6	845.1		1552	FAST RED	328.2	656.5	
1552	FAST RED	431.7	863.4		1501	LANDAU BLACK	406.7	813.4	
1556	FAST GREEN	433.7	867.4		1554	TINTING WHITE	408.6	817.2	
<b>2652</b>	<b>ALMOND</b>	<b>General Motors</b>		<b>61T</b>	<b>2659</b>	<b>MED SPRUCE MET</b>	<b>General Motors</b>		<b>91T</b>
1554	TINTING WHITE	276.2	552.3		1508	SILVER	262.0	524.0	
1559	YELLOW OXIDE	414.0	828.0		1501	LANDAU BLACK	368.8	737.6	
1550	RED OXIDE	424.3	848.5		1556	FAST GREEN	407.5	814.9	
1501	LANDAU BLACK	428.3	856.5						
<b>2653</b>	<b>SABLE MET</b>	<b>General Motors</b>		<b>64T</b>	<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>				
1552	FAST RED	177.3	354.5		<b>2660</b>	<b>LT SABLE MET</b>	<b>General Motors</b>		<b>96T</b>
1508	SILVER	273.4	546.8		1508	SILVER	274.0	548.0	
1501	LANDAU BLACK	354.2	708.3		1552	FAST RED	353.5	707.0	
1551	FAST YELLOW	405.3	810.5		1501	LANDAU BLACK	390.6	781.3	
					1551	FAST YELLOW	407.4	814.7	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>				
<b>2654</b>	<b>AUTUMN MAPLE M</b>	<b>General Motors</b>		<b>74T</b>	<b>2661</b>	<b>LT REDWOOD MET</b>	<b>General Motors</b>		<b>97T</b>
1552	FAST RED	394.9	789.8		1508	SILVER	192.5	384.9	
1508	SILVER	401.0	802.0		1552	FAST RED	334.9	669.8	
1553	FAST BLUE	404.0	808.1		1551	FAST YELLOW	397.6	795.2	
					1501	LANDAU BLACK	406.3	812.6	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>				
<b>2655</b>	<b>DK REDWOOD MET</b>	<b>General Motors</b>		<b>77T</b>	<b>2662</b>	<b>ALMOND MET</b>	<b>General Motors</b>		<b>98T</b>
1552	FAST RED	304.0	608.0		1508	SILVER	190.1	380.2	
1551	FAST YELLOW	373.4	746.9		1551	FAST YELLOW	313.8	627.6	
1501	LANDAU BLACK	389.4	778.8		1552	FAST RED	399.4	798.8	
1508	SILVER	404.1	808.3		1501	LANDAU BLACK	406.2	812.4	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 28

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

2700	LT BLUE MET	Ford Motor	B
1508	SILVER	254.7	509.4
1553	FAST BLUE	365.8	731.7
1552	FAST RED	386.0	772.0
1554	TINTING WHITE	398.6	797.2
1551	FAST YELLOW	407.6	815.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2701	MED BITTERSWEET	Ford Motor	C
1552	FAST RED	273.0	546.1
1551	FAST YELLOW	372.3	744.6
1508	SILVER	404.4	808.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

2702	BITTERSWEET ME	Ford Motor	C
1552	FAST RED	301.3	602.7
1551	FAST YELLOW	377.2	754.5
1508	SILVER	396.2	792.5
1501	LANDAU BLACK	404.2	808.5

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

2703	MED RED	Ford Motor	D
1552	FAST RED	395.7	791.4
1554	TINTING WHITE	401.3	802.6
1553	FAST BLUE	404.4	808.8

2704	DK SPRUCE MET	Ford Motor	M
1553	FAST BLUE	251.4	502.7
1551	FAST YELLOW	344.4	688.8
1508	SILVER	382.1	764.2
1501	LANDAU BLACK	403.5	806.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2705	FAWN	Ford Motor	U
1554	TINTING WHITE	325.2	650.4
1559	YELLOW OXIDE	404.3	808.6
1550	RED OXIDE	423.1	846.3
1501	LANDAU BLACK	430.9	861.8

2706	PASTEL CAMEL	Ford Motor	Y
1554	TINTING WHITE	299.8	599.6
1559	YELLOW OXIDE	426.9	853.9
1550	RED OXIDE	428.9	857.9
1553	FAST BLUE	429.7	859.4

2707	MED DK NUTMEG	Ford Motor	Z
1552	FAST RED	221.4	442.7
1551	FAST YELLOW	364.1	728.3
1508	SILVER	393.7	787.4
1501	LANDAU BLACK	404.3	808.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2708	DK BROWN MET	Ford Motor	Z
1552	FAST RED	228.4	456.8
1551	FAST YELLOW	366.6	733.2
1501	LANDAU BLACK	386.5	772.9
1508	SILVER	404.2	808.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2709	MED PEWTER MET	Ford Motor	3
1508	SILVER	266.9	533.7
1501	LANDAU BLACK	376.2	752.4
1552	FAST RED	394.8	789.6
1551	FAST YELLOW	407.5	814.9

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

2710	LT PEWTER MET	Ford Motor	4
1508	SILVER	276.8	553.7
1501	LANDAU BLACK	342.0	684.0
1551	FAST YELLOW	383.9	767.8
1552	FAST RED	407.6	815.1

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

2711	LT GOLD MET	Ford Motor	7
1508	SILVER	219.5	439.1
1551	FAST YELLOW	354.2	708.3
1552	FAST RED	394.4	788.9
1501	LANDAU BLACK	406.6	813.2

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2712	LT FAWN MET	Ford Motor	H
1508	SILVER	194.8	389.7
1552	FAST RED	303.0	605.9
1551	FAST YELLOW	355.6	711.2
1501	LANDAU BLACK	406.5	813.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2713	DK CHAMPAGNE M	Ford Motor	J
1552	FAST RED	225.0	449.9
1551	FAST YELLOW	312.6	625.1
1501	LANDAU BLACK	391.8	783.6
1508	SILVER	404.4	808.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 29

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

2714	DK RED MET	Ford Motor	N
1552	FAST RED	389.3	778.6
1554	TINTING WHITE	395.1	790.2
1508	SILVER	400.0	800.1
1553	FAST BLUE	404.4	808.8

2721	MULBERRY MET	Ford Motor	F
1552	FAST RED	278.2	556.3
1551	FAST YELLOW	338.8	677.5
1501	LANDAU BLACK	375.3	750.7
1508	SILVER	404.4	808.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2715	SILVER MET	Ford Motor	P
1508	SILVER	393.2	786.4
1501	LANDAU BLACK	408.7	817.4

2722	VAQUERO	Ford Motor	F
1550	RED OXIDE	350.8	701.7
1559	YELLOW OXIDE	382.0	764.0
1501	LANDAU BLACK	406.4	812.8
1554	TINTING WHITE	414.1	828.2

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2716	CREAM	Ford Motor	V
1554	TINTING WHITE	345.5	691.0
1559	YELLOW OXIDE	428.8	857.7
1556	FAST GREEN	430.9	861.8
1552	FAST RED	432.2	864.3

2723	TEAL MET	Ford Motor	K
1553	FAST BLUE	264.5	529.0
1551	FAST YELLOW	321.8	643.5
1501	LANDAU BLACK	363.9	727.7
1508	SILVER	403.5	806.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2717	DK HARBOR BLUE	Ford Motor	B
1553	FAST BLUE	221.4	442.9
1508	SILVER	291.7	583.3
1501	LANDAU BLACK	348.9	697.9
1556	FAST GREEN	391.4	782.8
1554	TINTING WHITE	405.1	810.2

2724	DK TEAL MET	Ford Motor	K
1553	FAST BLUE	325.9	651.7
1551	FAST YELLOW	385.8	771.6
1508	SILVER	402.9	805.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2718	MIDNIGHT BLUE M	Ford Motor	B
1553	FAST BLUE	230.4	460.8
1501	LANDAU BLACK	320.5	641.1
1508	SILVER	369.6	739.1
1552	FAST RED	396.2	792.3
1554	TINTING WHITE	402.4	804.8

2725	FRENCH VANILLA	Ford Motor	L
1554	TINTING WHITE	341.4	682.9
1559	YELLOW OXIDE	424.9	849.9
1550	RED OXIDE	430.1	860.1
1501	LANDAU BLACK	432.0	863.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2719	DK RED MET	Ford Motor	D
1552	FAST RED	370.4	740.8
1508	SILVER	399.9	799.7
1553	FAST BLUE	404.1	808.3

2726	LT FRENCH VANIL	Ford Motor	L
1554	TINTING WHITE	217.6	435.3
1559	YELLOW OXIDE	395.9	791.7
1550	RED OXIDE	417.9	835.8
1501	LANDAU BLACK	425.1	850.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

2720	BITTERSWEET	Ford Motor	E
1552	FAST RED	197.8	395.6
1551	FAST YELLOW	353.6	707.2
1554	TINTING WHITE	405.9	811.9
1501	LANDAU BLACK	408.0	816.1

2727	MED VANILLA	Ford Motor	L
1559	YELLOW OXIDE	244.3	488.7
1554	TINTING WHITE	372.8	745.6
1550	RED OXIDE	406.1	812.3
1501	LANDAU BLACK	420.1	840.2

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 30

		PINTS    QUARTS				PINTS    QUARTS		
		GRAMS				GRAMS		
<b>2728</b>	<b>MED FAWN</b>	<b>Ford Motor</b>		<b>U</b>	<b>3001</b>	<b>DK ROYAL BLUE</b>	<b>General Motors</b>	<b>22</b>
1559	YELLOW OXIDE	202.9	405.8		1501	LANDAU BLACK	149.7	299.4
1554	TINTING WHITE	319.6	639.2		1554	TINTING WHITE	289.6	579.1
1550	RED OXIDE	389.8	779.6		1552	FAST RED	358.4	716.9
1501	LANDAU BLACK	419.2	838.5		1553	FAST BLUE	414.9	829.7
<b>2729</b>	<b>OPAL</b>	<b>Ford Motor</b>		<b>W</b>	<b>3002</b>	<b>MED GRAY FERN</b>	<b>General Motors</b>	<b>42</b>
1554	TINTING WHITE	399.3	798.6		1554	TINTING WHITE	216.4	432.8
1559	YELLOW OXIDE	429.3	858.6		1501	LANDAU BLACK	353.0	706.0
1501	LANDAU BLACK	432.6	865.3		1551	FAST YELLOW	418.6	837.1
1550	RED OXIDE	435.2	870.4		1552	FAST RED	420.9	841.9
<b>2730</b>	<b>LT BLUE MET</b>	<b>Ford Motor</b>		<b>B</b>	<b>3003</b>	<b>DK GRAY FERN</b>	<b>General Motors</b>	
1508	SILVER	308.8	617.7		1501	LANDAU BLACK	206.9	413.8
1553	FAST BLUE	364.8	729.6		1554	TINTING WHITE	304.6	609.1
1501	LANDAU BLACK	387.0	774.1		1551	FAST YELLOW	398.5	797.1
1554	TINTING WHITE	401.7	803.3		1550	RED OXIDE	412.3	824.6
1552	FAST RED	408.7	817.4					
<b>2731</b>	<b>DK BROWN MET</b>	<b>Ford Motor</b>		<b>F</b>	<b>3004</b>	<b>MED BEECH</b>	<b>General Motors</b>	<b>58</b>
1552	FAST RED	246.5	493.1		1559	YELLOW OXIDE	278.6	557.3
1551	FAST YELLOW	323.1	646.2		1550	RED OXIDE	358.6	717.3
1501	LANDAU BLACK	389.8	779.6		1554	TINTING WHITE	409.8	819.7
1508	SILVER	404.3	808.6		1501	LANDAU BLACK	416.1	832.2
<b>2732</b>	<b>MED DK MULBERR</b>	<b>Ford Motor</b>		<b>F</b>	<b>3005</b>	<b>DK BEECH</b>	<b>General Motors</b>	<b>58</b>
1552	FAST RED	313.8	627.6		1559	YELLOW OXIDE	239.3	478.6
1551	FAST YELLOW	360.2	720.5		1550	RED OXIDE	354.0	707.9
1501	LANDAU BLACK	386.2	772.4		1501	LANDAU BLACK	391.2	782.4
1508	SILVER	404.2	808.5		1554	TINTING WHITE	414.0	828.0
<b>2733</b>	<b>FRENCH VANILLA</b>	<b>Ford Motor</b>		<b>L</b>	<b>3006</b>	<b>LT SAND GRAY</b>	<b>General Motors</b>	<b>60</b>
1554	TINTING WHITE	392.1	784.1		1554	TINTING WHITE	342.5	685.0
1559	YELLOW OXIDE	431.9	863.7		1559	YELLOW OXIDE	401.7	803.3
1550	RED OXIDE	433.9	867.7		1550	RED OXIDE	417.6	835.2
1501	LANDAU BLACK	434.8	869.6		1501	LANDAU BLACK	431.9	863.7
<b>3000</b>	<b>DK CHARCOAL</b>	<b>General Motors</b>		<b>17</b>	<b>3007</b>	<b>MED SAND GRAY</b>	<b>General Motors</b>	<b>60</b>
1501	LANDAU BLACK	168.6	337.3		1554	TINTING WHITE	217.6	435.3
1559	YELLOW OXIDE	304.2	608.4		1501	LANDAU BLACK	300.0	600.0
1550	RED OXIDE	360.8	721.6		1552	FAST RED	365.4	730.7
1554	TINTING WHITE	412.9	825.7		1551	FAST YELLOW	411.4	822.7

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 31

		GRAMS	
		PINTS	QUARTS
<b>3008</b>	<b>DK BRIAR BROWN</b>	<b>General Motors</b>	
		<b>67</b>	
1550	RED OXIDE	160.8	321.7
1501	LANDAU BLACK	287.3	574.6
1559	YELLOW OXIDE	394.8	789.6
1554	TINTING WHITE	412.0	824.0

		GRAMS	
		PINTS	QUARTS
<b>3015</b>	<b>FLAX</b>	<b>General Motors</b>	
		<b>50T</b>	
1554	TINTING WHITE	420.7	841.3
1551	FAST YELLOW	434.6	869.3
1550	RED OXIDE	435.5	871.0
1501	LANDAU BLACK	436.1	872.3

<b>3009</b>	<b>DK MAPLE</b>	<b>General Motors</b>	
		<b>77</b>	
1552	FAST RED	337.9	675.8
1551	FAST YELLOW	382.5	764.9
1501	LANDAU BLACK	394.4	788.9
1554	TINTING WHITE	404.7	809.4

<b>3016</b>	<b>LT SAND GRAY</b>	<b>General Motors</b>	
		<b>60T</b>	
1554	TINTING WHITE	343.5	687.0
1559	YELLOW OXIDE	402.4	804.8
1550	RED OXIDE	418.3	836.6
1501	LANDAU BLACK	432.0	863.9

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>3010</b>	<b>SILVER SAND MET</b>	<b>General Motors</b>	
		<b>15T</b>	
1508	SILVER	297.4	594.9
1501	LANDAU BLACK	374.9	749.7
1552	FAST RED	396.7	793.4
1551	FAST YELLOW	407.6	815.3

<b>3017</b>	<b>LT BRIAR BROWN</b>	<b>General Motors</b>	
		<b>62T</b>	
1508	SILVER	286.0	572.1
1552	FAST RED	349.5	699.0
1501	LANDAU BLACK	388.7	777.5
1551	FAST YELLOW	407.4	814.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3011</b>	<b>LT ROYAL BLUE M</b>	<b>General Motors</b>	
		<b>22T</b>	
1508	SILVER	270.1	540.2
1552	FAST RED	344.5	688.9
1553	FAST BLUE	407.0	814.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3018</b>	<b>DK ROYAL BLUE M</b>	<b>General Motors</b>	
		<b>90T</b>	
1553	FAST BLUE	243.0	486.0
1556	FAST GREEN	342.2	684.4
1501	LANDAU BLACK	394.7	789.5
1508	SILVER	403.3	806.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3012</b>	<b>MED DK RYL BLUE</b>	<b>General Motors</b>	
		<b>27T</b>	
1552	FAST RED	140.2	280.4
1553	FAST BLUE	279.6	559.2
1508	SILVER	362.7	725.4
1501	LANDAU BLACK	388.4	776.7
1551	FAST YELLOW	404.5	809.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3019</b>	<b>LT FLAX MET</b>	<b>General Motors</b>	
		<b>91T</b>	
1508	SILVER	226.5	453.0
1551	FAST YELLOW	320.1	640.1
1552	FAST RED	399.4	798.8
1556	FAST GREEN	406.7	813.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3013</b>	<b>LT GRAY FERN ME</b>	<b>General Motors</b>	
		<b>42T</b>	
1508	SILVER	347.7	695.4
1501	LANDAU BLACK	381.5	763.0
1551	FAST YELLOW	397.5	795.0
1553	FAST BLUE	408.1	816.2

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>3021</b>	<b>DK BEECH MET</b>	<b>General Motors</b>	
		<b>94T</b>	
1552	FAST RED	173.9	347.7
1551	FAST YELLOW	318.9	637.8
1508	SILVER	391.6	783.2
1501	LANDAU BLACK	404.9	809.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3014</b>	<b>DK GRAY FERN ME</b>	<b>General Motors</b>	
		<b>48T</b>	
1501	LANDAU BLACK	276.5	553.1
1508	SILVER	331.8	663.7
1551	FAST YELLOW	385.5	771.0
1556	FAST GREEN	405.5	810.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3022</b>	<b>SILVER</b>	<b>Chrysler Motors</b>	
		<b>A2</b>	
1508	SILVER	270.6	541.1
1554	TINTING WHITE	386.0	772.0
1552	FAST RED	401.8	803.5
1551	FAST YELLOW	409.8	819.7
1553	FAST BLUE	416.0	832.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 32

		PINTS    QUARTS	
		GRAMS	
<b>3023</b>	<b>MED BLUE</b>	<b>Chrysler Motors            B5</b>	
1554	TINTING WHITE	244.0	487.9
1553	FAST BLUE	320.2	640.3
1501	LANDAU BLACK	386.8	773.7
1552	FAST RED	422.6	845.1

		PINTS    QUARTS	
		GRAMS	
<b>3030</b>	<b>MIDNIGHT BLUE</b>	<b>Ford Motor                            B</b>	
1553	FAST BLUE	222.1	444.2
1501	LANDAU BLACK	366.4	732.8
1554	TINTING WHITE	406.6	813.2

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>3024</b>	<b>BEIGE</b>	<b>Chrysler Motors            L</b>	
1554	TINTING WHITE	264.7	529.3
1559	YELLOW OXIDE	391.3	782.6
1550	RED OXIDE	416.3	832.6
1501	LANDAU BLACK	427.6	855.2

<b>3031</b>	<b>MED RED</b>	<b>Ford Motor                            D</b>	
1552	FAST RED	309.9	619.8
1550	RED OXIDE	394.6	789.3
1554	TINTING WHITE	406.6	813.2
1501	LANDAU BLACK	407.1	814.2

<b>3025</b>	<b>DK SADDLE</b>	<b>Chrysler Motors            K9</b>	
1559	YELLOW OXIDE	249.5	498.9
1550	RED OXIDE	404.3	808.6
1501	LANDAU BLACK	413.3	826.7

<b>3032</b>	<b>DK RED</b>	<b>Ford Motor                            D</b>	
1552	FAST RED	365.0	730.0
1551	FAST YELLOW	389.9	779.8
1554	TINTING WHITE	398.7	797.4
1553	FAST BLUE	404.6	809.2

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>3026</b>	<b>DK BROWN</b>	<b>Chrysler Motors            T8</b>	
1559	YELLOW OXIDE	157.4	314.8
1501	LANDAU BLACK	301.9	603.8
1550	RED OXIDE	401.2	802.4
1554	TINTING WHITE	411.2	822.3

<b>3033</b>	<b>MULBERRY</b>	<b>Ford Motor                            F</b>	
1550	RED OXIDE	273.9	547.8
1501	LANDAU BLACK	379.5	759.1
1559	YELLOW OXIDE	399.3	798.6
1554	TINTING WHITE	412.5	825.0

<b>3027</b>	<b>BEIGE MET</b>	<b>Chrysler Motors            L4</b>	
1508	SILVER	210.2	420.5
1551	FAST YELLOW	288.0	576.1
1552	FAST RED	361.5	723.0
1554	TINTING WHITE	387.0	774.1
1501	LANDAU BLACK	408.6	817.2

<b>3034</b>	<b>TEAL</b>	<b>Ford Motor                            K</b>	
1553	FAST BLUE	272.5	544.9
1551	FAST YELLOW	344.9	689.9
1501	LANDAU BLACK	377.6	755.3
1554	TINTING WHITE	405.2	810.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3028</b>	<b>BEIGE</b>	<b>Chrysler Motors            L6</b>	
1554	TINTING WHITE	284.2	568.5
1559	YELLOW OXIDE	397.9	795.7
1550	RED OXIDE	419.7	839.4
1501	LANDAU BLACK	428.7	857.5

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>3035</b>	<b>LT FRENCH VANIL</b>	<b>Ford Motor                            L</b>	
1554	TINTING WHITE	343.0	686.1
1559	YELLOW OXIDE	424.2	848.4
1550	RED OXIDE	430.5	861.1
1501	LANDAU BLACK	432.2	864.3

<b>3029</b>	<b>DK BROWN</b>	<b>Chrysler Motors            T8</b>	
1559	YELLOW OXIDE	157.4	314.8
1501	LANDAU BLACK	301.9	603.8
1550	RED OXIDE	401.2	802.4
1554	TINTING WHITE	411.2	822.3

<b>3036</b>	<b>MED FRENCH VANI</b>	<b>Ford Motor                            L</b>	
1554	TINTING WHITE	217.6	435.3
1559	YELLOW OXIDE	395.9	791.7
1550	RED OXIDE	417.9	835.8
1501	LANDAU BLACK	425.1	850.3



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 33

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

3037	DK FRENCH VANIL	Ford Motor	L
1559	YELLOW OXIDE	241.3	482.6
1554	TINTING WHITE	371.6	743.3
1550	RED OXIDE	405.5	810.9
1501	LANDAU BLACK	420.2	840.4

3044	FRENCH VANILLA	Ford Motor	L
1508	SILVER	207.2	414.4
1551	FAST YELLOW	304.9	609.7
1552	FAST RED	397.4	794.8
1501	LANDAU BLACK	406.5	813.0

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

3038	CHARCOAL	Ford Motor	P
1501	LANDAU BLACK	170.1	340.1
1554	TINTING WHITE	297.4	594.7
1551	FAST YELLOW	356.5	713.1
1552	FAST RED	414.1	828.2

3045	SILVER MET	Ford Motor	P
1508	SILVER	337.1	674.1
1554	TINTING WHITE	390.5	780.9
1501	LANDAU BLACK	412.1	824.2

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

3039	CADET BLUE	Ford Motor	S
1554	TINTING WHITE	233.4	466.8
1550	RED OXIDE	347.5	695.0
1553	FAST BLUE	401.8	803.5
1559	YELLOW OXIDE	424.9	849.9

3046	PASTEL CADET BL	Ford Motor	S
1508	SILVER	321.5	643.0
1553	FAST BLUE	367.8	735.7
1552	FAST RED	402.6	805.2
1501	LANDAU BLACK	407.6	815.1

3040	DESERT TAN	Ford Motor	U
1559	YELLOW OXIDE	210.0	420.1
1554	TINTING WHITE	352.7	705.5
1550	RED OXIDE	407.8	815.7
1501	LANDAU BLACK	420.9	841.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

3047	MED WALNUT MET	Ford Motor	Z
1552	FAST RED	202.4	404.9
1501	LANDAU BLACK	293.6	587.3
1551	FAST YELLOW	373.1	746.1
1508	SILVER	404.6	809.2

3041	WALNUT	Ford Motor	Z
1559	YELLOW OXIDE	169.0	338.0
1550	RED OXIDE	309.6	619.2
1501	LANDAU BLACK	397.4	794.8
1554	TINTING WHITE	412.7	825.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

3048	SILVER MET	Ford Motor	P
1508	SILVER	381.0	762.1
1501	LANDAU BLACK	402.9	805.8
1553	FAST BLUE	408.5	817.0

3042	DK HARBOR BLUE	Ford Motor	B
1553	FAST BLUE	288.9	577.8
1554	TINTING WHITE	339.2	678.3
1501	LANDAU BLACK	382.2	764.4
1551	FAST YELLOW	406.7	813.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

3049	DK CHARCOAL	General Motors	18DN
1501	LANDAU BLACK	253.6	507.1
1559	YELLOW OXIDE	349.7	699.4
1554	TINTING WHITE	400.0	800.1
1550	RED OXIDE	410.9	821.8

3043	DK TEAL MET	Ford Motor	K
1553	FAST BLUE	289.8	579.5
1551	FAST YELLOW	355.7	711.4
1508	SILVER	394.7	789.5
1501	LANDAU BLACK	403.3	806.6

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

3050	MED DK CHARCOA	General Motors	18CN
1501	LANDAU BLACK	192.8	385.5
1554	TINTING WHITE	310.5	620.9
1559	YELLOW OXIDE	415.9	831.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 34

		PINTS	QUARTS
		GRAMS	
<b>3051</b>	<b>MED DK ALMOND</b>	<b>General Motors</b>	<b>61CN</b>
1559	YELLOW OXIDE	224.1	448.2
1302	LOW LUSTER CLEAR	306.2	612.4
1550	RED OXIDE	370.8	741.6
1501	LANDAU BLACK	405.1	810.2
1554	TINTING WHITE	410.5	821.0

		PINTS	QUARTS
		GRAMS	
<b>3058</b>	<b>DK BRIAR BROWN</b>	<b>General Motors</b>	<b>67T</b>
1552	FAST RED	205.0	410.0
1501	LANDAU BLACK	297.5	595.1
1551	FAST YELLOW	351.8	703.6
1508	SILVER	404.8	809.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3052</b>	<b>DK ALMOND</b>	<b>General Motors</b>	<b>61DN</b>
1559	YELLOW OXIDE	212.6	425.2
1550	RED OXIDE	293.6	587.3
1501	LANDAU BLACK	365.1	730.2
1302	LOW LUSTER CLEAR	410.6	821.2

<b>3059</b>	<b>DK AUTUMN MAPL</b>	<b>General Motors</b>	<b>78T</b>
1552	FAST RED	342.3	684.6
1501	LANDAU BLACK	371.1	742.1
1551	FAST YELLOW	388.8	777.7
1508	SILVER	404.2	808.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3053</b>	<b>VERY DK CARMINE</b>	<b>General Motors</b>	<b>74DN</b>
1552	FAST RED	326.9	653.8
1551	FAST YELLOW	361.3	722.6
1554	TINTING WHITE	387.8	775.6
1501	LANDAU BLACK	406.0	812.1

<b>3060</b>	<b>MED BRIAR BROW</b>	<b>General Motors</b>	<b>92T</b>
1508	SILVER	166.7	333.5
1552	FAST RED	293.7	587.5
1501	LANDAU BLACK	373.3	746.5
1551	FAST YELLOW	406.2	812.4

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>3054</b>	<b>DK BRONZE MET</b>	<b>General Motors</b>	<b>76DN</b>
1552	FAST RED	299.1	598.1
1551	FAST YELLOW	359.3	718.6
1501	LANDAU BLACK	385.6	771.2
1508	SILVER	404.2	808.5

<b>3061</b>	<b>DK CADET BLUE M</b>	<b>Ford Motor</b>	<b>S</b>
1553	FAST BLUE	149.9	299.8
1552	FAST RED	278.8	557.7
1501	LANDAU BLACK	344.0	688.0
1508	SILVER	383.9	767.8
1554	TINTING WHITE	405.7	811.3

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3055</b>	<b>RED</b>	<b>Chrysler Motors</b>	<b>M5</b>
1552	FAST RED	393.6	787.2
1553	FAST BLUE	399.0	798.0
1554	TINTING WHITE	404.4	808.8

<b>3062</b>	<b>MIDNT CADET BLU</b>	<b>Ford Motor</b>	<b>S</b>
1553	FAST BLUE	210.8	421.6
1552	FAST RED	301.0	601.9
1501	LANDAU BLACK	383.2	766.5
1508	SILVER	403.6	807.1

<b>3056</b>	<b>SILVER</b>	<b>Chrysler Motors</b>	<b>A4</b>
1508	SILVER	202.2	404.3
1554	TINTING WHITE	387.4	774.8
1501	LANDAU BLACK	408.1	816.2
1551	FAST YELLOW	420.7	841.3

<b>3063</b>	<b>OYSTER WHITE</b>	<b>General Motors</b>	<b>12AN</b>
1554	TINTING WHITE	419.6	839.2
1551	FAST YELLOW	426.6	853.1
1501	LANDAU BLACK	432.3	864.7
1552	FAST RED	436.0	871.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>3057</b>	<b>MED TAN</b>	<b>Chrysler Motors</b>	<b>T6</b>
1559	YELLOW OXIDE	269.7	539.4
1554	TINTING WHITE	347.7	695.4
1550	RED OXIDE	396.7	793.4
1501	LANDAU BLACK	417.1	834.3

<b>3064</b>	<b>LT SLATE GRAY</b>	<b>General Motors</b>	<b>13AN</b>
1554	TINTING WHITE	362.6	725.2
1559	YELLOW OXIDE	396.2	792.5
1501	LANDAU BLACK	423.0	846.1
1550	RED OXIDE	432.7	865.5

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 35

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	MED DK SLATE GR	General Motors	13CN
1554	TINTING WHITE	251.8	503.5
1501	LANDAU BLACK	349.1	698.3
1559	YELLOW OXIDE	407.4	814.7
1550	RED OXIDE	425.2	850.4

	DK JADESTONE	General Motors	47DN
1501	LANDAU BLACK	194.5	388.9
1553	FAST BLUE	292.5	585.0
1551	FAST YELLOW	351.3	702.6
1554	TINTING WHITE	408.5	817.0

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	DK GRAY	General Motors	15DN
1501	LANDAU BLACK	285.2	570.4
1554	TINTING WHITE	397.7	795.3
1551	FAST YELLOW	413.4	826.9

	MED ALMOND	General Motors	61BN
1554	TINTING WHITE	236.4	472.7
1552	FAST RED	323.2	646.4
1551	FAST YELLOW	403.5	806.9
1556	FAST GREEN	422.0	844.0

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	MED LT BLUE	General Motors	23BN
1554	TINTING WHITE	157.0	314.1
1553	FAST BLUE	297.4	594.9
1501	LANDAU BLACK	374.2	748.4
1550	RED OXIDE	416.7	833.3

	DK CARMINE	General Motors	74CN
1552	FAST RED	329.0	658.0
1551	FAST YELLOW	385.3	770.6
1554	TINTING WHITE	401.1	802.2
1553	FAST BLUE	405.2	810.4

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	MED BLUE	General Motors	23CN
1553	FAST BLUE	200.6	401.3
1501	LANDAU BLACK	327.0	654.0
1554	TINTING WHITE	395.1	790.2
1556	FAST GREEN	408.7	817.4

	DK GRAY	General Motors	13DN
1501	LANDAU BLACK	171.9	343.7
1554	TINTING WHITE	343.2	686.5
1559	YELLOW OXIDE	406.7	813.4
1550	RED OXIDE	419.2	838.5

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	DK BLUE	General Motors	23DN
1553	FAST BLUE	161.4	322.8
1501	LANDAU BLACK	312.6	625.3
1554	TINTING WHITE	385.9	771.8
1550	RED OXIDE	409.9	819.9

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	WALNUT	Ford Motor	N
1559	YELLOW OXIDE	259.6	519.3
1302	LOW LUSTER CLEAR	341.9	683.8
1550	RED OXIDE	390.3	780.5
1554	TINTING WHITE	405.0	810.0
1501	LANDAU BLACK	411.4	822.9

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	MED JADESTONE	General Motors	47DN
1554	TINTING WHITE	245.8	491.5
1501	LANDAU BLACK	349.1	698.3
1551	FAST YELLOW	393.0	786.0
1553	FAST BLUE	422.9	845.9

	GRAY	American Motor	83P18
1554	TINTING WHITE	330.0	660.1
1501	LANDAU BLACK	385.0	770.1
1551	FAST YELLOW	407.4	814.7
1552	FAST RED	429.3	858.6

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	MED DK JADESTON	General Motors	47CN
1302	LOW LUSTER CLEAR	136.6	273.2
1501	LANDAU BLACK	242.1	484.1
1554	TINTING WHITE	315.6	631.2
1559	YELLOW OXIDE	385.0	770.1
1553	FAST BLUE	410.4	820.8

	GARNET	American Motor	83P19
1552	FAST RED	164.9	329.8
1550	RED OXIDE	309.2	618.5
1302	LOW LUSTER CLEAR	390.6	781.3
1501	LANDAU BLACK	401.8	803.5
1554	TINTING WHITE	407.5	814.9

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 36**

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	ALMOND	American Motor	83P20
1554	TINTING WHITE	239.9	479.8
1559	YELLOW OXIDE	389.0	778.1
1550	RED OXIDE	414.4	828.8
1501	LANDAU BLACK	426.4	852.7

	WEDGEWOOD BLU	Ford Motor	B
1554	TINTING WHITE	196.4	392.7
1501	LANDAU BLACK	310.1	620.2
1553	FAST BLUE	409.0	818.0
1556	FAST GREEN	418.9	837.7

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	DK ALMOND	American Motor	83P21
1302	LOW LUSTER CLEAR	139.9	279.9
1559	YELLOW OXIDE	272.4	544.7
1554	TINTING WHITE	365.8	731.7
1550	RED OXIDE	400.8	801.6
1501	LANDAU BLACK	413.9	827.8

	LT GRAY	General Motors	16AN
1554	TINTING WHITE	362.6	725.2
1501	LANDAU BLACK	395.6	791.2
1559	YELLOW OXIDE	428.2	856.3
1550	RED OXIDE	432.6	865.3

	DEEP DK ALMOND	American Motor	83P95
1559	YELLOW OXIDE	238.5	477.1
1550	RED OXIDE	321.7	643.3
1554	TINTING WHITE	390.5	781.1
1501	LANDAU BLACK	416.7	833.3

	MED GRAY	General Motors	16BN
1554	TINTING WHITE	254.0	508.1
1501	LANDAU BLACK	364.5	729.0
1551	FAST YELLOW	400.3	800.7
1552	FAST RED	423.7	847.4

	DK GARNET	American Motor	83P96
1552	FAST RED	196.4	392.7
1550	RED OXIDE	297.0	593.9
1302	LOW LUSTER CLEAR	378.1	756.2
1501	LANDAU BLACK	398.2	796.5
1554	TINTING WHITE	406.7	813.4

	DK GRAY	General Motors	16CN
1501	LANDAU BLACK	201.4	402.8
1554	TINTING WHITE	347.3	694.6
1551	FAST YELLOW	393.5	787.0
1552	FAST RED	415.6	831.3

	DK GRAY	American Motor	83P97
1554	TINTING WHITE	254.6	509.2
1501	LANDAU BLACK	381.2	762.5
1551	FAST YELLOW	405.0	810.0
1552	FAST RED	423.7	847.4

	GRAPHITE	Corvette	12DN
1501	LANDAU BLACK	213.3	426.6
1554	TINTING WHITE	312.1	624.2
1552	FAST RED	365.4	730.7
1551	FAST YELLOW	412.0	824.0

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	DK NUTMEG	American Motor	83P98
1551	FAST YELLOW	166.2	332.3
1550	RED OXIDE	293.5	586.9
1302	LOW LUSTER CLEAR	375.2	750.3
1554	TINTING WHITE	399.7	799.3
1501	LANDAU BLACK	408.5	817.0

	MED GRAY MET	Corvette	15BM
1508	SILVER	332.6	665.2
1501	LANDAU BLACK	394.1	788.1
1553	FAST BLUE	402.4	804.8
1551	FAST YELLOW	408.0	816.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	DK SLATE BLUE	American Motor	83P120
1501	LANDAU BLACK	278.8	557.7
1554	TINTING WHITE	382.6	765.1
1553	FAST BLUE	409.9	819.9
1551	FAST YELLOW	412.5	825.0

	MED GRAY	Corvette	15BN
1554	TINTING WHITE	276.5	552.9
1501	LANDAU BLACK	365.5	730.9
1551	FAST YELLOW	404.5	809.0
1552	FAST RED	425.3	850.6

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 37

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>3093</b>	<b>MED BLUE MET</b>	<b>Corvette</b>	<b>28BM</b>	<b>4001</b>	<b>CHARCOAL</b>	<b>Ford Motor</b>	<b>P</b>
1553	FAST BLUE	132.0	263.9	1501	LANDAU BLACK	167.6	335.2
1508	SILVER	263.9	527.8	1554	TINTING WHITE	289.3	578.6
1552	FAST RED	379.1	758.3	1552	FAST RED	352.1	704.1
1501	LANDAU BLACK	397.8	795.5	1551	FAST YELLOW	408.3	816.6
1551	FAST YELLOW	405.2	810.4	1553	FAST BLUE	413.7	827.5
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>3094</b>	<b>MED BLUE</b>	<b>Corvette</b>	<b>28BN</b>	<b>4002</b>	<b>CANYON RED</b>	<b>Ford Motor</b>	<b>D</b>
1501	LANDAU BLACK	85.3	170.6	1552	FAST RED	305.3	610.7
1551	FAST YELLOW	96.9	193.8	1551	FAST YELLOW	384.8	769.7
1552	FAST RED	174.9	349.8	1554	TINTING WHITE	398.5	797.1
1553	FAST BLUE	256.5	513.0	1501	LANDAU BLACK	405.1	810.2
1554	TINTING WHITE	416.1	832.2			0.0	0.0
<b>3095</b>	<b>LT SADDLE</b>	<b>Corvette</b>	<b>62AN</b>	<b>4003</b>	<b>WHITE TEXTURE</b>	<b>American Motor</b>	<b>83J134</b>
1559	YELLOW OXIDE	229.1	458.3	1554	TINTING WHITE	423.6	847.2
1554	TINTING WHITE	373.2	746.3	1559	YELLOW OXIDE	432.3	864.7
1550	RED OXIDE	410.2	820.4	1550	RED OXIDE	434.8	869.6
1501	LANDAU BLACK	420.9	841.9	1556	FAST GREEN	436.5	873.1
						0.0	0.0
<b>3096</b>	<b>MED SADDLE</b>	<b>Corvette</b>	<b>62BN</b>	<b>4004</b>	<b>NUTMEG TEXTURE</b>	<b>American Motor</b>	<b>83J135</b>
1559	YELLOW OXIDE	167.8	335.5	1551	FAST YELLOW	159.4	318.8
1302	LOW LUSTER CLEAR	304.8	609.5	1552	FAST RED	317.1	634.2
1550	RED OXIDE	350.6	701.3	1554	TINTING WHITE	390.6	781.3
1554	TINTING WHITE	395.2	790.4	1501	LANDAU BLACK	409.5	819.1
1501	LANDAU BLACK	411.4	822.7			0.0	0.0
<b>3097</b>	<b>DK BRONZE MET</b>	<b>Corvette</b>	<b>64CM</b>	<b>4005</b>	<b>BLUE TEXTURE</b>	<b>American Motor</b>	<b>82J54</b>
1552	FAST RED	145.2	290.3	1554	TINTING WHITE	189.9	379.8
1501	LANDAU BLACK	267.0	533.9	1501	LANDAU BLACK	345.8	691.6
1551	FAST YELLOW	337.1	674.1	1553	FAST BLUE	408.6	817.2
1508	SILVER	400.9	801.8	1556	FAST GREEN	418.8	837.5
1554	TINTING WHITE	405.4	810.7			0.0	0.0
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>							
<b>3098</b>	<b>DK BRONZE</b>	<b>Corvette</b>	<b>64CN</b>	<b>4006</b>	<b>TOBACCO</b>	<b>Mercedes Benz</b>	<b>203</b>
1559	YELLOW OXIDE	182.7	365.4	1559	YELLOW OXIDE	160.6	321.3
1501	LANDAU BLACK	298.0	596.0	1302	LOW LUSTER CLEAR	297.3	594.5
1550	RED OXIDE	371.9	743.9	1550	RED OXIDE	372.1	744.2
1554	TINTING WHITE	413.3	826.7	1501	LANDAU BLACK	393.4	786.8
		0.0	0.0	1554	TINTING WHITE	409.8	819.7
<b>3099</b>	<b>DK CARMINE</b>	<b>Corvette</b>	<b>74CN</b>	<b>4007</b>	<b>BAMBOO</b>	<b>Mercedes Benz</b>	<b>204</b>
1552	FAST RED	310.0	620.0	1559	YELLOW OXIDE	215.4	430.7
1551	FAST YELLOW	393.6	787.2	1302	LOW LUSTER CLEAR	352.1	704.1
1554	TINTING WHITE	402.3	804.7	1550	RED OXIDE	386.9	773.9
1553	FAST BLUE	404.6	809.2	1554	TINTING WHITE	404.9	809.8
		0.0	0.0	1501	LANDAU BLACK	410.0	820.0

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 38

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4008</b>	<b>PARCHMENT</b>	<b>Mercedes Benz</b>		<b>205</b>	<b>4015</b>	<b>GREY</b>	
		<b>Mercedes Benz</b>				<b>Mercedes Benz</b>	
1554	TINTING WHITE	263.7	527.4	1554	TINTING WHITE	267.0	533.9
1559	YELLOW OXIDE	405.3	810.5	1552	FAST RED	326.4	652.8
1501	LANDAU BLACK	418.1	836.2	1501	LANDAU BLACK	370.3	740.6
1550	RED OXIDE	427.5	855.0	1551	FAST YELLOW	406.1	812.3
		0.0	0.0	1553	FAST BLUE	424.4	848.7
<b>4009</b>	<b>BLUE</b>	<b>Mercedes Benz</b>		<b>252</b>	<b>4016</b>	<b>MED BLUE</b>	
		<b>Mercedes Benz</b>				<b>Chrysler Motors</b>	
1302	LOW LUSTER CLEAR	132.1	264.1	1554	TINTING WHITE	165.9	331.7
1553	FAST BLUE	230.7	461.3	1550	RED OXIDE	289.8	579.7
1501	LANDAU BLACK	325.9	651.7	1553	FAST BLUE	378.4	756.8
1550	RED OXIDE	372.9	745.8	1559	YELLOW OXIDE	420.3	840.6
1554	TINTING WHITE	406.7	813.4				
<b>4010</b>	<b>DK BROWN</b>	<b>Mercedes Benz</b>		<b>253</b>	<b>4017</b>	<b>DK BLUE</b>	
		<b>Mercedes Benz</b>				<b>Chrysler Motors</b>	
1302	LOW LUSTER CLEAR	135.8	271.5	1501	LANDAU BLACK	180.7	361.4
1501	LANDAU BLACK	254.3	508.6	1553	FAST BLUE	337.5	675.1
1559	YELLOW OXIDE	331.2	662.3	1554	TINTING WHITE	382.8	765.5
1550	RED OXIDE	402.8	805.6	1550	RED OXIDE	407.8	815.7
1554	TINTING WHITE	407.3	814.5				
<b>4011</b>	<b>PALOMINO</b>	<b>Mercedes Benz</b>		<b>254</b>	<b>4018</b>	<b>SADDLE TAN</b>	
		<b>Mercedes Benz</b>				<b>Chrysler Motors</b>	
1559	YELLOW OXIDE	191.3	382.7	1551	FAST YELLOW	193.7	387.4
1302	LOW LUSTER CLEAR	328.6	657.2	1550	RED OXIDE	352.9	705.9
1554	TINTING WHITE	373.1	746.1	1554	TINTING WHITE	396.9	793.8
1550	RED OXIDE	404.9	809.8	1501	LANDAU BLACK	411.3	822.5
1501	LANDAU BLACK	411.4	822.9				
<b>4012</b>	<b>BEIGE</b>	<b>Mercedes Benz</b>		<b>255</b>	<b>4019</b>	<b>RED</b>	
		<b>Mercedes Benz</b>				<b>Chrysler Motors</b>	
1302	LOW LUSTER CLEAR	138.5	277.0	1552	FAST RED	361.8	723.5
1554	TINTING WHITE	271.2	542.5	1551	FAST YELLOW	391.9	783.8
1559	YELLOW OXIDE	399.3	798.6	1554	TINTING WHITE	400.5	801.0
1501	LANDAU BLACK	407.8	815.7	1553	FAST BLUE	404.6	809.2
1550	RED OXIDE	416.2	832.4				
<b>4013</b>	<b>DK GREEN</b>	<b>Mercedes Benz</b>		<b>256</b>	<b>4020</b>	<b>CHARCOAL</b>	
		<b>Mercedes Benz</b>				<b>Chrysler Motors</b>	
1551	FAST YELLOW	202.7	405.5	1501	LANDAU BLACK	204.7	409.5
1501	LANDAU BLACK	347.4	694.8	1554	TINTING WHITE	337.2	674.3
1554	TINTING WHITE	409.2	818.3	1551	FAST YELLOW	384.3	768.6
				1552	FAST RED	414.7	829.4
<b>4014</b>	<b>HENNA RED</b>	<b>Mercedes Benz</b>		<b>257</b>	<b>4021</b>	<b>CHARCOAL</b>	
		<b>Mercedes Benz</b>				<b>Chrysler Motors</b>	
1302	LOW LUSTER CLEAR	135.4	270.8	1508	SILVER	179.0	358.0
1559	YELLOW OXIDE	262.4	524.8	1501	LANDAU BLACK	337.6	675.3
1552	FAST RED	389.1	778.2	1553	FAST BLUE	376.2	752.4
1501	LANDAU BLACK	404.0	808.1	1552	FAST RED	406.4	812.8
1554	TINTING WHITE	406.2	812.4				

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 39

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4022	SLATE BLUE MET	Chrysler Motors	C6
1553	FAST BLUE	145.3	290.5
1501	LANDAU BLACK	275.1	550.2
1508	SILVER	374.0	748.0
1552	FAST RED	404.9	809.8

4029	LT SLATE GRAY	General Motors	13
1554	TINTING WHITE	238.3	476.5
1302	LOW LUSTER CLEAR	378.8	757.5
1501	LANDAU BLACK	399.0	798.0
1559	YELLOW OXIDE	418.4	836.8
1550	RED OXIDE	421.7	843.4

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4023	SABLE MET	Chrysler Motors	T6
1552	FAST RED	171.4	342.8
1501	LANDAU BLACK	276.5	552.9
1551	FAST YELLOW	365.2	730.4
1508	SILVER	404.8	809.6

4030	VERY DK ROYAL B	General Motors	22
1553	FAST BLUE	244.6	489.3
1501	LANDAU BLACK	393.2	786.4
1554	TINTING WHITE	404.2	808.5

### MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4024	DK BLUE MET	Ford Motor	B
1553	FAST BLUE	227.1	454.3
1552	FAST RED	313.3	626.6
1501	LANDAU BLACK	375.0	749.9
1508	SILVER	395.9	791.7
1551	FAST YELLOW	403.6	807.1

4031	MED WAXBERRY	General Motors	45
1554	TINTING WHITE	228.1	456.2
1552	FAST RED	313.7	627.4
1551	FAST YELLOW	394.7	789.5
1556	FAST GREEN	421.4	842.8

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4025	MIDNITE CANYON	Ford Motor	D
1552	FAST RED	393.1	786.2
1553	FAST BLUE	399.7	799.3
1554	TINTING WHITE	404.4	808.8

4032	MED DK DOESKIN	General Motors	64
1551	FAST YELLOW	189.1	378.1
1552	FAST RED	340.7	681.3
1501	LANDAU BLACK	378.6	757.2
1554	TINTING WHITE	406.2	812.4

### MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4026	MED SAGE MET	Ford Motor	G
1501	LANDAU BLACK	235.0	470.1
1508	SILVER	329.1	658.2
1551	FAST YELLOW	397.8	795.5
1556	FAST GREEN	405.7	811.5

4033	MED BEIGE	General Motors	69
1554	TINTING WHITE	185.0	369.9
1559	YELLOW OXIDE	355.5	711.0
1550	RED OXIDE	395.8	791.5
1501	LANDAU BLACK	422.9	845.9

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4027	LT WHEAT	Ford Motor	Y
1554	TINTING WHITE	337.2	674.3
1559	YELLOW OXIDE	428.4	856.7
1550	RED OXIDE	430.5	861.1
1501	LANDAU BLACK	431.9	863.7

4034	DK BEIGE	General Motors	69
1559	YELLOW OXIDE	195.4	390.8
1501	LANDAU BLACK	327.5	654.9
1550	RED OXIDE	400.2	800.5
1554	TINTING WHITE	411.4	822.7

4028	DK WALNUT MET	Ford Motor	Z
1552	FAST RED	242.0	483.9
1551	FAST YELLOW	325.3	650.6
1501	LANDAU BLACK	391.9	783.8
1508	SILVER	404.3	808.6

4035	MED DK GRAY	General Motors	82
1554	TINTING WHITE	212.9	425.8
1501	LANDAU BLACK	337.4	674.9
1559	YELLOW OXIDE	421.1	842.3
1553	FAST BLUE	422.4	844.7

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 40

		PINTS	QUARTS
		GRAMS	
<b>4036</b>	<b>BLACK CHERRY</b>	<b>General Motors</b>	
		<b>99</b>	
1552	FAST RED	310.4	620.7
1553	FAST BLUE	375.0	749.9
1551	FAST YELLOW	400.6	801.2
1554	TINTING WHITE	403.9	807.9

		PINTS	QUARTS
		GRAMS	
<b>4043</b>	<b>BLACK CHERRY M</b>	<b>General Motors</b>	
		<b>99T</b>	
1552	FAST RED	305.6	611.2
1553	FAST BLUE	369.6	739.3
1551	FAST YELLOW	395.3	790.6
1508	SILVER	403.8	807.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4037</b>	<b>SILVER MET</b>	<b>General Motors</b>	
		<b>13T</b>	
1508	SILVER	408.9	817.8

<b>4044</b>	<b>LT SANDSTONE ME</b>	<b>General Motors</b>	
		<b>96T</b>	
1508	SILVER	213.8	427.5
1552	FAST RED	299.5	599.1
1551	FAST YELLOW	362.6	725.2
1501	LANDAU BLACK	406.8	813.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4038</b>	<b>PASTEL SANDSTON</b>	<b>General Motors</b>	
		<b>63T</b>	
1554	TINTING WHITE	278.4	556.9
1559	YELLOW OXIDE	392.8	785.7
1550	RED OXIDE	416.0	832.0
1501	LANDAU BLACK	428.5	856.9

<b>4045</b>	<b>DK CRIMSON MAPL</b>	<b>General Motors</b>	
		<b>98T</b>	
1552	FAST RED	305.8	611.6
1551	FAST YELLOW	342.4	684.8
1508	SILVER	373.6	747.3
1501	LANDAU BLACK	404.4	808.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4039</b>	<b>DK SANDSTONE ME</b>	<b>General Motors</b>	
		<b>68T</b>	
1552	FAST RED	153.0	306.1
1551	FAST YELLOW	274.5	548.9
1508	SILVER	346.8	693.7
1501	LANDAU BLACK	405.0	810.0

<b>4046</b>	<b>LT SADDLE</b>	<b>General Motors</b>	
		<b>62AN</b>	
1559	YELLOW OXIDE	195.2	390.5
1554	TINTING WHITE	346.9	693.9
1550	RED OXIDE	411.5	823.1
1556	FAST GREEN	421.4	842.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4047</b>	<b>MED SADDLE</b>	<b>General Motors</b>	
		<b>62BN</b>	
1559	YELLOW OXIDE	167.8	335.5
1302	LOW LUSTER CLEAR	304.8	609.5
1550	RED OXIDE	350.6	701.3
1554	TINTING WHITE	395.2	790.4
1501	LANDAU BLACK	411.4	822.7

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4041</b>	<b>VERY LT GRAYFER</b>	<b>General Motors</b>	
		<b>97T</b>	
1508	SILVER	380.4	760.8
1501	LANDAU BLACK	396.1	792.1
1551	FAST YELLOW	405.1	810.2
1556	FAST GREEN	408.6	817.2

<b>4048</b>	<b>DK SADDLE</b>	<b>General Motors</b>	
1551	FAST YELLOW	179.2	358.3
1552	FAST RED	343.8	687.6
1501	LANDAU BLACK	383.7	767.4
1554	TINTING WHITE	405.7	811.5

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4042</b>	<b>MED DK WAXBERR</b>	<b>General Motors</b>	
		<b>45</b>	
1559	YELLOW OXIDE	261.3	522.7
1501	LANDAU BLACK	328.1	656.3
1554	TINTING WHITE	387.9	775.8
1550	RED OXIDE	415.2	830.5

<b>4049</b>	<b>VERY DK SADDLE</b>	<b>General Motors</b>	
		<b>62EN</b>	
1501	LANDAU BLACK	144.2	288.4
1551	FAST YELLOW	282.4	564.9
1550	RED OXIDE	402.8	805.6
1554	TINTING WHITE	407.7	815.5



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 41

		PINTS    QUARTS	
		GRAMS	
<b>4050</b>	<b>VERY DK BRONZE</b>	<b>General Motors</b>	<b>76EN</b>
1501	LANDAU BLACK	249.6	499.1
1553	FAST BLUE	335.4	670.7
1550	RED OXIDE	405.5	810.9
1554	TINTING WHITE	406.1	812.3

		PINTS    QUARTS	
		GRAMS	
<b>4057</b>	<b>ALMOND</b>	<b>American Motor</b>	<b>84P68</b>
1554	TINTING WHITE	330.1	660.3
1559	YELLOW OXIDE	419.6	839.2
1550	RED OXIDE	426.4	852.7
1501	LANDAU BLACK	431.4	862.8

<b>4051</b>	<b>VERY DK MAPLE</b>	<b>General Motors</b>	<b>77EN</b>
1552	FAST RED	329.9	659.9
1553	FAST BLUE	377.8	755.6
1551	FAST YELLOW	401.0	802.0
1554	TINTING WHITE	404.0	808.1

<b>4058</b>	<b>SAGE GREEN</b>	<b>Ford Motor</b>	<b>G</b>
1554	TINTING WHITE	210.6	421.2
1559	YELLOW OXIDE	373.4	746.7
1501	LANDAU BLACK	417.4	834.9
1556	FAST GREEN	423.8	847.6

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>4052</b>	<b>MED DK GRAY</b>	<b>General Motors</b>	<b>82CN</b>
1554	TINTING WHITE	211.1	422.2
1501	LANDAU BLACK	335.8	671.7
1559	YELLOW OXIDE	418.1	836.2
1550	RED OXIDE	422.4	844.7

<b>4059</b>	<b>WHITE</b>	<b>Ford Motor</b>	<b>W</b>
1554	TINTING WHITE	432.3	864.5
1559	YELLOW OXIDE	434.9	869.8
1501	LANDAU BLACK	437.1	874.2

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4053</b>	<b>HONEY</b>	<b>General Motors</b>	<b>84P5</b>
1559	YELLOW OXIDE	285.9	571.7
1550	RED OXIDE	348.7	697.5
1554	TINTING WHITE	405.4	810.7
1501	LANDAU BLACK	416.2	832.4

<b>4060</b>	<b>OXFORD GRAY</b>	<b>Ford Motor</b>	<b>P</b>
1554	TINTING WHITE	334.5	669.0
1501	LANDAU BLACK	377.0	753.9
1559	YELLOW OXIDE	418.5	837.0
1550	RED OXIDE	430.9	861.8

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>4054</b>	<b>ALMOND</b>	<b>American Motor</b>	<b>83P24</b>
1554	TINTING WHITE	255.2	510.3
1559	YELLOW OXIDE	396.0	791.9
1550	RED OXIDE	416.9	833.7
1501	LANDAU BLACK	427.1	854.2

<b>4061</b>	<b>WHEAT</b>	<b>Ford Motor</b>	<b>Y</b>
1559	YELLOW OXIDE	148.9	297.7
1302	LOW LUSTER CLEAR	287.4	574.8
1554	TINTING WHITE	403.0	806.0
1550	RED OXIDE	411.1	822.1
1501	LANDAU BLACK	415.4	830.9

<b>4055</b>	<b>DK BLUE</b>	<b>American Motor</b>	<b>82P46</b>
1553	FAST BLUE	179.9	359.9
1501	LANDAU BLACK	326.7	653.4
1550	RED OXIDE	378.8	757.5
1554	TINTING WHITE	407.2	814.3

<b>4062</b>	<b>MED RED MET</b>	<b>Ford Motor</b>	<b>D</b>
1552	FAST RED	352.3	704.5
1508	SILVER	378.2	756.4
1551	FAST YELLOW	400.2	800.5
1501	LANDAU BLACK	404.3	808.6

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4056</b>	<b>GARNET MET</b>	<b>American Motor</b>	<b>84P60</b>
1552	FAST RED	348.2	696.4
1551	FAST YELLOW	375.3	750.5
1508	SILVER	397.6	795.2
1553	FAST BLUE	404.2	808.5

<b>4063</b>	<b>LT SAGE MET</b>	<b>Ford Motor</b>	<b>G</b>
1508	SILVER	302.7	605.3
1501	LANDAU BLACK	357.4	714.8
1551	FAST YELLOW	400.7	801.4
1556	FAST GREEN	407.8	815.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 42

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4064	DESERT TAN MET	Ford Motor	U
1552	FAST RED	165.3	330.6
1551	FAST YELLOW	313.1	626.2
1508	SILVER	376.1	752.2
1501	LANDAU BLACK	398.0	795.9
1554	TINTING WHITE	405.3	810.5

4071	CHARCOAL MDNIT	Ford Motor	B
1553	FAST BLUE	222.1	444.2
1501	LANDAU BLACK	366.4	732.8
1554	TINTING WHITE	406.6	813.2

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4065	GRAPHITE	General Motors	82DN
1501	LANDAU BLACK	226.7	453.3
1554	TINTING WHITE	296.6	593.2
1551	FAST YELLOW	353.4	706.8
1552	FAST RED	409.9	819.9

4072	NUTMEG	American Motor	81P24
1551	FAST YELLOW	219.4	438.7
1552	FAST RED	345.8	691.6
1554	TINTING WHITE	396.8	793.6
1501	LANDAU BLACK	407.9	815.9

### MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4066	HONEY	American Motor	84P69
1551	FAST YELLOW	197.4	394.8
1552	FAST RED	324.9	649.8
1508	SILVER	397.2	794.4
1501	LANDAU BLACK	405.0	810.0

4073	WHEAT MET	Ford Motor	Y
1508	SILVER	257.6	515.3
1551	FAST YELLOW	332.1	664.2
1552	FAST RED	402.7	805.4
1501	LANDAU BLACK	407.1	814.2

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4067	BLUE GREEN MET	American Motor	82P47
1553	FAST BLUE	170.1	340.3
1556	FAST GREEN	329.4	658.7
1501	LANDAU BLACK	370.6	741.2
1508	SILVER	403.8	807.7

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4074	MED DK ROYAL BL	General Motors	22
1554	TINTING WHITE	235.3	470.6
1501	LANDAU BLACK	312.9	625.9
1552	FAST RED	378.2	756.4
1553	FAST BLUE	419.7	839.4

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4068	LT DESERT TAN	Ford Motor	U
1554	TINTING WHITE	264.6	529.2
1559	YELLOW OXIDE	400.9	801.8
1550	RED OXIDE	423.5	847.0
1501	LANDAU BLACK	427.8	855.6

### MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4075	DK BLUE	General Motors	27CN
1501	LANDAU BLACK	212.2	424.5
1553	FAST BLUE	301.1	602.1
1554	TINTING WHITE	361.4	722.8
1556	FAST GREEN	408.9	817.8

4069	DK HONEY	American Motor	84P9
1559	YELLOW OXIDE	197.0	394.1
1302	LOW LUSTER CLEAR	333.5	666.9
1550	RED OXIDE	385.0	770.1
1554	TINTING WHITE	399.2	798.4
1501	LANDAU BLACK	409.8	819.7

4076	MED SAGE	General Motors	43BN
1554	TINTING WHITE	235.2	470.4
1501	LANDAU BLACK	349.8	699.6
1551	FAST YELLOW	422.3	844.6

4070	SADDLE	Ford Motor	Z
1302	LOW LUSTER CLEAR	199.1	398.2
1551	FAST YELLOW	303.4	606.9
1552	FAST RED	383.6	767.2
1554	TINTING WHITE	394.1	788.1
1501	LANDAU BLACK	403.5	806.9

4077	DK SAGE	General Motors	43CN
1554	TINTING WHITE	196.5	392.9
1501	LANDAU BLACK	333.7	667.5
1551	FAST YELLOW	419.3	838.7

### MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 43**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4078</b>	<b>MIDNIGHT SAGE</b>	<b>General Motors</b>	<b>49CN</b>	<b>4085</b>	<b>RUSSET</b>	<b>General Motors</b>	<b>68CN</b>
1501	LANDAU BLACK	206.6	413.3	1550	RED OXIDE	255.4	510.7
1551	FAST YELLOW	345.8	691.6	1551	FAST YELLOW	368.3	736.6
1554	TINTING WHITE	387.4	774.8	1554	TINTING WHITE	391.0	782.0
1556	FAST GREEN	407.6	815.3	1501	LANDAU BLACK	412.0	824.0
<b>4079</b>	<b>CHAMOIS</b>	<b>General Motors</b>	<b>52AM</b>	<b>4086</b>	<b>CARMINE</b>	<b>General Motors</b>	<b>72CN</b>
1554	TINTING WHITE	218.8	437.6	1552	FAST RED	347.5	695.0
1559	YELLOW OXIDE	405.1	810.2	1550	RED OXIDE	394.9	789.8
1550	RED OXIDE	419.3	838.7	1554	TINTING WHITE	404.0	808.1
1501	LANDAU BLACK	425.3	850.6	1501	LANDAU BLACK	405.8	811.7
<b>4080</b>	<b>LT CHAMOIS</b>	<b>General Motors</b>	<b>52BN</b>	<b>4087</b>	<b>DK CLARET</b>	<b>General Motors</b>	<b>79CN</b>
1559	YELLOW OXIDE	240.8	481.7	1552	FAST RED	274.6	549.3
1554	TINTING WHITE	384.6	769.1	1302	LOW LUSTER CLEAR	355.5	711.0
1550	RED OXIDE	411.9	823.8	1501	LANDAU BLACK	388.2	776.3
1501	LANDAU BLACK	421.0	842.1	1559	YELLOW OXIDE	397.8	795.5
				1554	TINTING WHITE	404.2	808.5
<b>4081</b>	<b>DK CHAMOIS</b>	<b>General Motors</b>	<b>52CN</b>	<b>4088</b>	<b>GRAY</b>	<b>General Motors</b>	<b>12T</b>
1559	YELLOW OXIDE	213.8	427.5	1554	TINTING WHITE	240.6	481.3
1550	RED OXIDE	299.9	599.8	1302	LOW LUSTER CLEAR	386.7	773.3
1554	TINTING WHITE	357.7	715.4	1501	LANDAU BLACK	411.2	822.3
1501	LANDAU BLACK	415.4	830.9	1551	FAST YELLOW	416.7	833.3
				1552	FAST RED	421.3	842.7
<b>4082</b>	<b>LT SADDLE</b>	<b>General Motors</b>	<b>62AN</b>	<b>4089</b>	<b>DK BLUE</b>	<b>General Motors</b>	<b>28T</b>
1559	YELLOW OXIDE	217.6	435.3	1501	LANDAU BLACK	150.5	301.0
1554	TINTING WHITE	374.4	748.8	1302	LOW LUSTER CLEAR	285.4	570.8
1550	RED OXIDE	410.9	821.8	1556	FAST GREEN	338.2	676.4
1501	LANDAU BLACK	421.7	843.4	1553	FAST BLUE	387.8	775.6
				1554	TINTING WHITE	404.5	809.0
<b>4083</b>	<b>DK BEIGE</b>	<b>General Motors</b>	<b>69CN</b>	<b>4090</b>	<b>DK GRAY</b>	<b>General Motors</b>	<b>82DN</b>
1559	YELLOW OXIDE	160.8	321.7	1554	TINTING WHITE	192.8	385.5
1302	LOW LUSTER CLEAR	243.6	487.2	1501	LANDAU BLACK	385.0	770.1
1554	TINTING WHITE	312.5	624.9	1551	FAST YELLOW	414.2	828.4
1550	RED OXIDE	366.0	732.1	1552	FAST RED	419.2	838.5
1501	LANDAU BLACK	413.7	827.5				
<b>4084</b>	<b>DK SADDLE</b>	<b>General Motors</b>	<b>62CN</b>	<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>			
1552	FAST RED	143.1	286.1	<b>4091</b>	<b>DK BLUE MET</b>	<b>General Motors</b>	<b>31T</b>
1551	FAST YELLOW	279.2	558.4	1553	FAST BLUE	242.9	485.8
1554	TINTING WHITE	369.6	739.3	1501	LANDAU BLACK	306.8	613.5
1501	LANDAU BLACK	411.0	821.9	1552	FAST RED	360.0	719.9
				1551	FAST YELLOW	388.1	776.2
				1508	SILVER	403.4	806.7
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>				<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 44

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	LT BLUE MET	General Motors	34T
1508	SILVER	264.3	528.6
1553	FAST BLUE	349.5	699.0
1552	FAST RED	386.9	773.9
1551	FAST YELLOW	397.3	794.6
1554	TINTING WHITE	407.6	815.3

	DK RED	General Motors	79T
1302	LOW LUSTER CLEAR	135.2	270.4
1552	FAST RED	259.2	518.3
1501	LANDAU BLACK	332.5	665.0
1550	RED OXIDE	396.7	793.4
1554	TINTING WHITE	405.6	811.1

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	LT SAGE GREEN M	General Motors	43T
1508	SILVER	315.0	630.0
1501	LANDAU BLACK	363.6	727.1
1551	FAST YELLOW	397.5	795.0
1556	FAST GREEN	407.9	815.9

	HEATHER MET	General Motors	91T
1508	SILVER	281.2	562.4
1552	FAST RED	354.0	707.9
1501	LANDAU BLACK	407.6	815.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	MED SAGE	General Motors	47T
1552	FAST RED	115.4	230.9
1553	FAST BLUE	215.7	431.3
1551	FAST YELLOW	306.8	613.5
1508	SILVER	372.1	744.2
1501	LANDAU BLACK	404.4	808.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	CANYON RED MET	General Motors	92T
1552	FAST RED	361.3	722.6
1553	FAST BLUE	381.5	763.0
1508	SILVER	401.8	803.5
1551	FAST YELLOW	404.2	808.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	YELLOW BEIGE	General Motors	54T
1554	TINTING WHITE	403.9	807.9
1551	FAST YELLOW	428.7	857.5
1552	FAST RED	434.0	867.9
1501	LANDAU BLACK	434.8	869.6

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	MED BLUE MET	General Motors	94T
1553	FAST BLUE	168.5	337.1
1552	FAST RED	325.9	651.9
1508	SILVER	375.0	749.9
1551	FAST YELLOW	403.9	807.9

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	VRY DK SANDSTON	General Motors	57T
1552	FAST RED	242.8	485.6
1501	LANDAU BLACK	324.4	648.9
1551	FAST YELLOW	384.8	769.7
1508	SILVER	404.4	808.8

	DK GRAY FIREMIST	General Motors	97T
1501	LANDAU BLACK	265.6	531.2
1556	FAST GREEN	332.9	665.8
1553	FAST BLUE	380.7	761.3
1508	SILVER	404.8	809.6

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	LT SADDLE	General Motors	58T
1554	TINTING WHITE	224.3	448.6
1552	FAST RED	314.8	629.7
1551	FAST YELLOW	400.7	801.4
1556	FAST GREEN	421.1	842.3

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	MED SLATE	General Motors	82BN
1554	TINTING WHITE	346.2	692.4
1501	LANDAU BLACK	405.1	810.2
1551	FAST YELLOW	418.1	836.2
1552	FAST RED	430.6	861.3

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	DK RED MET	General Motors	79T
1552	FAST RED	314.6	629.3
1553	FAST BLUE	371.1	742.1
1551	FAST YELLOW	395.0	790.0
1508	SILVER	403.8	807.7

	MED BLUE	General Motors	26AN
1501	LANDAU BLACK	136.6	273.2
1554	TINTING WHITE	264.6	529.2
1553	FAST BLUE	380.1	760.2
1556	FAST GREEN	413.7	827.5

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 45

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>4106</b>	<b>MULBERRY</b>	<b>Ford Motor</b>		<b>F</b>	<b>4115</b>	<b>DK HONEY TEXTUR</b>	<b>American Motor</b>	<b>85J6</b>
1550	RED OXIDE	273.9	547.8		1559	YELLOW OXIDE	301.9	603.8
1501	LANDAU BLACK	379.5	759.1		1550	RED OXIDE	380.4	760.8
1559	YELLOW OXIDE	399.3	798.6		1501	LANDAU BLACK	399.2	798.4
1554	TINTING WHITE	412.5	825.0		1554	TINTING WHITE	413.9	827.8
<b>4107</b>	<b>SABLE</b>	<b>Ford Motor</b>		<b>Z</b>	<b>4116</b>	<b>DK SILVER</b>	<b>Chrysler Motors</b>	<b>A7</b>
1559	YELLOW OXIDE	134.2	268.5		1554	TINTING WHITE	251.8	503.5
1501	LANDAU BLACK	242.0	483.9		1501	LANDAU BLACK	365.3	730.6
1302	LOW LUSTER CLEAR	323.5	647.0		1551	FAST YELLOW	398.0	795.9
1550	RED OXIDE	404.3	808.6		1552	FAST RED	423.5	847.0
1554	TINTING WHITE	409.1	818.1					
<b>4108</b>	<b>CANYON RED</b>	<b>Ford Motor</b>		<b>D</b>	<b>4117</b>	<b>RED</b>	<b>Chrysler Motors</b>	<b>M4</b>
1552	FAST RED	315.6	631.2		1552	FAST RED	362.5	725.0
1559	YELLOW OXIDE	389.4	778.8		1551	FAST YELLOW	391.4	782.8
1501	LANDAU BLACK	405.7	811.3		1554	TINTING WHITE	399.9	799.7
					1553	FAST BLUE	404.7	809.4
<b>4109</b>	<b>CHARCOAL</b>	<b>Ford Motor</b>		<b>P</b>	<b>4118</b>	<b>CRIMSON</b>	<b>Chrysler Motors</b>	<b>M6</b>
1501	LANDAU BLACK	245.8	491.5		1552	FAST RED	239.6	479.2
1554	TINTING WHITE	339.3	678.7		1302	LOW LUSTER CLEAR	378.1	756.2
1550	RED OXIDE	377.1	754.1		1551	FAST YELLOW	392.3	784.5
1559	YELLOW OXIDE	413.5	827.1		1554	TINTING WHITE	400.0	800.1
					1553	FAST BLUE	403.7	807.3
<b>4112</b>	<b>MED BLUE</b>	<b>American Motor</b>		<b>85P1</b>	<b>4119</b>	<b>TAN PRINT</b>	<b>Chrysler Motors</b>	<b>T3</b>
1554	TINTING WHITE	140.1	280.3		1559	YELLOW OXIDE	248.6	497.2
1553	FAST BLUE	244.9	489.8		1554	TINTING WHITE	391.2	782.4
1550	RED OXIDE	339.9	679.8		1550	RED OXIDE	419.0	837.9
1559	YELLOW OXIDE	418.3	836.6		1501	LANDAU BLACK	421.0	842.1
<b>4113</b>	<b>DK GRAY MET</b>	<b>American Motor</b>		<b>85P5</b>	<b>4120</b>	<b>LT PALOMINO</b>	<b>Chrysler Motors</b>	<b>DT3</b>
1501	LANDAU BLACK	232.8	465.7		1559	YELLOW OXIDE	239.0	478.0
1508	SILVER	404.4	808.8		1554	TINTING WHITE	389.5	779.0
1551	FAST YELLOW	406.6	813.2		1550	RED OXIDE	419.4	838.9
					1501	LANDAU BLACK	421.5	843.0
<b>4114</b>	<b>DK VALUE MED BL</b>	<b>American Motor</b>		<b>85P2</b>	<b>4121</b>	<b>DK TAN PRINT</b>	<b>Chrysler Motors</b>	<b>T5</b>
1554	TINTING WHITE	126.4	252.7		1559	YELLOW OXIDE	297.1	594.1
1553	FAST BLUE	245.4	490.8		1550	RED OXIDE	355.1	710.2
1552	FAST RED	357.6	715.2		1554	TINTING WHITE	407.3	814.5
1551	FAST YELLOW	398.7	797.4		1501	LANDAU BLACK	416.0	832.0
1501	LANDAU BLACK	413.3	826.5					

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 46

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
<b>4122</b>	<b>DK PALOMINO</b>	<b>Chrysler Motors</b>		<b>T5</b>	<b>4129</b>	<b>TAN</b>	<b>Chrysler Motors</b>		<b>T3</b>
1559	YELLOW OXIDE	297.8	595.7		1559	YELLOW OXIDE	239.0	478.0	
1554	TINTING WHITE	353.0	706.0		1554	TINTING WHITE	389.5	779.0	
1550	RED OXIDE	407.4	814.7		1550	RED OXIDE	419.4	838.9	
1501	LANDAU BLACK	416.3	832.6		1501	LANDAU BLACK	421.5	843.0	
<b>4123</b>	<b>LT BLUE MET</b>	<b>Chrysler Motors</b>		<b>B1</b>	<b>4130</b>	<b>REGATTA BLUE</b>	<b>Ford Motor</b>		<b>B</b>
1508	SILVER	364.6	729.2		1554	TINTING WHITE	139.5	278.9	
1553	FAST BLUE	394.4	788.9		1553	FAST BLUE	242.7	485.5	
1501	LANDAU BLACK	408.2	816.4		1501	LANDAU BLACK	335.8	671.7	
					1550	RED OXIDE	416.4	832.8	
<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>									
<b>4124</b>	<b>GUNMETAL MET</b>	<b>Chrysler Motors</b>		<b>C6</b>	<b>4131</b>	<b>DK BLUE</b>	<b>Ford Motor</b>		<b>B</b>
1501	LANDAU BLACK	138.5	277.0		1553	FAST BLUE	186.3	372.6	
1553	FAST BLUE	263.4	526.9		1501	LANDAU BLACK	338.3	676.6	
1508	SILVER	356.3	712.7		1550	RED OXIDE	377.5	755.1	
1552	FAST RED	404.9	809.8		1554	TINTING WHITE	407.0	814.0	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>4125</b>	<b>CRIMSON RED</b>	<b>Chrysler Motors</b>		<b>M6</b>	<b>4132</b>	<b>PASTEL REGATTA</b>	<b>Ford Motor</b>		<b>5</b>
1552	FAST RED	365.0	730.0		1554	TINTING WHITE	309.8	619.6	
1551	FAST YELLOW	389.9	779.8		1501	LANDAU BLACK	398.8	797.6	
1554	TINTING WHITE	398.7	797.4		1553	FAST BLUE	417.4	834.9	
1553	FAST BLUE	404.6	809.2		1550	RED OXIDE	428.1	856.1	
<b>4126</b>	<b>CREAM TAN</b>	<b>Chrysler Motors</b>		<b>T2</b>	<b>4133</b>	<b>SAND BEIGE</b>	<b>Ford Motor</b>		<b>T</b>
1554	TINTING WHITE	388.1	776.2		1554	TINTING WHITE	164.7	329.5	
1551	FAST YELLOW	421.8	843.6		1559	YELLOW OXIDE	299.7	599.5	
1552	FAST RED	432.3	864.5		1302	LOW LUSTER CLEAR	383.1	766.3	
1501	LANDAU BLACK	433.7	867.4		1550	RED OXIDE	405.0	810.0	
					1501	LANDAU BLACK	419.7	839.4	
<b>4127</b>	<b>TAN MET</b>	<b>Chrysler Motors</b>		<b>T4</b>	<b>4134</b>	<b>CARMEL</b>	<b>Ford Motor</b>		<b>T</b>
1508	SILVER	216.6	433.2		1551	FAST YELLOW	231.5	463.0	
1551	FAST YELLOW	309.1	618.3		1554	TINTING WHITE	318.7	637.5	
1552	FAST RED	392.4	784.9		1552	FAST RED	400.9	801.8	
1554	TINTING WHITE	402.1	804.3		1501	LANDAU BLACK	410.6	821.2	
1501	LANDAU BLACK	407.3	814.5						
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>4128</b>	<b>TAN</b>	<b>Chrysler Motors</b>		<b>T5</b>	<b>4135</b>	<b>MED SAGE</b>	<b>Ford Motor</b>		<b>G</b>
1559	YELLOW OXIDE	273.2	546.4		1559	YELLOW OXIDE	176.6	353.2	
1554	TINTING WHITE	350.3	700.5		1501	LANDAU BLACK	343.4	686.9	
1550	RED OXIDE	407.2	814.3		1302	LOW LUSTER CLEAR	380.5	761.0	
1501	LANDAU BLACK	417.4	834.9		1556	FAST GREEN	402.0	804.1	
					1554	TINTING WHITE	408.6	817.2	

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 47

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4136	DK SLATE PRINT	Ford Motor		K
1501	LANDAU BLACK	199.4	398.8	
1553	FAST BLUE	301.8	603.6	
1551	FAST YELLOW	370.3	740.6	
1554	TINTING WHITE	406.9	813.8	

4143	BLUE	Ford Motor		B
1302	LOW LUSTER CLEAR	135.0	270.0	
1501	LANDAU BLACK	243.0	486.0	
1553	FAST BLUE	348.6	697.1	
1552	FAST RED	377.8	755.6	
1554	TINTING WHITE	405.1	810.2	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

4137	LT CHARCOAL PRI	Ford Motor		P
1554	TINTING WHITE	363.2	726.4	
1501	LANDAU BLACK	403.6	807.1	
1552	FAST RED	419.7	839.4	
1551	FAST YELLOW	431.8	863.6	

4144	SAND BEIGE	Ford Motor		U
1302	LOW LUSTER CLEAR	138.0	276.1	
1559	YELLOW OXIDE	271.0	542.1	
1554	TINTING WHITE	366.4	732.8	
1550	RED OXIDE	400.6	801.2	
1501	LANDAU BLACK	414.1	828.2	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

4138	DK CHARCOAL	Ford Motor		P
1501	LANDAU BLACK	198.5	396.9	
1553	FAST BLUE	353.0	706.0	
1554	TINTING WHITE	385.6	771.2	
1552	FAST RED	406.4	812.8	

4145	MED TEAL BLUE	General Motors		26BN
1554	TINTING WHITE	156.0	312.0	
1501	LANDAU BLACK	299.1	598.1	
1553	FAST BLUE	397.7	795.3	
1551	FAST YELLOW	415.2	830.5	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

4139	SAND BEIGE PRINT	Ford Motor		T
1554	TINTING WHITE	322.7	645.4	
1559	YELLOW OXIDE	408.1	816.2	
1550	RED OXIDE	423.0	846.1	
1501	LANDAU BLACK	430.9	861.8	

4146	DK TEAL BLUE	General Motors		27CN
1302	LOW LUSTER CLEAR	152.9	305.7	
1553	FAST BLUE	259.0	517.9	
1501	LANDAU BLACK	349.1	698.3	
1554	TINTING WHITE	395.3	790.6	
1556	FAST GREEN	406.3	812.6	

4140	MED SAND BEIGE P	Ford Motor		T
1559	YELLOW OXIDE	246.2	492.5	
1550	RED OXIDE	321.6	643.2	
1554	TINTING WHITE	378.5	757.0	
1501	LANDAU BLACK	415.7	831.4	

4147	TAN	American Motor		86P1/86P4
1559	YELLOW OXIDE	211.4	422.8	
1554	TINTING WHITE	295.7	591.5	
1302	LOW LUSTER CLEAR	378.8	757.5	
1550	RED OXIDE	407.3	814.5	
1501	LANDAU BLACK	415.4	830.9	

4141	MED CANYON RED	Ford Motor		D
1552	FAST RED	357.3	714.6	
1508	SILVER	379.8	759.6	
1551	FAST YELLOW	401.9	803.7	
1553	FAST BLUE	404.2	808.5	

4148	PEWTER	American Motor		86P2/86P93
1501	LANDAU BLACK	178.3	356.6	
1554	TINTING WHITE	287.3	574.6	
1551	FAST YELLOW	368.7	737.4	
1552	FAST RED	412.7	825.4	

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4142	DK ROSEWOOD	Ford Motor		F
1550	RED OXIDE	204.6	409.3	
1501	LANDAU BLACK	371.8	743.7	
1553	FAST BLUE	391.6	783.2	
1554	TINTING WHITE	410.9	821.8	

4149	DEEP DK TAN	American Motor		86P5
1559	YELLOW OXIDE	262.7	525.4	
1554	TINTING WHITE	342.5	685.0	
1550	RED OXIDE	397.8	795.5	
1501	LANDAU BLACK	417.2	834.5	

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 48

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4150</b>	<b>DK TAN</b>	<b>American Motor</b>	<b>86P6</b>	<b>4157</b>	<b>Twilight Blue</b>	<b>Chrysler Motors</b>	<b>FC5</b>
1559	YELLOW OXIDE	185.8	371.6	1550	RED OXIDE	127.8	255.6
1302	LOW LUSTER CLEAR	322.9	645.8	1553	FAST BLUE	216.6	433.2
1554	TINTING WHITE	370.2	740.4	1554	TINTING WHITE	295.7	591.4
1550	RED OXIDE	402.5	805.0	1302	LOW LUSTER CLEAR	367.0	734.1
1501	LANDAU BLACK	411.5	823.1	1559	YELLOW OXIDE	423.4	846.8
					0		
<b>4151</b>	<b>DK TAN</b>	<b>American Motor</b>	<b>86P84</b>	<b>4158</b>	<b>DK BLUE</b>	<b>Chrysler Motors</b>	<b>C9</b>
1559	YELLOW OXIDE	257.5	515.1	1553	FAST BLUE	199.2	398.4
1554	TINTING WHITE	355.0	710.0	1501	LANDAU BLACK	325.9	651.7
1550	RED OXIDE	404.6	809.2	1552	FAST RED	369.7	739.5
1501	LANDAU BLACK	418.5	837.0	1554	TINTING WHITE	406.3	812.6
<b>4152</b>	<b>DK PEWTER</b>	<b>American Motor</b>	<b>86P147</b>	<b>4159</b>	<b>CORDOVAN</b>	<b>Chrysler Motors</b>	<b>E8</b>
1559	YELLOW OXIDE	175.6	351.1	1552	FAST RED	263.4	526.9
1501	LANDAU BLACK	344.9	689.7	1302	LOW LUSTER CLEAR	335.7	671.5
1554	TINTING WHITE	401.2	802.4	1550	RED OXIDE	382.6	765.1
1550	RED OXIDE	413.0	825.9	1501	LANDAU BLACK	404.6	809.2
<b>4153</b>	<b>BEIGE</b>	<b>American Motor</b>		<b>4160</b>	<b>ALMOND</b>	<b>Chrysler Motors</b>	<b>K1</b>
1554	TINTING WHITE	416.9	833.7	1559	YELLOW OXIDE	155.6	311.2
1551	FAST YELLOW	430.7	861.5	1302	LOW LUSTER CLEAR	293.6	587.3
1552	FAST RED	434.0	867.9	1554	TINTING WHITE	388.1	776.2
1501	LANDAU BLACK	435.8	871.5	1550	RED OXIDE	409.4	818.7
				1501	LANDAU BLACK	414.3	828.6
<b>4154</b>	<b>MED BLUE MET</b>	<b>American Motor</b>	<b>V519</b>	<b>4161</b>	<b>MED ALMOND</b>	<b>Chrysler Motors</b>	<b>K3</b>
1553	FAST BLUE	200.5	401.1	1559	YELLOW OXIDE	288.7	577.4
1508	SILVER	314.2	628.3	1554	TINTING WHITE	356.6	713.3
1552	FAST RED	386.1	772.2	1550	RED OXIDE	405.5	810.9
1551	FAST YELLOW	404.6	809.2	1501	LANDAU BLACK	416.9	833.7
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>							
<b>4155</b>	<b>DK BLUE MET</b>	<b>American Motor</b>	<b>V520</b>	<b>4162</b>	<b>RED</b>	<b>Chrysler Motors</b>	<b>M6</b>
1553	FAST BLUE	197.4	394.8	1552	FAST RED	367.7	735.5
1501	LANDAU BLACK	369.1	738.2	1551	FAST YELLOW	393.0	786.0
1508	SILVER	392.9	785.8	1554	TINTING WHITE	401.1	802.2
1551	FAST YELLOW	403.9	807.9	1553	FAST BLUE	404.5	809.0
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>							
<b>4156</b>	<b>DK SILVER</b>	<b>Chrysler Motors</b>	<b>A7</b>	<b>4163</b>	<b>CREAM</b>	<b>Chrysler Motors</b>	<b>Y1</b>
1554	TINTING WHITE	164.0	327.9	1554	TINTING WHITE	398.1	796.1
1302	LOW LUSTER CLEAR	303.3	606.7	1551	FAST YELLOW	420.6	841.1
1501	LANDAU BLACK	377.8	755.6	1552	FAST RED	432.3	864.5
1551	FAST YELLOW	397.1	794.2	1501	LANDAU BLACK	434.4	868.9
1552	FAST RED	415.8	831.6				



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 49

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>4164</b>	<b>IVORY CREAM</b>	<b>Chrysler Motors</b>		<b>T1</b>	<b>4171</b>	<b>SMOKE</b>	<b>Ford Motor</b>	<b>P</b>
1554	TINTING WHITE	422.6	845.1		1554	TINTING WHITE	244.4	488.9
1551	FAST YELLOW	432.6	865.3		1501	LANDAU BLACK	349.9	699.8
1552	FAST RED	436.2	872.5		1551	FAST YELLOW	388.6	777.1
					1552	FAST RED	423.0	846.1
<b>4165</b>	<b>ALMOND</b>	<b>Chrysler Motors</b>		<b>K1</b>	<b>4172</b>	<b>DK SABLE</b>	<b>Ford Motor</b>	<b>Z</b>
1559	YELLOW OXIDE	155.6	311.2		1559	YELLOW OXIDE	165.7	331.4
1302	LOW LUSTER CLEAR	293.6	587.3		1501	LANDAU BLACK	301.6	603.3
1554	TINTING WHITE	388.1	776.2		1550	RED OXIDE	395.7	791.4
1550	RED OXIDE	409.4	818.7		1554	TINTING WHITE	411.5	823.1
1501	LANDAU BLACK	414.3	828.6					
<b>4166</b>	<b>TAUPE</b>	<b>Ford Motor</b>		<b>F</b>	<b>4173</b>	<b>SILVER TEXTURE</b>	<b>American Motor</b>	<b>82J53</b>
1554	TINTING WHITE	158.1	316.2		1554	TINTING WHITE	320.2	640.3
1552	FAST RED	277.4	554.8		1501	LANDAU BLACK	385.7	771.4
1501	LANDAU BLACK	347.0	694.1		1559	YELLOW OXIDE	416.2	832.4
1551	FAST YELLOW	416.3	832.6		1550	RED OXIDE	429.6	859.2
<b>4167</b>	<b>SMOKE</b>	<b>Ford Motor</b>		<b>P</b>	<b>4174</b>	<b>MED EMERALD</b>	<b>General Motors</b>	<b>48BN</b>
1554	TINTING WHITE	243.4	486.8		1554	TINTING WHITE	229.2	458.5
1501	LANDAU BLACK	350.1	700.2		1501	LANDAU BLACK	305.2	610.5
1551	FAST YELLOW	388.6	777.1		1553	FAST BLUE	356.4	712.9
1552	FAST RED	422.8	845.7		1551	FAST YELLOW	401.2	802.4
					1552	FAST RED	421.5	843.0
<b>4168</b>	<b>CHESTNUT</b>	<b>Ford Motor</b>		<b>U</b>	<b>4175</b>	<b>DK EMERALD</b>	<b>General Motors</b>	<b>48DN</b>
1559	YELLOW OXIDE	188.4	376.8		1554	TINTING WHITE	162.5	324.9
1302	LOW LUSTER CLEAR	270.9	541.9		1501	LANDAU BLACK	248.3	496.7
1554	TINTING WHITE	332.7	665.4		1553	FAST BLUE	315.7	631.4
1550	RED OXIDE	390.9	781.9		1551	FAST YELLOW	369.3	738.5
1501	LANDAU BLACK	413.8	827.6		1552	FAST RED	416.4	832.8
<b>4169</b>	<b>MED REGATTA BLU</b>	<b>Ford Motor</b>		<b>B</b>	<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>			
1554	TINTING WHITE	202.7	405.5		<b>4176</b>	<b>DK YELLOW</b>	<b>General Motors</b>	<b>50BN</b>
1552	FAST RED	280.1	560.1		1554	TINTING WHITE	179.1	358.2
1553	FAST BLUE	342.0	684.0		1551	FAST YELLOW	301.4	602.9
1501	LANDAU BLACK	403.9	807.9		1552	FAST RED	394.3	788.5
1551	FAST YELLOW	419.4	838.9		1556	FAST GREEN	417.7	835.4
<b>4170</b>	<b>DK TAUPE</b>	<b>Ford Motor</b>		<b>F</b>	<b>4177</b>	<b>VERY DK YELLOW</b>	<b>General Motors</b>	<b>50CN</b>
1501	LANDAU BLACK	182.9	365.8		1559	YELLOW OXIDE	255.5	510.9
1550	RED OXIDE	303.5	607.1		1302	LOW LUSTER CLEAR	337.7	675.5
1552	FAST RED	394.0	787.9		1550	RED OXIDE	373.3	746.5
1554	TINTING WHITE	408.6	817.2		1501	LANDAU BLACK	401.1	802.2
					1554	TINTING WHITE	410.7	821.4

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 50**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4178</b>	<b>LT DRIFTWOOD</b>	<b>General Motors</b>	<b>60AN</b>	<b>4185</b>	<b>LT QUARTZ</b>	<b>General Motors</b>	<b>94BN</b>
1554	TINTING WHITE	271.7	543.4	1554	TINTING WHITE	202.5	405.1
1559	YELLOW OXIDE	407.7	815.5	1550	RED OXIDE	308.8	617.5
1550	RED OXIDE	421.1	842.3	1559	YELLOW OXIDE	404.3	808.6
1501	LANDAU BLACK	428.1	856.1	1501	LANDAU BLACK	424.3	848.5
<b>4179</b>	<b>MED DRIFTWOOD</b>	<b>General Motors</b>	<b>60BN</b>	<b>4186</b>	<b>DK QUARTZ</b>	<b>General Motors</b>	<b>PANEL ONLY</b>
1559	YELLOW OXIDE	223.6	447.3	1552	FAST RED	204.9	409.8
1554	TINTING WHITE	361.8	723.5	1302	LOW LUSTER CLEAR	330.4	660.8
1550	RED OXIDE	397.5	795.0	1551	FAST YELLOW	363.6	727.1
1501	LANDAU BLACK	420.5	840.9	1554	TINTING WHITE	386.6	773.1
				1501	LANDAU BLACK	404.9	809.8
<b>4180</b>	<b>DK DRIFTWOOD</b>	<b>General Motors</b>	<b>60CN</b>	<b>4187</b>	<b>MIDNITE WINE</b>	<b>Ford Motor</b>	<b>J</b>
1559	YELLOW OXIDE	241.9	483.7	1552	FAST RED	321.8	643.5
1554	TINTING WHITE	317.0	634.0	1553	FAST BLUE	373.8	747.7
1550	RED OXIDE	372.9	745.8	1551	FAST YELLOW	393.2	786.4
1501	LANDAU BLACK	416.6	833.2	1554	TINTING WHITE	399.7	799.3
				1501	LANDAU BLACK	404.3	808.6
<b>4181</b>	<b>MED LT SADDLE</b>	<b>General Motors</b>	<b>62BN</b>	<b>4188</b>	<b>DEEP SHADOW BLU</b>	<b>Ford Motor</b>	<b>B</b>
1559	YELLOW OXIDE	274.7	549.5	1501	LANDAU BLACK	249.6	499.1
1554	TINTING WHITE	339.9	679.8	1553	FAST BLUE	357.4	714.8
1550	RED OXIDE	397.0	794.0	1554	TINTING WHITE	392.4	784.7
1501	LANDAU BLACK	416.6	833.2	1556	FAST GREEN	406.9	813.8
<b>4182</b>	<b>DK SADDLE</b>	<b>General Motors</b>	<b>INSTRUMENT PANEL</b>	<b>4189</b>	<b>GRAPHITE</b>	<b>Ford Motor</b>	<b>P</b>
1551	FAST YELLOW	143.5	286.9	1501	LANDAU BLACK	311.3	622.6
1552	FAST RED	277.2	554.4	1551	FAST YELLOW	355.8	711.6
1554	TINTING WHITE	370.6	741.2	1554	TINTING WHITE	388.6	777.1
1501	LANDAU BLACK	411.3	822.5	1552	FAST RED	407.3	814.5
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>4183</b>	<b>VERY DK CARMINE</b>	<b>General Motors</b>	<b>INSTRUMENT PANEL</b>	<b>4190</b>	<b>MED SAND BEIGE</b>	<b>Ford Motor</b>	<b>T</b>
1552	FAST RED	248.8	497.6	1559	YELLOW OXIDE	191.9	383.8
1302	LOW LUSTER CLEAR	379.8	759.6	1554	TINTING WHITE	382.9	765.9
1551	FAST YELLOW	391.1	782.2	1550	RED OXIDE	411.5	823.1
1553	FAST BLUE	399.3	798.6	1501	LANDAU BLACK	423.5	847.0
1554	TINTING WHITE	403.4	806.7				
<b>4184</b>	<b>GARNET RED</b>	<b>General Motors</b>	<b>INSTRUMENT PANEL</b>	<b>4191</b>	<b>PASTEL CORDOVA</b>	<b>Chrysler Motors</b>	<b>E2</b>
1302	LOW LUSTER CLEAR	200.6	401.3	1508	SILVER	319.0	638.0
1552	FAST RED	393.9	787.7	1552	FAST RED	378.6	757.2
1553	FAST BLUE	399.1	798.2	1551	FAST YELLOW	399.9	799.7
1554	TINTING WHITE	402.9	805.8	1501	LANDAU BLACK	407.8	815.7

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 51

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4192	GARNET	American Motor	
1552	FAST RED	344.4	688.8
1551	FAST YELLOW	383.5	767.0
1508	SILVER	395.4	790.8
1553	FAST BLUE	404.1	808.3

4199	BUCKSKIN	Ford Motor		T
1559	YELLOW OXIDE	179.7	359.5	
1302	LOW LUSTER CLEAR	262.4	524.8	
1554	TINTING WHITE	323.2	646.4	
1550	RED OXIDE	375.2	750.3	
1501	LANDAU BLACK	413.4	826.9	

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4193	HONEY	American Motor	
1551	FAST YELLOW	207.7	415.3
1552	FAST RED	341.7	683.4
1508	SILVER	397.5	795.0
1556	FAST GREEN	404.3	808.6

4200	SHADOW BLUE	Ford Motor		B
1553	FAST BLUE	241.2	482.4	
1501	LANDAU BLACK	360.3	720.7	
1554	TINTING WHITE	386.7	773.5	
1556	FAST GREEN	405.5	810.9	

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4194	WARM GRAY	Chrysler Motors		A3
1554	TINTING WHITE	274.4	548.7	
1302	LOW LUSTER CLEAR	359.0	718.0	
1559	YELLOW OXIDE	401.0	802.0	
1501	LANDAU BLACK	422.4	844.7	
1550	RED OXIDE	425.4	850.8	

4201	LT TAUPE	Ford Motor		F
1554	TINTING WHITE	190.0	380.0	
1559	YELLOW OXIDE	303.4	606.9	
1550	RED OXIDE	386.4	772.7	
1501	LANDAU BLACK	423.2	846.5	

4195	CORDOVAN	Chrysler Motors		E8
1552	FAST RED	263.4	526.9	
1302	LOW LUSTER CLEAR	335.7	671.5	
1550	RED OXIDE	382.6	765.1	
1501	LANDAU BLACK	404.6	809.2	

4202	AEGEAN	Ford Motor		K
1559	YELLOW OXIDE	140.9	281.8	
1501	LANDAU BLACK	273.0	546.1	
1554	TINTING WHITE	395.6	791.2	
1553	FAST BLUE	416.9	833.7	

4196	ALMOND	Chrysler Motors		K1
1559	YELLOW OXIDE	155.6	311.2	
1302	LOW LUSTER CLEAR	293.6	587.3	
1554	TINTING WHITE	388.1	776.2	
1550	RED OXIDE	409.4	818.7	
1501	LANDAU BLACK	414.3	828.6	

4203	DEEP SANDALWOO	Ford Motor		T
1559	YELLOW OXIDE	176.6	353.2	
1501	LANDAU BLACK	280.3	560.7	
1550	RED OXIDE	335.9	671.8	
1554	TINTING WHITE	374.7	749.4	
1302	LOW LUSTER CLEAR	412.3	824.6	

4197	DK CORDOVAN	Chrysler Motors		E9
1552	FAST RED	377.3	754.7	
1553	FAST BLUE	395.7	791.4	
1508	SILVER	404.0	808.1	

4204	DK DESERT TAN	Ford Motor		U
1551	FAST YELLOW	148.9	297.7	
1552	FAST RED	287.2	574.4	
1554	TINTING WHITE	369.4	738.7	
1501	LANDAU BLACK	410.4	820.8	

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4198	BRONZE MET	Chrysler Motors		T5
1552	FAST RED	157.8	315.6	
1551	FAST YELLOW	267.5	535.0	
1501	LANDAU BLACK	336.5	673.0	
1508	SILVER	405.0	810.0	

4205	VERY DK EMERAL	General Motors		INSTRUMENT PANEL
1501	LANDAU BLACK	175.0	350.0	
1556	FAST GREEN	319.8	639.5	
1554	TINTING WHITE	407.5	814.9	
1551	FAST YELLOW	411.3	822.5	

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

### MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 52

		PINTS	QUARTS
		GRAMS	
<b>4206</b>	<b>WHITE</b>	<b>General Motors</b>	
			<b>11T</b>
1554	TINTING WHITE	423.7	847.4
1559	YELLOW OXIDE	432.5	865.1
1550	RED OXIDE	435.6	871.2
1556	FAST GREEN	436.7	873.4

		PINTS	QUARTS
		GRAMS	
<b>4213</b>	<b>FLAME RED MET</b>	<b>General Motors</b>	
			<b>74T</b>
1552	FAST RED	335.2	670.3
1551	FAST YELLOW	393.2	786.4
1508	SILVER	400.0	800.1
1501	LANDAU BLACK	404.0	808.1

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4207</b>	<b>SUN GOLD</b>	<b>General Motors</b>	
			<b>38T</b>
1554	TINTING WHITE	405.8	811.7
1551	FAST YELLOW	433.7	867.4
1501	LANDAU BLACK	435.0	870.0

<b>4215</b>	<b>DK CARMINE MET</b>	<b>General Motors</b>	
			<b>78T</b>
1552	FAST RED	291.1	582.2
1501	LANDAU BLACK	362.0	724.1
1508	SILVER	384.9	769.9
1551	FAST YELLOW	404.3	808.6

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4208</b>	<b>BLACK EMERALD</b>	<b>General Motors</b>	
			<b>85T</b>
1553	FAST BLUE	215.4	430.7
1501	LANDAU BLACK	308.2	616.4
1551	FAST YELLOW	386.7	773.3
1508	SILVER	403.6	807.1

<b>4216</b>	<b>MED QUARTZ</b>	<b>General Motors</b>	
			<b>86T</b>
1552	FAST RED	323.2	646.4
1553	FAST BLUE	365.3	730.6
1551	FAST YELLOW	394.0	787.9
1508	SILVER	403.9	807.9

**MUST BE TOP COATED WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4209</b>	<b>CHAMOIS</b>	<b>General Motors</b>	
			<b>55T</b>
1554	TINTING WHITE	362.6	725.2
1551	FAST YELLOW	407.6	815.1
1552	FAST RED	427.4	854.8
1501	LANDAU BLACK	431.7	863.4

<b>4217</b>	<b>MED EMERALD</b>	<b>General Motors</b>	
			<b>92T</b>
1553	FAST BLUE	277.0	554.0
1551	FAST YELLOW	356.0	711.9
1508	SILVER	393.9	787.7
1501	LANDAU BLACK	403.4	806.7

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>4210</b>	<b>LT CHESTNUT</b>	<b>General Motors</b>	
			<b>58T</b>
1508	SILVER	263.0	525.9
1552	FAST RED	321.7	643.3
1551	FAST YELLOW	376.1	752.2
1554	TINTING WHITE	399.7	799.3
1501	LANDAU BLACK	409.0	818.0

<b>4218</b>	<b>SUNGOLD MET</b>	<b>General Motors</b>	
			<b>95T</b>
1508	SILVER	232.3	464.6
1551	FAST YELLOW	324.9	649.8
1552	FAST RED	397.7	795.3
1556	FAST GREEN	406.7	813.4

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4211</b>	<b>LT DRIFTWOOD</b>	<b>General Motors</b>	
			<b>63T</b>
1554	TINTING WHITE	306.6	613.1
1559	YELLOW OXIDE	415.2	830.3
1550	RED OXIDE	422.8	845.7
1501	LANDAU BLACK	430.0	859.9

<b>4219</b>	<b>LT QUARTZ FIREMI</b>	<b>General Motors</b>	
			<b>97T</b>
1508	SILVER	215.2	430.4
1552	FAST RED	358.1	716.1
1501	LANDAU BLACK	390.3	780.5
1551	FAST YELLOW	406.6	813.2

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4212</b>	<b>MED DRIFTWOOD</b>	<b>General Motors</b>	
			<b>65T</b>
1501	LANDAU BLACK	128.8	257.6
1552	FAST RED	251.7	503.3
1508	SILVER	341.2	682.5
1551	FAST YELLOW	405.5	810.9

<b>4220</b>	<b>CHAMOIS MET</b>	<b>General Motors</b>	
			<b>98T</b>
1508	SILVER	250.2	500.5
1552	FAST RED	323.6	647.1
1551	FAST YELLOW	394.2	788.3
1556	FAST GREEN	407.0	814.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 53

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4221	BRIGHT BLUE MET	Corvette	21CM
1508	SILVER	188.5	377.0
1553	FAST BLUE	364.4	728.8
1556	FAST GREEN	391.8	783.6
1501	LANDAU BLACK	405.5	810.9

4228	DK CHESTNUT MET	General Motors	62T
1552	FAST RED	174.1	348.3
1551	FAST YELLOW	285.4	570.8
1508	SILVER	364.9	729.8
1501	LANDAU BLACK	405.0	810.0

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4222	FLAME RED	Corvette	73BN
1552	FAST RED	231.9	463.8
1302	LOW LUSTER CLEAR	312.8	625.7
1551	FAST YELLOW	386.9	773.9
1554	TINTING WHITE	399.3	798.6
1550	RED OXIDE	404.6	809.2

4229	PEARL GRAY	General Motors	17T
1554	TINTING WHITE	358.8	717.6
1559	YELLOW OXIDE	404.2	808.5
1501	LANDAU BLACK	431.1	862.2
1553	FAST BLUE	432.4	864.9

4223	SANDALWOOD	Ford Motor	T
1559	YELLOW OXIDE	186.8	373.5
1501	LANDAU BLACK	316.6	633.3
1550	RED OXIDE	381.1	762.3
1554	TINTING WHITE	412.4	824.8

4230	DK DRIFTWOOD M	General Motors	96T
1552	FAST RED	153.9	307.8
1501	LANDAU BLACK	266.1	532.2
1551	FAST YELLOW	369.4	738.7
1508	SILVER	404.8	809.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4224	CREAM BEIGE	Mercedes Benz	275
1554	TINTING WHITE	217.5	434.9
1559	YELLOW OXIDE	389.0	778.1
1550	RED OXIDE	410.8	821.6
1501	LANDAU BLACK	424.9	849.9

4231	BLACK	General Motors	18T
1501	LANDAU BLACK	302.2	604.4
1553	FAST BLUE	404.3	808.6
		0.0	0.0

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4225	DK GREEN	Mercedes Benz	276
1551	FAST YELLOW	231.2	462.5
1501	LANDAU BLACK	347.9	695.8
1554	TINTING WHITE	381.0	762.1
1552	FAST RED	407.0	814.0

4232	MED GARNET RED	General Motors	72T
1552	FAST RED	387.5	775.0
1554	TINTING WHITE	394.2	788.3
1553	FAST BLUE	399.6	799.1
1501	LANDAU BLACK	404.5	809.0

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4226	BURGUNDY	Mercedes Benz	277
1552	FAST RED	272.4	544.7
1559	YELLOW OXIDE	390.7	781.5
1553	FAST BLUE	404.1	808.3
1554	TINTING WHITE	406.8	813.6

4233	MED GARNET RED	General Motors	72T
1552	FAST RED	390.3	780.5
1508	SILVER	398.6	797.2
1553	FAST BLUE	404.0	808.1

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4227	VRY DK CHESTNUT	General Motors	57T
1552	FAST RED	199.4	398.8
1551	FAST YELLOW	287.8	575.5
1501	LANDAU BLACK	373.4	746.9
1508	SILVER	404.6	809.2

4234	MED GARNET RED	General Motors	72T
1552	FAST RED	390.3	780.5
1508	SILVER	398.6	797.2
1553	FAST BLUE	404.0	808.1

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 54

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	LT SAPPHIRE BLUE	General Motors	22T
4235			
1508	SILVER	266.4	532.8
1553	FAST BLUE	350.2	700.3
1552	FAST RED	381.0	761.9
1501	LANDAU BLACK	406.9	813.8

	DK AMETHYST ME	General Motors	99T
4244			
1501	LANDAU BLACK	295.2	590.3
1552	FAST RED	356.6	713.3
1553	FAST BLUE	400.5	801.0
1554	TINTING WHITE	404.9	809.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	LT SAPPHIRE BLUE	General Motors	22T
4236			
1508	SILVER	318.3	636.7
1553	FAST BLUE	374.3	748.6
1552	FAST RED	401.7	803.3
1501	LANDAU BLACK	407.6	815.1

	DK AMETHYST ME	General Motors	99T
4245			
1501	LANDAU BLACK	329.9	659.9
1552	FAST RED	379.1	758.1
1554	TINTING WHITE	394.0	787.9
1551	FAST YELLOW	405.9	811.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	LT SAPPHIRE BLUE	General Motors	22T
4237			
1508	SILVER	308.7	617.3
1553	FAST BLUE	373.2	746.3
1552	FAST RED	402.6	805.2
1501	LANDAU BLACK	407.4	814.7

	LT DRIFTWOOD ME	General Motors	33T
4246			
1508	SILVER	299.2	598.3
1552	FAST RED	348.9	697.9
1551	FAST YELLOW	392.2	784.3
1501	LANDAU BLACK	407.6	815.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	BLACK SAPPHIRE	General Motors	28T
4238			
1553	FAST BLUE	207.7	415.3
1556	FAST GREEN	323.5	647.0
1501	LANDAU BLACK	395.4	790.8
1508	SILVER	403.4	806.7

	LT DRIFTWOOD ME	General Motors	33T
4247			
1508	SILVER	275.0	550.1
1552	FAST RED	343.2	686.5
1551	FAST YELLOW	391.6	783.2
1501	LANDAU BLACK	407.4	814.7

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	BLACK SAPPHIRE	General Motors	28T
4239			
1553	FAST BLUE	189.6	379.2
1556	FAST GREEN	326.8	653.6
1501	LANDAU BLACK	399.4	798.8
1508	SILVER	403.4	806.7

	LT AMETHYST MET	General Motors	91T
4248			
1552	FAST RED	159.9	319.8
1508	SILVER	286.4	572.9
1553	FAST BLUE	360.7	721.4
1501	LANDAU BLACK	405.4	810.7

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	BLACK SAPPHIRE	General Motors	28T
4240			
1553	FAST BLUE	207.7	415.3
1556	FAST GREEN	323.5	647.0
1501	LANDAU BLACK	395.4	790.8
1508	SILVER	403.4	806.7

	LT AMETHYST MET	General Motors	91T
4249			
1552	FAST RED	147.4	294.9
1508	SILVER	276.9	553.9
1553	FAST BLUE	343.8	687.6
1501	LANDAU BLACK	405.4	810.7

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	MED ROSEWOOD M	General Motors	82T
4241			
1552	FAST RED	242.3	484.7
1501	LANDAU BLACK	329.9	659.9
1508	SILVER	369.4	738.7
1551	FAST YELLOW	404.8	809.6

	DK GARNET RED M	General Motors	76T
4250			
1552	FAST RED	372.9	745.8
1553	FAST BLUE	397.7	795.3
1508	SILVER	403.8	807.7

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 55

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	DK GARNET RED M	General Motors	76T
1552	FAST RED	372.9	745.8
1553	FAST BLUE	397.7	795.3
1508	SILVER	403.8	807.7

	DK AMETHYST	General Motors	83CN
1554	TINTING WHITE	165.8	331.6
1552	FAST RED	284.7	569.4
1501	LANDAU BLACK	384.3	768.6
1553	FAST BLUE	416.8	833.5

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	DK GARNET RED M	General Motors	76T
1552	FAST RED	362.5	725.0
1553	FAST BLUE	396.7	793.4
1508	SILVER	403.9	807.9

	VERY DK SAPPHIRE	General Motors	20DN
1501	LANDAU BLACK	197.6	395.2
1553	FAST BLUE	296.0	592.0
1554	TINTING WHITE	385.8	771.6
1552	FAST RED	411.0	821.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	MD SAPPHIRE BLU	General Motors	83T
1553	FAST BLUE	288.1	576.3
1501	LANDAU BLACK	357.0	714.0
1508	SILVER	403.6	807.1

	MED SAPPHIRE	General Motors	20BN
1554	TINTING WHITE	156.2	312.4
1552	FAST RED	287.8	575.5
1553	FAST BLUE	376.9	753.7
1551	FAST YELLOW	415.5	831.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	MD SAPPHIRE BLU	General Motors	83T
1553	FAST BLUE	287.0	574.0
1501	LANDAU BLACK	348.4	696.7
1508	SILVER	403.7	807.3

	DK ROSEWOOD	General Motors	75CN
1552	FAST RED	179.8	359.7
1554	TINTING WHITE	283.3	566.6
1501	LANDAU BLACK	352.3	704.5
1551	FAST YELLOW	412.1	824.2

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	VERY DK DRIFTWO	General Motors	60DN
1552	FAST RED	130.9	261.8
1551	FAST YELLOW	244.8	489.6
1554	TINTING WHITE	328.1	656.3
1501	LANDAU BLACK	410.6	821.2

	VERY DK ROSEWO	General Motors	75DN
1501	LANDAU BLACK	158.7	317.3
1550	RED OXIDE	313.3	626.6
1554	TINTING WHITE	380.6	761.1
1559	YELLOW OXIDE	414.1	828.2

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	VERY DK GARNET	General Motors	78DN
1552	FAST RED	363.1	726.2
1501	LANDAU BLACK	381.1	762.3
1553	FAST BLUE	397.6	795.2
1554	TINTING WHITE	404.5	809.0

	LT PEARL GRAY	General Motors	13AN
1554	TINTING WHITE	408.3	816.6
1501	LANDAU BLACK	429.1	858.2
1551	FAST YELLOW	435.2	870.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	MED AMETHYST	General Motors	83BN
1554	TINTING WHITE	261.7	523.5
1501	LANDAU BLACK	357.0	714.0
1552	FAST RED	415.2	830.3
1553	FAST BLUE	424.1	848.2

	MED PEARL GRAY	General Motors	13BN
1554	TINTING WHITE	343.4	686.9
1501	LANDAU BLACK	415.2	830.5
1551	FAST YELLOW	427.3	854.6
1552	FAST RED	430.4	860.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 56

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	DK SIENNA	General Motors	61CN
1552	FAST RED	158.1	316.2
1551	FAST YELLOW	315.7	631.4
1554	TINTING WHITE	379.0	757.9
1501	LANDAU BLACK	408.9	817.8

	TAN MET	Chrysler Motors	T4
1508	SILVER	229.2	458.5
1551	FAST YELLOW	327.5	654.9
1552	FAST RED	406.7	813.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	VERY DK COPPER	General Motors	67DN
1550	RED OXIDE	187.6	375.3
1501	LANDAU BLACK	343.0	686.1
1559	YELLOW OXIDE	396.4	792.9
1554	TINTING WHITE	411.4	822.7

	MINK MET	Chrysler Motors	T6
1552	FAST RED	179.4	358.7
1551	FAST YELLOW	280.0	559.9
1501	LANDAU BLACK	374.5	749.0
1508	SILVER	404.6	809.2

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	TAN PRINT	Chrysler Motors	T3
1554	TINTING WHITE	244.8	489.6
1551	FAST YELLOW	363.5	726.9
1552	FAST RED	416.3	832.6
1501	LANDAU BLACK	422.8	845.7

	TWILIGHT BLUE	Chrysler Motors	C4
1553	FAST BLUE	240.9	481.8
1501	LANDAU BLACK	363.2	726.4
1556	FAST GREEN	393.3	786.6
1554	TINTING WHITE	404.1	808.3

	DK TAN	Chrysler Motors	T5
1551	FAST YELLOW	167.2	334.4
1554	TINTING WHITE	302.2	604.4
1552	FAST RED	397.9	795.7
1501	LANDAU BLACK	414.3	828.6

	DK CORDOVAN	Chrysler Motors	E7
1552	FAST RED	383.6	767.2
1501	LANDAU BLACK	395.8	791.5
1553	FAST BLUE	400.2	800.5
1554	TINTING WHITE	404.3	808.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	LT YELLOW	General Motors	50AN
1554	TINTING WHITE	344.3	688.6
1559	YELLOW OXIDE	428.0	856.0
1551	FAST YELLOW	430.5	861.1
1556	FAST GREEN	432.1	864.1

	SILVER	Chrysler Motors	A2
1508	SILVER	408.5	817.0
		0.0	0.0
	VERY CLOSE MATCH	0.0	0.0

	TWILIGHT BLUE	Chrysler Motors	C7
1553	FAST BLUE	210.9	421.8
1552	FAST RED	292.8	585.6
1501	LANDAU BLACK	369.4	738.7
1508	SILVER	403.8	807.7

	ICE BLUE MET	Chrysler Motors	B1
1508	SILVER	365.4	730.7
1553	FAST BLUE	392.7	785.5
1501	LANDAU BLACK	408.2	816.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	CHARCOAL MET	Chrysler Motors	S8
1501	LANDAU BLACK	261.0	521.9
1508	SILVER	363.8	727.5
1553	FAST BLUE	405.7	811.5

	DK CORDOVAN	Chrysler Motors	E9
1552	FAST RED	382.0	764.0
1501	LANDAU BLACK	394.2	788.3
1553	FAST BLUE	401.0	802.0
1554	TINTING WHITE	404.2	808.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 57

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
<b>4279</b>	<b>FLASH RED</b>	Chrysler Motors		<b>R3</b>	<b>4286</b>	<b>CRYSTAL</b>	Ford Motor		<b>P</b>
1552	FAST RED	252.1	504.3		1554	TINTING WHITE	258.7	517.4	
1551	FAST YELLOW	380.3	760.6		1559	YELLOW OXIDE	353.0	706.0	
1554	TINTING WHITE	405.5	810.9		1501	LANDAU BLACK	406.4	812.8	
					1550	RED OXIDE	426.5	852.9	

<b>4280</b>	<b>CORAL MET</b>	Chrysler Motors		<b>V7</b>	<b>4287</b>	<b>LT SANDALWOOD</b>	Ford Motor		<b>Z</b>
1552	FAST RED	285.4	570.8		1554	TINTING WHITE	280.2	560.3	
1501	LANDAU BLACK	336.7	673.4		1559	YELLOW OXIDE	386.7	773.5	
1551	FAST YELLOW	382.6	765.1		1501	LANDAU BLACK	409.1	818.1	
1508	SILVER	404.3	808.6		1550	RED OXIDE	428.3	856.5	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4281</b>	<b>DK TAUPE</b>	Ford Motor		<b>F</b>	<b>4288</b>	<b>WHITE</b>	American Motor		<b>87J63</b>
1501	LANDAU BLACK	206.2	412.5		1554	TINTING WHITE	430.7	861.5	
1550	RED OXIDE	371.6	743.3		1552	FAST RED	433.4	866.8	
1559	YELLOW OXIDE	399.4	798.8		1551	FAST YELLOW	435.6	871.2	
1554	TINTING WHITE	410.0	820.0		1556	FAST GREEN	436.9	873.8	

<b>4282</b>	<b>DRIFTWOOD</b>	Ford Motor		<b>T</b>	<b>4289</b>	<b>CORDOVAN</b>	American Motor		<b>87P1</b>
1559	YELLOW OXIDE	191.8	383.6		1550	RED OXIDE	226.0	452.0	
1554	TINTING WHITE	356.4	712.9		1302	LOW LUSTER CLEAR	307.5	615.0	
1550	RED OXIDE	396.6	793.3		1553	FAST BLUE	377.4	754.9	
1501	LANDAU BLACK	421.9	843.8		1501	LANDAU BLACK	405.5	810.9	
					1554	TINTING WHITE	409.1	818.1	

<b>4283</b>	<b>DK SHADOW BLUE</b>	Ford Motor		<b>B</b>	<b>4290</b>	<b>SHADOW BLUE</b>	Ford Motor		<b>B</b>
1501	LANDAU BLACK	206.7	413.4		1553	FAST BLUE	204.5	409.1	
1553	FAST BLUE	389.9	779.8		1501	LANDAU BLACK	344.6	689.1	
1554	TINTING WHITE	404.9	809.8		1556	FAST GREEN	384.8	769.7	
					1554	TINTING WHITE	405.0	810.0	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>4284</b>	<b>MIDNITE CABERNE</b>	Ford Motor		<b>D</b>	<b>4291</b>	<b>SCARLET</b>	Ford Motor		<b>D</b>
1552	FAST RED	331.7	663.5		1552	FAST RED	341.1	682.1	
1501	LANDAU BLACK	370.7	741.4		1551	FAST YELLOW	389.3	778.6	
1559	YELLOW OXIDE	394.0	787.9		1554	TINTING WHITE	401.9	803.9	
1554	TINTING WHITE	405.5	810.9		1553	FAST BLUE	404.9	809.8	

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4285</b>	<b>MED SHADOW BLU</b>	Ford Motor		<b>B</b>	<b>4292</b>	<b>Lt. Sandlewood</b>	Ford Motor		<b>Z(int)</b>
1501	LANDAU BLACK	219.8	439.7		1302	LOW LUSTER CLEAR	174.4	348.8	
1553	FAST BLUE	329.7	659.5		1554	TINTING WHITE	283.6	567.2	
1554	TINTING WHITE	373.0	745.9		1559	YELLOW OXIDE	375.8	751.6	
1550	RED OXIDE	408.3	816.6		1550	RED OXIDE	404.9	809.8	
					1501	LANDAU BLACK	424.1	848.1	

No

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 58

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>4293</b>	<b>CABERNET</b>	<b>Ford Motor</b>		<b>H</b>	<b>4300</b>	<b>DK COPPER</b>	<b>General Motors</b>	<b>67CN</b>
1552	FAST RED	343.0	685.9		1552	FAST RED	200.3	400.5
1551	FAST YELLOW	371.0	742.0		1551	FAST YELLOW	367.8	735.7
1553	FAST BLUE	396.6	793.3		1554	TINTING WHITE	395.0	790.0
1554	TINTING WHITE	404.5	809.0		1501	LANDAU BLACK	406.0	812.1
<b>4294</b>	<b>LT ROSEWOOD ME</b>	<b>General Motors</b>		<b>85T</b>	<b>4301</b>	<b>DK SMOKE</b>	<b>Ford Motor</b>	<b>P</b>
1552	FAST RED	220.0	440.0		1501	LANDAU BLACK	224.2	448.4
1508	SILVER	313.0	626.1		1554	TINTING WHITE	300.6	601.2
1551	FAST YELLOW	360.3	720.7		1551	FAST YELLOW	371.5	743.1
1553	FAST BLUE	404.8	809.6		1552	FAST RED	410.4	820.8
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>				<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>				
<b>4295</b>	<b>DK GRAY</b>	<b>Chrysler Motors</b>		<b>A7</b>	<b>4302</b>	<b>DK SCARLET</b>	<b>Ford Motor</b>	<b>D</b>
1501	LANDAU BLACK	192.0	384.0		1552	FAST RED	227.9	455.8
1554	TINTING WHITE	305.6	611.2		1302	LOW LUSTER CLEAR	362.1	724.3
1559	YELLOW OXIDE	402.4	804.8		1551	FAST YELLOW	390.6	781.3
1550	RED OXIDE	415.5	831.1		1501	LANDAU BLACK	398.7	797.4
					1554	TINTING WHITE	403.5	806.9
<b>4296</b>	<b>MED GRAY</b>	<b>Chrysler Motors</b>		<b>S7</b>	<b>4303</b>	<b>DK TAUPE</b>	<b>Ford Motor</b>	<b>F</b>
1501	LANDAU BLACK	163.1	326.2		1501	LANDAU BLACK	169.1	338.2
1559	YELLOW OXIDE	291.1	582.2		1550	RED OXIDE	293.6	587.3
1554	TINTING WHITE	397.7	795.3		1302	LOW LUSTER CLEAR	348.0	696.0
1552	FAST RED	415.4	830.9		1559	YELLOW OXIDE	398.0	795.9
					1554	TINTING WHITE	409.2	818.3
<b>4297</b>	<b>SILVER</b>	<b>Chrysler Motors</b>		<b>A3</b>	<b>4304</b>	<b>WHITE</b>	<b>Ford Motor</b>	<b>W</b>
1554	TINTING WHITE	348.9	697.9		1554	TINTING WHITE	432.4	864.9
1559	YELLOW OXIDE	397.3	794.6		1551	FAST YELLOW	435.5	871.0
1501	LANDAU BLACK	428.8	857.7		1552	FAST RED	436.3	872.7
1550	RED OXIDE	431.9	863.7		1501	LANDAU BLACK	437.0	874.0
<b>4298</b>	<b>MED PRAIRIE MIST</b>	<b>Ford Motor</b>		<b>G</b>	<b>4305</b>	<b>MED SMOKE</b>	<b>Ford Motor</b>	<b>P</b>
1559	YELLOW OXIDE	191.9	383.8		1501	LANDAU BLACK	232.8	465.5
1501	LANDAU BLACK	310.5	620.9		1559	YELLOW OXIDE	319.1	638.2
1554	TINTING WHITE	368.0	736.1		1554	TINTING WHITE	378.7	757.3
1550	RED OXIDE	414.0	828.0		1550	RED OXIDE	411.9	823.8
<b>4299</b>	<b>OYSTER WHITE</b>	<b>General Motors</b>		<b>12AN</b>	<b>4306</b>	<b>DK WALNUT MET</b>	<b>Ford Motor</b>	<b>Z</b>
1554	TINTING WHITE	419.6	839.2		1552	FAST RED	231.5	463.0
1551	FAST YELLOW	426.6	853.1		1501	LANDAU BLACK	307.0	614.1
1501	LANDAU BLACK	432.3	864.7		1551	FAST YELLOW	376.2	752.4
1552	FAST RED	436.0	871.9		1508	SILVER	404.5	809.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 59

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>4307</b>	<b>DK SMOKE</b>	<b>Ford Motor</b>		<b>P</b>	<b>4314</b>	<b>MED ANTELOPE</b>	<b>General Motors</b>	<b>65BN</b>
1501	LANDAU BLACK	145.8	291.7		1554	TINTING WHITE	205.0	410.0
1559	YELLOW OXIDE	265.3	530.7		1559	YELLOW OXIDE	340.0	680.0
1554	TINTING WHITE	381.0	762.1		1550	RED OXIDE	396.4	792.9
1550	RED OXIDE	416.7	833.3		1501	LANDAU BLACK	424.0	848.0
<b>4308</b>	<b>DK SHADOW BLUE</b>	<b>Ford Motor</b>		<b>B</b>	<b>4315</b>	<b>DK ANTELOPE</b>	<b>General Motors</b>	<b>65CN</b>
1553	FAST BLUE	208.4	416.9		1554	TINTING WHITE	126.6	253.3
1556	FAST GREEN	324.5	649.0		1552	FAST RED	251.4	502.7
1501	LANDAU BLACK	396.5	793.1		1551	FAST YELLOW	351.7	703.4
1508	SILVER	403.4	806.7		1501	LANDAU BLACK	413.8	827.6
<b>4309</b>	<b>ISUZU BUMPER GR</b>				<b>4316</b>	<b>DK BROWNSTONE</b>	<b>American Motor</b>	<b>88P4</b>
1302	LOW LUSTER CLEAR	136.2	272.5		1559	YELLOW OXIDE	142.7	285.4
1501	LANDAU BLACK	270.4	540.7		1302	LOW LUSTER CLEAR	225.4	450.9
1554	TINTING WHITE	338.8	677.5		1554	TINTING WHITE	301.7	603.4
1552	FAST RED	376.7	753.4		1501	LANDAU BLACK	365.8	731.5
1551	FAST YELLOW	408.7	817.4		1550	RED OXIDE	413.7	827.5
<b>4310</b>	<b>MED BEECHWOOD</b>	<b>General Motors</b>		<b>66BN</b>	<b>4317</b>	<b>NAVY</b>	<b>American Motor</b>	<b>88P5</b>
1559	YELLOW OXIDE	250.5	501.0		1302	LOW LUSTER CLEAR	136.2	272.5
1550	RED OXIDE	331.3	662.5		1501	LANDAU BLACK	260.5	521.0
1554	TINTING WHITE	402.7	805.4		1554	TINTING WHITE	319.7	639.4
1501	LANDAU BLACK	417.1	834.3		1553	FAST BLUE	375.9	751.8
					1550	RED OXIDE	408.4	816.8
<b>4311</b>	<b>VERY DK SIENNA</b>	<b>General Motors</b>		<b>61DN</b>	<b>4318</b>	<b>WHITE TEXTURE</b>		
1559	YELLOW OXIDE	148.7	297.4		1554	TINTING WHITE	431.8	863.6
1550	RED OXIDE	267.4	534.9		1559	YELLOW OXIDE	435.0	870.0
1501	LANDAU BLACK	365.4	730.7		1501	LANDAU BLACK	436.4	872.9
1302	LOW LUSTER CLEAR	405.7	811.5		1552	FAST RED	437.0	874.0
1554	TINTING WHITE	410.5	821.0					
<b>4312</b>	<b>MED SMOKE GRAY</b>	<b>General Motors</b>		<b>90BN</b>	<b>4319</b>	<b>GLAMOR RED</b>	<b>Chrysler Motors</b>	<b>M4</b>
1554	TINTING WHITE	187.2	374.3		1552	FAST RED	369.4	738.7
1559	YELLOW OXIDE	294.5	589.0		1551	FAST YELLOW	390.4	780.7
1501	LANDAU BLACK	359.9	719.7		1554	TINTING WHITE	398.6	797.2
1550	RED OXIDE	422.4	844.7		1553	FAST BLUE	404.7	809.4
<b>4313</b>	<b>MED COGNAC</b>	<b>General Motors</b>		<b>60BN</b>	<b>4320</b>	<b>DK ANTIQUE PENN</b>	<b>Chrysler Motors</b>	<b>L8</b>
1559	YELLOW OXIDE	304.4	608.8		1501	LANDAU BLACK	182.8	365.6
1550	RED OXIDE	371.2	742.3		1552	FAST RED	341.4	682.9
1554	TINTING WHITE	404.2	808.5		1508	SILVER	382.5	764.9
1501	LANDAU BLACK	415.0	829.9		1551	FAST YELLOW	405.0	810.0

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 60

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4321	DK FOREST GREEN	Chrysler Motors	G7
1553	FAST BLUE	179.4	358.7
1556	FAST GREEN	297.6	595.3
1501	LANDAU BLACK	386.7	773.5
1508	SILVER	403.7	807.3

4328	BRIGHT WHITE	Chrysler Motors	W7
1554	TINTING WHITE	431.3	862.6
1559	YELLOW OXIDE	434.8	869.6
1501	LANDAU BLACK	437.0	874.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4322	BLACK CHERRY	Chrysler Motors	M9
1552	FAST RED	330.7	661.4
1553	FAST BLUE	378.6	757.2
1551	FAST YELLOW	401.6	803.1
1554	TINTING WHITE	403.9	807.9

4329	BORDEAUX RED	Chrysler Motors	R9
1552	FAST RED	386.3	772.5
1553	FAST BLUE	398.5	797.1
1554	TINTING WHITE	404.4	808.8

4323	WHITE	Chrysler Motors	W7
1554	TINTING WHITE	432.4	864.9
1501	LANDAU BLACK	435.3	870.6
1559	YELLOW OXIDE	437.1	874.2

4330	TAUPE	Chrysler Motors	L9
1559	YELLOW OXIDE	170.6	341.2
1302	LOW LUSTER CLEAR	253.1	506.2
1550	RED OXIDE	332.5	665.0
1554	TINTING WHITE	379.0	757.9
1501	LANDAU BLACK	413.0	825.9

4324	SILVER PENNY	Chrysler Motors	L2
1508	SILVER	240.8	481.7
1552	FAST RED	326.5	653.0
1501	LANDAU BLACK	364.6	729.2
1551	FAST YELLOW	387.4	774.8
1553	FAST BLUE	406.9	813.8

4331	CINNABAR	Ford Motor	F
1501	LANDAU BLACK	156.7	313.3
1550	RED OXIDE	289.2	578.4
1551	FAST YELLOW	384.4	768.7
1554	TINTING WHITE	409.5	819.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4325	WHITE	Chrysler Motors	W7
1554	TINTING WHITE	434.8	869.6
1501	LANDAU BLACK	436.4	872.9
1559	YELLOW OXIDE	437.2	874.4

4332	DK CABERNET	Ford Motor	D
1552	FAST RED	327.1	654.2
1551	FAST YELLOW	363.2	726.4
1501	LANDAU BLACK	398.0	795.9
1554	TINTING WHITE	404.6	809.2

4326	TAUPE	Chrysler Motors	L5
1501	LANDAU BLACK	115.2	230.5
1559	YELLOW OXIDE	217.3	434.5
1302	LOW LUSTER CLEAR	312.6	625.3
1550	RED OXIDE	374.8	749.6
1554	TINTING WHITE	410.2	820.4

4333	TWILIGHT BLUE	Ford Motor	B
1553	FAST BLUE	170.2	340.5
1552	FAST RED	298.8	597.6
1501	LANDAU BLACK	388.5	776.9
1554	TINTING WHITE	404.8	809.6

4327	BLACK CHERRY	Chrysler Motors	M9
1552	FAST RED	352.6	705.3
1553	FAST BLUE	391.2	782.4
1501	LANDAU BLACK	401.5	802.9
1554	TINTING WHITE	404.0	808.1

4334	DK TITANIUM	Ford Motor	P
1559	YELLOW OXIDE	168.0	335.9
1501	LANDAU BLACK	320.1	640.1
1550	RED OXIDE	368.1	736.3
1554	TINTING WHITE	412.7	825.4

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 61

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	LT BEECHWOOD M	General Motors	62T
1552	FAST RED	146.2	292.4
1508	SILVER	275.1	550.2
1551	FAST YELLOW	371.4	742.7
1501	LANDAU BLACK	405.7	811.3

	LT ANTELOPE MET	General Motors	95T
1508	SILVER	259.5	519.1
1552	FAST RED	355.3	710.6
1551	FAST YELLOW	385.8	771.6
1553	FAST BLUE	406.9	813.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	LT BEECHWOOD M	General Motors	62T
1552	FAST RED	149.1	298.1
1508	SILVER	280.4	560.9
1551	FAST YELLOW	378.5	757.0
1501	LANDAU BLACK	405.6	811.1

	DK ANTELOPE MET	General Motors	67T
1552	FAST RED	239.3	478.6
1551	FAST YELLOW	361.1	722.2
1501	LANDAU BLACK	404.0	808.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	ANTELOPE BEIGE	General Motors	86T
1554	TINTING WHITE	303.1	606.3
1559	YELLOW OXIDE	378.0	756.0
1550	RED OXIDE	415.2	830.3
1501	LANDAU BLACK	429.8	859.6

	MED BEECHWOOD	General Motors	69T
1552	FAST RED	204.9	409.8
1551	FAST YELLOW	343.8	687.6
1501	LANDAU BLACK	381.8	763.6
1508	SILVER	404.4	808.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	ANTELOPE BEIGE	General Motors	86T
1554	TINTING WHITE	306.1	612.2
1559	YELLOW OXIDE	378.6	757.2
1550	RED OXIDE	414.1	828.2
1501	LANDAU BLACK	429.9	859.8

	COPPER BEIGE	General Motors	56T
1554	TINTING WHITE	344.0	688.0
1559	YELLOW OXIDE	420.8	841.5
1550	RED OXIDE	431.3	862.6
1501	LANDAU BLACK	432.3	864.5

	ANTELOPE BEIGE	General Motors	86T
1554	TINTING WHITE	307.9	615.8
1559	YELLOW OXIDE	380.6	761.1
1550	RED OXIDE	414.6	829.2
1501	LANDAU BLACK	430.1	860.1

	Titanium	Ford Motor	
1554	TINTING WHITE	166.1	332.3
1302	LOW LUSTER CLEAR	262.6	525.3
1559	YELLOW OXIDE	358.1	716.2
1501	LANDAU BLACK	396.6	793.2
1557	MAGENTA RED	418.2	836.4

	LT BEECHWOOD M	General Motors	57T
1552	FAST RED	150.1	300.2
1508	SILVER	279.0	558.0
1551	FAST YELLOW	367.6	735.1
1501	LANDAU BLACK	405.7	811.3

	SANDALWOOD	Ford Motor	Z
1559	YELLOW OXIDE	143.0	286.0
1501	LANDAU BLACK	257.0	514.0
1302	LOW LUSTER CLEAR	332.2	664.4
1550	RED OXIDE	393.2	786.4
1554	TINTING WHITE	409.7	819.5

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

	DK SAPPHIRE BLUE	General Motors	29T
1553	FAST BLUE	302.2	604.4
1501	LANDAU BLACK	374.6	749.2
1508	SILVER	403.4	806.7

	DK COGNAC	General Motors	60CN
1551	FAST YELLOW	208.6	417.2
1552	FAST RED	337.9	675.8
1554	TINTING WHITE	386.3	772.5
1501	LANDAU BLACK	407.7	815.5

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 62

		PINTS	QUARTS			PINTS	QUARTS		
		GRAMS				GRAMS			
<b>4350</b>	<b>VERY DK COGNAC</b>	<b>General Motors</b>		<b>60DN</b>	<b>4357</b>	<b>MED ROSEWOOD M</b>	<b>General Motors</b>		<b>78T</b>
1559	YELLOW OXIDE	177.7	355.3		1552	FAST RED	242.4	484.9	
1550	RED OXIDE	305.6	611.2		1501	LANDAU BLACK	329.7	659.5	
1501	LANDAU BLACK	405.6	811.1		1508	SILVER	369.4	738.7	
1554	TINTING WHITE	411.8	823.7		1551	FAST YELLOW	404.7	809.4	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>4351</b>	<b>VERY DK BLUE</b>	<b>General Motors</b>		<b>24DN</b>	<b>4358</b>	<b>LT SAPPHIRE BLUE</b>	<b>General Motors</b>		<b>26T</b>
1501	LANDAU BLACK	154.6	309.1		1508	SILVER	259.9	519.8	
1553	FAST BLUE	294.8	589.6		1553	FAST BLUE	358.7	717.4	
1556	FAST GREEN	366.2	732.5		1552	FAST RED	395.8	791.5	
1554	TINTING WHITE	406.9	813.8		1501	LANDAU BLACK	406.7	813.4	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>4352</b>	<b>DK BLUE</b>	<b>General Motors</b>		<b>24CN</b>	<b>4359</b>	<b>CHARCOAL</b>	<b>American Motor</b>		<b>88P6</b>
1501	LANDAU BLACK	166.9	333.8		1554	TINTING WHITE	184.7	369.4	
1553	FAST BLUE	277.8	555.6		1302	LOW LUSTER CLEAR	268.3	536.6	
1554	TINTING WHITE	378.7	757.3		1559	YELLOW OXIDE	339.6	679.3	
1556	FAST GREEN	411.7	823.5		1501	LANDAU BLACK	398.0	795.9	
					1550	RED OXIDE	419.8	839.6	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>4353</b>	<b>MED BEIGE</b>	<b>General Motors</b>		<b>69BN</b>	<b>4360</b>	<b>DK CHARCOAL</b>	<b>American Motor</b>		<b>88P7</b>
1559	YELLOW OXIDE	179.7	359.5		1501	LANDAU BLACK	165.5	331.0	
1554	TINTING WHITE	351.4	702.8		1554	TINTING WHITE	296.7	593.4	
1550	RED OXIDE	394.7	789.5		1559	YELLOW OXIDE	404.1	808.3	
1501	LANDAU BLACK	422.2	844.4		1550	RED OXIDE	417.2	834.5	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>4354</b>	<b>MED DK BEIGE</b>	<b>General Motors</b>		<b>69CN</b>	<b>4361</b>	<b>CINNABAR</b>	<b>Ford Motor</b>		<b>F</b>
1559	YELLOW OXIDE	207.5	415.0		1550	RED OXIDE	128.9	257.8	
1554	TINTING WHITE	288.2	576.5		1559	YELLOW OXIDE	226.4	452.8	
1550	RED OXIDE	355.8	711.6		1302	LOW LUSTER CLEAR	308.2	616.4	
1501	LANDAU BLACK	416.7	833.3		1501	LANDAU BLACK	367.3	734.5	
					1554	TINTING WHITE	412.4	824.8	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>4355</b>	<b>DK ENGLISH SADD</b>	<b>General Motors</b>		<b>64CN</b>	<b>4362</b>	<b>DK CINNABAR</b>	<b>Ford Motor</b>		<b>F</b>
1551	FAST YELLOW	167.7	335.4		1550	RED OXIDE	120.1	240.2	
1552	FAST RED	309.7	619.4		1501	LANDAU BLACK	221.6	443.3	
1554	TINTING WHITE	370.7	741.4		1559	YELLOW OXIDE	303.8	607.6	
1501	LANDAU BLACK	408.7	817.4		1302	LOW LUSTER CLEAR	386.0	772.0	
					1554	TINTING WHITE	410.3	820.6	
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>									
<b>4356</b>	<b>MIDNIGHT BLUE</b>	<b>General Motors</b>		<b>23EN</b>	<b>4363</b>	<b>DK TITANIUM</b>	<b>Ford Motor</b>		<b>P</b>
1501	LANDAU BLACK	192.9	385.9		1559	YELLOW OXIDE	106.0	212.0	
1553	FAST BLUE	385.9	771.8		1501	LANDAU BLACK	208.1	416.3	
1554	TINTING WHITE	405.1	810.2		1302	LOW LUSTER CLEAR	290.6	581.2	
					1554	TINTING WHITE	369.9	739.9	
					1550	RED OXIDE	413.2	826.3	

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 63

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4364	MED SANDALWOO	Ford Motor	Z
1559	YELLOW OXIDE	237.5	475.0
1501	LANDAU BLACK	309.4	618.8
1550	RED OXIDE	372.3	744.6
1554	TINTING WHITE	414.2	828.4

4371	BUCKSKIN	Chrysler Motors	V6
1554	TINTING WHITE	230.9	461.9
1559	YELLOW OXIDE	370.9	741.8
1550	RED OXIDE	401.6	803.1
1501	LANDAU BLACK	425.5	851.0

4365	MED TITANIUM BU	Ford Motor	P
1508	SILVER	289.4	578.7
1501	LANDAU BLACK	378.5	757.0
1552	FAST RED	391.2	782.4
1551	FAST YELLOW	401.6	803.1
1554	TINTING WHITE	408.1	816.2

4372	LT BUCKSKIN	Chrysler Motors	K3
1554	TINTING WHITE	196.4	392.7
1559	YELLOW OXIDE	391.5	783.0
1550	RED OXIDE	411.3	822.5
1501	LANDAU BLACK	423.9	847.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4366	DEEP SANDALWOO	Ford Motor	Z
1501	LANDAU BLACK	189.2	378.5
1559	YELLOW OXIDE	327.7	655.3
1550	RED OXIDE	393.4	786.8
1554	TINTING WHITE	410.5	821.0

4373	MED CURRANT RE	Ford Motor	A
1552	FAST RED	386.3	772.5
1553	FAST BLUE	398.5	797.1
1554	TINTING WHITE	404.4	808.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4367	LT SANDALWOOD	Ford Motor	Z
1554	TINTING WHITE	210.7	421.4
1551	FAST YELLOW	302.2	604.4
1552	FAST RED	367.7	735.3
1501	LANDAU BLACK	420.1	840.2

4374	PASTEL ADOBE PRI	Ford Motor	A
1554	TINTING WHITE	389.3	778.6
1559	YELLOW OXIDE	431.0	862.0
1501	LANDAU BLACK	433.2	866.4
1550	RED OXIDE	434.7	869.4

4368	DK REGATTA BLUE	Ford Motor	B
1553	FAST BLUE	190.8	381.5
1501	LANDAU BLACK	340.9	681.7
1554	TINTING WHITE	381.1	762.3
1552	FAST RED	406.8	813.6

4375	TWILIGHT BLUE	Ford Motor	B
1501	LANDAU BLACK	204.8	409.6
1553	FAST BLUE	388.2	776.3
1554	TINTING WHITE	405.1	810.2

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

4369	BRIGHT BLUE MET	Corvette	21CM
1508	SILVER	188.5	377.0
1553	FAST BLUE	364.4	728.8
1556	FAST GREEN	391.8	783.6
1501	LANDAU BLACK	405.5	810.9

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4376	LT TITANIUM	Ford Motor	A
1554	TINTING WHITE	208.5	417.1
1559	YELLOW OXIDE	308.9	617.9
1501	LANDAU BLACK	380.6	761.1
1550	RED OXIDE	423.4	846.8

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

4370	TOAST	Chrysler Motors	K2
1559	YELLOW OXIDE	194.4	388.7
1554	TINTING WHITE	373.4	746.9
1550	RED OXIDE	409.4	818.7
1501	LANDAU BLACK	422.9	845.9

4377	MIDNITE CURRANT	Ford Motor	A
1552	FAST RED	380.9	761.7
1553	FAST BLUE	391.7	783.4
1501	LANDAU BLACK	400.9	801.8
1554	TINTING WHITE	404.1	808.3

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 64

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4378</b>	<b>DK TAUPE</b>	<b>Chrysler Motors</b>		<b>V8</b>	<b>4386</b>	<b>MAHOGANY</b>	
1559	YELLOW OXIDE	127.3	254.6	1501	LANDAU BLACK	210.7	421.4
1501	LANDAU BLACK	224.1	448.2	1550	RED OXIDE	350.8	701.7
1302	LOW LUSTER CLEAR	306.2	612.4	1553	FAST BLUE	394.0	787.9
1550	RED OXIDE	378.7	757.3	1554	TINTING WHITE	409.0	818.0
1554	TINTING WHITE	410.8	821.6				
<b>4379</b>	<b>NEUTRAL DK GRAY</b>	<b>Chrysler Motors</b>		<b>S5</b>	<b>4387</b>	<b>GINGER PRINT</b>	
1501	LANDAU BLACK	165.7	331.4	1559	YELLOW OXIDE	346.3	692.6
1559	YELLOW OXIDE	281.4	562.8	1550	RED OXIDE	397.2	794.4
1554	TINTING WHITE	359.5	719.0	1554	TINTING WHITE	407.6	815.1
1550	RED OXIDE	414.3	828.6	1501	LANDAU BLACK	413.7	827.5
<b>4380</b>	<b>OXFORD WHITE</b>	<b>Ford Motor</b>		<b>P</b>	<b>4388</b>	<b>TUNDRA</b>	
1554	TINTING WHITE	411.4	822.9	1559	YELLOW OXIDE	239.8	479.6
1559	YELLOW OXIDE	429.8	859.6	1554	TINTING WHITE	345.8	691.6
1501	LANDAU BLACK	434.2	868.3	1550	RED OXIDE	386.4	772.7
1550	RED OXIDE	435.9	871.7	1501	LANDAU BLACK	418.4	836.8
<b>4381</b>	<b>TAURUS/SABLE BL</b>	<b>Ford Motor</b>		<b>FACIA</b>	<b>4389</b>	<b>LT CHAMPAGNE</b>	
1508	SILVER	224.5	449.0	1302	LOW LUSTER CLEAR	138.9	277.8
1553	FAST BLUE	302.9	605.7	1554	TINTING WHITE	274.5	548.9
1501	LANDAU BLACK	367.4	734.7	1559	YELLOW OXIDE	396.4	792.9
1552	FAST RED	405.9	811.9	1550	RED OXIDE	408.7	817.4
				1501	LANDAU BLACK	416.5	833.0
<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>							
<b>4382</b>	<b>MIDNIGHT BLUE</b>	<b>Chrysler Motors</b>		<b>B9</b>	<b>4390</b>	<b>MED CHAMPAGNE</b>	
1553	FAST BLUE	219.7	439.5	1559	YELLOW OXIDE	213.8	427.5
1501	LANDAU BLACK	370.3	740.6	1554	TINTING WHITE	361.4	722.8
1554	TINTING WHITE	392.1	784.1	1550	RED OXIDE	394.4	788.9
1556	FAST GREEN	405.1	810.2	1501	LANDAU BLACK	420.9	841.9
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>4383</b>	<b>MED QUARTZ</b>	<b>Chrysler Motors</b>		<b>D5</b>	<b>4391</b>	<b>LT QUARTZ</b>	
1554	TINTING WHITE	164.6	329.3	1554	TINTING WHITE	332.0	664.1
1501	LANDAU BLACK	266.7	533.3	1559	YELLOW OXIDE	378.4	756.8
1559	YELLOW OXIDE	357.4	714.8	1501	LANDAU BLACK	404.9	809.8
1550	RED OXIDE	420.5	840.9	1550	RED OXIDE	431.0	862.0
<b>4384</b>	<b>MED QUARTZ I.P.</b>	<b>Chrysler Motors</b>		<b>D5</b>	<b>4392</b>	<b>BLUE GRAY MET</b>	
1302	LOW LUSTER CLEAR	138.2	276.5	1553	FAST BLUE	115.6	231.2
1554	TINTING WHITE	262.1	524.2	1501	LANDAU BLACK	224.9	449.7
1501	LANDAU BLACK	328.4	656.8	1552	FAST RED	319.1	638.2
1559	YELLOW OXIDE	377.5	755.1	1508	SILVER	404.8	809.6
1550	RED OXIDE	414.8	829.5				

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 65

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4393</b>	<b>MIDNIGHT BLUE M</b>	<b>Chrysler Motors</b>	<b>B9</b>	<b>4401</b>	<b>SILVER</b>	<b>Chrysler Motors</b>	<b>A3</b>
1553	FAST BLUE	227.5	455.1	1554	TINTING WHITE	195.2	390.5
1552	FAST RED	321.2	642.4	1302	LOW LUSTER CLEAR	335.3	670.5
1501	LANDAU BLACK	391.3	782.6	1559	YELLOW OXIDE	377.0	753.9
1508	SILVER	403.5	806.9	1550	RED OXIDE	407.9	815.9
				1553	FAST BLUE	419.6	839.2

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4394</b>	<b>DIAMOND BLUE ME</b>	<b>Chrysler Motors</b>	<b>C1</b>	<b>4402</b>	<b>SAND</b>	<b>American Motor</b>	<b>89P1</b>
1508	SILVER	321.6	643.2	1554	TINTING WHITE	210.3	420.7
1553	FAST BLUE	368.0	736.1	1302	LOW LUSTER CLEAR	350.9	701.9
1552	FAST RED	402.7	805.4	1559	YELLOW OXIDE	410.0	820.0
1501	LANDAU BLACK	407.6	815.1	1550	RED OXIDE	418.8	837.5
				1553	FAST BLUE	420.6	841.1

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4395</b>	<b>LT MAHOGANY ME</b>	<b>Chrysler Motors</b>	<b>H6</b>	<b>4403</b>	<b>DK SAND</b>	<b>American Motor</b>	<b>89P2</b>
1552	FAST RED	247.0	494.0	1302	LOW LUSTER CLEAR	138.3	276.6
1553	FAST BLUE	316.5	633.1	1554	TINTING WHITE	270.6	541.1
1551	FAST YELLOW	362.6	725.2	1559	YELLOW OXIDE	383.4	766.8
1508	SILVER	404.2	808.5	1550	RED OXIDE	405.3	810.5
				1501	LANDAU BLACK	416.3	832.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4396</b>	<b>MED MAHOGANY</b>	<b>Chrysler Motors</b>	<b>H8</b>	<b>4404</b>	<b>GRANITE</b>	<b>Ford Motor</b>	<b>E</b>
1552	FAST RED	256.1	512.2	1302	LOW LUSTER CLEAR	137.1	274.2
1553	FAST BLUE	353.0	706.0	1501	LANDAU BLACK	244.1	488.1
1551	FAST YELLOW	399.7	799.3	1559	YELLOW OXIDE	323.6	647.1
1508	SILVER	403.6	807.1	1554	TINTING WHITE	396.0	791.9
				1550	RED OXIDE	411.0	821.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4397</b>	<b>LT TAUPE MET</b>	<b>Chrysler Motors</b>	<b>L3</b>	<b>4405</b>	<b>CRYSTAL BLUE</b>	<b>Ford Motor</b>	<b>A</b>
1508	SILVER	227.5	455.1	1501	LANDAU BLACK	208.3	416.7
1552	FAST RED	318.5	637.1	1554	TINTING WHITE	376.5	753.0
1551	FAST YELLOW	374.9	749.7	1553	FAST BLUE	417.2	834.5
1501	LANDAU BLACK	406.7	813.4				

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4398</b>	<b>MED TAUPE MET</b>	<b>Chrysler Motors</b>	<b>L6</b>	<b>4406</b>	<b>CURRANT</b>	<b>Ford Motor</b>	<b>A</b>
1552	FAST RED	157.4	314.8	1552	FAST RED	261.5	523.1
1508	SILVER	255.2	510.3	1302	LOW LUSTER CLEAR	392.0	783.9
1501	LANDAU BLACK	339.4	678.9	1553	FAST BLUE	398.9	797.8
1551	FAST YELLOW	405.4	810.7	1554	TINTING WHITE	403.5	806.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4400</b>	<b>WHITE</b>	<b>Chrysler Motors</b>	<b>W5</b>	<b>4407</b>	<b>MED QUARTZ</b>	<b>Chrysler Motors</b>	<b>D4</b>
1554	TINTING WHITE	391.0	782.0	1302	LOW LUSTER CLEAR	204.8	409.6
1559	YELLOW OXIDE	417.1	834.3	1554	TINTING WHITE	270.9	541.9
1550	RED OXIDE	431.1	862.2	1501	LANDAU BLACK	333.6	667.3
1553	FAST BLUE	434.8	869.6	1559	YELLOW OXIDE	378.9	757.7
				1550	RED OXIDE	409.5	819.1

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 66

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>4408</b>	<b>DK CHARCOAL</b>	<b>Chrysler Motors</b>		<b>A8</b>	<b>4416</b>	<b>MED SANDALWOOD</b>	<b>Ford Motor</b>	<b>Z</b>
1501	LANDAU BLACK	170.1	340.1		1302	LOW LUSTER CLEAR	135.9	271.9
1554	TINTING WHITE	295.1	590.1		1559	YELLOW OXIDE	265.9	531.8
1559	YELLOW OXIDE	407.2	814.3		1501	LANDAU BLACK	328.1	656.3
1550	RED OXIDE	416.8	833.5		1550	RED OXIDE	373.7	747.5
					1554	TINTING WHITE	410.0	820.0
<b>4409</b>	<b>LT BROWNSTONE</b>	<b>Chrysler Motors</b>		<b>F3</b>	<b>4417</b>	<b>MED CANYON RED</b>	<b>Ford Motor</b>	<b>D</b>
1554	TINTING WHITE	267.6	535.2		1552	FAST RED	316.6	633.3
1559	YELLOW OXIDE	378.1	756.2		1559	YELLOW OXIDE	401.6	803.1
1550	RED OXIDE	408.1	816.2		1553	FAST BLUE	405.9	811.9
1501	LANDAU BLACK	427.6	855.2					
<b>4410</b>	<b>DK TUNDRA</b>	<b>Chrysler Motors</b>		<b>J9</b>	<b>4418</b>	<b>GARNET RED</b>	<b>General Motors</b>	<b>75T</b>
1559	YELLOW OXIDE	251.6	503.1		1552	FAST RED	370.4	740.8
1501	LANDAU BLACK	310.4	620.7		1508	SILVER	389.3	778.6
1550	RED OXIDE	365.5	730.9		1553	FAST BLUE	400.6	801.2
1554	TINTING WHITE	414.8	829.5		1554	TINTING WHITE	404.4	808.8
<b>4411</b>	<b>MED CABERNET</b>	<b>Ford Motor</b>		<b>D</b>	<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>			
1552	FAST RED	352.9	705.9		<b>4419</b>	<b>DK BLUE</b>	<b>Ford Motor</b>	<b>B</b>
1559	YELLOW OXIDE	387.4	774.8		1553	FAST BLUE	252.9	505.8
1553	FAST BLUE	397.3	794.6		1501	LANDAU BLACK	377.8	755.6
1554	TINTING WHITE	405.4	810.7		1554	TINTING WHITE	405.5	810.9
<b>4412</b>	<b>CRYSTAL BLUE PRI</b>	<b>Ford Motor</b>		<b>A</b>	<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>			
1554	TINTING WHITE	342.5	685.0		<b>4420</b>	<b>RAVEN BLACK</b>	<b>Ford Motor</b>	<b>A</b>
1501	LANDAU BLACK	416.5	833.0		1501	LANDAU BLACK	193.8	387.6
1559	YELLOW OXIDE	430.6	861.3		1302	LOW LUSTER CLEAR	329.6	659.1
					1554	TINTING WHITE	367.7	735.3
					1559	YELLOW OXIDE	400.7	801.4
					1550	RED OXIDE	407.4	814.7
<b>4414</b>	<b>WHITE</b>	<b>General Motors</b>		<b>11T</b>	<b>4421</b>	<b>BEIGE</b>	<b>Ford Motor</b>	<b>Y</b>
1554	TINTING WHITE	423.7	847.4		1302	LOW LUSTER CLEAR	139.6	279.1
1559	YELLOW OXIDE	432.5	865.1		1554	TINTING WHITE	270.8	541.5
1550	RED OXIDE	435.6	871.2		1559	YELLOW OXIDE	384.1	768.2
1556	FAST GREEN	436.7	873.4		1550	RED OXIDE	403.5	806.9
					1501	LANDAU BLACK	416.0	832.0
<b>4415</b>	<b>MED BLUE MET</b>	<b>General Motors</b>		<b>21EN</b>	<b>4422</b>	<b>STONE PINE GREEN</b>	<b>Mercedes Benz</b>	<b>176</b>
1508	SILVER	195.4	390.8		1501	LANDAU BLACK	160.2	320.3
1553	FAST BLUE	349.4	698.8		1551	FAST YELLOW	272.9	545.9
1556	FAST GREEN	370.4	740.8		1556	FAST GREEN	358.3	716.7
1554	TINTING WHITE	389.3	778.6		1554	TINTING WHITE	408.2	816.4
1501	LANDAU BLACK	407.2	814.3					

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 67

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4423</b>	<b>BLUE</b>	<b>Mercedes Benz</b>		<b>172</b>	<b>4430</b>	<b>BLACK</b>	
1553	FAST BLUE	180.7	361.4	1501	LANDAU BLACK	311.3	622.6
1501	LANDAU BLACK	349.9	699.8	1551	FAST YELLOW	355.8	711.6
1554	TINTING WHITE	391.4	782.8	1554	TINTING WHITE	388.6	777.1
1556	FAST GREEN	406.9	813.8	1552	FAST RED	407.3	814.5
<b>4424</b>	<b>BURGUNDY</b>	<b>Mercedes Benz</b>		<b>177</b>	<b>4431</b>	<b>BUCKSKIN</b>	
1552	FAST RED	310.1	620.2	1559	YELLOW OXIDE	191.3	382.7
1551	FAST YELLOW	363.9	727.9	1550	RED OXIDE	282.4	564.9
1501	LANDAU BLACK	386.0	772.0	1554	TINTING WHITE	366.8	733.6
1554	TINTING WHITE	405.6	811.1	1501	LANDAU BLACK	417.1	834.3
<b>4425</b>	<b>CREME BEIGE</b>	<b>Mercedes Benz</b>		<b>175</b>	<b>4432</b>	<b>DOESKIN</b>	
1554	TINTING WHITE	217.9	435.9	1554	TINTING WHITE	195.2	390.5
1559	YELLOW OXIDE	388.3	776.5	1559	YELLOW OXIDE	366.9	733.8
1550	RED OXIDE	408.1	816.2	1550	RED OXIDE	399.1	798.2
1501	LANDAU BLACK	425.0	850.1	1501	LANDAU BLACK	423.5	847.0
<b>4426</b>	<b>DK SAND</b>	<b>Chrysler Motors</b>		<b>Y6</b>	<b>4433</b>	<b>ISIS BLUE</b>	
1554	TINTING WHITE	207.1	414.2	1501	LANDAU BLACK	225.2	450.5
1559	YELLOW OXIDE	379.0	757.9	1553	FAST BLUE	291.6	583.1
1550	RED OXIDE	408.7	817.4	1554	TINTING WHITE	357.3	714.6
1501	LANDAU BLACK	424.4	848.7	1552	FAST RED	409.4	818.7
<b>4427</b>	<b>MULBERRY</b>	<b>Jaguar</b>		<b>4434</b>	<b>MAGNOLIA</b>		
1550	RED OXIDE	150.8	301.5	1554	TINTING WHITE	322.3	644.7
1302	LOW LUSTER CLEAR	289.2	578.4	1559	YELLOW OXIDE	420.7	841.3
1552	FAST RED	348.7	697.3	1550	RED OXIDE	429.3	858.6
1554	TINTING WHITE	384.1	768.2	1501	LANDAU BLACK	430.9	861.8
1501	LANDAU BLACK	409.6	819.3				
<b>4428</b>	<b>SAVILE GRAY</b>	<b>Jaguar</b>		<b>4435</b>	<b>GRAY</b>		
1554	TINTING WHITE	241.7	483.4	1302	LOW LUSTER CLEAR	138.9	277.8
1501	LANDAU BLACK	336.5	673.0	1554	TINTING WHITE	262.2	524.4
1559	YELLOW OXIDE	388.2	776.3	1559	YELLOW OXIDE	369.4	738.7
1550	RED OXIDE	424.7	849.5	1501	LANDAU BLACK	405.5	810.9
				1550	RED OXIDE	415.2	830.3
<b>4429</b>	<b>BARLEY</b>	<b>Jaguar</b>		<b>4436</b>	<b>RED</b>		
1554	TINTING WHITE	181.8	363.7	1552	FAST RED	339.7	679.4
1552	FAST RED	304.3	608.6	1551	FAST YELLOW	390.8	781.7
1551	FAST YELLOW	394.3	788.7	1554	TINTING WHITE	404.2	808.5
1556	FAST GREEN	417.9	835.8	1501	LANDAU BLACK	405.1	810.2

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 68

		PINTS	QUARTS
		GRAMS	
<b>4437</b>	<b>RUSSET</b>	<b>MG</b>	
1552	FAST RED	280.2	560.3
1551	FAST YELLOW	367.8	735.7
1554	TINTING WHITE	386.8	773.7
1550	RED OXIDE	405.8	811.7

		PINTS	QUARTS	
		GRAMS		
<b>4444</b>	<b>RED</b>	<b>Mercedes Benz</b>		<b>243</b>
1552	FAST RED	294.2	588.4	
1551	FAST YELLOW	384.4	768.7	
1554	TINTING WHITE	403.6	807.1	
1553	FAST BLUE	405.5	810.9	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

		PINTS	QUARTS
		GRAMS	
<b>4438</b>	<b>LT BLUE</b>	<b>MG</b>	
1554	TINTING WHITE	197.3	394.6
1501	LANDAU BLACK	286.3	572.7
1302	LOW LUSTER CLEAR	343.1	686.3
1559	YELLOW OXIDE	388.6	777.1
1550	RED OXIDE	420.8	841.5

		PINTS	QUARTS	
		GRAMS		
<b>4445</b>	<b>BLUE</b>	<b>Mercedes Benz</b>		<b>245</b>
1501	LANDAU BLACK	159.9	319.8	
1553	FAST BLUE	313.2	626.4	
1554	TINTING WHITE	385.2	770.5	
1551	FAST YELLOW	409.4	818.7	

		PINTS	QUARTS
		GRAMS	
<b>4439</b>	<b>CINNAMON</b>	<b>MG</b>	
1559	YELLOW OXIDE	197.9	395.8
1302	LOW LUSTER CLEAR	280.3	560.7
1550	RED OXIDE	343.2	686.5
1554	TINTING WHITE	405.5	810.9
1501	LANDAU BLACK	414.1	828.2

		PINTS	QUARTS	
		GRAMS		
<b>4446</b>	<b>BAMBOO</b>	<b>Mercedes Benz</b>		<b>249</b>
1551	FAST YELLOW	187.2	374.3	
1554	TINTING WHITE	306.5	612.9	
1552	FAST RED	395.7	791.4	
1501	LANDAU BLACK	413.2	826.3	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

		PINTS	QUARTS
		GRAMS	
<b>4440</b>	<b>LT BEIGE</b>	<b>MG</b>	
1554	TINTING WHITE	225.5	451.1
1559	YELLOW OXIDE	392.5	785.1
1550	RED OXIDE	413.1	826.1
1501	LANDAU BLACK	425.4	850.8

		PINTS	QUARTS	
		GRAMS		
<b>4447</b>	<b>COGNAC PRINT</b>	<b>Mercedes Benz</b>		<b>250</b>
1551	FAST YELLOW	205.4	410.8	
1552	FAST RED	313.2	626.4	
1554	TINTING WHITE	395.2	790.4	
1501	LANDAU BLACK	410.3	820.6	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

		PINTS	QUARTS
		GRAMS	
<b>4441</b>	<b>LT TAN</b>	<b>MG</b>	
1551	FAST YELLOW	156.5	312.9
1550	RED OXIDE	274.4	548.7
1302	LOW LUSTER CLEAR	357.4	714.8
1554	TINTING WHITE	402.5	805.0
1501	LANDAU BLACK	409.8	819.7

		PINTS	QUARTS	
		GRAMS		
<b>4448</b>	<b>PARCHMENT</b>	<b>Mercedes Benz</b>		<b>254</b>
1554	TINTING WHITE	269.4	538.8	
1559	YELLOW OXIDE	402.3	804.7	
1501	LANDAU BLACK	415.5	831.1	
1550	RED OXIDE	427.9	855.8	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

		PINTS	QUARTS
		GRAMS	
<b>4442</b>	<b>DK TAN</b>	<b>MG</b>	
1551	FAST YELLOW	157.2	314.5
1550	RED OXIDE	304.8	609.5
1302	LOW LUSTER CLEAR	386.7	773.3
1554	TINTING WHITE	399.3	798.6
1501	LANDAU BLACK	408.0	816.1

		PINTS	QUARTS	
		GRAMS		
<b>4449</b>	<b>BAMBOO PRINT</b>	<b>Mercedes Benz</b>		<b>267</b>
1551	FAST YELLOW	199.0	398.1	
1554	TINTING WHITE	303.2	606.5	
1552	FAST RED	392.3	784.5	
1501	LANDAU BLACK	412.0	824.0	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

		PINTS	QUARTS	
		GRAMS		
<b>4443</b>	<b>BLUE</b>	<b>Mercedes Benz</b>		<b>245</b>
1501	LANDAU BLACK	172.4	344.9	
1553	FAST BLUE	297.6	595.3	
1554	TINTING WHITE	384.7	769.3	
1556	FAST GREEN	410.5	821.0	

		PINTS	QUARTS	
		GRAMS		
<b>4450</b>	<b>CARDINAL RED</b>	<b>BMW</b>		
1302	LOW LUSTER CLEAR	166.1	332.1	
1552	FAST RED	325.1	650.2	
1551	FAST YELLOW	378.2	756.4	
1554	TINTING WHITE	396.9	793.8	
1501	LANDAU BLACK	404.4	808.8	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 69

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4451</b>	<b>BLACK</b>	<b>BMW</b>		<b>4458</b>	<b>MED SLATE GRAY</b>	<b>General Motors 15BN</b>	
1501	LANDAU BLACK	405.1	810.2	1554	TINTING WHITE	339.2	678.5
				1501	LANDAU BLACK	395.6	791.2
				1559	YELLOW OXIDE	417.1	834.1
				1550	RED OXIDE	430.9	861.8
<b>4452</b>	<b>NATUR</b>	<b>BMW</b>		<b>4459</b>	<b>ROVER GRAY</b>	<b>Rolls Royce / Be A-5032</b>	
1302	LOW LUSTER CLEAR	137.8	275.5	1554	TINTING WHITE	241.7	483.4
1559	YELLOW OXIDE	257.5	514.9	1501	LANDAU BLACK	336.5	673.0
1554	TINTING WHITE	370.3	740.6	1559	YELLOW OXIDE	388.2	776.3
1550	RED OXIDE	402.5	805.0	1550	RED OXIDE	424.7	849.5
1501	LANDAU BLACK	415.1	830.1				
<b>4453</b>	<b>INDIGO</b>	<b>BMW</b>		<b>4460</b>	<b>COFFEE BEIGE</b>	<b>Rolls Royce / Be A-4184</b>	
1501	LANDAU BLACK	183.5	367.1	1559	YELLOW OXIDE	208.1	416.1
1302	LOW LUSTER CLEAR	320.7	641.4	1554	TINTING WHITE	342.2	684.4
1554	TINTING WHITE	373.3	746.5	1550	RED OXIDE	401.5	802.9
1551	FAST YELLOW	407.6	815.1	1501	LANDAU BLACK	420.4	840.8
<b>4454</b>	<b>SILVER</b>	<b>BMW</b>		<b>4461</b>	<b>ROSSO RED</b>	<b>Rolls Royce / Be A-8300</b>	
1302	LOW LUSTER CLEAR	137.9	275.9	1552	FAST RED	228.2	456.4
1554	TINTING WHITE	248.6	497.2	1551	FAST YELLOW	385.8	771.6
1559	YELLOW OXIDE	324.5	649.0	1554	TINTING WHITE	404.6	809.2
1501	LANDAU BLACK	389.9	779.8	1501	LANDAU BLACK	405.0	810.0
1550	RED OXIDE	413.9	827.8				
<b>4455</b>	<b>LAMA</b>	<b>BMW</b>		<b>4462</b>	<b>RR RED</b>	<b>Rolls Royce / Be A-3086</b>	
1559	YELLOW OXIDE	190.3	380.6	1302	LOW LUSTER CLEAR	198.6	397.3
1302	LOW LUSTER CLEAR	327.0	654.0	1552	FAST RED	369.3	738.5
1550	RED OXIDE	373.2	746.3	1551	FAST YELLOW	394.3	788.5
1554	TINTING WHITE	395.7	791.4	1554	TINTING WHITE	401.4	802.8
1501	LANDAU BLACK	410.2	820.4	1553	FAST BLUE	403.2	806.4
<b>4456</b>	<b>PEARL BEIGE</b>	<b>BMW</b>		<b>4463</b>	<b>BURGUNDY</b>	<b>Rolls Royce / Be A-893</b>	
1302	LOW LUSTER CLEAR	138.5	277.0	1302	LOW LUSTER CLEAR	219.3	438.5
1554	TINTING WHITE	267.6	535.2	1552	FAST RED	387.8	775.6
1559	YELLOW OXIDE	387.0	774.1	1551	FAST YELLOW	394.6	789.3
1501	LANDAU BLACK	406.1	812.3	1554	TINTING WHITE	399.6	799.1
1550	RED OXIDE	415.8	831.6	1553	FAST BLUE	402.9	805.8
<b>4457</b>	<b>LOTUS WHITE</b>	<b>BMW</b>		<b>4464</b>	<b>LT NAVY</b>	<b>Rolls Royce / Be A-3282</b>	
1554	TINTING WHITE	357.4	714.8	1553	FAST BLUE	288.0	576.1
1559	YELLOW OXIDE	413.3	826.7	1501	LANDAU BLACK	387.9	775.8
1501	LANDAU BLACK	423.2	846.5	1554	TINTING WHITE	404.2	808.5
1550	RED OXIDE	432.7	865.5				

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 70

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	TAN	Rolls Royce / Be	A-846
4465			
1559	YELLOW OXIDE	241.1	482.2
1554	TINTING WHITE	348.1	696.2
1550	RED OXIDE	410.8	821.6
1501	LANDAU BLACK	419.1	838.3

	RED	Rolls Royce / Be	A-3171
4472			
1552	FAST RED	315.1	630.2
1551	FAST YELLOW	390.8	781.7
1554	TINTING WHITE	403.8	807.5
1501	LANDAU BLACK	405.0	810.0

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	PARCHMENT	Rolls Royce / Be	A-3672
4466			
1554	TINTING WHITE	224.9	449.7
1302	LOW LUSTER CLEAR	365.2	730.4
1559	YELLOW OXIDE	414.7	829.4
1550	RED OXIDE	419.0	837.9
1501	LANDAU BLACK	421.5	843.0

	LAKE BLUE	Rolls Royce / Be	A-3015
4473			
1554	TINTING WHITE	191.0	382.1
1501	LANDAU BLACK	375.3	750.5
1556	FAST GREEN	408.8	817.6
1553	FAST BLUE	419.0	837.9

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	BISCUIT	Rolls Royce / Be	A-4103
4467			
1559	YELLOW OXIDE	230.7	461.3
1554	TINTING WHITE	373.2	746.3
1550	RED OXIDE	417.2	834.5
1501	LANDAU BLACK	421.0	842.1

	LT BLUE	Rolls Royce / Be	A-4135
4474			
1554	TINTING WHITE	312.6	625.3
1501	LANDAU BLACK	388.6	777.3
1553	FAST BLUE	424.7	849.3
1556	FAST GREEN	427.9	855.8

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	BEIGE	Rolls Royce / Be	A-3234
4468			
1554	TINTING WHITE	144.4	288.8
1302	LOW LUSTER CLEAR	283.3	566.6
1559	YELLOW OXIDE	397.8	795.5
1550	RED OXIDE	409.9	819.9
1501	LANDAU BLACK	416.9	833.7

	RR BLUE	Rolls Royce / Be	A-4133
4475			
1501	LANDAU BLACK	209.0	418.0
1554	TINTING WHITE	323.8	647.5
1553	FAST BLUE	400.0	799.9
1556	FAST GREEN	413.0	825.9

	BLACK	Rolls Royce / Be	A-8500
4469			
1501	LANDAU BLACK	405.1	810.2

	CHOCOLATE	Rolls Royce / Be	A-890
4476			
1559	YELLOW OXIDE	123.3	246.6
1501	LANDAU BLACK	217.1	434.2
1550	RED OXIDE	303.0	605.9
1302	LOW LUSTER CLEAR	384.9	769.9
1554	TINTING WHITE	410.5	821.0

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	WHITE	Rolls Royce / Be	A-4169
4470			
1554	TINTING WHITE	437.4	874.8

	MINK	Rolls Royce / Be	A-4186
4477			
1302	LOW LUSTER CLEAR	138.6	277.2
1554	TINTING WHITE	262.4	524.8
1552	FAST RED	325.5	650.9
1551	FAST YELLOW	377.3	754.7
1501	LANDAU BLACK	412.6	825.2

	BLUEGRAY	Rolls Royce / Be	A-3244
4471			
1554	TINTING WHITE	191.9	383.8
1501	LANDAU BLACK	343.6	687.2
1551	FAST YELLOW	416.4	832.8
1552	FAST RED	419.0	838.1

	CHESTNUT	Rolls Royce / Be	A-891
4478			
1550	RED OXIDE	138.2	276.5
1302	LOW LUSTER CLEAR	274.6	549.1
1559	YELLOW OXIDE	366.1	732.3
1501	LANDAU BLACK	401.9	803.9
1554	TINTING WHITE	409.3	818.5

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 71

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	MAGNOLIA	Rolls Royce / Be	A-3997
1554	TINTING WHITE	350.7	701.5
1559	YELLOW OXIDE	426.6	853.1
1550	RED OXIDE	431.0	862.0
1556	FAST GREEN	432.6	865.3

	RR GREEN	Rolls Royce / Be	A-3655
1551	FAST YELLOW	159.9	319.8
1501	LANDAU BLACK	278.8	557.7
1554	TINTING WHITE	350.1	700.2
1556	FAST GREEN	409.7	819.5

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	CREAM	Rolls Royce / Be	A-3099
1554	TINTING WHITE	260.4	520.8
1559	YELLOW OXIDE	413.1	826.1
1550	RED OXIDE	425.9	851.8
1501	LANDAU BLACK	427.6	855.2

	LT GREEN	Ford Motor	
1554	TINTING WHITE	390.5	780.9
1556	FAST GREEN	426.5	852.9
1551	FAST YELLOW	431.2	862.4
1501	LANDAU BLACK	433.8	867.5

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	RR TAN	Rolls Royce / Be	A-4134
1559	YELLOW OXIDE	299.3	598.7
1550	RED OXIDE	363.4	726.8
1554	TINTING WHITE	404.5	809.0
1501	LANDAU BLACK	415.3	830.7

	RED	Ford Motor	
1552	FAST RED	303.3	606.7
1551	FAST YELLOW	382.9	765.9
1554	TINTING WHITE	405.7	811.3

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	SADDLE	Rolls Royce / Be	A-3128
1554	TINTING WHITE	240.2	480.3
1551	FAST YELLOW	358.8	717.6
1552	FAST RED	416.3	832.6
1501	LANDAU BLACK	422.4	844.7

	DK GREEN	Ford Motor	
1556	FAST GREEN	229.7	459.4
1554	TINTING WHITE	304.3	608.6
1501	LANDAU BLACK	356.9	713.8
1553	FAST BLUE	409.5	819.1

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	CINNAMON	Rolls Royce / Be	A-3243
1559	YELLOW OXIDE	249.9	499.7
1554	TINTING WHITE	378.6	757.2
1550	RED OXIDE	415.5	831.1
1501	LANDAU BLACK	420.4	840.8

	WHITE	Ford Motor	
1554	TINTING WHITE	432.4	864.9
1551	FAST YELLOW	435.5	871.0
1552	FAST RED	436.3	872.7
1501	LANDAU BLACK	437.0	874.0

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	FAWN	Rolls Royce / Be	A-847
1559	YELLOW OXIDE	237.5	475.0
1554	TINTING WHITE	381.8	763.6
1550	RED OXIDE	408.0	816.1
1501	LANDAU BLACK	420.9	841.9

	LT BLUE	Ford Motor	
1554	TINTING WHITE	183.2	366.3
1553	FAST BLUE	346.8	693.5
1556	FAST GREEN	393.1	786.2
1551	FAST YELLOW	417.3	834.7

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

	RR GREY	Rolls Royce / Be	A-3393
1554	TINTING WHITE	221.9	443.8
1559	YELLOW OXIDE	364.8	729.6
1501	LANDAU BLACK	406.0	812.1
1550	RED OXIDE	424.7	849.3

	LT GREEN	Ford Motor	
1554	TINTING WHITE	263.4	526.9
1551	FAST YELLOW	376.7	753.4
1556	FAST GREEN	401.9	803.7
1501	LANDAU BLACK	424.1	848.2

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 72

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4493</b>	<b>BROWN</b>	<b>Ford Motor</b>		<b>4500</b>	<b>LT CHARCOAL</b>	<b>Chrysler Motors</b>	
1559	YELLOW OXIDE	182.7	365.4	1554	TINTING WHITE	152.2	304.4
1550	RED OXIDE	343.6	687.2	1302	LOW LUSTER CLEAR	290.8	581.6
1554	TINTING WHITE	392.5	785.1	1501	LANDAU BLACK	348.2	696.4
1501	LANDAU BLACK	415.8	831.6	1559	YELLOW OXIDE	401.4	802.8
				1550	RED OXIDE	416.4	832.8
<b>4494</b>	<b>RED</b>	<b>Ford Motor</b>		<b>4501</b>	<b>NAVY</b>	<b>Chrysler Motors</b>	
1552	FAST RED	189.3	378.7	1302	LOW LUSTER CLEAR	136.2	272.5
1302	LOW LUSTER CLEAR	270.9	541.9	1501	LANDAU BLACK	260.5	521.0
1551	FAST YELLOW	346.0	692.0	1554	TINTING WHITE	319.7	639.4
1554	TINTING WHITE	404.7	809.4	1553	FAST BLUE	375.9	751.8
1550	RED OXIDE	407.9	815.9	1550	RED OXIDE	408.4	816.8
<b>4495</b>	<b>RED</b>	<b>Ford Motor</b>		<b>4502</b>	<b>CORDOVAN</b>	<b>Chrysler Motors</b>	
1552	FAST RED	220.2	440.4	1550	RED OXIDE	278.4	556.7
1302	LOW LUSTER CLEAR	302.1	604.2	1501	LANDAU BLACK	349.4	698.8
1551	FAST YELLOW	355.8	711.6	1553	FAST BLUE	392.3	784.5
1554	TINTING WHITE	382.2	764.4	1554	TINTING WHITE	412.4	824.8
1550	RED OXIDE	406.0	812.1				
<b>4496</b>	<b>CHARCOAL</b>	<b>General Motors</b>		<b>4503</b>	<b>DK MAHOGANY</b>	<b>Chrysler Motors</b>	
1501	LANDAU BLACK	351.4	702.8	1501	LANDAU BLACK	158.7	317.3
1554	TINTING WHITE	377.5	755.1	1302	LOW LUSTER CLEAR	294.5	589.0
1551	FAST YELLOW	399.5	799.0	1550	RED OXIDE	387.5	775.0
1556	FAST GREEN	407.0	814.0	1554	TINTING WHITE	401.3	802.6
				1559	YELLOW OXIDE	407.0	814.0
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>4497</b>	<b>MAROON</b>	<b>General Motors</b>		<b>4504</b>	<b>DK AUBURN</b>	<b>General Motors</b>	
1552	FAST RED	340.9	681.7	1550	RED OXIDE	233.0	466.1
1551	FAST YELLOW	381.4	762.9	1559	YELLOW OXIDE	370.7	741.4
1554	TINTING WHITE	395.7	791.4	1501	LANDAU BLACK	411.0	821.9
1553	FAST BLUE	405.0	810.0	1554	TINTING WHITE	413.1	826.1
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>4498</b>	<b>SADDLE</b>	<b>General Motors</b>		<b>4505</b>	<b>DK SABLE MET</b>	<b>General Motors</b>	
1559	YELLOW OXIDE	273.8	547.6	1552	FAST RED	183.9	367.8
1550	RED OXIDE	339.2	678.3	1508	SILVER	279.3	558.6
1554	TINTING WHITE	399.6	799.1	1501	LANDAU BLACK	359.5	719.0
1501	LANDAU BLACK	416.4	832.8	1551	FAST YELLOW	405.4	810.7
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>4499</b>	<b>LT SAND</b>	<b>Chrysler Motors</b>		<b>4506</b>	<b>MIDNIGHT BLUE</b>	<b>General Motors</b>	
1554	TINTING WHITE	331.8	663.7	1501	LANDAU BLACK	157.1	314.3
1559	YELLOW OXIDE	421.8	843.6	1553	FAST BLUE	303.1	606.3
1550	RED OXIDE	427.3	854.6	1556	FAST GREEN	372.5	745.0
1501	LANDAU BLACK	431.5	863.0	1554	TINTING WHITE	406.4	812.8
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 73

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4507	DK TUNDRA	Chrysler Motors	J9
1559	YELLOW OXIDE	259.1	518.1
1501	LANDAU BLACK	314.2	628.3
1550	RED OXIDE	367.6	735.1
1554	TINTING WHITE	414.9	829.7

4514	LT AUBURN MET	General Motors	64T
1552	FAST RED	176.8	353.6
1508	SILVER	298.0	596.0
1551	FAST YELLOW	370.0	740.1
1501	LANDAU BLACK	405.6	811.1

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4508	DK BLUE	Chrysler Motors	B9
1501	LANDAU BLACK	192.9	385.9
1553	FAST BLUE	385.9	771.8
1554	TINTING WHITE	405.1	810.2

4515	DK AUBURN MET	General Motors	66T
1552	FAST RED	304.7	609.3
1501	LANDAU BLACK	352.4	704.7
1551	FAST YELLOW	395.2	790.4
1508	SILVER	404.2	808.5

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4509	DK BLUE	Chrysler Motors	B9
1553	FAST BLUE	219.7	439.5
1501	LANDAU BLACK	370.3	740.6
1554	TINTING WHITE	392.1	784.1
1556	FAST GREEN	405.1	810.2

4516	MED SLATE GRAY	General Motors	85T
1508	SILVER	170.5	341.1
1501	LANDAU BLACK	258.2	516.4
1552	FAST RED	344.9	689.7
1553	FAST BLUE	406.0	812.1

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4510	DK BLUE	Chrysler Motors	B7
1501	LANDAU BLACK	192.9	385.9
1553	FAST BLUE	385.9	771.8
1554	TINTING WHITE	405.1	810.2

4517	OXFORD WHITE	Ford Motor	W
1554	TINTING WHITE	429.9	859.8
1559	YELLOW OXIDE	433.8	867.5
1501	LANDAU BLACK	436.8	873.6

4511	BORDEAUX	Chrysler Motors	R7
1552	FAST RED	382.9	765.9
1501	LANDAU BLACK	393.9	787.7
1553	FAST BLUE	400.3	800.7
1554	TINTING WHITE	404.3	808.6

4518	VERY DK RED	General Motors	47DN
1552	FAST RED	303.8	607.6
1550	RED OXIDE	353.0	706.0
1501	LANDAU BLACK	395.2	790.4
1554	TINTING WHITE	406.1	812.3

4512	LT BUCKSKIN	Chrysler Motors	V2
1554	TINTING WHITE	196.4	392.7
1559	YELLOW OXIDE	391.5	783.0
1550	RED OXIDE	411.3	822.5
1501	LANDAU BLACK	423.9	847.8

4519	DK RED	General Motors	47CN
1552	FAST RED	238.7	477.5
1302	LOW LUSTER CLEAR	373.4	746.9
1550	RED OXIDE	392.4	784.7
1554	TINTING WHITE	398.6	797.2
1501	LANDAU BLACK	404.1	808.3

4513	SLATE GRAY	General Motors	18T
1554	TINTING WHITE	371.2	742.3
1501	LANDAU BLACK	407.5	814.9
1559	YELLOW OXIDE	423.4	846.8
1550	RED OXIDE	432.9	865.8

4520	SANDALWOOD	Ford Motor	T
1501	LANDAU BLACK	134.1	268.3
1508	SILVER	253.8	507.7
1552	FAST RED	353.2	706.4
1551	FAST YELLOW	405.7	811.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 74

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4521	GRAPHITE	Ford Motor	P
1501	LANDAU BLACK	229.1	458.3
1553	FAST BLUE	289.5	578.9
1508	SILVER	349.4	698.8
1552	FAST RED	405.1	810.2

4528	MED CURRANT RE	Ford Motor	A
1552	FAST RED	395.2	790.4
1554	TINTING WHITE	400.8	801.6
1553	FAST BLUE	404.4	808.8

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4522	DK RED	General Motors	47CN
1552	FAST RED	351.4	702.8
1550	RED OXIDE	394.7	789.5
1553	FAST BLUE	402.0	804.1
1554	TINTING WHITE	405.3	810.5

4529	LT BUCKSKIN MET	Chrysler Motors	V3
1508	SILVER	332.6	665.2
1551	FAST YELLOW	362.4	724.9
1552	FAST RED	389.2	778.4
1501	LANDAU BLACK	407.9	815.9

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4523	LT TITANIUM	Ford Motor	A
1554	TINTING WHITE	216.5	433.0
1302	LOW LUSTER CLEAR	355.1	710.2
1559	YELLOW OXIDE	389.8	779.6
1501	LANDAU BLACK	405.6	811.1
1550	RED OXIDE	420.8	841.5

4530	DUSTY ROSE MET	Chrysler Motors	M7
1552	FAST RED	353.7	707.4
1553	FAST BLUE	387.6	775.2
1508	SILVER	404.1	808.3

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4524	DK BISQUE	Ford Motor	A
1559	YELLOW OXIDE	137.5	274.9
1302	LOW LUSTER CLEAR	274.9	549.9
1554	TINTING WHITE	354.4	708.9
1550	RED OXIDE	386.7	773.3
1501	LANDAU BLACK	413.0	825.9

4531	DK SAPPHIRE BLUE	General Motors	
1553	FAST BLUE	179.2	358.3
1501	LANDAU BLACK	304.4	608.8
1556	FAST GREEN	367.0	734.0
1554	TINTING WHITE	406.6	813.2

4525	BISQUE	Ford Motor	A
1554	TINTING WHITE	211.6	423.1
1302	LOW LUSTER CLEAR	351.7	703.4
1559	YELLOW OXIDE	412.2	824.4
1550	RED OXIDE	417.0	833.9
1501	LANDAU BLACK	420.6	841.1

4532	LT QUARTZ MET	Chrysler Motors	D1
1508	SILVER	381.3	762.7
1552	FAST RED	399.5	799.0
1501	LANDAU BLACK	405.7	811.3
1553	FAST BLUE	408.5	817.0

### MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4526	DK QUARTZ MET	Chrysler Motors	D8
1501	LANDAU BLACK	186.4	372.8
1508	SILVER	314.3	628.5
1552	FAST RED	381.6	763.2
1553	FAST BLUE	405.8	811.7

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4533	DK TITANIUM	Ford Motor	J
1501	LANDAU BLACK	247.3	494.6
1508	SILVER	381.0	761.9
1552	FAST RED	400.1	800.3
1551	FAST YELLOW	406.3	812.6

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4527	PASTEL ALABASTE	Ford Motor	H
1554	TINTING WHITE	399.2	798.4
1559	YELLOW OXIDE	428.7	857.5
1550	RED OXIDE	433.1	866.2
1501	LANDAU BLACK	435.3	870.6

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4534	DK SLATE GRAY M	General Motors	99T
1501	LANDAU BLACK	119.1	238.3
1508	SILVER	223.6	447.3
1553	FAST BLUE	316.4	632.9
1552	FAST RED	405.2	810.4

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 75

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4535	WHITE	Ford Motor	
1554	TINTING WHITE	396.0	791.9
1552	FAST RED	414.2	828.4
1551	FAST YELLOW	428.2	856.3
1556	FAST GREEN	434.2	868.5

4542	WHITE	General Motors	
1554	TINTING WHITE	427.1	854.2
1559	YELLOW OXIDE	435.0	870.0
1501	LANDAU BLACK	436.7	873.4

4536	LT RED MET	Ford Motor	
1552	FAST RED	196.1	392.2
1508	SILVER	288.4	576.8
1554	TINTING WHITE	350.3	700.5
1551	FAST YELLOW	399.8	799.5
1501	LANDAU BLACK	409.8	819.7

4543	DK SILVER MET	Chrysler Motors		S7
1508	SILVER	179.1	358.2	
1501	LANDAU BLACK	337.7	675.5	
1553	FAST BLUE	376.3	752.6	
1552	FAST RED	406.5	813.0	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4537	LT GREEN	Ford Motor	
1559	YELLOW OXIDE	226.0	452.0
1554	TINTING WHITE	395.7	791.4
1553	FAST BLUE	417.7	835.4
1501	LANDAU BLACK	422.0	844.0

4544	LT BLUE SATIN GL	Chrysler Motors		BD
1552	FAST RED	131.3	262.6	
1553	FAST BLUE	259.7	519.5	
1508	SILVER	358.5	717.1	
1554	TINTING WHITE	408.4	816.8	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4538	DK GREEN	Ford Motor	
1554	TINTING WHITE	193.4	386.8
1551	FAST YELLOW	310.7	621.3
1553	FAST BLUE	373.8	747.7
1501	LANDAU BLACK	418.6	837.1

4545	MED WATER BLUE	Chrysler Motors		BF
1553	FAST BLUE	196.9	393.9	
1552	FAST RED	322.3	644.7	
1501	LANDAU BLACK	359.6	719.2	
1508	SILVER	388.3	776.5	
1554	TINTING WHITE	405.0	810.0	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4539	LT BLUE	Ford Motor	
1554	TINTING WHITE	300.1	600.2
1302	LOW LUSTER CLEAR	384.8	769.7
1501	LANDAU BLACK	401.8	803.5
1553	FAST BLUE	414.7	829.4
1559	YELLOW OXIDE	426.6	853.1

4546	RADIANT FIRE	Chrysler Motors		RB
1552	FAST RED	314.4	628.7	
1551	FAST YELLOW	394.9	789.8	
1554	TINTING WHITE	404.7	809.4	

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4540	DK BLUE	Ford Motor	
1554	TINTING WHITE	150.3	300.6
1302	LOW LUSTER CLEAR	288.4	576.8
1501	LANDAU BLACK	344.3	688.6
1553	FAST BLUE	399.6	799.1
1556	FAST GREEN	414.5	829.0

4547	FROST WHITE	Chrysler Motors		WC
1554	TINTING WHITE	422.8	845.7	
1559	YELLOW OXIDE	429.9	859.8	
1501	LANDAU BLACK	436.1	872.1	
1550	RED OXIDE	436.5	873.1	

4541	LT BEECHWOOD	General Motors	
1559	YELLOW OXIDE	234.6	469.1
1550	RED OXIDE	366.9	733.8
1553	FAST BLUE	396.2	792.5
1554	TINTING WHITE	413.7	827.5

4548	RADIANT RED	Chrysler Motors		RC
1552	FAST RED	211.5	422.9	
1302	LOW LUSTER CLEAR	345.3	690.7	
1551	FAST YELLOW	386.3	772.5	
1550	RED OXIDE	395.2	790.4	
1554	TINTING WHITE	404.0	808.1	

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 76

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>4549</b>	<b>SLATE BLUE</b>	<b>Chrysler Motors</b>		<b>B7</b>	<b>4556</b>	<b>IVORY</b>	<b>Acura</b>	
1302	LOW LUSTER CLEAR	136.6	273.2		1554	TINTING WHITE	183.4	366.9
1553	FAST BLUE	223.8	447.6		1559	YELLOW OXIDE	300.9	601.7
1550	RED OXIDE	301.5	603.1		1302	LOW LUSTER CLEAR	384.9	769.9
1554	TINTING WHITE	371.7	743.5		1550	RED OXIDE	403.4	806.7
1501	LANDAU BLACK	410.0	820.0		1501	LANDAU BLACK	420.4	840.8
<b>4550</b>	<b>CRIMSON</b>	<b>Chrysler Motors</b>		<b>MA</b>	<b>4557</b>	<b>BURGUNDY</b>	<b>Acura</b>	
1552	FAST RED	246.1	492.1		1550	RED OXIDE	198.2	396.3
1302	LOW LUSTER CLEAR	380.9	761.7		1501	LANDAU BLACK	379.3	758.7
1550	RED OXIDE	393.1	786.2		1554	TINTING WHITE	406.2	812.4
1554	TINTING WHITE	401.1	802.2		1559	YELLOW OXIDE	411.6	823.3
1501	LANDAU BLACK	404.1	808.3					
<b>4551</b>	<b>SLATE BLUE</b>	<b>Chrysler Motors</b>		<b>BE</b>	<b>4558</b>	<b>MED WOODROSE</b>	<b>Ford Motor</b>	
1302	LOW LUSTER CLEAR	133.6	267.1		1550	RED OXIDE	175.5	350.9
1553	FAST BLUE	237.1	474.2		1501	LANDAU BLACK	343.2	686.5
1550	RED OXIDE	322.5	645.1		1559	YELLOW OXIDE	405.9	811.9
1554	TINTING WHITE	375.2	750.3		1554	TINTING WHITE	410.4	820.8
1501	LANDAU BLACK	408.9	817.8					
<b>4552</b>	<b>GINGER</b>	<b>Chrysler Motors</b>		<b>T5</b>	<b>4559</b>	<b>EBONY</b>	<b>Ford Motor</b>	
1559	YELLOW OXIDE	215.2	430.4		1501	LANDAU BLACK	225.9	451.8
1302	LOW LUSTER CLEAR	351.6	703.2		1302	LOW LUSTER CLEAR	360.9	721.8
1550	RED OXIDE	387.8	775.6		1559	YELLOW OXIDE	381.8	763.6
1554	TINTING WHITE	404.2	808.5		1553	FAST BLUE	394.2	788.3
1501	LANDAU BLACK	410.0	820.0		1554	TINTING WHITE	404.9	809.8
<b>4553</b>	<b>GRAY MET</b>	<b>General Motors</b>			<b>4559</b>	<b>EBONY</b>	<b>Ford Motor</b>	
1501	LANDAU BLACK	299.8	599.6		1501	LANDAU BLACK	225.9	451.8
1508	SILVER	392.1	784.1		1302	LOW LUSTER CLEAR	360.9	721.8
1551	FAST YELLOW	405.9	811.9		1559	YELLOW OXIDE	381.8	763.6
					1553	FAST BLUE	394.2	788.3
					1554	TINTING WHITE	404.9	809.8
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>								
<b>4554</b>	<b>BLUE</b>	<b>Acura</b>			<b>4560</b>	<b>TWILIGHT BLUE</b>	<b>Ford Motor</b>	
1501	LANDAU BLACK	223.3	446.5		1553	FAST BLUE	223.8	447.6
1554	TINTING WHITE	321.9	643.7		1556	FAST GREEN	350.1	700.2
1302	LOW LUSTER CLEAR	397.9	795.7		1501	LANDAU BLACK	398.4	796.9
1559	YELLOW OXIDE	411.9	823.8		1508	SILVER	403.4	806.7
<b>4555</b>	<b>CHARCOAL BLACK</b>	<b>Acura</b>			<b>4561</b>	<b>SILVER</b>	<b>Ford Motor</b>	
1501	LANDAU BLACK	210.2	420.5		1508	SILVER	399.6	799.1
1554	TINTING WHITE	295.0	590.0		1501	LANDAU BLACK	405.9	811.9
1551	FAST YELLOW	361.5	723.0		1551	FAST YELLOW	407.6	815.1
1552	FAST RED	411.0	821.9		1552	FAST RED	408.8	817.6

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 77

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4562	GRAPHITE	Ford Motor	P
1501	LANDAU BLACK	229.1	458.3
1553	FAST BLUE	289.5	578.9
1508	SILVER	349.4	698.8
1552	FAST RED	405.1	810.2

4569	BLACK	Volvo
1501	LANDAU BLACK	405.1 810.2

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

4563	LT TITANIUM	Ford Motor	A
1508	SILVER	340.6	681.2
1501	LANDAU BLACK	377.3	754.7
1552	FAST RED	400.3	800.7
1551	FAST YELLOW	408.1	816.2

4570	BLACK	Volvo
1501	LANDAU BLACK	405.1 810.2

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4564	LT SANDALWOOD	Ford Motor	Z
1508	SILVER	290.0	580.1
1552	FAST RED	342.4	684.8
1551	FAST YELLOW	377.4	754.9
1501	LANDAU BLACK	407.6	815.1

4571	BLUE	Volvo
1553	FAST BLUE	195.5 391.0
1501	LANDAU BLACK	349.0 698.1
1554	TINTING WHITE	391.8 783.6
1552	FAST RED	406.9 813.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4565	DK MAPLE RED	General Motors	70CN
1552	FAST RED	180.1	360.2
1550	RED OXIDE	285.6	571.1
1302	LOW LUSTER CLEAR	366.8	733.6
1501	LANDAU BLACK	398.0	795.9
1554	TINTING WHITE	406.8	813.6

4572	BLUE	Volvo
1302	LOW LUSTER CLEAR	134.6 269.2
1501	LANDAU BLACK	244.3 488.7
1553	FAST BLUE	348.8 697.7
1554	TINTING WHITE	400.0 800.1
1550	RED OXIDE	407.1 814.2

4566	DK SLATE	General Motors	15C
1302	LOW LUSTER CLEAR	137.1	274.2
1554	TINTING WHITE	261.3	522.5
1501	LANDAU BLACK	377.3	754.7
1559	YELLOW OXIDE	398.9	797.8
1550	RED OXIDE	413.7	827.5

4573	RED	Volvo
1550	RED OXIDE	229.8 459.6
1302	LOW LUSTER CLEAR	366.3 732.6
1552	FAST RED	387.9 775.8
1501	LANDAU BLACK	400.7 801.4
1554	TINTING WHITE	409.5 818.9

4567	DK AUBURN	General Motors	68
1559	YELLOW OXIDE	174.4	348.8
1552	FAST RED	311.4	622.8
1302	LOW LUSTER CLEAR	393.1	786.2
1501	LANDAU BLACK	407.4	814.7

4574	RED	Volvo
1552	FAST RED	199.4 398.8
1302	LOW LUSTER CLEAR	333.9 667.9
1551	FAST YELLOW	379.4 758.9
1501	LANDAU BLACK	393.1 786.2
1554	TINTING WHITE	403.8 807.7

4568	MED WEDGEWOOD	Ford Motor	B
1554	TINTING WHITE	206.2	412.5
1501	LANDAU BLACK	312.5	624.9
1553	FAST BLUE	398.8	797.6
1556	FAST GREEN	417.2	834.5

4575	TAUPE	Volvo
1559	YELLOW OXIDE	175.4 350.7
1554	TINTING WHITE	267.1 534.3
1501	LANDAU BLACK	347.6 695.2
1550	RED OXIDE	416.8 833.5

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 78

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4576</b>	<b>GREY</b>	<b>Volvo</b>		<b>4583</b>	<b>NAUTICAL BLUE</b>	<b>Audi</b>	
1302	LOW LUSTER CLEAR	136.7	273.4	1501	LANDAU BLACK	278.1	556.1
1501	LANDAU BLACK	242.0	483.9	1554	TINTING WHITE	361.5	723.0
1559	YELLOW OXIDE	326.3	652.7	1553	FAST BLUE	391.9	783.8
1554	TINTING WHITE	381.8	763.6	1551	FAST YELLOW	411.0	821.9
1550	RED OXIDE	410.1	820.2				
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>4577</b>	<b>BEIGE</b>	<b>Volvo</b>		<b>4584</b>	<b>RED</b>	<b>Saab</b>	
1559	YELLOW OXIDE	195.7	391.4	1550	RED OXIDE	203.6	407.2
1302	LOW LUSTER CLEAR	333.0	666.0	1302	LOW LUSTER CLEAR	339.8	679.6
1554	TINTING WHITE	381.7	763.4	1501	LANDAU BLACK	373.9	747.8
1550	RED OXIDE	405.7	811.3	1553	FAST BLUE	404.3	808.6
1501	LANDAU BLACK	411.7	823.5	1554	TINTING WHITE	408.3	816.6
<b>4578</b>	<b>BEIGE</b>	<b>Volvo</b>		<b>4585</b>	<b>TAN</b>	<b>Saab</b>	
1302	LOW LUSTER CLEAR	136.2	272.5	1559	YELLOW OXIDE	159.0	318.1
1554	TINTING WHITE	251.5	502.9	1302	LOW LUSTER CLEAR	296.6	593.2
1551	FAST YELLOW	339.0	677.9	1554	TINTING WHITE	357.1	714.2
1552	FAST RED	390.7	781.5	1550	RED OXIDE	401.9	803.9
1501	LANDAU BLACK	412.0	824.0	1501	LANDAU BLACK	412.4	824.8
<b>4579</b>	<b>BEIGE</b>	<b>Volvo</b>		<b>4586</b>	<b>GREY</b>	<b>Saab</b>	
1559	YELLOW OXIDE	207.3	414.6	1302	LOW LUSTER CLEAR	135.1	270.2
1554	TINTING WHITE	301.2	602.3	1501	LANDAU BLACK	261.0	521.9
1302	LOW LUSTER CLEAR	384.2	768.4	1559	YELLOW OXIDE	337.4	674.9
1550	RED OXIDE	411.2	822.3	1550	RED OXIDE	375.3	750.7
1501	LANDAU BLACK	415.9	831.8	1554	TINTING WHITE	408.7	817.4
<b>4580</b>	<b>BEIGE</b>	<b>Volvo</b>		<b>4587</b>	<b>TAN</b>	<b>General Motors</b>	
1559	YELLOW OXIDE	170.9	341.8	1559	YELLOW OXIDE	269.0	538.1
1302	LOW LUSTER CLEAR	308.6	617.1	1550	RED OXIDE	385.2	770.5
1554	TINTING WHITE	372.7	745.4	1501	LANDAU BLACK	412.9	825.7
1550	RED OXIDE	406.8	813.6				
1501	LANDAU BLACK	412.6	825.2				
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>4581</b>	<b>GRAPHITE</b>	<b>Audi</b>		<b>4588</b>	<b>DK STEEL BLUE</b>	<b>General Motors</b>	<b>22CN</b>
1501	LANDAU BLACK	157.5	315.0	1501	LANDAU BLACK	208.9	417.8
1302	LOW LUSTER CLEAR	293.5	586.9	1554	TINTING WHITE	409.0	818.0
1559	YELLOW OXIDE	360.1	720.3	1550	RED OXIDE	420.1	840.2
1554	TINTING WHITE	393.8	787.6				
1550	RED OXIDE	407.8	815.7				
<b>4582</b>	<b>PLATINUM GREY</b>	<b>Audi</b>		<b>4589</b>	<b>LT BERYL MET</b>	<b>Ford Motor</b>	<b>K</b>
1302	LOW LUSTER CLEAR	137.9	275.9	1508	SILVER	332.7	665.4
1554	TINTING WHITE	245.3	490.6	1556	FAST GREEN	376.9	753.7
1559	YELLOW OXIDE	333.0	666.0	1553	FAST BLUE	407.8	815.7
1501	LANDAU BLACK	389.6	779.2				
1550	RED OXIDE	414.0	828.0				
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 79

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4590	LEXUS GRAY	Lexus	
1501	LANDAU BLACK	144.1	288.2
1554	TINTING WHITE	272.9	545.9
1559	YELLOW OXIDE	385.5	771.0
1550	RED OXIDE	417.5	835.1

4597	LT BLUE MET	Chrysler Motors		BD
1552	FAST RED	115.0	230.1	
1508	SILVER	225.2	450.5	
1553	FAST BLUE	332.5	665.0	
1554	TINTING WHITE	410.8	821.6	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4591	BERYL GREEN MET	Chrysler Motors		G6
1553	FAST BLUE	128.8	257.6	
1556	FAST GREEN	228.0	456.0	
1508	SILVER	320.0	639.9	
1501	LANDAU BLACK	404.8	809.6	

4598	MED WATER BLUE	Chrysler Motors		BF
1553	FAST BLUE	186.9	373.7	
1552	FAST RED	294.4	588.8	
1501	LANDAU BLACK	340.4	680.8	
1508	SILVER	385.2	770.5	
1554	TINTING WHITE	405.4	810.7	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4592	KHAKI	Chrysler Motors		J7
1554	TINTING WHITE	153.5	307.0	
1302	LOW LUSTER CLEAR	292.5	585.0	
1559	YELLOW OXIDE	389.2	778.4	
1550	RED OXIDE	405.9	811.9	
1501	LANDAU BLACK	417.3	834.7	

4599	BLUE	Lexus	
1501	LANDAU BLACK	272.6	545.1
1554	TINTING WHITE	415.7	831.4

4593	TEAL	Chrysler Motors		P5
1553	FAST BLUE	237.8	475.6	
1508	SILVER	335.0	669.9	
1501	LANDAU BLACK	388.9	777.9	
1556	FAST GREEN	404.3	808.6	

4600	AQUA	Chrysler Motors		QE
1508	SILVER	196.4	392.7	
1553	FAST BLUE	304.0	608.0	
1556	FAST GREEN	382.4	764.8	
1552	FAST RED	405.9	811.9	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4594	SPICE	Chrysler Motors		TB
1559	YELLOW OXIDE	204.7	409.5	
1302	LOW LUSTER CLEAR	341.1	682.1	
1550	RED OXIDE	380.9	761.7	
1554	TINTING WHITE	397.9	795.7	
1501	LANDAU BLACK	409.9	819.9	

4601	BURGUNDY	Lexus	
1550	RED OXIDE	183.8	367.7
1501	LANDAU BLACK	347.0	694.1
1554	TINTING WHITE	394.8	789.6
1559	YELLOW OXIDE	413.0	825.9

4595	FROST WHITE	Chrysler Motors		WC
1554	TINTING WHITE	273.4	546.8	
1302	LOW LUSTER CLEAR	414.6	829.2	
1501	LANDAU BLACK	420.0	840.0	
1559	YELLOW OXIDE	423.4	846.8	
1550	RED OXIDE	424.0	848.0	

4602	IVORY	Lexus	
1554	TINTING WHITE	209.8	419.5
1559	YELLOW OXIDE	381.0	761.9
1550	RED OXIDE	410.2	820.4
1501	LANDAU BLACK	424.6	849.1

4596	DK SAND	Chrysler Motors		YC
1554	TINTING WHITE	160.9	321.9	
1302	LOW LUSTER CLEAR	290.9	581.8	
1559	YELLOW OXIDE	389.6	779.2	
1550	RED OXIDE	406.8	813.6	
1501	LANDAU BLACK	418.0	836.0	

4603	FIESTA RED	General Motors		74T
1552	FAST RED	328.7	657.4	
1551	FAST YELLOW	371.9	743.9	
1508	SILVER	396.2	792.5	
1553	FAST BLUE	404.2	808.5	

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 80

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	DK ANTELOPE MET	General Motors	51T
1552	FAST RED	242.9	485.8
1501	LANDAU BLACK	366.6	733.2
1551	FAST YELLOW	396.2	792.5
1508	SILVER	404.4	808.8

	LT DRIFTWOOD	Chrysler Motors	F4
1554	TINTING WHITE	159.4	318.8
1302	LOW LUSTER CLEAR	298.6	597.2
1559	YELLOW OXIDE	378.5	757.0
1550	RED OXIDE	400.7	801.4
1501	LANDAU BLACK	417.6	835.2

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

	LT CAMEL	General Motors	67AN
1554	TINTING WHITE	196.5	392.9
1559	YELLOW OXIDE	386.2	772.4
1550	RED OXIDE	415.4	830.9
1501	LANDAU BLACK	423.9	847.8

	DK DRIFTWOOD	Chrysler Motors	F8
1302	LOW LUSTER CLEAR	136.6	273.2
1559	YELLOW OXIDE	261.7	523.5
1554	TINTING WHITE	321.5	643.0
1501	LANDAU BLACK	374.4	748.8
1550	RED OXIDE	411.4	822.9

	ALABASTER	General Motors	56T
1554	TINTING WHITE	343.5	687.0
1559	YELLOW OXIDE	413.3	826.5
1550	RED OXIDE	424.0	848.0
1501	LANDAU BLACK	432.2	864.3

	DK GREEN	Chrysler Motors	G8
1302	LOW LUSTER CLEAR	135.9	271.7
1559	YELLOW OXIDE	233.4	466.8
1501	LANDAU BLACK	325.5	650.9
1556	FAST GREEN	384.2	768.4
1554	TINTING WHITE	407.3	814.5

	MED CAMEL	General Motors	67BN
1559	YELLOW OXIDE	198.3	396.5
1302	LOW LUSTER CLEAR	280.6	561.3
1554	TINTING WHITE	356.2	712.3
1550	RED OXIDE	397.0	794.0
1501	LANDAU BLACK	414.7	829.4

	SPICE	Chrysler Motors	TB
1559	YELLOW OXIDE	206.6	413.3
1302	LOW LUSTER CLEAR	343.5	687.0
1550	RED OXIDE	383.8	767.6
1554	TINTING WHITE	403.9	807.9
1501	LANDAU BLACK	410.3	820.6

	AGATE	Chrysler Motors	AZ
1501	LANDAU BLACK	155.4	310.8
1302	LOW LUSTER CLEAR	291.3	582.5
1559	YELLOW OXIDE	334.6	669.2
1550	RED OXIDE	374.5	749.0
1554	TINTING WHITE	408.0	816.1

	DK CAMEL	General Motors	67DN
1559	YELLOW OXIDE	179.1	358.2
1302	LOW LUSTER CLEAR	263.7	527.4
1550	RED OXIDE	322.4	644.9
1554	TINTING WHITE	372.6	745.2
1501	LANDAU BLACK	412.8	825.6

	DK CHARCOAL	Chrysler Motors	A8
1501	LANDAU BLACK	161.5	323.0
1554	TINTING WHITE	283.6	567.2
1559	YELLOW OXIDE	405.7	811.3
1550	RED OXIDE	416.7	833.3

	CINDER	Chrysler Motors	XA
1501	LANDAU BLACK	179.6	359.3
1302	LOW LUSTER CLEAR	265.3	530.7
1559	YELLOW OXIDE	350.3	700.5
1554	TINTING WHITE	392.4	784.7
1550	RED OXIDE	409.5	818.9

	LT BROWNSTONE	Chrysler Motors	F3
1554	TINTING WHITE	269.2	538.5
1559	YELLOW OXIDE	380.4	760.8
1550	RED OXIDE	408.1	816.2
1501	LANDAU BLACK	427.7	855.4

	MED CAMEL	General Motors	67BN
1559	YELLOW OXIDE	264.4	528.8
1554	TINTING WHITE	340.5	681.0
1550	RED OXIDE	395.8	791.5
1501	LANDAU BLACK	417.1	834.1



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 81

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4618	DK POLO GREEN	General Motors	91T
1556	FAST GREEN	211.8	423.5
1501	LANDAU BLACK	333.5	666.9
1553	FAST BLUE	375.9	751.8
1508	SILVER	404.5	809.0

4625	GRAPHITE MET	Ford Motor	P
1501	LANDAU BLACK	222.9	445.7
1508	SILVER	292.5	585.0
1553	FAST BLUE	351.1	702.2
1552	FAST RED	405.2	810.4

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4619	LT GRAY	General Motors	13AN
1554	TINTING WHITE	200.5	400.9
1302	LOW LUSTER CLEAR	340.1	680.2
1559	YELLOW OXIDE	376.4	752.8
1501	LANDAU BLACK	405.7	811.3
1550	RED OXIDE	419.5	839.0

4626	MED PLATINUM	Ford Motor	P
1501	LANDAU BLACK	216.3	432.6
1508	SILVER	401.0	802.0
1553	FAST BLUE	406.7	813.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4620	MED GRAY	General Motors	13BN
1554	TINTING WHITE	149.5	299.1
1302	LOW LUSTER CLEAR	287.9	575.9
1559	YELLOW OXIDE	347.8	695.6
1501	LANDAU BLACK	395.8	791.5
1550	RED OXIDE	416.5	833.0

4627	DK TITANIUM	Ford Motor	P
1501	LANDAU BLACK	242.3	484.7
1508	SILVER	373.4	746.7
1552	FAST RED	392.2	784.3
1551	FAST YELLOW	406.2	812.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4621	DK GRAY	General Motors	13CN
1554	TINTING WHITE	176.9	353.8
1559	YELLOW OXIDE	287.6	575.1
1501	LANDAU BLACK	381.9	763.8
1550	RED OXIDE	421.1	842.3

4628	BRIGHT TITANIUM	Ford Motor	K
1508	SILVER	253.7	507.3
1302	LOW LUSTER CLEAR	387.1	774.3
1552	FAST RED	400.5	801.0
1551	FAST YELLOW	406.1	812.3

4622	CRANBERRY	Ford Motor	R
1552	FAST RED	299.5	599.1
1302	LOW LUSTER CLEAR	380.4	760.8
1554	TINTING WHITE	394.9	789.8
1553	FAST BLUE	404.5	809.0

4629	STONE BEIGE	Honda	
1554	TINTING WHITE	272.9	545.9
1559	YELLOW OXIDE	399.9	799.7
1550	RED OXIDE	417.7	835.4
1501	LANDAU BLACK	428.2	856.3

4623	MED MOCHA	Ford Motor	A
1302	LOW LUSTER CLEAR	137.8	275.7
1559	YELLOW OXIDE	236.6	473.1
1554	TINTING WHITE	325.3	650.6
1550	RED OXIDE	379.8	759.6
1501	LANDAU BLACK	413.4	826.9

4630	AZURE BLUE	Honda	
1302	LOW LUSTER CLEAR	134.9	269.8
1501	LANDAU BLACK	237.3	474.6
1552	FAST RED	310.5	620.9
1553	FAST BLUE	378.8	757.5
1554	TINTING WHITE	405.1	810.2

4624	MOCHA	Ford Motor	A
1554	TINTING WHITE	142.5	285.0
1302	LOW LUSTER CLEAR	281.4	562.8
1559	YELLOW OXIDE	358.0	715.9
1550	RED OXIDE	398.6	797.2
1501	LANDAU BLACK	416.7	833.3

4631	COFFEE BEIGE	Honda	
1302	LOW LUSTER CLEAR	137.9	275.9
1559	YELLOW OXIDE	275.6	551.2
1554	TINTING WHITE	360.1	720.1
1550	RED OXIDE	399.8	799.5
1501	LANDAU BLACK	413.5	827.1

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 82

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4632</b>	<b>FLINT</b>	<b>Honda</b>		<b>4639</b>	<b>TAUPE</b>	<b>General Motors 54BN</b>	
1302	LOW LUSTER CLEAR	136.7	273.4	1302	LOW LUSTER CLEAR	137.7	275.3
1559	YELLOW OXIDE	241.6	483.2	1554	TINTING WHITE	237.4	474.8
1501	LANDAU BLACK	318.5	637.1	1559	YELLOW OXIDE	306.1	612.2
1554	TINTING WHITE	365.9	731.9	1501	LANDAU BLACK	364.5	729.0
1550	RED OXIDE	410.3	820.6	1550	RED OXIDE	413.5	827.1
<b>4633</b>	<b>MINK</b>	<b>Honda</b>		<b>4640</b>	<b>LT NEUTRAL</b>	<b>General Motors 52AM</b>	
1302	LOW LUSTER CLEAR	138.1	276.3	1554	TINTING WHITE	189.0	377.9
1554	TINTING WHITE	239.4	478.8	1302	LOW LUSTER CLEAR	329.6	659.1
1559	YELLOW OXIDE	340.7	681.3	1559	YELLOW OXIDE	393.3	786.6
1550	RED OXIDE	387.4	774.8	1550	RED OXIDE	408.2	816.4
1501	LANDAU BLACK	414.3	828.6	1501	LANDAU BLACK	419.3	838.7
<b>4634</b>	<b>YELLOW</b>	<b>Ford Motor</b>		<b>4640</b>	<b>LT NEUTRAL</b>	<b>General Motors WA9772</b>	
1554	TINTING WHITE	283.6	567.2	1554	TINTING WHITE	189.0	377.9
1551	FAST YELLOW	416.6	833.2	1302	LOW LUSTER CLEAR	329.6	659.1
1550	RED OXIDE	423.7	847.4	1559	YELLOW OXIDE	393.3	786.6
1556	FAST GREEN	425.8	851.6	1550	RED OXIDE	408.2	816.4
				1501	LANDAU BLACK	419.3	838.7
<b>4635</b>	<b>HONDA BUMPER G</b>	<b>Honda</b>		<b>4641</b>	<b>L-957 RED</b>	<b>Ford Motor</b>	
1501	LANDAU BLACK	259.1	518.1	1552	FAST RED	312.6	625.3
1559	YELLOW OXIDE	332.7	665.4	1551	FAST YELLOW	393.5	787.0
1554	TINTING WHITE	390.3	780.5	1554	TINTING WHITE	404.4	808.8
1550	RED OXIDE	411.3	822.5	1553	FAST BLUE	404.8	809.6
<b>4636</b>	<b>DK MAPLE MET</b>	<b>General Motors 78T</b>		<b>4642</b>	<b>L-958 BLACK</b>	<b>Ford Motor</b>	
1552	FAST RED	351.0	702.1	1501	LANDAU BLACK	374.1	748.2
1551	FAST YELLOW	373.8	747.7	1554	TINTING WHITE	393.9	787.7
1553	FAST BLUE	390.1	780.1	1551	FAST YELLOW	406.5	813.0
1508	SILVER	404.1	808.3				
<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>							
<b>4637</b>	<b>BLACK SAPPHIRE</b>	<b>General Motors 28T</b>		<b>4643</b>	<b>L-2095 BLUE</b>	<b>Ford Motor</b>	
1553	FAST BLUE	336.2	672.4	1508	SILVER	158.3	316.5
1551	FAST YELLOW	397.2	794.4	1553	FAST BLUE	295.8	591.7
1508	SILVER	402.7	805.4	1501	LANDAU BLACK	351.9	703.8
				1552	FAST RED	405.5	810.9
<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>							
<b>4638</b>	<b>LT SAPPHIRE BLUE</b>	<b>General Motors 22T</b>		<b>4644</b>	<b>L-2286 DK IVY GOL</b>	<b>Ford Motor</b>	
1508	SILVER	242.5	485.1	1508	SILVER	166.8	333.6
1553	FAST BLUE	331.9	663.9	1501	LANDAU BLACK	297.7	595.5
1552	FAST RED	384.0	768.0	1551	FAST YELLOW	385.1	770.3
1554	TINTING WHITE	400.8	801.6	1554	TINTING WHITE	408.0	816.1
1551	FAST YELLOW	407.9	815.9				
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>				<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 83

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	L-2287 BLUE	Ford Motor	
1508	SILVER	265.3	530.7
1553	FAST BLUE	315.4	630.8
1552	FAST RED	358.1	716.1
1556	FAST GREEN	391.8	783.6
1554	TINTING WHITE	408.1	816.2

	L-2929 TURQUOISE	Ford Motor	
1508	SILVER	203.8	407.6
1556	FAST GREEN	303.2	606.5
1553	FAST BLUE	360.4	720.9
1501	LANDAU BLACK	389.4	778.8
1554	TINTING WHITE	407.6	815.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	L-2288 PALOMINO	Ford Motor	
1559	YELLOW OXIDE	188.9	377.7
1554	TINTING WHITE	345.8	691.6
1550	RED OXIDE	404.9	809.8
1501	LANDAU BLACK	421.7	843.4

	L-3096 PARCHMENT	Ford Motor	
1554	TINTING WHITE	345.8	691.6
1559	YELLOW OXIDE	417.5	835.1
1550	RED OXIDE	427.5	855.0
1501	LANDAU BLACK	432.3	864.5

	L-2290 WHITE	Ford Motor	
1554	TINTING WHITE	414.6	829.2
1551	FAST YELLOW	425.9	851.8
1550	RED OXIDE	431.5	863.0
1501	LANDAU BLACK	435.9	871.7

	L-3097 DK TURQUOI	Ford Motor	
1553	FAST BLUE	151.8	303.6
1556	FAST GREEN	268.5	536.9
1508	SILVER	345.0	690.1
1501	LANDAU BLACK	404.4	808.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	L-2505 DK BLUE	Ford Motor	
1553	FAST BLUE	176.1	352.3
1501	LANDAU BLACK	324.6	649.2
1554	TINTING WHITE	384.4	768.7
1551	FAST YELLOW	408.2	816.4

	L-3099 SADDLE	Ford Motor	
1559	YELLOW OXIDE	241.9	483.7
1550	RED OXIDE	323.8	647.5
1554	TINTING WHITE	401.5	802.9
1501	LANDAU BLACK	417.3	834.7

	L-2613 PARCHMENT	Ford Motor	
1554	TINTING WHITE	265.2	530.5
1559	YELLOW OXIDE	398.5	797.1
1550	RED OXIDE	417.7	835.4
1501	LANDAU BLACK	427.7	855.4

	L-3116 MAROON	Ford Motor	
1552	FAST RED	360.0	719.9
1508	SILVER	382.9	765.9
1551	FAST YELLOW	394.3	788.5
1501	LANDAU BLACK	404.3	808.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	L-2920 RED	Ford Motor	
1552	FAST RED	366.6	733.2
1508	SILVER	397.0	794.0
1551	FAST YELLOW	404.4	808.8

	L-3448 NUGGET GO	Ford Motor	
1508	SILVER	299.5	599.1
1552	FAST RED	354.2	708.3
1551	FAST YELLOW	404.7	809.4
1556	FAST GREEN	407.6	815.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	L-2921 EMBERGLO	Ford Motor	
1552	FAST RED	285.0	570.0
1551	FAST YELLOW	353.5	707.0
1508	SILVER	397.5	795.0
1556	FAST GREEN	404.5	809.0

	L-3625 NUGGET GO	Ford Motor	
1508	SILVER	255.4	510.7
1551	FAST YELLOW	322.3	644.7
1552	FAST RED	368.1	736.3
1554	TINTING WHITE	404.9	809.8
1501	LANDAU BLACK	409.8	819.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 84

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4660	L-3627 LT BLUE	Ford Motor	
1508	SILVER	231.0	462.1
1554	TINTING WHITE	314.5	629.1
1553	FAST BLUE	368.9	737.8
1501	LANDAU BLACK	413.1	826.1

4667	L-4062 WHITE	Ford Motor	
1554	TINTING WHITE	402.7	805.4
1559	YELLOW OXIDE	432.4	864.9
1501	LANDAU BLACK	434.2	868.3
1550	RED OXIDE	435.5	871.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4661	L-3628 DK IVY GOL	Ford Motor	
1501	LANDAU BLACK	185.5	371.1
1508	SILVER	302.8	605.5
1551	FAST YELLOW	371.9	743.9
1554	TINTING WHITE	393.4	786.8
1556	FAST GREEN	407.6	815.1

4668	L-4063 VERMILLIO	Ford Motor	
1552	FAST RED	243.7	487.4
1551	FAST YELLOW	379.1	758.1
1554	TINTING WHITE	406.1	812.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4662	L-3722 BLACK	Ford Motor	
1501	LANDAU BLACK	374.1	748.2
1554	TINTING WHITE	393.9	787.7
1551	FAST YELLOW	406.5	813.0

4669	L-4234 GREEN	Ford Motor	
1508	SILVER	136.4	272.8
1501	LANDAU BLACK	246.3	492.7
1551	FAST YELLOW	338.8	677.5
1556	FAST GREEN	405.8	811.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4663	L-3724 DK RED	Ford Motor	
1552	FAST RED	339.7	679.4
1508	SILVER	371.2	742.3
1551	FAST YELLOW	388.1	776.2
1553	FAST BLUE	401.4	802.8
1554	TINTING WHITE	404.4	808.8

4670	BUMPER GRAY	Honda	
1501	LANDAU BLACK	185.2	370.3
1302	LOW LUSTER CLEAR	267.4	534.9
1559	YELLOW OXIDE	340.7	681.3
1554	TINTING WHITE	391.3	782.6
1550	RED OXIDE	409.8	819.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4664	L-3788 MED BLUE	Ford Motor	
1508	SILVER	161.5	323.0
1553	FAST BLUE	308.8	617.7
1501	LANDAU BLACK	386.7	773.3
1552	FAST RED	405.5	810.9

4671	LT CAMEL MET	General Motors		67T
1508	SILVER	259.6	519.3	
1552	FAST RED	320.6	641.3	
1551	FAST YELLOW	374.4	748.8	
1554	TINTING WHITE	401.5	802.9	
1501	LANDAU BLACK	409.1	818.1	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4665	L-4060 MED IVY GO	Ford Motor	
1508	SILVER	163.3	326.6
1501	LANDAU BLACK	315.8	631.6
1551	FAST YELLOW	394.7	789.5
1556	FAST GREEN	406.3	812.6

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4672	LT BEIGE MET	General Motors		57T
1508	SILVER	295.7	591.5	
1552	FAST RED	343.2	686.5	
1501	LANDAU BLACK	370.6	741.2	
1551	FAST YELLOW	396.3	792.7	
1554	TINTING WHITE	408.4	816.8	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4666	L-4061 GINGER	Ford Motor	
1559	YELLOW OXIDE	299.2	598.3
1550	RED OXIDE	371.4	742.7
1554	TINTING WHITE	397.4	794.8
1501	LANDAU BLACK	414.4	828.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4673	Lt. Beige Met	General Motors	
1508	SILVER	234.9	469.8
1552	FAST RED	316.8	633.5
1501	LANDAU BLACK	367.7	735.5
1551	FAST YELLOW	428.2	856.3

0  
0

Yes(see 5979)

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 85

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4674	LT DRIFTWOOD ME	General Motors	33T
1508	SILVER	304.5	609.0
1552	FAST RED	358.2	716.5
1551	FAST YELLOW	397.0	794.0
1501	LANDAU BLACK	407.6	815.3

4681	MED QUARTZ	Chrysler Motors	D6
1302	LOW LUSTER CLEAR	138.7	277.4
1554	TINTING WHITE	252.2	504.5
1501	LANDAU BLACK	322.2	644.5
1559	YELLOW OXIDE	379.8	759.6
1550	RED OXIDE	414.0	828.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4675	DK GREEN GRAY M	General Motors	18T
1501	LANDAU BLACK	170.9	341.8
1553	FAST BLUE	311.3	622.6
1556	FAST GREEN	363.9	727.9
1508	SILVER	404.3	808.6

4682	MED DRIFTWOOD	Chrysler Motors	F6
1302	LOW LUSTER CLEAR	138.4	276.8
1554	TINTING WHITE	262.8	525.5
1559	YELLOW OXIDE	355.2	710.4
1501	LANDAU BLACK	387.1	774.3
1550	RED OXIDE	415.3	830.7

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4676	DK GREEN MET	General Motors	18T
1501	LANDAU BLACK	159.8	319.6
1553	FAST BLUE	317.4	634.8
1556	FAST GREEN	366.5	733.0
1508	SILVER	404.2	808.5

4683	DK BROWNSTONE	Chrysler Motors	F7
1302	LOW LUSTER CLEAR	136.5	273.0
1559	YELLOW OXIDE	259.3	518.5
1554	TINTING WHITE	318.3	636.7
1501	LANDAU BLACK	374.1	748.2
1550	RED OXIDE	411.3	822.5

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4677	MED TAUPE MET	General Motors	63T
1552	FAST RED	193.5	387.0
1508	SILVER	285.0	570.0
1553	FAST BLUE	353.2	706.4
1551	FAST YELLOW	404.9	809.8

4684	CORDOVAN	General Motors	H9
1550	RED OXIDE	158.0	316.0
1302	LOW LUSTER CLEAR	294.5	589.0
1501	LANDAU BLACK	391.1	782.2
1554	TINTING WHITE	408.6	817.2

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4678	DK PLUM MET	General Motors	88T
1552	FAST RED	194.5	388.9
1501	LANDAU BLACK	298.5	597.0
1553	FAST BLUE	377.9	755.8
1508	SILVER	404.3	808.6

4685	CORDOVAN	General Motors	H9
1550	RED OXIDE	199.4	398.8
1302	LOW LUSTER CLEAR	335.6	671.3
1553	FAST BLUE	384.4	768.7
1501	LANDAU BLACK	401.6	803.1
1554	TINTING WHITE	408.4	816.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4679	LT CANYON YELLO	General Motors	55T
1554	TINTING WHITE	348.0	696.0
1559	YELLOW OXIDE	427.4	854.8
1550	RED OXIDE	430.9	861.8
1556	FAST GREEN	432.4	864.9

4686	MED BEIGE	General Motors	64BN
1302	LOW LUSTER CLEAR	137.3	274.6
1559	YELLOW OXIDE	270.3	540.6
1554	TINTING WHITE	344.4	688.8
1550	RED OXIDE	389.9	779.8
1501	LANDAU BLACK	412.9	825.7

4680	SILVER BUMPER	Ford Motor	J
1300	HIGH GLOSS CLEAR	236.6	473.3
2024	SILVER BASE	417.3	834.7
1554	TINTING WHITE	418.9	837.7

4687	DK SPICE	Chrysler Motors	TC
1559	YELLOW OXIDE	196.3	392.5
1302	LOW LUSTER CLEAR	332.5	665.0
1550	RED OXIDE	389.6	779.2
1501	LANDAU BLACK	408.9	817.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 86

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4688</b>	<b>CINDER</b>	<b>Chrysler Motors</b>	<b>XA</b>	<b>4695</b>	<b>DK BEIGE</b>	<b>General Motors</b>	<b>64DN</b>
1501	LANDAU BLACK	157.5	315.0	1302	LOW LUSTER CLEAR	137.4	274.7
1302	LOW LUSTER CLEAR	293.5	586.9	1559	YELLOW OXIDE	274.5	548.9
1559	YELLOW OXIDE	360.1	720.3	1550	RED OXIDE	330.6	661.2
1554	TINTING WHITE	393.8	787.6	1554	TINTING WHITE	375.8	751.6
1550	RED OXIDE	407.8	815.7	1501	LANDAU BLACK	411.0	821.9
<b>4689</b>	<b>DK CRANBERRY</b>	<b>Ford Motor</b>	<b>R</b>	<b>4696</b>	<b>MED GRAY</b>	<b>General Motors</b>	<b>14BN</b>
1552	FAST RED	323.9	647.7	1554	TINTING WHITE	205.4	410.8
1553	FAST BLUE	403.7	807.3	1559	YELLOW OXIDE	281.1	562.2
				1501	LANDAU BLACK	338.5	677.0
				1302	LOW LUSTER CLEAR	390.9	781.9
				1550	RED OXIDE	421.9	843.8
<b>4690</b>	<b>ARCTIC WHITE</b>	<b>General Motors</b>	<b>9N</b>	<b>4697</b>	<b>DK GRAY</b>	<b>General Motors</b>	<b>14CN</b>
1554	TINTING WHITE	282.8	565.6	1554	TINTING WHITE	140.5	281.0
1302	LOW LUSTER CLEAR	424.3	848.5	1559	YELLOW OXIDE	223.9	447.8
1553	FAST BLUE	424.5	848.9	1302	LOW LUSTER CLEAR	306.3	612.6
1559	YELLOW OXIDE	424.7	849.3	1501	LANDAU BLACK	382.9	765.9
				1550	RED OXIDE	417.1	834.1
<b>4691</b>	<b>MED DK NEUTRAL</b>	<b>General Motors</b>	<b>52CN</b>	<b>4698</b>	<b>LT GRAY</b>	<b>General Motors</b>	<b>14AN</b>
1559	YELLOW OXIDE	167.0	334.0	1554	TINTING WHITE	255.7	511.5
1554	TINTING WHITE	289.9	579.9	1559	YELLOW OXIDE	316.4	632.9
1501	LANDAU BLACK	355.4	710.8	1302	LOW LUSTER CLEAR	369.2	738.3
1550	RED OXIDE	418.8	837.5	1501	LANDAU BLACK	406.4	812.8
				1550	RED OXIDE	425.0	850.1
<b>4692</b>	<b>MED NEUTRAL</b>	<b>General Motors</b>	<b>52BN</b>	<b>4698</b>	<b>LT GRAY</b>	<b>General Motors</b>	<b>WA9781</b>
1554	TINTING WHITE	176.9	353.8	1554	TINTING WHITE	255.7	511.5
1559	YELLOW OXIDE	322.4	644.9	1559	YELLOW OXIDE	316.4	632.9
1550	RED OXIDE	375.4	750.9	1302	LOW LUSTER CLEAR	369.2	738.3
1501	LANDAU BLACK	422.1	844.2	1501	LANDAU BLACK	406.4	812.8
				1550	RED OXIDE	425.0	850.1
<b>4693</b>	<b>LT BEIGE</b>	<b>General Motors</b>	<b>64AN</b>	<b>4699</b>	<b>VERY DK GRAY</b>	<b>General Motors</b>	<b>14DN</b>
1302	LOW LUSTER CLEAR	138.7	277.4	1501	LANDAU BLACK	123.8	247.6
1554	TINTING WHITE	265.5	531.1	1559	YELLOW OXIDE	216.4	432.8
1559	YELLOW OXIDE	370.7	741.4	1302	LOW LUSTER CLEAR	300.0	600.0
1550	RED OXIDE	403.9	807.9	1554	TINTING WHITE	382.0	764.0
1501	LANDAU BLACK	415.9	831.8	1550	RED OXIDE	412.8	825.6
<b>4694</b>	<b>MED BEIGE</b>	<b>General Motors</b>	<b>64BN</b>	<b>4699</b>	<b>VERY DK GRAY</b>	<b>General Motors</b>	<b>WA9902</b>
1302	LOW LUSTER CLEAR	137.4	274.7	1501	LANDAU BLACK	123.8	247.6
1559	YELLOW OXIDE	265.3	530.7	1559	YELLOW OXIDE	216.4	432.8
1554	TINTING WHITE	342.9	685.7	1302	LOW LUSTER CLEAR	300.0	600.0
1550	RED OXIDE	389.2	778.4	1554	TINTING WHITE	382.0	764.0
1501	LANDAU BLACK	413.1	826.1	1550	RED OXIDE	412.8	825.6

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 87

		PINTS    QUARTS				PINTS    QUARTS	
		GRAMS				GRAMS	
<b>4700</b>	<b>BLACK</b>	<b>Ford Motor</b>		<b>A</b>			
1501	LANDAU BLACK	266.1	532.2				
1302	LOW LUSTER CLEAR	347.6	695.2				
1559	YELLOW OXIDE	372.3	744.6				
1554	TINTING WHITE	391.5	783.0				
1553	FAST BLUE	406.1	812.3				
<b>4701</b>	<b>CLR CRSTL BLUE F</b>	<b>Ford Motor</b>		<b>A</b>			
1554	TINTING WHITE	315.0	630.0				
1501	LANDAU BLACK	384.1	768.2				
1550	RED OXIDE	408.0	816.1				
1553	FAST BLUE	428.7	857.5				
<b>4702</b>	<b>DK TITANIUM</b>	<b>Ford Motor</b>		<b>P</b>			
1501	LANDAU BLACK	181.5	363.1				
1559	YELLOW OXIDE	332.7	665.4				
1550	RED OXIDE	373.8	747.7				
1554	TINTING WHITE	411.7	823.5				
<b>4703</b>	<b>OXFORD WHITE</b>	<b>General Motors</b>		<b>W</b>			
1554	TINTING WHITE	434.2	868.5				
1501	LANDAU BLACK	436.7	873.4				
1559	YELLOW OXIDE	437.1	874.2				
1553	FAST BLUE	437.2	874.4				
<b>4704</b>	<b>DK CRYSTAL BLUE</b>	<b>Ford Motor</b>		<b>A</b>			
1501	LANDAU BLACK	211.6	423.1				
1554	TINTING WHITE	369.0	738.0				
1553	FAST BLUE	413.3	826.7				
1552	FAST RED	416.5	833.0				
<b>4705</b>	<b>Medium Opal</b>	<b>Ford Motor</b>	<b>M4221H/YCCA</b>				
1554	TINTING WHITE	127.5	255.0				
1302	LOW LUSTER CLEAR	249.0	498.1				
1550	RED OXIDE	355.2	710.5				
1553	FAST BLUE	400.3	800.6				
1551	FAST YELLOW	425.3	850.6				
<b>4706</b>	<b>DK OPAL</b>	<b>Ford Motor</b>		<b>C</b>			
1302	LOW LUSTER CLEAR	137.6	275.1				
1550	RED OXIDE	235.7	471.4				
1554	TINTING WHITE	310.4	620.7				
1559	YELLOW OXIDE	369.4	738.7				
1553	FAST BLUE	412.4	824.8				
<b>4707</b>	<b>CHARCOAL ARGEN</b>	<b>Ford Motor</b>					<b>F</b>
1508	SILVER	211.8	423.5				
2024	SILVER BASE	320.6	641.3				
1552	FAST RED	374.3	748.6				
1553	FAST BLUE	395.2	790.4				
1551	FAST YELLOW	416.1	832.2				
<b>4708</b>	<b>MED MOCHA</b>	<b>Ford Motor</b>					<b>A</b>
1552	FAST RED	143.3	286.5				
1508	SILVER	283.7	567.3				
1501	LANDAU BLACK	353.1	706.2				
1551	FAST YELLOW	405.8	811.7				
<b>4709</b>	<b>ULTRA RED</b>	<b>Ford Motor</b>					<b>WU</b>
1552	FAST RED	383.6	767.2				
1551	FAST YELLOW	397.6	795.2				
1554	TINTING WHITE	404.5	809.0				
<b>4710</b>	<b>MED GRAY</b>	<b>Ford Motor</b>					<b>D</b>
1508	SILVER	286.8	573.6				
1501	LANDAU BLACK	371.2	742.3				
1554	TINTING WHITE	403.7	807.3				
1556	FAST GREEN	410.1	820.2				
<b>4711</b>	<b>LT GRAY</b>	<b>Ford Motor</b>					<b>D</b>
1554	TINTING WHITE	181.5	362.9				
1501	LANDAU BLACK	293.8	587.7				
1559	YELLOW OXIDE	394.9	789.8				
1550	RED OXIDE	421.0	842.1				
<b>4712</b>	<b>MOCHA FROST ME</b>	<b>Ford Motor</b>					<b>A</b>
1508	SILVER	275.6	551.2				
1552	FAST RED	363.8	727.5				
1551	FAST YELLOW	401.8	803.5				
1501	LANDAU BLACK	407.3	814.5				
<b>4713</b>	<b>MED REGATTA BLU</b>	<b>Ford Motor</b>					<b>B</b>
1508	SILVER	152.6	305.1				
2024	SILVER BASE	286.2	572.5				
1553	FAST BLUE	347.3	694.6				
1501	LANDAU BLACK	393.1	786.2				
1552	FAST RED	417.5	835.1				

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 88

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>4714</b>	<b>LT MOCHA</b>	<b>Ford Motor</b>		<b>A</b>	<b>4721</b>	<b>MED TITANIUM BU</b>	<b>Ford Motor</b>	<b>C</b>
1554	TINTING WHITE	388.8	777.7		1508	SILVER	188.3	376.6
1559	YELLOW OXIDE	424.8	849.7		1501	LANDAU BLACK	290.2	580.5
1550	RED OXIDE	433.2	866.4		2024	SILVER BASE	353.0	706.0
1501	LANDAU BLACK	434.7	869.4		1552	FAST RED	396.6	793.3
					1551	FAST YELLOW	412.0	824.0
<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			
<b>4715</b>	<b>MED PLATINUM</b>	<b>Ford Motor</b>		<b>B</b>	<b>4722</b>	<b>MED LT TITANIUM</b>	<b>Ford Motor</b>	<b>P</b>
1501	LANDAU BLACK	280.9	561.8		1554	TINTING WHITE	250.9	501.8
1508	SILVER	406.2	812.4		1559	YELLOW OXIDE	327.9	655.9
					1501	LANDAU BLACK	381.1	762.3
					1550	RED OXIDE	426.2	852.3
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>			
<b>4716</b>	<b>PASTEL ALABASTE</b>	<b>Ford Motor</b>		<b>H</b>	<b>4723</b>	<b>DK CRYSTAL BLUE</b>	<b>Ford Motor</b>	<b>A</b>
1554	TINTING WHITE	398.1	796.1		1501	LANDAU BLACK	172.1	344.3
1559	YELLOW OXIDE	428.2	856.3		1553	FAST BLUE	299.7	599.5
1550	RED OXIDE	432.4	864.9		1554	TINTING WHITE	387.1	774.3
1501	LANDAU BLACK	435.1	870.2		1550	RED OXIDE	411.2	822.3
<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>			
<b>4717</b>	<b>PARCHMENT</b>	<b>BMW</b>		<b>356</b>	<b>4724</b>	<b>TITANIUM</b>	<b>Ford Motor</b>	<b>C</b>
1554	TINTING WHITE	159.9	319.8		1554	TINTING WHITE	141.4	282.7
1302	LOW LUSTER CLEAR	299.2	598.3		1559	YELLOW OXIDE	256.7	513.4
1551	FAST YELLOW	342.2	684.4		1501	LANDAU BLACK	359.5	719.0
1552	FAST RED	383.4	766.8		1550	RED OXIDE	419.0	838.1
1501	LANDAU BLACK	415.2	830.5					
<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>			
<b>4718</b>	<b>ULTRAMARINE</b>	<b>BMW</b>		<b>355</b>	<b>4725</b>	<b>DK BRONZE</b>	<b>General Motors</b>	<b>76DM</b>
1501	LANDAU BLACK	141.4	282.7		1550	RED OXIDE	249.2	498.4
1302	LOW LUSTER CLEAR	280.6	561.3		1501	LANDAU BLACK	364.9	729.8
1554	TINTING WHITE	344.6	689.1		1552	FAST RED	407.6	815.3
1552	FAST RED	383.8	767.6		1554	TINTING WHITE	410.8	821.6
1553	FAST BLUE	408.2	816.4					
<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>			
<b>4719</b>	<b>MED GRAY MET BU</b>	<b>Ford Motor</b>		<b>P</b>	<b>4726</b>	<b>BEIGE</b>	<b>Acura</b>	
1508	SILVER	212.7	425.4		1554	TINTING WHITE	157.6	315.2
2024	SILVER BASE	329.0	658.0		1302	LOW LUSTER CLEAR	296.9	593.8
1501	LANDAU BLACK	395.1	790.2		1559	YELLOW OXIDE	401.7	803.3
1554	TINTING WHITE	407.7	815.5		1550	RED OXIDE	412.0	824.0
1551	FAST YELLOW	418.0	836.0		1501	LANDAU BLACK	417.7	835.4
<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR</b>			
<b>4720</b>	<b>MED TITANIUM ME</b>	<b>Ford Motor</b>		<b>C</b>	<b>4727</b>	<b>TAUPE</b>	<b>Mazda</b>	
1508	SILVER	260.1	520.2		1554	TINTING WHITE	176.1	352.3
1501	LANDAU BLACK	333.7	667.5		1302	LOW LUSTER CLEAR	319.7	639.4
1552	FAST RED	370.1	740.2		1552	FAST RED	358.6	717.3
2024	SILVER BASE	393.8	787.6		1551	FAST YELLOW	393.4	786.8
1551	FAST YELLOW	409.4	818.7		1501	LANDAU BLACK	416.6	833.2
<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>					<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 89

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4728	BROWN	Mazda	
1302	LOW LUSTER CLEAR	137.0	274.0
1559	YELLOW OXIDE	257.5	514.9
1501	LANDAU BLACK	310.9	621.9
1550	RED OXIDE	361.5	723.0
1554	TINTING WHITE	410.9	821.8

4735	Palomino		
1559	YELLOW OXIDE	260.3	520.7
1554	TINTING WHITE	391.0	781.9
1550	RED OXIDE	423.1	846.1
1501	LANDAU BLACK	425.2	850.5
1658	BRITE RED	431.7	863.5

4729	BLUE	Mazda	
1302	LOW LUSTER CLEAR	135.9	271.9
1501	LANDAU BLACK	255.3	510.5
1553	FAST BLUE	316.7	633.5
1550	RED OXIDE	362.4	724.9
1554	TINTING WHITE	407.8	815.7

4737	BRIGHT BLUE	Corvette	414-415
1553	FAST BLUE	185.5	371.1
1508	SILVER	345.3	690.7
1501	LANDAU BLACK	376.4	752.8
1556	FAST GREEN	397.8	795.5
1554	TINTING WHITE	405.8	811.7

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4730	THOMAS BUS GREE		
1501	LANDAU BLACK	135.1	270.2
1556	FAST GREEN	240.0	479.9
1551	FAST YELLOW	332.4	664.8
1554	TINTING WHITE	410.2	820.4

4738	BRIGHT BLUE	Corvette	411-412
1553	FAST BLUE	193.9	387.8
1508	SILVER	370.2	740.4
1501	LANDAU BLACK	394.2	788.3
1556	FAST GREEN	405.3	810.5

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

4731	BLUEBIRD GREEN		
1556	FAST GREEN	120.0	240.0
1551	FAST YELLOW	235.8	471.6
1501	LANDAU BLACK	334.5	669.0
1554	TINTING WHITE	410.0	820.0

4739	RED	Corvette	72-722
1552	FAST RED	312.6	625.3
1551	FAST YELLOW	393.5	787.0
1554	TINTING WHITE	404.4	808.8
1553	FAST BLUE	404.8	809.6

4732	BUMPER GRAY	BMW	
1501	LANDAU BLACK	207.4	414.8
1559	YELLOW OXIDE	301.9	603.8
1554	TINTING WHITE	383.7	767.4
1550	RED OXIDE	413.6	827.3

4740	OXBLOOD	Corvette	425
1552	FAST RED	305.2	610.5
1550	RED OXIDE	389.7	779.4
1554	TINTING WHITE	401.5	802.9
1553	FAST BLUE	407.0	814.0

4733	DK SILVER GLOSS	General Motors	CAD
1501	LANDAU BLACK	177.3	354.5
1508	SILVER	329.3	658.5
2024	SILVER BASE	373.5	747.1
1553	FAST BLUE	396.9	793.8
1552	FAST RED	410.1	820.2

4741	BLUE	Corvette	418-419
1501	LANDAU BLACK	216.2	432.4
1553	FAST BLUE	346.1	692.2
1556	FAST GREEN	385.1	770.3
1554	TINTING WHITE	405.7	811.3

MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4734	PORTOLA RED		
1552	FAST RED	302.9	605.7
1551	FAST YELLOW	386.7	773.5
1554	TINTING WHITE	405.4	810.7

4742	ROMAN RED	Corvette	
1552	FAST RED	260.7	521.4
1551	FAST YELLOW	385.2	770.5
1554	TINTING WHITE	405.5	810.9

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 90

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4743	RED	Corvette	
1552	FAST RED	262.5	525.0
1551	FAST YELLOW	343.8	687.6
1550	RED OXIDE	382.6	765.1
1554	TINTING WHITE	406.7	813.4

4751	AQUA	Ford Motor	
1508	SILVER	234.8	469.7
1556	FAST GREEN	304.6	609.1
1553	FAST BLUE	351.1	702.2
1554	TINTING WHITE	395.5	791.0
1501	LANDAU BLACK	410.0	820.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4744	BRONZE BUMPER	Ford Motor	
1508	SILVER	162.6	325.3
1501	LANDAU BLACK	261.4	522.9
1552	FAST RED	340.4	680.8
1551	FAST YELLOW	406.2	812.4

4752	MED BLUE MET	Ford Motor	
1508	SILVER	264.3	528.6
1553	FAST BLUE	349.5	699.0
1552	FAST RED	386.9	773.9
1551	FAST YELLOW	397.3	794.6
1554	TINTING WHITE	407.6	815.3

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4745	BROWN	Honda	
1302	LOW LUSTER CLEAR	136.0	272.1
1559	YELLOW OXIDE	267.5	535.0
1501	LANDAU BLACK	344.4	688.8
1550	RED OXIDE	395.2	790.4
1554	TINTING WHITE	408.5	817.0

4753	EMBERGLO	Ford Motor	
1552	FAST RED	366.6	733.2
1508	SILVER	397.0	794.0
1551	FAST YELLOW	404.4	808.8

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4746	VIGOR BEIGE	Acura	
1302	LOW LUSTER CLEAR	137.9	275.9
1554	TINTING WHITE	275.6	551.2
1552	FAST RED	333.9	667.9
1551	FAST YELLOW	375.7	751.5
1501	LANDAU BLACK	413.5	827.1

4754	LT IVY GOLD	Ford Motor	
1508	SILVER	298.9	597.7
1551	FAST YELLOW	342.3	684.6
1552	FAST RED	376.6	753.2
1501	LANDAU BLACK	407.6	815.3

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4748	LT SADDLE	General Motors	58T
1559	YELLOW OXIDE	139.9	279.9
1302	LOW LUSTER CLEAR	278.2	556.3
1554	TINTING WHITE	386.7	773.5
1550	RED OXIDE	406.8	813.6
1501	LANDAU BLACK	415.0	829.9

4755	PEARL WHITE	Ford Motor	
1554	TINTING WHITE	394.4	788.9
1559	YELLOW OXIDE	429.0	858.0
1501	LANDAU BLACK	433.8	867.5
1550	RED OXIDE	434.8	869.6

4749	PROTEGE BROWN	Mazda	
1559	YELLOW OXIDE	139.6	279.1
1302	LOW LUSTER CLEAR	220.3	440.6
1501	LANDAU BLACK	299.0	597.9
1554	TINTING WHITE	363.7	727.3
1550	RED OXIDE	413.0	825.9

4756	SEAMIST GREEN	Ford Motor	
1508	SILVER	338.7	677.4
1551	FAST YELLOW	382.9	765.9
1501	LANDAU BLACK	408.1	816.2

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4750	LT SILVER GRAY	BMW	0394-0451
1554	TINTING WHITE	248.9	497.8
1302	LOW LUSTER CLEAR	389.6	779.2
1559	YELLOW OXIDE	406.0	812.1
1501	LANDAU BLACK	418.2	836.4
1550	RED OXIDE	422.6	845.1

4757	DK BLUE MET	Ford Motor	
1553	FAST BLUE	217.2	434.3
1501	LANDAU BLACK	349.3	698.6
1508	SILVER	402.3	804.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 91

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4758	LT BLUE MET	Ford Motor	
1508	SILVER	321.1	642.2
1553	FAST BLUE	351.4	702.8
1501	LANDAU BLACK	377.5	755.1
1554	TINTING WHITE	400.2	800.5
1551	FAST YELLOW	409.4	818.7

4765	EMERALD GREEN	Chrysler Motors		GF
1556	FAST GREEN	227.3	454.7	
1553	FAST BLUE	372.2	744.4	
1501	LANDAU BLACK	391.1	782.2	
1508	SILVER	403.6	807.1	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4759	GOLD	Ford Motor	
1508	SILVER	262.5	525.0
1551	FAST YELLOW	316.8	633.7
1552	FAST RED	370.8	741.6
1554	TINTING WHITE	394.3	788.5
1501	LANDAU BLACK	408.9	817.8

4766	MED BEIGE	General Motors		63BN
1559	YELLOW OXIDE	141.1	282.2	
1302	LOW LUSTER CLEAR	278.6	557.3	
1554	TINTING WHITE	347.0	694.1	
1550	RED OXIDE	389.1	778.2	
1501	LANDAU BLACK	412.5	825.0	

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4760	TURQUOISE MET	Ford Motor	
1508	SILVER	140.9	281.8
1556	FAST GREEN	259.8	519.7
1553	FAST BLUE	337.7	675.5
1501	LANDAU BLACK	405.6	811.1

4767	DK BEIGE	General Motors		63DN
1302	LOW LUSTER CLEAR	137.1	274.2	
1559	YELLOW OXIDE	267.2	534.5	
1550	RED OXIDE	325.7	651.3	
1554	TINTING WHITE	373.1	746.1	
1501	LANDAU BLACK	411.2	822.3	

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4761	DK QUARTZ	Chrysler Motors		S6
1302	LOW LUSTER CLEAR	136.6	273.2	
1501	LANDAU BLACK	250.5	501.0	
1559	YELLOW OXIDE	314.9	629.9	
1550	RED OXIDE	364.4	728.8	
1554	TINTING WHITE	409.5	818.9	

4768	LT BEIGE	General Motors		64AN
1302	LOW LUSTER CLEAR	138.7	277.4	
1554	TINTING WHITE	265.5	531.1	
1559	YELLOW OXIDE	370.7	741.4	
1550	RED OXIDE	403.9	807.9	
1501	LANDAU BLACK	415.9	831.8	

4762	OPAL FROST	Ford Motor		C
1554	TINTING WHITE	355.5	711.0	
1501	LANDAU BLACK	423.6	847.2	
1552	FAST RED	427.7	855.4	
1553	FAST BLUE	431.4	862.8	

4769	MOCHA FROST	Ford Motor		A
1554	TINTING WHITE	192.9	385.9	
1559	YELLOW OXIDE	326.4	652.8	
1550	RED OXIDE	390.2	780.3	
1501	LANDAU BLACK	423.3	846.6	

4763	TAN	Chrysler Motors		KA
1559	YELLOW OXIDE	167.6	335.2	
1302	LOW LUSTER CLEAR	304.7	609.3	
1550	RED OXIDE	361.1	722.2	
1554	TINTING WHITE	400.1	800.3	
1501	LANDAU BLACK	411.3	822.5	

4770	LAPIS BLUE	Ford Motor		V
1553	FAST BLUE	174.4	348.8	
1554	TINTING WHITE	276.5	552.9	
1501	LANDAU BLACK	357.1	714.2	
1552	FAST RED	411.4	822.7	

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

4764	LT DRIFTWOOD ME	Chrysler Motors		FA
1508	SILVER	385.7	771.4	
1552	FAST RED	396.2	792.5	
1551	FAST YELLOW	404.8	809.6	
1554	TINTING WHITE	408.9	817.8	

4771	RUBY	Ford Motor		Y
1552	FAST RED	384.1	768.2	
1554	TINTING WHITE	395.1	790.2	
1553	FAST BLUE	404.8	809.6	

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 92

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4772	MED AQUAMARINE	Ford Motor	D
1501	LANDAU BLACK	138.5	277.0
1554	TINTING WHITE	263.0	525.9
1553	FAST BLUE	367.4	734.7
1556	FAST GREEN	413.5	827.1

4780	GRAPHITE	Ford Motor	P
1501	LANDAU BLACK	280.6	561.3
1508	SILVER	343.6	687.2
1553	FAST BLUE	375.3	750.5
1552	FAST RED	405.4	810.7

### MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4773	MED AQUAMARINE	Ford Motor	D
1553	FAST BLUE	219.8	439.7
1501	LANDAU BLACK	314.3	628.5
1556	FAST GREEN	381.8	763.6
1554	TINTING WHITE	405.2	810.4

4781	MED DK GRAY	Ford Motor	R
1554	TINTING WHITE	227.7	455.4
1501	LANDAU BLACK	358.9	717.8
1559	YELLOW OXIDE	399.1	798.2
1550	RED OXIDE	423.2	846.5

4774	LT SILVER GLOSS	General Motors	
1508	SILVER	399.6	799.1
1501	LANDAU BLACK	405.9	811.9
1551	FAST YELLOW	407.6	815.1
1552	FAST RED	408.8	817.6

4782	MED DK GRAY	Ford Motor	R
1554	TINTING WHITE	148.2	296.4
1300	HIGH GLOSS CLEAR	286.9	573.8
1501	LANDAU BLACK	375.8	751.6
1559	YELLOW OXIDE	399.7	799.3
1550	RED OXIDE	415.8	831.6

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4775	DK SILVER GLOSS	General Motors	
1508	SILVER	285.4	570.8
1501	LANDAU BLACK	407.6	815.3
		0.0	0.0

4783	DK OPAL	Ford Motor	C
1501	LANDAU BLACK	188.7	377.3
1300	HIGH GLOSS CLEAR	323.3	646.6
1554	TINTING WHITE	387.5	775.0
1552	FAST RED	402.3	804.7

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4776	SILVER	Ford Motor	J
1554	TINTING WHITE	339.7	679.4
1501	LANDAU BLACK	386.5	772.9
1559	YELLOW OXIDE	419.8	839.6
1550	RED OXIDE	431.0	862.0

4784	MED GRAY	Ford Motor	R
1554	TINTING WHITE	298.6	597.2
1501	LANDAU BLACK	375.5	751.1
1559	YELLOW OXIDE	415.3	830.7
1550	RED OXIDE	428.2	856.3

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4778	AQUAMARINE	Ford Motor	D
1554	TINTING WHITE	154.5	308.9
1501	LANDAU BLACK	291.7	583.5
1553	FAST BLUE	378.2	756.4
1556	FAST GREEN	415.8	831.6

4785	OXFORD WHITE	Ford Motor	W
1554	TINTING WHITE	432.9	865.8
1559	YELLOW OXIDE	435.0	870.0
1501	LANDAU BLACK	436.9	873.8
1553	FAST BLUE	437.1	874.2

### MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

4779	DELTA GREY	Ford Motor	D
1302	LOW LUSTER CLEAR	137.9	275.9
1554	TINTING WHITE	241.9	483.7
1501	LANDAU BLACK	326.7	653.4
1559	YELLOW OXIDE	411.1	822.1
1550	RED OXIDE	413.3	826.5

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4786	BRONZE MET	General Motors	59T
1501	LANDAU BLACK	205.8	411.5
1508	SILVER	287.9	575.9
1552	FAST RED	353.4	706.8
1551	FAST YELLOW	405.6	811.1

### MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 93

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4787</b>	<b>DK CHERRY MET</b>	<b>General Motors</b>		<b>77T</b>	<b>4795</b>	<b>TRAVERTINE</b>	
1552	FAST RED	299.3	598.7	1559	YELLOW OXIDE	154.9	309.9
1553	FAST BLUE	361.6	723.1	1302	LOW LUSTER CLEAR	291.1	582.2
1551	FAST YELLOW	394.3	788.7	1554	TINTING WHITE	348.8	697.7
1508	SILVER	403.9	807.9	1550	RED OXIDE	390.5	781.1
				1501	LANDAU BLACK	412.0	824.0

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4789</b>	<b>DK GRAY</b>	<b>Ford Motor</b>		<b>R</b>	<b>4796</b>	<b>ECRU</b>	
1501	LANDAU BLACK	290.9	581.8	1554	TINTING WHITE	188.6	377.2
1559	YELLOW OXIDE	352.4	704.7	1302	LOW LUSTER CLEAR	328.3	656.6
1554	TINTING WHITE	410.5	821.0	1559	YELLOW OXIDE	391.3	782.6
				1501	LANDAU BLACK	406.3	812.6
				1550	RED OXIDE	419.2	838.5

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>4790</b>	<b>WILDBERRY</b>	<b>Chrysler Motors</b>		<b>MB</b>	<b>4797</b>	<b>TAN</b>	
1552	FAST RED	311.3	622.6	1559	YELLOW OXIDE	203.6	407.2
1553	FAST BLUE	366.6	733.2	1302	LOW LUSTER CLEAR	340.5	681.0
1551	FAST YELLOW	394.3	788.5	1550	RED OXIDE	373.2	746.3
1508	SILVER	403.9	807.9	1554	TINTING WHITE	405.3	810.5
				1501	LANDAU BLACK	411.0	821.9

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4791</b>	<b>RUBY RED</b>	<b>General Motors</b>		<b>79</b>	<b>4798</b>	<b>SLATE</b>	
1552	FAST RED	376.4	752.8	1554	TINTING WHITE	161.0	322.1
1501	LANDAU BLACK	387.8	775.6	1302	LOW LUSTER CLEAR	299.8	599.6
1553	FAST BLUE	396.6	793.3	1501	LANDAU BLACK	358.7	717.4
1554	TINTING WHITE	404.5	809.0	1559	YELLOW OXIDE	413.7	827.5
				1553	FAST BLUE	416.8	833.5

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>4792</b>	<b>BORDEAUX RED</b>	<b>General Motors</b>		<b>75</b>	<b>4799</b>	<b>GRAY</b>	
1552	FAST RED	346.7	693.3	1554	TINTING WHITE	196.7	393.3
1553	FAST BLUE	398.1	796.1	1501	LANDAU BLACK	283.1	566.2
1554	TINTING WHITE	404.2	808.5	1302	LOW LUSTER CLEAR	366.4	732.8
				1550	RED OXIDE	408.2	816.4
				1559	YELLOW OXIDE	419.9	839.8

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>4793</b>	<b>TORCH RED</b>	<b>General Motors</b>		<b>70</b>	<b>4800</b>	<b>TAUPE</b>	
1552	FAST RED	250.0	500.1	1554	TINTING WHITE	155.1	310.3
1551	FAST YELLOW	375.1	750.1	1302	LOW LUSTER CLEAR	294.2	588.4
1554	TINTING WHITE	406.3	812.6	1559	YELLOW OXIDE	367.7	735.5
				1550	RED OXIDE	393.9	787.7
				1501	LANDAU BLACK	417.1	834.3

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>4794</b>	<b>ARCTIC WHITE</b>	<b>General Motors</b>		<b>10N</b>	<b>4801</b>	<b>GRAY</b>	
1554	TINTING WHITE	282.6	565.3	1554	TINTING WHITE	156.5	312.9
1302	LOW LUSTER CLEAR	424.2	848.4	1302	LOW LUSTER CLEAR	240.3	480.5
1553	FAST BLUE	424.5	848.9	1501	LANDAU BLACK	312.3	624.5
1559	YELLOW OXIDE	424.6	849.1	1559	YELLOW OXIDE	382.4	764.8
1501	LANDAU BLACK	424.7	849.3	1550	RED OXIDE	418.0	836.0

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 94

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4802</b>	<b>BLACK</b>	<b>Mazda</b>		<b>4809</b>	<b>LT TAUPE</b>	<b>Mazda</b>	
1302	LOW LUSTER CLEAR	135.3	270.6	1554	TINTING WHITE	178.6	357.2
1501	LANDAU BLACK	256.3	512.6	1302	LOW LUSTER CLEAR	314.0	628.0
1552	FAST RED	320.4	640.9	1551	FAST YELLOW	352.8	705.7
1551	FAST YELLOW	368.5	737.0	1552	FAST RED	390.8	781.7
1554	TINTING WHITE	406.2	812.4	1501	LANDAU BLACK	416.8	833.5
<b>4803</b>	<b>TAN</b>	<b>Mazda</b>		<b>4810</b>	<b>CAMRY GRAY</b>	<b>Toyota</b>	
1302	LOW LUSTER CLEAR	139.3	278.5	1302	LOW LUSTER CLEAR	136.7	273.4
1559	YELLOW OXIDE	277.4	554.8	1501	LANDAU BLACK	241.5	483.0
1554	TINTING WHITE	389.4	778.8	1554	TINTING WHITE	327.3	654.6
1550	RED OXIDE	410.6	821.2	1552	FAST RED	373.9	747.8
1501	LANDAU BLACK	415.2	830.3	1551	FAST YELLOW	409.9	819.9
<b>4804</b>	<b>RED</b>	<b>Mazda</b>		<b>4811</b>	<b>CAMRY BLUE</b>	<b>Toyota</b>	
1552	FAST RED	241.1	482.2	1501	LANDAU BLACK	201.5	403.0
1302	LOW LUSTER CLEAR	322.3	644.7	1302	LOW LUSTER CLEAR	337.3	674.7
1550	RED OXIDE	380.8	761.5	1554	TINTING WHITE	390.4	780.7
1554	TINTING WHITE	402.9	805.8	1553	FAST BLUE	404.1	808.3
1501	LANDAU BLACK	406.5	813.0	1552	FAST RED	407.8	815.7
<b>4805</b>	<b>SMOKE GRAY</b>	<b>Mazda</b>		<b>4812</b>	<b>CAMRY LT BROWN</b>	<b>Toyota</b>	
1554	TINTING WHITE	165.3	330.6	1559	YELLOW OXIDE	137.1	274.2
1302	LOW LUSTER CLEAR	303.8	607.6	1302	LOW LUSTER CLEAR	219.7	439.5
1501	LANDAU BLACK	369.2	738.3	1554	TINTING WHITE	293.1	586.2
1551	FAST YELLOW	393.8	787.6	1501	LANDAU BLACK	354.2	708.3
1552	FAST RED	415.7	831.4	1550	RED OXIDE	413.6	827.3
<b>4806</b>	<b>BEIGE</b>	<b>Mazda</b>		<b>4813</b>	<b>CAMRY BROWN</b>	<b>Toyota</b>	
1559	YELLOW OXIDE	208.4	416.9	1501	LANDAU BLACK	155.6	311.2
1554	TINTING WHITE	317.1	634.2	1302	LOW LUSTER CLEAR	236.9	473.9
1550	RED OXIDE	382.6	765.1	1550	RED OXIDE	315.2	630.4
1501	LANDAU BLACK	418.7	837.3	1559	YELLOW OXIDE	375.0	749.9
				1554	TINTING WHITE	409.8	819.7
<b>4807</b>	<b>GRAY</b>	<b>Mazda</b>		<b>4814</b>	<b>TAUPE</b>	<b>Lexus</b>	
1554	TINTING WHITE	210.2	420.5	1559	YELLOW OXIDE	125.7	251.4
1559	YELLOW OXIDE	321.1	642.2	1550	RED OXIDE	211.9	423.9
1501	LANDAU BLACK	393.0	786.0	1302	LOW LUSTER CLEAR	294.6	589.2
1550	RED OXIDE	423.5	847.0	1501	LANDAU BLACK	358.3	716.7
				1554	TINTING WHITE	412.7	825.4
<b>4808</b>	<b>TAUPE</b>	<b>Mazda</b>		<b>4815</b>	<b>LT ROYAL BLUE M</b>	<b>Chrysler Motors</b>	<b>BC</b>
1302	LOW LUSTER CLEAR	137.0	274.0	1508	SILVER	156.0	312.0
1559	YELLOW OXIDE	257.5	514.9	1552	FAST RED	259.8	519.7
1501	LANDAU BLACK	310.9	621.9	1553	FAST BLUE	344.1	688.2
1550	RED OXIDE	361.5	723.0	1554	TINTING WHITE	409.4	818.7
1554	TINTING WHITE	410.9	821.8				

MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 95

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>4816</b>	<b>DK MONTANA BLU</b>	<b>General Motors</b>		<b>21</b>	<b>4823</b>	<b>NEUTRAL GRAY</b>	<b>Saturn</b>	<b>16</b>
1501	LANDAU BLACK	104.5	209.0		1554	TINTING WHITE	164.3	328.5
1552	FAST RED	199.8	399.6		1501	LANDAU BLACK	251.5	502.9
1553	FAST BLUE	286.2	572.5		1302	LOW LUSTER CLEAR	321.2	642.4
1302	LOW LUSTER CLEAR	354.4	708.7		1559	YELLOW OXIDE	389.9	779.8
1554	TINTING WHITE	406.8	813.6		1550	RED OXIDE	418.5	837.0
<b>4817</b>	<b>DK MOCHA</b>	<b>General Motors</b>		<b>34</b>	<b>4824</b>	<b>LT BISCUIT</b>	<b>Saturn</b>	<b>61</b>
1501	LANDAU BLACK	183.9	367.8		1554	TINTING WHITE	170.7	341.4
1550	RED OXIDE	298.3	596.6		1302	LOW LUSTER CLEAR	310.2	620.4
1302	LOW LUSTER CLEAR	366.3	732.6		1559	YELLOW OXIDE	393.5	787.0
1554	TINTING WHITE	400.0	799.9		1550	RED OXIDE	408.7	817.4
1553	FAST BLUE	409.4	818.7		1501	LANDAU BLACK	418.4	836.8
<b>4818</b>	<b>MOCHA</b>	<b>General Motors</b>		<b>34</b>	<b>4825</b>	<b>DK BISCUIT</b>	<b>Saturn</b>	<b>61</b>
1559	YELLOW OXIDE	97.8	195.5		1559	YELLOW OXIDE	135.3	270.6
1550	RED OXIDE	191.0	382.1		1554	TINTING WHITE	261.3	522.7
1501	LANDAU BLACK	271.2	542.5		1302	LOW LUSTER CLEAR	330.0	660.1
1554	TINTING WHITE	344.9	689.9		1501	LANDAU BLACK	374.2	748.4
1302	LOW LUSTER CLEAR	413.8	827.6		1550	RED OXIDE	417.3	834.7
<b>4819</b>	<b>MED DK TEAL</b>	<b>General Motors</b>		<b>37</b>	<b>4826</b>	<b>VERY DK BISCUIT</b>	<b>Saturn</b>	<b>61</b>
1501	LANDAU BLACK	147.3	294.7		1302	LOW LUSTER CLEAR	136.8	273.6
1554	TINTING WHITE	261.1	522.1		1559	YELLOW OXIDE	268.1	536.2
1556	FAST GREEN	341.8	683.6		1501	LANDAU BLACK	319.5	639.0
1302	LOW LUSTER CLEAR	412.0	824.0		1554	TINTING WHITE	369.8	739.7
					1550	RED OXIDE	410.9	821.8
<b>4820</b>	<b>MED DK ADRIATIC</b>	<b>General Motors</b>		<b>30</b>	<b>4827</b>	<b>DK MOCHA</b>	<b>General Motors</b>	<b>34</b>
1302	LOW LUSTER CLEAR	137.7	275.3		1501	LANDAU BLACK	185.3	370.5
1554	TINTING WHITE	254.1	508.3		1550	RED OXIDE	303.5	607.1
1501	LANDAU BLACK	326.8	653.6		1302	LOW LUSTER CLEAR	371.9	743.9
1550	RED OXIDE	371.5	742.9		1554	TINTING WHITE	393.4	786.8
1553	FAST BLUE	413.1	826.1		1553	FAST BLUE	408.6	817.2
<b>4821</b>	<b>BRIGHT AQUA</b>	<b>General Motors</b>		<b>44</b>	<b>4828</b>	<b>DK MONTANA BLU</b>	<b>General Motors</b>	<b>21</b>
1556	FAST GREEN	157.3	314.6		1302	LOW LUSTER CLEAR	128.9	257.8
1553	FAST BLUE	238.6	477.3		1552	FAST RED	220.4	440.8
1554	TINTING WHITE	311.2	622.4		1501	LANDAU BLACK	303.1	606.3
1302	LOW LUSTER CLEAR	379.6	759.2		1553	FAST BLUE	371.4	742.7
1552	FAST RED	407.7	815.5		1554	TINTING WHITE	405.7	811.3
<b>4822</b>	<b>MOCHA PEARL</b>	<b>General Motors</b>		<b>34</b>	<b>4829</b>	<b>PORTOFINO</b>	<b>Ford Motor</b>	<b>E</b>
1552	FAST RED	127.7	255.4		1552	FAST RED	147.2	294.3
1554	TINTING WHITE	208.5	417.1		1553	FAST BLUE	287.1	574.2
1501	LANDAU BLACK	282.6	565.3		1501	LANDAU BLACK	362.4	724.9
1551	FAST YELLOW	341.0	681.9		1554	TINTING WHITE	405.4	810.7
3521	RED PEARL	395.0	790.0					

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 96

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>4830</b>	<b>EVERGREEN</b>	<b>Ford Motor</b>		<b>E</b>	<b>4837</b>	<b>SADDLE</b>		<b>Corvette</b>
1302	LOW LUSTER CLEAR	135.3	270.6		1559	YELLOW OXIDE	269.8	539.6
1556	FAST GREEN	268.0	536.0		1550	RED OXIDE	365.9	731.9
1501	LANDAU BLACK	334.7	669.4		1554	TINTING WHITE	397.9	795.7
1559	YELLOW OXIDE	386.0	772.0		1501	LANDAU BLACK	414.9	829.7
1554	TINTING WHITE	405.8	811.7					

<b>4831</b>	<b>BRITE RED</b>	<b>Ford Motor</b>		<b>C</b>	<b>4838</b>	<b>LT SADDLE</b>		<b>Corvette</b>
1552	FAST RED	303.1	606.1		1559	YELLOW OXIDE	233.1	466.3
1559	YELLOW OXIDE	400.1	800.3		1554	TINTING WHITE	361.7	723.3
1554	TINTING WHITE	406.7	813.4		1550	RED OXIDE	397.2	794.4
					1501	LANDAU BLACK	419.9	839.8

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

<b>4832</b>	<b>SADDLE</b>	<b>Ford Motor</b>		<b>C</b>	<b>4839</b>	<b>BRIGHT BLUE MET</b>		<b>Corvette</b>
1559	YELLOW OXIDE	147.5	295.1		1553	FAST BLUE	215.1	430.2
1302	LOW LUSTER CLEAR	285.1	570.2		1508	SILVER	348.7	697.3
1554	TINTING WHITE	350.5	700.9		1501	LANDAU BLACK	373.3	746.5
1550	RED OXIDE	399.2	798.4		1556	FAST GREEN	389.3	778.6
1501	LANDAU BLACK	412.6	825.2		1554	TINTING WHITE	403.9	807.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4833</b>	<b>MED MOCHA</b>	<b>Ford Motor</b>		<b>A</b>	<b>4840</b>	<b>DK GREEN</b>		<b>Corvette</b>
1554	TINTING WHITE	253.1	506.2		1551	FAST YELLOW	133.3	266.6
1559	YELLOW OXIDE	370.9	741.8		1553	FAST BLUE	266.1	532.2
1550	RED OXIDE	414.5	829.0		1501	LANDAU BLACK	377.1	754.1
1501	LANDAU BLACK	427.1	854.2		1554	TINTING WHITE	404.4	808.8

<b>4834</b>	<b>TAURUS SILVER BU</b>	<b>Ford Motor</b>			<b>4841</b>	<b>RED</b>		<b>Corvette</b>
1508	SILVER	199.8	399.6		1552	FAST RED	316.8	633.7
2024	SILVER BASE	308.8	617.5		1551	FAST YELLOW	380.9	761.7
1501	LANDAU BLACK	389.0	778.1		1554	TINTING WHITE	405.7	811.3
1554	TINTING WHITE	400.9	801.8					
1551	FAST YELLOW	410.6	821.2					
1552	FAST RED	417.1	834.3					

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

<b>4835</b>	<b>RED</b>	<b>Corvette</b>			<b>4842</b>	<b>SILVER</b>		<b>Corvette</b>
1552	FAST RED	260.5	521.0		1508	SILVER	238.1	476.1
1551	FAST YELLOW	384.9	769.9		2024	SILVER BASE	362.3	724.7
1554	TINTING WHITE	405.2	810.4		1552	FAST RED	390.5	781.1
					1551	FAST YELLOW	404.9	809.8
					1553	FAST BLUE	417.8	835.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

<b>4836</b>	<b>DK BLUE</b>	<b>Corvette</b>			<b>4842</b>	<b>SILVER</b>		<b>Corvette</b>
1501	LANDAU BLACK	240.5	481.1		1508	SILVER	238.1	476.1
1553	FAST BLUE	351.5	703.0		2024	SILVER BASE	362.3	724.7
1556	FAST GREEN	384.8	769.5		1552	FAST RED	390.5	781.1
1554	TINTING WHITE	404.7	809.4		1551	FAST YELLOW	404.9	809.8
					1553	FAST BLUE	417.8	835.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 97**

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4843	TEAL	Corvette	
1508	SILVER	213.9	427.9
1501	LANDAU BLACK	301.6	603.3
1553	FAST BLUE	388.6	777.1
1556	FAST GREEN	405.7	811.3

4849	OXBLOOD	Corvette	
1552	FAST RED	305.2	610.5
1550	RED OXIDE	389.7	779.4
1554	TINTING WHITE	401.5	802.9
1553	FAST BLUE	407.0	814.0

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4844	DK SADDLE	Corvette	
1559	YELLOW OXIDE	187.1	374.1
1302	LOW LUSTER CLEAR	323.3	646.6
1550	RED OXIDE	380.9	761.7
1501	LANDAU BLACK	400.5	801.0
1554	TINTING WHITE	409.3	818.5

4850	MED SADDLE	Corvette	
1559	YELLOW OXIDE	195.2	390.5
1302	LOW LUSTER CLEAR	278.3	556.5
1554	TINTING WHITE	354.9	709.8
1550	RED OXIDE	401.2	802.4
1501	LANDAU BLACK	414.8	829.5

4844	DK SADDLE	Corvette	
1559	YELLOW OXIDE	187.1	374.1
1302	LOW LUSTER CLEAR	323.3	646.6
1550	RED OXIDE	380.9	761.7
1501	LANDAU BLACK	400.5	801.0
1554	TINTING WHITE	409.3	818.5

4851	BLUE GREEN	Corvette	
1556	FAST GREEN	313.6	627.2
1501	LANDAU BLACK	371.0	742.0
1508	SILVER	391.6	783.2
1554	TINTING WHITE	404.8	809.6

4845	SADDLE	Corvette	
1559	YELLOW OXIDE	291.5	582.9
1550	RED OXIDE	360.2	720.5
1501	LANDAU BLACK	388.1	776.2
1554	TINTING WHITE	414.2	828.4

4852	FIRETHORN	Corvette	
1552	FAST RED	200.5	400.9
1550	RED OXIDE	397.8	795.5
1554	TINTING WHITE	405.9	811.9
1501	LANDAU BLACK	409.5	818.9

4846	BRIGHT BLUE MET	Corvette	
1553	FAST BLUE	228.6	457.1
1508	SILVER	342.7	685.3
1556	FAST GREEN	392.4	784.7
1554	TINTING WHITE	398.6	797.2
1552	FAST RED	404.9	809.8

4853	WHITE	Corvette	
1554	TINTING WHITE	425.9	851.8
1559	YELLOW OXIDE	433.1	866.2
1550	RED OXIDE	436.0	871.9
1556	FAST GREEN	436.7	873.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4847	DK GREEN MET	Corvette	
1501	LANDAU BLACK	166.4	332.9
1508	SILVER	248.1	496.3
1556	FAST GREEN	327.8	655.5
1551	FAST YELLOW	405.2	810.4

4854	DOVE GREY	Corvette	
1554	TINTING WHITE	272.7	545.5
1302	LOW LUSTER CLEAR	357.9	715.7
1559	YELLOW OXIDE	399.4	798.8
1501	LANDAU BLACK	421.9	843.8
1550	RED OXIDE	425.3	850.6

4848	DK BLUE	Corvette	
1553	FAST BLUE	220.9	441.8
1501	LANDAU BLACK	364.4	728.8
1554	TINTING WHITE	404.4	808.8

4855	BUCKSKIN	Corvette	
1559	YELLOW OXIDE	178.7	357.4
1302	LOW LUSTER CLEAR	316.2	632.3
1554	TINTING WHITE	377.9	755.8
1550	RED OXIDE	404.6	809.2
1501	LANDAU BLACK	412.4	824.8

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 98**

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

	DK BROWN	Corvette	
1559	YELLOW OXIDE	219.8	439.7
1501	LANDAU BLACK	319.5	639.0
1550	RED OXIDE	408.5	817.0
1554	TINTING WHITE	411.7	823.5

	MED RED	Corvette	
1552	FAST RED	317.6	635.2
1551	FAST YELLOW	389.0	778.1
1554	TINTING WHITE	404.9	809.8

	INDIGO BLUE	Corvette	
1553	FAST BLUE	163.8	327.6
1552	FAST RED	303.2	606.5
1554	TINTING WHITE	355.9	711.7
1501	LANDAU BLACK	405.7	811.5

	CINNABAR	Corvette	
1550	RED OXIDE	332.0	664.1
1559	YELLOW OXIDE	388.1	776.2
1501	LANDAU BLACK	405.3	810.5
1554	TINTING WHITE	414.1	828.2

	DK GREEN	Corvette	
1556	FAST GREEN	185.3	370.5
1501	LANDAU BLACK	351.0	702.1
1508	SILVER	404.9	809.8

	CHARCOAL	Corvette	
1501	LANDAU BLACK	210.0	420.1
1554	TINTING WHITE	294.7	589.4
1551	FAST YELLOW	361.1	722.2
1552	FAST RED	410.2	820.4

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	DOESKIN	Corvette	
1554	TINTING WHITE	313.2	626.4
1551	FAST YELLOW	370.9	741.8
1552	FAST RED	416.4	832.8
1556	FAST GREEN	425.3	850.6

	CARMINE	Corvette	
1552	FAST RED	309.8	619.6
1551	FAST YELLOW	393.4	786.8
1554	TINTING WHITE	402.1	804.3
1553	FAST BLUE	404.4	808.8

	OYSTER	Corvette	
1554	TINTING WHITE	381.6	763.2
1559	YELLOW OXIDE	425.0	850.1
1501	LANDAU BLACK	433.3	866.6
1550	RED OXIDE	434.2	868.3

	SILVER GREEN	Corvette	
1508	SILVER	325.4	650.8
1553	FAST BLUE	362.6	725.2
1551	FAST YELLOW	383.0	766.1
1554	TINTING WHITE	398.9	797.8
1501	LANDAU BLACK	408.4	816.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

	DK BLUE	Corvette	
1553	FAST BLUE	203.5	407.0
1501	LANDAU BLACK	304.3	608.6
1556	FAST GREEN	389.4	778.8
1554	TINTING WHITE	402.6	805.2

	BLUE	Corvette	
1501	LANDAU BLACK	176.3	352.6
1553	FAST BLUE	311.6	623.2
1554	TINTING WHITE	374.0	748.0
1551	FAST YELLOW	407.1	814.2

	SILVER	Corvette	
1508	SILVER	385.7	771.4
1501	LANDAU BLACK	407.8	815.7
1551	FAST YELLOW	408.6	817.2

	SILVER BEIGE	Corvette	
1508	SILVER	327.4	654.7
1551	FAST YELLOW	353.0	706.0
1554	TINTING WHITE	375.3	750.5
1501	LANDAU BLACK	394.2	788.3
1552	FAST RED	409.4	818.7

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 99

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4870	MED TITANIUM	Ford Motor	R
1559	YELLOW OXIDE	140.1	280.3
1554	TINTING WHITE	261.9	523.8
1501	LANDAU BLACK	365.4	730.7
1550	RED OXIDE	417.9	835.8

4877	MED QUARTZ MET	Chrysler Motors	DM
1508	SILVER	139.7	279.5
2024	SILVER BASE	247.2	494.4
1501	LANDAU BLACK	350.2	700.3
1551	FAST YELLOW	399.5	799.0
1553	FAST BLUE	415.3	830.7

4871	LT CRYSTAL BLUE	Ford Motor	A310N
2024	SILVER BASE	156.7	313.3
1553	FAST BLUE	275.1	550.2
1508	SILVER	332.3	664.6
1552	FAST RED	387.5	775.0
1501	LANDAU BLACK	418.2	836.4

4878	LT SANTA FE	Ford Motor	X
1559	YELLOW OXIDE	157.4	314.8
1554	TINTING WHITE	299.4	598.9
1550	RED OXIDE	403.0	806.0
1501	LANDAU BLACK	420.9	841.9

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4872	GLACIER WHITE	Ford Motor	B
1554	TINTING WHITE	436.9	873.8
1553	FAST BLUE	437.2	874.4
1552	FAST RED	437.4	874.8

4879	SPRUCE	Chrysler Motors	P8
1302	LOW LUSTER CLEAR	211.3	422.6
1501	LANDAU BLACK	311.7	623.4
1554	TINTING WHITE	378.7	757.3
1556	FAST GREEN	408.5	817.0

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4873	MED DRIFTWOOD	Chrysler Motors	FD
1501	LANDAU BLACK	159.4	318.8
2024	SILVER BASE	281.2	562.4
1508	SILVER	392.4	784.7
1552	FAST RED	406.5	813.0
1551	FAST YELLOW	416.5	833.0

4880	MED CAMEL TAN	Chrysler Motors	K5
1302	LOW LUSTER CLEAR	138.0	276.1
1559	YELLOW OXIDE	274.6	549.3
1554	TINTING WHITE	369.1	738.2
1550	RED OXIDE	398.9	797.8
1501	LANDAU BLACK	414.1	828.2

4874	PURPLE PEARL	General Motors	91T
1552	FAST RED	152.5	305.0
1501	LANDAU BLACK	292.3	584.6
1508	SILVER	342.0	684.0
1553	FAST BLUE	381.5	763.0
2024	SILVER BASE	407.1	814.2

4881	LT NEUTRAL	Chrysler Motors	F1
1554	TINTING WHITE	194.6	389.1
1302	LOW LUSTER CLEAR	334.6	669.2
1559	YELLOW OXIDE	388.0	776.0
1550	RED OXIDE	405.9	811.9
1501	LANDAU BLACK	419.4	838.9

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4875	DK QUARTZ GREY	Chrysler Motors	DL
1501	LANDAU BLACK	185.3	370.5
2024	SILVER BASE	278.9	557.8
1508	SILVER	345.0	690.1
1552	FAST RED	396.6	793.3
1553	FAST BLUE	413.5	827.1

4882	DK FERN GREY ME	Chrysler Motors	F9
1501	LANDAU BLACK	225.1	450.1
2024	SILVER BASE	327.7	655.3
1508	SILVER	385.6	771.2
1552	FAST RED	401.3	802.6
1551	FAST YELLOW	414.4	828.8

4876	MED GRAY MET	Ford Motor	ADLAMP/DOOR
1508	SILVER	199.0	398.1
1501	LANDAU BLACK	358.7	717.4
1551	FAST YELLOW	386.7	773.3
1552	FAST RED	406.8	813.6

4883	LT GRAY MET	General Motors	14T
1508	SILVER	265.1	530.3
1501	LANDAU BLACK	380.5	761.0
1553	FAST BLUE	401.9	803.9
1551	FAST YELLOW	407.2	814.3

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 100

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4884	BRIGHT WHITE	General Motors	16T
1554	TINTING WHITE	435.8	871.5
1501	LANDAU BLACK	436.4	872.9
1559	YELLOW OXIDE	437.1	874.2
1553	FAST BLUE	437.3	874.6

4891	DK BRIGHT BLUE	Corvette	
1553	FAST BLUE	321.6	643.2
1501	LANDAU BLACK	366.3	732.6
1508	SILVER	400.6	801.2

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4885	MED ADRIATIC ME	General Motors	30T
1552	FAST RED	173.9	347.9
1553	FAST BLUE	318.9	637.8
1508	SILVER	363.7	727.3
1501	LANDAU BLACK	402.9	805.8

4892	AQUA	Corvette	
1508	SILVER	206.4	412.9
1553	FAST BLUE	319.6	639.2
1556	FAST GREEN	401.9	803.9
1552	FAST RED	404.9	809.8

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4886	DK ADRIATIC MET	General Motors	39T
1553	FAST BLUE	281.4	562.8
1556	FAST GREEN	383.3	766.7
1551	FAST YELLOW	401.6	803.1
2024	SILVER BASE	403.0	806.0

4893	BLUE	Mazda	
1302	LOW LUSTER CLEAR	199.1	398.2
1501	LANDAU BLACK	297.1	594.1
1553	FAST BLUE	363.3	726.6
1554	TINTING WHITE	394.2	788.3
1552	FAST RED	405.3	810.5

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4887	LT ADRIATIC MET	General Motors	36T
1508	SILVER	292.8	585.6
1552	FAST RED	331.5	662.9
1553	FAST BLUE	368.9	737.8
1501	LANDAU BLACK	396.1	792.1
1554	TINTING WHITE	407.8	815.7

4894	LT YELLOW	General Motors	50
1554	TINTING WHITE	400.5	801.0
1551	FAST YELLOW	426.3	852.5
1552	FAST RED	430.5	861.1
1556	FAST GREEN	431.3	862.6

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

4888	BLUE	Corvette	
1553	FAST BLUE	234.9	469.9
1556	FAST GREEN	315.8	631.6
1554	TINTING WHITE	362.2	724.5
1501	LANDAU BLACK	404.3	808.6

4895	MED QUARTZ	Chrysler Motors	
1550	RED OXIDE	170.5	341.1
1508	SILVER	268.6	537.1
1559	YELLOW OXIDE	348.7	697.3
1553	FAST BLUE	410.9	821.8

**MUST TOPCOAT WITH 1300**

4889	LT DOESKIN	Corvette	
1554	TINTING WHITE	243.9	487.7
1559	YELLOW OXIDE	407.2	814.3
1550	RED OXIDE	421.7	843.4
1501	LANDAU BLACK	426.6	853.3

4896	WHITE	Corvette	
1554	TINTING WHITE	431.2	862.4
1551	FAST YELLOW	434.0	867.9
1501	LANDAU BLACK	435.6	871.2
1550	RED OXIDE	436.9	873.8

4890	SADDLE	Corvette	
1559	YELLOW OXIDE	254.3	508.6
1554	TINTING WHITE	376.8	753.5
1550	RED OXIDE	409.0	818.0
1501	LANDAU BLACK	419.7	839.4

4897	GRAY MET	Chrysler Motors	MFE
1508	SILVER	354.4	708.9
1501	LANDAU BLACK	372.8	745.6
1552	FAST RED	390.7	781.5
3526	ORANGE PEARL	403.0	806.0
1551	FAST YELLOW	411.5	823.1

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 101**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4898</b>	<b>NEUTRAL</b>	<b>Corvette</b>		<b>4905</b>	<b>YELLOW BROWN</b>		
1554	TINTING WHITE	291.0	582.0	1559	YELLOW OXIDE	223.8	447.6
1559	YELLOW OXIDE	416.1	832.2	1550	RED OXIDE	329.8	659.7
1501	LANDAU BLACK	427.8	855.6	1302	LOW LUSTER CLEAR	398.4	796.9
1550	RED OXIDE	429.0	858.0	1501	LANDAU BLACK	411.2	822.3
<b>4899</b>	<b>IVORY</b>			<b>4906</b>	<b>PERSIMMON</b>		
1554	TINTING WHITE	391.8	783.6	1550	RED OXIDE	150.9	301.7
1559	YELLOW OXIDE	433.1	866.2	1302	LOW LUSTER CLEAR	287.4	574.8
1501	LANDAU BLACK	434.2	868.3	1559	YELLOW OXIDE	398.3	796.7
1550	RED OXIDE	434.8	869.6	1501	LANDAU BLACK	409.3	818.5
<b>4900</b>	<b>VANILLA</b>			<b>4907</b>	<b>WHITE</b>		
1554	TINTING WHITE	308.7	617.3	1554	TINTING WHITE	435.1	870.2
1559	YELLOW OXIDE	426.6	853.3	1559	YELLOW OXIDE	436.5	873.1
1550	RED OXIDE	430.3	860.5	1550	RED OXIDE	437.0	874.0
				1553	FAST BLUE	437.2	874.4
<b>4901</b>	<b>SAFFRON</b>			<b>4908</b>	<b>GRAY</b>	<b>Lexus</b>	
1559	YELLOW OXIDE	220.8	441.6	1554	TINTING WHITE	192.0	384.0
1554	TINTING WHITE	420.4	840.8	1501	LANDAU BLACK	362.6	725.2
1552	FAST RED	423.8	847.6	1559	YELLOW OXIDE	404.2	808.5
1501	LANDAU BLACK	424.2	848.4	1553	FAST BLUE	419.9	839.8
<b>4902</b>	<b>PARFAIT</b>			<b>4909</b>	<b>PALE BLUE</b>		
1554	TINTING WHITE	266.9	533.7	1554	TINTING WHITE	395.7	791.4
1559	YELLOW OXIDE	397.3	794.6	1553	FAST BLUE	417.4	834.9
1550	RED OXIDE	427.6	855.2	1552	FAST RED	424.9	849.9
1501	LANDAU BLACK	428.1	856.1	1556	FAST GREEN	430.7	861.5
<b>4903</b>	<b>SHELL</b>			<b>4910</b>	<b>LT BLUE</b>	<b>General Motors</b>	
1554	TINTING WHITE	251.1	502.2	1554	TINTING WHITE	384.4	768.7
1559	YELLOW OXIDE	381.1	762.3	1559	YELLOW OXIDE	408.0	816.1
1550	RED OXIDE	426.1	852.2	1553	FAST BLUE	426.6	853.3
1501	LANDAU BLACK	427.1	854.2	1550	RED OXIDE	434.0	867.9
<b>4904</b>	<b>TAN</b>			<b>4911</b>	<b>M-420 REGAL BLUE</b>		
1559	YELLOW OXIDE	239.7	479.4	1554	TINTING WHITE	362.6	725.2
1554	TINTING WHITE	364.4	728.8	1553	FAST BLUE	410.6	821.2
1550	RED OXIDE	410.8	821.6	1556	FAST GREEN	425.6	851.2
1501	LANDAU BLACK	420.1	840.2	1501	LANDAU BLACK	428.2	856.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 102

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4912</b>	<b>BLUE</b>			<b>4919</b>	<b>MARINE BLUE</b>		
1554	TINTING WHITE	348.4	696.7	1553	FAST BLUE	335.5	671.1
1553	FAST BLUE	419.7	839.4	1554	TINTING WHITE	389.7	779.4
1550	RED OXIDE	429.0	858.0	1556	FAST GREEN	401.8	803.5
1559	YELLOW OXIDE	430.5	861.1	1559	YELLOW OXIDE	407.0	814.0
<b>4913</b>	<b>LT BLUE</b>			<b>4920</b>	<b>VERY DK BLUE</b>		
1554	TINTING WHITE	330.0	660.1	1553	FAST BLUE	193.9	387.8
1553	FAST BLUE	403.9	807.9	1552	FAST RED	344.0	688.0
1556	FAST GREEN	422.9	845.9	1554	TINTING WHITE	397.4	794.8
1501	LANDAU BLACK	425.6	851.2	1501	LANDAU BLACK	407.5	814.9
<b>4914</b>	<b>REGATTA</b>			<b>4921</b>	<b>BRIGHT BLUE MET</b>	<b>Corvette</b>	<b>41</b>
1554	TINTING WHITE	328.4	656.8	1553	FAST BLUE	199.9	399.8
1553	FAST BLUE	397.2	794.4	1508	SILVER	332.2	664.4
1501	LANDAU BLACK	420.9	841.9	1556	FAST GREEN	384.9	769.9
1559	YELLOW OXIDE	429.0	858.0	1501	LANDAU BLACK	403.2	806.4
<b>4915</b>	<b>BOAT BLUE</b>			<b>MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR</b>			
1554	TINTING WHITE	231.3	462.7	<b>4922</b>	<b>VERY LT GREEN</b>	<b>General Motors</b>	
1553	FAST BLUE	317.0	634.0	1554	TINTING WHITE	406.0	812.1
1559	YELLOW OXIDE	373.2	746.3	1559	YELLOW OXIDE	425.9	851.8
1556	FAST GREEN	422.6	845.1	1553	FAST BLUE	431.1	862.2
				1556	FAST GREEN	435.5	871.0
<b>4916</b>	<b>BLUE</b>			<b>4923</b>	<b>LT GREEN</b>		
1554	TINTING WHITE	283.8	567.5	1554	TINTING WHITE	280.3	560.7
1553	FAST BLUE	370.5	741.0	1556	FAST GREEN	361.3	722.6
1556	FAST GREEN	400.4	800.9	1559	YELLOW OXIDE	410.7	821.4
1501	LANDAU BLACK	422.3	844.6	1501	LANDAU BLACK	426.5	852.9
<b>4917</b>	<b>MED BLUE</b>			<b>4924</b>	<b>AQUA</b>	<b>Ford Motor</b>	<b>PF</b>
1554	TINTING WHITE	202.6	405.3	1554	TINTING WHITE	222.0	444.0
1553	FAST BLUE	395.1	790.2	1556	FAST GREEN	376.4	752.8
1501	LANDAU BLACK	405.8	811.7	1553	FAST BLUE	419.7	839.4
1556	FAST GREEN	415.4	830.9	1559	YELLOW OXIDE	420.8	841.5
<b>4918</b>	<b>DK BLUE</b>			<b>4925</b>	<b>TURQUOISE</b>		
1553	FAST BLUE	181.2	362.3	1554	TINTING WHITE	235.4	470.8
1556	FAST GREEN	286.4	572.9	1556	FAST GREEN	367.3	734.5
1554	TINTING WHITE	376.8	753.5	1553	FAST BLUE	403.2	806.4
1501	LANDAU BLACK	407.8	815.7	1501	LANDAU BLACK	419.4	838.9

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 103

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>4926</b>	<b>GREEN</b>							
1556	FAST GREEN	294.6	589.2	1559	YELLOW OXIDE	164.7	329.5	
1554	TINTING WHITE	403.8	807.5	1553	FAST BLUE	294.1	588.2	
1559	YELLOW OXIDE	408.1	816.2	1556	FAST GREEN	394.4	788.9	
1553	FAST BLUE	412.5	825.0	1554	TINTING WHITE	408.2	816.4	
<b>4927</b>	<b>CHINA GREEN</b>			<b>4934</b>	<b>GUNMETAL</b>		<b>Corvette</b>	
1556	FAST GREEN	265.6	531.2	1300	HIGH GLOSS CLEAR	202.1	404.1	
1554	TINTING WHITE	381.0	762.1	1501	LANDAU BLACK	310.8	621.7	
1559	YELLOW OXIDE	405.5	810.9	1508	SILVER	389.0	778.1	
1501	LANDAU BLACK	413.3	826.7	1556	FAST GREEN	404.1	808.3	
<b>4928</b>	<b>MED GREEN</b>			<b>4935</b>	<b>ANNIVERSARY WHI</b>		<b>Corvette</b>	
1559	YELLOW OXIDE	175.8	351.5	1554	TINTING WHITE	436.3	872.7	
1556	FAST GREEN	328.8	657.6	1553	FAST BLUE	436.8	873.6	
1554	TINTING WHITE	403.3	806.6	1551	FAST YELLOW	437.1	874.2	
1501	LANDAU BLACK	413.6	827.3	1501	LANDAU BLACK	437.3	874.6	
<b>4929</b>	<b>MED DK GREEN</b>			<b>4936</b>	<b>MAHOGANY SAFFR</b>		<b>Corvette</b>	
1556	FAST GREEN	249.6	499.1	1550	RED OXIDE	256.7	513.4	
1551	FAST YELLOW	336.1	672.2	1552	FAST RED	375.3	750.5	
1554	TINTING WHITE	409.5	819.1	1501	LANDAU BLACK	398.4	796.9	
				1554	TINTING WHITE	411.3	822.5	
<b>4930</b>	<b>BOAT GREEN</b>			<b>4937</b>	<b>DK RED CARMINE</b>		<b>Corvette</b>	
1556	FAST GREEN	159.5	319.0	1552	FAST RED	345.5	691.0	
1554	TINTING WHITE	276.8	553.7	1550	RED OXIDE	396.6	793.6	
1553	FAST BLUE	367.4	734.7	1553	FAST BLUE	401.3	802.6	
1559	YELLOW OXIDE	413.6	827.3	1554	TINTING WHITE	405.6	811.1	
<b>4931</b>	<b>MINT GREEN</b>			<b>4938</b>	<b>MED SILVERFERN</b>		<b>Chrysler Motors</b>	<b>JK</b>
1556	FAST GREEN	282.5	565.1	1302	LOW LUSTER CLEAR	138.1	276.3	
1551	FAST YELLOW	352.8	705.7	1554	TINTING WHITE	258.9	517.8	
1554	TINTING WHITE	407.3	814.5	1559	YELLOW OXIDE	358.8	717.6	
				1501	LANDAU BLACK	413.8	827.6	
				1550	RED OXIDE	414.7	829.4	
<b>4932</b>	<b>OPAL</b>			<b>4939</b>	<b>EBONY</b>		<b>General Motors</b>	<b>WA167A</b>
1556	FAST GREEN	365.1	730.2	1501	LANDAU BLACK	248.0	496.1	
1554	TINTING WHITE	400.0	800.1	1559	YELLOW OXIDE	366.4	732.8	
1501	LANDAU BLACK	406.6	813.2	1554	TINTING WHITE	388.9	777.9	
				1550	RED OXIDE	409.5	819.1	

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 104

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4939</b>	<b>EBONY</b>	<b>Saturn</b>	<b>19</b>	<b>4946</b>	<b>TOBACCO</b>	<b>Corvette</b>	
1501	LANDAU BLACK	248.0	496.1	1559	YELLOW OXIDE	136.9	273.8
1559	YELLOW OXIDE	366.4	732.8	1550	RED OXIDE	268.7	537.3
1554	TINTING WHITE	388.9	777.9	1501	LANDAU BLACK	392.9	785.8
1550	RED OXIDE	409.5	819.1	1554	TINTING WHITE	412.1	824.2
<b>4940</b>	<b>MIST GRAY</b>	<b>Chrysler Motors</b>	<b>C3</b>	<b>4947</b>	<b>FAWN BEIGE</b>	<b>Corvette</b>	
1302	LOW LUSTER CLEAR	138.5	277.0	1508	SILVER	243.3	486.6
1554	TINTING WHITE	275.9	551.8	1554	TINTING WHITE	291.9	583.9
1501	LANDAU BLACK	356.0	711.9	1551	FAST YELLOW	340.1	680.2
1550	RED OXIDE	395.3	790.6	1552	FAST RED	379.1	758.1
1559	YELLOW OXIDE	415.2	830.5	1501	LANDAU BLACK	410.7	821.4
<b>4941</b>	<b>MED ROSEWOOD</b>	<b>Chrysler Motors</b>	<b>EC</b>	<b>4948</b>	<b>DK NAVY BLUE</b>	<b>General Motors</b>	<b>30 &amp; 26</b>
1302	LOW LUSTER CLEAR	137.6	275.1	1553	FAST BLUE	219.7	439.5
1559	YELLOW OXIDE	243.5	487.0	1501	LANDAU BLACK	353.1	706.2
1554	TINTING WHITE	319.7	639.4	1554	TINTING WHITE	389.7	779.4
1550	RED OXIDE	378.7	757.3	1552	FAST RED	406.3	812.6
1501	LANDAU BLACK	412.7	825.4				
<b>4942</b>	<b>SHALE</b>	<b>General Motors</b>	<b>WA149B</b>	<b>4949</b>	<b>MED GRAY</b>	<b>General Motors</b>	<b>13</b>
1554	TINTING WHITE	249.9	499.9	1554	TINTING WHITE	143.2	286.3
1559	YELLOW OXIDE	332.0	663.9	1302	LOW LUSTER CLEAR	280.1	560.1
1302	LOW LUSTER CLEAR	413.9	827.7	1559	YELLOW OXIDE	343.6	687.2
1501	LANDAU BLACK	432.5	865.0	1501	LANDAU BLACK	391.5	783.0
1550	RED OXIDE	446.0	892.0	1550	RED OXIDE	416.1	832.2
	0						
<b>4943</b>	<b>CAPPUCCINO CREA</b>	<b>General Motors</b>	<b>TC16</b>	<b>4950</b>	<b>MED NEUTRAL</b>	<b>General Motors</b>	<b>52</b>
1554	TINTING WHITE	210.4	420.9	1554	TINTING WHITE	167.6	335.2
1302	LOW LUSTER CLEAR	350.6	701.1	1559	YELLOW OXIDE	325.8	651.5
1559	YELLOW OXIDE	409.6	819.3	1550	RED OXIDE	380.5	761.0
1550	RED OXIDE	418.6	837.1	1501	LANDAU BLACK	421.7	843.4
1553	FAST BLUE	420.6	841.1				
<b>4944</b>	<b>MOSS GREEN</b>	<b>Chrysler Motors</b>	<b>J4</b>	<b>4951</b>	<b>MED LT MUSHROO</b>	<b>General Motors</b>	<b>55</b>
1302	LOW LUSTER CLEAR	135.7	271.3	1554	TINTING WHITE	220.0	440.0
1559	YELLOW OXIDE	270.8	541.5	1559	YELLOW OXIDE	333.8	667.7
1501	LANDAU BLACK	337.3	674.7	1550	RED OXIDE	392.1	784.1
1556	FAST GREEN	395.7	791.4	1501	LANDAU BLACK	424.7	849.5
1554	TINTING WHITE	407.3	814.5				
<b>4945</b>	<b>STEEL BLUE</b>	<b>Corvette</b>		<b>4952</b>	<b>MED DK MUSHROO</b>	<b>General Motors</b>	<b>55</b>
1501	LANDAU BLACK	207.4	414.8	1554	TINTING WHITE	133.1	266.2
1554	TINTING WHITE	379.8	759.6	1559	YELLOW OXIDE	262.0	524.0
1551	FAST YELLOW	399.5	799.0	1550	RED OXIDE	352.2	704.3
1550	RED OXIDE	418.1	836.2	1501	LANDAU BLACK	419.3	838.7

**MUST TOPCOAT WITH 1301 SATIN GLOSS CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 105

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4953	MED MARBLEHEAD	General Motors	3T	4960	NERO	Ferrari	VM-8500
1508	SILVER	263.2	526.3	1501	LANDAU BLACK	269.2	538.5
1501	LANDAU BLACK	365.8	731.7	1302	LOW LUSTER CLEAR	403.8	807.7
1552	FAST RED	396.6	793.3				
1551	FAST YELLOW	407.5	814.9				

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4954	DK CALYSPO GREE	General Motors	92T	4961	TAUPE	Lexus	
1556	FAST GREEN	224.7	449.4	1302	LOW LUSTER CLEAR	137.8	275.7
1553	FAST BLUE	334.1	668.2	1501	LANDAU BLACK	227.8	455.6
1501	LANDAU BLACK	376.1	752.2	1550	RED OXIDE	291.5	582.9
1508	SILVER	403.9	807.9	1554	TINTING WHITE	352.1	704.1
				1559	YELLOW OXIDE	410.8	821.6

### MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR

4955	CREAM	Ferrari	VM-3997	4962	DK PORTOFINO	Ford Motor	
1554	TINTING WHITE	266.5	533.0	1553	FAST BLUE	312.7	625.5
1302	LOW LUSTER CLEAR	407.6	815.3	1556	FAST GREEN	402.0	804.1
1551	FAST YELLOW	418.7	837.3	1508	SILVER	402.8	805.6
1552	FAST RED	422.8	845.7				
1556	FAST GREEN	423.4	846.8				

4956	BEIGE	Ferrari	VM-4208	4963	MED GRAPHITE BU	Ford Motor	T
1554	TINTING WHITE	150.1	300.2	1552	FAST RED	131.5	263.0
1302	LOW LUSTER CLEAR	288.5	577.0	1501	LANDAU BLACK	230.0	460.0
1551	FAST YELLOW	373.9	747.8	2024	SILVER BASE	301.1	602.1
1550	RED OXIDE	415.0	829.9	1508	SILVER	367.7	735.5
1501	LANDAU BLACK	415.5	831.1	1553	FAST BLUE	411.2	822.3

4957	GRIEGO	Ferrari	VM-3393	4964	MED GRAY MET	Ford Motor	C
1302	LOW LUSTER CLEAR	138.8	277.6	2024	SILVER BASE	173.9	347.7
1554	TINTING WHITE	276.5	552.9	1301	SATIN GLOSS CLEAR	272.0	544.0
1559	YELLOW OXIDE	377.5	755.1	1508	SILVER	369.2	738.3
1501	LANDAU BLACK	406.3	812.6	1501	LANDAU BLACK	415.8	831.6
1550	RED OXIDE	416.1	832.2	1553	FAST BLUE	420.6	841.1

4958	ROSSO	Ferrari	VM-3171	4965	DK TITANIUM BUM	Ford Motor	T
1552	FAST RED	194.8	389.5	1501	LANDAU BLACK	158.6	317.1
1302	LOW LUSTER CLEAR	329.7	659.3	1508	SILVER	294.7	589.4
1551	FAST YELLOW	365.4	730.7	2024	SILVER BASE	407.2	814.3
1550	RED OXIDE	391.0	782.0	1551	FAST YELLOW	416.0	832.0
1554	TINTING WHITE	404.8	809.6				

4959	BLUE	Ferrari	VM-3282	4966	IVORY	Ford Motor	A
1501	LANDAU BLACK	201.4	402.8	1554	TINTING WHITE	380.0	760.0
1302	LOW LUSTER CLEAR	337.2	674.3	1559	YELLOW OXIDE	426.8	853.7
1554	TINTING WHITE	390.1	780.1	1550	RED OXIDE	431.6	863.2
1553	FAST BLUE	403.8	807.7	1501	LANDAU BLACK	434.2	868.3
1552	FAST RED	407.6	815.1				

### MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 106**

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

4967	LT GRAPHITE	Ford Motor	B
1554	TINTING WHITE	324.2	648.5
1559	YELLOW OXIDE	373.7	747.5
1501	LANDAU BLACK	407.7	815.5
1550	RED OXIDE	430.5	861.1

4974	PUMICE	Ford Motor	
1554	TINTING WHITE	175.9	351.9
1559	YELLOW OXIDE	306.3	612.6
1550	RED OXIDE	366.5	733.0
1501	LANDAU BLACK	422.0	844.0

**MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR**

**MUST TOPCOAT WITH 1300 HIGH GLOSS CLEAR**

4968	BLUE	Lexus	85L/80L
1302	LOW LUSTER CLEAR	134.0	268.1
1552	FAST RED	242.0	483.9
1554	TINTING WHITE	310.4	620.7
1553	FAST BLUE	370.8	741.6
1551	FAST YELLOW	408.1	816.2

4975	MED CAMEL TAN	Chrysler Motors	K5
1554	TINTING WHITE	171.7	343.3
1302	LOW LUSTER CLEAR	311.1	622.3
1559	YELLOW OXIDE	396.4	792.9
1550	RED OXIDE	409.4	818.7
1501	LANDAU BLACK	418.4	836.8

4969	GRAY	Lexus	15L/10L
1302	LOW LUSTER CLEAR	137.7	275.3
1554	TINTING WHITE	235.3	470.6
1501	LANDAU BLACK	309.5	619.0
1559	YELLOW OXIDE	378.9	757.7
1550	RED OXIDE	413.1	826.1

4976	SADDLE TAN	Chrysler Motors	T6
1559	YELLOW OXIDE	180.7	361.4
1302	LOW LUSTER CLEAR	318.0	635.9
1554	TINTING WHITE	371.0	742.0
1550	RED OXIDE	404.2	808.5
1501	LANDAU BLACK	411.9	823.8

4970	BURGUNDY	Lexus	35L/
1552	FAST RED	293.2	586.3
1551	FAST YELLOW	344.1	688.2
1554	TINTING WHITE	378.4	756.8
1501	LANDAU BLACK	406.6	813.2

4977	STONE WHITE	Chrysler Motors	W1
1554	TINTING WHITE	274.9	549.9
1302	LOW LUSTER CLEAR	416.5	833.0
1559	YELLOW OXIDE	422.7	845.3
1501	LANDAU BLACK	424.1	848.2

4971	MAUVE	Lexus	45L/
1302	LOW LUSTER CLEAR	136.0	272.1
1559	YELLOW OXIDE	229.1	458.3
1550	RED OXIDE	302.1	604.2
1554	TINTING WHITE	362.0	723.9
1501	LANDAU BLACK	411.6	823.3

4978	CAMEL TAN	Chrysler Motors	KC
1559	YELLOW OXIDE	154.7	309.3
1302	LOW LUSTER CLEAR	292.6	585.2
1554	TINTING WHITE	385.2	770.5
1550	RED OXIDE	402.8	805.6
1501	LANDAU BLACK	414.0	828.0

4972	WILLOW	Ford Motor	D
1302	LOW LUSTER CLEAR	137.0	274.0
1559	YELLOW OXIDE	234.7	469.3
1554	TINTING WHITE	308.3	616.6
1501	LANDAU BLACK	378.0	756.0
1553	FAST BLUE	411.0	821.9

4979	CORDOVAN	Ford Motor	E
1552	FAST RED	161.9	323.8
1302	LOW LUSTER CLEAR	297.0	593.9
1550	RED OXIDE	370.2	740.4
1501	LANDAU BLACK	399.0	798.0
1554	TINTING WHITE	405.6	811.1

4973	NIGHTMIST	Ford Motor	
1550	RED OXIDE	138.8	277.6
1302	LOW LUSTER CLEAR	276.0	552.0
1554	TINTING WHITE	341.2	682.5
1501	LANDAU BLACK	390.1	780.1
1553	FAST BLUE	411.4	822.9

4980	MED GRAPHITE	Ford Motor	C
1554	TINTING WHITE	141.6	283.3
1302	LOW LUSTER CLEAR	280.3	560.7
1559	YELLOW OXIDE	343.1	686.3
1501	LANDAU BLACK	391.6	783.2
1550	RED OXIDE	416.0	832.0

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 107**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4981</b>	<b>CYPRESS</b>	<b>Ford Motor</b>	<b>A</b>	<b>4988</b>	<b>VERY DK RUBY RE</b>	<b>General Motors</b>	<b>79</b>
1554	TINTING WHITE	198.3	396.5	1552	FAST RED	237.1	474.2
1302	LOW LUSTER CLEAR	339.1	678.1	1302	LOW LUSTER CLEAR	371.6	743.3
1559	YELLOW OXIDE	395.7	791.4	1501	LANDAU BLACK	399.1	798.2
1501	LANDAU BLACK	409.9	819.9	1554	TINTING WHITE	403.6	807.1
1550	RED OXIDE	419.8	839.6				
<b>4982</b>	<b>OPEL GRAY</b>	<b>General Motors</b>	<b>WA104D</b>	<b>4989</b>	<b>DK GRAY</b>	<b>General Motors</b>	
1554	TINTING WHITE	215.6	431.1	1302	LOW LUSTER CLEAR	137.1	274.2
1302	LOW LUSTER CLEAR	356.5	713.1	1501	LANDAU BLACK	231.7	463.4
1559	YELLOW OXIDE	397.8	795.5	1554	TINTING WHITE	307.1	614.3
1501	LANDAU BLACK	411.9	823.8	1559	YELLOW OXIDE	377.1	754.1
1550	RED OXIDE	420.7	841.3	1550	RED OXIDE	411.6	823.3
<b>4983</b>	<b>VERY DK TEAL</b>	<b>General Motors</b>	<b>37</b>	<b>4990</b>	<b>DK CRYSTAL GREE</b>	<b>General Motors</b>	<b>42</b>
1302	LOW LUSTER CLEAR	135.9	271.7	1302	LOW LUSTER CLEAR	136.7	273.4
1501	LANDAU BLACK	266.1	532.2	1559	YELLOW OXIDE	270.1	540.2
1559	YELLOW OXIDE	330.2	660.4	1501	LANDAU BLACK	350.7	701.5
1553	FAST BLUE	370.3	740.6	1554	TINTING WHITE	398.3	796.7
1554	TINTING WHITE	407.6	815.1	1553	FAST BLUE	409.8	819.7
<b>4984</b>	<b>MED CRYSTAL GRE</b>	<b>General Motors</b>	<b>42</b>	<b>4991</b>	<b>SAILCLOTH WHITE</b>		
1554	TINTING WHITE	138.3	276.6	1554	TINTING WHITE	436.7	873.4
1302	LOW LUSTER CLEAR	276.6	553.3	1501	LANDAU BLACK	437.1	874.2
1559	YELLOW OXIDE	369.4	738.7	1551	FAST YELLOW	437.4	874.8
1501	LANDAU BLACK	409.5	818.9				
1556	FAST GREEN	415.7	831.4				
<b>4985</b>	<b>MED DK CRYSTAL</b>	<b>General Motors</b>	<b>42</b>	<b>4992</b>	<b>SPINNAKER BLUE</b>		
1302	LOW LUSTER CLEAR	137.2	274.4	1554	TINTING WHITE	361.6	723.1
1559	YELLOW OXIDE	252.7	505.4	1553	FAST BLUE	406.0	812.1
1501	LANDAU BLACK	330.4	660.8	1556	FAST GREEN	421.5	843.0
1554	TINTING WHITE	407.3	814.5	1501	LANDAU BLACK	431.4	862.8
1556	FAST GREEN	411.7	823.5				
<b>4986</b>	<b>VERY DK NEUTRAL</b>	<b>General Motors</b>	<b>52</b>	<b>4993</b>	<b>PORTSMOUTH GRA</b>		
1302	LOW LUSTER CLEAR	136.7	273.4	1554	TINTING WHITE	405.4	810.7
1559	YELLOW OXIDE	241.6	483.2	1550	RED OXIDE	416.7	833.3
1501	LANDAU BLACK	318.5	637.1	1501	LANDAU BLACK	426.3	852.5
1554	TINTING WHITE	365.9	731.9	1559	YELLOW OXIDE	435.4	870.8
1550	RED OXIDE	410.3	820.6				
<b>4987</b>	<b>DK SMOKE GRAY</b>	<b>General Motors</b>	<b>55</b>	<b>4994</b>	<b>AQUA</b>		
1302	LOW LUSTER CLEAR	135.7	271.3	1554	TINTING WHITE	332.8	665.6
1501	LANDAU BLACK	258.1	516.2	1556	FAST GREEN	380.9	761.7
1559	YELLOW OXIDE	332.5	665.0	1553	FAST BLUE	425.4	850.8
1550	RED OXIDE	373.9	747.8	1551	FAST YELLOW	429.3	858.6
1554	TINTING WHITE	408.8	817.6				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 108

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>4995</b>	<b>PACIFIC BLUE</b>			<b>5002</b>	<b>WHEAT/DATE</b>	<b>Mercedes Benz</b>	
1553	FAST BLUE	188.3	376.6	1559	YELLOW OXIDE	288.7	577.4
1552	FAST RED	323.0	646.0	1554	TINTING WHITE	356.6	713.3
1554	TINTING WHITE	398.2	796.5	1550	RED OXIDE	405.5	810.9
1556	FAST GREEN	408.9	817.8	1501	LANDAU BLACK	416.9	833.7
<b>4996</b>	<b>BLUEBIRD BROWN</b>			<b>5003</b>	<b>VERY DK BISCUIT</b>	<b>Saturn</b>	
1559	YELLOW OXIDE	249.5	498.9	1559	YELLOW OXIDE	194.7	389.3
1550	RED OXIDE	341.0	681.9	1554	TINTING WHITE	274.0	548.0
1501	LANDAU BLACK	394.4	788.9	1501	LANDAU BLACK	353.3	706.6
1554	TINTING WHITE	413.4	826.9	1550	RED OXIDE	416.1	832.2
<b>4997</b>	<b>GRAPHITE PEARL</b>	<b>General Motors</b>	<b>12P</b>	<b>5004</b>	<b>DK BISCUIT II</b>	<b>Saturn</b>	
1300	HIGH GLOSS CLEAR	191.2	382.5	1559	YELLOW OXIDE	202.4	404.9
1501	LANDAU BLACK	316.6	633.3	1554	TINTING WHITE	281.0	562.0
1552	FAST RED	367.7	735.3	1550	RED OXIDE	353.8	707.6
1551	FAST YELLOW	395.3	790.6	1501	LANDAU BLACK	416.4	832.8
3520	PLATINUM PEARL	406.3	812.6				
<b>4998</b>	<b>DENIM</b>	<b>Ford Motor</b>	<b>KYD</b>	<b>5005</b>	<b>DK ANTELOPE</b>	<b>Saturn</b>	
1550	RED OXIDE	113.3	226.7	1559	YELLOW OXIDE	185.3	370.5
1554	TINTING WHITE	214.6	429.2	1550	RED OXIDE	284.4	568.9
1553	FAST BLUE	300.9	601.7	1554	TINTING WHITE	358.1	716.1
1302	LOW LUSTER CLEAR	377.6	755.3	1501	LANDAU BLACK	416.3	832.6
1559	YELLOW OXIDE	414.5	829.0				
<b>4999</b>	<b>LT PRAIRIE TAN</b>	<b>Ford Motor</b>	<b>AYB</b>	<b>5006</b>	<b>MED ANTELOPE</b>	<b>Saturn</b>	
1554	TINTING WHITE	149.9	299.8	1554	TINTING WHITE	192.9	385.7
1559	YELLOW OXIDE	292.2	584.4	1559	YELLOW OXIDE	332.9	665.8
1302	LOW LUSTER CLEAR	376.1	752.2	1550	RED OXIDE	395.6	791.2
1550	RED OXIDE	408.5	817.0	1501	LANDAU BLACK	423.5	847.0
1501	LANDAU BLACK	419.0	837.9				
<b>5000</b>	<b>PRAIRIE TAN</b>	<b>Ford Motor</b>	<b>AYC</b>	<b>5007</b>	<b>GRAY MET</b>	<b>Chrysler Motors</b>	
1559	YELLOW OXIDE	143.0	286.0	1508	SILVER	232.2	464.4
1554	TINTING WHITE	263.7	527.4	1501	LANDAU BLACK	373.5	747.1
1302	LOW LUSTER CLEAR	347.1	694.3	1552	FAST RED	404.3	808.6
1550	RED OXIDE	391.7	783.4	1553	FAST BLUE	407.1	814.2
1501	LANDAU BLACK	417.0	833.9				
<b>5001</b>	<b>DK PRAIRIE TAN</b>	<b>Ford Motor</b>	<b>AY5</b>	<b>5008</b>	<b>LT QUARTZ</b>	<b>Chrysler Motors</b>	<b>W8</b>
1559	YELLOW OXIDE	138.2	276.5	1554	TINTING WHITE	327.5	654.9
1302	LOW LUSTER CLEAR	274.8	549.7	1559	YELLOW OXIDE	376.5	753.0
1550	RED OXIDE	325.7	651.3	1501	LANDAU BLACK	405.7	811.5
1501	LANDAU BLACK	376.2	752.4	1550	RED OXIDE	430.7	861.5
1554	TINTING WHITE	410.1	820.2				

MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 109**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5009</b>	<b>MED DK GRAPHITE</b>	<b>Ford Motor</b>	<b>ZU4</b>	<b>5016</b>	<b>DARK DENIM</b>	<b>Ford Motor</b>	<b>KY5</b>
1302	LOW LUSTER CLEAR	139.3	278.5	1302	LOW LUSTER CLEAR	204.3	408.7
1554	TINTING WHITE	245.7	491.3	1501	LANDAU BLACK	285.0	570.0
1501	LANDAU BLACK	320.6	641.3	1554	TINTING WHITE	352.5	704.9
1559	YELLOW OXIDE	381.2	762.5	1550	RED OXIDE	383.7	767.4
1550	RED OXIDE	413.5	827.1	1553	FAST BLUE	408.7	817.4
<b>5010</b>	<b>MIDNIGHT SADDLE</b>	<b>Ford Motor</b>	<b>DE5</b>	<b>5017</b>	<b>VERY DK CAMEL T</b>	<b>Chrysler Motors</b>	<b>JK3</b>
1501	LANDAU BLACK	131.9	263.7	1302	LOW LUSTER CLEAR	136.0	272.1
1559	YELLOW OXIDE	244.2	488.3	1501	LANDAU BLACK	251.6	503.1
1302	LOW LUSTER CLEAR	326.2	652.5	1559	YELLOW OXIDE	341.0	681.9
1550	RED OXIDE	370.7	741.4	1550	RED OXIDE	388.8	777.7
1554	TINTING WHITE	410.5	821.0	1554	TINTING WHITE	408.0	816.1
<b>5011</b>	<b>DK WILLOW</b>	<b>Ford Motor</b>	<b>SGE</b>	<b>5018</b>	<b>BEIGE</b>	<b>General Motors</b>	<b>171B</b>
1553	FAST BLUE	194.5	388.9	1554	TINTING WHITE	162.5	324.9
1559	YELLOW OXIDE	364.5	729.0	1559	YELLOW OXIDE	322.7	645.4
1501	LANDAU BLACK	407.1	814.2	1550	RED OXIDE	381.4	762.9
				1501	LANDAU BLACK	421.5	843.0
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>5012</b>	<b>DK CYPRESS</b>	<b>Ford Motor</b>	<b>BG5</b>	<b>5019</b>	<b>GRAY</b>	<b>General Motors</b>	
1302	LOW LUSTER CLEAR	204.1	408.1	1302	LOW LUSTER CLEAR	136.3	272.7
1559	YELLOW OXIDE	292.4	584.8	1501	LANDAU BLACK	257.4	514.7
1501	LANDAU BLACK	344.5	688.9	1559	YELLOW OXIDE	330.2	660.4
1554	TINTING WHITE	379.5	759.1	1554	TINTING WHITE	371.3	742.5
1550	RED OXIDE	408.1	816.2	1550	RED OXIDE	409.1	818.1
<b>5013</b>	<b>DK GRAPHITE</b>	<b>Ford Motor</b>	<b>ZU5</b>	<b>5020</b>	<b>MED CAMEL TAN</b>	<b>Chrysler Motors</b>	<b>K5</b>
1501	LANDAU BLACK	164.4	328.7	1302	LOW LUSTER CLEAR	137.8	275.5
1559	YELLOW OXIDE	265.0	529.9	1559	YELLOW OXIDE	267.2	534.5
1554	TINTING WHITE	357.0	714.0	1554	TINTING WHITE	363.7	727.3
1550	RED OXIDE	415.2	830.5	1550	RED OXIDE	396.2	792.3
				1501	LANDAU BLACK	414.1	828.2
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>5014</b>	<b>MED IVORY</b>	<b>Ford Motor</b>	<b>AUB</b>	<b>5021</b>	<b>ALCHEMY NAPLES</b>	<b>Ford Motor</b>	
1554	TINTING WHITE	223.5	447.1	1302	LOW LUSTER CLEAR	135.3	270.6
1559	YELLOW OXIDE	371.9	743.9	1501	LANDAU BLACK	236.9	473.9
1550	RED OXIDE	404.2	808.5	1553	FAST BLUE	327.0	654.0
1501	LANDAU BLACK	425.2	850.4	1550	RED OXIDE	390.0	780.0
				1554	TINTING WHITE	405.8	811.7
<b>MUST TOPCOAT WITH 1302 LOW LUSTER CLEAR</b>							
<b>5015</b>	<b>CHEROKEE GRAY</b>	<b>Chrysler Motors</b>		<b>5022</b>	<b>GRAY MET</b>	<b>General Motors</b>	
1501	LANDAU BLACK	138.7	277.4	1501	LANDAU BLACK	331.6	663.3
1559	YELLOW OXIDE	222.6	445.2	1552	FAST RED	379.1	758.1
1302	LOW LUSTER CLEAR	305.5	611.0	1508	SILVER	401.2	802.4
1554	TINTING WHITE	365.5	730.9	3522	GOLD PEARL	406.7	813.4
1550	RED OXIDE	411.4	822.7				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 110

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5023</b>	<b>MED TRUFFLE</b>	<b>Ford Motor</b>		<b>5030</b>	<b>MED DK PUMICE</b>	<b>Ford Motor</b>	
							<b>BA3</b>
1302	LOW LUSTER CLEAR	138.5	277.0	1302	LOW LUSTER CLEAR	156.4	312.7
1554	TINTING WHITE	274.6	549.1	1559	YELLOW OXIDE	263.2	526.5
1559	YELLOW OXIDE	356.8	713.6	1554	TINTING WHITE	323.2	646.4
1501	LANDAU BLACK	397.7	795.3	1550	RED OXIDE	368.0	736.1
1550	RED OXIDE	415.9	831.8	1501	LANDAU BLACK	411.1	822.1
<b>5024</b>	<b>LT WARM GRAY</b>	<b>Saturn</b>		<b>5031</b>	<b>MEDICI</b>	<b>General Motors</b>	
			<b>11</b>				<b>77</b>
1554	TINTING WHITE	268.5	536.9	1552	FAST RED	226.8	453.5
1559	YELLOW OXIDE	337.9	675.8	1302	LOW LUSTER CLEAR	381.5	763.0
1302	LOW LUSTER CLEAR	377.4	754.9	1553	FAST BLUE	390.2	780.3
1501	LANDAU BLACK	404.7	809.4	1559	YELLOW OXIDE	397.4	794.8
1550	RED OXIDE	426.5	852.9	1554	TINTING WHITE	403.5	806.9
<b>5025</b>	<b>MED WARM GRAY</b>	<b>Saturn</b>		<b>5032</b>	<b>CRYSTAL GREEN</b>	<b>General Motors</b>	
			<b>11</b>				<b>42</b>
1554	TINTING WHITE	203.1	406.2	1554	TINTING WHITE	145.6	291.3
1559	YELLOW OXIDE	304.9	609.7	1302	LOW LUSTER CLEAR	269.6	539.2
1501	LANDAU BLACK	346.7	693.3	1559	YELLOW OXIDE	368.8	737.6
1302	LOW LUSTER CLEAR	385.0	770.1	1501	LANDAU BLACK	411.0	821.9
1550	RED OXIDE	422.7	845.3	1556	FAST GREEN	416.6	833.2
<b>5026</b>	<b>DK WARM GRAY</b>	<b>Saturn</b>		<b>5033</b>	<b>MED DK PEWTER</b>	<b>General Motors</b>	
			<b>11</b>				<b>92</b>
1559	YELLOW OXIDE	135.0	270.0	1554	TINTING WHITE	141.3	282.5
1554	TINTING WHITE	230.7	461.3	1559	YELLOW OXIDE	242.6	485.3
1501	LANDAU BLACK	324.4	648.9	1302	LOW LUSTER CLEAR	328.8	657.6
1550	RED OXIDE	378.1	756.2	1501	LANDAU BLACK	386.4	772.7
1302	LOW LUSTER CLEAR	415.6	831.3	1550	RED OXIDE	417.4	834.9
<b>5027</b>	<b>MED BISCUIT II</b>	<b>Saturn</b>		<b>5034</b>	<b>DK TOREADOR RED</b>	<b>General Motors</b>	
			<b>61</b>				
1554	TINTING WHITE	191.8	383.6	1550	RED OXIDE	132.7	265.4
1559	YELLOW OXIDE	324.7	649.4	1552	FAST RED	246.2	492.5
1302	LOW LUSTER CLEAR	362.7	725.4	1302	LOW LUSTER CLEAR	344.6	689.1
1550	RED OXIDE	399.6	799.1	1501	LANDAU BLACK	392.5	785.1
1501	LANDAU BLACK	422.4	844.7	1554	TINTING WHITE	408.0	816.1
<b>5028</b>	<b>ATLANTIS BLUE</b>	<b>Ford Motor</b>		<b>5035</b>	<b>FIRETHORN</b>	<b>General Motors</b>	
			<b>KZE</b>				
1302	LOW LUSTER CLEAR	112.0	224.0	1552	FAST RED	192.1	384.2
1553	FAST BLUE	224.0	448.0	1302	LOW LUSTER CLEAR	324.1	648.3
1501	LANDAU BLACK	303.1	606.1	1551	FAST YELLOW	382.7	765.3
1550	RED OXIDE	364.5	729.0	1554	TINTING WHITE	399.1	798.2
1554	TINTING WHITE	407.7	815.5	1501	LANDAU BLACK	404.4	808.8
<b>5029</b>	<b>PUMICE</b>	<b>Ford Motor</b>		<b>5036</b>	<b>MED DK FIRETHOR</b>	<b>General Motors</b>	
			<b>DCC</b>				
1554	TINTING WHITE	116.9	233.7	1552	FAST RED	225.1	450.1
1302	LOW LUSTER CLEAR	224.8	449.5	1559	YELLOW OXIDE	323.4	646.8
1559	YELLOW OXIDE	330.9	661.8	1302	LOW LUSTER CLEAR	394.1	788.1
1550	RED OXIDE	377.7	755.4	1553	FAST BLUE	405.0	810.0
1501	LANDAU BLACK	415.8	831.6	1554	TINTING WHITE	405.7	811.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 111

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5037</b>	<b>MED PEWTER</b>	<b>General Motors</b>		<b>92</b>	<b>5044</b>	<b>LT CREME</b>	
						<b>Jaguar</b>	
1554	TINTING WHITE	185.7	371.5	1554	TINTING WHITE	251.5	502.9
1559	YELLOW OXIDE	289.2	578.4	1551	FAST YELLOW	326.5	653.0
1302	LOW LUSTER CLEAR	343.8	687.6	1302	LOW LUSTER CLEAR	393.2	786.4
1501	LANDAU BLACK	390.5	780.9	1552	FAST RED	420.3	840.6
1550	RED OXIDE	421.0	842.1	1501	LANDAU BLACK	422.8	845.5
<b>5038</b>	<b>DK TRUFFLE</b>	<b>Ford Motor</b>		<b>5045</b>	<b>SADDLE</b>		<b>Jaguar</b>
1559	YELLOW OXIDE	156.6	313.1	1559	YELLOW OXIDE	199.0	398.1
1554	TINTING WHITE	271.1	542.3	1554	TINTING WHITE	291.9	583.9
1501	LANDAU BLACK	379.3	758.7	1302	LOW LUSTER CLEAR	368.5	737.0
1550	RED OXIDE	417.5	835.1	1550	RED OXIDE	405.3	810.5
				1551	FAST YELLOW	416.0	832.0
<b>5039</b>	<b>CORK PRINT</b>	<b>Porsche</b>		<b>5046</b>	<b>GREY</b>		<b>Mercedes Benz</b>
1559	YELLOW OXIDE	259.7	519.5	1554	TINTING WHITE	176.3	352.6
1302	LOW LUSTER CLEAR	366.3	732.6	1302	LOW LUSTER CLEAR	284.6	569.2
1550	RED OXIDE	408.7	817.4	1559	YELLOW OXIDE	344.4	688.8
1501	LANDAU BLACK	410.0	820.0	1501	LANDAU BLACK	403.2	806.4
				1550	RED OXIDE	418.7	837.3
<b>5040</b>	<b>BUCKSKIN</b>	<b>BMW</b>		<b>5047</b>	<b>CHAMPAGNE PRIN</b>		<b>Mercedes Benz</b>
1559	YELLOW OXIDE	202.4	404.9	1554	TINTING WHITE	188.8	377.5
1302	LOW LUSTER CLEAR	291.3	582.5	1559	YELLOW OXIDE	301.3	602.7
1554	TINTING WHITE	377.8	755.6	1302	LOW LUSTER CLEAR	384.2	768.4
1550	RED OXIDE	408.5	817.0	1550	RED OXIDE	407.4	814.7
1501	LANDAU BLACK	415.2	830.5	1501	LANDAU BLACK	420.9	841.9
<b>5041</b>	<b>PEARL BEIGE</b>	<b>BMW</b>		<b>5048</b>	<b>CREME BEIGE PRIN</b>		<b>Mercedes Benz</b>
1554	TINTING WHITE	192.4	384.8	1554	TINTING WHITE	169.2	338.4
1302	LOW LUSTER CLEAR	291.8	583.7	1559	YELLOW OXIDE	314.9	629.9
1559	YELLOW OXIDE	388.0	776.0	1302	LOW LUSTER CLEAR	393.3	786.6
1501	LANDAU BLACK	405.6	811.1	1550	RED OXIDE	408.3	816.6
1550	RED OXIDE	420.5	840.9	1501	LANDAU BLACK	420.1	840.2
<b>5042</b>	<b>BEIGE</b>	<b>Porsche</b>		<b>5049</b>	<b>SAFFRIN PRINT</b>		<b>Mercedes Benz</b>
1302	LOW LUSTER CLEAR	132.7	265.4	1559	YELLOW OXIDE	238.7	477.5
1559	YELLOW OXIDE	257.5	514.9	1302	LOW LUSTER CLEAR	337.1	674.1
1554	TINTING WHITE	350.4	700.7	1550	RED OXIDE	391.8	783.6
1550	RED OXIDE	393.1	786.2	1554	TINTING WHITE	403.0	806.0
1501	LANDAU BLACK	414.1	828.2	1501	LANDAU BLACK	410.9	821.8
<b>5043</b>	<b>CARDINAL</b>	<b>BMW</b>		<b>5050</b>	<b>MED GREY</b>		<b>Mercedes Benz</b>
1552	FAST RED	262.6	525.2	1501	LANDAU BLACK	120.2	240.4
1302	LOW LUSTER CLEAR	354.7	709.5	1302	LOW LUSTER CLEAR	226.7	453.3
1550	RED OXIDE	394.8	789.6	1559	YELLOW OXIDE	321.6	643.2
1554	TINTING WHITE	402.2	804.5	1554	TINTING WHITE	395.5	791.0
1553	FAST BLUE	405.0	810.0	1550	RED OXIDE	411.6	823.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 112

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>5051</b>	<b>STEIN</b>	<b>Mercedes Benz</b>		<b>5058</b>	<b>BEIGE</b>	<b>Honda</b>		<b>H</b>
1559	YELLOW OXIDE	144.3	288.6	1554	TINTING WHITE	206.2	412.5	
1302	LOW LUSTER CLEAR	249.5	498.9	1302	LOW LUSTER CLEAR	317.3	634.6	
1554	TINTING WHITE	349.2	698.4	1559	YELLOW OXIDE	382.0	764.0	
1550	RED OXIDE	386.2	772.4	1550	RED OXIDE	402.3	804.7	
1501	LANDAU BLACK	415.1	830.1	1501	LANDAU BLACK	421.0	842.1	
<b>5052</b>	<b>PARCHMENT</b>	<b>Mercedes Benz</b>		<b>5059</b>	<b>BEIGE</b>	<b>Honda</b>		<b>F</b>
1554	TINTING WHITE	262.8	525.5	1554	TINTING WHITE	128.6	257.3	
1302	LOW LUSTER CLEAR	344.5	688.9	1559	YELLOW OXIDE	246.4	492.9	
1559	YELLOW OXIDE	413.1	826.1	1302	LOW LUSTER CLEAR	354.9	709.8	
1501	LANDAU BLACK	420.6	841.1	1550	RED OXIDE	392.4	784.9	
1550	RED OXIDE	425.1	850.3	1501	LANDAU BLACK	416.7	833.3	
<b>5053</b>	<b>BAMBOO</b>	<b>Mercedes Benz</b>		<b>5060</b>	<b>BEIGE</b>	<b>Honda</b>		<b>F</b>
1559	YELLOW OXIDE	260.3	520.6	1554	TINTING WHITE	203.8	407.6	
1302	LOW LUSTER CLEAR	348.0	696.0	1302	LOW LUSTER CLEAR	315.2	630.4	
1550	RED OXIDE	397.1	794.2	1559	YELLOW OXIDE	407.6	815.1	
1554	TINTING WHITE	407.1	814.2	1501	LANDAU BLACK	415.5	831.1	
1501	LANDAU BLACK	411.2	822.3	1550	RED OXIDE	420.9	841.9	
<b>5054</b>	<b>GREEN</b>	<b>Honda</b>		<b>5061</b>	<b>BEIGE</b>	<b>Honda</b>		<b>F</b>
1554	TINTING WHITE	149.3	298.7	1554	TINTING WHITE	176.9	353.8	
1302	LOW LUSTER CLEAR	253.8	507.7	1302	LOW LUSTER CLEAR	286.0	572.1	
1501	LANDAU BLACK	333.0	666.0	1559	YELLOW OXIDE	395.2	790.4	
1559	YELLOW OXIDE	412.1	824.2	1550	RED OXIDE	407.6	815.3	
1553	FAST BLUE	416.6	833.2	1501	LANDAU BLACK	419.5	839.0	
<b>5055</b>	<b>BROWN</b>	<b>Honda</b>		<b>5062</b>	<b>MED BROWN</b>	<b>Honda</b>		<b>F</b>
1302	LOW LUSTER CLEAR	103.8	207.7	1559	YELLOW OXIDE	170.0	339.9	
1559	YELLOW OXIDE	204.7	409.5	1302	LOW LUSTER CLEAR	278.1	556.1	
1554	TINTING WHITE	296.7	593.4	1550	RED OXIDE	325.0	650.0	
1501	LANDAU BLACK	355.7	711.4	1554	TINTING WHITE	371.4	742.7	
1550	RED OXIDE	414.1	828.2	1501	LANDAU BLACK	411.8	823.7	
<b>5056</b>	<b>BROWN</b>	<b>Honda</b>		<b>5063</b>	<b>TAN</b>	<b>Honda</b>		
1559	YELLOW OXIDE	165.7	331.4	1559	YELLOW OXIDE	129.6	259.2	
1302	LOW LUSTER CLEAR	284.1	568.1	1302	LOW LUSTER CLEAR	239.1	478.2	
1550	RED OXIDE	331.4	662.7	1501	LANDAU BLACK	325.2	650.4	
1501	LANDAU BLACK	374.3	748.6	1554	TINTING WHITE	375.9	751.8	
1554	TINTING WHITE	411.0	821.9	1550	RED OXIDE	411.2	822.3	
<b>5057</b>	<b>GREY</b>	<b>Honda</b>		<b>5064</b>	<b>DK GREEN</b>	<b>Honda</b>		<b>G</b>
1559	YELLOW OXIDE	114.0	228.0	1501	LANDAU BLACK	153.4	306.9	
1302	LOW LUSTER CLEAR	224.9	449.7	1302	LOW LUSTER CLEAR	256.7	513.4	
1554	TINTING WHITE	308.8	617.5	1559	YELLOW OXIDE	312.7	625.5	
1501	LANDAU BLACK	391.1	782.2	1554	TINTING WHITE	365.8	731.7	
1550	RED OXIDE	413.0	825.9	1556	FAST GREEN	409.0	818.0	



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 113

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>5065</b>	<b>DK GREY</b>	<b>Honda</b>		<b>K</b>	<b>5072</b>	<b>MED DK PEWTER</b>	<b>General Motors</b>	<b>92</b>
1501	LANDAU BLACK	182.3	364.6		1554	TINTING WHITE	141.3	282.5
1302	LOW LUSTER CLEAR	282.0	563.9		1559	YELLOW OXIDE	242.6	485.3
1559	YELLOW OXIDE	339.0	677.9		1302	LOW LUSTER CLEAR	328.8	657.6
1554	TINTING WHITE	393.1	786.2		1501	LANDAU BLACK	386.4	772.7
1550	RED OXIDE	409.6	819.3		1550	RED OXIDE	417.4	834.9
<b>5066</b>	<b>TAUPE</b>	<b>Chrysler Motors</b>		<b>L5</b>	<b>5073</b>	<b>DK HIGHLAND GRE</b>	<b>General Motors</b>	
1554	TINTING WHITE	121.7	243.4		1559	YELLOW OXIDE	171.1	342.2
1559	YELLOW OXIDE	235.3	470.6		1501	LANDAU BLACK	292.8	585.6
1302	LOW LUSTER CLEAR	331.4	662.7		1302	LOW LUSTER CLEAR	374.6	749.2
1501	LANDAU BLACK	379.7	759.4		1554	TINTING WHITE	393.2	786.4
1550	RED OXIDE	416.2	832.4		1556	FAST GREEN	408.9	817.8
<b>5067</b>	<b>DK TAUPE</b>	<b>Chrysler Motors</b>		<b>L8</b>	<b>5074</b>	<b>ACCENT OAK</b>	<b>General Motors</b>	
1559	YELLOW OXIDE	122.8	245.7		1559	YELLOW OXIDE	188.9	377.7
1302	LOW LUSTER CLEAR	232.2	464.4		1302	LOW LUSTER CLEAR	270.7	541.3
1501	LANDAU BLACK	309.4	618.8		1550	RED OXIDE	341.3	682.7
1554	TINTING WHITE	365.7	731.3		1501	LANDAU BLACK	386.8	773.7
1550	RED OXIDE	411.6	823.3		1554	TINTING WHITE	411.4	822.7
<b>5068</b>	<b>LT OAK</b>	<b>General Motors</b>			<b>5075</b>	<b>BLACK PRINT</b>	<b>Mercedes Benz</b>	<b>171</b>
1559	YELLOW OXIDE	165.9	331.7		1501	LANDAU BLACK	279.3	558.6
1554	TINTING WHITE	290.8	581.6		1302	LOW LUSTER CLEAR	375.1	750.1
1302	LOW LUSTER CLEAR	375.4	750.9		1559	YELLOW OXIDE	394.3	788.5
1550	RED OXIDE	404.9	809.8		1550	RED OXIDE	401.2	802.4
1501	LANDAU BLACK	417.4	834.9		1554	TINTING WHITE	405.0	810.0
<b>5069</b>	<b>MED DK OAK</b>	<b>General Motors</b>			<b>5076</b>	<b>BLUE PRINT</b>	<b>Mercedes Benz</b>	<b>172</b>
1559	YELLOW OXIDE	201.3	402.6		1553	FAST BLUE	188.1	376.2
1302	LOW LUSTER CLEAR	285.1	570.2		1501	LANDAU BLACK	290.6	581.2
1550	RED OXIDE	339.3	678.7		1302	LOW LUSTER CLEAR	380.5	761.0
1554	TINTING WHITE	388.3	776.5		1554	TINTING WHITE	404.7	809.4
1501	LANDAU BLACK	413.1	826.1					
<b>5070</b>	<b>DK OAK</b>	<b>General Motors</b>			<b>5077</b>	<b>DK BROWN PRINT</b>	<b>Mercedes Benz</b>	<b>173</b>
1559	YELLOW OXIDE	198.6	397.1		1501	LANDAU BLACK	133.7	267.3
1302	LOW LUSTER CLEAR	280.3	560.7		1550	RED OXIDE	242.8	485.6
1501	LANDAU BLACK	346.8	693.5		1302	LOW LUSTER CLEAR	333.7	667.5
1550	RED OXIDE	405.7	811.3		1559	YELLOW OXIDE	404.0	808.1
1554	TINTING WHITE	409.9	819.9		1554	TINTING WHITE	408.3	816.6
<b>5071</b>	<b>DK REGAL BLUE</b>	<b>General Motors</b>			<b>5078</b>	<b>PALOMINO PRINT</b>	<b>Mercedes Benz</b>	<b>174</b>
1501	LANDAU BLACK	131.0	262.0		1559	YELLOW OXIDE	213.6	427.1
1554	TINTING WHITE	224.3	448.6		1302	LOW LUSTER CLEAR	309.2	618.5
1302	LOW LUSTER CLEAR	306.9	613.9		1554	TINTING WHITE	366.3	732.6
1553	FAST BLUE	366.8	733.6		1550	RED OXIDE	406.5	813.0
1550	RED OXIDE	411.7	823.5		1501	LANDAU BLACK	413.5	827.1

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 114

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5079</b>	<b>CREME BEIGH PRI</b>	<b>Mercedes Benz</b>		<b>175</b>	<b>5086</b>	<b>BLUE</b>	
1554	TINTING WHITE	172.8	345.6	1501	LANDAU BLACK	155.4	310.8
1559	YELLOW OXIDE	298.7	597.4	1553	FAST BLUE	304.9	609.7
1302	LOW LUSTER CLEAR	394.5	789.1	1302	LOW LUSTER CLEAR	364.6	729.2
1550	RED OXIDE	407.3	814.5	1554	TINTING WHITE	396.5	793.1
1501	LANDAU BLACK	419.7	839.4	1550	RED OXIDE	406.1	812.3
<b>5080</b>	<b>STONE PINE GREEN</b>	<b>Mercedes Benz</b>		<b>176</b>	<b>5087</b>	<b>SADDLE</b>	
1501	LANDAU BLACK	106.8	213.6	1559	YELLOW OXIDE	248.5	497.0
1302	LOW LUSTER CLEAR	197.0	394.1	1550	RED OXIDE	317.9	635.7
1551	FAST YELLOW	287.0	574.0	1302	LOW LUSTER CLEAR	371.5	743.1
1556	FAST GREEN	374.2	748.4	1554	TINTING WHITE	398.7	797.4
1554	TINTING WHITE	406.1	812.3	1501	LANDAU BLACK	413.1	826.1
<b>5081</b>	<b>BURGUNDY PRINT</b>	<b>Mercedes Benz</b>		<b>177</b>	<b>5088</b>	<b>TRUFFLE</b>	
1552	FAST RED	224.3	448.6	1554	TINTING WHITE	140.9	281.8
1302	LOW LUSTER CLEAR	330.2	660.4	1302	LOW LUSTER CLEAR	279.0	558.0
1551	FAST YELLOW	382.9	765.7	1559	YELLOW OXIDE	361.0	722.0
1501	LANDAU BLACK	393.8	787.6	1501	LANDAU BLACK	397.5	795.0
1554	TINTING WHITE	404.0	808.1	1550	RED OXIDE	416.3	832.6
<b>5082</b>	<b>GREY PRINT</b>	<b>Mercedes Benz</b>		<b>178</b>	<b>5089</b>	<b>NAPLES</b>	
1554	TINTING WHITE	188.5	377.0	1302	LOW LUSTER CLEAR	151.7	303.4
1302	LOW LUSTER CLEAR	285.3	570.6	1553	FAST BLUE	242.6	485.3
1501	LANDAU BLACK	349.8	699.6	1550	RED OXIDE	317.6	635.2
1559	YELLOW OXIDE	406.6	813.2	1501	LANDAU BLACK	390.0	780.0
1550	RED OXIDE	419.5	839.0	1554	TINTING WHITE	405.7	811.5
<b>5083</b>	<b>BLACK</b>	<b>Mercedes Benz</b>		<b>5090</b>	<b>MIDNIGHT BLACK</b>		
1501	LANDAU BLACK	344.6	689.1	1501	LANDAU BLACK	135.9	271.7
1302	LOW LUSTER CLEAR	389.5	779.0	1302	LOW LUSTER CLEAR	270.3	540.6
1551	FAST YELLOW	398.5	797.1	1559	YELLOW OXIDE	349.0	698.1
1550	RED OXIDE	404.5	809.0	1554	TINTING WHITE	380.0	760.0
1554	TINTING WHITE	404.8	809.6	1550	RED OXIDE	408.2	816.4
<b>5084</b>	<b>GREY</b>	<b>Mercedes Benz</b>		<b>5091</b>	<b>BRIGHT AQUA</b>		
1554	TINTING WHITE	186.8	373.5	1556	FAST GREEN	141.2	282.3
1501	LANDAU BLACK	279.5	559.0	1302	LOW LUSTER CLEAR	231.1	462.3
1559	YELLOW OXIDE	357.5	715.0	1553	FAST BLUE	308.6	617.1
1302	LOW LUSTER CLEAR	408.8	817.6	1554	TINTING WHITE	381.6	763.2
1550	RED OXIDE	420.1	840.2	1552	FAST RED	408.6	817.2
<b>5085</b>	<b>PARCHMENT</b>	<b>Mercedes Benz</b>		<b>5092</b>	<b>DK SIENNA</b>		
1554	TINTING WHITE	162.6	325.3	1559	YELLOW OXIDE	233.9	467.8
1559	YELLOW OXIDE	320.2	640.3	1550	RED OXIDE	336.4	672.8
1302	LOW LUSTER CLEAR	375.2	750.3	1302	LOW LUSTER CLEAR	373.4	746.9
1550	RED OXIDE	403.4	806.7	1501	LANDAU BLACK	398.6	797.2
1501	LANDAU BLACK	420.2	840.4	1554	TINTING WHITE	412.7	825.4

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 115

		PINTS	QUARTS			PINTS	QUARTS			
		GRAMS				GRAMS				
<b>5093</b>	<b>RUBY</b>	<b>General Motors</b>		<b>9933</b>	<b>5100</b>	<b>DK GRAY</b>		<b>General Motors</b>		<b>8595</b>
1552	FAST RED	262.4	524.8		1501	LANDAU BLACK	173.3	346.6		
1302	LOW LUSTER CLEAR	388.6	777.1		1554	TINTING WHITE	323.2	646.4		
1501	LANDAU BLACK	394.1	788.1		1559	YELLOW OXIDE	414.2	828.4		
1553	FAST BLUE	398.8	797.6		1550	RED OXIDE	418.0	836.0		
1554	TINTING WHITE	403.4	806.7							
<b>5094</b>	<b>MED SMOKE GARY</b>	<b>General Motors</b>		<b>M18</b>	<b>5101</b>	<b>PEWTER</b>		<b>General Motors</b>		<b>109D</b>
1554	TINTING WHITE	160.2	320.3		1554	TINTING WHITE	175.6	351.1		
1559	YELLOW OXIDE	259.5	519.1		1559	YELLOW OXIDE	273.7	547.4		
1501	LANDAU BLACK	315.8	631.6		1302	LOW LUSTER CLEAR	349.2	698.4		
1550	RED OXIDE	371.6	743.3		1501	LANDAU BLACK	394.2	788.3		
1302	LOW LUSTER CLEAR	419.8	839.6		1550	RED OXIDE	419.8	839.6		
<b>5095</b>	<b>MED BEIGE</b>	<b>General Motors</b>		<b>UK</b>	<b>5102</b>	<b>DARK GRAPHITE</b>		<b>Ford Motor</b>		<b>ZU5</b>
1559	YELLOW OXIDE	217.3	434.5		1302	LOW LUSTER CLEAR	135.6	271.1		
1554	TINTING WHITE	318.2	636.3		1501	LANDAU BLACK	231.6	463.2		
1550	RED OXIDE	387.2	774.4		1554	TINTING WHITE	308.5	616.9		
1501	LANDAU BLACK	418.3	836.6		1559	YELLOW OXIDE	379.6	759.2		
					1550	RED OXIDE	411.5	823.1		
<b>5096</b>	<b>DARK REGAL BLUE</b>	<b>General Motors</b>		<b>104E</b>	<b>5103</b>	<b>FLANNEL GRAY</b>		<b>Ford Motor</b>		<b>YCB</b>
1302	LOW LUSTER CLEAR	144.1	288.2		1554	TINTING WHITE	258.6	517.2		
1501	LANDAU BLACK	227.1	454.3		1302	LOW LUSTER CLEAR	331.1	662.2		
1554	TINTING WHITE	303.5	607.1		1501	LANDAU BLACK	373.8	747.7		
1553	FAST BLUE	369.8	739.7		1559	YELLOW OXIDE	409.0	818.0		
1550	RED OXIDE	409.9	819.9		1550	RED OXIDE	424.6	849.1		
<b>5097</b>	<b>LT WHEAT</b>	<b>General Motors</b>		<b>503F</b>	<b>5104</b>	<b>MED DK TRUFFLE</b>		<b>Ford Motor</b>		<b>YE4</b>
1554	TINTING WHITE	377.9	755.8		1302	LOW LUSTER CLEAR	138.0	276.1		
1559	YELLOW OXIDE	421.3	842.7		1559	YELLOW OXIDE	240.2	480.3		
1550	RED OXIDE	430.8	861.7		1501	LANDAU BLACK	313.9	627.8		
1553	FAST BLUE	434.0	867.9		1554	TINTING WHITE	386.5	772.9		
					1550	RED OXIDE	411.5	823.1		
<b>5098</b>	<b>MD WHEAT</b>	<b>General Motors</b>		<b>504F</b>	<b>5105</b>	<b>MED PARCHMENT</b>		<b>Ford Motor</b>		<b>BJC</b>
1302	LOW LUSTER CLEAR	149.5	299.1		1554	TINTING WHITE	192.1	384.2		
1554	TINTING WHITE	271.6	543.2		1559	YELLOW OXIDE	361.9	723.7		
1559	YELLOW OXIDE	363.5	726.9		1552	FAST RED	396.6	793.3		
1501	LANDAU BLACK	395.5	791.0		1501	LANDAU BLACK	422.5	844.9		
1550	RED OXIDE	415.0	829.9							
<b>5099</b>	<b>MD DK WHEAT</b>	<b>General Motors</b>		<b>564F</b>	<b>5106</b>	<b>LT PARCHMENT</b>		<b>Ford Motor</b>		<b>BJA</b>
1302	LOW LUSTER CLEAR	142.9	285.8		1554	TINTING WHITE	333.5	667.1		
1559	YELLOW OXIDE	263.2	526.3		1559	YELLOW OXIDE	412.2	824.4		
1554	TINTING WHITE	344.6	689.1		1552	FAST RED	421.9	843.8		
1501	LANDAU BLACK	386.3	772.5		1501	LANDAU BLACK	431.2	862.4		
1552	FAST RED	412.0	824.0							

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 116**

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5107	OXFORD WHITE	Ford Motor	4PA
1554	TINTING WHITE	415.4	830.9
1559	YELLOW OXIDE	431.2	862.4
1501	LANDAU BLACK	435.6	871.2
1550	RED OXIDE	436.1	872.1

5114	GLOSS CABERNET		
1552	FAST RED	334.7	669.4
1550	RED OXIDE	395.9	791.7
1553	FAST BLUE	402.5	805.0
1554	TINTING WHITE	405.7	811.3

**MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR**

5108	COGNAC	Chrysler Motors	UC
1302	LOW LUSTER CLEAR	214.4	428.8
1559	YELLOW OXIDE	344.5	688.9
1550	RED OXIDE	403.1	806.2
1556	FAST GREEN	406.8	813.6

5115	HATTERAS GREEN		
1556	FAST GREEN	275.6	551.2
1554	TINTING WHITE	396.6	793.3
1553	FAST BLUE	408.2	816.4
1551	FAST YELLOW	413.2	826.3

5109	MED OPAL MET		
1501	LANDAU BLACK	167.3	334.6
1300	HIGH GLOSS CLEAR	331.3	662.5
3520	PLATINUM PEARL	396.9	793.8
1552	FAST RED	409.7	819.5
1553	FAST BLUE	421.2	842.5

5116	LT SLATE	Chrysler Motors	DB
1554	TINTING WHITE	151.9	303.8
1302	LOW LUSTER CLEAR	294.9	589.8
1559	YELLOW OXIDE	351.7	703.4
1501	LANDAU BLACK	401.9	803.7
1550	RED OXIDE	416.4	832.8

5110	CAMEL	Chrysler Motors	K9
1302	LOW LUSTER CLEAR	176.0	352.1
1559	YELLOW OXIDE	313.1	626.2
1550	RED OXIDE	350.0	700.0
1554	TINTING WHITE	384.0	768.0
1501	LANDAU BLACK	409.4	818.7

5117	SUPREME WHITE		
1554	TINTING WHITE	282.4	564.9
1302	LOW LUSTER CLEAR	424.4	848.7
1501	LANDAU BLACK	424.5	848.9
1553	FAST BLUE	424.6	849.1

5111	FAWN	Chrysler Motors	T5
1302	LOW LUSTER CLEAR	191.8	383.6
1559	YELLOW OXIDE	286.7	573.4
1554	TINTING WHITE	363.5	726.9
1550	RED OXIDE	391.5	783.0
1501	LANDAU BLACK	411.4	822.7

5118	POLAR WHITE		
1554	TINTING WHITE	436.7	873.4
1553	FAST BLUE	437.1	874.2
1552	FAST RED	437.3	874.6

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

5112	EURO MET		
1501	LANDAU BLACK	234.9	469.9
1508	SILVER	366.1	732.3
1553	FAST BLUE	403.3	806.6
1552	FAST RED	406.0	812.1

5119	BABY WHITE		
1554	TINTING WHITE	282.2	564.3
1302	LOW LUSTER CLEAR	423.9	847.8
1553	FAST BLUE	424.5	848.9
1501	LANDAU BLACK	424.6	849.1

5113	CHRYSLER GRAY G	Chrysler Motors	
1559	YELLOW OXIDE	190.7	381.3
1501	LANDAU BLACK	344.0	688.0
1554	TINTING WHITE	393.7	787.4
1553	FAST BLUE	412.3	824.6

5120	HOUSE WHITE		
1554	TINTING WHITE	435.8	871.5
1501	LANDAU BLACK	436.4	872.9
1559	YELLOW OXIDE	437.1	874.2
1553	FAST BLUE	437.3	874.6

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 117**

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

---

<b>5121</b>	<b>SHARK WHITE</b>		
1554	TINTING WHITE	433.7	867.4
1501	LANDAU BLACK	435.4	870.8
1559	YELLOW OXIDE	436.7	873.4
1553	FAST BLUE	437.2	874.4

---

<b>5128</b>	<b>VERY LIGHT MOC</b>		
1554	TINTING WHITE	378.5	757.0
1559	YELLOW OXIDE	423.7	847.4
1550	RED OXIDE	432.3	864.7
1501	LANDAU BLACK	434.1	868.1

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

---

<b>5122</b>	<b>GRAY WHITE</b>		
1554	TINTING WHITE	434.7	869.4
1501	LANDAU BLACK	436.3	872.7
1559	YELLOW OXIDE	437.0	874.0
1553	FAST BLUE	437.2	874.4

---

<b>5129</b>	<b>LIGHT CARAMEL</b>		
1554	TINTING WHITE	389.9	779.8
1559	YELLOW OXIDE	424.2	848.4
1550	RED OXIDE	433.0	866.0
1501	LANDAU BLACK	434.8	869.6

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

---

<b>5123</b>	<b>PINE WHITE</b>		
1554	TINTING WHITE	282.2	564.5
1302	LOW LUSTER CLEAR	424.1	848.2
1556	FAST GREEN	424.5	848.9
1550	RED OXIDE	424.6	849.1

---

<b>5130</b>	<b>DARK PASTEL</b>		
1554	TINTING WHITE	392.5	785.1
1559	YELLOW OXIDE	426.4	852.7
1550	RED OXIDE	431.4	862.8
1501	LANDAU BLACK	434.9	869.8

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

---

<b>5124</b>	<b>SKY WHITE</b>		
1554	TINTING WHITE	436.7	873.4
1553	FAST BLUE	437.4	874.8

---

<b>5131</b>	<b>GRAY IVORY</b>		
1554	TINTING WHITE	380.4	760.8
1559	YELLOW OXIDE	427.2	854.4
1550	RED OXIDE	431.1	862.2
1501	LANDAU BLACK	434.2	868.3

**MUST TOP COAT WITH 1302 LOW LUSTER CLEAR**

---

<b>5125</b>	<b>FRESH VANILLA</b>		
1554	TINTING WHITE	340.6	681.2
1559	YELLOW OXIDE	425.5	851.0
1550	RED OXIDE	429.9	859.8
1501	LANDAU BLACK	432.1	864.1

---

<b>5132</b>	<b>BETTER BEIGE</b>		
1554	TINTING WHITE	412.3	824.6
1559	YELLOW OXIDE	430.6	861.3
1550	RED OXIDE	433.5	867.0
1501	LANDAU BLACK	436.1	872.1

---

<b>5126</b>	<b>VANILLA CREAM</b>		
1554	TINTING WHITE	344.7	689.3
1559	YELLOW OXIDE	425.4	850.8
1550	RED OXIDE	430.4	860.7
1501	LANDAU BLACK	432.3	864.5

---

<b>5133</b>	<b>PASTEL WHITE</b>		
1554	TINTING WHITE	431.8	863.6
1551	FAST YELLOW	434.4	868.9
1550	RED OXIDE	435.8	871.5
1501	LANDAU BLACK	437.1	874.2

---

<b>5127</b>	<b>PASTEL BEIGE</b>		
1554	TINTING WHITE	399.2	798.4
1559	YELLOW OXIDE	428.7	857.5
1550	RED OXIDE	433.1	866.2
1501	LANDAU BLACK	435.3	870.6

---

<b>5134</b>	<b>NATURAL WHITE</b>		
1554	TINTING WHITE	431.5	863.0
1559	YELLOW OXIDE	435.3	870.6
1552	FAST RED	436.7	873.4
1553	FAST BLUE	437.0	874.0

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 118

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5135</b>	<b>CAROLINA WHITE</b>			<b>5142</b>	<b>LIGHT PASTEL</b>		
1554	TINTING WHITE	430.8	861.7	1554	TINTING WHITE	399.7	799.3
1559	YELLOW OXIDE	435.3	870.6	1559	YELLOW OXIDE	428.1	856.1
1501	LANDAU BLACK	437.1	874.2	1550	RED OXIDE	432.3	864.7
				1501	LANDAU BLACK	435.3	870.6
<b>5136</b>	<b>DARK NATURAL W</b>			<b>5143</b>	<b>BAMBI</b>		
1554	TINTING WHITE	420.3	840.6	1554	TINTING WHITE	265.1	530.1
1559	YELLOW OXIDE	434.2	868.5	1302	LOW LUSTER CLEAR	405.9	811.9
1501	LANDAU BLACK	436.0	871.9	1559	YELLOW OXIDE	419.7	839.4
1550	RED OXIDE	436.4	872.9	1550	RED OXIDE	422.6	845.1
				1501	LANDAU BLACK	423.7	847.4
<b>5137</b>	<b>OXFORD WHITE</b>			<b>5144</b>	<b>DEER</b>		
1554	TINTING WHITE	415.4	830.9	1554	TINTING WHITE	386.3	772.5
1559	YELLOW OXIDE	431.2	862.4	1559	YELLOW OXIDE	422.3	844.6
1501	LANDAU BLACK	435.6	871.2	1550	RED OXIDE	430.5	861.1
1550	RED OXIDE	436.1	872.1	1501	LANDAU BLACK	434.4	868.9
<b>5138</b>	<b>HEATHER BEIGE</b>			<b>5145</b>	<b>ELK</b>		
1554	TINTING WHITE	402.3	804.7	1554	TINTING WHITE	267.8	535.6
1559	YELLOW OXIDE	426.7	853.5	1302	LOW LUSTER CLEAR	378.1	756.2
1550	RED OXIDE	432.4	864.9	1559	YELLOW OXIDE	412.8	825.6
1501	LANDAU BLACK	435.5	871.0	1550	RED OXIDE	421.3	842.7
				1501	LANDAU BLACK	424.7	849.5
<b>5139</b>	<b>MED PEARL WHITE</b>			<b>5146</b>	<b>CHAMPAGNE</b>		
1554	TINTING WHITE	391.3	782.6	1554	TINTING WHITE	390.9	781.9
1559	YELLOW OXIDE	428.3	856.5	1559	YELLOW OXIDE	432.2	864.3
1501	LANDAU BLACK	433.0	866.0	1550	RED OXIDE	433.5	867.0
1550	RED OXIDE	434.7	869.4	1501	LANDAU BLACK	434.8	869.6
<b>5140</b>	<b>OYSTER WHITE</b>			<b>5147</b>	<b>LIGHT PHANTOM</b>		
1554	TINTING WHITE	405.6	811.1	1554	TINTING WHITE	404.3	808.6
1559	YELLOW OXIDE	426.8	853.7	1559	YELLOW OXIDE	431.3	862.6
1550	RED OXIDE	433.8	867.5	1550	RED OXIDE	433.5	867.0
1556	FAST GREEN	435.5	871.0	1501	LANDAU BLACK	435.5	871.0
<b>5141</b>	<b>DARK OYSTER WHI</b>			<b>5148</b>	<b>ROCK BEIGE</b>		
1554	TINTING WHITE	289.9	579.9	1554	TINTING WHITE	220.8	441.6
1302	LOW LUSTER CLEAR	396.5	793.1	1559	YELLOW OXIDE	324.4	648.9
1559	YELLOW OXIDE	421.8	843.6	1302	LOW LUSTER CLEAR	408.8	817.6
1550	RED OXIDE	424.3	848.5	1550	RED OXIDE	416.6	833.2
1501	LANDAU BLACK	426.1	852.2	1501	LANDAU BLACK	422.8	845.5

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 119**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5149</b>	<b>KHAKI</b>			<b>5156</b>	<b>AUTUMN BEIGE</b>		
1554	TINTING WHITE	172.4	344.9	1554	TINTING BEIGE	250.5	501.0
1559	YELLOW OXIDE	298.0	596.0	1551	FAST YELLOW	329.4	658.7
1302	LOW LUSTER CLEAR	393.6	787.2	1302	LOW LUSTER CLEAR	390.0	780.0
1550	RED OXIDE	407.6	815.3	1552	FAST RED	419.9	839.8
1501	LANDAU BLACK	419.7	839.4	1501	LANDAU BLACK	422.8	845.5
<b>5150</b>	<b>DIRTY BEIGE</b>			<b>5157</b>	<b>APRICOT</b>		
1302	LOW LUSTER CLEAR	138.7	277.4	1554	TINTING WHITE	313.8	627.6
1554	TINTING WHITE	272.1	544.2	1559	YELLOW OXIDE	427.1	854.2
1559	YELLOW OXIDE	400.5	801.0	1550	RED OXIDE	430.5	861.1
1501	LANDAU BLACK	408.5	817.0				
1550	RED OXIDE	416.2	832.4				
<b>5151</b>	<b>HONEY BEIGE</b>			<b>5158</b>	<b>COTTAGE BEIGE</b>		
1554	TINTING WHITE	176.7	353.4	1554	TINTING BEIGE	339.8	679.6
1559	YELLOW OXIDE	312.6	625.3	1559	YELLOW OXIDE	420.2	840.4
1302	LOW LUSTER CLEAR	396.7	793.4	1550	RED OXIDE	431.1	862.2
1550	RED OXIDE	409.5	819.1	1501	LANDAU BLACK	432.1	864.1
1501	LANDAU BLACK	420.3	840.6				
<b>5152</b>	<b>PHANTOM BEIGE</b>			<b>5159</b>	<b>CREAM WHEAT</b>		
1554	TINTING WHITE	263.7	527.4	1554	TINTING WHITE	339.0	677.9
1559	YELLOW OXIDE	405.3	810.5	1559	YELLOW OXIDE	430.6	861.3
1501	LANDAU BLACK	418.1	836.2	1501	LANDAU BLACK	432.0	863.9
1550	RED OXIDE	427.5	855.0				
<b>5153</b>	<b>WALNUT BEIGE</b>			<b>5160</b>	<b>WHEAT</b>		
1554	TINTING WHITE	357.4	714.8	1559	YELLOW OXIDE	148.9	297.7
1559	YELLOW OXIDE	413.3	826.7	1302	LOW LUSTER CLEAR	287.4	574.8
1501	LANDAU BLACK	423.2	846.5	1554	TINTING WHITE	403.0	806.0
1550	RED OXIDE	432.7	865.5	1550	RED OXIDE	411.1	822.1
				1501	LANDAU BLACK	415.4	830.9
<b>5154</b>	<b>CASTLE BEIGE</b>			<b>5161</b>	<b>ROCKY BEIGE</b>		
1554	TINTING WHITE	200.6	401.3	1559	YELLOW OXIDE	300.4	600.8
1302	LOW LUSTER CLEAR	341.6	683.2	1554	TINTING WHITE	405.1	810.2
1559	YELLOW OXIDE	397.3	794.6	1550	RED OXIDE	415.6	831.3
1501	LANDAU BLACK	412.1	824.2	1501	LANDAU BLACK	418.9	837.7
1550	RED OXIDE	419.8	839.6				
<b>5155</b>	<b>DUSTY BEIGE</b>			<b>5162</b>	<b>SAND BEIGE</b>		
1554	TINTING WHITE	194.8	389.7	1554	TINTING WHITE	248.5	497.0
1302	LOW LUSTER CLEAR	334.8	669.6	1551	FAST YELLOW	328.9	657.8
1559	YELLOW OXIDE	393.8	787.6	1302	LOW LUSTER CLEAR	391.0	782.0
1501	LANDAU BLACK	407.6	815.1	1552	FAST RED	417.9	835.8
1550	RED OXIDE	419.5	839.0	1501	LANDAU BLACK	422.6	845.1

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 120**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5163</b>	<b>CLAYTON TAN</b>			<b>5170</b>	<b>KAHLUA</b>		
1554	TINTING WHITE	300.9	601.7	1559	YELLOW OXIDE	200.1	400.1
1559	YELLOW OXIDE	422.5	844.9	1554	TINTING WHITE	387.0	774.1
1550	RED OXIDE	427.2	854.4	1550	RED OXIDE	415.3	830.7
1501	LANDAU BLACK	429.8	859.6	1501	LANDAU BLACK	423.4	846.8
<b>5164</b>	<b>LIGHT BEIGE</b>			<b>5171</b>	<b>CHESTNUT</b>		
1554	TINTING WHITE	271.4	542.8	1559	YELLOW OXIDE	207.3	414.6
1559	YELLOW OXIDE	416.1	832.2	1554	TINTING WHITE	301.2	602.3
1550	RED OXIDE	422.6	845.1	1302	LOW LUSTER CLEAR	384.2	768.4
1501	LANDAU BLACK	428.2	856.3	1550	RED OXIDE	411.2	822.3
				1501	LANDAU BLACK	415.9	831.8
<b>5165</b>	<b>SUPREME BEIGE</b>			<b>5172</b>	<b>COPPER MET.</b>		
1554	TINTING WHITE	173.8	347.5	1508	SILVER	199.9	399.8
1559	YELLOW OXIDE	320.0	639.9	1552	FAST RED	332.5	665.0
1302	LOW LUSTER CLEAR	404.0	808.1	1551	FAST YELLOW	381.4	762.9
1550	RED OXIDE	414.1	828.2	1556	FAST GREEN	401.4	802.8
1501	LANDAU BLACK	420.2	840.4	1554	TINTING WHITE	406.7	813.4
<b>5166</b>	<b>PECAN BEIGE</b>			<b>MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR</b>			
1554	TINTING WHITE	256.5	513.0	<b>5173</b>	<b>LIGHT SADDLE</b>		
1559	YELLOW OXIDE	389.8	779.6	1559	YELLOW OXIDE	216.9	433.8
1550	RED OXIDE	414.2	828.4	1554	TINTING WHITE	373.2	746.3
1501	LANDAU BLACK	427.3	854.6	1550	RED OXIDE	410.4	820.8
				1501	LANDAU BLACK	421.6	843.2
<b>5167</b>	<b>SADDLE BEIGE</b>			<b>5174</b>	<b>BISCUIT</b>		
1554	TINTING WHITE	153.5	307.0	1559	YELLOW OXIDE	230.7	461.3
1302	LOW LUSTER CLEAR	292.5	585.0	1554	TINTING WHITE	373.2	746.3
1559	YELLOW OXIDE	389.2	778.4	1550	RED OXIDE	417.2	834.5
1550	RED OXIDE	405.9	811.9	1501	LANDAU BLACK	421.0	842.1
1501	LANDAU BLACK	417.3	834.7				
<b>5168</b>	<b>CLASSIC CARAMEL</b>			<b>MUST TOP COAT WITH 1302 LOW LUSTER CLEAR</b>			
1554	TINTING WHITE	265.2	530.5	<b>5175</b>	<b>SHELL</b>		
1559	YELLOW OXIDE	398.5	797.1	1554	TINTING WHITE	250.7	501.4
1550	RED OXIDE	417.7	835.4	1559	YELLOW OXIDE	380.6	761.1
1501	LANDAU BLACK	427.7	855.4	1550	RED OXIDE	426.7	853.5
				1501	LANDAU BLACK	427.1	854.2
<b>5169</b>	<b>DARK KAHLUA</b>			<b>5176</b>	<b>Elk Grain</b>		
1554	TINTING WHITE	202.3	404.5	1554	TINTING WHITE	232.1	464.1
1559	YELLOW OXIDE	384.9	769.9	1302	LOW LUSTER CLEAR	358.9	717.8
1550	RED OXIDE	412.8	825.6	1559	YELLOW OXIDE	411.2	822.5
1501	LANDAU BLACK	424.2	848.4	1550	RED OXIDE	431.8	863.5
				1501	LANDAU BLACK	443.8	887.6



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 121

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5177</b>	<b>SWEET MOCHA</b>			<b>5184</b>	<b>GRAY KHAKI</b>		
1554	TINTING WHITE	253.4	506.7	1559	YELLOW OXIDE	223.2	446.3
1559	YELLOW OXIDE	371.5	742.9	1554	TINTING WHITE	361.0	722.0
1550	RED OXIDE	415.1	830.1	1550	RED OXIDE	396.6	793.3
1501	LANDAU BLACK	427.0	854.1	1501	LANDAU BALCK	420.4	840.8
<b>5178</b>	<b>ANTELOPE BEIGE</b>			<b>5185</b>	<b>COFFEE CREAM</b>		
1554	TINTING WHITE	303.3	606.7	1559	YELLOW OXIDE	254.3	508.6
1559	YELLOW OXIDE	381.6	763.2	1554	TINTING WHITE	376.8	753.5
1550	RED OXIDE	416.0	832.0	1550	RED OXIDE	409.0	818.0
1501	LANDAU BLACK	429.8	859.6	1501	LANDAU BLACK	419.7	839.4
<b>5179</b>	<b>SIERRA NEUTRAL</b>			<b>5186</b>	<b>FRENCH COFFEE</b>		
1554	TINTING WHITE	185.9	371.8	1559	YELLOW OXIDE	252.1	504.3
1302	LOW LUSTER CLEAR	326.2	652.5	1554	TINTING WHITE	373.4	746.7
1559	YELLOW OXIDE	391.8	783.6	1550	RED OXIDE	405.9	811.9
1550	RED OXIDE	406.7	813.4	1501	LANDAU BLACK	419.6	839.2
1501	LANDAU BLACK	419.0	838.1				
<b>5180</b>	<b>DARK SADDLE</b>			<b>MUST TOP COAT WITH 1302 SATIN GLOSS CLEAR</b>			
1559	YELLOW OXIDE	217.6	435.3	<b>5187</b>	<b>DARK OATMEAL</b>		
1554	TINTING WHITE	374.4	748.8	1559	YELLOW OXIDE	278.3	556.5
1550	RED OXIDE	410.9	821.8	1554	TINTING WHITE	362.5	725.0
1501	LANDAU BLACK	421.7	843.4	1550	RED OXIDE	398.2	796.5
				1501	LANDAU BLACK	417.5	835.1
<b>5181</b>	<b>DARK KHAKI</b>			<b>5188</b>	<b>DARK BISCUIT</b>		
1559	YELLOW OXIDE	239.7	479.4	1559	YELLOW OXIDE	207.0	414.0
1554	TINTING WHITE	364.4	728.8	1554	TINTING WHITE	340.4	680.8
1550	RED OXIDE	410.8	821.6	1550	RED OXIDE	403.5	806.9
1501	LANDAU BLACK	420.1	840.2	1501	LANDAU BLACK	420.3	840.6
<b>5182</b>	<b>COFFEE</b>			<b>5189</b>	<b>TAN</b>		
1559	YELLOW OXIDE	186.1	372.2	1559	YELLOW OXIDE	210.0	420.1
1302	LOW LUSTER CLEAR	323.4	646.8	1554	TINTING WHITE	352.7	705.5
1554	TINTING WHITE	370.8	741.6	1550	RED OXIDE	407.8	815.7
1550	RED OXIDE	403.1	806.2	1501	LANDAU BLACK	420.9	841.7
1501	LANDAU BLACK	411.5	823.1				
<b>5183</b>	<b>SANDLE WOOD</b>			<b>5190</b>	<b>DARK GINGER</b>		
1559	YELLOW OXIDE	296.5	593.0	1559	YELLOW OXIDE	201.3	402.6
1550	RED OXIDE	353.2	706.4	1302	LOW LUSTER CLEAR	285.1	570.2
1554	TINTING WHITE	407.8	815.7	1550	RED OXIDE	339.3	678.7
1501	LANDAU BLACK	416.2	832.4	1554	TINTING WHITE	388.3	776.5
				1501	LANDAU BLACK	413.1	826.1

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 122

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5191</b>	<b>COCONUT</b>			<b>5198</b>	<b>DRIFTWOOD</b>		
1302	LOW LUSTER CLEAR	214.4	428.8	1559	YELLOW OXIDE	186.6	373.2
1559	YELLOW OXIDE	344.5	688.9	1554	TINTING WHITE	358.2	716.5
1550	RED OXIDE	403.1	806.2	1550	RED OXIDE	397.7	795.3
1556	FAST GREEN	406.8	813.6	1501	LANDAU BLACK	422.3	844.6
<b>5192</b>	<b>BAMBOO</b>			<b>5199</b>	<b>MED. CASTELLA</b>		
1559	YELLOW OXIDE	196.6	393.1	1554	TINTING WHITE	189.1	378.3
1302	LOW LUSTER CLEAR	274.3	548.5	1559	YELLOW OXIDE	331.3	662.5
1550	RED OXIDE	341.2	682.5	1550	RED OXIDE	394.9	789.8
1554	TINTING WHITE	392.5	785.1	1501	LANDAU BLACK	423.2	846.5
1552	FAST RED	413.4	826.9				
<b>5193</b>	<b>SANTA BROWN</b>			<b>5200</b>	<b>DARK CASTELLA</b>		
1559	YELLOW OXIDE	157.4	314.8	1554	TINTING WHITE	147.3	294.5
1554	TINTING WHITE	299.4	598.9	1559	YELLOW OXIDE	254.8	509.6
1550	RED OXIDE	403.0	806.0	1302	LOW LUSTER CLEAR	321.1	642.2
1501	LANDAU BLACK	420.9	841.9	1550	RED OXIDE	385.5	771.0
				1501	LANDAU BLACK	418.9	837.7
<b>MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5194</b>	<b>SPICE</b>			<b>5201</b>	<b>PUMICE</b>		
1559	YELLOW OXIDE	282.5	565.1	1559	YELLOW OXIDE	156.7	313.3
1550	RED OXIDE	352.1	704.1	1554	TINTING WHITE	306.9	613.9
1554	TINTING WHITE	406.6	813.2	1550	RED OXIDE	372.7	745.4
1501	LANDAU BLACK	416.2	832.4	1501	LANDAU BLACK	420.7	841.3
<b>5195</b>	<b>MED. SPICE</b>			<b>5202</b>	<b>MED. SANDSTONE</b>		
1559	YELLOW OXIDE	166.1	332.1	1559	YELLOW OXIDE	177.2	354.4
1302	LOW LUSTER CLEAR	300.9	601.7	1554	TINTING WHITE	345.4	690.8
1554	TINTING WHITE	354.3	708.5	1550	RED OXIDE	395.5	791.0
1550	RED OXIDE	406.3	812.6	1501	LANDAU BLACK	422.1	844.2
1501	LANDAU BLACK	412.2	824.4				
<b>5196</b>	<b>COFFEE SUPREME</b>			<b>5203</b>	<b>Nature</b>		
1302	LOW LUSTER CLEAR	137.9	275.9	1302	LOW LUSTER CLEAR	137.1	274.1
1559	YELLOW OXIDE	275.6	551.2	1559	YELLOW OXIDE	261.5	522.9
1554	TINTING WHITE	360.1	720.1	1554	TINTING WHITE	375.8	751.6
1550	RED OXIDE	399.8	799.5	1550	RED OXIDE	402.7	805.4
1501	LANDAU BLACK	413.5	827.1	1501	LANDAU BLACK	415.2	830.5
<b>5197</b>	<b>DOESKIN</b>			<b>5204</b>	<b>DARK SPICE</b>		
1554	TINTING WHITE	195.2	390.5	1559	YELLOW OXIDE	196.3	392.5
1559	YELLOW OXIDE	366.9	733.8	1302	LOW LUSTER CLEAR	332.5	665.0
1550	RED OXIDE	399.1	798.2	1550	RED OXIDE	389.6	779.2
1501	LANDAU BLACK	423.5	847.0	1501	LANDAU BLACK	408.9	817.8

**MUST TOP COAT WITH 1302 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 123

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5205</b>	<b>DARK TAN</b>			<b>5212</b>	<b>CEDAR BROWN</b>		
1559	YELLOW OXIDE	185.9	371.8	1559	YELLOW OXIDE	173.3	346.6
1302	LOW LUSTER CLEAR	310.4	620.7	1550	RED OXIDE	314.6	629.3
1550	RED OXIDE	392.2	784.3	1501	LANDAU BLACK	378.4	756.8
1501	LANDAU BLACK	409.3	818.5	1554	TINTING WHITE	414.2	828.4
<b>5206</b>	<b>DARK CHAMOIS</b>			<b>5213</b>	<b>REDDISH AUBURN</b>		
1559	YELLOW OXIDE	210.2	420.5	1559	YELLOW OXIDE	168.8	337.6
1550	RED OXIDE	297.2	594.3	1552	FAST RED	312.5	624.9
1554	TINTING WHITE	358.8	717.6	1302	LOW LUSTER CLEAR	394.3	788.7
1501	LANDAU BLACK	415.6	831.3	1501	LANDAU BLACK	407.3	814.5
<b>5207</b>	<b>BROWN SUGAR</b>			<b>5214</b>	<b>ROSEWOOD BROW</b>		
1559	YELLOW OXIDE	166.7	333.5	1501	LANDAU BLACK	162.5	324.9
1550	RED OXIDE	264.3	528.6	1550	RED OXIDE	320.7	641.4
1554	TINTING WHITE	348.3	696.5	1554	TINTING WHITE	388.9	777.9
1501	LANDAU BLACK	416.6	833.2	1559	YELLOW OXIDE	414.2	828.4
<b>5208</b>	<b>TAUPE</b>			<b>5215</b>	<b>DARK CHOCOLATE</b>		
1559	YELLOW OXIDE	175.4	350.7	1559	YELLOW OXIDE	163.3	326.6
1554	TINTING WHITE	267.1	534.3	1302	LOW LUSTER CLEAR	295.4	590.7
1501	LANDAU BLACK	347.6	695.2	1550	RED OXIDE	356.2	712.3
1550	RED OXIDE	416.8	833.5	1501	LANDAU BLACK	408.4	816.8
<b>5209</b>	<b>BROWN</b>			<b>5216</b>	<b>MED. DARK CHOCO</b>		
1559	YELLOW OXIDE	175.4	350.7	1302	LOW LUSTER CLEAR	138.8	277.6
1550	RED OXIDE	315.7	631.4	1559	YELLOW OXIDE	245.1	490.2
1501	LANDAU BLACK	378.8	757.5	1550	RED OXIDE	333.6	667.3
1554	TINTING WHITE	414.2	828.4	1501	LANDAU BLACK	401.6	803.1
				1554	TINTING WHITE	408.3	816.6
<b>5210</b>	<b>SWISS BROWN</b>			<b>5217</b>	<b>CAMOUFLAGE</b>		
1559	YELLOW OXIDE	190.8	381.5	1559	YELLOW OXIDE	276.1	552.1
1550	RED OXIDE	322.8	645.6	1501	LANDAU BLACK	365.6	731.1
1501	LANDAU BLACK	394.7	789.5	1550	RED OXIDE	399.5	799.0
1554	TINTING WHITE	413.1	826.1	1554	TINTING WHITE	412.1	824.2
<b>5211</b>	<b>BROWNIE</b>			<b>5218</b>	<b>BROWN BETTY</b>		
1559	YELLOW OXIDE	192.0	384.0	1559	YELLOW OXIDE	229.3	458.7
1550	RED OXIDE	322.3	644.7	1550	RED OXIDE	326.5	653.0
1501	LANDAU BLACK	394.7	789.5	1501	LANDAU BLACK	411.7	823.5
1554	TINTING WHITE	413.2	826.3				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 124**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5219</b>	<b>BRANDY</b>			<b>5226</b>	<b>VAQUERO</b>		
1559	YELLOW OXIDE	247.4	494.8	1550	RED OXIDE	321.7	643.3
1550	RED OXIDE	338.9	677.7	1559	YELLOW OXIDE	385.4	770.8
1501	LANDAU BLACK	394.1	788.1	1501	LANDAU BLACK	407.0	814.0
1554	TINTING WHITE	413.3	826.5	1554	TINTING WHITE	414.0	828.0
<b>5220</b>	<b>GINGER BROWN</b>			<b>5227</b>	<b>LIGHT VAQUERO</b>		
1551	FAST YELLOW	159.5	319.0	1550	RED OXIDE	249.2	498.4
1550	RED OXIDE	294.9	589.8	1551	FAST YELLOW	381.9	763.8
1302	LOW LUSTER CLEAR	376.6	753.2	1554	TINTING WHITE	400.4	800.9
1554	TINTING WHITE	400.1	800.3	1501	LANDAU BLACK	411.6	823.3
1501	LANDAU BLACK	408.6	817.2				
<b>5221</b>	<b>NUT BROWN</b>			<b>5228</b>	<b>GREEN LIGHT</b>		
1302	LOW LUSTER CLEAR	133.5	267.0	1302	LOW LUSTER CLEAR	135.3	270.6
1551	FAST YELLOW	263.7	527.4	1556	FAST GREEN	268.0	536.0
1550	RED OXIDE	381.4	762.9	1501	LANDAU BLACK	334.7	669.4
1554	TINTING WHITE	401.2	802.4	1559	YELLOW OXIDE	386.0	772.0
1501	LANDAU BLACK	407.6	815.1	1554	TINTING WHITE	405.8	811.7
<b>5222</b>	<b>HONEY BROWN</b>			<b>5229</b>	<b>CONE GREEN</b>		
1559	YELLOW OXIDE	222.4	444.8	1551	FAST YELLOW	223.0	445.9
1550	RED OXIDE	327.8	655.7	1554	TINTING WHITE	312.5	624.9
1302	LOW LUSTER CLEAR	398.1	796.3	1501	LANDAU BLACK	388.5	776.9
1501	LANDAU BLACK	411.2	822.3	1556	FAST GREEN	411.0	821.9
<b>5223</b>	<b>BROWN HORSE</b>			<b>5230</b>	<b>FOREST GREEN</b>		
1559	YELLOW OXIDE	269.2	538.5	1556	FAST GREEN	152.3	304.6
1550	RED OXIDE	399.6	799.1	1501	LANDAU BLACK	280.0	559.9
1501	LANDAU BLACK	413.3	826.5	1551	FAST YELLOW	347.1	694.3
				1554	TINTING WHITE	409.0	818.0
<b>5224</b>	<b>PERSIMMON</b>			<b>5231</b>	<b>BAY GREEN</b>		
1550	RED OXIDE	204.8	409.6	1556	FAST GREEN	198.2	396.3
1559	YELLOW OXIDE	398.4	796.9	1551	FAST YELLOW	309.0	618.1
1501	LANDAU BLACK	413.3	826.7	1501	LANDAU BLACK	369.0	738.0
				1554	TINTING WHITE	407.0	814.0
<b>5225</b>	<b>RED OAK</b>			<b>5232</b>	<b>PINE GREEN</b>		
1550	RED OXIDE	147.3	294.7	1551	FAST YELLOW	177.2	354.4
1302	LOW LUSTER CLEAR	283.8	567.5	1553	FAST BLUE	347.8	695.6
1559	YELLOW OXIDE	397.5	795.0	1554	TINTING WHITE	407.9	815.9
1501	LANDAU BLACK	409.3	818.5				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 125**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5233</b>	<b>HUNTER GREEN</b>			<b>5240</b>	<b>SPROUT GREEN</b>		
1551	FAST YELLOW	169.5	339.0	1556	FAST GREEN	226.2	452.4
1554	TINTING WHITE	302.0	604.0	1302	LOW LUSTER CLEAR	292.0	584.1
1553	FAST BLUE	363.7	727.3	1551	FAST YELLOW	346.1	692.2
1501	LANDAU BLACK	414.0	828.0	1501	LANDAU BLACK	378.3	756.6
				1554	TINTING WHITE	405.8	811.7
<b>5234</b>	<b>GREEN LAWN</b>			<b>5241</b>	<b>BRIGHT GREEN</b>		
1556	FAST GREEN	198.7	397.5	1553	FAST BLUE	169.7	339.3
1559	YELLOW OXIDE	358.2	716.5	1551	FAST YELLOW	270.9	541.9
1501	LANDAU BLACK	387.3	774.6	1556	FAST GREEN	351.0	702.1
1554	TINTING WHITE	409.4	818.7	1554	TINTING WHITE	407.6	815.1
<b>5235</b>	<b>SEA GREEN</b>			<b>5242</b>	<b>BRIAR GREEN</b>		
1559	YELLOW OXIDE	246.1	492.3	1302	LOW LUSTER CLEAR	152.6	305.1
1554	TINTING WHITE	337.9	675.8	1559	YELLOW OXIDE	281.8	563.5
1553	FAST BLUE	389.6	779.2	1553	FAST BLUE	392.4	784.9
1501	LANDAU BLACK	416.3	832.6	1501	LANDAU BLACK	399.3	798.6
				1554	TINTING WHITE	405.9	811.9
<b>5236</b>	<b>MOUNTAIN GREEN</b>			<b>5243</b>	<b>EARTH GREEN</b>		
1559	YELLOW OXIDE	250.6	501.2	1556	FAST GREEN	218.5	437.0
1501	LANDAU BLACK	355.0	710.0	1501	LANDAU BLACK	326.9	653.8
1556	FAST GREEN	392.0	783.9	1554	TINTING WHITE	385.8	771.6
1554	TINTING WHITE	411.3	822.5	1551	FAST YELLOW	408.7	817.4
<b>5237</b>	<b>GREEN STONE</b>			<b>5244</b>	<b>White Fox</b>		
1559	YELLOW OXIDE	160.5	320.9	1554	TINTING WHITE	304.8	609.6
1553	FAST BLUE	302.2	604.4	1302	LOW LUSTER CLEAR	415.4	830.8
1556	FAST GREEN	395.4	790.8	1501	LANDAU BLACK	420.7	841.4
1554	TINTING WHITE	407.9	815.9	1551	FAST YELLOW	424.7	849.4
				1550	RED OXIDE	426.6	853.1
<b>5238</b>	<b>GREEN SAGE</b>			<b>5245</b>	<b>WHITE ROCK</b>		
1556	FAST GREEN	209.1	418.2	1554	TINTING WHITE	271.1	542.3
1501	LANDAU BLACK	313.9	627.8	1302	LOW LUSTER CLEAR	412.2	824.4
1559	YELLOW OXIDE	384.8	769.7	1559	YELLOW OXIDE	417.9	835.8
1554	TINTING WHITE	407.6	815.3	1501	LANDAU BLACK	423.3	846.6
				1550	RED OXIDE	423.9	847.8
<b>5239</b>	<b>EMERALD GREEN</b>			<b>5246</b>	<b>SILVER GRAY</b>		
1556	FAST GREEN	142.8	285.6	1554	TINTING WHITE	249.5	498.9
1559	YELLOW OXIDE	254.8	509.6	1302	LOW LUSTER CLEAR	390.5	780.9
1302	LOW LUSTER CLEAR	366.8	733.6	1559	YELLOW OXIDE	406.2	812.4
1501	LANDAU BLACK	401.8	803.5	1501	LANDAU BLACK	417.8	835.6
1554	TINTING WHITE	406.1	812.3	1550	RED OXIDE	422.6	845.1

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 126

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5247</b>	<b>GRAY OXFORD</b>			<b>5254</b>	<b>SILVER FOX</b>		
1554	TINTING WHITE	407.2	814.3	1554	TINTING WHITE	310.2	620.4
1501	LANDAU BLACK	426.3	852.5	1501	LANDAU BLACK	379.7	759.4
1559	YELLOW OXIDE	434.1	868.1	1559	YELLOW OXIDE	416.6	833.2
1550	RED OXIDE	435.4	870.8	1550	RED OXIDE	429.0	858.0
<b>5248</b>	<b>GRAY FOX</b>			<b>5255</b>	<b>SLATE GRAY</b>		
1554	TINTING WHITE	366.7	733.4	1554	TINTING WHITE	338.2	676.4
1501	LANDAU BLACK	397.9	795.7	1501	LANDAU BLACK	394.3	788.7
1559	YELLOW OXIDE	427.7	855.4	1559	YELLOW OXIDE	415.7	831.4
1550	RED OXIDE	432.9	865.8	1550	RED OXIDE	430.8	861.7
<b>5249</b>	<b>SILVER BASE</b>			<b>5256</b>	<b>SILVER BELL</b>		
1554	TINTING WHITE	195.8	391.6	1554	TINTING WHITE	338.0	676.0
1302	LOW LUSTER CLEAR	335.9	671.8	1501	LANDAU BLACK	384.5	768.9
1559	YELLOW OXIDE	376.9	753.7	1559	YELLOW OXIDE	419.8	839.6
1550	RED OXIDE	407.9	815.9	1550	RED OXIDE	431.0	862.0
1553	FAST BLUE	419.6	839.2				
<b>5250</b>	<b>GRAY HOUND</b>			<b>5257</b>	<b>ASH GRAY</b>		
1554	TINTING WHITE	238.6	477.3	1554	TINTING WHITE	291.1	582.2
1302	LOW LUSTER CLEAR	379.3	758.7	1559	YELLOW OXIDE	373.3	746.5
1501	LANDAU BLACK	399.0	798.0	1501	LANDAU BLACK	416.7	833.3
1559	YELLOW OXIDE	418.4	836.8	1550	RED OXIDE	428.5	856.9
1550	RED OXIDE	421.8	843.6				
<b>5251</b>	<b>ASH PEARL</b>			<b>5258</b>	<b>SILVER FERN</b>		
1554	TINTING WHITE	360.1	720.1	1554	TINTING WHITE	220.1	440.2
1559	YELLOW OXIDE	405.7	811.3	1302	LOW LUSTER CLEAR	360.3	720.7
1501	LANDAU BLACK	430.8	861.7	1551	FAST YELLOW	383.0	766.1
1553	FAST BLUE	432.6	865.3	1501	LANDAU BLACK	405.2	810.4
				1550	RED OXIDE	420.3	840.6
<b>5252</b>	<b>GRAY FERN</b>			<b>5259</b>	<b>GRAY MOSS</b>		
1554	TINTING WHITE	243.1	486.2	1554	TINTING WHITE	194.1	388.2
1302	LOW LUSTER CLEAR	326.9	653.8	1559	YELLOW OXIDE	344.6	689.1
1501	LANDAU BLACK	361.8	723.5	1501	LANDAU BLACK	396.6	793.3
1559	YELLOW OXIDE	393.3	786.6	1550	RED OXIDE	422.8	845.7
1550	RED OXIDE	423.5	847.0				
<b>5253</b>	<b>PLATINUM GRAY</b>			<b>5260</b>	<b>GRAY MET.</b>		
1554	TINTING WHITE	329.7	659.3	1508	SILVER	286.2	572.5
1559	YELLOW OXIDE	370.1	740.2	1501	LANDAU BLACK	378.0	756.0
1550	RED OXIDE	401.2	802.4	1552	FAST RED	404.7	809.4
1501	LANDAU BLACK	430.9	861.8	1551	FAST YELLOW	407.6	815.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 127

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5261</b>	<b>SILVER FOIL MET.</b>			<b>5268</b>	<b>BEN GRAY</b>		
1508	SILVER	260.7	521.4	1554	TINTING WHITE	198.5	396.9
1501	LANDAU BLACK	376.8	753.5	1501	LANDAU BLACK	275.4	550.8
1553	FAST BLUE	398.6	797.2	1302	LOW LUSTER CLEAR	350.8	701.7
1551	FAST YELLOW	407.3	814.5	1559	YELLOW OXIDE	411.2	822.3
				1550	RED OXIDE	420.5	840.9
<b>5262</b>	<b>SILVER FROST</b>			<b>5269</b>	<b>MED. OPAL</b>		
1508	SILVER	323.3	646.6	1302	LOW LUSTER CLEAR	178.5	357.0
1554	TINTING WHITE	371.6	743.3	1554	TINTING WHITE	255.2	510.3
1501	LANDAU BLACK	409.5	818.9	1550	RED OXIDE	329.9	659.9
1551	FAST YELLOW	410.9	821.8	1559	YELLOW OXIDE	378.7	757.3
1552	FAST RED	411.6	823.3	1553	FAST BLUE	411.5	823.1
<b>5263</b>	<b>GUN POWDER MET.</b>			<b>5270</b>	<b>MED. DARK GRAY</b>		
1508	SILVER	228.4	456.8	1554	TINTING WHITE	151.9	303.8
1302	LOW LUSTER CLEAR	370.3	740.6	1300	HIGH GLOSS CLEAR	290.6	581.2
1552	FAST RED	386.7	773.3	1501	LANDAU BLACK	375.3	750.5
1551	FAST YELLOW	396.4	792.9	1559	YELLOW OXIDE	400.8	801.6
1554	TINTING WHITE	403.0	806.0	1550	RED OXIDE	416.0	832.0
<b>5264</b>	<b>DARK GRAY MET.</b>			<b>5271</b>	<b>GLAZE GRAY</b>		
1508	SILVER	261.8	523.6	1554	TINTING WHITE	145.1	290.1
1501	LANDAU BLACK	375.6	751.3	1300	HIGH GLOSS CLEAR	283.6	567.2
1553	FAST BLUE	402.0	804.1	1501	LANDAU BLACK	380.6	761.1
1551	FAST YELLOW	407.2	814.3	1559	YELLOW OXIDE	400.8	801.6
				1550	RED OXIDE	415.4	830.9
<b>MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5265</b>	<b>MED. GRAY</b>			<b>5272</b>	<b>DARK GRAY</b>		
1554	TINTING WHITE	296.1	592.2	1554	TINTING WHITE	171.9	343.7
1501	LANDAU BLACK	374.6	749.2	1501	LANDAU BLACK	294.6	589.2
1559	YELLOW OXIDE	416.2	832.4	1559	YELLOW OXIDE	380.6	761.1
1550	RED OXIDE	428.1	856.1	1550	RED OXIDE	420.3	840.6
<b>MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5266</b>	<b>GRAY PRINT</b>			<b>5273</b>	<b>BRIGHT SILVER</b>		
1554	TINTING WHITE	191.6	383.2	1508	SILVER	372.1	744.2
1302	LOW LUSTER CLEAR	288.5	577.0	1501	LANDAU BLACK	405.2	810.4
1501	LANDAU BLACK	352.2	704.3	1553	FAST BLUE	407.2	814.3
1559	YELLOW OXIDE	406.8	813.6	1551	FAST YELLOW	408.4	816.8
1550	RED OXIDE	419.7	839.4				
<b>5267</b>	<b>COOL GRAY</b>			<b>5274</b>	<b>SILVERADO</b>		
1554	TINTING WHITE	226.5	453.0	1508	SILVER	377.9	755.8
1501	LANDAU BLACK	322.6	645.2	1552	FAST RED	397.1	794.2
1559	YELLOW OXIDE	408.6	817.2	1501	LANDAU BLACK	406.9	813.8
1550	RED OXIDE	423.8	847.6	1551	FAST YELLOW	408.5	817.0

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 128

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

---

**5275      DIAMOND GRAY M**

1508	SILVER	380.4	760.8
1552	FAST RED	398.3	796.7
1551	FAST YELLOW	405.3	810.5
1501	LANDAU BLACK	408.5	817.0

---

**5282      SILVER BAY**

1508	SILVER	233.6	467.2
1501	LANDAU BLACK	346.4	692.7
1552	FAST RED	395.6	791.2
1551	FAST YELLOW	407.0	814.0

---

**MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR**

---

**5276      DARK SILVER**

1508	SILVER	220.6	441.2
1501	LANDAU BLACK	361.4	722.8
1552	FAST RED	402.0	804.1
1553	FAST BLUE	406.9	813.8

---

**5283      SILVER QUEEN**

1508	SILVER	280.5	561.1
1501	LANDAU BLACK	376.2	752.4
1551	FAST YELLOW	394.5	789.1
1552	FAST RED	407.6	815.1

---

**MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR**

---

**5277      SANDSTONE SILVE**

1508	SILVER	231.0	462.1
1501	LANDAU BLACK	375.3	750.7
1552	FAST RED	404.3	808.6
1551	FAST YELLOW	407.2	814.3

---

**5284      ROCK GRAY**

1554	TINTING WHITE	182.7	365.4
1302	LOW LUSTER CLEAR	266.7	533.3
1559	YELLOW OXIDE	341.5	683.1
1501	LANDAU BLACK	391.6	783.2
1550	RED OXIDE	419.8	839.6

---

**5278      MED SILVER STON**

1508	SILVER	224.5	449.0
1552	FAST RED	313.6	627.2
1501	LANDAU BLACK	386.0	772.0
1553	FAST BLUE	406.7	813.4

---

**5285      MED. GRAPHITE**

1554	TINTING WHITE	134.6	269.2
1302	LOW LUSTER CLEAR	242.9	485.8
1501	LANDAU BLACK	311.0	622.1
1559	YELLOW OXIDE	376.0	752.0
1550	RED OXIDE	416.2	832.4

---

**5279      SILVER STONE**

1508	SILVER	263.8	527.6
1552	FAST RED	336.7	673.4
1501	LANDAU BLACK	390.8	781.7
1553	FAST BLUE	407.1	814.2

---

**5286      CHIMNEY GRAY**

1554	TINTING WHITE	182.3	364.6
1559	YELLOW OXIDE	288.0	576.1
1501	LANDAU BLACK	381.1	762.3
1550	RED OXIDE	421.6	843.2

---

**5280      SILVER CREEK**

1508	SILVER	221.0	441.9
1501	LANDAU BLACK	366.2	732.5
1553	FAST BLUE	393.5	787.0
1551	FAST YELLOW	406.9	813.8

---

**5287      LUX GRAY**

1302	LOW LUSTER CLEAR	137.8	275.7
1554	TINTING WHITE	242.6	485.3
1559	YELLOW OXIDE	312.1	624.2
1501	LANDAU BLACK	379.1	758.1
1550	RED OXIDE	413.5	827.1

---

**5281      SILVER CITY**

1508	SILVER	238.5	477.1
1501	LANDAU BLACK	364.9	729.8
1552	FAST RED	404.7	809.4
1551	FAST YELLOW	407.2	814.3

---

**5288      MED. QUARTZ**

1554	TINTING WHITE	162.1	324.1
1501	LANDAU BLACK	268.8	537.5
1559	YELLOW OXIDE	358.1	716.1
1550	RED OXIDE	420.1	840.2



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 129

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5289</b>	<b>DARK GRAPHITE</b>						
1302	LOW LUSTER CLEAR	135.6	271.1	1302	LOW LUSTER CLEAR	106.8	213.6
1501	LANDAU BLACK	231.6	463.2	1559	YELLOW OXIDE	210.1	420.3
1554	TINTING WHITE	308.5	616.9	1501	LANDAU BLACK	295.5	591.1
1559	YELLOW OXIDE	379.6	759.2	1554	TINTING WHITE	355.3	710.6
1550	RED OXIDE	411.5	823.1	1550	RED OXIDE	411.7	823.5
<b>5290</b>	<b>DARK BLACK GRA</b>						
1501	LANDAU BLACK	126.4	252.7	1501	LANDAU BLACK	243.1	486.2
1559	YELLOW OXIDE	220.4	440.8	1302	LOW LUSTER CLEAR	329.9	659.9
1302	LOW LUSTER CLEAR	308.6	617.1	1559	YELLOW OXIDE	385.5	771.0
1554	TINTING WHITE	367.4	734.7	1550	RED OXIDE	396.0	791.9
1550	RED OXIDE	411.4	822.9	1554	TINTING WHITE	406.4	812.8
<b>5291</b>	<b>CHEROKEE GRAY</b>						
1501	LANDAU BLACK	140.8	281.6	1501	LANDAU BLACK	215.1	430.2
1559	YELLOW OXIDE	236.3	472.5	1302	LOW LUSTER CLEAR	304.7	609.3
1302	LOW LUSTER CLEAR	304.5	609.0	1554	TINTING WHITE	352.5	704.9
1554	TINTING WHITE	364.1	728.3	1559	YELLOW OXIDE	394.3	788.5
1550	RED OXIDE	411.8	823.7	1550	RED OXIDE	408.9	817.8
<b>5292</b>	<b>BLACK</b>						
1501	LANDAU BLACK	310.0	620.0	1501	LANDAU BLACK	207.3	414.6
1302	LOW LUSTER CLEAR	388.9	777.9	1559	YELLOW OXIDE	329.0	658.0
1550	RED OXIDE	397.8	795.5	1550	RED OXIDE	372.6	745.2
1554	TINTING WHITE	405.0	810.0	1554	TINTING WHITE	411.3	822.5
<b>5293</b>	<b>MED. SAGE</b>						
1501	LANDAU BLACK	202.6	405.3	1553	FAST BLUE	258.4	516.8
1559	YELLOW OXIDE	383.2	766.5	1508	SILVER	329.9	659.9
1556	FAST GREEN	403.7	807.3	1556	FAST GREEN	385.6	771.2
1554	TINTING WHITE	409.0	818.0	1501	LANDAU BLACK	403.8	807.7
<b>5294</b>	<b>SMOKEY MOUNTAI</b>						
1501	LANDAU BLACK	260.7	521.4	1553	FAST BLUE	216.8	433.6
1554	TINTING WHITE	404.3	808.6	1501	LANDAU BLACK	316.4	632.9
1551	FAST YELLOW	412.0	824.0	1508	SILVER	402.5	805.0
1552	FAST RED	414.0	828.0	1556	FAST GREEN	404.4	808.8
1553	FAST BLUE	415.6	831.3				
<b>5295</b>	<b>MED. DARK CHARC</b>						
1501	LANDAU BLACK	199.8	399.6	1552	FAST RED	169.5	339.0
1554	TINTING WHITE	316.1	632.1	1553	FAST BLUE	329.7	659.5
1559	YELLOW OXIDE	408.3	816.6	1508	SILVER	369.0	738.0
1553	FAST BLUE	415.3	830.7	1501	LANDAU BLACK	403.8	807.7
<b>5296</b>	<b>BROWN SPICE</b>						
1302	LOW LUSTER CLEAR	106.8	213.6	1552	FAST RED	169.5	339.0
1559	YELLOW OXIDE	210.1	420.3	1553	FAST BLUE	329.7	659.5
1501	LANDAU BLACK	295.5	591.1	1508	SILVER	369.0	738.0
1554	TINTING WHITE	355.3	710.6	1501	LANDAU BLACK	403.8	807.7
1550	RED OXIDE	411.7	823.5				
<b>5297</b>	<b>BLACK COFFEE</b>						
1501	LANDAU BLACK	243.1	486.2	1552	FAST RED	169.5	339.0
1302	LOW LUSTER CLEAR	329.9	659.9	1553	FAST BLUE	329.7	659.5
1559	YELLOW OXIDE	385.5	771.0	1508	SILVER	369.0	738.0
1550	RED OXIDE	396.0	791.9	1501	LANDAU BLACK	403.8	807.7
1554	TINTING WHITE	406.4	812.8				
<b>5298</b>	<b>CHARCOAL BLACK</b>						
1501	LANDAU BLACK	215.1	430.2	1552	FAST RED	169.5	339.0
1302	LOW LUSTER CLEAR	304.7	609.3	1553	FAST BLUE	329.7	659.5
1554	TINTING WHITE	352.5	704.9	1508	SILVER	369.0	738.0
1559	YELLOW OXIDE	394.3	788.5	1501	LANDAU BLACK	403.8	807.7
1550	RED OXIDE	408.9	817.8				
<b>5299</b>	<b>DARK TITANIUM</b>						
1501	LANDAU BLACK	207.3	414.6	1552	FAST RED	169.5	339.0
1559	YELLOW OXIDE	329.0	658.0	1553	FAST BLUE	329.7	659.5
1550	RED OXIDE	372.6	745.2	1508	SILVER	369.0	738.0
1554	TINTING WHITE	411.3	822.5	1501	LANDAU BLACK	403.8	807.7
<b>5300</b>	<b>BRIGHT BLUE MET.</b>						
1553	FAST BLUE	258.4	516.8	1552	FAST RED	169.5	339.0
1508	SILVER	329.9	659.9	1553	FAST BLUE	329.7	659.5
1556	FAST GREEN	385.6	771.2	1508	SILVER	369.0	738.0
1501	LANDAU BLACK	403.8	807.7	1501	LANDAU BLACK	403.8	807.7
<b>5301</b>	<b>BLUEBIRD MET.</b>						
1553	FAST BLUE	216.8	433.6	1552	FAST RED	169.5	339.0
1501	LANDAU BLACK	316.4	632.9	1553	FAST BLUE	329.7	659.5
1508	SILVER	402.5	805.0	1508	SILVER	369.0	738.0
1556	FAST GREEN	404.4	808.8	1501	LANDAU BLACK	403.8	807.7
<b>5302</b>	<b>MED ADRIATIC ME</b>						
1552	FAST RED	169.5	339.0	1552	FAST RED	169.5	339.0
1553	FAST BLUE	329.7	659.5	1553	FAST BLUE	329.7	659.5
1508	SILVER	369.0	738.0	1508	SILVER	369.0	738.0
1501	LANDAU BLACK	403.8	807.7	1501	LANDAU BLACK	403.8	807.7

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 130

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

---

<b>5303</b>	<b>BLUE MOUNTAIN M</b>		
1508	SILVER	180.2	360.4
1552	FAST RED	297.6	595.3
1553	FAST BLUE	405.7	811.5

---

<b>5310</b>	<b>DARK TEAL</b>		
1508	SILVER	202.9	405.8
1553	FAST BLUE	293.6	587.3
1501	LANDAU BLACK	377.1	754.1
1556	FAST GREEN	406.3	812.6

**MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR**

---

<b>5304</b>	<b>BLUE CHIP MET.</b>		
1508	SILVER	134.6	269.2
1553	FAST BLUE	251.5	502.9
1552	FAST RED	358.2	716.3
1554	TINTING WHITE	409.0	818.0

---

<b>5311</b>	<b>BLUE PRINT MET.</b>		
1553	FAST BLUE	232.5	464.9
1508	SILVER	333.2	666.3
1556	FAST GREEN	376.9	753.7
1552	FAST RED	404.3	808.6

**MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR**

---

<b>5305</b>	<b>NILE BLUE MET.</b>		
1508	SILVER	159.7	319.4
1552	FAST RED	266.0	532.0
1553	FAST BLUE	343.9	687.8
1554	TINTING WHITE	410.7	821.4

---

<b>5312</b>	<b>BLUE RIBBON</b>		
1553	FAST BLUE	215.4	430.7
1508	SILVER	342.7	685.3
1556	FAST GREEN	389.5	779.0
1554	TINTING WHITE	399.4	798.8
1552	FAST RED	405.4	810.7

**MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR**

---

<b>5306</b>	<b>CRYSTAL BLUE ME</b>		
1508	SILVER	231.0	462.1
1553	FAST BLUE	356.4	712.9
1552	FAST RED	389.6	779.2
1501	LANDAU BLACK	406.2	812.4

---

<b>5313</b>	<b>BLUE DOGWOOD M</b>		
1553	FAST BLUE	222.2	444.4
1508	SILVER	330.0	660.1
1556	FAST GREEN	371.7	743.5
1554	TINTING WHITE	391.0	782.0
1552	FAST RED	405.7	811.5

**MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR**

---

<b>5307</b>	<b>LIGHT BLUE MET.</b>		
1508	SILVER	311.5	623.0
1553	FAST BLUE	395.4	790.8
1552	FAST RED	405.0	810.0
1501	LANDAU BLACK	407.4	814.7

---

<b>5314</b>	<b>BLUE CHEESE MET</b>		
1508	SILVER	188.6	377.2
1553	FAST BLUE	336.1	672.2
1501	LANDAU BLACK	389.4	778.8
1552	FAST RED	405.8	811.7

---

<b>5308</b>	<b>SABLE BLUE MET.</b>		
1508	SILVER	222.0	444.0
1553	FAST BLUE	308.8	617.5
1501	LANDAU BLACK	368.1	736.3
1552	FAST RED	406.5	813.0

---

<b>5315</b>	<b>BLUE BONNET MET</b>		
1553	FAST BLUE	216.1	432.3
1508	SILVER	338.1	676.2
1556	FAST GREEN	390.3	780.5
1501	LANDAU BLACK	404.6	809.2

**MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR**

---

<b>5309</b>	<b>MED CRYSTAL BLU</b>		
1508	SILVER	235.7	471.4
1553	FAST BLUE	345.4	690.8
1552	FAST RED	388.1	776.2
1501	LANDAU BLACK	406.4	812.8

---

<b>5316</b>	<b>DARK BLUE MET.</b>		
1553	FAST BLUE	271.5	543.0
1501	LANDAU BLACK	337.8	675.6
1556	FAST GREEN	373.4	746.7
1508	SILVER	403.5	806.9

**MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 131

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

---

## 5317      DARK BLUEBIRD M

1553	FAST BLUE	181.3	362.5
1501	LANDAU BLACK	333.0	666.0
1508	SILVER	404.6	809.2
		0.0	0.0

---

## 5324      PEACH

1554	TINTING WHITE	234.8	469.7
1551	FAST YELLOW	377.0	753.9
1552	FAST RED	421.5	843.0
1553	FAST BLUE	421.9	843.8

### MUST TOP WITH 1301 SATIN GLOSS CLEAR

---

## 5318      DARK ADRIATIC M

1552	FAST RED	182.6	365.2
1553	FAST BLUE	316.4	632.9
1508	SILVER	361.8	723.5
1501	LANDAU BLACK	404.0	808.1

---

## 5325      PEACH BLOSSOM

1554	TINTING WHITE	231.4	462.8
1559	YELLOW OXIDE	379.3	758.7
1552	FAST RED	424.9	849.9

### MUST TOP COAT WITH 1301 SATIN GLOSS CLEAR

---

## 5319      THOMAS BLUE

1501	LANDAU BLACK	144.1	288.2
1554	TINTING WHITE	272.0	544.0
1553	FAST BLUE	391.3	782.6
1550	RED OXIDE	414.3	828.6

---

## 5326      YOLK YELLOW

1551	FAST YELLOW	298.7	597.4
1554	TINTING WHITE	362.8	725.6
1559	YELLOW OXIDE	402.6	805.2
1552	FAST RED	409.7	819.5

---

## 5320      MED. LIGHT BLUE

1554	TINTING WHITE	157.0	314.1
1553	FAST BLUE	297.4	594.9
1501	LANDAU BLACK	374.2	748.4
1550	RED OXIDE	416.7	833.3

---

## 5327      PUMPKIN YELLOW

1554	TINTING WHITE	276.5	552.9
1551	FAST YELLOW	410.5	821.0
1552	FAST RED	425.1	850.3

---

## 5321      BLUE MIST

1553	FAST BLUE	156.1	312.2
1554	TINTING WHITE	248.1	496.3
1501	LANDAU BLACK	318.1	636.1
1302	LOW LUSTER CLEAR	373.3	746.5
1552	FAST RED	410.1	820.2

---

## 5328      SUN FLOWER YELL

1551	FAST YELLOW	213.6	427.1
1554	TINTING WHITE	314.3	628.5
1559	YELLOW OXIDE	413.0	825.9
1552	FAST RED	413.7	827.5

---

## 5322      ROYAL BLUE

1553	FAST BLUE	151.3	302.7
1501	LANDAU BLACK	279.5	559.0
1554	TINTING WHITE	395.6	791.2
1559	YELLOW OXIDE	413.0	825.9

---

## 5329      SUN YELLOW

1554	TINTING WHITE	273.4	546.8
1551	FAST YELLOW	418.0	836.0
1550	RED OXIDE	422.9	845.9
1556	FAST GREEN	425.0	850.1

---

## 5323      BLUEBERRY

1553	FAST BLUE	150.6	301.2
1554	TINTING WHITE	244.7	489.4
1501	LANDAU BLACK	320.1	640.1
1302	LOW LUSTER CLEAR	376.5	753.0
1552	FAST RED	410.4	820.8

---

## 5330      YELLOW JACK

1551	FAST YELLOW	183.3	366.5
1554	TINTING WHITE	303.9	607.8
1559	YELLOW OXIDE	414.5	829.0
1556	FAST GREEN	415.6	831.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 132

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5331</b>	<b>PERCH YELLOW</b>			<b>5338</b>	<b>AQUARIUM</b>		
1551	FAST YELLOW	306.9	613.7	1554	TINTING WHITE	246.3	492.7
1559	YELLOW OXIDE	362.1	724.3	1556	FAST GREEN	367.7	735.5
1554	TINTING WHITE	408.6	817.2	1553	FAST BLUE	420.6	841.1
1556	FAST GREEN	408.7	817.4	1551	FAST YELLOW	422.7	845.3
<b>5332</b>	<b>GREENWOOD</b>			<b>5339</b>	<b>LIGHT GREEN</b>		
1556	FAST GREEN	290.3	580.6	1554	TINTING WHITE	410.3	820.6
1554	TINTING WHITE	406.5	813.0	1556	FAST GREEN	428.7	857.5
1553	FAST BLUE	409.9	819.9	1551	FAST YELLOW	434.1	868.1
1559	YELLOW OXIDE	412.9	825.7	1501	LANDAU BLACK	435.3	870.6
<b>5333</b>	<b>OPAL GREEN</b>			<b>5340</b>	<b>REGAL BLUE</b>		
1556	FAST GREEN	361.0	722.0	1554	TINTING WHITE	365.7	731.3
1554	TINTING WHITE	392.9	785.8	1553	FAST BLUE	414.0	828.0
1553	FAST BLUE	403.1	806.2	1556	FAST GREEN	429.1	858.2
1501	LANDAU BLACK	406.3	812.6	1501	LANDAU BLACK	431.7	863.4
<b>5334</b>	<b>GREENSBORO</b>			<b>5341</b>	<b>MED. BLUE MIST</b>		
1556	FAST GREEN	280.3	560.5	1554	TINTING WHITE	336.3	672.6
1554	TINTING WHITE	392.1	784.1	1553	FAST BLUE	416.2	832.4
1553	FAST BLUE	412.4	824.8	1550	RED OXIDE	428.2	856.3
				1559	YELLOW OXIDE	429.6	859.2
<b>5335</b>	<b>DARK BIMINI</b>			<b>5342</b>	<b>MED. EMERALD GR</b>		
1553	FAST BLUE	183.6	367.3	1556	FAST GREEN	282.7	565.4
1556	FAST GREEN	339.2	678.5	1551	FAST YELLOW	361.0	722.0
1554	TINTING WHITE	406.6	813.2	1554	TINTING WHITE	407.6	815.1
1501	LANDAU BLACK	408.5	817.0				
<b>5336</b>	<b>LIGHT BIMINI</b>			<b>5343</b>	<b>LIGHT EMERALD</b>		
1302	LOW LUSTER CLEAR	137.0	274.0	1556	FAST GREEN	276.9	553.9
1556	FAST GREEN	248.4	496.9	1551	FAST YELLOW	345.8	691.6
1553	FAST BLUE	358.5	717.1	1554	TINTING WHITE	408.9	817.8
1554	TINTING WHITE	406.3	812.6				
<b>5337</b>	<b>AQUANAUT</b>			<b>5344</b>	<b>DARK HUNTER GRE</b>		
1554	TINTING WHITE	211.4	422.8	1551	FAST YELLOW	239.7	479.4
1556	FAST GREEN	344.9	689.7	1556	FAST GREEN	311.5	623.0
1553	FAST BLUE	409.8	819.7	1554	TINTING WHITE	364.8	729.6
1559	YELLOW OXIDE	420.1	840.2	1553	FAST BLUE	407.9	815.9

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 133**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5345</b>	<b>LIGHT MOSS GREE</b>			<b>5352</b>	<b>TRUE BLUE</b>		
1551	FAST YELLOW	165.5	331.0	1302	LOW LUSTER CLEAR	198.9	397.9
1554	TINTING WHITE	300.9	601.7	1553	FAST BLUE	364.7	729.4
1556	FAST GREEN	407.1	814.2	1554	TINTING WHITE	397.9	795.7
1501	LANDAU BLACK	414.4	828.8	1501	LANDAU BLACK	401.9	803.7
				1552	FAST RED	404.5	809.0
<b>5346</b>	<b>OCEAN GREEN</b>			<b>5353</b>	<b>DARK TRUE BLUE</b>		
1559	YELLOW OXIDE	175.8	351.5	1302	LOW LUSTER CLEAR	147.9	295.8
1556	FAST GREEN	328.8	657.6	1553	FAST BLUE	265.1	530.3
1554	TINTING WHITE	403.3	806.6	1552	FAST RED	357.6	715.2
1501	LANDAU BLACK	413.6	827.3	1554	TINTING WHITE	406.2	812.4
<b>5347</b>	<b>ORANGEBURG</b>			<b>5354</b>	<b>MED. TRUE BLUE</b>		
1551	FAST YELLOW	313.5	627.0	1553	FAST BLUE	338.6	677.2
1554	TINTING WHITE	360.5	721.1	1554	TINTING WHITE	393.2	786.4
1552	FAST RED	407.6	815.1	1556	FAST GREEN	402.9	805.8
				1559	YELLOW OXIDE	407.0	814.0
<b>5348</b>	<b>ORANGE BLOSSOM</b>			<b>5355</b>	<b>DARK RUBY</b>		
1551	FAST YELLOW	246.9	493.8	1552	FAST RED	383.4	766.8
1552	FAST RED	351.4	702.8	1501	LANDAU BLACK	391.6	783.2
1554	TINTING WHITE	408.4	816.8	1554	TINTING WHITE	398.1	796.1
				1553	FAST BLUE	404.5	809.0
<b>5349</b>	<b>BRIGHT ORANGE</b>			<b>5356</b>	<b>LIGHT TRUE BLUE</b>		
1552	FAST RED	193.1	386.3	1552	FAST RED	130.5	261.1
1551	FAST YELLOW	340.3	680.6	1553	FAST BLUE	241.5	483.0
1554	TINTING WHITE	409.3	818.5	1302	LOW LUSTER CLEAR	349.8	699.6
				1554	TINTING WHITE	407.2	814.3
<b>5350</b>	<b>BLUE BEARD MET.</b>			<b>5357</b>	<b>VERY DARK BLUE</b>		
1553	FAST BLUE	138.2	276.5	1501	LANDAU BLACK	272.6	545.1
1508	SILVER	270.0	540.0	1554	TINTING WHITE	415.7	831.4
1552	FAST RED	388.9	777.9			0.0	0.0
1557	MAGENTA	405.0	810.0				
<b>5351</b>	<b>BLUE JAY MET.</b>			<b>5358</b>	<b>REDDISH GOLD ME</b>		
1557	MAGENTA	150.7	301.3	1551	FAST YELLOW	155.2	310.5
1508	SILVER	297.6	595.3	1508	SILVER	278.9	557.8
1553	FAST BLUE	405.3	810.5	1552	FAST RED	400.1	800.3
				1501	LANDAU BLACK	405.5	810.9

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 134

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5359</b>	<b>WINTER GREEN</b>			<b>5366</b>	<b>DK. TAUPE</b>	<b>Chrysler Motors</b>	<b>L8</b>
1559	YELLOW OXIDE	177.3	354.5	1559	YELLOW OXIDE	124.4	248.7
1556	FAST GREEN	313.7	627.4	1302	LOW LUSTER CLEAR	233.1	466.3
1554	TINTING WHITE	367.7	735.3	1501	LANDAU BLACK	312.4	624.7
1501	LANDAU BLACK	412.2	824.4	1554	TINTING WHITE	367.7	735.3
				1550	RED OXIDE	411.4	822.9
<b>5360</b>	<b>TONNEAU GREEN</b>			<b>5367</b>	<b>LT.CAMEL</b>	<b>Chrysler Motors</b>	<b>K4</b>
1551	FAST YELLOW	136.7	273.4	1554	TINTING WHITE	223.4	446.9
1554	TINTING WHITE	250.6	501.2	1559	YELLOW OXIDE	328.1	656.3
1302	LOW LUSTER CLEAR	338.2	676.4	1302	LOW LUSTER CLEAR	398.0	795.9
1501	LANDAU BLACK	381.3	762.7	1550	RED OXIDE	413.5	827.1
1552	FAST RED	412.2	824.4	1501	LANDAU BLACK	423.3	846.6
<b>5361</b>	<b>GREEN PASTURE</b>			<b>5368</b>	<b>TUXEDO BLUE</b>	<b>General Motors</b>	<b>WA400G</b>
1559	YELLOW OXIDE	289.4	578.7	1501	LANDAU BLACK	208.3	416.7
1554	TINTING WHITE	397.7	795.3	1554	TINTING WHITE	285.8	571.5
1556	FAST GREEN	408.4	816.8	1302	LOW LUSTER CLEAR	354.8	709.7
1501	LANDAU BLACK	418.8	837.5	1553	FAST BLUE	384.6	769.1
				1559	YELLOW OXIDE	410.5	821.0
<b>5362</b>	<b>MEADOW GREEN</b>			<b>5369</b>	<b>MED DARK SABLE</b>	<b>General Motors</b>	<b>64</b>
1551	FAST YELLOW	185.3	370.7	1559	YELLOW OXIDE	150.6	301.2
1554	TINTING WHITE	354.5	709.1	1501	LANDAU BLACK	231.2	462.5
1501	LANDAU BLACK	408.5	817.0	1302	LOW LUSTER CLEAR	300.5	601.0
1556	FAST GREEN	417.0	833.9	1550	RED OXIDE	359.7	719.3
				1554	TINTING WHITE	412.6	825.2
<b>5363</b>	<b>LIGHT AQUA</b>			<b>5370</b>	<b>MD MOSS</b>	<b>General Motors</b>	<b>43</b>
1554	TINTING WHITE	350.8	701.7	1559	YELLOW OXIDE	204.3	408.7
1553	FAST BLUE	387.5	775.0	1554	TINTING WHITE	290.6	581.2
1556	FAST GREEN	411.3	822.5	1501	LANDAU BLACK	354.3	708.5
1559	YELLOW OXIDE	431.1	862.2	1302	LOW LUSTER CLEAR	407.9	815.9
				1550	RED OXIDE	415.1	830.1
<b>5364</b>	<b>Light Parchment</b>			<b>5371</b>	<b>LT MINK</b>	<b>Ford Motor</b>	<b>BHA</b>
1554	TINTING WHITE	291.8	583.6	1554	TINTING WHITE	164.7	329.5
1302	LOW LUSTER CLEAR	405.1	810.2	1559	YELLOW OXIDE	273.5	547.0
1559	YELLOW OXIDE	430.7	861.3	1302	LOW LUSTER CLEAR	353.5	707.0
1501	LANDAU BLACK	436.6	873.1	1501	LANDAU BLACK	388.1	776.2
				1550	RED OXIDE	419.4	838.9
<b>5365</b>	<b>MED. DK PARCHME</b>	<b>Ford Motor</b>		<b>5372</b>	<b>MED. PORTLAND</b>	<b>Ford Motor</b>	<b>UGC</b>
1559	YELLOW OXIDE	144.7	289.4	1554	TINTING WHITE	151.1	302.3
1302	LOW LUSTER CLEAR	241.1	482.2	1501	LANDAU BLACK	287.1	574.2
1501	LANDAU BLACK	302.9	605.7	1302	LOW LUSTER CLEAR	363.5	726.9
1550	RED OXIDE	359.8	719.5	1551	FAST YELLOW	403.8	807.5
1554	TINTING WHITE	412.2	824.4	1550	RED OXIDE	415.6	831.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 135

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5373</b>	<b>LT CACTUS</b>	<b>Ford Motor</b>	<b>UFA</b>	<b>5380</b>	<b>VY LT OAK</b>	<b>General Motors</b>	<b>640H</b>
1554	TINTING WHITE	151.3	302.7	1554	TINTING WHITE	182.8	365.6
1559	YELLOW OXIDE	259.0	517.9	1559	YELLOW OXIDE	319.9	639.7
1302	LOW LUSTER CLEAR	344.4	688.8	1302	LOW LUSTER CLEAR	398.6	797.2
1501	LANDAU BLACK	412.0	824.0	1552	FAST RED	412.2	824.4
1556	FAST GREEN	417.5	835.1	1501	LANDAU BLACK	420.4	840.8
<b>5374</b>	<b>SCHOOL BUS GRAY</b>			<b>5381</b>	<b>MD OAK</b>	<b>General Motors</b>	<b>641H</b>
1554	TINTING WHITE	230.7	461.3	1559	YELLOW OXIDE	182.8	365.6
1501	LANDAU BLACK	346.8	693.7	1554	TINTING WHITE	281.5	563.0
1559	YELLOW OXIDE	416.9	833.7	1302	LOW LUSTER CLEAR	372.9	745.8
1550	RED OXIDE	423.6	847.2	1552	FAST RED	401.0	802.0
				1501	LANDAU BLACK	414.9	829.7
<b>5375</b>	<b>DP ROYAL BLUE</b>	<b>Chrysler Motors</b>	<b>BP</b>	<b>5382</b>	<b>VY DK PEWTER</b>	<b>General Motors</b>	<b>WA642H</b>
1501	LANDAU BLACK	185.9	371.8	1559	YELLOW OXIDE	130.4	260.9
1553	FAST BLUE	316.5	633.1	1501	LANDAU BLACK	242.5	485.1
1302	LOW LUSTER CLEAR	372.5	745.0	1302	LOW LUSTER CLEAR	324.0	648.1
1550	RED OXIDE	389.0	778.1	1554	TINTING WHITE	369.6	739.3
1554	TINTING WHITE	405.2	810.4	1552	FAST RED	410.1	820.2
<b>5376</b>	<b>NAVY BLUE</b>	<b>Chrysler Motors</b>	<b>QL</b>	<b>5383</b>	<b>BROWN</b>	<b>Toyota</b>	
1501	LANDAU BLACK	150.5	301.0	1559	YELLOW OXIDE	139.5	278.9
1553	FAST BLUE	277.2	554.4	1554	TINTING WHITE	251.8	503.5
1302	LOW LUSTER CLEAR	369.6	739.3	1302	LOW LUSTER CLEAR	337.8	675.6
1554	TINTING WHITE	402.1	804.3	1501	LANDAU BLACK	384.3	768.6
1551	FAST YELLOW	405.8	811.7	1550	RED OXIDE	415.9	831.8
<b>5377</b>	<b>CREAM</b>	<b>Chrysler Motors</b>	<b>T1</b>	<b>5384</b>	<b>LT GRAY</b>	<b>Chrysler Motors</b>	<b>AC20650</b>
1554	TINTING WHITE	275.6	551.2	1554	TINTING WHITE	186.9	373.7
1302	LOW LUSTER CLEAR	354.8	709.7	1302	LOW LUSTER CLEAR	270.8	541.5
1559	YELLOW OXIDE	415.6	831.3	1501	LANDAU BLACK	337.8	675.6
1550	RED OXIDE	421.6	843.2	1559	YELLOW OXIDE	408.3	816.6
1501	LANDAU BLACK	426.1	852.2	1550	RED OXIDE	419.7	839.4
<b>5378</b>	<b>MD SLATE</b>	<b>Chrysler Motors</b>	<b>XDH</b>	<b>5385</b>	<b>BEIGE</b>	<b>Chrysler Motors</b>	<b>AC20656</b>
1501	LANDAU BLACK	143.3	286.5	1554	TINTING WHITE	170.1	340.3
1554	TINTING WHITE	241.8	483.6	1559	YELLOW OXIDE	289.6	579.1
1559	YELLOW OXIDE	323.1	646.2	1302	LOW LUSTER CLEAR	372.0	744.0
1302	LOW LUSTER CLEAR	401.3	802.6	1550	RED OXIDE	399.4	798.8
1550	RED OXIDE	413.4	826.9	1501	LANDAU BLACK	419.8	839.6
<b>5379</b>	<b>DK SLATE GRAY</b>	<b>Chrysler Motors</b>	<b>DV</b>	<b>5386</b>	<b>BLACK</b>	<b>Chrysler Motors</b>	<b>AC20157</b>
1501	LANDAU BLACK	218.0	436.1	1501	LANDAU BLACK	243.9	487.7
1559	YELLOW OXIDE	300.4	600.8	1302	LOW LUSTER CLEAR	365.8	731.5
1302	LOW LUSTER CLEAR	359.7	719.3	1551	FAST YELLOW	380.0	760.0
1554	TINTING WHITE	386.3	772.5	1554	TINTING WHITE	392.6	785.3
1550	RED OXIDE	408.6	817.2	1552	FAST RED	404.8	809.6

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 136

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5387</b>	<b>EBONY BLACK</b>	<b>Honda</b>	<b>A,D,J,Y,Z</b>	<b>5394</b>	<b>CAMEL</b>	<b>Honda</b>	<b>Y</b>
1501	LANDAU BLACK	260.6	521.2	1559	YELLOW OXIDE	186.5	373.0
1302	LOW LUSTER CLEAR	362.0	723.9	1554	TINTING WHITE	300.8	601.5
1554	TINTING WHITE	384.6	769.1	1302	LOW LUSTER CLEAR	383.6	767.2
1553	FAST BLUE	395.6	791.2	1550	RED OXIDE	410.4	820.8
1551	FAST YELLOW	405.7	811.5	1501	LANDAU BLACK	417.1	834.1
<b>5388</b>	<b>DK LAPIS</b>	<b>Honda</b>	<b>C</b>	<b>5395</b>	<b>BEIGE</b>	<b>Honda</b>	<b>181</b>
1501	LANDAU BLACK	234.3	468.5	1559	YELLOW OXIDE	147.6	295.3
1302	LOW LUSTER CLEAR	320.0	639.9	1302	LOW LUSTER CLEAR	226.4	452.8
1554	TINTING WHITE	382.8	765.5	1550	RED OXIDE	291.3	582.5
1553	FAST BLUE	402.4	804.8	1554	TINTING WHITE	355.8	711.6
1551	FAST YELLOW	408.7	817.4	1501	LANDAU BLACK	413.4	826.9
<b>5389</b>	<b>LAPIS</b>	<b>Honda</b>	<b>C</b>	<b>5396</b>	<b>GRAY</b>	<b>Honda</b>	<b>A</b>
1554	TINTING WHITE	155.4	310.8	1554	TINTING WHITE	146.1	292.2
1501	LANDAU BLACK	296.1	592.2	1501	LANDAU BLACK	239.3	478.6
1302	LOW LUSTER CLEAR	373.3	746.5	1302	LOW LUSTER CLEAR	318.0	635.9
1559	YELLOW OXIDE	400.0	800.1	1559	YELLOW OXIDE	392.0	783.9
1550	RED OXIDE	416.7	833.3	1550	RED OXIDE	417.1	834.3
<b>5390</b>	<b>DK IVORY</b>	<b>Honda</b>	<b>F/Q</b>	<b>5397</b>	<b>DK QUARTZ</b>	<b>Honda</b>	<b>B-Y</b>
1559	YELLOW OXIDE	142.7	285.4	1501	LANDAU BLACK	132.1	264.3
1302	LOW LUSTER CLEAR	242.6	485.3	1302	LOW LUSTER CLEAR	222.3	444.6
1554	TINTING WHITE	306.0	612.0	1554	TINTING WHITE	297.4	594.9
1501	LANDAU BLACK	362.5	725.0	1559	YELLOW OXIDE	363.6	727.1
1550	RED OXIDE	412.8	825.6	1550	RED OXIDE	412.2	824.4
<b>5391</b>	<b>IVORY</b>	<b>Honda</b>	<b>F/G</b>	<b>5398</b>	<b>QUARTZ</b>	<b>Honda</b>	<b>B</b>
1554	TINTING WHITE	145.7	291.5	1554	TINTING WHITE	153.3	306.7
1559	YELLOW OXIDE	269.8	539.6	1559	YELLOW OXIDE	238.9	477.9
1302	LOW LUSTER CLEAR	365.3	730.6	1302	LOW LUSTER CLEAR	318.8	637.6
1550	RED OXIDE	395.8	791.5	1501	LANDAU BLACK	379.5	759.1
1501	LANDAU BLACK	418.0	836.0	1550	RED OXIDE	418.2	836.4
<b>5392</b>	<b>PARCHMENT</b>	<b>Honda</b>	<b>F/T</b>	<b>5399</b>	<b>LT GRAY</b>	<b>Honda</b>	<b>F</b>
1559	YELLOW OXIDE	163.2	326.4	1501	LANDAU BLACK	112.4	224.8
1302	LOW LUSTER CLEAR	252.2	504.5	1554	TINTING WHITE	214.1	428.3
1554	TINTING WHITE	310.7	621.3	1302	LOW LUSTER CLEAR	310.5	620.9
1501	LANDAU BLACK	367.0	734.0	1559	YELLOW OXIDE	397.1	794.2
1550	RED OXIDE	412.7	825.4	1550	RED OXIDE	413.8	827.6
<b>5393</b>	<b>TAUPE</b>	<b>Honda</b>	<b>P</b>	<b>5400</b>	<b>DK GRAY</b>	<b>Honda</b>	<b>K/X/Y</b>
1559	YELLOW OXIDE	135.9	271.7	1501	LANDAU BLACK	182.1	364.2
1302	LOW LUSTER CLEAR	238.1	476.1	1302	LOW LUSTER CLEAR	278.7	557.5
1554	TINTING WHITE	308.8	617.5	1559	YELLOW OXIDE	353.2	706.4
1501	LANDAU BLACK	365.8	731.5	1554	TINTING WHITE	395.2	790.4
1550	RED OXIDE	413.1	826.1	1550	RED OXIDE	409.0	818.0



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 137

		GRAMS	
		PINTS	QUARTS
<b>5402</b>	<b>NEUTRAL</b>	<b>General Motors 521/WA325CU</b>	
1554	TINTING WHITE	145.9	291.8
1559	YELLOW OXIDE	281.4	562.8
1302	LOW LUSTER CLEAR	350.8	701.7
1550	RED OXIDE	388.4	776.7
1501	LANDAU BLACK	418.6	837.1

		GRAMS	
		PINTS	QUARTS
<b>5409</b>	<b>WHITE</b>	<b>Mitsubishi WO9</b>	
1554	TINTING WHITE	420.7	841.3
1559	YELLOW OXIDE	433.1	866.2
1501	LANDAU BLACK	435.8	871.5
1553	FAST BLUE	436.4	872.9

		GRAMS	
		PINTS	QUARTS
<b>5403</b>	<b>NEUTRAL SHALE</b>	<b>Cadillac 601/WA172D</b>	
1554	TINTING WHITE	288.9	577.8
1501	LANDAU BLACK	310.3	620.5
1550	RED OXIDE	328.3	656.6
1559	YELLOW OXIDE	428.8	857.7

		GRAMS	
		PINTS	QUARTS
<b>5410</b>	<b>CHARCOAL</b>	<b>Cadillac UCV 1370</b>	
1501	LANDAU BLACK	297.9	595.8
1559	YELLOW OXIDE	346.2	692.4
1554	TINTING WHITE	373.4	746.7
1553	FAST BLUE	377.5	755.1
1302	LOW LUSTER CLEAR	407.7	815.5

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

		GRAMS	
		PINTS	QUARTS
<b>5404</b>	<b>DK GOLD</b>	<b>Cadillac UCV 2-1332</b>	
1559	YELLOW OXIDE	237.4	474.8
1550	RED OXIDE	281.8	563.5
1554	TINTING WHITE	333.1	666.1
1501	LANDAU BLACK	345.1	690.3
1302	LOW LUSTER CLEAR	413.9	827.8

		GRAMS	
		PINTS	QUARTS
<b>5411</b>	<b>SHADOW BLUE</b>	<b>General Motors 821/WA173D</b>	
1554	TINTING WHITE	223.1	446.1
1559	YELLOW OXIDE	306.1	612.2
1501	LANDAU BLACK	348.2	696.4
1550	RED OXIDE	368.3	736.6
1302	LOW LUSTER CLEAR	423.1	846.3

		GRAMS	
		PINTS	QUARTS
<b>5405</b>	<b>DK MAROON</b>	<b>Cadillac UCV 2-1335</b>	
1552	FAST RED	286.0	572.1
1302	LOW LUSTER CLEAR	393.0	786.0
1553	FAST BLUE	400.5	801.0
1554	TINTING WHITE	403.5	806.9

		GRAMS	
		PINTS	QUARTS
<b>5412</b>	<b>DK GRAY</b>	<b>Mitsubishi H52</b>	
1501	LANDAU BLACK	192.9	385.7
1559	YELLOW OXIDE	356.1	712.1
1554	TINTING WHITE	383.0	766.1
1550	RED OXIDE	410.8	821.6

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

		GRAMS	
		PINTS	QUARTS
<b>5406</b>	<b>BLUE</b>	<b>Toyota 807/B</b>	
1553	FAST BLUE	163.8	327.6
1501	LANDAU BLACK	298.8	597.6
1302	LOW LUSTER CLEAR	356.3	712.5
1551	FAST YELLOW	382.1	764.2
1554	TINTING WHITE	405.1	810.2

		GRAMS	
		PINTS	QUARTS
<b>5413</b>	<b>YELLOW</b>	<b>Mitsubishi YB7</b>	
1554	TINTING WHITE	230.9	461.9
1551	FAST YELLOW	419.9	839.8
1553	FAST BLUE	420.8	841.5
1550	RED OXIDE	421.6	843.2

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

		GRAMS	
		PINTS	QUARTS
<b>5407</b>	<b>NEUTRAL</b>	<b>General Motors 521/WA323C</b>	
1559	YELLOW OXIDE	140.4	280.8
1501	LANDAU BLACK	251.3	502.6
1554	TINTING WHITE	328.8	657.6
1552	FAST RED	375.6	751.3
1302	LOW LUSTER CLEAR	413.1	826.1

		GRAMS	
		PINTS	QUARTS
<b>5414</b>	<b>DK BROWN</b>	<b>Mitsubishi C 46</b>	
1554	TINTING WHITE	104.5	209.0
1501	LANDAU BLACK	191.0	382.1
1550	RED OXIDE	232.3	464.6
1559	YELLOW OXIDE	417.2	834.5

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

		GRAMS	
		PINTS	QUARTS
<b>5408</b>	<b>DK BROWN</b>	<b>Mitsubishi C46</b>	
1559	YELLOW OXIDE	189.5	379.1
1554	TINTING WHITE	294.8	589.6
1501	LANDAU BLACK	378.2	756.4
1550	RED OXIDE	417.3	834.7

		GRAMS	
		PINTS	QUARTS
<b>5415</b>	<b>PINK</b>	<b>Mitsubishi P89</b>	
1554	TINTING WHITE	329.3	658.5
1559	YELLOW OXIDE	384.3	768.6
1557	MAGENTA RED	408.6	817.2
1501	LANDAU BLACK	430.4	860.7

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 138

		PINTS	QUARTS
		GRAMS	
<b>5416</b>	<b>LT GREEN</b>	<b>Mitsubishi</b>	<b>G 73</b>
1554	TINTING WHITE	287.1	574.2
1501	LANDAU BLACK	317.4	634.8
1559	YELLOW OXIDE	390.5	781.1
1553	FAST BLUE	427.5	855.0

		PINTS	QUARTS
		GRAMS	
<b>5423</b>	<b>NAVY BLUE</b>	<b>Toyota</b>	
1553	FAST BLUE	181.6	363.3
1501	LANDAU BLACK	256.3	512.6
1302	LOW LUSTER CLEAR	329.6	659.1
1556	FAST GREEN	388.2	776.3
1554	TINTING WHITE	404.3	808.6

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

<b>5417</b>	<b>NATURAL BEIGE</b>	<b>Cadillac</b>	<b>UCV2-1369</b>
1554	TINTING WHITE	222.6	445.2
1501	LANDAU BLACK	237.1	474.2
1550	RED OXIDE	254.3	508.6
1559	YELLOW OXIDE	351.2	702.4
1302	LOW LUSTER CLEAR	423.0	846.1

<b>5424</b>	<b>GRAY</b>	<b>General Motors</b>	<b>UCV2-1623 NEW</b>
1554	TINTING WHITE	50.3	100.5
1501	LANDAU BLACK	226.0	452.0
1550	RED OXIDE	235.5	471.0
1551	FAST YELLOW	256.9	513.8
1302	LOW LUSTER CLEAR	407.6	815.1

<b>5418</b>	<b>EBONY BLACK</b>	<b>General Motors</b>	<b>801/WA174D</b>
1501	LANDAU BLACK	276.5	553.1
1302	LOW LUSTER CLEAR	331.8	663.7
1553	FAST BLUE	373.5	747.1
1551	FAST YELLOW	401.2	802.4
1554	TINTING WHITE	404.4	808.8

<b>5425</b>	<b>BEIGE</b>	<b>Mitsubishi</b>	<b>S 55</b>
1554	TINTING WHITE	342.0	684.0
1501	LANDAU BLACK	358.2	716.5
1550	RED OXIDE	370.0	740.1
1559	YELLOW OXIDE	431.8	863.6

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

<b>5419</b>	<b>TAN</b>	<b>Toyota</b>	
1554	TINTING WHITE	33.4	66.9
1501	LANDAU BLACK	76.2	152.4
1550	RED OXIDE	139.4	278.7
1559	YELLOW OXIDE	356.8	713.6
1302	LOW LUSTER CLEAR	412.6	825.2

<b>5426</b>	<b>BLUE</b>	<b>Mitsubishi</b>	<b>T 85</b>
1554	TINTING WHITE	317.4	634.8
1501	LANDAU BLACK	402.6	805.2
1559	YELLOW OXIDE	406.8	813.6
1553	FAST BLUE	428.5	857.1

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

<b>5420</b>	<b>BURGUNDY</b>	<b>Toyota</b>	
1554	TINTING WHITE	16.2	32.3
1501	LANDAU BLACK	136.6	273.2
1550	RED OXIDE	278.7	557.5
1552	FAST RED	409.1	818.1

<b>5427</b>	<b>BLACK</b>	<b>Mitsubishi</b>	<b>XA4</b>
1501	LANDAU BLACK	376.7	753.4
1553	FAST BLUE	404.9	809.8

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

<b>5421</b>	<b>SMOKE</b>	<b>Toyota</b>	
1302	LOW LUSTER CLEAR	153.9	307.8
1501	LANDAU BLACK	269.3	538.7
1559	YELLOW OXIDE	338.6	677.2
1552	FAST RED	382.6	765.1
1554	TINTING WHITE	406.8	813.6

<b>5428</b>	<b>RED</b>	<b>Mitsubishi</b>	<b>R 52</b>
1550	RED OXIDE	252.4	504.8
1552	FAST RED	371.6	743.3
1551	FAST YELLOW	395.4	790.8
1554	TINTING WHITE	411.4	822.7

**MUST TOP COAT WITH 1302 LOW LUSTER CLEAR**

<b>5422</b>	<b>DK BLUE</b>	<b>Toyota</b>	
1501	LANDAU BLACK	113.6	227.2
1553	FAST BLUE	177.7	355.3
1554	TINTING WHITE	227.4	454.9
1550	RED OXIDE	240.4	480.7
1302	LOW LUSTER CLEAR	407.1	814.2

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

<b>5429</b>	<b>MD MAROON</b>	<b>Cadillac</b>	<b>UVC2-1333</b>
1552	FAST RED	211.4	422.8
1550	RED OXIDE	288.2	576.5
1501	LANDAU BLACK	300.1	600.2
1554	TINTING WHITE	310.0	620.0
1302	LOW LUSTER CLEAR	406.0	812.1

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 139

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5430</b>	<b>DK NATURAL BEIG</b>	<b>Cadillac</b>	<b>UCV2-1422</b>	<b>5437</b>	<b>LT GRAY</b>	<b>Toyota</b>	<b>A 195</b>
1559	YELLOW OXIDE	135.5	270.9	1554	TINTING WHITE	383.6	767.2
1554	TINTING WHITE	230.6	461.1	1559	YELLOW OXIDE	410.3	820.6
1302	LOW LUSTER CLEAR	311.2	622.4	1501	LANDAU BLACK	427.5	855.0
1501	LANDAU BLACK	381.2	762.5	1550	RED OXIDE	434.0	867.9
1550	RED OXIDE	414.8	829.5				
<b>5431</b>	<b>LT TAN</b>	<b>Subaru</b>		<b>5438</b>	<b>BLACK</b>	<b>General Motors</b>	<b>191/WA322C</b>
1559	YELLOW OXIDE	204.9	409.8	1501	LANDAU BLACK	237.8	475.6
1554	TINTING WHITE	266.4	532.8	1302	LOW LUSTER CLEAR	290.3	580.6
1550	RED OXIDE	304.3	608.6	1551	FAST YELLOW	337.5	675.1
1302	LOW LUSTER CLEAR	397.5	795.0	1554	TINTING WHITE	384.3	768.6
1501	LANDAU BLACK	413.6	827.3	1550	RED OXIDE	408.4	816.8
<b>5432</b>	<b>LT GRAY</b>	<b>General Motors</b>	<b>RPO 181</b>	<b>5439</b>	<b>IVORY</b>	<b>Toyota</b>	<b>A 025</b>
1554	TINTING WHITE	199.6	399.2	1554	TINTING WHITE	273.9	547.8
1302	LOW LUSTER CLEAR	282.5	565.1	1559	YELLOW OXIDE	332.7	665.4
1559	YELLOW OXIDE	348.8	697.7	1300	HIGH GLOSS CLEAR	396.4	792.9
1501	LANDAU BLACK	400.5	801.0	1550	RED OXIDE	415.7	831.4
1550	RED OXIDE	420.8	841.5	1501	LANDAU BLACK	426.4	852.7
<b>5433</b>	<b>MD NEUTRAL</b>	<b>General Motors</b>	<b>CV2 1620 NEW</b>	<b>5440</b>	<b>GRAY</b>	<b>Mitsubishi</b>	<b>H84</b>
1302	LOW LUSTER CLEAR	166.6	333.3	1554	TINTING WHITE	363.8	727.5
1559	YELLOW OXIDE	278.5	557.1	1501	LANDAU BLACK	403.1	806.2
1554	TINTING WHITE	339.2	678.5	1559	YELLOW OXIDE	427.0	854.1
1501	LANDAU BLACK	379.0	757.9	1550	RED OXIDE	432.5	865.1
1550	RED OXIDE	410.9	821.8				
<b>5434</b>	<b>BLACK</b>	<b>General Motors</b>	<b>181</b>	<b>5441</b>	<b>LT GRAY</b>	<b>General Motors</b>	<b>CV2-1622 NEW</b>
1501	LANDAU BLACK	225.3	450.7	1554	TINTING WHITE	195.3	390.6
1554	TINTING WHITE	286.5	573.0	1559	YELLOW OXIDE	261.0	521.9
1302	LOW LUSTER CLEAR	342.2	684.4	1501	LANDAU BLACK	317.8	635.6
1551	FAST YELLOW	384.8	769.5	1550	RED OXIDE	338.5	677.0
1550	RED OXIDE	409.5	819.1	1302	LOW LUSTER CLEAR	420.6	841.1
<b>5435</b>	<b>BEIGE</b>	<b>Mitsubishi</b>	<b>S55</b>	<b>5442</b>	<b>DK SADDLE</b>	<b>General Motors</b>	<b>CN 65</b>
1554	TINTING WHITE	341.4	682.9	1559	YELLOW OXIDE	217.6	435.1
1559	YELLOW OXIDE	402.8	805.6	1302	LOW LUSTER CLEAR	335.0	669.9
1501	LANDAU BLACK	420.6	841.1	1550	RED OXIDE	388.4	776.7
1550	RED OXIDE	431.8	863.6	1501	LANDAU BLACK	404.2	808.5
				1554	TINTING WHITE	409.8	819.7
<b>5436</b>	<b>SMOKE</b>	<b>Toyota</b>	<b>A.B</b>	<b>5443</b>	<b>WHITE SATIN</b>	<b>Chrysler Motors</b>	<b>AB61-EW1</b>
1501	LANDAU BLACK	194.1	388.2	1554	TINTING WHITE	295.5	591.1
1302	LOW LUSTER CLEAR	267.1	534.3	1302	LOW LUSTER CLEAR	404.4	808.8
1559	YELLOW OXIDE	361.2	722.4	1559	YELLOW OXIDE	424.7	849.3
1550	RED OXIDE	390.9	781.9	1501	LANDAU BLACK	426.2	852.3
1554	TINTING WHITE	408.1	816.2	1550	RED OXIDE	426.3	852.5

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 140

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5444</b>	<b>DK MAIZE</b>	<b>General Motors</b>	<b>4-0451-6</b>	<b>5451</b>	<b>WHITE</b>	<b>General Motors</b>	<b>N 10</b>
1559	YELLOW OXIDE	336.2	672.4	1554	TINTING WHITE	323.0	646.0
1554	TINTING WHITE	366.6	733.2	1302	LOW LUSTER CLEAR	408.6	817.2
1501	LANDAU BLACK	395.5	791.0	1559	YELLOW OXIDE	425.7	851.4
1550	RED OXIDE	414.3	828.6	1501	LANDAU BLACK	427.8	855.6
				1550	RED OXIDE	428.5	856.9
<b>5445</b>	<b>GREEN INT</b>	<b>American Motor</b>	<b>75R3</b>	<b>5452</b>	<b>MD BLUE</b>	<b>General Motors</b>	<b>BN 21</b>
1556	FAST GREEN	126.6	253.3	1554	TINTING WHITE	226.3	452.6
1554	TINTING WHITE	238.9	477.9	1553	FAST BLUE	310.1	620.2
1302	LOW LUSTER CLEAR	320.1	640.1	1550	RED OXIDE	370.1	740.2
1550	RED OXIDE	394.7	789.5	1501	LANDAU BLACK	422.7	845.3
1551	FAST YELLOW	413.9	827.8				
<b>5446</b>	<b>BLUE</b>	<b>General Motors</b>	<b>UCV-2144</b>	<b>5453</b>	<b>DK BLUE</b>	<b>General Motors</b>	<b>CN 21</b>
1554	TINTING WHITE	159.6	319.2	1554	TINTING WHITE	181.5	362.9
1553	FAST BLUE	269.7	539.4	1553	FAST BLUE	289.8	579.7
1302	LOW LUSTER CLEAR	352.6	705.3	1550	RED OXIDE	363.8	727.5
1501	LANDAU BLACK	404.4	808.8	1501	LANDAU BLACK	419.3	838.7
1551	FAST YELLOW	415.3	830.7				
<b>5447</b>	<b>MD TAUPE</b>	<b>General Motors</b>	<b>BN 69</b>	<b>5454</b>	<b>MIDNIGHT BLUE</b>	<b>General Motors</b>	<b>DN 29</b>
1559	YELLOW OXIDE	216.9	433.8	1553	FAST BLUE	236.5	472.9
1554	TINTING WHITE	349.5	699.0	1550	RED OXIDE	340.8	681.5
1501	LANDAU BLACK	386.7	773.5	1554	TINTING WHITE	376.6	753.2
1550	RED OXIDE	419.9	839.8	1551	FAST YELLOW	408.4	816.8
<b>5448</b>	<b>GREEN INT</b>	<b>American Motor</b>	<b>73R2</b>	<b>5455</b>	<b>DK GREEN</b>	<b>General Motors</b>	<b>CN 44</b>
1559	YELLOW OXIDE	149.7	299.4	1559	YELLOW OXIDE	193.8	387.6
1302	LOW LUSTER CLEAR	253.7	507.3	1556	FAST GREEN	305.8	611.6
1554	TINTING WHITE	326.1	652.3	1501	LANDAU BLACK	375.7	751.5
1556	FAST GREEN	375.7	751.5	1554	TINTING WHITE	411.3	822.5
1501	LANDAU BLACK	412.3	824.6				
<b>5449</b>	<b>MD MAIZE</b>	<b>General Motors</b>	<b>UCV2-163</b>	<b>5456</b>	<b>MD CHAMOIS</b>	<b>General Motors</b>	<b>BN/54</b>
1559	YELLOW OXIDE	280.7	561.5	1559	YELLOW OXIDE	269.8	539.6
1554	TINTING WHITE	402.3	804.7	1554	TINTING WHITE	372.4	744.8
1501	LANDAU BLACK	415.9	831.8	1302	LOW LUSTER CLEAR	410.4	820.8
1550	RED OXIDE	419.6	839.2	1550	RED OXIDE	414.2	828.4
				1501	LANDAU BLACK	417.6	835.2
<b>5450</b>	<b>MIDNIGHT BLUE</b>	<b>General Motors</b>	<b>DN 29</b>	<b>5457</b>	<b>DK CHAMOIS</b>	<b>General Motors</b>	<b>WOA/4297</b>
1553	FAST BLUE	152.1	304.2	1559	YELLOW OXIDE	254.7	509.4
1501	LANDAU BLACK	268.5	536.9	1302	LOW LUSTER CLEAR	371.8	743.7
1302	LOW LUSTER CLEAR	349.7	699.4	1550	RED OXIDE	390.5	781.1
1554	TINTING WHITE	383.5	767.0	1501	LANDAU BLACK	401.9	803.9
1559	YELLOW OXIDE	406.2	812.4	1551	FAST YELLOW	409.3	818.5

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 141**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5458</b>	<b>MIDNIGHT NEUTRA</b>	<b>General Motors</b>	<b>DN/60</b>	<b>5465</b>	<b>MD BEIGE</b>	<b>General Motors</b>	<b>BN/61</b>
1559	YELLOW OXIDE	188.8	377.5	1559	YELLOW OXIDE	213.4	426.7
1501	LANDAU BLACK	313.4	626.8	1554	TINTING WHITE	353.6	707.2
1550	RED OXIDE	369.6	739.3	1550	RED OXIDE	398.0	795.9
1551	FAST YELLOW	409.9	819.9	1501	LANDAU BLACK	420.6	841.1
<b>5459</b>	<b>DK SADDLE</b>	<b>General Motors</b>	<b>CN/63</b>	<b>5466</b>	<b>DK BEIGE</b>	<b>General Motors</b>	<b>CN/61</b>
1559	YELLOW OXIDE	276.2	552.3	1559	YELLOW OXIDE	245.9	491.7
1550	RED OXIDE	376.1	752.2	1550	RED OXIDE	324.4	648.9
1554	TINTING WHITE	395.1	790.2	1554	TINTING WHITE	372.8	745.6
1501	LANDAU BLACK	414.1	828.2	1501	LANDAU BLACK	415.2	830.5
<b>5460</b>	<b>OXBLOOD</b>	<b>General Motors</b>	<b>CN 73</b>	<b>5467</b>	<b>DK TAUPE</b>	<b>General Motors</b>	<b>CN/69</b>
1552	FAST RED	329.7	659.5	1559	YELLOW OXIDE	250.1	500.3
1551	FAST YELLOW	371.9	743.9	1554	TINTING WHITE	313.7	627.4
1554	TINTING WHITE	398.7	797.4	1501	LANDAU BLACK	370.0	740.1
1553	FAST BLUE	406.0	812.1	1550	RED OXIDE	415.7	831.4
<b>5461</b>	<b>MD GRAY</b>	<b>General Motors</b>	<b>BN 11</b>	<b>5468</b>	<b>DK RED</b>	<b>General Motors</b>	<b>WOA/4462</b>
1554	TINTING WHITE	270.1	540.2	1552	FAST RED	171.6	343.1
1559	YELLOW OXIDE	350.1	700.2	1302	LOW LUSTER CLEAR	287.9	575.9
1501	LANDAU BLACK	420.6	841.1	1550	RED OXIDE	389.8	779.6
1550	RED OXIDE	426.7	853.5	1554	TINTING WHITE	404.9	809.8
				1501	LANDAU BLACK	406.9	813.8
<b>5462</b>	<b>DK TEAL</b>	<b>General Motors</b>	<b>CN 32</b>	<b>5469</b>	<b>DK TEAL</b>	<b>General Motors</b>	<b>WOA-4292</b>
1556	FAST GREEN	141.9	283.9	1556	FAST GREEN	107.4	214.9
1550	RED OXIDE	274.6	549.1	1550	RED OXIDE	211.7	423.3
1553	FAST BLUE	346.1	692.2	1302	LOW LUSTER CLEAR	293.6	587.1
1554	TINTING WHITE	412.0	824.0	1553	FAST BLUE	356.4	712.9
				1554	TINTING WHITE	409.8	819.7
<b>5463</b>	<b>MD MAIZE</b>	<b>General Motors</b>	<b>BN 51</b>	<b>5470</b>	<b>DK MAIZE</b>	<b>General Motors</b>	<b>CN/51</b>
1559	YELLOW OXIDE	275.8	551.6	1559	YELLOW OXIDE	240.4	480.9
1554	TINTING WHITE	394.6	789.3	1302	LOW LUSTER CLEAR	360.6	721.2
1501	LANDAU BLACK	412.6	825.2	1554	TINTING WHITE	392.7	785.5
1551	FAST YELLOW	419.3	838.7	1501	LANDAU BLACK	407.7	815.5
				1550	RED OXIDE	411.1	822.1
<b>5464</b>	<b>DK MAIZE</b>	<b>General Motors</b>	<b>CM/51</b>	<b>5471</b>	<b>DK SADDLE</b>	<b>General Motors</b>	<b>CN 63</b>
1559	YELLOW OXIDE	308.6	617.1	1559	YELLOW OXIDE	205.2	410.4
1554	TINTING WHITE	386.1	772.2	1302	LOW LUSTER CLEAR	323.1	646.2
1501	LANDAU BLACK	409.5	818.9	1550	RED OXIDE	393.9	787.7
1550	RED OXIDE	417.0	833.9	1551	FAST YELLOW	402.4	804.8
				1553	FAST BLUE	409.5	818.9

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 142

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5472</b>	<b>DK TAUPE</b>	<b>General Motors</b>	<b>CN/68</b>	<b>5479</b>	<b>DK GREEN</b>	<b>General Motors</b>	<b>CN44</b>
1559	YELLOW OXIDE	194.3	388.6	1559	YELLOW OXIDE	306.7	613.3
1302	LOW LUSTER CLEAR	311.1	622.3	1554	TINTING WHITE	371.1	742.1
1501	LANDAU BLACK	353.5	707.0	1501	LANDAU BLACK	394.2	788.3
1550	RED OXIDE	387.7	775.4	1553	FAST BLUE	415.6	831.3
1554	TINTING WHITE	410.2	820.4				
<b>5473</b>	<b>BERRY INT</b>	<b>American Motor</b>	<b>75R45</b>	<b>5480</b>	<b>LT AQUA POLY</b>	<b>Ford Motor</b>	<b>M-4068-G</b>
1550	RED OXIDE	259.3	518.5	1554	TINTING WHITE	184.2	368.4
1302	LOW LUSTER CLEAR	334.9	669.8	1508	SILVER	280.9	561.8
1552	FAST RED	388.2	776.3	1556	FAST GREEN	350.0	700.0
1554	TINTING WHITE	401.5	802.9	1553	FAST BLUE	391.4	782.8
1553	FAST BLUE	410.9	821.8	1552	FAST RED	419.0	838.1
<b>5474</b>	<b>MD AMBER</b>	<b>General Motors</b>	<b>BN/59</b>	<b>5481</b>	<b>MD AQUA POLY</b>	<b>Ford Motor</b>	<b>M-4069-J</b>
1559	YELLOW OXIDE	357.1	714.2	1553	FAST BLUE	205.4	410.8
1550	RED OXIDE	398.6	797.2	1559	YELLOW OXIDE	335.1	670.1
1554	TINTING WHITE	409.5	818.9	1508	SILVER	395.7	791.4
1501	LANDAU BLACK	413.8	827.6	1552	FAST RED	406.8	813.6
<b>5475</b>	<b>TAN INT</b>	<b>American Motor</b>	<b>75R8</b>	<b>5482</b>	<b>MD GREEN</b>	<b>Ford Motor</b>	<b>M-4065-J</b>
1559	YELLOW OXIDE	275.3	550.6	1551	FAST YELLOW	208.1	416.3
1550	RED OXIDE	347.7	695.4	1302	LOW LUSTER CLEAR	282.5	565.1
1554	TINTING WHITE	401.9	803.7	1501	LANDAU BLACK	339.1	678.1
1501	LANDAU BLACK	416.1	832.2	1554	TINTING WHITE	375.3	750.7
				1556	FAST GREEN	393.2	786.4
<b>5476</b>	<b>DK LIME</b>	<b>General Motors</b>	<b>CN47</b>	<b>5483</b>	<b>MD GREEN POLY</b>	<b>Ford Motor</b>	<b>M-4061-J</b>
1559	YELLOW OXIDE	331.6	663.3	1551	FAST YELLOW	179.5	358.9
1556	FAST GREEN	379.0	757.9	1501	LANDAU BLACK	255.2	510.3
1554	TINTING WHITE	408.3	816.6	1508	SILVER	324.9	649.8
1501	LANDAU BLACK	413.6	827.3	1302	LOW LUSTER CLEAR	374.8	749.6
				1556	FAST GREEN	404.7	809.4
<b>5477</b>	<b>MD GREEN</b>	<b>General Motors</b>	<b>BN44</b>	<b>5484</b>	<b>LT GOLD</b>	<b>General Motors</b>	
1559	YELLOW OXIDE	230.6	461.1	1559	YELLOW OXIDE	289.2	578.4
1302	LOW LUSTER CLEAR	311.8	623.6	1554	TINTING WHITE	409.6	819.3
1554	TINTING WHITE	384.2	768.4	1501	LANDAU BLACK	415.2	830.5
1553	FAST BLUE	401.4	802.8	1550	RED OXIDE	419.7	839.4
1501	LANDAU BLACK	414.0	828.0				
<b>5478</b>	<b>DK SADDLE</b>	<b>General Motors</b>	<b>CN/59</b>	<b>5485</b>	<b>DK BEIGE</b>	<b>Ford Motor</b>	<b>M/4071J</b>
1559	YELLOW OXIDE	338.6	677.2	1559	YELLOW OXIDE	259.7	519.5
1550	RED OXIDE	394.7	789.5	1302	LOW LUSTER CLEAR	329.8	659.7
1501	LANDAU BLACK	405.1	810.2	1554	TINTING WHITE	385.9	771.8
1551	FAST YELLOW	413.0	825.9	1550	RED OXIDE	402.7	805.4
				1501	LANDAU BLACK	413.9	827.8

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 143

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5486</b>	<b>DK JADE POLY</b>	<b>Ford Motor</b>	<b>M-4074-J</b>	<b>5493</b>	<b>DK BLUE</b>	<b>Chrysler Motors</b>	<b>AB5-HB8</b>
1556	FAST GREEN	282.7	565.4	1553	FAST BLUE	209.9	419.7
1302	LOW LUSTER CLEAR	345.8	691.6	1554	TINTING WHITE	304.6	609.1
1501	LANDAU BLACK	368.0	736.1	1550	RED OXIDE	364.4	728.8
1508	SILVER	388.5	776.9	1501	LANDAU BLACK	412.0	824.0
1551	FAST YELLOW	403.8	807.7				
<b>5487</b>	<b>MD AVOCADE</b>	<b>Ford Motor</b>	<b>M-4034-J</b>	<b>5494</b>	<b>BRITE BLUE POLY</b>	<b>Chrysler Motors</b>	<b>AB62-GB5</b>
1551	FAST YELLOW	177.4	354.7	1553	FAST BLUE	255.6	511.1
1554	TINTING WHITE	285.8	571.5	1508	SILVER	358.4	716.9
1302	LOW LUSTER CLEAR	367.9	735.9	1552	FAST RED	370.0	740.1
1501	LANDAU BLACK	406.0	812.1	1302	LOW LUSTER CLEAR	403.8	807.7
1550	RED OXIDE	411.9	823.8				
<b>5488</b>	<b>MD GOLD</b>	<b>Ford Motor</b>	<b>M-4027-J</b>	<b>5495</b>	<b>DK BLUE</b>	<b>Chrysler Motors</b>	<b>AB3-KB7</b>
1559	YELLOW OXIDE	252.5	505.0	1553	FAST BLUE	171.6	343.1
1302	LOW LUSTER CLEAR	336.7	673.4	1554	TINTING WHITE	279.4	558.8
1554	TINTING WHITE	381.4	762.9	1559	YELLOW OXIDE	352.9	705.9
1501	LANDAU BLACK	399.6	799.1	1501	LANDAU BLACK	413.3	826.7
1550	RED OXIDE	412.7	825.4				
<b>5489</b>	<b>DK BLUE POLY</b>	<b>Ford Motor</b>	<b>M-1847-J</b>	<b>5496</b>	<b>LT PARCHMENT</b>	<b>Chrysler Motors</b>	<b>AB3-KL2</b>
1553	FAST BLUE	254.0	508.1	1554	TINTING WHITE	311.3	622.6
1501	LANDAU BLACK	313.3	626.6	1559	YELLOW OXIDE	412.4	824.8
1302	LOW LUSTER CLEAR	360.3	720.7	1501	LANDAU BLACK	422.7	845.3
1508	SILVER	382.4	764.8	1550	RED OXIDE	430.2	860.3
1551	FAST YELLOW	403.1	806.2				
<b>5490</b>	<b>MD TAN</b>	<b>Chrysler Motors</b>	<b>AB61/HT7</b>	<b>5497</b>	<b>LT PARCHMENT SA</b>	<b>Chrysler Motors</b>	<b>AB61/HL2</b>
1559	YELLOW OXIDE	233.1	466.3	1554	TINTING WHITE	212.5	425.0
1302	LOW LUSTER CLEAR	350.3	700.5	1302	LOW LUSTER CLEAR	345.3	690.7
1550	RED OXIDE	388.9	777.9	1559	YELLOW OXIDE	413.3	826.5
1554	TINTING WHITE	400.6	801.2	1501	LANDAU BLACK	417.7	835.4
1501	LANDAU BLACK	410.3	820.6	1550	RED OXIDE	430.2	860.3
<b>5491</b>	<b>DK GREEN</b>	<b>Chrysler Motors</b>	<b>AB5-HF6</b>	<b>5498</b>	<b>GREEN INT</b>	<b>American Motor</b>	<b>75R7</b>
1559	YELLOW OXIDE	297.3	594.5	1559	YELLOW OXIDE	246.0	491.9
1501	LANDAU BLACK	355.9	711.7	1554	TINTING WHITE	351.3	702.6
1556	FAST GREEN	410.8	821.6	1553	FAST BLUE	405.6	811.1
				1501	LANDAU BLACK	417.2	834.5
<b>5492</b>	<b>DK GOLD</b>	<b>Chrysler Motors</b>	<b>AB3/JY7</b>	<b>5499</b>	<b>GREEN INT</b>	<b>American Motor</b>	<b>73R25</b>
1559	YELLOW OXIDE	308.5	616.9	1554	TINTING WHITE	191.3	382.7
1554	TINTING WHITE	360.1	720.3	1551	FAST YELLOW	272.5	544.9
1550	RED OXIDE	399.3	798.6	1501	LANDAU BLACK	348.2	696.4
1501	LANDAU BLACK	415.8	831.6	1556	FAST GREEN	418.9	837.7

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 144

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5500</b>	<b>MD TAUPE POLY</b>	<b>Ford Motor</b>	<b>M4062-J</b>	<b>5507</b>	<b>MD ORANGE POLY</b>	<b>Ford Motor</b>	<b>M4041-J</b>
1552	FAST RED	179.7	359.5	1551	FAST YELLOW	170.5	341.1
1508	SILVER	256.8	513.6	1552	FAST RED	296.4	592.8
1551	FAST YELLOW	324.1	648.3	1554	TINTING WHITE	389.8	779.6
1302	LOW LUSTER CLEAR	388.4	776.7	1508	SILVER	410.1	820.2
1553	FAST BLUE	404.4	808.8	1501	LANDAU BLACK	411.4	822.7
<b>5501</b>	<b>LT SMOKE GRAY</b>	<b>General Motors</b>	<b>BN/75</b>	<b>5508</b>	<b>LT GOLD</b>	<b>Ford Motor</b>	<b>M-4026-G</b>
1554	TINTING WHITE	372.4	744.8	1559	YELLOW OXIDE	292.2	584.4
1559	YELLOW OXIDE	408.3	816.6	1554	TINTING WHITE	394.4	788.9
1501	LANDAU BLACK	430.4	860.9	1501	LANDAU BLACK	410.4	820.8
1550	RED OXIDE	433.3	866.6	1550	RED OXIDE	418.6	837.1
<b>5502</b>	<b>DK. BLUE GREEN</b>	<b>Chrysler Motors</b>	<b>CN32</b>	<b>5509</b>	<b>TOBACCO POLY</b>	<b>Ford Motor</b>	<b>M-4018-J</b>
1556	FAST GREEN	327.3	654.6	1552	FAST RED	183.4	366.7
1501	LANDAU BLACK	371.7	743.5	1551	FAST YELLOW	283.5	567.0
1554	TINTING WHITE	393.8	787.6	1302	LOW LUSTER CLEAR	348.5	696.9
1550	RED OXIDE	406.1	812.3	1501	LANDAU BLACK	384.8	769.7
				1508	SILVER	403.8	807.7
<b>5503</b>	<b>MD SILVER BLUE</b>	<b>Ford Motor</b>	<b>M-4054-J</b>	<b>5510</b>	<b>LT TAN</b>	<b>Ford Motor</b>	<b>M4042-G</b>
1554	TINTING WHITE	133.8	267.5	1559	YELLOW OXIDE	218.2	436.4
1559	YELLOW OXIDE	224.1	448.2	1554	TINTING WHITE	392.0	783.9
1302	LOW LUSTER CLEAR	307.7	615.4	1550	RED OXIDE	418.7	837.3
1501	LANDAU BLACK	384.7	769.3	1501	LANDAU BLACK	422.8	845.5
1553	FAST BLUE	415.7	831.4				
<b>5504</b>	<b>SILVER POLYLT GR</b>	<b>Ford Motor</b>	<b>M-4039-J</b>	<b>5511</b>	<b>DK CRANBERRY</b>	<b>Ford Motor</b>	<b>M-4022-J</b>
1508	SILVER	308.2	616.4	1552	FAST RED	227.1	454.1
1501	LANDAU BLACK	354.4	708.9	1557	MAGENTA RED	335.8	671.7
1553	FAST BLUE	396.1	792.1	1302	LOW LUSTER CLEAR	388.6	777.3
1551	FAST YELLOW	407.6	815.3	1554	TINTING WHITE	401.7	803.3
				1553	FAST BLUE	404.6	809.2
<b>5505</b>	<b>SILVER POLY MD.G</b>	<b>Ford Motor</b>	<b>M-4051-J</b>	<b>5512</b>	<b>MD BLUE</b>	<b>Ford Motor</b>	<b>M-4036-J</b>
1501	LANDAU BLACK	167.8	335.5	1553	FAST BLUE	119.7	239.4
1508	SILVER	306.2	612.4	1559	YELLOW OXIDE	218.3	436.6
1302	LOW LUSTER CLEAR	367.8	735.7	1552	FAST RED	305.0	609.9
1553	FAST BLUE	386.1	772.2	1302	LOW LUSTER CLEAR	383.7	767.4
1559	FAST YELLOW	396.7	793.4	1554	TINTING WHITE	407.0	814.0
<b>5506</b>	<b>LT BEIGE</b>	<b>Ford Motor</b>	<b>M4028-G</b>	<b>5513</b>	<b>DK RED</b>	<b>Ford Motor</b>	<b>M/4056J</b>
1554	TINTING WHITE	259.4	518.9	1552	FAST RED	315.5	631.0
1559	YELLOW OXIDE	390.4	780.7	1302	LOW LUSTER CLEAR	355.6	711.2
1550	RED OXIDE	416.1	832.2	1559	YELLOW OXIDE	387.7	775.4
1501	LANDAU BLACK	427.3	854.6	1554	TINTING WHITE	397.6	795.2
				1501	LANDAU BLACK	404.8	809.6



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 145

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5514</b>	<b>MD GINGER</b>	<b>Ford Motor</b>	<b>M3605-G</b>	<b>5522</b>	<b>MD SADDLE</b>	<b>General Motors</b>	<b>W25A/4432</b>
1559	YELLOW OXIDE	312.6	625.3	1559	YELLOW OXIDE	255.6	511.3
1550	RED OXIDE	395.0	790.0	1554	TINTING WHITE	364.0	728.1
1501	LANDAU BLACK	411.3	822.5	1550	RED OXIDE	407.8	815.7
1554	TINTING WHITE	413.2	826.3	1501	LANDAU BLACK	419.0	838.1
<b>5515</b>	<b>DK GINGER</b>	<b>Ford Motor</b>	<b>M3606-J</b>	<b>5523</b>	<b>TAN</b>	<b>General Motors</b>	<b>M4043-J</b>
1559	YELLOW OXIDE	231.9	463.8	1559	YELLOW OXIDE	244.3	488.7
1550	RED OXIDE	311.6	623.2	1302	LOW LUSTER CLEAR	309.5	619.0
1302	LOW LUSTER CLEAR	376.7	753.4	1554	TINTING WHITE	362.3	724.7
1501	LANDAU BLACK	407.3	814.5	1550	RED OXIDE	404.7	809.4
1554	TINTING WHITE	411.2	822.3	1501	LANDAU BLACK	414.1	828.2
<b>5516</b>	<b>WHITE</b>	<b>Ford Motor</b>	<b>M3209-G</b>	<b>5524</b>	<b>MD RED</b>	<b>General Motors</b>	<b>BN/75</b>
1554	TINTING WHITE	400.9	801.8	1552	FAST RED	246.2	492.5
1559	YELLOW OXIDE	430.6	861.3	1551	FAST YELLOW	364.8	729.6
1550	RED OXIDE	434.4	868.9	1554	TINTING WHITE	393.2	786.4
1553	FAST BLUE	435.3	870.6	1559	YELLOW OXIDE	406.4	812.8
<b>5517</b>	<b>MD SADDLE POLY</b>	<b>Ford Motor</b>	<b>M-4050-J</b>	<b>5525</b>	<b>OLIVE MET</b>	<b>Toyota</b>	<b>T654</b>
1552	FAST RED	161.3	322.6	1501	LANDAU BLACK	153.3	306.7
1551	FAST YELLOW	287.9	575.7	1551	FAST YELLOW	287.6	575.1
1302	LOW LUSTER CLEAR	351.1	702.2	1552	FAST RED	357.0	714.0
1508	SILVER	380.9	761.7	1508	SILVER	404.9	809.8
1501	LANDAU BLACK	403.9	807.9				
<b>5519</b>	<b>DK TERRA RED</b>	<b>General Motors</b>	<b>CN 71</b>	<b>MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR</b>			
1550	RED OXIDE	398.2	796.5	<b>5526</b>	<b>DK CRANBERRY</b>	<b>General Motors</b>	<b>WOA-4514</b>
1553	FAST BLUE	406.8	813.6	1552	FAST RED	314.2	628.3
1554	TINTING WHITE	414.4	828.8	1302	LOW LUSTER CLEAR	383.4	766.8
				1554	TINTING WHITE	399.1	798.2
				1553	FAST BLUE	404.6	809.2
<b>5520</b>	<b>DK SADDLE</b>	<b>General Motors</b>	<b>CN/65</b>	<b>5527</b>	<b>MD RED</b>	<b>General Motors</b>	<b>M-4072-J</b>
1559	YELLOW OXIDE	289.7	579.3	1552	FAST RED	280.9	561.8
1550	RED OXIDE	366.2	732.5	1302	LOW LUSTER CLEAR	345.3	690.7
1554	TINTING WHITE	390.6	781.3	1551	FAST YELLOW	387.6	775.2
1501	LANDAU BLACK	414.2	828.4	1554	TINTING WHITE	402.3	804.7
				1501	LANDAU BLACK	404.6	809.2
<b>5521</b>	<b>RUSSET</b>	<b>General Motors</b>	<b>WOA-4543</b>	<b>5528</b>	<b>DK RED</b>	<b>Chrysler Motors</b>	<b>AB5-LE8</b>
1550	RED OXIDE	190.2	380.4	1552	FAST RED	350.0	700.0
1559	YELLOW OXIDE	280.7	561.5	1559	YELLOW OXIDE	386.9	773.9
1302	LOW LUSTER CLEAR	371.3	742.5	1553	FAST BLUE	400.2	800.5
1551	FAST YELLOW	395.3	790.6	1554	TINTING WHITE	405.1	810.2
1501	LANDAU BLACK	410.0	820.0				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 146**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5529</b>	<b>MD SANDSTONE</b>	<b>General Motors</b>	<b>BN/55</b>	<b>5536</b>	<b>DK SANDSTONE</b>	<b>General Motors</b>	<b>CN/55</b>
1559	YELLOW OXIDE	194.1	388.2	1559	YELLOW OXIDE	288.0	576.1
1554	TINTING WHITE	355.5	711.0	1554	TINTING WHITE	360.9	721.8
1302	LOW LUSTER CLEAR	394.8	789.6	1550	RED OXIDE	396.5	793.1
1550	RED OXIDE	410.2	820.4	1501	LANDAU BLACK	416.9	833.7
1501	LANDAU BLACK	420.9	841.7				
<b>5530</b>	<b>MANDARIN ORANG</b>	<b>General Motors</b>	<b>BN/66</b>	<b>5537</b>	<b>DK BROWN</b>	<b>General Motors</b>	<b>WOA-4646</b>
1559	YELLOW OXIDE	352.5	704.9	1559	YELLOW OXIDE	175.9	351.9
1557	MAGENTA RED	380.2	760.4	1302	LOW LUSTER CLEAR	265.9	531.8
1550	RED OXIDE	406.3	812.6	1550	RED OXIDE	334.9	669.8
1554	TINTING WHITE	413.0	825.9	1501	LANDAU BLACK	392.7	785.5
				1551	FAST YELLOW	409.3	818.5
<b>5531</b>	<b>LT BLUE</b>	<b>General Motors</b>	<b>4675</b>	<b>5538</b>	<b>DK MANDARIN</b>	<b>General Motors</b>	<b>CN/67</b>
1554	TINTING WHITE	201.7	403.4	1559	YELLOW OXIDE	221.6	443.3
1302	LOW LUSTER CLEAR	285.7	571.3	1550	RED OXIDE	334.8	669.6
1550	RED OXIDE	358.9	717.8	1551	FAST YELLOW	411.7	823.5
1553	FAST BLUE	407.3	814.5				
1551	FAST YELLOW	420.4	840.8				
<b>5532</b>	<b>BLUE INT</b>	<b>American Motor</b>	<b>75R6</b>	<b>5539</b>	<b>LT BUCKSKIN</b>	<b>General Motors</b>	<b>AN/64</b>
1554	TINTING WHITE	141.1	282.2	1559	YELLOW OXIDE	231.3	462.7
1553	FAST BLUE	279.7	559.4	1554	TINTING WHITE	379.5	759.1
1550	RED OXIDE	360.1	720.3	1550	RED OXIDE	416.6	833.2
1559	YELLOW OXIDE	417.4	834.9	1553	FAST BLUE	421.3	842.7
<b>5533</b>	<b>SILVER MET</b>	<b>General Motors</b>	<b>AM/15</b>	<b>5540</b>	<b>DK FIRETHORN</b>	<b>Chrysler Motors</b>	<b>CN/71</b>
1508	SILVER	403.9	807.9	1552	FAST RED	267.2	534.5
1559	YELLOW OXIDE	408.4	816.8	1559	YELLOW OXIDE	404.3	808.6
1552	FAST RED	408.8	817.6	1553	FAST BLUE	405.8	811.7
				1554	TINTING WHITE	407.2	814.3
<b>5534</b>	<b>DK GRAYSTONE</b>	<b>General Motors</b>	<b>CN/16</b>	<b>5541</b>	<b>DK BEIGE</b>	<b>Ford Motor</b>	
1559	YELLOW OXIDE	184.7	369.4	1559	YELLOW OXIDE	225.9	451.8
1554	TINTING WHITE	324.5	649.0	1554	TINTING WHITE	289.2	578.4
1501	LANDAU BLACK	400.6	801.2	1550	RED OXIDE	341.5	683.1
1550	RED OXIDE	419.4	838.9	1302	LOW LUSTER CLEAR	379.1	758.3
				1501	LANDAU BLACK	415.0	829.9
<b>5535</b>	<b>DK ROSEWOOD</b>	<b>General Motors</b>	<b>CN/79</b>	<b>5542</b>	<b>GRAY</b>	<b>Honda</b>	<b>180</b>
1559	YELLOW OXIDE	211.5	422.9	1501	LANDAU BLACK	108.9	217.7
1550	RED OXIDE	332.5	665.0	1302	LOW LUSTER CLEAR	213.3	426.6
1554	TINTING WHITE	385.1	770.3	1559	YELLOW OXIDE	307.2	614.5
1501	LANDAU BLACK	415.7	831.4	1554	TINTING WHITE	386.3	772.5
				1550	RED OXIDE	412.2	824.4

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 147

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>5543</b>	<b>DK FERN</b>	<b>Honda</b>		<b>G</b>	<b>5550</b>	<b>DK SABLE</b>	<b>General Motors</b>	<b>4056</b>
1501	LANDAU BLACK	135.2	270.4		1302	LOW LUSTER CLEAR	108.8	217.6
1559	YELLOW OXIDE	266.3	532.6		1551	FAST YELLOW	197.0	394.1
1302	LOW LUSTER CLEAR	360.9	721.8		1501	LANDAU BLACK	280.9	561.8
1554	TINTING WHITE	406.6	813.2		1550	RED OXIDE	347.7	695.4
1550	RED OXIDE	410.1	820.2		1554	TINTING WHITE	409.8	819.7
<b>5544</b>	<b>FERN</b>	<b>Honda</b>		<b>G</b>	<b>5551</b>	<b>MD DK OAK II</b>	<b>General Motors</b>	<b>112E</b>
1554	TINTING WHITE	147.2	294.3		1559	YELLOW OXIDE	255.8	511.7
1302	LOW LUSTER CLEAR	254.4	508.8		1302	LOW LUSTER CLEAR	305.2	610.5
1501	LANDAU BLACK	358.6	717.3		1554	TINTING WHITE	354.6	709.3
1551	FAST YELLOW	403.1	806.2		1550	RED OXIDE	396.2	792.5
1553	FAST BLUE	414.8	829.5		1501	Landua Black	414.2	828.4
<b>5545</b>	<b>KHAKI</b>	<b>Chrysler Motors</b>		<b>ZJ3</b>	<b>5552</b>	<b>GRAPHITE</b>	<b>General Motors</b>	<b>142E</b>
1559	YELLOW OXIDE	127.5	255.0		1501	LANDAU BLACK	278.8	557.7
1302	LOW LUSTER CLEAR	239.4	478.8		1302	LOW LUSTER CLEAR	360.1	720.3
1554	TINTING WHITE	338.9	677.7		1554	TINTING WHITE	406.6	813.2
1501	LANDAU BLACK	385.5	771.0		1553	FAST BLUE	407.7	815.5
1550	RED OXIDE	414.4	828.8					
<b>5546</b>	<b>DK KHAKI</b>	<b>Chrysler Motors</b>		<b>ZJ8</b>	<b>5553</b>	<b>LT TAUPE</b>	<b>Chrysler Motors</b>	<b>L2</b>
1559	YELLOW OXIDE	164.8	329.7		1554	TINTING WHITE	229.5	459.0
1501	LANDAU BLACK	247.1	494.2		1302	LOW LUSTER CLEAR	314.5	629.1
1302	LOW LUSTER CLEAR	328.7	657.4		1559	YELLOW OXIDE	381.2	762.5
1554	TINTING WHITE	377.3	754.7		1501	LANDAU BLACK	402.6	805.2
1550	RED OXIDE	411.9	823.8		1550		423.0	846.1
<b>5547</b>	<b>MIDNIGHT CREEK</b>	<b>Nissan</b>		<b>PK55</b>	<b>5554</b>	<b>NEW ECRU</b>	<b>Toyota</b>	<b>008B</b>
1501	LANDAU BLACK	140.1	280.3		1554	TINTING WHITE	284.7	569.4
1302	LOW LUSTER CLEAR	280.3	560.5		1302	LOW LUSTER CLEAR	384.0	768.0
1552	FAST RED	344.8	689.5		1559	YELLOW OXIDE	419.7	839.4
1554	TINTING WHITE	375.6	751.3		1501	LANDAU BLACK	423.7	847.4
1559	YELLOW OXIDE	406.5	813.0		1550	RED OXIDE	425.9	851.8
<b>5548</b>	<b>DK PORTLAND</b>	<b>Ford Motor</b>		<b>UGE</b>	<b>5555</b>	<b>BLACK</b>	<b>Toyota</b>	<b>136B</b>
1501	LANDAU BLACK	117.0	234.1		1501	LANDAU BLACK	284.2	568.5
1302	LOW LUSTER CLEAR	233.3	466.6		1302	LOW LUSTER CLEAR	361.8	723.5
1559	YELLOW OXIDE	343.1	686.3		1551	FAST YELLOW	390.5	781.1
1554	TINTING WHITE	388.4	776.7		1554	TINTING WHITE	403.1	806.2
1552	FAST RED	409.3	818.5		1553	FAST BLUE	405.2	810.4
<b>5549</b>	<b>DK MINK</b>	<b>Ford Motor</b>		<b>BHE</b>	<b>5556</b>	<b>LIGHT CAMEL</b>	<b>Chrysler Motors</b>	<b>K4/RK4</b>
1554	TINTING WHITE	109.1	218.1		1554	TINTING WHITE	268.8	537.5
1559	YELLOW OXIDE	218.1	436.2		1302	LOW LUSTER CLEAR	353.3	706.6
1302	LOW LUSTER CLEAR	300.7	601.4		1551	FAST YELLOW	388.2	776.3
1501	LANDAU BLACK	364.4	728.8		1550	RED OXIDE	413.5	827.1
1550	RED OXIDE	415.6	831.3		1501	LANDAU BLACK	424.7	849.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 148**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5557</b>	<b>NATURAL BEIGE</b>	<b>Chrysler Motors</b>	<b>L2/TL2</b>	<b>5564</b>	<b>DARK CRIMSON RE</b>	<b>Chrysler Motors</b>	<b>M8/LM8</b>
1554	TINTING WHITE	245.7	491.3	1552	FAST RED	176.4	352.8
1302	LOW LUSTER CLEAR	328.7	657.4	1302	LOW LUSTER CLEAR	255.6	511.1
1559	YELLOW OXIDE	386.8	773.7	1501	LANDAU BLACK	327.9	655.9
1501	LANDAU BLACK	406.1	812.3	1550	RED OXIDE	394.6	789.3
1550	RED OXIDE	424.1	848.2	1554	TINTING WHITE	406.1	812.3
<b>5558</b>	<b>LIGHT SANDSTONE</b>	<b>Chrysler Motors</b>	<b>TA/XTA</b>	<b>5565</b>	<b>DARK CLARET ME</b>	<b>Chrysler Motors</b>	<b>GM4</b>
1554	TINTING WHITE	187.2	374.3	1552	FAST RED	319.7	639.4
1559	YELLOW OXIDE	284.7	569.4	1300	HIGH GLOSS CLEAR	381.4	762.9
1302	LOW LUSTER CLEAR	375.1	750.1	1551	FAST YELLOW	392.3	784.5
1550	RED OXIDE	400.7	801.4	1508	SILVER	399.7	799.3
1501	LANDAU BLACK	420.6	841.1	1553	FAST BLUE	403.7	807.3
<b>5559</b>	<b>DARK SANDSTONE</b>	<b>Chrysler Motors</b>	<b>TM/XTM</b>	<b>5566</b>	<b>PLATINUM SILVER</b>	<b>Chrysler Motors</b>	<b>HD1</b>
1554	TINTING WHITE	112.9	225.7	1508	SILVER	246.0	491.9
1550	RED OXIDE	199.6	399.2	3520	PLATINUM PEARL	332.0	664.1
1551	FAST YELLOW	281.8	563.5	1300	HIGH GLOSS CLEAR	405.8	811.7
1302	LOW LUSTER CLEAR	359.3	718.6	1552	FAST RED	424.3	848.5
1501	LANDAU BLACK	414.5	829.0	1551	FAST YELLOW	429.7	859.4
				<b>MUST BE TOP COATED WITH 1300</b>			
<b>5560</b>	<b>DARK CIRRUS GRA</b>	<b>Chrysler Motors</b>	<b>C8/RC8</b>	<b>5567</b>	<b>DARK SILVER MET</b>	<b>Chrysler Motors</b>	<b>KS7</b>
1501	LANDAU BLACK	148.4	296.8	1501	LANDAU BLACK	199.0	398.1
1554	TINTING WHITE	256.0	512.1	1508	SILVER	361.6	723.1
1302	LOW LUSTER CLEAR	357.9	715.7	1553	FAST BLUE	406.2	812.4
1550	RED OXIDE	401.6	803.1				
1559	YELLOW OXIDE	413.3	826.5				
<b>5561</b>	<b>LIGHT CIRRUS GRA</b>	<b>Chrysler Motors</b>	<b>C1/RC1</b>	<b>5568</b>	<b>MED DARK PUMICE</b>	<b>Ford Motor</b>	<b>DC4A</b>
1554	TINTING WHITE	241.6	483.2	1559	YELLOW OXIDE	132.1	264.3
1302	LOW LUSTER CLEAR	334.8	669.6	1302	LOW LUSTER CLEAR	227.6	455.2
1501	LANDAU BLACK	368.6	737.2	1554	TINTING WHITE	307.5	615.0
1559	YELLOW OXIDE	398.6	797.2	1550	RED OXIDE	361.0	722.0
1550	RED OXIDE	423.1	846.3	1501	LANDAU BLACK	413.8	827.6
<b>5562</b>	<b>LIGHT SILVER FER</b>	<b>Chrysler Motors</b>	<b>JJ/RJJ</b>	<b>5569</b>	<b>DARK PARCHMENT</b>	<b>Ford Motor</b>	<b>BJ/5A</b>
1508	SILVER	189.3	378.7	1559	YELLOW OXIDE	143.7	287.5
1302	LOW LUSTER CLEAR	292.6	585.2	1302	LOW LUSTER CLEAR	229.3	458.7
1554	TINTING WHITE	344.3	688.6	1501	LANDAU BLACK	301.5	603.1
1551	FAST YELLOW	378.7	757.3	1554	TINTING WHITE	363.1	726.2
1501	LANDAU BLACK	402.8	805.6	1550	RED OXIDE	412.7	825.4
1550	RED OXIDE	409.6	819.3				
<b>5563</b>	<b>DARK SILVERFERN</b>	<b>Chrysler Motors</b>	<b>JL/RJL</b>	<b>5570</b>	<b>MIDNIGHT DENIM</b>	<b>Ford Motor</b>	<b>KY6A</b>
1508	SILVER	130.8	261.6	1501	LANDAU BLACK	214.2	428.5
1501	LANDAU BLACK	261.3	522.7	1302	LOW LUSTER CLEAR	297.9	595.8
1302	LOW LUSTER CLEAR	359.3	718.6	1553	FAST BLUE	336.4	672.8
1551	FAST YELLOW	389.6	779.2	1554	TINTING WHITE	373.3	746.5
1554	TINTING WHITE	399.4	798.8	1552	FAST RED	406.7	813.4
1553	FAST BLUE	405.9	811.9				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 149

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5571</b>	<b>NEUTRAL</b>	<b>General Motors</b>	<b>521/WA178E</b>	<b>5602</b>	<b>DARK SPRUCE</b>	<b>Toyota</b>	<b>603B</b>
1559	YELLOW OXIDE	154.4	308.8	1501	LANDAU BLACK	160.5	320.9
1302	LOW LUSTER CLEAR	251.8	503.7	1554	TINTING WHITE	254.8	509.6
1554	TINTING WHITE	318.2	636.3	1302	LOW LUSTER CLEAR	337.5	675.1
1501	LANDAU BLACK	370.1	740.2	1551	FAST YELLOW	393.8	787.6
1550	RED OXIDE	413.1	826.1	1553	FAST BLUE	411.0	821.9
<b>5572</b>	<b>NEUTRAL</b>	<b>General Motors</b>	<b>601/WA640F</b>	<b>5603</b>	<b>SPRUCE</b>	<b>Toyota</b>	<b>604B</b>
1559	YELLOW OXIDE	146.4	292.8	1554	TINTING WHITE	210.4	420.9
1302	LOW LUSTER CLEAR	230.0	460.0	1302	LOW LUSTER CLEAR	301.3	602.7
1552	FAST RED	296.9	593.8	1559	YELLOW OXIDE	362.6	725.2
1501	LANDAU BLACK	362.0	724.1	1501	LANDAU BLACK	415.9	831.8
1554	TINTING WHITE	410.5	821.0	1553	FAST BLUE	420.9	841.7
<b>5573</b>	<b>CHARCOAL</b>	<b>General Motors</b>	<b>801/WA637F</b>	<b>5604</b>	<b>JADE</b>	<b>Toyota</b>	<b>606B</b>
1501	LANDAU BLACK	196.0	392.0	1501	LANDAU BLACK	156.8	313.7
1559	YELLOW OXIDE	282.4	564.9	1559	YELLOW OXIDE	287.0	574.0
1302	LOW LUSTER CLEAR	357.6	715.2	1302	LOW LUSTER CLEAR	370.4	740.8
1554	TINTING WHITE	387.1	774.3	1553	FAST BLUE	400.8	801.6
1550	RED OXIDE	408.7	817.4	1554	TINTING WHITE	407.2	814.3
<b>5574</b>	<b>MEDIUM OAK</b>	<b>Toyota</b>	<b>435B</b>	<b>5605</b>	<b>DARK SAGE</b>	<b>Toyota</b>	<b>610B</b>
1559	YELLOW OXIDE	132.0	263.9	1559	YELLOW OXIDE	131.3	262.6
1554	TINTING WHITE	263.2	526.5	1501	LANDAU BLACK	239.8	479.6
1302	LOW LUSTER CLEAR	352.5	704.9	1554	TINTING WHITE	313.1	626.2
1550	RED OXIDE	390.6	781.3	1302	LOW LUSTER CLEAR	384.5	768.9
1501	LANDAU BLACK	417.4	834.9	1550	RED OXIDE	413.0	825.9
<b>5585</b>	<b>Med. Dk. Pewter II</b>	<b>General Motors</b>	<b>WA184D</b>	<b>5606</b>	<b>SAGE</b>	<b>Toyota</b>	<b>611B</b>
1559	YELLOW OXIDE	127.8	255.7	1554	TINTING WHITE	191.1	382.3
1554	TINTING WHITE	228.1	456.3	1559	YELLOW OXIDE	283.4	566.8
1501	LANDAU BLACK	308.4	616.8	1302	LOW LUSTER CLEAR	365.8	731.5
1302	LOW LUSTER CLEAR	393.4	786.8	1501	LANDAU BLACK	407.0	814.0
1550	RED OXIDE	425.0	850.0	1550	RED OXIDE	420.5	840.9
<b>5600</b>	<b>KHAKI</b>	<b>Toyota</b>	<b>601B</b>	<b>5607</b>	<b>SLATE GREEN</b>	<b>Toyota</b>	<b>612B</b>
1559	YELLOW OXIDE	158.4	316.7	1559	YELLOW OXIDE	117.5	235.0
1501	LANDAU BLACK	279.5	559.0	1501	LANDAU BLACK	218.7	437.4
1302	LOW LUSTER CLEAR	372.7	745.4	1554	TINTING WHITE	312.6	625.1
1554	TINTING WHITE	391.6	783.2	1302	LOW LUSTER CLEAR	384.8	769.5
1550	RED OXIDE	409.0	818.0	1553	FAST BLUE	413.4	826.9
<b>5601</b>	<b>LT KHAKI</b>	<b>Toyota</b>	<b>602B</b>	<b>5608</b>	<b>LT GREEN</b>	<b>Toyota</b>	<b>613B</b>
1559	YELLOW OXIDE	136.7	273.4	1554	TINTING WHITE	233.2	466.5
1554	TINTING WHITE	254.5	509.0	1302	LOW LUSTER CLEAR	314.2	628.3
1302	LOW LUSTER CLEAR	348.7	697.5	1559	YELLOW OXIDE	375.7	751.5
1501	LANDAU BLACK	394.9	789.8	1501	LANDAU BLACK	421.0	842.1
1550	RED OXIDE	416.0	832.0	1556	FAST GREEN	422.7	845.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 150

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5609</b>	<b>MIST GREEN</b>	<b>Toyota</b>	<b>615B</b>	<b>5616</b>	<b>ANTELOPE</b>	<b>Toyota</b>	<b>432B</b>
1554	TINTING WHITE	185.9	371.8	1559	YELLOW OXIDE	125.0	250.0
1559	YELLOW OXIDE	279.9	559.7	1501	LANDAU BLACK	243.8	487.5
1302	LOW LUSTER CLEAR	363.8	727.5	1302	LOW LUSTER CLEAR	322.0	643.9
1501	LANDAU BLACK	414.4	828.8	1550	RED OXIDE	372.6	745.2
1553	FAST BLUE	419.8	839.6	1554	TINTING WHITE	410.7	821.4
<b>5610</b>	<b>DARK AGATE</b>	<b>Toyota</b>	<b>607B</b>	<b>5617</b>	<b>LIGHT ANTELOPE</b>	<b>Toyota</b>	<b>433B</b>
1501	LANDAU BLACK	159.8	319.6	1554	TINTING WHITE	178.0	356.1
1559	YELLOW OXIDE	273.5	547.0	1302	LOW LUSTER CLEAR	276.1	552.1
1302	LOW LUSTER CLEAR	365.7	731.3	1559	YELLOW OXIDE	351.2	702.4
1554	TINTING WHITE	404.0	808.1	1501	LANDAU BLACK	386.8	773.7
1553	FAST BLUE	409.3	818.5	1550	RED OXIDE	419.5	839.0
<b>5611</b>	<b>AGATE</b>	<b>Toyota</b>	<b>608B</b>	<b>5618</b>	<b>OAK</b>	<b>Toyota</b>	<b>434B</b>
1559	YELLOW OXIDE	131.1	262.2	1559	YELLOW OXIDE	155.2	310.5
1302	LOW LUSTER CLEAR	229.4	458.9	1302	LOW LUSTER CLEAR	240.5	481.1
1550	RED OXIDE	303.1	606.3	1501	LANDAU BLACK	298.5	597.0
1554	TINTING WHITE	368.7	737.4	1550	RED OXIDE	356.4	712.9
1553	FAST BLUE	413.0	825.9	1554	TINTING WHITE	412.7	825.4
<b>5612</b>	<b>TAN</b>	<b>Toyota</b>	<b>424B</b>	<b>5620</b>	<b>LIGHT OAK</b>	<b>Toyota</b>	<b>436B</b>
1559	YELLOW OXIDE	211.9	423.7	1554	TINTING WHITE	200.9	401.9
1302	LOW LUSTER CLEAR	314.6	629.3	1559	YELLOW OXIDE	292.9	585.8
1554	TINTING WHITE	379.7	759.4	1302	LOW LUSTER CLEAR	378.0	756.0
1550	RED OXIDE	408.5	817.0	1550	RED OXIDE	405.6	811.1
1501	LANDAU BLACK	413.6	827.3	1501	LANDAU BLACK	421.5	843.0
<b>5613</b>	<b>LIGHT GREIGE</b>	<b>Toyota</b>	<b>425B</b>	<b>5621</b>	<b>MED DARK NEUTR</b>	<b>Toyota</b>	<b>439B</b>
1554	TINTING WHITE	169.6	339.2	1559	YELLOW OXIDE	148.9	297.7
1559	YELLOW OXIDE	288.5	577.0	1554	TINTING WHITE	243.4	486.8
1302	LOW LUSTER CLEAR	375.9	751.8	1302	LOW LUSTER CLEAR	329.9	659.9
1550	RED OXIDE	401.1	802.2	1501	LANDAU BLACK	375.0	749.9
1501	LANDAU BLACK	419.6	839.2	1550	RED OXIDE	415.2	830.3
<b>5614</b>	<b>JADE</b>	<b>Toyota</b>	<b>606B</b>	<b>5622</b>	<b>MED NEUTRAL</b>	<b>Toyota</b>	<b>440B</b>
1554	TINTING WHITE	180.7	361.4	1554	TINTING WHITE	141.6	283.1
1559	YELLOW OXIDE	321.3	642.6	1559	YELLOW OXIDE	263.8	527.6
1302	LOW LUSTER CLEAR	405.0	810.0	1302	LOW LUSTER CLEAR	351.2	702.4
1550	RED OXIDE	418.7	837.3	1550	RED OXIDE	387.9	775.8
1501	LANDAU BLACK	420.7	841.3	1501	LANDAU BLACK	417.9	835.8
<b>5615</b>	<b>CHOCOLATE BRO</b>	<b>Toyota</b>	<b>429B</b>	<b>5623</b>	<b>ORCHID BROWN</b>	<b>Toyota</b>	<b>441B</b>
1551	FAST YELLOW	112.5	225.0	1501	LANDAU BLACK	120.1	240.2
1302	LOW LUSTER CLEAR	211.8	423.5	1559	YELLOW OXIDE	230.2	460.4
1501	LANDAU BLACK	304.4	608.8	1302	LOW LUSTER CLEAR	313.6	627.2
1550	RED OXIDE	390.5	780.9	1550	RED OXIDE	363.0	726.0
1554	TINTING WHITE	407.0	814.0	1554	TINTING WHITE	411.1	822.1

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 151

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5624</b>	<b>SANDLEWOOD</b>	<b>Toyota</b>	<b>446B</b>	<b>5631</b>	<b>LIGHT ROSE</b>	<b>Toyota</b>	<b>427B</b>
1559	YELLOW OXIDE	143.4	286.7	1554	TINTING WHITE	155.2	310.5
1302	LOW LUSTER CLEAR	230.8	461.5	1559	YELLOW OXIDE	251.4	502.7
1554	TINTING WHITE	307.7	615.4	1302	LOW LUSTER CLEAR	337.3	674.5
1501	LANDAU BLACK	361.2	722.4	1550	RED OXIDE	386.0	772.0
1552	FAST RED	412.6	825.2	1501	LANDAU BLACK	418.6	837.1
<b>5625</b>	<b>FAWN</b>	<b>Toyota</b>	<b>447B</b>	<b>5632</b>	<b>IVORY</b>	<b>Toyota</b>	<b>002B</b>
1554	TINTING WHITE	163.2	326.4	1554	TINTING WHITE	198.3	396.5
1559	YELLOW OXIDE	273.8	547.6	1559	YELLOW OXIDE	312.1	624.2
1302	LOW LUSTER CLEAR	361.6	723.1	1302	LOW LUSTER CLEAR	397.6	795.2
1501	LANDAU BLACK	390.7	781.5	1550	RED OXIDE	414.7	829.4
1552	FAST RED	418.5	837.0	1501	LANDAU BLACK	421.5	843.0
<b>5626</b>	<b>DARK GREIGE</b>	<b>Toyota</b>	<b>422B</b>	<b>5633</b>	<b>IVORY</b>	<b>Toyota</b>	<b>003B</b>
1501	LANDAU BLACK	141.6	283.3	1554	TINTING WHITE	191.5	383.0
1302	LOW LUSTER CLEAR	231.1	462.3	1559	YELLOW OXIDE	298.3	596.6
1554	TINTING WHITE	296.8	593.6	1302	LOW LUSTER CLEAR	383.0	766.1
1551	FAST YELLOW	359.4	718.8	1550	RED OXIDE	404.7	809.4
1550	RED OXIDE	410.1	820.2	1501	LANDAU BLACK	420.9	841.9
<b>5627</b>	<b>QUARTZ</b>	<b>Toyota</b>	<b>431B</b>	<b>5634</b>	<b>IVORY</b>	<b>Toyota</b>	<b>006B</b>
1554	TINTING WHITE	178.0	356.1	1554	TINTING WHITE	257.4	514.7
1302	LOW LUSTER CLEAR	262.8	525.5	1302	LOW LUSTER CLEAR	341.0	681.9
1559	YELLOW OXIDE	337.3	674.7	1559	YELLOW OXIDE	404.4	808.8
1550	RED OXIDE	381.4	762.9	1550	RED OXIDE	416.5	833.0
1501	LANDAU BLACK	419.7	839.4	1501	LANDAU BLACK	424.8	849.7
<b>5628</b>	<b>ORCHID</b>	<b>Toyota</b>	<b>442B</b>	<b>5635</b>	<b>IVORY</b>	<b>Toyota</b>	<b>007B</b>
1554	TINTING WHITE	139.5	278.9	1554	TINTING WHITE	204.9	409.8
1559	YELLOW OXIDE	230.9	461.9	1559	YELLOW OXIDE	306.0	612.0
1302	LOW LUSTER CLEAR	316.0	631.9	1302	LOW LUSTER CLEAR	391.4	782.8
1501	LANDAU BLACK	372.8	745.6	1550	RED OXIDE	407.8	815.7
1550	RED OXIDE	417.3	834.7	1501	LANDAU BLACK	421.8	843.6
<b>5629</b>	<b>DARK ROSE</b>	<b>Toyota</b>	<b>417B</b>	<b>5636</b>	<b>SABLE</b>	<b>Toyota</b>	<b>407B</b>
1501	LANDAU BLACK	135.9	271.9	1559	YELLOW OXIDE	134.6	269.2
1559	YELLOW OXIDE	241.0	482.0	1501	LANDAU BLACK	236.9	473.9
1302	LOW LUSTER CLEAR	323.1	646.2	1302	LOW LUSTER CLEAR	316.8	633.7
1550	RED OXIDE	405.2	810.4	1550	RED OXIDE	392.0	783.9
1554	TINTING WHITE	408.5	817.0	1554		409.8	819.7
<b>5630</b>	<b>ROSE</b>	<b>Toyota</b>	<b>418B</b>	<b>5637</b>	<b>LIGHT SABLE</b>	<b>Toyota</b>	<b>408B</b>
1559	YELLOW OXIDE	134.0	267.9	1559	YELLOW OXIDE	153.5	307.0
1550	RED OXIDE	224.4	448.8	1302	LOW LUSTER CLEAR	238.8	477.7
1302	LOW LUSTER CLEAR	308.1	616.2	1554	TINTING WHITE	308.8	617.5
1501	LANDAU BLACK	366.7	733.4	1550	RED OXIDE	370.1	740.2
1554	TINTING WHITE	412.2	824.4	1501	LANDAU BLACK	413.8	827.6

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 152

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5638</b>	<b>BROWN</b>	<b>Toyota</b>	<b>411B</b>	<b>5645</b>	<b>STONE</b>	<b>Toyota</b>	<b>134B</b>
1559	YELLOW OXIDE	207.8	415.5	1554	TINTING WHITE	172.4	344.9
1302	LOW LUSTER CLEAR	291.6	583.1	1302	LOW LUSTER CLEAR	256.9	513.8
1550	RED OXIDE	362.0	723.9	1559	YELLOW OXIDE	333.0	666.0
1501	LANDAU BLACK	396.8	793.6	1501	LANDAU BLACK	391.1	782.2
1551	FAST YELLOW	409.9	819.9	1550	RED OXIDE	419.1	838.3
<b>5639</b>	<b>LIGHT BROWN</b>	<b>Toyota</b>	<b>412B</b>	<b>5646</b>	<b>NEW MAROON</b>	<b>Toyota</b>	<b>304B</b>
1559	YELLOW OXIDE	222.0	444.0	1552	FAST RED	238.0	476.0
1302	LOW LUSTER CLEAR	308.8	617.5	1550	RED OXIDE	329.9	659.9
1554	TINTING WHITE	357.3	714.6	1501	LANDAU BLACK	398.7	797.4
1550	RED OXIDE	402.4	804.8	1554	TINTING WHITE	407.1	814.2
1501	LANDAU BLACK	413.2	826.3				
<b>5640</b>	<b>MED GREIGE</b>	<b>Toyota</b>	<b>416B</b>	<b>5647</b>	<b>MAUVE</b>	<b>Toyota</b>	<b>306B</b>
1559	YELLOW OXIDE	170.3	340.7	1552	FAST RED	199.1	398.2
1302	LOW LUSTER CLEAR	257.2	514.3	1302	LOW LUSTER CLEAR	300.7	601.4
1501	LANDAU BLACK	312.3	624.5	1501	LANDAU BLACK	365.7	731.3
1550	RED OXIDE	362.3	724.7	1550	RED OXIDE	400.2	800.5
1554	TINTING WHITE	412.4	824.8	1554	TINTING WHITE	404.7	809.4
<b>5641</b>	<b>DK NEUTRAL BONE</b>	<b>Toyota</b>	<b>445B</b>	<b>5648</b>	<b>RED</b>	<b>Toyota</b>	<b>303B</b>
1559	YELLOW OXIDE	161.5	323.0	1552	FAST RED	272.4	544.7
1302	LOW LUSTER CLEAR	247.4	494.8	1302	LOW LUSTER CLEAR	359.7	719.3
1554	TINTING WHITE	313.7	627.4	1551	FAST YELLOW	387.2	774.4
1501	LANDAU BLACK	368.7	737.4	1554	TINTING WHITE	398.7	797.4
1550	RED OXIDE	413.3	826.7	1501	LANDAU BLACK	404.3	808.6
<b>5642</b>	<b>MED NEUTRAL BO</b>	<b>Toyota</b>	<b>443B</b>	<b>5649</b>	<b>BLACK</b>	<b>Toyota</b>	<b>201B</b>
1554	TINTING WHITE	173.9	347.9	1552	FAST RED	121.0	242.1
1559	YELLOW OXIDE	284.6	569.2	1556	FAST GREEN	234.7	469.5
1302	LOW LUSTER CLEAR	371.1	742.1	1302	LOW LUSTER CLEAR	326.4	652.8
1550	RED OXIDE	397.4	794.8	1501	LANDAU BLACK	403.5	806.9
1501	LANDAU BLACK	419.9	839.8				
<b>5643</b>	<b>GRAY</b>	<b>Toyota</b>	<b>103B</b>	<b>5650</b>	<b>SHADOW BLUE</b>	<b>Toyota</b>	<b>101B</b>
1501	LANDAU BLACK	131.9	263.7	1501	LANDAU BLACK	246.3	492.7
1554	TINTING WHITE	219.0	438.0	1559	YELLOW OXIDE	329.1	658.2
1559	YELLOW OXIDE	303.5	607.1	1554	TINTING WHITE	392.5	785.1
1302	LOW LUSTER CLEAR	383.3	766.7	1550	RED OXIDE	411.8	823.7
1550	RED OXIDE	413.0	825.9				
<b>5644</b>	<b>DK STONE</b>	<b>Toyota</b>	<b>133B</b>	<b>5651</b>	<b>LIGHT GRAY</b>	<b>Toyota</b>	<b>102B</b>
1501	LANDAU BLACK	116.2	232.4	1554	TINTING WHITE	203.0	406.0
1554	TINTING WHITE	209.6	419.1	1302	LOW LUSTER CLEAR	286.2	572.5
1559	YELLOW OXIDE	296.5	593.0	1559	YELLOW OXIDE	352.8	705.7
1302	LOW LUSTER CLEAR	377.0	753.9	1501	LANDAU BLACK	399.5	799.0
1550	RED OXIDE	413.6	827.3	1550	RED OXIDE	421.1	842.3



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 153**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5652</b>	<b>SLATE GRAY</b>	<b>Toyota</b>	<b>104B</b>	<b>5659</b>	<b>LIGHT BLUISH GRA</b>	<b>Toyota</b>	<b>119B</b>
1554	TINTING WHITE	147.7	295.5	1554	TINTING WHITE	303.2	606.5
1501	LANDAU BLACK	233.5	467.0	1501	LANDAU BLACK	376.0	752.0
1302	LOW LUSTER CLEAR	312.9	625.9	1559	YELLOW OXIDE	402.3	804.7
1559	YELLOW OXIDE	386.0	772.0	1550	RED OXIDE	428.6	857.3
1550	RED OXIDE	417.4	834.9				
<b>5653</b>	<b>LIGHT GRAY</b>	<b>Toyota</b>	<b>105B</b>	<b>5660</b>	<b>DARK BLUE GRAY</b>	<b>Toyota</b>	<b>120B</b>
1554	TINTING WHITE	260.9	521.7	1501	LANDAU BLACK	227.2	454.5
1302	LOW LUSTER CLEAR	344.5	688.9	1302	LOW LUSTER CLEAR	324.6	649.2
1559	YELLOW OXIDE	393.6	787.2	1554	TINTING WHITE	377.2	754.5
1501	LANDAU BLACK	415.6	831.3	1559	YELLOW OXIDE	398.1	796.1
1550	RED OXIDE	424.7	849.3	1550	RED OXIDE	408.8	817.6
<b>5654</b>	<b>BLUISH GRAY</b>	<b>Toyota</b>	<b>109B</b>	<b>5661</b>	<b>BLUE GRAY</b>	<b>Toyota</b>	<b>121B</b>
1501	LANDAU BLACK	146.7	293.4	1554	TINTING WHITE	154.3	308.6
1554	TINTING WHITE	252.1	504.3	1501	LANDAU BLACK	253.9	507.9
1302	LOW LUSTER CLEAR	328.5	657.0	1302	LOW LUSTER CLEAR	334.3	668.6
1559	YELLOW OXIDE	392.7	785.5	1559	YELLOW OXIDE	392.4	784.9
1550	RED OXIDE	413.8	827.6	1550	RED OXIDE	417.5	835.1
<b>5655</b>	<b>LIGHT GRAY</b>	<b>Toyota</b>	<b>110B</b>	<b>5662</b>	<b>DARK CHARCOAL</b>	<b>Toyota</b>	<b>124B</b>
1554	TINTING WHITE	233.0	466.1	1554	TINTING WHITE	133.3	266.6
1302	LOW LUSTER CLEAR	316.9	633.8	1501	LANDAU BLACK	242.2	484.3
1559	YELLOW OXIDE	370.6	741.2	1302	LOW LUSTER CLEAR	321.5	643.0
1501	LANDAU BLACK	407.5	814.9	1550	RED OXIDE	373.8	747.7
1550	RED OXIDE	422.8	845.7	1551	FAST YELLOW	415.1	830.1
<b>5656</b>	<b>BLUE GRAY</b>	<b>Toyota</b>	<b>111B</b>	<b>5663</b>	<b>MED MOONMIST</b>	<b>Toyota</b>	<b>126B</b>
1554	TINTING WHITE	132.0	263.9	1554	TINTING WHITE	135.6	271.1
1501	LANDAU BLACK	263.9	527.8	1501	LANDAU BLACK	258.8	517.6
1302	LOW LUSTER CLEAR	345.3	690.7	1302	LOW LUSTER CLEAR	346.8	693.5
1559	YELLOW OXIDE	415.3	830.7	1550	RED OXIDE	403.1	806.2
				1553	FAST BLUE	415.4	830.9
<b>5657</b>	<b>DARK BLUE GRAY</b>	<b>Toyota</b>	<b>112B</b>	<b>5664</b>	<b>MOONMIST</b>	<b>Toyota</b>	<b>128B</b>
1501	LANDAU BLACK	215.1	430.2	1554	TINTING WHITE	271.9	543.8
1302	LOW LUSTER CLEAR	297.8	595.7	1302	LOW LUSTER CLEAR	354.7	709.5
1554	TINTING WHITE	351.4	702.8	1501	LANDAU BLACK	410.1	820.2
1559	YELLOW OXIDE	404.3	808.6	1550	RED OXIDE	424.4	848.7
1553	FAST BLUE	409.3	818.5	1553	FAST BLUE	424.7	849.3
<b>5658</b>	<b>MEDIUM GRAY</b>	<b>Toyota</b>	<b>113B</b>	<b>5665</b>	<b>MED CHARCOAL</b>	<b>Toyota</b>	<b>128B</b>
1554	TINTING WHITE	155.0	310.1	1554	TINTING WHITE	197.5	395.0
1501	LANDAU BLACK	245.5	491.0	1302	LOW LUSTER CLEAR	281.8	563.5
1302	LOW LUSTER CLEAR	326.2	652.5	1559	YELLOW OXIDE	355.9	711.7
1559	YELLOW OXIDE	394.1	788.1	1501	LANDAU BLACK	392.3	784.5
1550	RED OXIDE	417.6	835.2	1550	RED OXIDE	420.9	841.9

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 154**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5666</b>	<b>LIGHT GRAY</b>	<b>Toyota</b>	<b>130B</b>	<b>5673</b>	<b>INSPIRATION YELL</b>	<b>Ford Motor</b>	<b>1FDA</b>
1554	TINTING WHITE	290.0	580.1	1554	TINTING WHITE	286.4	572.9
1302	LOW LUSTER CLEAR	375.2	750.3	1302	LOW LUSTER CLEAR	368.7	737.4
1501	LANDAU BLACK	404.8	809.6	1551	FAST YELLOW	424.7	849.3
1559	YELLOW OXIDE	418.4	836.8	1556	FAST GREEN	425.3	850.6
1550	RED OXIDE	426.2	852.3				
<b>5667</b>	<b>AMETHYST</b>	<b>Toyota</b>		<b>5674</b>	<b>DK MIDNIGHT BLK</b>	<b>Ford Motor</b>	<b>ZU8C</b>
1554	TINTING WHITE	107.4	214.7	1501	LANDAU BLACK	225.9	451.8
1501	LANDAU BLACK	212.5	425.0	1300	HIGH GLOSS CLEAR	306.6	613.1
1302	LOW LUSTER CLEAR	290.3	580.6	1552	FAST RED	354.6	709.3
1559	YELLOW OXIDE	355.7	711.4	1508	SILVER	394.3	788.7
1550	RED OXIDE	414.8	829.5	1551	FAST YELLOW	404.7	809.4
<b>5668</b>	<b>LIGHT AMETHYST</b>	<b>Toyota</b>	<b>132B</b>	<b>5675</b>	<b>T-BIRD BLUE</b>	<b>Ford Motor</b>	<b>KSEA</b>
1554	TINTING WHITE	203.4	406.8	1554	TINTING WHITE	243.9	487.7
1302	LOW LUSTER CLEAR	285.4	570.8	1302	LOW LUSTER CLEAR	322.5	645.1
1559	YELLOW OXIDE	344.5	688.9	1559	YELLOW OXIDE	376.7	753.4
1501	LANDAU BLACK	386.2	772.4	1553	FAST BLUE	406.2	812.4
1550	RED OXIDE	421.3	842.7	1556	FAST GREEN	423.2	846.5
<b>5669</b>	<b>SADDLE GRAY</b>	<b>Toyota</b>	<b>135B</b>	<b>5676</b>	<b>CHARCOAL GRAY</b>	<b>Ford Motor</b>	<b>ZJDC</b>
1501	LANDAU BLACK	163.5	327.0	1508	SILVER	262.3	524.6
1559	YELLOW OXIDE	254.0	508.1	1300	HIGH GLOSS CLEAR	331.4	662.7
1302	LOW LUSTER CLEAR	341.6	683.2	1501	LANDAU BLACK	384.8	769.7
1554	TINTING WHITE	376.7	753.4	1552	FAST RED	395.9	791.7
1550	RED OXIDE	409.4	818.7	1551	FAST YELLOW	406.9	813.8
<b>5670</b>	<b>MED RED</b>	<b>Ford Motor</b>	<b>WA4899/2-520</b>	<b>5677</b>	<b>LT SATIN SILVER M</b>	<b>Ford Motor</b>	<b>2PBE</b>
1552	FAST RED	269.9	539.8	1554	TINTING WHITE	199.6	399.2
1551	FAST YELLOW	370.7	741.4	1508	SILVER	328.8	657.6
1554	TINTING WHITE	388.2	776.3	1559	YELLOW OXIDE	351.1	702.2
1302	LOW LUSTER CLEAR	403.0	806.0	1501	LANDAU BLACK	362.0	723.9
1550	RED OXIDE	405.2	810.4	1550	RED OXIDE	367.1	734.2
<b>5671</b>	<b>MED BERYL MET.</b>	<b>Ford Motor</b>	<b>MKCC/2-251</b>	<b>5678</b>	<b>MD SATIN NICKEL</b>	<b>Ford Motor</b>	<b>2P3C</b>
1556	FAST GREEN	147.8	295.6	1508	SILVER	279.4	558.8
1553	FAST BLUE	293.4	586.7	1300	HIGH GLOSS CLEAR	359.7	719.3
1508	SILVER	357.7	715.4	1552	FAST RED	379.0	757.9
1501	LANDAU BLACK	404.3	808.6	1551	FAST YELLOW	397.3	794.6
				1501	LANDAU BLACK	406.9	813.8
<b>5672</b>	<b>MED BERYL MET.</b>	<b>Ford Motor</b>	<b>MKMC/2-685</b>	<b>5679</b>	<b>LT SATIN SILVER M</b>	<b>Ford Motor</b>	<b>2PBC</b>
1508	SILVER	201.6	403.2	1554	TINTING WHITE	183.3	366.5
1553	FAST BLUE	359.0	718.0	1508	SILVER	362.9	725.8
1551	FAST YELLOW	405.7	811.5	1559	YELLOW OXIDE	395.2	790.4
				1501	LANDAU BLACK	412.5	825.0
				1550	RED OXIDE	421.1	842.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 155**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5680</b>	<b>COLORADO RED</b>	<b>Ford Motor</b>	<b>NDDA</b>	<b>5687</b>	<b>BLUE BIRD BROWN</b>		
1552	FAST RED	216.0	432.1	1559	YELLOW OXIDE	189.3	378.7
1551	FAST YELLOW	340.2	680.4	1300	HIGH GLOSS CLEAR	269.8	539.6
1302	LOW LUSTER CLEAR	376.2	752.4	1550	RED OXIDE	340.0	680.0
1554	TINTING WHITE	403.2	806.4	1501	LANDAU BLACK	379.6	759.2
1550	RED OXIDE	405.8	811.7	1554	TINTING WHITE	412.1	824.2
<b>5681</b>	<b>SEAMIST GREEN</b>	<b>Chrysler Motors</b>	<b>ZP7</b>	<b>5688</b>	<b>SILVER MET</b>	<b>Chrysler Motors</b>	<b>BA2</b>
1302	LOW LUSTER CLEAR	108.8	217.6	1508	SILVER	405.7	811.3
1551	FAST YELLOW	205.7	411.4	1554	TINTING WHITE	407.7	815.5
1501	LANDAU BLACK	301.8	603.6	1551	FAST YELLOW	409.0	818.0
1553	FAST BLUE	383.5	767.0				
1554	TINTING WHITE	404.7	809.4				
<b>5682</b>	<b>DK GRAY</b>	<b>Toyota</b>	<b>137B</b>	<b>5689</b>	<b>BLACK</b>	<b>Ford Motor</b>	<b>JA6A</b>
1501	LANDAU BLACK	129.4	258.8	1501	LANDAU BLACK	213.3	426.6
1559	YELLOW OXIDE	224.2	448.4	1302	LOW LUSTER CLEAR	299.1	598.1
1554	TINTING WHITE	305.9	611.8	1551	FAST YELLOW	348.6	697.1
1302	LOW LUSTER CLEAR	387.6	775.2	1554	TINTING WHITE	393.5	787.0
1550	RED OXIDE	412.8	825.6	1550	RED OXIDE	407.7	815.5
<b>5683</b>	<b>LT WARM GREY</b>	<b>General Motors</b>	<b>11</b>	<b>5690</b>	<b>BLACK INK</b>	<b>Ford Motor</b>	<b>2B5A</b>
1559	YELLOW OXIDE	146.4	292.8	1501	LANDAU BLACK	197.3	394.6
1302	LOW LUSTER CLEAR	227.9	455.8	1553	FAST BLUE	270.1	540.2
1554	TINTING WHITE	299.6	599.3	1552	FAST RED	335.6	671.3
1501	LANDAU BLACK	360.2	720.5	1302	LOW LUSTER CLEAR	398.5	797.1
1552	FAST RED	412.4	824.8	1554	TINTING WHITE	404.2	808.5
<b>5684</b>	<b>THOMAS GREY</b>			<b>5691</b>	<b>LOW GLOSS BLACK</b>	<b>Chrysler Motors</b>	<b>X4</b>
1554	TINTING WHITE	234.7	469.3	1501	LANDAU BLACK	248.3	496.7
1501	LANDAU BLACK	329.7	659.3	1302	LOW LUSTER CLEAR	403.6	807.1
1559	YELLOW OXIDE	417.4	834.9				
1550	RED OXIDE	424.2	848.4				
<b>MUST BE TOP COATED WITH 1300</b>							
<b>5685</b>	<b>THOMAS GREEN</b>			<b>5692</b>	<b>DK GRAY</b>	<b>General Motors</b>	<b>176E</b>
1501	LANDAU BLACK	166.3	332.7	1554	TINTING WHITE	109.2	218.3
1551	FAST YELLOW	279.0	558.0	1559	YELLOW OXIDE	204.5	409.1
1554	TINTING WHITE	368.2	736.4	1501	LANDAU BLACK	293.2	586.3
1553	FAST BLUE	411.1	822.1	1302	LOW LUSTER CLEAR	373.4	746.9
				1550	RED OXIDE	415.2	830.3
<b>MUST BE TOP COATED WITH 1300</b>							
<b>5686</b>	<b>BLUE BIRD GREEN</b>			<b>5693</b>	<b>MED GRAY</b>	<b>General Motors</b>	<b>604F</b>
1551	FAST YELLOW	172.8	345.6	1559	YELLOW OXIDE	106.8	213.6
1553	FAST BLUE	272.5	544.9	1554	TINTING WHITE	212.2	424.5
1554	TINTING WHITE	351.0	702.1	1501	LANDAU BLACK	310.3	620.5
1501	LANDAU BLACK	409.6	819.3	1302	LOW LUSTER CLEAR	391.4	782.8
				1550	RED OXIDE	414.8	829.5
<b>MUST BE TOP COATED WITH 1300</b>							

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 156

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5694</b>	<b>MED FLINT</b>	<b>Ford Motor</b>	<b>2NCA</b>	<b>5706</b>	<b>LIGHT SILVERFER</b>	<b>Chrysler Motors</b>	<b>RJJ</b>
1554	TINTING WHITE	158.3	316.5	1554	TINTING WHITE	217.1	434.2
1559	YELLOW OXIDE	248.0	495.9	1559	YELLOW OXIDE	309.7	619.4
1302	LOW LUSTER CLEAR	329.2	658.4	1302	LOW LUSTER CLEAR	390.1	780.1
1501	LANDAU BLACK	398.7	797.4	1501	LANDAU BLACK	415.8	831.6
1550	RED OXIDE	418.2	836.4	1550	RED OXIDE	422.3	844.6
<b>5695</b>	<b>DK FLINT</b>	<b>Ford Motor</b>	<b>2N5A</b>	<b>5707</b>	<b>DK SILVERFERN</b>	<b>Chrysler Motors</b>	<b>JL/RJL</b>
1559	YELLOW OXIDE	126.0	251.9	1559	YELLOW OXIDE	142.4	284.8
1501	LANDAU BLACK	251.2	502.4	1554	TINTING WHITE	233.1	466.3
1302	LOW LUSTER CLEAR	333.4	666.7	1501	LANDAU BLACK	322.5	645.1
1554	TINTING WHITE	379.9	759.8	1302	LOW LUSTER CLEAR	405.4	810.7
1550	RED OXIDE	410.9	821.8	1550	RED OXIDE	414.0	828.0
<b>5696</b>	<b>MED TITANIUM ME</b>	<b>Ford Motor</b>	<b>M6432G</b>	<b>5708</b>	<b>CEDAR GREEN</b>	<b>General Motors</b>	<b>WA722H</b>
1508	SILVER	225.5	451.1	1559	YELLOW OXIDE	219.1	438.1
1501	LANDAU BLACK	341.4	682.9	1302	LOW LUSTER CLEAR	299.5	599.1
1552	FAST RED	383.0	766.1	1552	FAST RED	356.2	712.3
1551	FAST YELLOW	407.0	814.0	1553	FAST BLUE	395.4	790.8
				1554	TINTING WHITE	409.3	818.5
<b>5697</b>	<b>MED DARK MAPLE</b>	<b>General Motors</b>	<b>77CN</b>	<b>5709</b>	<b>SALSA RED</b>	<b>General Motors</b>	<b>WA723H</b>
1552	FAST RED	183.7	367.5	1552	FAST RED	184.5	369.0
1559	YELLOW OXIDE	363.5	726.9	1551	FAST YELLOW	289.3	578.6
1554	TINTING WHITE	398.6	797.2	1302	LOW LUSTER CLEAR	368.6	737.2
1553	FAST BLUE	404.4	808.8	1554	TINTING WHITE	401.0	802.0
1501	LANDAU BLACK	410.6	821.2	1550	RED OXIDE	406.0	812.1
<b>5698</b>	<b>LIGHT KHAKI</b>	<b>Chrysler Motors</b>		<b>5710</b>	<b>RIDGE CHARCOAL</b>	<b>General Motors</b>	<b>634H</b>
1554	TINTING WHITE	162.6	325.3	1559	YELLOW OXIDE	154.4	308.8
1302	LOW LUSTER CLEAR	269.0	538.1	1501	LANDAU BLACK	269.9	539.8
1559	YELLOW OXIDE	374.2	748.4	1302	LOW LUSTER CLEAR	339.8	679.6
1501	LANDAU BLACK	400.3	800.7	1554	TINTING WHITE	379.2	758.5
1550	RED OXIDE	418.6	837.1	1550	RED OXIDE	411.2	822.3
<b>5699</b>	<b>VERY DK KHAKI</b>	<b>Chrysler Motors</b>	<b>ZJV</b>	<b>5711</b>	<b>RIDGE CHARCOAL</b>	<b>General Motors</b>	<b>635H</b>
1559	YELLOW OXIDE	136.7	273.4	1551	FAST YELLOW	122.2	244.3
1501	LANDAU BLACK	258.0	516.0	1501	LANDAU BLACK	208.5	417.1
1302	LOW LUSTER CLEAR	349.0	698.1	1302	LOW LUSTER CLEAR	284.3	568.7
1554	TINTING WHITE	385.4	770.8	1554	TINTING WHITE	347.4	694.8
1550	RED OXIDE	410.1	820.2	1550	RED OXIDE	410.1	820.2
<b>5705</b>	<b>NATURAL TAN</b>	<b>Chrysler Motors</b>	<b>BU4</b>	<b>5712</b>	<b>HANGLIDE RED</b>	<b>General Motors</b>	<b>141 WCK</b>
1559	YELLOW OXIDE	180.5	361.0	1552	FAST RED	233.1	466.3
1550	RED OXIDE	300.6	601.2	1551	FAST YELLOW	356.2	712.3
1302	LOW LUSTER CLEAR	392.8	785.7	1302	LOW LUSTER CLEAR	403.3	806.6
1501	LANDAU BLACK	406.0	812.1	1501	LANDAU BLACK	403.7	807.3
1554	TINTING WHITE	410.7	821.4				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 157

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>5713</b>	<b>TWILIGHT BLUE</b>			<b>UCV2-1277</b>	<b>5720</b>	<b>MED DARK FLINT</b>	<b>Ford Motor</b>	<b>2N4A</b>
1501	LANDAU BLACK	164.8	329.7		1559	YELLOW OXIDE	111.1	222.1
1554	TINTING WHITE	303.2	606.5		1501	LANDAU BLACK	218.7	437.4
1559	YELLOW OXIDE	377.2	754.5		1554	TINTING WHITE	312.9	625.9
1553	FAST BLUE	416.5	833.0		1302	LOW LUSTER CLEAR	390.7	781.5
					1550	RED OXIDE	414.1	828.2
<b>5714</b>	<b>MINERAL GRAY</b>	<b>Ford Motor</b>		<b>ZSTAFUG</b>	<b>5721</b>	<b>MED LT STONE</b>	<b>Ford Motor</b>	<b>1T3A</b>
1501	LANDAU BLACK	101.6	203.1		1554	TINTING WHITE	199.8	399.5
1554	TINTING WHITE	194.2	388.4		1559	YELLOW OXIDE	289.9	579.9
1302	LOW LUSTER CLEAR	273.2	546.4		1302	LOW LUSTER CLEAR	374.2	748.4
1551	FAST YELLOW	350.7	701.5		1501	LANDAU BLACK	398.9	797.7
1552	FAST RED	410.8	821.6		1550	RED OXIDE	421.3	842.6
<b>5715</b>	<b>ASH 2</b>	<b>Ford Motor</b>		<b>3NCA</b>	<b>5722</b>	<b>DARK STONE</b>	<b>Ford Motor</b>	<b>1T5A</b>
1554	TINTING WHITE	219.1	438.1		1559	YELLOW OXIDE	149.1	298.1
1559	YELLOW OXIDE	302.5	605.0		1501	LANDAU BLACK	231.3	462.7
1302	LOW LUSTER CLEAR	384.3	768.6		1302	LOW LUSTER CLEAR	309.8	619.6
1501	LANDAU BLACK	419.6	839.2		1554	TINTING WHITE	371.0	742.0
1550	RED OXIDE	422.3	844.6		1550	RED OXIDE	412.7	825.4
<b>5716</b>	<b>ASH 6</b>	<b>Ford Motor</b>		<b>3N5A</b>	<b>5723</b>	<b>ADOBE RED</b>	<b>Chrysler Motors</b>	<b>AEJ</b>
1559	YELLOW OXIDE	127.2	254.4		1550	RED OXIDE	260.2	520.4
1554	TINTING WHITE	222.9	445.7		1302	LOW LUSTER CLEAR	342.3	684.6
1302	LOW LUSTER CLEAR	314.0	628.0		1553	FAST BLUE	375.1	750.1
1501	LANDAU BLACK	395.7	791.4		1552	FAST RED	400.3	800.7
1550	RED OXIDE	414.2	828.4		1554	TINTING WHITE	410.5	821.0
<b>5717</b>	<b>ESPRESSO</b>	<b>Ford Motor</b>		<b>2T5A</b>	<b>5724</b>	<b>NEW SLATE</b>	<b>Chrysler Motors</b>	<b>BD5</b>
1552	FAST RED	100.0	200.1		1554	TINTING WHITE	125.2	250.4
1302	LOW LUSTER CLEAR	216.3	432.6		1559	YELLOW OXIDE	225.2	450.5
1501	LANDAU BLACK	307.0	614.1		1302	LOW LUSTER CLEAR	308.0	616.0
1551	FAST YELLOW	373.4	746.7		1501	LANDAU BLACK	398.1	796.1
1554	TINTING WHITE	405.9	811.9		1550	RED OXIDE	415.9	831.8
<b>5718</b>	<b>PEBBLE</b>	<b>Ford Motor</b>		<b>3TCA</b>	<b>5725</b>	<b>LT GREYSTONE</b>	<b>Chrysler Motors</b>	<b>BD1</b>
1559	YELLOW OXIDE	147.2	294.3		1554	TINTING WHITE	215.4	430.7
1554	TINTING WHITE	283.9	567.7		1302	LOW LUSTER CLEAR	330.2	660.4
1302	LOW LUSTER CLEAR	365.6	731.1		1559	YELLOW OXIDE	389.4	778.8
1550	RED OXIDE	392.7	785.5		1501	LANDAU BLACK	409.8	819.7
1501	LANDAU BLACK	417.9	835.8		1550	RED OXIDE	421.3	842.7
<b>5719</b>	<b>LIGHT FLINT</b>	<b>Ford Motor</b>		<b>2NBA</b>	<b>5728</b>	<b>ANTHRACITE</b>	<b>Ford Motor</b>	<b>ZKEA</b>
1554	TINTING WHITE	259.3	518.5		1501	LANDAU BLACK	257.8	515.7
1302	LOW LUSTER CLEAR	340.8	681.5		1559	YELLOW OXIDE	354.3	708.5
1559	YELLOW OXIDE	389.3	778.6		1554	TINTING WHITE	386.7	773.5
1501	LANDAU BLACK	416.0	832.0		1550	RED OXIDE	409.9	819.9
1550	RED OXIDE	424.5	848.9					

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 158

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5729</b>	<b>WARM STEEL MET</b>	<b>Ford Motor</b>	<b>3Q4C</b>	<b>5736</b>	<b>RED</b>	<b>Ford Motor</b>	<b>EBDA</b>
1508	SILVER	191.0	381.9	1552	FAST RED	231.9	463.8
1501	LANDAU BLACK	316.7	633.5	1551	FAST YELLOW	359.9	719.7
1559	YELLOW OXIDE	398.3	796.7	1554	TINTING WHITE	406.3	812.6
1550	RED OXIDE	408.7	817.4	1550	RED OXIDE	407.6	815.1
<b>MUST BE TOPCOATED WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5730</b>	<b>MED GRAY MET</b>	<b>Ford Motor</b>	<b>ZRDC</b>	<b>5737</b>	<b>MED SILVER MET</b>	<b>Ford Motor</b>	
1508	SILVER	229.6	459.2	1508	SILVER	406.4	812.8
1501	LANDAU BLACK	375.4	750.9	1559	YELLOW OXIDE	407.3	814.5
1559	YELLOW OXIDE	397.3	794.6	1552	FAST RED	408.1	816.2
1550	RED OXIDE	407.8	815.7	1551	FAST YELLOW	409.0	818.0
<b>MUST BE TOPCOATED WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5731</b>	<b>SATIN CREAM</b>	<b>Ford Motor</b>	<b>3LCC</b>	<b>5738</b>	<b>MED STONE</b>	<b>Ford Motor</b>	<b>1TCA</b>
1508	SILVER	357.7	715.4	1554	TINTING WHITE	207.7	415.3
1551	FAST YELLOW	385.8	771.6	1559	YELLOW OXIDE	341.7	683.4
1552	FAST RED	408.2	816.4	1501	LANDAU BLACK	386.4	772.7
				1550	RED OXIDE	423.8	847.6
<b>MUST BE TOPCOATED WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5732</b>	<b>SATIN ALUMINUM</b>	<b>Ford Motor</b>	<b>UA2C</b>	<b>5739</b>	<b>KING RANCH TAN</b>	<b>Ford Motor</b>	<b>1U5A</b>
1508	SILVER	405.2	810.4	1559	YELLOW OXIDE	179.3	358.5
1559	YELLOW OXIDE	408.0	816.1	1550	RED OXIDE	283.5	567.0
1552	FAST RED	408.9	817.8	1302	LOW LUSTER CLEAR	364.4	728.8
				1501	LANDAU BLACK	406.5	813.0
				1554	TINTING WHITE	409.7	819.5
				1551	FAST YELLOW	410.4	820.8
<b>MUST BE TOPCOATED WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5733</b>	<b>DARK GREY MET</b>	<b>Ford Motor</b>	<b>YJEC</b>	<b>5740</b>	<b>PEBBLE 5</b>	<b>Ford Motor</b>	<b>3T5A</b>
1501	LANDAU BLACK	180.3	360.6	1559	YELLOW OXIDE	189.6	379.2
1559	YELLOW OXIDE	275.4	550.8	1302	LOW LUSTER CLEAR	266.1	532.2
1302	LOW LUSTER CLEAR	353.7	707.4	1554	TINTING WHITE	327.3	654.6
1550	RED OXIDE	382.0	764.0	1501	LANDAU BLACK	374.7	749.4
1508	SILVER	407.0	814.0	1550	RED OXIDE	413.5	827.1
<b>MUST BE TOPCOATED WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5734</b>	<b>DARK GRAY MET</b>	<b>Ford Motor</b>	<b>3MEC</b>	<b>5741</b>	<b>PEBBLE 4</b>	<b>Ford Motor</b>	<b>3T4A</b>
1501	LANDAU BLACK	181.5	362.9	1559	YELLOW OXIDE	170.5	341.1
1508	SILVER	280.7	561.5	1554	TINTING WHITE	259.0	517.9
1302	LOW LUSTER CLEAR	342.8	685.5	1302	LOW LUSTER CLEAR	337.9	675.8
1559	YELLOW OXIDE	380.0	760.0	1501	LANDAU BLACK	377.1	754.1
1550	RED OXIDE	406.7	813.4	1550	RED OXIDE	415.0	829.9
<b>MUST BE TOPCOATED WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5735</b>	<b>DARK TITANIUM M</b>	<b>Ford Motor</b>	<b>8P6C</b>	<b>5742</b>	<b>DARK PARCHMENT</b>	<b>Ford Motor</b>	<b>BJ5A</b>
1501	LANDAU BLACK	151.0	301.9	1559	YELLOW OXIDE	160.1	320.2
1508	SILVER	234.7	469.3	1302	LOW LUSTER CLEAR	237.2	474.4
1302	LOW LUSTER CLEAR	309.7	619.4	1501	LANDAU BLACK	310.3	620.5
1559	YELLOW OXIDE	370.0	740.1	1554	TINTING WHITE	366.4	732.8
1550	RED OXIDE	407.3	814.5	1550	RED OXIDE	412.7	825.4

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 159

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5743</b>	<b>SADDLE 6</b>	<b>Ford Motor</b>	<b>3U6A</b>	<b>5750</b>	<b>LIGHT CASHMERE</b>	<b>General Motors</b>	<b>WA830K</b>
1559	YELLOW OXIDE	169.8	339.5	1554	TINTING WHITE	179.4	358.7
1550	RED OXIDE	311.3	622.6	1559	YELLOW OXIDE	298.5	597.0
1302	LOW LUSTER CLEAR	387.1	774.3	1302	LOW LUSTER CLEAR	386.1	772.2
1554	TINTING WHITE	403.2	806.4	1550	RED OXIDE	407.8	815.7
1556	FAST GREEN	412.0	824.0	1501	LANDAU BLACK	420.5	840.9
<b>5744</b>	<b>SLATE MET</b>	<b>General Motors</b>	<b>WA759J</b>	<b>5751</b>	<b>YELLOW</b>		
1501	LANDAU BLACK	187.2	374.3	1551	FAST YELLOW	309.7	619.4
1508	SILVER	279.7	559.4	1554	TINTING WHITE	411.4	822.9
1559	YELLOW OXIDE	368.8	737.6	1553	FAST BLUE	411.7	823.5
1550	RED OXIDE	408.5	817.0				
<b>5745</b>	<b>MED MOCHA</b>	<b>Ford Motor</b>	<b>M6643C</b>	<b>5752</b>	<b>PEBBLE 1</b>	<b>Ford Motor</b>	<b>3T3A</b>
1559	YELLOW OXIDE	177.8	355.7	1554	TINTING WHITE	194.6	389.1
1550	RED OXIDE	277.6	555.2	1559	YELLOW OXIDE	303.6	607.2
1554	TINTING WHITE	362.3	724.7	1302	LOW LUSTER CLEAR	385.8	771.6
1501	LANDAU BLACK	417.1	834.1	1550	RED OXIDE	405.6	811.1
				1501	LANDAU BLACK	421.3	842.7
<b>MUST BE TOPCOATED WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5746</b>	<b>DARK BLUE MET</b>	<b>General Motors</b>		<b>5753</b>	<b>MED LT FLINT</b>	<b>Ford Motor</b>	<b>2N3A</b>
1553	FAST BLUE	219.9	439.9	1554	TINTING WHITE	202.9	405.8
1302	LOW LUSTER CLEAR	324.0	647.9	1302	LOW LUSTER CLEAR	285.2	570.4
1559	YELLOW OXIDE	383.4	766.8	1559	YELLOW OXIDE	358.2	716.5
1508	SILVER	400.0	800.1	1501	LANDAU BLACK	405.9	811.9
1501	LANDAU BLACK	403.9	807.9	1550	RED OXIDE	421.0	842.1
<b>5747</b>	<b>DARK GRAYSTONE</b>	<b>Chrysler Motors</b>	<b>TW</b>	<b>5754</b>	<b>MEDIUM KHAKI</b>	<b>Chrysler Motors</b>	<b>ZJ3</b>
1559	YELLOW OXIDE	120.6	241.1	1559	YELLOW OXIDE	140.9	281.8
1501	LANDAU BLACK	235.7	471.4	1554	TINTING WHITE	243.2	486.4
1302	LOW LUSTER CLEAR	326.2	652.5	1302	LOW LUSTER CLEAR	333.7	667.5
1550	RED OXIDE	386.3	772.5	1501	LANDAU BLACK	385.0	770.1
1554	TINTING WHITE	409.5	819.1	1550	RED OXIDE	415.2	830.5
<b>5748</b>	<b>MED DK CASHMER</b>	<b>General Motors</b>	<b>WA832K</b>	<b>5755</b>	<b>MEDIUM TAUPE</b>	<b>Chrysler Motors</b>	<b>WL5</b>
1559	YELLOW OXIDE	156.8	313.5	1554	TINTING WHITE	120.5	240.9
1302	LOW LUSTER CLEAR	248.4	496.9	1559	YELLOW OXIDE	236.3	472.5
1554	TINTING WHITE	329.7	659.5	1302	LOW LUSTER CLEAR	328.9	657.8
1550	RED OXIDE	378.3	756.6	1501	LANDAU BLACK	377.1	754.1
1501	LANDAU BLACK	414.4	828.8	1550	RED OXIDE	416.3	832.6
<b>5749</b>	<b>MED CASHMERE</b>	<b>General Motors</b>	<b>WA831K</b>	<b>5756</b>	<b>DEEP SEAMIST GRE</b>	<b>Chrysler Motors</b>	<b>ZP7</b>
1559	YELLOW OXIDE	151.8	303.6	1501	LANDAU BLACK	175.6	351.1
1554	TINTING WHITE	261.2	522.3	1556	FAST GREEN	276.0	552.0
1302	LOW LUSTER CLEAR	354.1	708.1	1302	LOW LUSTER CLEAR	357.0	714.0
1550	RED OXIDE	391.9	783.8	1551	FAST YELLOW	386.8	773.7
1501	LANDAU BLACK	416.0	832.0	1554	TINTING WHITE	405.3	810.5

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 160

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5757</b>	<b>NAVY BLUE</b>	<b>Chrysler Motors</b>	<b>YQL</b>	<b>5764</b>	<b>LIGHT GRAY</b>	<b>Kia</b>	<b>05</b>
1553	FAST BLUE	125.6	251.2	1554	TINTING WHITE	237.6	475.2
1302	LOW LUSTER CLEAR	220.1	440.2	1302	LOW LUSTER CLEAR	333.2	666.3
1556	FAST GREEN	305.1	610.3	1559	YELLOW OXIDE	385.0	770.1
1501	LANDAU BLACK	390.2	780.3	1501	LANDAU BLACK	409.6	819.3
1554	TINTING WHITE	404.0	808.1	1550	RED OXIDE	423.0	846.1
<b>5758</b>	<b>DEEP SEAMIST</b>	<b>Chrysler Motors</b>	<b>ZP7</b>	<b>5766</b>	<b>DARK GRAY</b>	<b>Kia</b>	<b>08</b>
1556	FAST GREEN	177.1	354.2	1501	LANDAU BLACK	148.6	297.2
1501	LANDAU BLACK	268.9	537.9	1552	FAST RED	268.4	536.8
1302	LOW LUSTER CLEAR	355.1	710.2	1302	LOW LUSTER CLEAR	352.3	704.5
1550	RED OXIDE	394.0	787.9	1554	TINTING WHITE	382.0	764.0
1554	TINTING WHITE	405.5	810.9	1553	FAST BLUE	405.9	811.9
<b>5759</b>	<b>LIGHT STEEL GRE</b>	<b>General Motors</b>	<b>WA922L</b>	<b>5769</b>	<b>SAND BEIGE</b>	<b>Kia</b>	<b>78</b>
1554	TINTING WHITE	248.1	496.3	1554	TINTING WHITE	170.1	340.1
1302	LOW LUSTER CLEAR	330.9	661.8	1559	YELLOW OXIDE	305.4	610.9
1501	LANDAU BLACK	380.9	761.7	1302	LOW LUSTER CLEAR	385.6	771.2
1559	YELLOW OXIDE	417.0	833.9	1550	RED OXIDE	407.1	814.2
1550	RED OXIDE	423.6	847.2	1501	LANDAU BLACK	419.9	839.8
<b>5760</b>	<b>DOVE GREY</b>	<b>Ford Motor</b>	<b>4N1A</b>	<b>5771</b>	<b>GRAY</b>	<b>Kia</b>	<b>96</b>
1554	TINTING WHITE	272.5	544.9	1501	LANDAU BLACK	113.7	227.4
1302	LOW LUSTER CLEAR	356.7	713.5	1559	YELLOW OXIDE	221.5	443.1
1559	YELLOW OXIDE	388.7	777.5	1302	LOW LUSTER CLEAR	309.4	618.8
1501	LANDAU BLACK	418.1	836.2	1554	TINTING WHITE	384.4	768.7
1550	RED OXIDE	425.2	850.4	1550	RED OXIDE	412.5	825.0
<b>5761</b>	<b>SHALE</b>	<b>Ford Motor</b>	<b>4N5A</b>	<b>5775</b>	<b>OAK BEIGE</b>	<b>Kia</b>	<b>BT</b>
1554	TINTING WHITE	130.5	261.1	1559	YELLOW OXIDE	160.8	321.7
1501	LANDAU BLACK	240.6	481.3	1554	TINTING WHITE	261.0	521.9
1302	LOW LUSTER CLEAR	319.3	638.6	1300	HIGH GLOSS CLEAR	341.7	683.4
1559	YELLOW OXIDE	392.3	784.5	1550	RED OXIDE	378.9	757.7
1550	RED OXIDE	415.8	831.6	1501	LANDAU BLACK	415.7	831.4
<b>5762</b>	<b>ASH 3</b>	<b>Ford Motor</b>	<b>3N3A</b>	<b>5781</b>	<b>SLATE GRAY</b>	<b>Kia</b>	<b>GJ</b>
1554	TINTING WHITE	186.6	373.2	1501	LANDAU BLACK	261.1	522.1
1302	LOW LUSTER CLEAR	294.5	589.0	1302	LOW LUSTER CLEAR	328.9	657.8
1559	YELLOW OXIDE	374.4	748.8	1554	TINTING WHITE	370.4	740.8
1501	LANDAU BLACK	415.7	831.4	1553	FAST BLUE	392.9	785.8
1550	RED OXIDE	419.4	838.9	1550	RED OXIDE	407.6	815.1
<b>5763</b>	<b>LIGHT OAK</b>	<b>Ford Motor</b>	<b>4U1A</b>	<b>5786</b>	<b>BEIGE</b>	<b>Kia</b>	<b>75</b>
1554	TINTING WHITE	183.0	365.9	1554	TINTING WHITE	180.1	360.2
1559	YELLOW OXIDE	296.9	593.8	1559	YELLOW OXIDE	301.9	603.8
1302	LOW LUSTER CLEAR	394.5	789.1	1302	LOW LUSTER CLEAR	383.8	767.6
1550	RED OXIDE	413.1	826.1	1550	RED OXIDE	402.8	805.6
1501	LANDAU BLACK	420.2	840.4	1501	LANDAU BLACK	420.5	840.9



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 161

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5791</b>	<b>MEDIUM SLATE</b>	<b>Chrysler Motors</b>	<b>D5</b>	<b>5797</b>	<b>PEBBLE 3.5</b>	<b>Ford Motor</b>	<b>3TDA</b>
1554	TINTING WHITE	134.2	268.5	1559	YELLOW OXIDE	168.6	337.3
1559	YELLOW OXIDE	227.6	455.2	1554	TINTING WHITE	272.8	545.7
1501	LANDAU BLACK	316.1	632.1	1302	LOW LUSTER CLEAR	357.2	714.4
1302	LOW LUSTER CLEAR	399.2	798.4	1501	LANDAU BLACK	387.6	775.2
1550	RED OXIDE	416.5	833.0	1550	RED OXIDE	415.9	831.8
<b>5792</b>	<b>CHARCOAL</b>	<b>Ford Motor</b>	<b>3PDA</b>	<b>5798</b>	<b>SATIN STEEL</b>	<b>Ford Motor</b>	<b>5Q4C</b>
1501	LANDAU BLACK	168.4	336.9	1508	SILVER	185.3	370.5
1559	YELLOW OXIDE	288.5	577.0	1300	HIGH GLOSS CLEAR	309.7	619.4
1554	TINTING WHITE	391.5	783.0	1501	LANDAU BLACK	381.9	763.8
1550	RED OXIDE	415.5	831.1	1559	YELLOW OXIDE	405.4	810.7
				1552	FAST RED	406.2	812.4
<b>5793</b>	<b>PASTEL PEBBLE BE</b>	<b>Chrysler Motors</b>	<b>KA</b>	<b>5799</b>	<b>TARRAGON</b>	<b>Ford Motor</b>	<b>4MBC</b>
1554	TINTING WHITE	181.6	363.3	1508	SILVER	271.9	543.8
1559	YELLOW OXIDE	296.5	593.0	1300	HIGH GLOSS CLEAR	383.9	767.8
1302	LOW LUSTER CLEAR	381.0	761.9	1551	FAST YELLOW	406.6	813.2
1550	RED OXIDE	402.2	804.5				
1501	LANDAU BLACK	420.5	840.9				
<b>5793</b>	<b>PASTEL PEBBLE BE</b>	<b>Chrysler Motors</b>	<b>DK4</b>	<b>5800</b>	<b>MEDIUM STEEL GR</b>	<b>General Motors</b>	<b>923L</b>
1554	TINTING WHITE	181.6	363.3	1554	TINTING WHITE	183.0	365.9
1559	YELLOW OXIDE	296.5	593.0	1501	LANDAU BLACK	276.3	552.5
1302	LOW LUSTER CLEAR	381.0	761.9	1302	LOW LUSTER CLEAR	367.7	735.5
1550	RED OXIDE	402.2	804.5	1559	YELLOW OXIDE	417.7	835.4
1501	LANDAU BLACK	420.5	840.9	1553	FAST BLUE	418.7	837.3
<b>5794</b>	<b>PEARL</b>	<b>Chrysler Motors</b>	<b>DWI</b>	<b>5801</b>	<b>DARK STEEL GRAY</b>	<b>General Motors</b>	<b>924L</b>
1554	TINTING WHITE	317.4	634.8	1501	LANDAU BLACK	142.5	285.0
1302	LOW LUSTER CLEAR	401.9	803.7	1554	TINTING WHITE	256.5	513.0
1559	YELLOW OXIDE	421.4	842.8	1302	LOW LUSTER CLEAR	349.4	698.8
1501	LANDAU BLACK	426.5	852.9	1559	YELLOW OXIDE	413.8	827.6
1550	RED OXIDE	428.2	856.3				
<b>5795</b>	<b>BRONZE MET</b>	<b>Ford Motor</b>	<b>4TCCXXH</b>	<b>5802</b>	<b>VERY DARK STEEL</b>	<b>General Motors</b>	<b>925L</b>
1300	HIGH GLOSS CLEAR	119.1	238.3	1501	LANDAU BLACK	184.2	368.4
1508	SILVER	235.7	471.4	1302	LOW LUSTER CLEAR	271.8	543.6
1559	YELLOW OXIDE	333.6	667.3	1554	TINTING WHITE	344.2	688.4
1501	LANDAU BLACK	377.9	755.8	1559	YELLOW OXIDE	407.3	814.5
1552	FAST RED	407.1	814.2	1553	FAST BLUE	410.8	821.6
<b>5796</b>	<b>MEDIUM LIGHT AL</b>	<b>Ford Motor</b>	<b>4M3CXXH</b>	<b>5803</b>	<b>DARK GRAY</b>	<b>Kia</b>	<b>B1</b>
1508	SILVER	185.0	369.9	1554	TINTING WHITE	144.4	288.8
1300	HIGH GLOSS CLEAR	290.4	580.8	1302	LOW LUSTER CLEAR	226.5	453.0
1559	YELLOW OXIDE	361.2	722.4	1501	LANDAU BLACK	307.5	615.0
1501	LANDAU BLACK	407.3	814.5	1559	YELLOW OXIDE	373.8	747.7
				1550	RED OXIDE	417.1	834.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 162

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>5804</b>	<b>SAND BEIGE</b>	<b>Kia</b>		<b>B3</b>	<b>5812</b>	<b>VERY DARK CASH</b>	<b>General Motors</b>	<b>WA935L</b>
1554	TINTING WHITE	155.8	311.6		1559	YELLOW OXIDE	176.5	353.0
1559	YELLOW OXIDE	298.0	596.0		1302	LOW LUSTER CLEAR	255.3	510.5
1302	LOW LUSTER CLEAR	378.9	757.7		1501	LANDAU BLACK	317.7	635.4
1550	RED OXIDE	407.3	814.5		1550	RED OXIDE	371.3	742.5
1501	LANDAU BLACK	419.2	838.5		1554	TINTING WHITE	411.9	823.8
<b>5805</b>	<b>BEIGE</b>	<b>Kia</b>		<b>A4</b>	<b>5813</b>	<b>BLACK VINYL</b>	<b>BOSE</b>	
1559	YELLOW OXIDE	177.7	355.5		1501	LANDAU BLACK	214.9	429.8
1554	TINTING WHITE	271.5	543.0		1554	TINTING WHITE	322.1	644.3
1302	LOW LUSTER CLEAR	352.4	704.7		1551	FAST YELLOW	393.8	787.6
1501	LANDAU BLACK	385.0	770.1		1550	RED OXIDE	413.3	826.5
1550	RED OXIDE	415.4	830.9					
<b>5806</b>	<b>DARK GRAY</b>	<b>Kia</b>		<b>A7</b>	<b>5814</b>	<b>LIGHT GRAY</b>	<b>BOSE</b>	
1501	LANDAU BLACK	174.4	348.8		1554	TINTING WHITE	335.1	670.1
1554	TINTING WHITE	302.1	604.2		1559	YELLOW OXIDE	393.8	787.6
1302	LOW LUSTER CLEAR	378.1	756.2		1501	LANDAU BLACK	426.5	852.9
1551	FAST YELLOW	402.4	804.8		1550	RED OXIDE	431.0	862.0
1550	RED OXIDE	414.0	828.0					
<b>5807</b>	<b>BEIGE</b>	<b>Kia</b>		<b>C2</b>	<b>5815</b>	<b>BLACK</b>	<b>BOSE</b>	
1554	TINTING WHITE	99.8	199.7		1501	LANDAU BLACK	202.8	405.7
1551	FAST YELLOW	196.7	393.5		1559	YELLOW OXIDE	317.7	635.4
1302	LOW LUSTER CLEAR	284.9	569.8		1554	TINTING WHITE	399.3	798.6
1501	LANDAU BLACK	349.8	699.6		1550	RED OXIDE	413.6	827.3
1550	RED OXIDE	412.7	825.4					
<b>5809</b>	<b>GRAY</b>	<b>Kia</b>		<b>C3</b>	<b>5816</b>	<b>DARK GRAY</b>	<b>BOSE</b>	
1554	TINTING WHITE	123.7	247.4		1501	LANDAU BLACK	154.9	309.9
1501	LANDAU BLACK	228.3	456.6		1559	YELLOW OXIDE	276.7	553.5
1559	YELLOW OXIDE	307.5	615.0		1302	LOW LUSTER CLEAR	339.8	679.6
1302	LOW LUSTER CLEAR	386.7	773.5		1554	TINTING WHITE	397.6	795.2
1550	RED OXIDE	415.6	831.3		1550	RED OXIDE	411.4	822.9
<b>5810</b>	<b>CASHMERE</b>	<b>Toyota</b>		<b>009B</b>	<b>5817</b>	<b>GRANITE</b>	<b>Ford Motor</b>	<b>4N7A</b>
1554	TINTING WHITE	194.4	388.7		1501	LANDAU BLACK	139.9	279.9
1302	LOW LUSTER CLEAR	312.2	624.3		1559	YELLOW OXIDE	257.1	514.1
1559	YELLOW OXIDE	402.6	805.2		1302	LOW LUSTER CLEAR	339.3	678.7
1550	RED OXIDE	412.6	825.2		1554	TINTING WHITE	396.2	792.5
1501	LANDAU BLACK	420.3	840.6		1550	RED OXIDE	411.1	822.1
<b>5811</b>	<b>ASH</b>	<b>Toyota</b>		<b>140B</b>	<b>5818</b>	<b>LT. CHARCOAL</b>	<b>General Motors</b>	<b>WA500F</b>
1554	TINTING WHITE	204.3	408.7		1559	YELLOW OXIDE	138.5	277.0
1302	LOW LUSTER CLEAR	322.8	645.6		1501	LANDAU BLACK	269.3	538.7
1559	YELLOW OXIDE	367.3	734.5		1554	TINTING WHITE	386.3	772.5
1501	LANDAU BLACK	403.4	806.7		1550	RED OXIDE	417.1	834.1
1550	RED OXIDE	420.3	840.6					

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 163

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5819</b>	<b>DK GREY MET.</b>	<b>General Motors WASLI-643H</b>		<b>5827</b>	<b>VICTORY RED</b>	<b>General Motors WA341M</b>	
1501	LANDAU BLACK	178.8	357.6	1552	FAST RED	184.9	369.7
1508	SILVER	261.4	522.9	1302	LOW LUSTER CLEAR	303.7	607.4
1302	LOW LUSTER CLEAR	328.5	657.0	1551	FAST YELLOW	382.9	765.9
1552	FAST RED	370.7	741.4	1554	TINTING WHITE	398.8	797.6
1551	FAST YELLOW	405.1	810.2	1550	RED OXIDE	404.6	809.2
<b>5820</b>	<b>GREY METALLIC</b>	<b>General Motors WZ15MP-945</b>		<b>5828</b>	<b>RALLY CHARCOAL</b>	<b>General Motors WA9606</b>	
1501	LANDAU BLACK	164.4	328.9	1559	YELLOW OXIDE	139.3	278.5
1508	SILVER	288.5	577.0	1501	LANDAU BLACK	268.2	536.4
1302	LOW LUSTER CLEAR	369.9	739.9	1554	TINTING WHITE	333.0	666.0
1551	FAST YELLOW	392.1	784.1	1550	RED OXIDE	378.9	757.7
1552	FAST RED	405.5	810.9	1302	LOW LUSTER CLEAR	413.3	826.7
<b>5821</b>	<b>COBALT RED</b>	<b>General Motors WA217M</b>		<b>5829</b>	<b>MED STEEL BLUE</b>	<b>Ford Motor 5D6</b>	
1552	FAST RED	246.7	493.4	1501	LANDAU BLACK	142.4	284.8
1302	LOW LUSTER CLEAR	337.8	675.6	1554	TINTING WHITE	267.0	533.9
1551	FAST YELLOW	397.5	795.0	1302	LOW LUSTER CLEAR	369.1	738.2
1554	TINTING WHITE	403.4	806.7	1553	FAST BLUE	403.6	807.1
1501	LANDAU BLACK	403.8	807.7	1559	YELLOW OXIDE	413.3	826.5
<b>5823</b>	<b>LT PEBBLE BEIGE</b>	<b>Chrysler Motors</b>		<b>5830</b>	<b>MED DOVE GRAY</b>	<b>Ford Motor 4N3</b>	
1559	YELLOW OXIDE	132.9	265.8	1554	TINTING WHITE	201.3	402.6
1302	LOW LUSTER CLEAR	254.9	509.8	1302	LOW LUSTER CLEAR	284.1	568.1
1554	TINTING WHITE	359.8	719.5	1559	YELLOW OXIDE	353.6	707.2
1550	RED OXIDE	387.8	775.6	1501	LANDAU BLACK	409.5	819.1
1501	LANDAU BLACK	415.0	829.9	1550	RED OXIDE	420.8	841.5
<b>5824</b>	<b>DK PEBBLE BEIGE</b>	<b>Chrysler Motors K7</b>		<b>5831</b>	<b>CHARCOAL BLACK</b>	<b>Ford Motor 5B8A</b>	
1559	YELLOW OXIDE	151.1	302.1	1501	LANDAU BLACK	184.6	369.2
1302	LOW LUSTER CLEAR	292.7	585.4	1302	LOW LUSTER CLEAR	286.6	573.2
1501	LANDAU BLACK	337.8	675.6	1559	YELLOW OXIDE	356.6	713.3
1554	TINTING WHITE	375.6	751.3	1554	TINTING WHITE	383.1	766.3
1550	RED OXIDE	410.3	820.6	1550	RED OXIDE	407.9	815.9
<b>5825</b>	<b>MED CHARCOAL</b>	<b>Chrysler Motors BDL</b>		<b>5832</b>	<b>CAMEL</b>	<b>Ford Motor 4T1A</b>	
1554	TINTING WHITE	155.5	311.0	1554	TINTING WHITE	187.2	374.5
1501	LANDAU BLACK	289.9	579.9	1559	YELLOW OXIDE	297.4	594.9
1559	YELLOW OXIDE	388.4	776.7	1302	LOW LUSTER CLEAR	393.3	786.6
1550	RED OXIDE	419.1	838.3	1550	RED OXIDE	409.0	818.0
				1501	LANDAU BLACK	420.5	840.9
<b>5826</b>	<b>MERLOT</b>	<b>Ford Motor 3KW</b>		<b>5833</b>	<b>LIGHT OAK</b>	<b>Ford Motor 4U1</b>	
1552	FAST RED	289.8	579.7	1559	YELLOW OXIDE	173.7	347.3
1302	LOW LUSTER CLEAR	360.0	719.9	1554	TINTING WHITE	309.9	619.8
1551	FAST YELLOW	385.2	770.5	1302	LOW LUSTER CLEAR	389.8	779.6
1553	FAST BLUE	395.8	791.5	1550	RED OXIDE	410.6	821.2
1554	TINTING WHITE	404.2	808.5	1501	LANDAU BLACK	418.3	836.6

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 164

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5834</b>	<b>MOROCCO</b>	<b>General Motors</b>	<b>WA260M</b>	<b>5839</b>	<b>LIGHT PEARL</b>	<b>Chrysler Motors</b>	<b>W1</b>
1559	YELLOW OXIDE	200.8	401.7	1554	TINTING WHITE	297.4	594.9
1550	RED OXIDE	313.3	626.6	1302	LOW LUSTER CLEAR	403.7	807.3
1302	LOW LUSTER CLEAR	391.2	782.4	1559	YELLOW OXIDE	420.7	841.3
1501	LANDAU BLACK	405.9	811.9	1501	LANDAU BLACK	425.2	850.4
1554	TINTING WHITE	411.2	822.3	1550	RED OXIDE	426.5	852.9
<b>5835</b>	<b>COOL VANILLA</b>	<b>Chrysler Motors</b>	<b>BWN</b>	<b>5840</b>	<b>CEDAR RED</b>	<b>Chrysler Motors</b>	<b>RK</b>
1554	TINTING WHITE	412.2	824.4	1550	RED OXIDE	219.2	438.3
1559	YELLOW OXIDE	433.9	867.7	1559	YELLOW OXIDE	311.3	622.6
1501	LANDAU BLACK	436.0	871.9	1302	LOW LUSTER CLEAR	393.6	787.2
				1554	TINTING WHITE	412.3	824.6
<b>MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5836</b>	<b>LIGHT SHALE</b>	<b>Chrysler Motors</b>	<b>ES3</b>	<b>5841</b>	<b>CASHMERE</b>	<b>Ford Motor</b>	<b>5VOA</b>
1554	TINTING WHITE	266.5	533.0	1554	TINTING WHITE	322.7	645.4
1302	LOW LUSTER CLEAR	351.3	702.6	1302	LOW LUSTER CLEAR	405.9	811.9
1559	YELLOW OXIDE	397.9	795.7	1559	YELLOW OXIDE	423.9	847.8
1501	LANDAU BLACK	416.9	833.7	1501	LANDAU BLACK	426.9	853.9
1550	RED OXIDE	425.0	850.1	1550	RED OXIDE	428.6	857.3
<b>5836</b>	<b>LIGHT SHALE</b>	<b>Chrysler Motors</b>	<b>S3</b>	<b>5842</b>	<b>SATIN BLACK</b>	<b>Ford Motor</b>	<b>YYWA</b>
1554	TINTING WHITE	266.5	533.0	1501	LANDAU BLACK	269.1	538.3
1302	LOW LUSTER CLEAR	351.3	702.6	1302	LOW LUSTER CLEAR	378.3	756.6
1559	YELLOW OXIDE	397.9	795.7	1556	FAST GREEN	394.3	788.7
1501	LANDAU BLACK	416.9	833.7	1554	TINTING WHITE	401.1	802.2
1550	RED OXIDE	425.0	850.1	1551	FAST YELLOW	404.5	809.0
<b>5837</b>	<b>PASTEL SLATE GR</b>	<b>Chrysler Motors</b>	<b>DA</b>	<b>5843</b>	<b>DARK SMOKE GRE</b>	<b>General Motors</b>	<b>WA501F</b>
1554	TINTING WHITE	255.8	511.7	1300	HIGH GLOSS CLEAR	152.7	305.3
1302	LOW LUSTER CLEAR	348.3	696.5	1501	LANDAU BLACK	285.0	570.0
1559	YELLOW OXIDE	388.6	777.3	1559	YELLOW OXIDE	362.3	724.7
1501	LANDAU BLACK	415.4	830.9	1550	RED OXIDE	386.9	773.9
1550	RED OXIDE	424.1	848.2	1554	TINTING WHITE	407.3	814.5
<b>5838</b>	<b>MED PEBBLE BEIG</b>	<b>Chrysler Motors</b>	<b>DK5</b>	<b>5844</b>	<b>GRAPHITE</b>	<b>Toyota</b>	<b>138B</b>
1559	YELLOW OXIDE	159.9	319.8	1554	TINTING WHITE	171.6	343.1
1554	TINTING WHITE	257.0	514.0	1302	LOW LUSTER CLEAR	260.3	520.6
1302	LOW LUSTER CLEAR	337.1	674.1	1501	LANDAU BLACK	333.4	666.7
1501	LANDAU BLACK	377.4	754.9	1559	YELLOW OXIDE	400.0	799.9
1550	RED OXIDE	415.5	831.1	1550	RED OXIDE	418.6	837.1
<b>5838</b>	<b>MED PEBBLE BEIG</b>	<b>Chrysler Motors</b>	<b>K5</b>	<b>5845</b>	<b>BLACK</b>	<b>General Motors</b>	<b>WA658E</b>
1559	YELLOW OXIDE	159.9	319.8	1501	LANDAU BLACK	375.7	751.5
1554	TINTING WHITE	257.0	514.0	1559	YELLOW OXIDE	400.8	801.6
1302	LOW LUSTER CLEAR	337.1	674.1	1550	RED OXIDE	403.3	806.6
1501	LANDAU BLACK	377.4	754.9	1554	TINTING WHITE	405.7	811.5
1550	RED OXIDE	415.5	831.1				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 165

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5846</b>	<b>CRIMSON RED</b>	<b>Ford Motor</b>	<b>5R7A</b>	<b>5853</b>	<b>DK. GRAY</b>	<b>Ford Motor</b>	
1552	FAST RED	232.6	465.1	1501	LANDAU BLACK	224.9	449.7
1302	LOW LUSTER CLEAR	331.5	662.9	1559	YELLOW OXIDE	310.6	621.1
1551	FAST YELLOW	383.4	766.8	1302	LOW LUSTER CLEAR	350.7	701.5
1554	TINTING WHITE	404.0	808.1	1554	TINTING WHITE	382.6	765.1
1501	LANDAU BLACK	404.9	809.8	1550	RED OXIDE	409.4	818.7
<b>5847</b>	<b>GRAYSTONE</b>	<b>Ford Motor</b>	<b>6T7A</b>	<b>5854</b>	<b>LIGHT TITANIUM</b>	<b>General Motors</b>	<b>WA311N/D862</b>
1559	YELLOW OXIDE	124.8	249.7	1554	TINTING WHITE	249.4	498.8
1501	LANDAU BLACK	233.7	467.4	1302	LOW LUSTER CLEAR	328.1	656.3
1302	LOW LUSTER CLEAR	307.5	615.0	1559	YELLOW OXIDE	383.2	766.5
1554	TINTING WHITE	369.5	738.9	1501	LANDAU BLACK	411.0	821.9
1550	RED OXIDE	412.3	824.6	1550	RED OXIDE	424.2	848.4
<b>5848</b>	<b>SAND</b>	<b>Ford Motor</b>	<b>6X0A</b>	<b>5855</b>	<b>MED. TITANIUM</b>	<b>General Motors</b>	<b>WA312N</b>
1554	TINTING WHITE	289.2	578.4	1554	TINTING WHITE	169.3	338.6
1302	LOW LUSTER CLEAR	368.6	737.2	1559	YELLOW OXIDE	264.1	528.2
1559	YELLOW OXIDE	416.3	832.6	1302	LOW LUSTER CLEAR	343.0	686.1
1550	RED OXIDE	421.7	843.4	1501	LANDAU BLACK	396.7	793.4
1501	LANDAU BLACK	426.8	853.7	1550	RED OXIDE	419.1	838.3
<b>5849</b>	<b>LIGHT CAMEL</b>	<b>Ford Motor</b>	<b>4T0A</b>	<b>5856</b>	<b>DARK TITANIUM</b>	<b>General Motors</b>	<b>WA313N</b>
1554	TINTING WHITE	248.6	497.2	1554	TINTING WHITE	116.9	233.9
1302	LOW LUSTER CLEAR	329.7	659.5	1559	YELLOW OXIDE	225.3	450.7
1559	YELLOW OXIDE	407.3	814.5	1302	LOW LUSTER CLEAR	307.5	615.0
1552	FAST RED	416.0	832.0	1501	LANDAU BLACK	389.0	778.1
1501	LANDAU BLACK	424.1	848.2	1550	RED OXIDE	415.6	831.3
<b>5850</b>	<b>MED. CAMEL</b>	<b>Ford Motor</b>	<b>4T3A</b>	<b>5857</b>	<b>TAN</b>	<b>Acura</b>	
1559	YELLOW OXIDE	152.4	304.8	1554	TINTING WHITE	178.3	356.6
1554	TINTING WHITE	284.3	568.7	1559	YELLOW OXIDE	313.3	626.6
1302	LOW LUSTER CLEAR	365.4	730.7	1302	LOW LUSTER CLEAR	399.9	799.7
1550	RED OXIDE	393.6	787.2	1550	RED OXIDE	413.1	826.1
1501	LANDAU BLACK	417.6	835.2	1501	LANDAU BLACK	420.4	840.8
<b>5851</b>	<b>LIGHT STONE</b>	<b>Ford Motor</b>	<b>1TBA</b>	<b>5858</b>	<b>CREAMY IVORY</b>	<b>Acura</b>	
1554	TINTING WHITE	244.1	488.1	1554	TINTING WHITE	188.2	376.4
1302	LOW LUSTER CLEAR	325.4	650.8	1559	YELLOW OXIDE	314.8	629.7
1559	YELLOW OXIDE	393.7	787.4	1302	LOW LUSTER CLEAR	400.4	800.9
1501	LANDAU BLACK	409.9	819.9	1550	RED OXIDE	414.1	828.2
1550	RED OXIDE	423.9	847.8	1501	LANDAU BLACK	420.9	841.9
<b>5852</b>	<b>LIGHT GRAY</b>	<b>Ford Motor</b>		<b>5859</b>	<b>CHARCOAL</b>	<b>Acura</b>	
1501	LANDAU BLACK	122.3	244.5	1554	TINTING WHITE	112.6	225.2
1508	SILVER	242.1	484.1	1559	YELLOW OXIDE	218.4	436.8
1552	FAST RED	309.8	619.6	1501	LANDAU BLACK	315.6	631.2
1302	LOW LUSTER CLEAR	361.9	723.7	1302	LOW LUSTER CLEAR	395.8	791.5
1553	FAST BLUE	398.3	796.7	1550	RED OXIDE	415.1	830.1
1551	FAST YELLOW	405.3	810.5				

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 166

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5860</b>	<b>MED. NEUTRAL</b>	<b>BMW</b>		<b>5867</b>	<b>CARAVAN GRAY</b>	<b>Chrysler Motors</b>	
1559	YELLOW OXIDE	143.0	286.0	1501	LANDAU BLACK	141.3	282.5
1554	TINTING WHITE	256.6	513.2	1559	YELLOW OXIDE	222.6	445.2
1302	LOW LUSTER CLEAR	338.2	676.4	1302	LOW LUSTER CLEAR	296.5	593.0
1550	RED OXIDE	382.9	765.9	1554	TINTING WHITE	369.8	739.7
1501	LANDAU BLACK	416.6	833.2	1550	RED OXIDE	412.4	824.8
<b>5861</b>	<b>SILVER GRAY</b>	<b>BMW</b>		<b>5868</b>	<b>CARAVAN GRAY G</b>	<b>Chrysler Motors</b>	
1554	TINTING WHITE	270.4	540.7	1559	YELLOW OXIDE	153.6	307.2
1302	LOW LUSTER CLEAR	349.9	699.8	1501	LANDAU BLACK	289.5	578.9
1559	YELLOW OXIDE	391.2	782.4	1302	LOW LUSTER CLEAR	363.5	726.9
1550	RED OXIDE	416.4	832.8	1554	TINTING WHITE	405.2	810.4
1553	FAST BLUE	425.6	851.2	1553	FAST BLUE	410.5	821.0
<b>5862</b>	<b>CLASSY GRAY</b>	<b>Honda</b>		<b>5869</b>	<b>EXPLORER DARK G</b>	<b>Ford Motor</b>	
1501	LANDAU BLACK	190.4	380.8	1501	LANDAU BLACK	153.6	307.2
1559	YELLOW OXIDE	290.8	581.6	1559	YELLOW OXIDE	275.4	550.8
1302	LOW LUSTER CLEAR	369.2	738.3	1302	LOW LUSTER CLEAR	345.9	691.8
1554	TINTING WHITE	405.3	810.5	1554	TINTING WHITE	383.7	767.4
1550	RED OXIDE	409.1	818.1	1550	RED OXIDE	410.2	820.4
<b>5863</b>	<b>MILD BEIGE</b>	<b>Honda</b>		<b>5870</b>	<b>SPORT TRAC GRAY</b>	<b>Ford Motor</b>	
1554	TINTING WHITE	142.3	284.6	1554	TINTING WHITE	151.6	303.2
1559	YELLOW OXIDE	272.8	545.7	1501	LANDAU BLACK	247.7	495.3
1302	LOW LUSTER CLEAR	356.5	713.1	1302	LOW LUSTER CLEAR	323.2	646.4
1550	RED OXIDE	393.4	786.8	1551	FAST YELLOW	373.4	746.7
1501	LANDAU BLACK	418.2	836.4	1550	RED OXIDE	416.6	833.2
<b>5864</b>	<b>OAK</b>	<b>Toyota</b>		<b>5871</b>	<b>CHEROKEE DRIFT</b>	<b>Chrysler Motors</b>	
1554	TINTING WHITE	139.4	278.7	1559	YELLOW OXIDE	114.8	229.5
1559	YELLOW OXIDE	264.0	528.0	1554	TINTING WHITE	217.3	434.5
1302	LOW LUSTER CLEAR	343.9	687.8	1501	LANDAU BLACK	303.3	606.7
1550	RED OXIDE	388.6	777.3	1302	LOW LUSTER CLEAR	383.9	767.8
1501	LANDAU BLACK	418.1	836.2	1550	RED OXIDE	414.9	829.7
<b>5865</b>	<b>IVORY</b>	<b>Toyota</b>		<b>5872</b>	<b>CHEROKEE GRAY</b>	<b>Chrysler Motors</b>	
1554	TINTING WHITE	185.7	371.5	1501	LANDAU BLACK	217.6	435.1
1559	YELLOW OXIDE	299.5	599.1	1302	LOW LUSTER CLEAR	280.3	560.5
1302	LOW LUSTER CLEAR	383.2	766.5	1559	YELLOW OXIDE	327.7	655.3
1550	RED OXIDE	402.6	805.2	1554	TINTING WHITE	369.0	738.0
1501	LANDAU BLACK	420.7	841.3	1550	RED OXIDE	409.4	818.7
<b>5866</b>	<b>BLUE GRAY</b>	<b>Toyota</b>		<b>5873</b>	<b>CHEROKEE BLACK</b>	<b>Chrysler Motors</b>	
1554	TINTING WHITE	156.3	312.6	1501	LANDAU BLACK	227.2	454.5
1501	LANDAU BLACK	242.7	485.5	1559	YELLOW OXIDE	305.8	611.6
1302	LOW LUSTER CLEAR	325.9	651.7	1302	LOW LUSTER CLEAR	367.0	734.0
1559	YELLOW OXIDE	394.1	788.1	1554	TINTING WHITE	401.5	802.9
1550	RED OXIDE	417.7	835.4	1550	RED OXIDE	408.6	817.2

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 167

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5874</b>	<b>FRONTIER GRAY</b>	<b>Nissan</b>		<b>5881</b>	<b>YELLOW</b>	<b>YS223J</b>	
1501	LANDAU BLACK	139.3	278.5	1554	TINTING WHITE	197.5	395.0
1559	YELLOW OXIDE	267.3	534.7	1559	YELLOW OXIDE	317.6	635.2
1302	LOW LUSTER CLEAR	343.0	686.1	1302	LOW LUSTER CLEAR	396.0	791.9
1554	TINTING WHITE	394.8	789.6	1550	RED OXIDE	416.7	833.3
1550	RED OXIDE	411.2	822.3	1501	LANDAU BLACK	421.7	843.4
<b>5875</b>	<b>PREVIA GRAY</b>	<b>Toyota</b>		<b>5882</b>	<b>MOSS</b>	<b>Ford Motor</b>	<b>6H5A</b>
1501	LANDAU BLACK	146.9	293.7	1559	YELLOW OXIDE	153.0	306.1
1559	YELLOW OXIDE	237.4	474.8	1554	TINTING WHITE	241.4	482.8
1554	TINTING WHITE	322.7	645.4	1302	LOW LUSTER CLEAR	323.2	646.4
1302	LOW LUSTER CLEAR	399.7	799.3	1501	LANDAU BLACK	385.3	770.6
1550	RED OXIDE	412.6	825.2	1550	RED OXIDE	414.4	828.8
<b>5876</b>	<b>BLACK</b>	<b>Chrysler Motors</b>		<b>5883</b>	<b>MED. DK. STONE</b>	<b>Ford Motor</b>	<b>1T4A</b>
1501	LANDAU BLACK	247.1	494.2	1559	YELLOW OXIDE	136.8	273.6
1302	LOW LUSTER CLEAR	337.0	673.9	1554	TINTING WHITE	242.5	485.1
1551	FAST YELLOW	375.0	749.9	1302	LOW LUSTER CLEAR	322.6	645.2
1553	FAST BLUE	392.9	785.8	1501	LANDAU BLACK	378.4	756.8
1554	TINTING WHITE	404.9	809.8	1550	RED OXIDE	415.5	831.1
<b>5877</b>	<b>GRENADE GREEN</b>	<b>General Motors</b>		<b>5884</b>	<b>GHIN RIME</b>	<b>Ford Motor</b>	<b>3P2C</b>
1559	YELLOW OXIDE	222.9	445.7	1508	SILVER	254.6	509.2
1501	LANDAU BLACK	303.9	607.8	1302	LOW LUSTER CLEAR	337.8	675.6
1556	FAST GREEN	371.2	742.3	1559	YELLOW OXIDE	379.4	758.9
1508	SILVER	409.5	819.1	1501	LANDAU BLACK	396.1	792.1
				1550	RED OXIDE	407.7	815.5
<b>MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5878</b>	<b>DK. GRAY MET.</b>	<b>General Motors</b>		<b>5885</b>	<b>MED. LT. ALLOY</b>	<b>Ford Motor</b>	<b>4M3C</b>
1501	LANDAU BLACK	242.9	485.8	1508	SILVER	276.5	552.9
1508	SILVER	352.1	704.1	1559	YELLOW OXIDE	344.0	688.0
1550	RED OXIDE	379.3	758.7	1501	LANDAU BLACK	396.6	793.3
1551	FAST YELLOW	406.6	813.2	1550	RED OXIDE	409.3	818.5
<b>5879</b>	<b>SATIN NICKEL MET</b>	<b>General Motors</b>		<b>5886</b>	<b>STAINLESS SILVER</b>	<b>Ford Motor</b>	<b>CDK</b>
1508	SILVER	381.0	761.9	1508	SILVER	355.5	711.0
1551	FAST YELLOW	395.4	790.8	1559	YELLOW OXIDE	389.8	779.6
1552	FAST RED	406.4	812.8	1501	LANDAU BLACK	406.9	813.8
1501	LANDAU BLACK	408.5	817.0	1550	RED OXIDE	409.1	818.1
<b>MUST BE TOP COATED WITH 1301 SATIN GLOSS CLEAR</b>							
<b>5880</b>	<b>MED. BISCUIT</b>	<b>C9646GJ</b>		<b>5887</b>	<b>PEBBLE BEIGE</b>	<b>Chrysler Motors</b>	<b>DKC</b>
1554	TINTING WHITE	168.2	336.5	1554	TINTING WHITE	162.3	324.5
1559	YELLOW OXIDE	290.5	581.0	1559	YELLOW OXIDE	274.4	548.7
1302	LOW LUSTER CLEAR	373.8	747.7	1302	LOW LUSTER CLEAR	376.3	752.6
1550	RED OXIDE	402.1	804.3	1550	RED OXIDE	398.0	795.9
1501	LANDAU BLACK	419.8	839.6	1501	LANDAU BLACK	418.9	837.7

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 168

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5888	VERY LT. CASHME	General Motors	WA314N
1554	TINTING WHITE	264.5	529.0
1302	LOW LUSTER CLEAR	347.5	695.0
1559	YELLOW OXIDE	413.9	827.8
1550	RED OXIDE	420.9	841.7
1501	LANDAU BLACK	425.1	850.3

5895	MEDIUM BROWN		
1559	YELLOW OXIDE	128.6	257.3
1554	TINTING WHITE	236.9	473.9
1501	LANDAU BLACK	315.8	631.6
1302	LOW LUSTER CLEAR	383.5	767.0
1550	RED OXIDE	415.6	831.3

5889	BRICK	General Motors	WA422P
1550	RED OXIDE	174.5	349.0
1559	YELLOW OXIDE	311.3	622.6
1302	LOW LUSTER CLEAR	390.5	780.9
1501	LANDAU BLACK	404.7	809.4
1554	TINTING WHITE	411.4	822.7

5896	DARK BROWN		
1501	LANDAU BLACK	132.8	265.6
1554	TINTING WHITE	262.4	524.8
1559	YELLOW OXIDE	387.6	775.2
1550	RED OXIDE	417.7	835.4

5890	COCOA	General Motors	WA413P
1501	LANDAU BLACK	135.0	270.0
1559	YELLOW OXIDE	244.9	489.8
1302	LOW LUSTER CLEAR	326.4	652.8
1550	RED OXIDE	389.7	779.4
1554	TINTING WHITE	409.3	818.5

5897	DK. ARGENT MET	General Motors	WA6246
1501	LANDAU BLACK	250.8	501.6
1508	SILVER	378.3	756.6
1552	FAST RED	394.5	789.1
1551	FAST YELLOW	406.1	812.3

**MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR**

5891	BEIGE		
1554	TINTING WHITE	165.4	330.8
1559	YELLOW OXIDE	276.5	553.1
1302	LOW LUSTER CLEAR	362.8	725.6
1501	LANDAU BLACK	398.3	796.7
1550	RED OXIDE	419.0	838.1

5898	DK. GRAY MET.	General Motors	W30A-8489
1508	SILVER	239.8	479.6
1501	LANDAU BLACK	377.0	753.9
1552	FAST RED	393.3	786.6
1551	FAST YELLOW	407.2	814.3

**MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR**

5892	LT. GRAY		
1554	TINTING WHITE	257.2	514.3
1302	LOW LUSTER CLEAR	340.7	681.3
1501	LANDAU BLACK	396.2	792.3
1551	FAST YELLOW	414.2	828.4
1550	RED OXIDE	423.5	847.0

5899	NOVA SILVER	General Motors	WA324N
1508	SILVER	343.0	686.1
1552	FAST RED	384.6	769.1
1556	FAST GREEN	396.5	793.1
1551	FAST YELLOW	408.1	816.2

**MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR**

5893	DARK BEIGE		
1554	TINTING WHITE	181.1	362.1
1559	YELLOW OXIDE	319.3	638.6
1501	LANDAU BLACK	383.2	766.5
1550	RED OXIDE	422.0	844.0

5900	TITANIUM	General Motors	W5A912K
1508	SILVER	255.3	510.5
1501	LANDAU BLACK	368.0	736.1
1551	FAST YELLOW	387.7	775.4
1552	FAST RED	407.4	814.7

**MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR**

5894	BROWN		
1554	TINTING WHITE	163.5	327.0
1559	YELLOW OXIDE	276.8	553.7
1501	LANDAU BLACK	367.5	734.9
1550	RED OXIDE	420.5	840.9

5901	VY. DK. SILVER GR	General Motors	WA-739J
1501	LANDAU BLACK	211.6	423.1
1508	SILVER	399.9	799.7
1551	FAST YELLOW	404.5	809.0
1552	FAST RED	406.8	813.6

**MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR**



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 169

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

5902	DK. SATIN NICKEL	General Motors	WA20WR-731J
1508	SILVER	257.4	514.7
1501	LANDAU BLACK	359.0	718.0
1552	FAST RED	384.8	769.5
1551	FAST YELLOW	407.3	814.5

5909	DK. TAUPE	PETE379
1554	TINTING WHITE	222.6 445.2
1302	LOW LUSTER CLEAR	304.6 609.1
1501	LANDAU BLACK	376.0 752.0
1551	FAST YELLOW	401.6 803.1
1552	FAST RED	420.6 841.1

**MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR**

5903	MED. DK. GRAY	General Motors	WA8247
1554	TINTING WHITE	172.0	343.9
1501	LANDAU BLACK	272.1	544.2
1302	LOW LUSTER CLEAR	354.4	708.9
1559	YELLOW OXIDE	412.8	825.6
1553	FAST BLUE	418.0	836.0

5910	BROWN	KW 900
1554	TINTING WHITE	166.3 332.7
1501	LANDAU BLACK	252.7 505.4
1302	LOW LUSTER CLEAR	332.0 664.1
1551	FAST YELLOW	374.9 749.7
1552	FAST RED	416.5 833.0

5904	PIANO BLACK	General Motors	WA424P
1501	LANDAU BLACK	237.6	475.2
1553	FAST BLUE	403.9	807.9

5911	DK. BROWN	KW 900
1501	LANDAU BLACK	116.4 232.8
1302	LOW LUSTER CLEAR	193.3 386.7
1554	TINTING WHITE	267.8 535.6
1552	FAST RED	341.1 682.1
1551	FAST YELLOW	409.4 818.7

**MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR**

5905	Gray	General Motors	WA226M
1554	TINTING WHITE	282.2	564.3
1302	LOW LUSTER CLEAR	353.0	706.0
1501	LANDAU BLACK	398.8	797.7
1551	FAST YELLOW	418.4	836.9
1557	MAGENTA RED	425.2	850.3

5912	ARGENTANIUM	General Motors	WA226M
1508	SILVER	255.0	510.0
1300	HIGH GLOSS CLEAR	332.7	665.4
1501	LANDAU BLACK	376.2	752.4
1552	FAST RED	392.4	784.7
1551	FAST YELLOW	406.7	813.4

5906	Gray	General Motors	WA25LA-744J
1554	TINTING WHITE	268.7	537.5
1302	LOW LUSTER CLEAR	353.5	707.1
1501	LANDAU BLACK	394.7	789.5
1551	FAST YELLOW	413.3	826.6
1557	MAGENTA RED	424.0	848.0

5913	MED. SILVER MET.	General Motors	WA25LA-744J
1508	SILVER	235.3	470.6
1300	HIGH GLOSS CLEAR	344.8	689.5
1501	LANDAU BLACK	385.8	771.6
1552	FAST RED	398.3	796.7
1551	FAST YELLOW	406.3	812.6

5907	Taupe	General Motors	WA5WR-2779
1554	TINTING WHITE	238.8	477.6
1302	LOW LUSTER CLEAR	321.4	642.7
1501	LANDAU BLACK	380.6	761.1
1551	FAST YELLOW	401.5	802.9
1552	FAST RED	421.8	843.6

5914	SILVER MET.	General Motors	WA5WR-2779
1508	SILVER	403.1	806.2
1552	FAST RED	406.3	812.6
1551	FAST YELLOW	408.7	817.4

5908	Taupe	Pete379
1554	TINTING WHITE	222.3 444.7
1501	LANDAU BLACK	293.5 587.1
1302	LOW LUSTER CLEAR	363.6 727.3
1551	FAST YELLOW	394.3 788.7
1557	MAGENTA RED	420.6 841.3

5915	DARK FOUNDRY	Ford Motor	7NEC
1501	LANDAU BLACK	199.9	399.8
1508	SILVER	369.3	738.5
1552	FAST RED	388.6	777.1
1551	FAST YELLOW	406.5	813.0

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 170

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5916</b>	<b>MANDARIN BLACK</b>	<b>Ford Motor</b>	<b>6AEAWWA</b>	<b>5924</b>	<b>MULBERRY</b>	<b>General Motors</b>	<b>WA524Q</b>
1501	LANDAU BLACK	230.9	461.7	1552	FAST RED	274.1	548.2
1553	FAST BLUE	403.9	807.9	1302	LOW LUSTER CLEAR	373.4	746.9
				1553	FAST BLUE	396.3	792.7
				1554	TINTING WHITE	400.8	801.6
				1551	FAST YELLOW	403.6	807.1
<b>MUST BE TOP COATED WITH 1300 HIGH GLOSS CLEAR</b>							
<b>5917</b>	<b>DK. WARM STEEL</b>	<b>Ford Motor</b>	<b>7N8CXXH</b>	<b>5926</b>	<b>CLUSTER WHITE</b>	<b>Ford Motor</b>	<b>3VBA</b>
1501	LANDAU BLACK	154.6	309.1	1554	TINTING WHITE	339.8	679.6
1508	SILVER	284.3	568.7	1302	LOW LUSTER CLEAR	424.4	848.7
1300	HIGH GLOSS CLEAR	361.6	723.1	1559	YELLOW OXIDE	426.7	853.5
1552	FAST RED	387.2	774.4	1501	LANDAU BLACK	428.7	857.5
1551	FAST YELLOW	405.5	810.9	1553	FAST BLUE	429.4	858.8
<b>5918</b>	<b>MAZDA SILVER ME</b>	<b>Ford Motor</b>	<b>3QCCXXE</b>	<b>5927</b>	<b>Dark Rust</b>	<b>Ford Motor</b>	<b>7R7A</b>
1508	SILVER	375.6	751.3	1550	RED OXIDE	120.4	240.8
1501	LANDAU BLACK	394.6	789.3	1559	YELLOW OXIDE	236.8	473.6
1552	FAST RED	402.9	805.8	1302	LOW LUSTER CLEAR	322.3	644.6
1551	FAST YELLOW	408.4	816.8	1501	LANDAU BLACK	398.5	797.0
				1554	TINTING WHITE	410.0	820.1
<b>5919</b>	<b>LT. WARM STEEL</b>	<b>Ford Motor</b>	<b>7NCC</b>	<b>5928</b>	<b>DUSK GRAY</b>	<b>Ford Motor</b>	<b>7Y7A</b>
1508	SILVER	271.9	543.8	1501	LANDAU BLACK	117.4	234.8
1300	HIGH GLOSS CLEAR	356.8	713.6	1302	LOW LUSTER CLEAR	229.2	458.5
1501	LANDAU BLACK	393.5	787.0	1559	YELLOW OXIDE	325.4	650.8
1551	FAST YELLOW	400.3	800.7	1550	RED OXIDE	376.0	752.0
1552	FAST RED	406.8	813.6	1554	TINTING WHITE	409.5	819.1
<b>5921</b>	<b>MERCURY RED</b>	<b>Ford Motor</b>	<b>JDKAXXJ</b>	<b>5929</b>	<b>MED. DARK CAMEL</b>	<b>Ford Motor</b>	<b>4T4A</b>
1552	FAST RED	200.4	400.7	1559	YELLOW OXIDE	150.3	300.6
1551	FAST YELLOW	327.8	655.7	1302	LOW LUSTER CLEAR	266.8	533.5
1302	LOW LUSTER CLEAR	373.4	746.7	1554	TINTING WHITE	354.2	708.3
1554	TINTING WHITE	406.1	812.3	1550	RED OXIDE	390.0	780.0
				1501	LANDAU BLACK	414.1	828.2
<b>5922</b>	<b>Very Lt. Linen</b>	<b>General Motors</b>	<b>WA521Q</b>	<b>5930</b>	<b>EBONY</b>	<b>General Motors</b>	<b>D794</b>
1554	TINTING WHITE	245.1	490.3	1501	LANDAU BLACK	196.1	392.2
1302	LOW LUSTER CLEAR	366.0	732.0	1302	LOW LUSTER CLEAR	295.4	590.7
1559	YELLOW OXIDE	413.7	827.4	1559	YELLOW OXIDE	369.8	739.7
1501	LANDAU BLACK	420.9	841.7	1550	RED OXIDE	390.9	781.9
1550	RED OXIDE	423.0	846.0	1554	TINTING WHITE	407.3	814.5
<b>5923</b>	<b>Very Lt. Titanium</b>	<b>Ford Motor</b>	<b>WA310N</b>	<b>5933</b>	<b>BRIGHT BLUE</b>	<b>Chrysler Motors</b>	<b>BN</b>
1554	TINTING WHITE	261.5	523.1	1553	FAST BLUE	240.7	481.5
1302	LOW LUSTER CLEAR	380.3	760.6	1302	LOW LUSTER CLEAR	356.0	711.9
1559	YELLOW OXIDE	406.3	812.6	1554	TINTING WHITE	398.6	797.2
1501	LANDAU BLACK	416.9	833.8	1501	LANDAU BLACK	404.4	808.8
1550	RED OXIDE	423.9	847.9	1552	FAST RED	405.6	811.1

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 171**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5934</b>	<b>LIGHT LINEN</b>	<b>General Motors</b>	<b>WA513Q</b>	<b>5943</b>	<b>Oak</b>	<b>Toyota</b>	
1554	TINTING WHITE	274.3	548.5	1554	TINTING WHITE	171.5	342.9
1302	LOW LUSTER CLEAR	345.5	691.0	1559	YELLOW OXIDE	270.4	540.8
1551	FAST YELLOW	384.7	769.3	1302	LOW LUSTER CLEAR	359.8	719.5
1501	LANDAU BLACK	406.7	813.4	1501	LANDAU BLACK	392.3	784.6
1550	RED OXIDE	424.8	849.7	1550	RED OXIDE	419.4	838.8
<b>5935</b>	<b>Royale</b>	<b>Chrysler Motors</b>	<b>R1</b>	<b>5944</b>	<b>Camel</b>	<b>Chrysler Motors</b>	<b>T5</b>
1558	BRITE RED	310.8	621.7	1559	YELLOW OXIDE	257.9	515.8
1302	LOW LUSTER CLEAR	406.0	812.0	1302	LOW LUSTER CLEAR	340.3	680.5
1554	TINTING WHITE	413.6	827.3	1554	TINTING WHITE	376.4	752.9
1556	FAST GREEN	413.8	827.7	1557	MAGENTA RED	402.6	805.1
				1501	LANDAU BLACK	411.9	823.8
<b>5936</b>	<b>CREAM</b>	<b>Ford Motor</b>	<b>3LAA</b>	<b>5946</b>	<b>Teal</b>	<b>Ford Motor</b>	<b>#57</b>
1554	TINTING WHITE	286.1	572.3	1554	TINTING WHITE	156.9	313.7
1302	LOW LUSTER CLEAR	416.3	832.6	1556	FAST GREEN	313.0	626.0
1551	FAST YELLOW	422.5	844.9	1553	FAST BLUE	370.8	741.7
1501	LANDAU BLACK	424.1	848.2	1501	LANDAU BLACK	415.8	831.7
1557	MAGENTA	424.9	849.9				
<b>5937</b>	<b>Greige</b>	<b>Toyota</b>	<b>454B</b>	<b>5947</b>	<b>Aqua P1</b>	<b>Oldsmobile</b>	
1554	TINTING WHITE	203.1	406.3	1554	TINTING WHITE	176.5	353.1
1559	YELLOW OXIDE	307.9	615.7	1556	FAST GREEN	263.2	526.3
1302	LOW LUSTER CLEAR	373.1	746.1	1553	FAST BLUE	342.1	684.3
1550	RED OXIDE	401.2	802.3	1551	FAST YELLOW	417.1	834.3
1501	LANDAU BLACK	414.5	829.0				
1553	FAST BLUE	422.1	844.1				
				<b>Yes (see 5949)</b>			
<b>5940</b>	<b>RED ROCK</b>	<b>Toyota</b>		<b>5948</b>	<b>Titan Gray</b>	<b>General Motors</b>	<b>WA225M</b>
1559	YELLOW OXIDE	172.3	344.5	1554	TINTING WHITE	258.6	517.3
1302	LOW LUSTER CLEAR	266.2	532.4	1501	LANDAU BLACK	370.1	740.1
1557	MAGENTA RED	356.2	712.4	1550	RED OXIDE	413.8	827.7
1551	FAST YELLOW	396.8	793.7	1551	FAST YELLOW	425.1	850.2
1556	FAST GREEN	407.0	814.1				
<b>5941</b>	<b>Sand Beige</b>	<b>Toyota</b>		<b>5949</b>	<b>Aqua P2</b>	<b>Oldsmobile</b>	
1559	YELLOW OXIDE	147.7	295.5	1300	HI GLOSS CLR	390.5	781.0
1554	TINTING WHITE	272.6	545.2	3520	PLATINUM PEARL	403.0	806.0
1302	LOW LUSTER CLEAR	368.8	737.6	3524	GREEN PEARL	406.1	812.2
1550	RED OXIDE	393.1	786.2				
1501	LANDAU BLACK	416.8	833.6				
<b>5942</b>	<b>Bone</b>	<b>Toyota</b>		<b>5950</b>	<b>Thunderbird Red</b>	<b>Ford Motor</b>	
1554	TINTING WHITE	174.1	348.2	1558	BRITE RED	167.3	334.5
1559	YELLOW OXIDE	277.4	554.7	1552	FAST RED	327.9	655.8
1302	LOW LUSTER CLEAR	374.2	748.3	1302	LOW LUSTER CLEAR	395.3	790.5
1501	LANDAU BLACK	397.8	795.6	1554	TINTING WHITE	402.3	804.6
1550	RED OXIDE	419.5	839.0	1556	FAST GREEN	404.1	808.1
						0.0	0.0

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 172

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>5950</b>	<b>Thunderbird Red</b>	<b>Ford Motor</b>		<b>55</b>	<b>5957</b>	<b>Medium Greystone</b>	<b>Chrysler Motors</b>	<b>D3</b>
1558	BRITE RED	176.1	352.1		1554	TINTING WHITE	193.6	387.2
1552	FAST RED	345.2	690.4		1302	LOW LUSTER CLEAR	302.1	604.1
1302	LOW LUSTER CLEAR	416.1	832.2		1501	LANDAU BLACK	351.5	703.1
1554	TINTING WHITE	423.4	846.9		1551	FAST YELLOW	388.8	777.7
1556	FAST GREEN	425.3	850.7		1550	RED OXIDE	418.9	837.8
<b>5951</b>	<b>Pearl White</b>	<b>Buick</b>			<b>5964</b>	<b>Dark Chocolate</b>	<b>Ford Motor</b>	<b>7T8A</b>
1554	TINTING WHITE	395.5	790.9		1501	LANDAU BLACK	147.6	295.1
1559	YELLOW OXIDE	432.7	865.5		1550	RED OXIDE	238.8	477.5
1556	FAST GREEN	433.9	867.7		1302	LOW LUSTER CLEAR	306.7	613.4
1501	LANDAU BLACK	435.0	870.0		1551	FAST YELLOW	373.2	746.5
					1554	TINTING WHITE	408.9	817.8
<b>Yes</b>								
<b>5952</b>	<b>Pearl White Topcoat</b>	<b>Buick</b>			<b>5966</b>	<b>Light Pebble Beige</b>	<b>Chrysler Motors</b>	<b>K2</b>
1300	HI GLOSS CLR	385.1	770.2		1554	TINTING WHITE	168.8	337.5
3520	PLATINUM PEARL	408.2	816.4		1302	LOW LUSTER CLEAR	277.0	554.0
					1551	FAST YELLOW	331.8	663.6
					1550	RED OXIDE	379.6	759.2
					1501	LANDAU BLACK	417.4	834.8
<b>Topcoat for 5951</b>								
<b>5953</b>	<b>Inferno Orange</b>	<b>General Motors</b>	<b>WA736S</b>		<b>5967</b>	<b>Bark Brown</b>	<b>Chrysler Motors</b>	<b>TV</b>
1558	BRITE RED	135.3	270.5		1501	LANDAU BLACK	156.8	313.6
1302	LOW LUSTER CLEAR	240.3	480.7		1550	RED OXIDE	268.8	537.5
1559	YELLOW OXIDE	321.0	642.1		1551	FAST YELLOW	349.5	698.9
1551	FAST YELLOW	396.8	793.6		1303	FLATTNER	391.1	782.3
1550	RED OXIDE	405.3	810.5		1554	TINTING WHITE	408.2	816.4
<b>5954</b>	<b>Jet Black</b>	<b>General Motors</b>	<b>WA600R</b>		<b>5968</b>	<b>Corvette Red</b>	<b>Chevrolet</b>	
1302	LOW LUSTER CLEAR	201.6	403.2		1558	BRITE RED	220.2	440.5
1501	LANDAU BLACK	366.6	733.3		1559	YELLOW OXIDE	387.5	775.0
1558	BRITE RED	397.8	795.5		1554	TINTING WHITE	409.4	818.7
1551	FAST YELLOW	401.5	803.0				0.0	0.0
1554	TINTING WHITE	403.2	806.4				0.0	0.0
<b>5955</b>	<b>Sterling Gray</b>	<b>Ford Motor</b>	<b>8N7A</b>		<b>5968</b>	<b>Corvette Red</b>	<b>Chevrolet</b>	
1501	LANDAU BLACK	174.8	349.6		1558	BRITE RED	220.2	440.5
1554	TINTING WHITE	285.3	570.7		1559	YELLOW OXIDE	387.5	775.0
1302	LOW LUSTER CLEAR	367.8	735.6		1554	TINTING WHITE	409.4	818.7
1551	FAST YELLOW	398.5	797.0				0.0	0.0
1557	MAGENTA RED	412.3	824.6				0.0	0.0
<b>5956</b>	<b>Alloy Metallic</b>	<b>Ford Motor</b>	<b>8N8C</b>		<b>5973</b>	<b>Blue</b>	<b>Chevrolet</b>	
1501	LANDAU BLACK	185.6	371.2		1553	FAST BLUE	177.7	355.4
1302	LOW LUSTER CLEAR	266.5	533.0		1501	LANDAU BLACK	284.0	567.9
1552	FAST RED	329.5	659.0		1554	TINTING WHITE	369.9	739.8
1508	SILVER	373.1	746.3		1556	FAST GREEN	410.1	820.2
1556	FAST GREEN	404.4	808.9					

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 173

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5973</b>	<b>Blue</b>	<b>Chevrolet</b>		<b>5980</b>	<b>Canyon</b>	<b>Ford Motor</b>	<b>AU5A</b>
1553	FAST BLUE	177.7	355.4	1302	LOW LUSTER CLEAR	197.4	394.8
1501	LANDAU BLACK	284.0	567.9	1559	YELLOW OXIDE	381.8	763.6
1554	TINTING WHITE	369.9	739.8	1550	RED OXIDE	411.2	822.4
1556	FAST GREEN	410.1	820.2	1554	TINTING WHITE	422.2	844.5
1400	DISREGARD	410.1	820.2	1501	LANDAU BLACK	429.6	859.2
1400		410.1	820.2	0			
<b>5974</b>	<b>Burnt Orange</b>	<b>Porsche</b>		<b>5981</b>	<b>Latte</b>	<b>General Motors</b>	<b>WA408N</b>
1559	YELLOW OXIDE	161.1	322.2	1302	LOW LUSTER CLEAR	171.6	343.2
1557	MAGENTA RED	268.2	536.4	1554	TINTING WHITE	280.6	561.2
1303	FLATTNER	349.6	699.1	1559	YELLOW OXIDE	376.4	752.9
1551	FAST YELLOW	398.4	796.8	1550	RED OXIDE	421.5	842.9
1556	FAST GREEN	406.9	813.7	1553	FAST BLUE	435.6	871.2
				0			
<b>5976</b>	<b>Colbert Beige</b>	<b>Pontiac</b>		<b>5982</b>	<b>Steel Gray</b>	<b>Ford Motor</b>	<b>9MCA</b>
1554	TINTING WHITE	245.6	491.1	1554	TINTING WHITE	165.8	331.6
1559	YELLOW OXIDE	426.6	853.2	1302	LOW LUSTER CLEAR	312.5	625.0
1501	LANDAU BLACK	445.8	891.5	1501	LANDAU BLACK	406.9	813.7
1557	MAGENTA RED	448.1	896.1	1551	FAST YELLOW	427.0	854.0
0		0.0	0.0	1552	FAST RED	437.2	874.3
0		0.0	0.0	0			
<b>Satin Clear</b>							
<b>5976</b>	<b>Colbert Beige</b>	<b>Pontiac</b>		<b>5983</b>	<b>Agate</b>	<b>Ford Motor</b>	<b>9M7A</b>
1554	TINTING WHITE	245.6	491.1	1302	LOW LUSTER CLEAR	143.5	286.9
1559	YELLOW OXIDE	426.6	853.2	1501	LANDAU BLACK	271.5	542.9
1501	LANDAU BLACK	445.8	891.5	1554	TINTING WHITE	353.3	706.6
1557	MAGENTA RED	448.1	896.1	1551	FAST YELLOW	400.2	800.5
0		0.0	0.0	1550	RED OXIDE	431.6	863.3
0		0.0	0.0	0			
<b>Satin Clear</b>							
<b>5977</b>	<b>BLUE RACER SOHO</b>	<b>Ford Motor</b>	<b>AD6A</b>	<b>5984</b>	<b>Brownstone</b>	<b>General Motors</b>	<b>WA702S</b>
1302	LOW LUSTER CLEAR	198.4	396.9	1559	YELLOW OXIDE	126.9	253.8
1553	FAST BLUE	395.7	791.5	1501	LANDAU BLACK	232.3	464.6
1554	TINTING WHITE	414.7	829.4	1302	LOW LUSTER CLEAR	328.9	657.7
1551	FAST YELLOW	424.2	848.4	1550	RED OXIDE	418.4	836.9
1557	MAGENTA RED	424.6	849.1	0			
0				0			
<b>5978</b>	<b>CHERRY RED SOHO</b>	<b>Ford Motor</b>	<b>3R7A</b>	<b>5985</b>	<b>Ferrari Beige</b>	<b>Ferrari</b>	
1302	LOW LUSTER CLEAR	280.6	561.1	1554	TINTING WHITE	188.4	376.8
1557	MAGENTA RED	399.3	798.6	1559	YELLOW OXIDE	373.2	746.3
1551	FAST YELLOW	422.4	844.7	1550	RED OXIDE	425.6	851.3
1553	FAST BLUE	423.0	845.9	1553	FAST BLUE	434.0	868.0
1501	LANDAU BLACK	423.2	846.4	0			
0				0			
<b>5979</b>	<b>Tinted Topcoat for 467</b>			<b>5986</b>	<b>Bumper Medium Dark</b>	<b>Honda</b>	<b>NH633M</b>
1300	HI GLOSS CLR	416.9	833.9	1501	LANDAU BLACK	230.9	461.8
3520	PLATINUM PEARL	425.3	850.5	1508	SILVER	352.9	705.7
0		425.3	850.5	1551	FAST YELLOW	384.7	769.3
0				1557	MAGENTA RED	415.8	831.6
0							
0							
0							

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 174

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>5987</b>		<b>Honda</b>	<b>NH365L</b>	<b>5994</b>	<b>KI Ivory</b>	<b>Honda</b>	<b>YR-239L</b>
1501	LANDAU BLACK	256.1	512.3	1554	TINTING WHITE	269.6	539.2
1557	MAGENTA RED	338.4	676.7	1550	RED OXIDE	319.4	638.8
1551	FAST YELLOW	414.5	829.0	1551	FAST YELLOW	368.9	737.9
				1303	FLATTNER	415.6	831.3
				1501	LANDAU BLACK	435.9	871.7
					0		
<b>Yes 5988</b>							
<b>5988</b>	<b>Topcoat for 5987</b>			<b>5995</b>	<b>Dark Atlas Gray</b>	<b>Honda</b>	<b>NH-597L</b>
1301	SATIN GLOSS CLR	396.1	792.2	1501	LANDAU BLACK	206.5	412.9
1508	SILVER	413.5	827.1	1554	TINTING WHITE	273.0	546.0
				1550	RED OXIDE	323.7	647.4
				1551	FAST YELLOW	372.1	744.2
				1303	FLATTNER	420.5	841.0
					0		
<b>5989</b>	<b>Medium Grayze</b>	<b>Honda</b>	<b>NH-557L</b>	<b>5996</b>	<b>TU Light Beige</b>	<b>Honda</b>	<b>YR309L</b>
1302	LOW LUSTER CLEAR	174.1	348.2	1554	TINTING WHITE	193.0	386.1
1554	TINTING WHITE	293.0	586.1	1559	YELLOW OXIDE	334.6	669.2
1501	LANDAU BLACK	354.1	708.1	1303	FLATTNER	384.4	768.7
1551	FAST YELLOW	392.6	785.2	1550	RED OXIDE	409.4	818.9
1550	RED OXIDE	422.9	845.7	1501	LANDAU BLACK	432.5	865.0
					0		
<b>5990</b>	<b>Light Titanium</b>	<b>Honda</b>	<b>YR-244L</b>	<b>5997</b>	<b>Classy Gray</b>	<b>Honda</b>	<b>NH-264L</b>
1554	TINTING WHITE	193.4	386.9	1501	LANDAU BLACK	240.6	481.2
1302	LOW LUSTER CLEAR	369.8	739.6	1554	TINTING WHITE	295.6	591.1
1501	LANDAU BLACK	395.3	790.5	1557	MAGENTA RED	342.0	684.0
1551	FAST YELLOW	413.9	827.7	1551	FAST YELLOW	380.6	761.3
1550	RED OXIDE	428.2	856.4	1303	FLATTNER	418.5	837.1
					0		
<b>5991</b>	<b>Graphite Black</b>	<b>Honda</b>	<b>NH-167L</b>	<b>5998</b>	<b>Light Cream Ivory</b>	<b>Honda</b>	<b>YR240L</b>
1501	LANDAU BLACK	225.4	450.8	1554	TINTING WHITE	213.4	426.9
1302	LOW LUSTER CLEAR	354.3	708.6	1559	YELLOW OXIDE	349.1	698.2
1559	YELLOW OXIDE	406.1	812.3	1303	FLATTNER	399.0	798.0
1554	TINTING WHITE	413.6	827.2	1550	RED OXIDE	428.7	857.5
1556	FAST GREEN	415.4	830.8	1553	FAST BLUE	434.0	868.0
	0				0		
<b>5992</b>	<b>TU New Beige</b>	<b>Honda</b>	<b>YR308L</b>	<b>5999</b>	<b>QP Light Warm Gray</b>	<b>Honda</b>	<b>NH-686L</b>
1559	YELLOW OXIDE	191.0	382.0	1554	TINTING WHITE	200.8	401.5
1554	TINTING WHITE	288.3	576.6	1559	YELLOW OXIDE	309.8	619.7
1303	FLATTNER	343.9	687.9	1303	FLATTNER	366.2	732.3
1550	RED OXIDE	387.4	774.9	1501	LANDAU BLACK	410.6	821.2
1501	LANDAU BLACK	426.6	853.2	1557	MAGENTA RED	431.8	863.6
	0				0		
<b>5993</b>	<b>Premium Ivory</b>	<b>Honda</b>	<b>YR-372L</b>	<b>6000</b>	<b>TU Warm Gray</b>	<b>Honda</b>	<b>NH574L</b>
1554	TINTING WHITE	244.4	488.7	1501	LANDAU BLACK	128.5	257.0
1559	YELLOW OXIDE	351.5	702.9	1554	TINTING WHITE	244.6	489.3
1303	FLATTNER	408.3	816.6	1551	FAST YELLOW	313.4	626.7
1550	RED OXIDE	429.9	859.8	1550	RED OXIDE	375.6	751.2
1553	FAST BLUE	435.5	871.1	1303	FLATTNER	424.4	848.8
	0				0		

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 175

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6001</b>	<b>Premium Black</b>	<b>Honda</b>	<b>NH-690L</b>	<b>6008</b>	<b>Umber Tan</b>	<b>Honda</b>	<b>YR-386L</b>
1501	LANDAU BLACK	208.2	416.4	1559	YELLOW OXIDE	187.7	375.4
1557	MAGENTA RED	314.3	628.6	1558	BRITE RED	315.0	629.9
1303	FLATTNER	368.3	736.6	1303	FLATTNER	369.4	738.8
1551	FAST YELLOW	404.8	809.7	1551	FAST YELLOW	404.5	809.0
1553	FAST BLUE	413.9	827.8	1501	LANDAU BLACK	417.8	835.7
	0				0		
<b>6002</b>	<b>Moon Lake Gray</b>	<b>Honda</b>	<b>NH-528L</b>	<b>6009</b>	<b>Sienna Beige</b>	<b>Honda</b>	<b>YR-400L</b>
1554	TINTING WHITE	187.9	375.9	1554	TINTING WHITE	185.7	371.4
1559	YELLOW OXIDE	283.7	567.3	1559	YELLOW OXIDE	315.1	630.3
1501	LANDAU BLACK	368.2	736.4	1303	FLATTNER	368.2	736.3
1303	FLATTNER	410.9	821.8	1501	LANDAU BLACK	401.1	802.1
1557	MAGENTA RED	430.7	861.4	1550	RED OXIDE	431.8	863.6
	0				0		
<b>6003</b>	<b>TU Light Green</b>	<b>Honda</b>	<b>G66L</b>	<b>6010</b>	<b>TU Green</b>	<b>Honda</b>	<b>G65L</b>
1554	TINTING WHITE	234.7	469.4	1550	RED OXIDE	163.0	326.0
1559	YELLOW OXIDE	342.3	684.6	1554	TINTING WHITE	285.9	571.7
1303	FLATTNER	392.3	784.6	1556	FAST GREEN	347.0	693.9
1501	LANDAU BLACK	423.0	846.1	1303	FLATTNER	402.6	805.3
1558	BRITE RED	434.5	868.9	1551	FAST YELLOW	426.8	853.7
	0				0		
<b>6004</b>	<b>Light Tan</b>	<b>Honda</b>	<b>YR167L</b>	<b>6011</b>	<b>Olive</b>	<b>Honda</b>	<b>G64L</b>
1559	YELLOW OXIDE	232.8	465.7	1554	TINTING WHITE	210.4	420.8
1554	TINTING WHITE	351.2	702.4	1559	YELLOW OXIDE	331.4	662.9
1303	FLATTNER	390.2	780.4	1303	FLATTNER	384.6	769.2
1550	RED OXIDE	421.4	842.7	1501	LANDAU BLACK	429.4	858.8
1501	LANDAU BLACK	428.9	857.9	1557	MAGENTA RED	432.9	865.8
	0				0		
<b>6005</b>	<b>CF Gray</b>	<b>Honda</b>	<b>NH-361L</b>	<b>6012</b>	<b>Clear Gray</b>	<b>Honda</b>	<b>NH-220L</b>
1501	LANDAU BLACK	130.9	261.7	1554	TINTING WHITE	329.5	659.0
1559	YELLOW OXIDE	244.2	488.5	1303	FLATTNER	380.1	760.2
1554	TINTING WHITE	357.1	714.2	1501	LANDAU BLACK	414.6	829.2
1303	FLATTNER	406.0	812.1	1551	FAST YELLOW	430.3	860.5
1557	MAGENTA RED	425.3	850.6	1557	MAGENTA RED	439.4	878.9
	0				0		
<b>6006</b>	<b>Porpoise Gray</b>	<b>Honda</b>	<b>NH-425L</b>	<b>6013</b>	<b>Truffle</b>	<b>Honda</b>	<b>NH-767L</b>
1554	TINTING WHITE	263.1	526.2	1554	TINTING WHITE	132.9	265.8
1501	LANDAU BLACK	343.2	686.4	1501	LANDAU BLACK	252.0	504.0
1303	FLATTNER	382.7	765.3	1550	RED OXIDE	331.3	662.7
1551	FAST YELLOW	411.3	822.5	1551	FAST YELLOW	380.5	760.9
1557	MAGENTA RED	434.4	868.8	1303	FLATTNER	426.1	852.2
	0				0		
<b>6007</b>	<b>Bumper Dark Gray</b>	<b>Honda</b>	<b>NH-533</b>	<b>6014</b>	<b>Pure Blue</b>	<b>Honda</b>	<b>B-135L</b>
1501	LANDAU BLACK	299.1	598.2	1553	FAST BLUE	166.4	332.9
1551	FAST YELLOW	333.8	667.7	1501	LANDAU BLACK	244.6	489.1
1554	TINTING WHITE	366.0	731.9	1557	MAGENTA RED	321.6	643.1
1557	MAGENTA RED	397.2	794.4	1554	TINTING WHITE	379.6	759.3
1303	FLATTNER	417.1	834.1	1303	FLATTNER	417.6	835.2
	0				0		

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 176

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6015</b>	<b>Baltic Blue</b>	<b>Honda</b>	<b>B-167L</b>	<b>6022</b>	<b>Dark Titanium</b>	<b>Honda</b>	<b>YR-232L</b>
1501	LANDAU BLACK	244.0	488.0	1554	TINTING WHITE	144.8	289.7
1554	TINTING WHITE	298.9	597.7	1501	LANDAU BLACK	261.1	522.1
1303	FLATTNER	343.7	687.4	1550	RED OXIDE	323.8	647.6
1556	FAST GREEN	384.0	767.9	1551	FAST YELLOW	384.4	768.8
1553	FAST BLUE	418.4	836.8	1303	FLATTNER	426.7	853.4
	0				0		
<b>6016</b>	<b>Bumper Medium Dark</b>	<b>Honda</b>	<b>NH-590</b>	<b>6023</b>	<b>Titanium</b>	<b>Honda</b>	<b>YR-233L</b>
1550	RED OXIDE	104.1	208.2	1554	TINTING WHITE	189.9	379.7
1556	FAST GREEN	202.7	405.4	1559	YELLOW OXIDE	312.9	625.7
1501	LANDAU BLACK	300.6	601.2	1303	FLATTNER	362.5	725.1
1554	TINTING WHITE	346.8	693.6	1501	LANDAU BLACK	406.6	813.2
1302	LOW LUSTER CLEAR	419.7	839.3	1550	RED OXIDE	431.9	863.8
	0				0		
<b>6017</b>	<b>Atlas Gray</b>	<b>Honda</b>	<b>NH-598L</b>	<b>6024</b>	<b>TU Dark Gray</b>	<b>Honda</b>	<b>NH-607L</b>
1554	TINTING WHITE	142.3	284.6	1501	LANDAU BLACK	250.1	500.1
1559	YELLOW OXIDE	247.0	494.0	1303	FLATTNER	298.1	596.3
1501	LANDAU BLACK	330.9	661.8	1554	TINTING WHITE	345.7	691.4
1303	FLATTNER	383.5	767.0	1551	FAST YELLOW	382.1	764.2
1550	RED OXIDE	428.3	856.6	1557	MAGENTA RED	417.9	835.9
	0				0		
<b>6018</b>	<b>Pearl Ivory</b>	<b>Honda</b>	<b>YR-327L</b>	<b>6025</b>	<b>Seagull Gray</b>	<b>Honda</b>	<b>NH-293L</b>
1554	TINTING WHITE	267.3	534.6	1554	TINTING WHITE	139.2	278.4
1551	FAST YELLOW	334.1	668.2	1559	YELLOW OXIDE	259.1	518.1
1303	FLATTNER	390.8	781.5	1501	LANDAU BLACK	362.4	724.7
1557	MAGENTA RED	412.8	825.6	1303	FLATTNER	408.2	816.3
1501	LANDAU BLACK	434.5	868.9	1557	MAGENTA RED	427.5	854.9
	0				0		
<b>6019</b>	<b>Grayge</b>	<b>Honda</b>	<b>NH-556L</b>	<b>6026</b>	<b>Light Quartz Gray</b>	<b>Honda</b>	<b>NH-284L</b>
1554	TINTING WHITE	314.2	628.4	1554	TINTING WHITE	231.0	462.0
1303	FLATTNER	368.1	736.1	1501	LANDAU BLACK	308.8	617.6
1501	LANDAU BLACK	396.1	792.2	1550	RED OXIDE	369.6	739.2
1550	RED OXIDE	420.8	841.7	1303	FLATTNER	409.0	817.9
1551	FAST YELLOW	438.8	877.5	1551	FAST YELLOW	433.3	866.6
	0				0		
<b>6020</b>	<b>Pale Quartz</b>	<b>Honda</b>	<b>NH-302L</b>	<b>6027</b>	<b>Quartz Gray</b>	<b>Honda</b>	<b>NH-283L</b>
1554	TINTING WHITE	328.4	656.8	1501	LANDAU BLACK	171.6	343.1
1303	FLATTNER	375.6	751.1	1554	TINTING WHITE	279.8	559.6
1550	RED OXIDE	403.4	806.8	1550	RED OXIDE	350.6	701.3
1501	LANDAU BLACK	429.7	859.3	1303	FLATTNER	399.4	798.8
1551	FAST YELLOW	440.0	880.0	1551	FAST YELLOW	424.1	848.2
	0				0		
<b>6021</b>	<b>Bright Ivory</b>	<b>Honda</b>	<b>YR-412L</b>	<b>6028</b>	<b>Dark Saddle</b>	<b>Honda</b>	<b>YR202L</b>
1554	TINTING WHITE	247.1	494.2	1550	RED OXIDE	111.1	222.1
1559	YELLOW OXIDE	377.6	755.2	1551	FAST YELLOW	213.1	426.1
1303	FLATTNER	424.3	848.6	1501	LANDAU BLACK	294.9	589.9
1501	LANDAU BLACK	431.9	863.7	1554	TINTING WHITE	373.9	747.8
1557	MAGENTA RED	435.9	871.8	1303	FLATTNER	422.5	845.0
	0				0		



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 177

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6029</b>	<b>Saddle</b>	<b>Honda</b>	<b>YR203L</b>	<b>6034</b>	<b>Dk. Frost Beige</b>	<b>Chrysler Motors</b>	<b>HL9</b>
1554	TINTING WHITE	159.9	319.8	1557	MAGENTA RED	135.1	270.3
1550	RED OXIDE	257.9	515.8	1302	LOW LUSTER CLEAR	253.3	506.5
1551	FAST YELLOW	339.4	678.8	1551	FAST YELLOW	338.8	677.5
1303	FLATTNER	388.7	777.4	1556	FAST GREEN	378.6	757.2
1501	LANDAU BLACK	428.4	856.8	1559	YELLOW OXIDE	413.7	827.4
	0						
<b>6030</b>	<b>Light Saddle</b>	<b>Honda</b>	<b>YR204L</b>	<b>6035</b>	<b>Adobe</b>	<b>Ford Motor</b>	<b>AT7A</b>
1559	YELLOW OXIDE	163.2	326.4	1554	TINTING WHITE	159.1	318.3
1554	TINTING WHITE	317.8	635.6	1559	YELLOW OXIDE	302.9	605.7
1303	FLATTNER	367.3	734.6	1302	LOW LUSTER CLEAR	388.8	777.6
1550	RED OXIDE	409.0	818.0	1550	RED OXIDE	416.6	833.3
1501	LANDAU BLACK	430.4	860.8	1501	LANDAU BLACK	429.7	859.4
	0						
<b>6031</b>	<b>Beige</b>	<b>Volkswagon</b>		<b>6036</b>	<b>Sienna</b>	<b>Ford Motor</b>	<b>8U8A</b>
1554	TINTING WHITE	229.5	459.0	1302	LOW LUSTER CLEAR	156.6	313.2
1302	LOW LUSTER CLEAR	353.1	706.1	1559	YELLOW OXIDE	247.2	494.4
1559	YELLOW OXIDE	408.5	817.1	1501	LANDAU BLACK	335.1	670.2
1550	RED OXIDE	421.3	842.6	1550	RED OXIDE	407.9	815.7
1501	LANDAU BLACK	432.6	865.2	1554	TINTING WHITE	417.5	835.1
<b>6031</b>	<b>Beige</b>	<b>Volkswagon</b>		<b>6038</b>	<b>Dark Slate Gray Metal</b>	<b>Ford Motor</b>	<b>AM6E</b>
1554	TINTING WHITE	229.5	459.0	1300	HI GLOSS CLR	138.4	276.9
1302	LOW LUSTER CLEAR	353.1	706.2	1501	LANDAU BLACK	248.2	496.4
1559	YELLOW OXIDE	408.5	817.0	1508	SILVER	324.0	647.9
1550	RED OXIDE	421.3	842.6	1559	YELLOW OXIDE	371.3	742.5
1501	LANDAU BLACK	432.6	865.2	1552	FAST RED	403.6	807.3
				1553	FAST BLUE	415.3	830.6
<b>6032</b>	<b>Rust Red</b>	<b>Volkswagon</b>		<b>6040</b>	<b>Turquoise</b>	<b>Pontiac</b>	
1550	RED OXIDE	222.2	444.4	1508	SILVER	183.4	366.8
1302	LOW LUSTER CLEAR	352.5	705.0	1556	FAST GREEN	286.4	572.7
1559	YELLOW OXIDE	411.3	822.5	1553	FAST BLUE	385.7	771.5
1554	TINTING WHITE	416.0	832.1	1501	LANDAU BLACK	415.6	831.1
1501	LANDAU BLACK	419.8	839.6				
<b>6032</b>	<b>Rust Red</b>	<b>Volkswagon</b>		<b>6040</b>	<b>Turquoise</b>	<b>Pontiac</b>	
1550	RED OXIDE	222.2	444.4	1508	SILVER	183.4	366.8
1302	LOW LUSTER CLEAR	352.5	705.0	1556	FAST GREEN	286.4	572.8
1559	YELLOW OXIDE	411.3	822.5	1553	FAST BLUE	385.7	771.4
1554	TINTING WHITE	416.0	832.1	1501	LANDAU BLACK	415.6	831.2
1501	LANDAU BLACK	419.8	839.6				
<b>6033</b>	<b>Light Grey</b>	<b>Nissan</b>	<b>W</b>	<b>6041</b>	<b>Dune</b>	<b>General Motors</b>	<b>WA514Q</b>
1554	TINTING WHITE	290.4	580.8	1302	LOW LUSTER CLEAR	158.9	317.8
1559	YELLOW OXIDE	385.4	770.9	1554	TINTING WHITE	285.7	571.4
1501	LANDAU BLACK	414.8	829.7	1551	FAST YELLOW	334.8	669.5
1550	RED OXIDE	439.4	878.9	1501	LANDAU BLACK	381.5	763.0
				1550	RED OXIDE	423.8	847.6

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 178

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>6043</b>	<b>Dark Gray</b>	<b>Nissan</b>		<b>G</b>	<b>6062</b>	<b>Beige Extended Kansa</b>	<b>BMW</b>	<b>PACY</b>
1501	LANDAU BLACK	169.8	339.6		1302	LOW LUSTER CLEAR	176.2	352.5
1559	YELLOW OXIDE	316.1	632.2		1554	TINTING WHITE	350.7	701.4
1554	TINTING WHITE	354.5	708.9		1559	YELLOW OXIDE	408.9	817.7
1302	LOW LUSTER CLEAR	392.8	785.5		1550	RED OXIDE	424.6	849.2
1550	RED OXIDE	421.1	842.2		1553	FAST BLUE	428.0	856.0
<b>6044</b>	<b>Medium Frost Beige</b>	<b>Chrysler Motors</b>		<b>HL5</b>	<b>6063</b>	<b>Beige Dakota Leather</b>	<b>BMW</b>	<b>LCB4</b>
1302	LOW LUSTER CLEAR	158.1	316.1		1302	LOW LUSTER CLEAR	174.7	349.5
1559	YELLOW OXIDE	291.8	583.5		1559	YELLOW OXIDE	286.2	572.4
1554	TINTING WHITE	351.4	702.8		1554	TINTING WHITE	397.6	795.2
1550	RED OXIDE	388.1	776.3		1550	RED OXIDE	415.3	830.7
1501	LANDAU BLACK	421.4	842.9		1501	LANDAU BLACK	424.4	848.8
<b>6046</b>	<b>Caramel</b>	<b>Ford Motor</b>			<b>6064</b>	<b>Chestnut Brown Dako</b>	<b>BMW</b>	<b>LCC2</b>
1559	YELLOW OXIDE	281.4	562.9		1302	LOW LUSTER CLEAR	170.7	341.4
1302	LOW LUSTER CLEAR	365.7	731.4		1551	FAST YELLOW	260.2	520.4
1550	RED OXIDE	409.0	818.1		1550	RED OXIDE	343.8	687.5
1554	TINTING WHITE	416.5	833.0		1557	MAGENTA RED	409.6	819.1
1501	LANDAU BLACK	421.3	842.6		1556	FAST GREEN	414.5	829.1
<b>6057</b>	<b>Taupe Leatherette</b>	<b>BMW</b>		<b>KAA5</b>	<b>6065</b>	<b>Black Extended Kansa</b>	<b>BMW</b>	<b>PASW</b>
1554	TINTING WHITE	151.8	303.7		1501	LANDAU BLACK	243.2	486.3
1302	LOW LUSTER CLEAR	294.3	588.5		1302	LOW LUSTER CLEAR	413.4	826.8
1559	YELLOW OXIDE	374.3	748.6					
1501	LANDAU BLACK	401.5	802.9					
1550	RED OXIDE	427.3	854.6					
<b>6058</b>	<b>Coral Red Extended K</b>	<b>BMW</b>		<b>PAD1</b>	<b>6080</b>	<b>Blue Standard</b>	<b>Chevrolet</b>	<b>715</b>
1558	BRITE RED	195.3	390.5		1553	FAST BLUE	132.8	265.6
1302	LOW LUSTER CLEAR	350.1	700.2		1300	HI GLOSS CLEAR	229.1	458.2
1552	FAST RED	382.3	764.7		1501	LANDAU BLACK	315.8	631.6
1551	FAST YELLOW	409.8	819.7		1554	TINTING WHITE	370.8	741.6
1501	LANDAU BLACK	412.8	825.7		1556	FAST GREEN	417.4	834.8
<b>6059</b>	<b>Oyster and Black</b>	<b>BMW</b>		<b>LCCX</b>	<b>6081</b>	<b>Light Blue Metallic</b>	<b>Chevrolet</b>	<b>M12</b>
1302	LOW LUSTER CLEAR	176.1	352.2		1300	HI GLOSS CLR	223.7	447.3
1554	TINTING WHITE	345.8	691.6		1554	TINTING WHITE	300.3	600.6
1559	YELLOW OXIDE	398.1	796.3		1553	FAST BLUE	353.3	706.6
1550	RED OXIDE	421.2	842.4		3520	PLATINUM PEARL	398.0	796.0
1553	FAST BLUE	427.7	855.3		1501	LANDAU BLAKC	423.6	847.2
					1551	FAST YELLOW	431.6	863.2
<b>6060</b>	<b>Walnut Kansas Leathe</b>	<b>BMW</b>		<b>LYSY</b>	<b>6086</b>	<b>Tan</b>	<b>Chrysler Motors</b>	<b>GT5</b>
1559	YELLOW OXIDE	210.1	420.2		1302	LOW LUSTER CLEAR	158.6	317.3
1302	LOW LUSTER CLEAR	382.3	764.6		1559	YELLOW OXIDE	316.9	633.9
1550	RED OXIDE	413.5	826.9		1554	TINTING WHITE	394.6	789.3
1551	FAST YELLOW	416.8	833.6		1550	RED OXIDE	416.8	833.6
1553	FAST BLUE	418.2	836.4		1501	LANDAU BLACK	423.0	846.0

No

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 179

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6087</b>	<b>Lt Frost Beige</b>	<b>Chrysler Motors</b>	<b>HL1</b>	<b>6134</b>	<b>Meteorite Black</b>	<b>Ford Motor</b>	<b>BA9E</b>
1554	TINTING WHITE	194.5	389.0	1501	LANDAU BLACK	151.7	303.4
1302	LOW LUSTER CLEAR	355.3	710.5	1552	FAST RED	248.6	497.2
1551	FAST YELLOW	385.9	771.7	1302	LOW LUSTER CLEAR	344.1	688.2
1550	RED OXIDE	410.4	820.9	1556	FAST GREEN	394.2	788.5
1501	LANDAU BLACK	428.6	857.3	1508	SILVER	413.9	827.7
<b>No</b>				<b>No</b>			
<b>6109</b>	<b>Moss Green</b>	<b>General Motors</b>	<b>721</b>	<b>6135</b>	<b>Enhanced Alloy Metall</b>	<b>Ford Motor</b>	<b>9N9C</b>
1559	YELLOW OXIDE	315.0	630.0	1501	LANDAU BLACK	241.8	483.6
1554	TINTING WHITE	365.4	730.8	1508	SILVER	321.3	642.6
1556	FAST GREEN	386.4	772.8	1552	FAST RED	381.3	762.6
1508	SILVER	407.4	814.8	1556	FAST GREEN	415.4	830.8
1501	LANDAU BLACK	425.3	850.6	<b>No</b>			
<b>MUST TOPCOAT WITH 6110</b>				<b>No</b>			
<b>6110</b>	<b>Topcoat For 6109</b>	<b>General Motors</b>	<b>721</b>	<b>6136</b>	<b>Torque Grey</b>	<b>Ford Motor</b>	<b>5MW</b>
1302	LOW LUSTER CLEAR	404.2	808.4	1501	LANDAU BLACK	160.2	320.4
3520	PLATINUM PEARL	409.8	819.6	1302	LOW LUSTER CLEAR	290.5	581.1
3522	GOLD PEARL	413.0	826.0	1554	TINTING WHITE	369.8	739.5
<b>No</b>				1551	FAST YELLOW	403.8	807.7
<b>No</b>				1550	RED OXIDE	420.0	840.0
<b>6127</b>	<b>Radar Red</b>	<b>Chrysler Motors</b>	<b>RR</b>	<b>6137</b>	<b>Dark Pewter</b>	<b>Ford Motor</b>	<b>6DEA</b>
1552	FAST RED	155.4	310.8	1302	LOW LUSTER CLEAR	176.4	352.8
1302	LOW LUSTER CLEAR	310.3	620.7	1550	RED OXIDE	287.8	575.7
1558	BRITE RED	405.1	810.1	1553	FAST BLUE	340.7	681.3
1554	TINTING WHITE	409.7	819.5	1556	FAST GREEN	387.4	774.8
1501	LANDAU BLACK	413.2	826.4	1554	TINTING WHITE	417.3	834.7
<b>No</b>				<b>No</b>			
<b>6128</b>	<b>Dark Saddle</b>	<b>Chrysler Motors</b>	<b>T9</b>	<b>6161</b>	<b>Walnut Extended Kan</b>	<b>BMW</b>	<b>PASY</b>
1559	YELLOW OXIDE	299.9	599.8	1559	YELLOW OXIDE	210.1	420.2
1303	FLATTNER	354.8	709.7	1302	LOW LUSTER CLEAR	382.3	764.6
1557	MAGENTA RED	393.5	787.0	1550	RED OXIDE	413.5	826.9
1501	LANDAU BLACK	412.8	825.6	1551	FAST YELLOW	416.8	833.6
1554	TINTING WHITE	421.0	842.0	1553	FAST BLUE	418.2	836.4
<b>No</b>				<b>No</b>			
<b>6129</b>	<b>Pastel Greystone</b>	<b>Chrysler Motors</b>	<b>HDA</b>	<b>6162</b>	<b>Dk. Rose</b>	<b>Ford Motor</b>	
1554	TINTING WHITE	316.8	633.6	1552	FAST RED	249.0	497.9
1303	FLATTNER	374.1	748.2	1508	SILVER	347.8	695.6
1559	YELLOW OXIDE	420.3	840.7	1551	FAST YELLOW	381.0	762.0
1501	LANDAU BLACK	432.1	864.1	1553	FAST BLUE	409.6	819.2
1550	RED OXIDE	439.6	879.1	1501	LANDAU BLACK	414.9	829.7
<b>No</b>				<b>No</b>			
<b>6132</b>	<b>Chestnut</b>	<b>Chrysler Motors</b>	<b>JTL</b>	<b>6163</b>	<b>Lt. Rose</b>	<b>Ford Motor</b>	
1559	YELLOW OXIDE	176.2	352.3	1508	SILVER	243.9	487.9
1302	LOW LUSTER CLEAR	348.3	696.6	1550	RED OXIDE	346.0	692.0
1550	RED OXIDE	405.6	811.3	1552	FAST RED	399.6	799.2
1501	LANDAU BLACK	414.7	829.4	1551	FAST YELLOW	418.9	837.7
1551	FAST YELLOW	418.1	836.1	<b>No</b>			
<b>No</b>				<b>1300 Clear</b>			

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 180

		PINTS	QUARTS			PINTS	QUARTS	
		GRAMS				GRAMS		
<b>6164</b>	<b>Red</b>	<b>Ford Motor</b>		<b>BF</b>	<b>6173</b>	<b>Green</b>	<b>Cessna</b>	<b>Aerospace</b>
1552	FAST RED	243.8	487.6		1559	YELLOW OXIDE	179.1	358.2
1551	FAST YELLOW	330.5	661.0		1553	FAST BLUE	299.0	598.0
1302	LOW LUSTER CLEAR	398.2	796.4		1302	LOW LUSTER CLEAR	368.8	737.6
1554	TINTING WHITE	414.7	829.5		1501	LANDAU BLACK	396.8	793.6
					1554	TINTING WHITE	418.8	837.6
<b>6165</b>	<b>Chantilly Beige</b>	<b>Ford Motor</b>			<b>6174</b>	<b>Champagne Metallic</b>	<b>Fiat</b>	<b>512F</b>
1508	SILVER	209.2	418.3		1554	TINTING WHITE	145.5	291.1
1559	YELLOW OXIDE	370.6	741.3		1302	LOW LUSTER CLEAR	278.2	556.5
1550	RED OXIDE	407.1	814.2		1559	YELLOW OXIDE	405.9	811.7
1501	LANDAU BLACK	420.7	841.4		1550	RED OXIDE	418.1	836.2
					1501	LANDAU BLACK	427.6	855.2
<b>1300 Clear</b>								
<b>6166</b>	<b>Blue</b>	<b>General Motors</b>			<b>6175</b>	<b>Blue</b>	<b>Ford Motor</b>	<b>M6</b>
1554	TINTING WHITE	183.7	367.4		1554	TINTING WHITE	190.0	379.9
1553	FAST BLUE	301.6	603.2		1302	LOW LUSTER CLEAR	300.9	601.8
1559	YELLOW OXIDE	385.6	771.1		1501	LANDAU BLACK	366.3	732.6
1501	LANDAU BLACK	429.8	859.7		1553	FAST BLUE	427.1	854.2
					1551	FAST YELLOW	427.9	855.9
<b>6167</b>	<b>Saddle</b>	<b>Pontiac</b>			<b>6176</b>	<b>Dark Blue</b>	<b>Chevrolet</b>	<b>725</b>
1559	YELLOW OXIDE	236.1	472.2		1672	LOW LUSTER CLEAR	162.1	324.1
1302	LOW LUSTER CLEAR	318.8	637.5		1653	PHTHALO BLUE	282.8	565.6
1550	RED OXIDE	378.3	756.5		1656	PHTHALO GREEN	377.2	754.3
1554	TINTING WHITE	401.4	802.8		1601	BLACK	441.0	882.1
1501	LANDAU BLACK	421.9	843.9		1654	WHITE	486.2	972.3
<b>6169</b>	<b>Dark Blue</b>	<b>Pontiac</b>		<b>201</b>	<b>6177</b>	<b>Biscuit</b>	<b>Jaguar</b>	<b>XJ9</b>
1553	FAST BLUE	148.4	296.7		1654	WHITE	192.0	383.9
1302	LOW LUSTER CLEAR	286.6	573.2		1672	LOW LUSTER CLEAR	357.4	714.9
1556	FAST GREEN	343.7	687.4		1651	INDO YELLOW	443.2	886.4
1501	LANDAU BLACK	380.8	761.6		1652	QUINDO RED	486.5	973.0
1554	TINTING WHITE	415.1	830.2		1601	BLACK	496.4	992.9
<b>6170</b>	<b>Turquoise</b>	<b>Ford Motor</b>		<b>7X</b>	<b>6178</b>	<b>Black</b>	<b>Chrysler Motors</b>	<b>JXW</b>
1554	TINTING WHITE	256.3	512.5		1501	LANDAU BLACK	360.4	720.9
1556	FAST GREEN	397.4	794.9		1303	FLATTNER	414.5	829.0
1550	RED OXIDE	428.6	857.2					
1553	FAST BLUE	434.6	869.3					
	DISREGARD	434.6	869.3					
<b>6172</b>	<b>Dark Camel</b>	<b>Pontiac</b>		<b>62</b>	<b>6179</b>	<b>Gucci White</b>	<b>Chrysler Motors</b>	<b>KW2</b>
1559	YELLOW OXIDE	278.4	556.8		1554	TINTING WHITE	402.2	804.4
1302	LOW LUSTER CLEAR	362.5	725.0		1303	FLATTNER	442.6	885.3
1557	MAGENTA RED	399.8	799.6		1559	YELLOW OXIDE	444.9	889.7
1501	LANDAU BLACK	410.3	820.6		1553	FAST BLUE	445.0	890.1
1554	TINTING WHITE	420.4	840.9		1552	FAST RED	445.2	890.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 181

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6180</b>	<b>Steam</b>	<b>Chrysler Motors</b>	<b>LW9</b>	<b>6187</b>	<b>Kalahari</b>	<b>General Motors</b>	<b>119X</b>
1554	TINTING WHITE	387.0	774.0	1559	YELLOW OXIDE	243.8	487.6
1303	FLATTNER	427.4	854.8	1550	RED OXIDE	333.5	666.9
1559	YELLOW OXIDE	441.3	882.7	1303	FLATTNER	388.4	776.8
1501	LANDAU BLACK	443.6	887.2	1551	FAST YELLOW	413.7	827.5
1557	MAGENTA RED	444.2	888.5	1501	LANDAU BLACK	421.1	842.3
<b>6181</b>	<b>Wine</b>	<b>Chrysler Motors</b>	<b>KC9</b>	<b>6188</b>	<b>Redline</b>	<b>General Motors</b>	<b>124X</b>
1552	FAST RED	360.3	720.6	1558	BRITE RED	187.0	374.0
1303	FLATTNER	397.1	794.3	1559	YELLOW OXIDE	299.3	598.6
1557	MAGENTA RED	406.0	811.9	1557	MAGENTA RED	360.0	720.1
1553	FAST BLUE	411.2	822.5	1303	FLATTNER	414.3	828.6
1554	TINTING WHITE	413.8	827.6	1556	FAST GREEN	416.0	832.0
<b>6182</b>	<b>Diesel Gray</b>	<b>Chrysler Motors</b>	<b>A8</b>	<b>6189</b>	<b>Sangria</b>	<b>General Motors</b>	<b>173X</b>
1501	LANDAU BLACK	129.9	259.8	1552	FAST RED	194.5	389.1
1559	YELLOW OXIDE	249.4	498.8	1559	YELLOW OXIDE	268.1	536.3
1554	TINTING WHITE	328.7	657.4	1557	MAGENTA RED	335.3	670.5
1303	FLATTNER	399.1	798.3	1303	FLATTNER	389.4	778.8
1557	MAGENTA RED	422.7	845.3	1553	FAST BLUE	415.0	830.0
<b>6183</b>	<b>Brown</b>	<b>Chrysler Motors</b>	<b>KUH</b>	<b>6190</b>	<b>Med Ash Gray</b>	<b>General Motors</b>	<b>9883</b>
1551	FAST YELLOW	161.6	323.3	1554	TINTING WHITE	275.1	550.3
1557	MAGENTA RED	297.9	595.8	1501	LANDAU BLACK	335.4	670.8
1303	FLATTNER	352.0	703.9	1303	FLATTNER	392.2	784.4
1559	YELLOW OXIDE	404.6	809.1	1550	RED OXIDE	417.5	835.0
1556	FAST GREEN	414.5	829.1	1551	FAST YELLOW	435.8	871.6
<b>6184</b>	<b>Jeep Brown</b>	<b>Chrysler Motors</b>	<b>LU5</b>	<b>6191</b>	<b>Dk Atmosphere</b>	<b>General Motors</b>	<b>303X</b>
1558	BRITE RED	185.3	370.6	1554	TINTING WHITE	130.5	261.1
1501	LANDAU BLACK	355.3	710.7	1501	LANDAU BLACK	242.4	484.8
1303	FLATTNER	414.0	827.9	1550	RED OXIDE	311.7	623.5
				1551	FAST YELLOW	370.1	740.2
				1303	FLATTNER	425.6	851.2
<b>6185</b>	<b>Ruby Red</b>	<b>Chrysler Motors</b>	<b>LR5</b>	<b>6192</b>	<b>Grey Leather</b>	<b>Toyota</b>	
1558	BRITE RED	257.1	514.3	1554	TINTING WHITE	198.8	397.6
1557	MAGENTA RED	332.5	665.0	1559	YELLOW OXIDE	279.1	558.3
1303	FLATTNER	386.3	772.5	1501	LANDAU BLACK	356.9	713.8
1559	YELLOW OXIDE	409.5	819.0	1303	FLATTNER	413.2	826.4
1501	LANDAU BLACK	414.0	827.9	1550	RED OXIDE	431.5	863.1
<b>6186</b>	<b>Black Berry</b>	<b>General Motors</b>	<b>246V</b>	<b>6193</b>	<b>Bisque</b>	<b>Toyota</b>	
1557	MAGENTA RED	121.3	242.5	1554	TINTING WHITE	311.8	623.6
1550	RED OXIDE	220.4	440.9	1303	FLATTNER	358.8	717.6
1553	FAST BLUE	297.1	594.2	1551	FAST YELLOW	388.6	777.3
1559	YELLOW OXIDE	362.4	724.8	1501	LANDAU BLACK	416.7	833.4
1303	FLATTNER	416.8	833.6	1550	RED OXIDE	438.6	877.1

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 182

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6194</b>	<b>Dark Grey</b>	<b>Toyota</b>		<b>6201</b>	<b>Radiant Turquoise</b>	<b>Ford Motor 34</b>	
1559	YELLOW OXIDE	138.9	277.9	1508	SILVER	278.0	556.0
1501	LANDAU BLACK	274.0	548.1	1556	FAST GREEN	400.1	800.3
1554	TINTING WHITE	343.0	686.0	1553	FAST BLUE	416.8	833.7
1303	FLATTNER	398.2	796.4				
1550	RED OXIDE	423.0	846.0				
<b>6195</b>	<b>Dark Charcoal</b>	<b>Toyota</b>		<b>6202</b>	<b>White</b>	<b>Mastercraft 693078</b>	
1501	LANDAU BLACK	351.8	703.6	1554	TINTING WHITE	444.7	889.5
1303	FLATTNER	406.0	811.9	1501	LANDAU BLACK	446.7	893.4
1554	TINTING WHITE	415.2	830.4	1551	FAST YELLOW	448.0	896.0
				1550	RED OXIDE	448.7	897.5
				Yes (SEM# 6205)			
<b>6196</b>	<b>Cream Beige</b>	<b>Mercedes Benz 8412</b>		<b>6203</b>	<b>Dove</b>	<b>Mastercraft 693081</b>	
1559	YELLOW OXIDE	153.4	306.8	1554	TINTING WHITE	431.7	863.3
1554	TINTING WHITE	279.6	559.2	1550	RED OXIDE	438.8	877.6
1302	LOW LUSTER CLEAR	401.5	803.1	1501	LANDAU BLACK	444.9	889.7
1550	RED OXIDE	421.1	842.2	1551	FAST YELLOW	447.9	895.7
1553	FAST BLUE	426.9	853.7				
				Yes (SEM# 6205)			
<b>6197</b>	<b>Choccachino</b>	<b>General Motors WA923T</b>		<b>6204</b>	<b>Flint</b>	<b>Mastercraft 693084</b>	
1559	YELLOW OXIDE	296.2	592.4	1554	TINTING WHITE	353.3	706.5
1303	FLATTNER	351.2	702.4	1501	LANDAU BLACK	403.9	807.7
1557	MAGENTA RED	391.6	783.1	1550	RED OXIDE	428.0	856.0
1554	TINTING WHITE	412.3	824.5	1551	FAST YELLOW	442.2	884.5
1553	FAST BLUE	421.8	843.6				
				Yes (SEM# 6205)			
<b>6198</b>	<b>Spice Red</b>	<b>General Motors WA771S</b>		<b>6205</b>	<b>Tinted Topcoat(SEM#)</b>	<b>Mastercraft</b>	
1557	MAGENTA RED	155.3	310.5	1300	HI GLOSS CLR	405.9	811.8
1550	RED OXIDE	303.0	606.0	3520	PLATINUM PEARL	414.0	828.1
1303	FLATTNER	357.5	715.0	1400		414.0	828.1
1559	YELLOW OXIDE	405.3	810.5	1400		414.0	828.1
1501	LANDAU BLACK	417.8	835.6				
<b>6199</b>	<b>Chestnut</b>	<b>Chrysler Motors TL</b>		<b>6206</b>	<b>Sepia</b>	<b>Chrysler Motors LV5</b>	
1559	YELLOW OXIDE	251.3	502.7	1302	LOW LUSTER CLEAR	185.1	370.3
1552	FAST RED	362.5	725.0	1559	YELLOW OXIDE	307.0	614.1
1303	FLATTNER	400.6	801.2	1551	FAST YELLOW	360.1	720.3
1551	FAST YELLOW	410.0	820.0	1550	RED OXIDE	411.6	823.2
1556	FAST GREEN	419.4	838.7	1501	LANDAU BLACK	416.6	833.2
<b>6200</b>	<b>Turquoise</b>	<b>Ford Motor XM</b>		<b>6207</b>	<b>Sandstorm</b>	<b>Chrysler Motors LTU</b>	
1554	TINTING WHITE	264.8	529.5	1302	LOW LUSTER CLEAR	186.7	373.4
1556	FAST GREEN	351.4	702.8	1559	YELLOW OXIDE	290.4	580.8
1553	FAST BLUE	417.7	835.3	1554	TINTING WHITE	388.4	776.7
1501	LANDAU BLACK	434.0	868.0	1550	RED OXIDE	409.7	819.4
1551	FAST YELLOW	434.4	868.8	1501	LANDAU BLACK	423.2	846.3

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 183

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6208</b>	<b>Russet Red</b>	<b>Chrysler Motors</b>	<b>JER</b>	<b>6215</b>	<b>Dk Ash Gray</b>	<b>General Motors</b>	<b>WA999K</b>
1302	LOW LUSTER CLEAR	163.6	327.3	1554	TINTING WHITE	162.1	324.3
1551	FAST YELLOW	287.5	575.0	1559	YELLOW OXIDE	267.0	534.0
1550	RED OXIDE	403.0	806.1	1501	LANDAU BLACK	361.0	722.0
1556	FAST GREEN	415.4	830.8	1303	FLATTNER	400.0	800.1
				1550	RED OXIDE	429.6	859.3
<b>6209</b>	<b>Mink</b>	<b>General Motors</b>	<b>WA210V</b>	<b>6216</b>	<b>Twilight Blue</b>	<b>General Motors</b>	<b>WA712U</b>
1550	RED OXIDE	192.6	385.2	1501	LANDAU BLACK	140.1	280.2
1559	YELLOW OXIDE	316.8	633.6	1552	FAST RED	245.5	491.0
1553	FAST BLUE	376.7	753.3	1553	FAST BLUE	323.1	646.3
1303	FLATTNER	414.9	829.8	1554	TINTING WHITE	380.2	760.3
1556	FAST GREEN	420.6	841.2	1303	FLATTNER	418.2	836.3
<b>6210</b>	<b>Carmel</b>	<b>Chrysler Motors</b>	<b>LK5</b>	<b>6217</b>	<b>Saddle Up</b>	<b>General Motors</b>	<b>WA859T</b>
1559	YELLOW OXIDE	304.0	608.1	1550	RED OXIDE	183.4	366.9
1303	FLATTNER	374.1	748.2	1551	FAST YELLOW	298.4	596.7
1552	FAST RED	417.7	835.4	1554	TINTING WHITE	355.1	710.1
1553	FAST BLUE	420.3	840.7	1303	FLATTNER	393.5	786.9
				1501	LANDAU BLACK	422.3	844.7
<b>6211</b>	<b>Onyx</b>	<b>General Motors</b>	<b>WA355N</b>	<b>6218</b>	<b>Fig</b>	<b>General Motors</b>	<b>WA193V</b>
1501	LANDAU BLACK	274.6	549.2	1552	FAST RED	254.4	508.7
1303	FLATTNER	343.9	687.9	1559	YELLOW OXIDE	311.1	622.2
1559	YELLOW OXIDE	405.1	810.3	1303	FLATTNER	365.2	730.3
1550	RED OXIDE	411.5	823.0	1553	FAST BLUE	407.9	815.7
1554	TINTING WHITE	416.1	832.1	1551	FAST YELLOW	414.6	829.3
<b>6212</b>	<b>Cognac</b>	<b>Chrysler Motors</b>	<b>KT9</b>	<b>6219</b>	<b>Mojave</b>	<b>General Motors</b>	<b>WA955T</b>
1550	RED OXIDE	198.0	395.9	1559	YELLOW OXIDE	267.7	535.4
1551	FAST YELLOW	340.1	680.2	1303	FLATTNER	323.0	646.1
1303	FLATTNER	394.6	789.3	1550	RED OXIDE	376.0	751.9
1501	LANDAU BLACK	418.1	836.2	1554	TINTING WHITE	422.2	844.3
		418.1	836.2	1553	FAST BLUE	424.4	848.8
<b>6213</b>	<b>Steam</b>	<b>Chrysler Motors</b>	<b>LW9</b>	<b>6220</b>	<b>Orion Gray</b>	<b>Mercedes Benz</b>	<b>268</b>
1554	TINTING WHITE	379.5	758.9	1554	TINTING WHITE	265.7	531.4
1303	FLATTNER	437.3	874.5	1501	LANDAU BLACK	351.0	702.1
1551	FAST YELLOW	440.1	880.2	1303	FLATTNER	390.5	781.1
1501	LANDAU BLACK	442.1	884.2	1551	FAST YELLOW	420.0	840.0
1550	RED OXIDE	443.2	886.5	1557	MAGENTA RED	434.6	869.3
<b>6214</b>	<b>Camel</b>	<b>Acura</b>	<b>D</b>	<b>6221</b>	<b>Silvertex Champagne</b>	<b>Bentley</b>	<b>V2704400</b>
1559	YELLOW OXIDE	252.3	504.7	1559	YELLOW OXIDE	204.3	408.6
1554	TINTING WHITE	347.2	694.4	1554	TINTING WHITE	401.1	802.2
1303	FLATTNER	386.1	772.1	1550	RED OXIDE	428.8	857.7
1550	RED OXIDE	419.0	838.0	1553	FAST BLUE	434.6	869.1
1501	LANDAU BLACK	427.6	855.1				

TOPCOAT WITH 6222

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 184

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6222</b>	<b>Topcoat for 6221</b>	<b>Bentley</b>		<b>6230</b>	<b>Vy Lt Platinum</b>	<b>General Motors</b>	<b>WA834T</b>
1302	LOW LUSTER CLEAR	405.2	810.5	1554	TINTING WHITE	356.6	713.1
3520	PLATINUM PEARL	413.5	827.0	1303	FLATTNER	396.7	793.5
				1501	LANDAU BLACK	413.8	827.5
				1551	FAST YELLOW	430.1	860.2
				1550	RED OXIDE	441.9	883.7
<b>6223</b>	<b>Brilliant White Pegasus</b>	<b>Bentley</b>	<b>V2706500</b>	<b>6231</b>	<b>Dk Urban</b>	<b>General Motors</b>	<b>WA844T</b>
1554	TINTING WHITE	264.5	529.0	1554	TINTING WHITE	194.5	389.0
1302	LOW LUSTER CLEAR	427.1	854.2	1501	LANDAU BLACK	282.7	565.5
1559	YELLOW OXIDE	432.1	864.2	1551	FAST YELLOW	347.1	694.3
1550	RED OXIDE	433.2	866.3	1550	RED OXIDE	391.0	782.0
1553	FAST BLUE	433.6	867.2	1303	FLATTNER	430.1	860.2
<b>6224</b>	<b>Ultimate Mystic White</b>	<b>Bentley</b>	<b>V2706600</b>	<b>6232</b>		<b>Chevrolet</b>	<b>77</b>
1554	TINTING WHITE	268.7	537.5	1559	YELLOW OXIDE	173.6	347.2
1302	LOW LUSTER CLEAR	431.4	862.9	1302	LOW LUSTER CLEAR	338.0	675.9
1559	YELLOW OXIDE	433.4	866.8	1554	TINTING WHITE	394.2	788.4
1552	FAST RED	433.7	867.5	1550	RED OXIDE	415.1	830.2
1553	FAST BLUE	433.9	867.7	1501	LANDAU BLACK	421.6	843.2
<b>6225</b>	<b>Prodigy Cream</b>	<b>Bentley</b>	<b>V2575500</b>	<b>6233</b>	<b>Lt Aqua</b>	<b>Ford Motor</b>	<b>87</b>
1554	TINTING WHITE	238.5	477.0	1302	LOW LUSTER CLEAR	166.7	333.4
1559	YELLOW OXIDE	362.7	725.4	1554	TINTING WHITE	275.8	551.6
1303	FLATTNER	402.3	804.6	1559	YELLOW OXIDE	361.4	722.7
1550	RED OXIDE	429.1	858.2	1553	FAST BLUE	401.9	803.8
1556	FAST GREEN	435.7	871.5	1501	LANDAU BLACK	423.1	846.3
<b>6227</b>	<b>Honey Beige</b>	<b>Chevrolet</b>	<b>448</b>	<b>6237</b>	<b>Light Brown</b>	<b>Mercedes Benz</b>	<b>274A</b>
1554	TINTING WHITE	424.1	848.2	1559	YELLOW OXIDE	290.8	581.6
1559	YELLOW OXIDE	444.9	889.8	1554	TINTING WHITE	352.2	704.4
1551	FAST YELLOW	447.4	894.7	1303	FLATTNER	390.8	781.7
1553	FAST BLUE	447.6	895.1	1557	MAGENTA RED	419.0	838.1
				1553	FAST BLUE	425.0	850.0
<b>TOPCOAT WITH 1300 CLEAR</b>							
<b>6228</b>	<b>Light Ash Gray</b>	<b>General Motors</b>	<b>WA9874</b>	<b>6238</b>	<b>Lt. Nugget Gold</b>	<b>Ford Motor</b>	<b>6Y</b>
1554	TINTING WHITE	264.4	528.7	1508	SILVER	150.5	301.0
1550	RED OXIDE	360.9	721.8	1302	LOW LUSTER CLEAR	288.7	577.4
1303	FLATTNER	400.6	801.1	1551	FAST YELLOW	348.4	696.8
1556	FAST GREEN	435.4	870.8	1558	BRITE RED	406.0	811.9
1551	FAST YELLOW	436.5	873.0	1556	FAST GREEN	414.6	829.2
<b>6229</b>	<b>Medium Urban</b>	<b>General Motors</b>	<b>WA845T</b>	<b>6239</b>	<b>Earth Taupe</b>	<b>Honda</b>	<b>YR-325L</b>
1554	TINTING WHITE	210.7	421.4	1551	FAST YELLOW	112.7	225.4
1559	YELLOW OXIDE	339.8	679.5	1554	TINTING WHITE	206.5	413.0
1303	FLATTNER	379.2	758.4	1501	LANDAU BLACK	297.0	594.1
1501	LANDAU BLACK	415.6	831.3	1550	RED OXIDE	367.6	735.2
1550	RED OXIDE	433.6	867.1	1303	FLATTNER	422.7	845.4



# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 185

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6240</b>	<b>Surf Blue</b>	<b>Honda</b>	<b>B137L</b>	<b>6247</b>	<b>Topcoat for 6246</b>	<b>Cadillac</b>	<b>12</b>
1554	TINTING WHITE	122.5	244.9	1301	SATIN GLOSS CLR	412.2	824.3
1501	LANDAU BLACK	243.7	487.4	3520	PLATINUM PEARL	413.8	827.6
1553	FAST BLUE	357.1	714.3				
1303	FLATTNER	395.6	791.2				
1557	MAGENTA RED	423.0	846.1				
<b>6241</b>	<b>Oasis Blue</b>	<b>Honda</b>	<b>B-138L</b>	<b>6248</b>	<b>Turquoise</b>	<b>General Motors</b>	<b>799A</b>
1554	TINTING WHITE	358.2	716.4	1554	TINTING WHITE	276.7	553.4
1303	FLATTNER	398.4	796.7	1556	FAST GREEN	388.1	776.2
1501	LANDAU BLACK	434.3	868.5	1553	FAST BLUE	431.4	862.8
1550	RED OXIDE	438.3	876.6	1501	LANDAU BLACK	435.4	870.8
1551	FAST YELLOW	441.9	883.7				
<b>TOPCOAT WITH 1300 CLEAR</b>							
<b>6242</b>	<b>KI Taupe</b>	<b>Honda</b>	<b>YR-248L</b>	<b>6249</b>	<b>Truffle</b>	<b>Rolex Vans</b>	
1551	FAST YELLOW	106.5	212.9	1302	LOW LUSTER CLEAR	141.5	283.0
1501	LANDAU BLACK	208.9	417.7	1554	TINTING WHITE	274.9	549.8
1550	RED OXIDE	290.8	581.6	1501	LANDAU BLACK	352.3	704.6
1554	TINTING WHITE	366.6	733.2	1550	RED OXIDE	395.7	791.5
1303	FLATTNER	421.6	843.2	1551	FAST YELLOW	424.6	849.1
<b>6243</b>	<b>Burgandy Brown</b>	<b>Honda</b>	<b>YR-351L</b>	<b>6250</b>	<b>Gray</b>	<b>Honda</b>	<b>8142M</b>
1559	YELLOW OXIDE	177.6	355.2	1554	TINTING WHITE	152.7	305.5
1557	MAGENTA RED	268.8	537.6	1559	YELLOW OXIDE	246.8	493.6
1501	LANDAU BLACK	329.5	659.1	1501	LANDAU BLACK	329.5	658.9
1303	FLATTNER	384.1	768.2	1303	FLATTNER	385.4	770.8
1550	RED OXIDE	418.4	836.8	1550	RED OXIDE	428.8	857.7
<b>6244</b>	<b>Dark Lapis</b>	<b>Honda</b>	<b>B-94L</b>	<b>6251</b>	<b>Beige</b>	<b>Honda</b>	<b>3161M</b>
1501	LANDAU BLACK	254.6	509.2	1554	TINTING WHITE	181.1	362.3
1554	TINTING WHITE	331.7	663.5	1559	YELLOW OXIDE	342.8	685.7
1303	FLATTNER	386.6	773.1	1303	FLATTNER	399.2	798.3
1553	FAST BLUE	408.1	816.3	1550	RED OXIDE	418.1	836.1
1551	FAST YELLOW	420.2	840.3	1501	LANDAU BLACK	431.8	863.7
<b>6245</b>	<b>Jewel Blue</b>	<b>Honda</b>	<b>B-139L</b>	<b>6252</b>	<b>Max Ivory</b>	<b>Honda</b>	<b>YR-416L</b>
1501	LANDAU BLACK	153.7	307.5	1554	TINTING WHITE	342.8	685.7
1553	FAST BLUE	249.9	499.8	1303	FLATTNER	400.4	800.8
1550	RED OXIDE	322.5	645.0	1559	YELLOW OXIDE	434.1	868.3
1303	FLATTNER	377.1	754.2	1501	LANDAU BLACK	439.0	878.0
1554	TINTING WHITE	418.4	836.9	1557	MAGENTA RED	441.1	882.2
<b>6246</b>	<b>Metallic Blue</b>	<b>Cadillac</b>	<b>12</b>	<b>6253</b>	<b>Pale Moss Green</b>	<b>Honda</b>	<b>G-69L</b>
1508	SILVER	225.3	450.6	1554	TINTING WHITE	228.1	456.3
1553	FAST BLUE	373.2	746.4	1559	YELLOW OXIDE	340.2	680.5
1556	FAST GREEN	415.7	831.5	1303	FLATTNER	396.8	793.7
				1501	LANDAU BLACK	431.5	863.0
				1557	MAGENTA RED	434.0	868.0

TOPCOAT WITH FORMULA 6247

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 186**

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6254</b>	<b>Dark Royal Blue</b>	<b>Honda</b>	<b>B-157L</b>	<b>6263</b>	<b>Siena Elephant Grey</b>	<b>Bombardier</b>	<b>5400</b>
1501	LANDAU BLACK	144.7	289.4	1654	WHITE	265.3	530.6
1553	FAST BLUE	252.6	505.1	1659	YELLOW OXIDE	354.3	708.5
1550	RED OXIDE	325.1	650.1	1601	BLACK	433.1	866.3
1303	FLATTNER	379.6	759.2	1680	SURE COAT FLATNE	498.6	997.3
1554	TINTING WHITE	418.1	836.3	1658	BRITE RED	502.2	1004.3
<b>6255</b>	<b>Premium Deep Black</b>	<b>Honda</b>	<b>NH-752L</b>	<b>6264</b>	<b>Sea Blue Metallic</b>	<b>Volkswagon</b>	<b>72</b>
1501	LANDAU BLACK	266.9	533.8	1508	SILVER	158.2	316.4
1552	FAST RED	327.1	654.2	1302	LOW LUSTER CLEAR	276.7	553.3
1303	FLATTNER	381.1	762.2	1556	FAST GREEN	334.6	669.2
1553	FAST BLUE	414.1	828.2	1558	BRITE RED	388.9	777.7
				1559	YELLOW OXIDE	414.6	829.3
				1553	FAST BLUE	415.4	830.8
<b>6256</b>	<b>Light Jewel Gray</b>	<b>Honda</b>	<b>NH-802L</b>	<b>6269</b>	<b>Brown</b>	<b>Nissan</b>	<b>C</b>
1554	TINTING WHITE	299.2	598.5	1559	YELLOW OXIDE	284.9	569.7
1303	FLATTNER	356.2	712.5	1558	BRITE RED	352.1	704.2
1501	LANDAU BLACK	400.0	800.0	1303	FLATTNER	390.3	780.6
1551	FAST YELLOW	424.3	848.7	1501	LANDAU BLACK	420.2	840.4
1557	MAGENTA RED	437.0	874.1				
<b>6257</b>	<b>Kurdi Black</b>	<b>Chrysler Motors</b>	<b>JXP</b>	<b>6270</b>	<b>Mushroom</b>	<b>Mercedes Benz</b>	
1302	LOW LUSTER CLEAR	138.2	276.4	1554	TINTING WHITE	197.2	394.4
1501	LANDAU BLACK	273.3	546.6	1559	YELLOW OXIDE	356.9	713.7
1552	FAST RED	324.0	648.0	1303	FLATTNER	396.3	792.5
1559	YELLOW OXIDE	366.1	732.2	1550	RED OXIDE	418.3	836.6
1556	FAST GREEN	391.3	782.5	1501	LANDAU BLACK	433.2	866.5
1508	SILVER	414.5	829.1				
<b>6258</b>	<b>Cattle Tan</b>	<b>Chrysler Motors</b>	<b>LT5</b>	<b>6273</b>	<b>Razor</b>	<b>General Motors</b>	<b>758S</b>
1551	FAST YELLOW	206.1	412.2	1501	LANDAU BLACK	171.8	343.5
1550	RED OXIDE	329.5	659.0	1554	TINTING WHITE	277.7	555.4
1303	FLATTNER	383.8	767.7	1551	FAST YELLOW	337.6	675.2
1553	FAST BLUE	402.4	804.8	1303	FLATTNER	392.8	785.5
1559	YELLOW OXIDE	416.6	833.2	1550	RED OXIDE	423.0	845.9
<b>6260</b>		<b>Buick</b>	<b>173A</b>	<b>6274</b>	<b>Canyon Brown</b>	<b>Chrysler Motors</b>	<b>LU7</b>
1551	FAST YELLOW	147.9	295.8	1558	BRITE RED	231.7	463.3
1554	TINTING WHITE	292.6	585.2	1553	FAST BLUE	319.9	639.7
1550	RED OXIDE	402.1	804.2	1302	LOW LUSTER CLEAR	373.8	747.5
1553	FAST BLUE	421.2	842.4	1551	FAST YELLOW	413.2	826.3
1556	FAST GREEN	427.6	855.3				
<b>6261</b>	<b>Blue Metallic</b>	<b>General Motors</b>	<b>191</b>	<b>6275</b>	<b>Lt Urban</b>	<b>General Motors</b>	<b>331N</b>
1553	FAST BLUE	157.3	314.6	1554	TINTING WHITE	304.5	609.0
1302	LOW LUSTER CLEAR	275.4	550.7	1303	FLATTNER	361.6	723.3
1508	SILVER	339.6	679.2	1551	FAST YELLOW	394.2	788.3
1501	LANDAU BLACK	392.8	785.6	1550	RED OXIDE	416.0	832.1
1557	MAGENTA RED	413.3	826.5	1501	LANDAU BLACK	437.9	875.8

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 187

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6276</b>	<b>Morello Red</b>	<b>General Motors</b>	<b>747U</b>	<b>6283</b>	<b>Lt Beige</b>	<b>Ford Motor</b>	<b>54</b>
1557	MAGENTA RED	282.8	565.7	1554	TINTING WHITE	423.8	847.7
1551	FAST YELLOW	337.2	674.4	1551	FAST YELLOW	434.6	869.2
1303	FLATTNER	391.1	782.3	1550	RED OXIDE	444.6	889.2
1559	YELLOW OXIDE	409.8	819.6	1501	LANDAU BLACK	447.3	894.6
1553	FAST BLUE	413.6	827.1				
<b>TOPCOAT WITH FORMULA 6285</b>							
<b>6277</b>	<b>Caramel Tan</b>	<b>General Motors</b>	<b>706U</b>	<b>6284</b>	<b>Flannel Grey</b>	<b>Volkswagon</b>	<b>GQ</b>
1554	TINTING WHITE	219.8	439.6	1554	TINTING WHITE	241.6	483.1
1551	FAST YELLOW	323.7	647.5	1501	LANDAU BLACK	321.0	642.0
1303	FLATTNER	380.0	760.1	1303	FLATTNER	377.5	755.1
1550	RED OXIDE	418.9	837.8	1551	FAST YELLOW	406.6	813.1
1501	LANDAU BLACK	431.6	863.3	1550	RED OXIDE	433.2	866.5
<b>6278</b>	<b>Lt Platinum</b>	<b>General Motors</b>	<b>803T</b>	<b>6285</b>	<b>Topcoat for 6283</b>	<b>Ford Motor</b>	<b>54</b>
1554	TINTING WHITE	223.4	446.8	1300	HI GLOSS CLR	404.5	809.0
1559	YELLOW OXIDE	323.0	646.0	3520	PLATINUM PEARL	414.6	829.2
1303	FLATTNER	379.6	759.1				
1501	LANDAU BLACK	415.6	831.1				
1550	RED OXIDE	433.8	867.6				
<b>6279</b>	<b>Saffron</b>	<b>General Motors</b>	<b>839T</b>	<b>6286</b>	<b>Medium Blue Met</b>	<b>Ford Motor</b>	<b>5747</b>
1554	TINTING WHITE	189.2	378.3	1300	HI GLOSS CLR	128.4	256.7
1551	FAST YELLOW	330.3	660.6	1553	FAST BLUE	232.5	465.1
1303	FLATTNER	386.3	772.5	1501	LANDAU BLACK	308.0	615.9
1550	RED OXIDE	426.5	853.1	1508	SILVER	371.1	742.2
1553	FAST BLUE	429.2	858.5	1557	MAGENTA RED	399.4	798.8
				1552	FAST RED	413.6	827.2
<b>6280</b>	<b>Gucci Black</b>	<b>Chrysler Motors</b>	<b>KX9</b>	<b>6288</b>	<b>Blond</b>	<b>Nissan</b>	<b>C</b>
1501	LANDAU BLACK	297.1	594.1	1559	YELLOW OXIDE	178.9	357.8
1553	FAST BLUE	360.1	720.1	1554	TINTING WHITE	276.8	553.6
1303	FLATTNER	414.1	828.2	1501	LANDAU BLACK	339.1	678.3
				1550	RED OXIDE	387.9	775.7
				1303	FLATTNER	426.6	853.3
<b>6281</b>	<b>Lt Diesel Gray</b>	<b>Chrysler Motors</b>	<b>LA3</b>	<b>6289</b>	<b>Med Saddle</b>	<b>Chevrolet</b>	<b>80</b>
1554	TINTING WHITE	322.8	645.7	1559	YELLOW OXIDE	193.5	386.9
1303	FLATTNER	380.1	760.2	1302	LOW LUSTER CLEAR	291.1	582.2
1501	LANDAU BLACK	410.6	821.2	1554	TINTING WHITE	362.4	724.8
1551	FAST YELLOW	429.5	859.1	1550	RED OXIDE	408.1	816.2
1557	MAGENTA RED	438.8	877.7	1501	LANDAU BLACK	424.3	848.6
<b>6282</b>	<b>Graphite</b>	<b>Toyota</b>	<b>FJ13</b>	<b>6290</b>	<b>Dune</b>	<b>Ford Motor</b>	<b>DN3A</b>
1501	LANDAU BLACK	264.5	529.1	1554	TINTING WHITE	228.5	457.0
1554	TINTING WHITE	308.6	617.3	1559	YELLOW OXIDE	368.5	737.1
1551	FAST YELLOW	349.7	699.4	1303	FLATTNER	408.1	816.1
1303	FLATTNER	387.8	775.5	1501	LANDAU BLACK	422.4	844.8
1550	RED OXIDE	418.5	837.0	1552	FAST RED	434.7	869.5

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 188

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6291</b>	<b>Hazelnut</b>	<b>Ford Motor</b>	<b>DT7A</b>	<b>6299</b>	<b>Bronze</b>	<b>General Motors</b>	<b>76I</b>
1559	YELLOW OXIDE	179.4	358.9	1552	FAST RED	258.0	516.0
1552	FAST RED	269.5	539.0	1551	FAST YELLOW	365.0	729.9
1501	LANDAU BLACK	333.8	667.6	1303	FLATTNER	402.6	805.2
1554	TINTING WHITE	383.4	766.9	1501	LANDAU BLACK	413.7	827.3
1303	FLATTNER	421.8	843.6				
<b>6292</b>	<b>Lt Dune</b>	<b>Ford Motor</b>	<b>DN1A</b>	<b>6300</b>	<b>Sterling Burgandy</b>	<b>rossover to M25243</b>	
1554	TINTING WHITE	313.8	627.6	1557	MAGENTA RED	186.2	372.4
1559	YELLOW OXIDE	389.7	779.5	1552	FAST RED	340.6	681.3
1303	FLATTNER	429.7	859.5	1559	YELLOW OXIDE	401.6	803.2
1501	LANDAU BLACK	437.5	875.1	1551	FAST YELLOW	410.7	821.5
1557	MAGENTA RED	439.9	879.9	1553	FAST BLUE	415.0	830.0
<b>6293</b>	<b>Mussell(Opal Gray)/</b>	<b>Audi</b>	<b>EC</b>	<b>6301</b>	<b>Stingray Yellow</b>	<b>rossover to M25223</b>	
1559	YELLOW OXIDE	128.1	256.2	1554	TINTING WHITE	179.8	359.6
1554	TINTING WHITE	235.3	470.6	1551	FAST YELLOW	357.4	714.8
1501	LANDAU BLACK	333.8	667.7	1559	YELLOW OXIDE	426.0	852.0
1550	RED OXIDE	387.9	775.8	1552	FAST RED	429.5	858.9
1303	FLATTNER	426.4	852.9	1553	FAST BLUE		
<b>6294</b>	<b>Blue</b>	<b>Nissan</b>	<b>B</b>	<b>6302</b>	<b>Carver Coco</b>	<b>rossover to M25213</b>	
1553	FAST BLUE	173.4	346.9	1302	LOW LUSTER CLEAR	138.5	277.0
1501	LANDAU BLACK	267.1	534.2	1552	FAST RED	269.2	538.4
1554	TINTING WHITE	323.3	646.6	1559	YELLOW OXIDE	387.1	774.2
1556	FAST GREEN	379.6	759.2	1553	FAST BLUE	401.6	803.1
1303	FLATTNER	417.6	835.2	1556	FAST GREEN	415.6	831.1
<b>6295</b>	<b>White Elk</b>	<b>Chevrolet</b>	<b>743</b>	<b>6303</b>	<b>Formula Boats Grey</b>	<b>rossover to M25203</b>	
1554	TINTING WHITE	286.6	573.2	1554	TINTING WHITE	305.4	610.8
1302	LOW LUSTER CLEAR	421.7	843.4	1559	YELLOW OXIDE	347.7	695.3
1551	FAST YELLOW	429.6	859.2	1303	FLATTNER	387.6	775.2
1501	LANDAU BLACK	433.0	866.0	1550	RED OXIDE	425.0	850.0
1550	RED OXIDE	435.5	870.9	1553	FAST BLUE	439.3	878.6
<b>6296</b>	<b>Formula Boats Red</b>	<b>rossover to M25233</b>		<b>6304</b>	<b>Light Grey</b>	<b>rossover to M25193</b>	
1302	LOW LUSTER CLEAR	103.0	206.0	1554	TINTING WHITE	305.9	611.8
1552	FAST RED	203.9	407.8	1300	HI GLOSS CLR	430.8	861.6
1559	YELLOW OXIDE	303.3	606.6	1501	LANDAU BLACK	435.6	871.1
1557	MAGENTA RED	377.9	755.9	1559	YELLOW OXIDE	437.2	874.4
1558	BRITE RED	411.4	822.9				
1551	FAST YELLOW	415.4	830.7				
<b>6297</b>	<b>Teal Metallic</b>	<b>Plymouth</b>	<b>WL2</b>	<b>6305</b>	<b>Ranger Gunmetal Gre</b>	<b>rossover to M25183</b>	
1501	LANDAU BLACK	122.2	244.4	1554	TINTING WHITE	134.5	269.0
1556	FAST GREEN	241.1	482.3	1559	YELLOW OXIDE	230.9	461.8
1508	SILVER	348.5	696.9	1501	LANDAU BLACK	325.1	650.1
1553	FAST BLUE	415.1	830.2	1302	LOW LUSTER CLEAR	410.3	820.7
				1552	FAST RED	426.3	852.6

1301

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 189

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6306</b>	<b>Ranger Charcoal</b>	<b>ssover to M25173</b>		<b>6313</b>	<b>Sea Ray Alabaster</b>	<b>ssover to M25103</b>	
1302	LOW LUSTER CLEAR	139.8	279.6	1554	TINTING WHITE	294.0	587.9
1501	LANDAU BLACK	247.9	495.8	1302	LOW LUSTER CLEAR	418.6	837.3
1559	YELLOW OXIDE	353.7	707.5	1559	YELLOW OXIDE	434.4	868.9
1554	TINTING WHITE	394.5	789.0	1557	MAGENTA RED	435.5	871.1
1550	RED OXIDE	419.4	838.8	1501	LANDAU BLACK	436.4	872.8
<b>6307</b>	<b>Ranger Beige</b>	<b>ssover to M25163</b>		<b>6314</b>	<b>Sea Ray Mystic White</b>	<b>ssover to M25093</b>	
1559	YELLOW OXIDE	138.0	276.1	1554	TINTING WHITE	336.5	673.0
1302	LOW LUSTER CLEAR	258.9	517.9	1302	LOW LUSTER CLEAR	437.9	875.8
1550	RED OXIDE	328.8	657.6	1559	YELLOW OXIDE	439.5	879.1
1554	TINTING WHITE	398.6	797.1	1558	BRITE RED	439.6	879.2
1553	FAST BLUE	423.2	846.3				
<b>6308</b>	<b>Stingray Taupe</b>	<b>ssover to M25153</b>		<b>6315</b>	<b>Carver White</b>	<b>ssover to M25083</b>	
1554	TINTING WHITE	291.4	582.7	1554	TINTING WHITE	400.5	801.0
1302	LOW LUSTER CLEAR	364.3	728.6	1302	LOW LUSTER CLEAR	441.0	881.9
1559	YELLOW OXIDE	407.3	814.6	1559	YELLOW OXIDE	442.7	885.4
1550	RED OXIDE	423.0	846.0	1558	BRITE RED	444.3	888.6
1501	LANDAU BLACK	437.6	875.2	1556	FAST GREEN	445.0	890.0
<b>6309</b>	<b>Chaparel Beige/Platin</b>	<b>ssover to M25143</b>		<b>6316</b>	<b>Ranger Off-White</b>	<b>ssover to M25073</b>	
1554	TINTING WHITE	330.6	661.2	1554	TINTING WHITE	353.1	706.1
1302	LOW LUSTER CLEAR	403.9	807.8	1302	LOW LUSTER CLEAR	426.6	853.2
1559	YELLOW OXIDE	433.0	866.0	1559	YELLOW OXIDE	440.0	879.9
1501	LANDAU BLACK	438.3	876.5	1557	MAGENTA RED	440.8	881.6
1557	MAGENTA RED	439.9	879.9	1553	FAST BLUE	441.3	882.7
<b>6310</b>	<b>Carver Light Tan</b>	<b>ssover to M25133</b>		<b>6317</b>	<b>Ranger White</b>	<b>ssover to M25063</b>	
1302	LOW LUSTER CLEAR	142.3	284.6	1554	TINTING WHITE	332.0	663.9
1554	TINTING WHITE	281.9	563.7	1302	LOW LUSTER CLEAR	433.3	866.7
1559	YELLOW OXIDE	391.6	783.2	1559	YELLOW OXIDE	438.7	877.3
1550	RED OXIDE	411.4	822.8	1501	LANDAU BLACK	439.3	878.6
1501	LANDAU BLACK	426.8	853.7				
<b>6311</b>	<b>Carver Dade Bisque</b>	<b>ssover to M25123</b>		<b>6318</b>	<b>Ranger Black</b>	<b>ssover to M25053</b>	
1554	TINTING WHITE	342.2	684.5	1501	LANDAU BLACK	248.7	497.4
1559	YELLOW OXIDE	405.1	810.3	1552	FAST RED	341.9	683.9
1550	RED OXIDE	435.3	870.7	1302	LOW LUSTER CLEAR	411.0	821.9
1556	FAST GREEN	442.8	885.6	1559	YELLOW OXIDE	412.6	825.2
				1553	FAST BLUE	414.1	828.3
<b>6312</b>	<b>Sea Ray Champagne</b>	<b>ssover to M25113</b>		<b>6319</b>	<b>Ranger Admiral Blue</b>	<b>ssover to M25043</b>	
1554	TINTING WHITE	323.9	647.7	1553	FAST BLUE	162.3	324.5
1559	YELLOW OXIDE	393.4	786.9	1302	LOW LUSTER CLEAR	317.2	634.4
1303	FLATTNER	433.5	867.0	1501	LANDAU BLACK	371.7	743.4
1550	RED OXIDE	438.1	876.1	1557	MAGENTA RED	400.8	801.5
1501	LANDAU BLACK	440.7	881.3	1554	TINTING WHITE	413.2	826.5

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 190

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6320</b>	<b>Ultra Blue</b>	<b>ssover to M25033</b>		<b>6351</b>	<b>Sandlewood</b>	<b>Chevrolet</b>	<b>715</b>
1553	FAST BLUE	381.0	761.9	1554	TINTING WHITE	250.9	501.8
1554	TINTING WHITE	401.3	802.5	1559	YELLOW OXIDE	350.7	701.3
1556	FAST GREEN	413.9	827.8	1302	LOW LUSTER CLEAR	423.2	846.4
				1501	LANDAU BLACK	432.4	864.8
				1557	MAGENTA RED	435.3	870.7
<b>6321</b>	<b>Ranger Orchid Green</b>	<b>ssover to M25023</b>		<b>6352</b>	<b>Dk Sandlewood</b>	<b>Chevrolet</b>	<b>715</b>
1559	YELLOW OXIDE	126.1	252.2	1559	YELLOW OXIDE	205.8	411.6
1553	FAST BLUE	201.4	402.8	1554	TINTING WHITE	301.0	602.0
1556	FAST GREEN	276.5	552.9	1302	LOW LUSTER CLEAR	372.1	744.1
1302	LOW LUSTER CLEAR	345.8	691.6	1501	LANDAU BLACK	399.9	799.7
1552	FAST RED	400.3	800.6	1550	RED OXIDE	426.2	852.4
1551	FAST YELLOW	416.0	832.0				
<b>6322</b>	<b>Ultra Turquoise</b>	<b>ssover to M25013</b>		<b>6353</b>	<b>Dk Beige</b>	<b>Chevrolet</b>	<b>715</b>
1556	FAST GREEN	165.2	330.5	1559	YELLOW OXIDE	212.7	425.5
1554	TINTING WHITE	304.4	608.8	1302	LOW LUSTER CLEAR	283.4	566.9
1302	LOW LUSTER CLEAR	389.3	778.5	1554	TINTING WHITE	349.6	699.2
1552	FAST RED	420.6	841.3	1501	LANDAU BLACK	393.2	786.4
1501	LANDAU BLACK	424.0	847.9	1550	RED OXIDE	424.3	848.5
1559	YELLOW OXIDE	424.2	848.5				
<b>6323</b>	<b>Ultra Purple</b>	<b>ssover to M25003</b>		<b>6354</b>	<b>Java</b>	<b>Ford</b>	<b>EL6A</b>
1557	MAGENTA RED	161.9	323.8	1557	MAGENTA RED	140.4	280.9
1553	FAST BLUE	245.4	490.9	1302	LOW LUSTER CLEAR	236.1	472.2
1302	LOW LUSTER CLEAR	328.6	657.3	1551	FAST YELLOW	300.5	600.9
1558	BRITE RED	366.6	733.1	1559	YELLOW OXIDE	359.1	718.3
1554	TINTING WHITE	404.3	808.7	1501	LANDAU BLACK	414.5	829.1
1550	RED OXIDE	416.0	832.0				
<b>6324</b>	<b>Graphite Grey</b>	<b>Porsche</b>	<b>CY</b>	<b>6355</b>	<b>Dk Galvanized</b>	<b>GM</b>	<b>WA982S</b>
1559	YELLOW OXIDE	141.4	282.9	1501	LANDAU BLACK	162.2	324.3
1554	TINTING WHITE	272.2	544.4	1302	LOW LUSTER CLEAR	282.7	565.4
1501	LANDAU BLACK	357.7	715.4	1554	TINTING WHITE	384.0	767.9
1303	FLATTNER	396.6	793.2	1551	FAST YELLOW	407.0	814.0
1550	RED OXIDE	428.0	856.1	1550	RED OXIDE	421.8	843.6
<b>6325</b>	<b>Orange</b>	<b>Plymouth</b>	<b>H6</b>	<b>6356</b>	<b>Dark Mocha</b>	<b>Chrysler</b>	<b>LL8</b>
1555	FAST ORANGE	287.0	574.0	1559	YELLOW OXIDE	190.2	380.4
1551	FAST YELLOW	337.6	675.2	1550	RED OXIDE	303.6	607.2
1558	BRITE RED	371.4	742.7	1501	LANDAU BLACK	364.4	728.8
1303	FLATTNER	405.1	810.2	1303	FLATTNER	402.7	805.3
1554	TINTING WHITE	418.6	837.1	1551	FAST YELLOW	420.7	841.4
1501	LANDAU BLACK	419.7	839.5				
<b>6350</b>	<b>Palladium Silver</b>	<b>BMW</b>	<b>NCH1</b>	<b>6357</b>	<b>Med Ash Gray</b>	<b>GM</b>	<b>WA9883</b>
1554	TINTING WHITE	188.0	376.0	1554	TINTING WHITE	215.2	430.4
1559	YELLOW OXIDE	281.0	561.9	1302	LOW LUSTER CLEAR	338.2	676.4
1501	LANDAU BLACK	373.3	746.7	1501	LANDAU BLACK	391.7	783.4
1303	FLATTNER	412.5	825.0	1550	RED OXIDE	412.3	824.7
1553	FAST BLUE	430.6	861.3	1551	FAST YELLOW	430.5	861.0

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

SMSF  
REV. 06/14  
PAGE 191

		PINTS	QUARTS			PINTS	QUARTS
		GRAMS				GRAMS	
<b>6358</b>	<b>Oasis</b>	<b>Ford</b>	<b>E15A</b>	<b>6366</b>	<b>Topcoat for 6365</b>	<b>Chevrolet</b>	<b>791</b>
1302	LOW LUSTER CLEAR	132.1	264.2	1301	SATIN GLOSS CLR	399.2	798.4
1559	YELLOW OXIDE	251.1	502.2	3520	PLATINUM PEARL	419.2	838.3
1554	TINTING WHITE	366.1	732.3				
1550	RED OXIDE	401.8	803.6				
1501	LANDAU BLACK	425.6	851.2				
<b>6359</b>	<b>Indigo</b>	<b>Chrysler</b>	<b>LC5</b>	<b>6367</b>	<b>Oxford White</b>	<b>Ford</b>	<b>Z</b>
1501	LANDAU BLACK	228.5	457.1	1554	TINTING WHITE	359.0	718.0
1553	FAST BLUE	370.5	741.1	1302	LOW LUSTER CLEAR	416.7	833.3
1303	FLATTNER	408.2	816.4	1559	YELLOW OXIDE	438.0	876.1
1554	TINTING WHITE	414.1	828.3	1501	LANDAU BLACK	441.5	883.1
				1550	RED OXIDE	442.1	884.2
<b>6360</b>	<b>Vecchio</b>	<b>GM</b>	<b>WA153X</b>		<b>Butterscotch</b>	<b>Datson</b>	
1551	FAST YELLOW	186.4	372.9	1559	YELLOW OXIDE		
1552	FAST RED	277.7	555.4	1302	LOW LUSTER CLEAR		
1550	RED OXIDE	367.1	734.2	1550	RED OXIDE		
1303	FLATTNER	404.9	809.8	1554	TINTING WHITE		
1553	FAST BLUE	415.6	831.3	1501	LANDAU BLACK		
<b>6361</b>	<b>Wagoner Blue</b>	<b>GM</b>	<b>WA863S</b>		<b>Chantilly Beige</b>	<b>Ford Motor</b>	
1553	FAST BLUE	275.1	550.2	1508	SILVER	215.0	430.0
1559	YELLOW OXIDE	327.8	655.5	1559	YELLOW OXIDE	381.0	762.0
1303	FLATTNER	365.5	730.9	1550	RED OXIDE	418.5	837.0
1550	RED OXIDE	401.3	802.7	1501	LANDAU BLACK	432.5	865.0
1501	LANDAU BLACK	414.6	829.1				
<b>6362</b>	<b>Black</b>	<b>Chrysler</b>	<b>MX9</b>		<b>LT. Rose</b>	<b>Ford Motor</b>	
1501	LANDAU BLACK	147.4	294.8	1508	SILVER	250.9	501.8
1300	HI GLOSS CLR	270.6	541.1	1550	RED OXIDE	355.9	711.8
1551	FAST YELLOW	330.7	661.5	1552	FAST RED	411.0	822.0
1554	TINTING WHITE	386.2	772.3	1551	FAST YELLOW	430.8	861.6
1557	MAGENTA RED	417.9	835.8				
<b>6363</b>	<b>Iceland</b>	<b>Chrysler</b>	<b>LAA</b>		<b>DK. Rose</b>	<b>Ford Motor</b>	
1554	TINTING WHITE	154.3	308.6	1552	FAST RED	256.1	512.2
1559	YELLOW OXIDE	262.6	525.2	1508	SILVER	357.5	715.0
1501	LANDAU BLACK	357.7	715.3	1551	FAST YELLOW	391.7	783.4
1303	FLATTNER	396.7	793.3	1553	FAST BLUE	421.0	842.0
1550	RED OXIDE	429.2	858.3	1501	LANDAU BLACK	426.3	852.6
<b>6365</b>	<b>Ivory Pearl</b>	<b>Chevrolet</b>	<b>791</b>		<b>BF Red</b>	<b>Ford Motor</b>	<b>BF</b>
1554	TINTING WHITE	392.8	785.6	1552	FAST RED	250.5	501.0
1559	YELLOW OXIDE	445.2	890.3	1551	FAST YELLOW	339.6	679.2
1556	FAST GREEN	445.8	891.7	1302	LOW LUSTER CLEAR	409.2	818.4
				1554	TINTING WHITE	426.2	852.4

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

**MUST TOP COAT WITH 1300 HIGH GLOSS CLEAR**

6366

# SEM Products, Inc. - COLOR COAT FORMULAS

SEM MIXING SYSTEM for exterior and interior vinyl, plastic, carpet and velour. Each formula is in grams and is shown on an accumulative basis. Be sure to agitate all basic tinting colors thoroughly before mixing each formula. See trim code listings for print and instrument panel information.

**SMSF**  
**REV. 06/14**  
**PAGE 192**

PINTS	QUARTS
GRAMS	

PINTS	QUARTS
GRAMS	

---

<b>6220 Alt1</b>	<b>Orion Gray</b>	<b>Mercedes Benz</b>		<b>268</b>
1554	TINTING WHITE	216.3	432.7	
1559	YELLOW OXIDE	310.1	620.2	
1501	LANDAU BLACK	390.3	780.6	
1303	FLATTNER	429.6	859.3	
1557	MAGENTA RED	432.9	865.8	

---

<b>6249 Alt1</b>	<b>Truffle</b>	<b>Rolex Vans</b>		
1554	TINTING WHITE	165.9	331.8	
1501	LANDAU BLACK	273.8	547.6	
1550	RED OXIDE	342.6	685.3	
1551	FAST YELLOW	389.5	779.1	
1303	FLATTNER	428.5	857.0	